STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING
Contract I.D. 230519-F03

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S): NHPP64-1(99), NHPP 64-1(100)

Job J6I3540 Route Various FRANKLIN, ST LOUIS, ST LOUIS CITY County Job J6I3550 Route Various ST CHARLES, ST LOUIS, ST LOUIS CITY County

BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

- 1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
- 2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
- 3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.
- 4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
- 5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
- 6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
- 7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
- 8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
- 9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid) at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to non-responsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

TABLE OF CONTENTS

Notice to Contractors

Proposed Work	item	(1)
Compliance With Contract Provisions	item	(2)
Period of Performance	item	(3)
Liquidated Damages	item	(4)
Itemized Bid	item	(5)
Trainees	item	(6)
DBE Certification*	item	(7)
Acceptance of Provision for Price Adjustment for Fuel	item	(8a)
Acceptance of Provision for Asphalt Cement Price Index	item	(8b)
Max. Monetary Value of Awards Accepted this Bid Opening	item	(9)
Combination Bids	item	(10)
Certification for Federal Jobs	item	(11a)
Certification for State Jobs	item	(11b)
Antidiscrimination	item	(12)
Preference to Missouri Firms in Awarding of Contracts	item	(13)
Subcontractor Disclosure Form*	.item	(14)
Signature and Identity of Bidder	item	(15)
Bid Guaranty*	item	(16)

^{*}These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 05/19/2023.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

- (1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:
- ****(1): Job J6I3540 Route Various FRANKLIN, ST LOUIS, ST LOUIS CITY County. 8 Bridge rehabilitations at various Locations within St. Louis District, the total length of improvement being 6.28 miles.****(2): Job J6I3550 Route Various ST CHARLES, ST LOUIS, ST LOUIS CITY County. 25 Bridge rehabilitations and ADA at various locations in St. Louis District, the total length of improvement being 1.27 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

- (2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office Design Division at (573) 751-2876.
- (3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.
- (4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity	Unit	Unit Price	Extension Price
Section 0001 ROADWAY ITEM	MS - J6I3540				
0010	2013000 CLEARING AND				
0020	2022010 REMOVAL OF IM	1.000 PROVEMENTS	LS		
0030	2152000A SHAPING SLOPE:	36.000	100F		
0040	2169902 MISC. REMOVE :	2.000 LOOSE GROUT	EA		
0050	4011207 BITUMINOUS PA	5.400 VEMENT MIXTURE	TONS PG70-22, (BP-1)		
0060	6123000A TRUCK OR TRAI:	3.000	EA FENUATOR (TMA)		
0070	6169901 MISC. TRAFFIC	1.000 CONTROL BRIDG	LS E A1501		
0080	6169901 MISC. TRAFFIC		LS E A5584		
0090	6169901 MISC. TRAFFIC	1.000 CONTROL BRIDGE	LS		
0100	6169901 MISC. TRAFFIC	1.000 CONTROL BRIDGE	LS E A8141		
0110	6169901 MISC. TRAFFIC	1.000	LS E L0815		
0120	6169901 MISC. TRAFFIC	1.000 SIGNAL MAINTE	LS		
0130	RETAINED)	4.000 COMPLIANT CH	EA ANGEABLE MESSAGE	SIGN (CONTRACTOR	FURNISHED AND
0140	6172000 CONCRETE TRAF	262.000	LF		
0150	6178001 TRAFFIC BARRI	170.000 ER DELINEATOR,	WHITE		
0160	6178002A TRAFFIC BARRII	280.000 ER DELINEATOR,	EA YELLOW		
0170	6181000 MOBILIZATION	1.000	LS		
		60271.000 IGH BUILD WATE	LF RBORNE PAVEMENT MA	ARKING PAINT, TYPE 1	L BEADS
0190	6205903A 6 IN YELLOW	36579.000 HIGH BUILD WAT	LF	MARKING PAINT, TYPE	
0200	6206124A	1383.000 STANDARD WATER		RKING PAINT, TYPE P	BEADS
0210	6209902 MISC. PREFORM	3.000 ED THERMOPLAST	IC PAVEMENT MARKIN	NG, LANE DROP ARROWS	S LT/RT
0220		45.000	SQYD	DF SURFACING (3 IN.	
0230	6274000	1.000 RNISHED SURVEY	LS ING AND STAKING		

	Mis	souri Department of Transportation	Contract ID: 230519-F03
	7040101 SUBSTRUCTURE RE	PAIR (FORMED)	
0250	7110200	1.000 LS ING - CONCRETE BENTS AND PIERS (EF	
0260	8025006 MULCHING		
0270	8051000A SEEDING - COOL	2.500 ACRE SEASON GRASSES	
Section 0001			
Section 0002			
GUARDRAIL/	GUARD CABLE ITEMS - J6I354	0	
0280		2.000 EA THY END TERMINAL (MASH)	
0290	6066640 GUARDRAIL DELIN	8.000 EA	
0300	6066642 GUARDRAIL DELIN	55.000 EA	
0310	6066647A GUARDRAIL DELIN	5.000 EA EATOR, YELLOW/RED	
Section 0003 ITS ITEMS			
	9109901 MISC. FIBER MAN	1.000 LS AGEMENT TOOL	
0330	9109901	1.000 LS ASSETS RELOCATION	
Section 0003	Total		
Section 0004	0116 - J6I3540		
0340	7033013 PENETRATING CON		
0350	7040163 CONCRETE CRACK	15684.000 SQYD FILLER	
0360	7079902 MISC. Lighting	85.000 EA Access Hole Covers	
Section 0004	Total		
Section 0005 BRIDGE A15	0117 - J6I3540		
0370	7033013 PENETRATING CON		
0380	7040163 CONCRETE CRACK	35379.000 SQYD	

Missouri Department of Transportation Contract ID: 230519-F03 0390 7079902 22.000 EA MISC. Lighting Access Hole Covers Section 0005 Total Section 0006 BRIDGE A55842 - J6I3540 0400 6233000 26570.000 SQYD EPOXY POLYMER WEARING SURFACE 410 7040163 588.000 SQYD CONCRETE CRACK FILLER 0420 7129901 1.000 LS MISC. Cleaning of Existing Drainage System ______ 7129902 0430 1.000 EA MISC. Repairing Drain Connection ... 0440 7129903 173.000 LF MISC. Flushing Expansion Joint Section 0006 Total Section 0007 BRIDGE A55852 - J6I3540 0450 7040163 30303.000 SQYD CONCRETE CRACK FILLER Section 0007 Total Section 0008 BRIDGE A55853 - J6I3540 0460 7040163 34616.000 SQYD CONCRETE CRACK FILLER Section 0008 Total Section 0009 BRIDGE A81411 - J6I3540 0470 7040163 15660.000 SQYD CONCRETE CRACK FILLER Section 0009 Total Section 0010 BRIDGE L08156 - J6I3540 0480 7040163 29512.000 SQYD

Section 0010 Total

Section 0011	
	TEMS - J6I3550
0500	2013000 1.000 ACRE
	CLEARING AND GRUBBING
0510	2019919 1.800 ACRE
	MISC. VEGETATION REMOVAL AND TRIMMING
0520	2022010 1.000 LS
	REMOVAL OF IMPROVEMENTS
0530	2026040 12.000 CUYD
	BACKFILL
0540	2031000 1357.000 CUYD
	CLASS A EXCAVATION
0550	2036000 100.000 CUYD
	COMPACTING EMBANKMENT
0560	2152000A 192.000 100F
	SHAPING SLOPES, CLASS II
0570	2159910 19.000 100F
	MISC. SHAPING SLOPES, CLASS III (MODIFIED MATERIAL REQUIREMENTS)
0580	2169902 2.000 EA
	MISC. REMOVE LOOSE GROUT
0590	3040504 179.000 SQYD
	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)
0600	4011207 39.200 TONS
	BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-1)
0610	4081027 31.000 GAL
	PRIME-EMULSIFIED ASPHALT SS-1H
0620	4136000 6374.000 LF
	PCCP JOINT/CRACK SEALING
0630	6081010 12.000 SQYD
	CONCRETE CURB RAMP
0640	6081012 40.000 SQFT
	TRUNCATED DOMES
0650	6086004 178.700 SQYD
	CONCRETE SIDEWALK, 4 IN.
0660	6096010A 230.000 CUYD
	FURNISHING TYPE 1 ROCK DITCH LINER
0670	6096041 230.000 CUYD
	PLACING TYPE 1 ROCK DITCH LINER
0680	6097000 12.000 CUYD
	ROCK LINING
0690	6099903 87.000 LF
	MISC. CONCRETE CURB
0700	6113020 1315.000 CUYD
	FURNISHING TYPE 2 ROCK BLANKET
0710	6113040 1315.000 CUYD
	PLACING TYPE 2 ROCK BLANKET
0720	6116010A 391.000 SQYD
	SLOPE PROTECTION
0730	6123000A 3.000 EA
	TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)

0740	6131010 20.000 SQYD
0 / 4 0	FURNISHING AND PLACING CONCRETE MATERIAL FOR FULL DEPTH PAVEMENT REPAIR
0750	6131012 20.000 SQYD
	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)
0760	6131013 20.000 SQYD
	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)
0770	6131014 76.000 LF
	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS)
0780	6169901 1.000 LS
	MISC. TRAFFIC CONTROL BRIDGE A4169
0790	6169901 1.000 LS
0800	6169901 1.000 LS MISC. TRAFFIC CONTROL BRIDGE A5985
0810	6169901 1.000 LS
0010	MISC. TRAFFIC CONTROL BRIDGE A6014/A6052
0820	6169901 1.000 LS
0020	MISC. TRAFFIC CONTROL BRIDGE A6083/A6190
0830	6169901 1.000 LS
	MISC. TRAFFIC CONTROL BRIDGE A6475
0840	6169901 1.000 LS
	MISC. TRAFFIC CONTROL BRIDGE A6657
0850	6169901 1.000 LS
	MISC. TRAFFIC CONTROL BRIDGE A6752/A6753
0860	6169901 1.000 LS
	MISC. TRAFFIC CONTROL BRIDGE A7046/A7122
0870	6169901 1.000 LS
	MISC. TRAFFIC CONTROL BRIDGE A7080/A7081
0880	6169901 1.000 LS MISC. TRAFFIC CONTROL BRIDGE A7233
0000	
0890	6169901 1.000 LS MISC. TRAFFIC CONTROL BRIDGE A7323
0900	6169901 1.000 LS
0 9 0 0	MISC. TRAFFIC CONTROL BRIDGE A8004/A8016
0910	6169901 1.000 LS
	MISC. TRAFFIC CONTROL BRIDGE A8020
0920	6169901 1.000 LS
	MISC. TRAFFIC CONTROL BRIDGE A8022
0930	6169901 1.000 LS
	MISC. TRAFFIC CONTROL BRIDGE A8028/A8029
0940	6169901 1.000 LS
	MISC. TRAFFIC CONTROL BRIDGE A8033
0950	6169901 1.000 LS
0960	6169901 1.000 LS
0070	
0970	6169902 11.000 EA MISC. NTCIP COMPLIANT CHANGEABLE MESSAGE SIGN (CONTRACTOR FURNISHED AND
	RETAINED)
0980	6173000 5.000 LF
	CONCRETE TRAFFIC BARRIER, TYPE C
0990	6178001 14.000 EA

	TRAFFIC BARRIER DELINEATOR, WHITE
1000	6178004 10.000 EA
	TRAFFIC BARRIER DELINEATOR, WHITE/WHITE
1010	6181000 1.000 LS
	MOBILIZATION
1020	6200015 732.000 LF
1020	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE
1030	6200018 94.000 LF
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW
1040	6200021 34.000 EA
1010	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
1050	
1030	PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW
1060	6200027 3.000 EA
1000	PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT
1070	
1070	6200030 4.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, WORD (ONLY)
1000	
1080	6200042 7.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES
1090	6205902A 5287.000 LF
	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
1100	6205903A 2711.000 LF
1110	6206000C 14030.000 LF
1120	6206001C 7318.000 LF
1130	6206124A 314.000 LF
	24 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
1140	6206125A 335.000 LF
	24 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
1150	6209902 4.000 EA
	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, SYMBOL (BIKE)
1160	6209903 429.000 LF
	MISC. 12 INCH WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
1170	6214600A 20.000 CUYD
	FLOWABLE BACKFILL
1180	6221001 312.000 SQYD
	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
1190	6240103A 2382.000 SQYD
	PERMANENT EROSION CONTROL GEOTEXTILE
1200	6252003 86400.000 LB
	SLAB JACKING MATERIAL HIGH DENSITY POLYURETHANE
1210	6274000 1.000 LS
	CONTRACTOR FURNISHED SURVEYING AND STAKING
1220	7040101 18.000 SQFT
	SUBSTRUCTURE REPAIR (FORMED)
1230	7110200 1.000 LS
	PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)
1240	7172054 1898.000 LF
	OPEN CELL FOAM JOINT SEAL

1250	
	7173002 605.000 LF
	SILICONE EXPANSION JOINT SEALANT
1260	7319902 2.000 EA
	MISC. REPLACE MANHOLE/INLET TOP
1270	8025006 3.200 ACRE
1280	8051000A 3.200 ACRE
	SEEDING - COOL SEASON GRASSES
1290	8061005 50.000 LF ROCK DITCH CHECK
1 200	
1300	8061019 3200.000 LF SILT FENCE
	0121 12.02
Section 0011	Total
Section 0012	CUADD CADITIC TERMS TOTOGES
	GUARD CABLES ITEMS - J6I3550
1310	6061060 19815.000 LF MGS GUARDRAIL
1320	6061065 200.000 LF MGS GUARDRAIL, 6 FT. POSTS, 1 FT 6.75 IN. SPACING
1330	
1330	MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)
1340	
1340	6061080 14.000 EA
1340	6061080 14.000 EA MGS END ANCHOR
1340	6061080 14.000 EA MGS END ANCHOR 6063014 33.000 EA
1340	6061080 14.000 EA MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)
1340	6061080 14.000 EA MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)
1340	6061080 14.000 EA MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)
1340 1350 Section 0012	6061080 14.000 EA MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)
1340 	6061080 14.000 EA MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)
1340 	6061080 14.000 EA MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total TEMS - J6I3550
1340 1350 Section 0012 Section 0013 LIGHTING 1	6061080 14.000 EA MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total TEMS - J6I3550 9013004 5.000 LF CONDUIT, 4 IN. RIGID, IN TRENCH
1340 1350 Section 0012 Section 0013 LIGHTING 1	6061080 14.000 EA MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total TEMS - J6I3550 9013004 5.000 LF
1340 1350 Section 0012 Section 0013 LIGHTING 1 1360	6061080 14.000 EA MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total Tems - J613550 9013004 5.000 LF CONDUIT, 4 IN. RIGID, IN TRENCH 9014004 53.000 LF CONDUIT, 4 IN. RIGID, PUSHED
1340 1350 Section 0012 Section 0013 LIGHTING 1 1360 1370	6061080 14.000 EA MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total TEMS - J6I3550 9013004 5.000 LF CONDUIT, 4 IN. RIGID, IN TRENCH 9014004 53.000 LF
1340 1350 Section 0012 Section 0013 LIGHTING 1 1360 1370	MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total TEMS - J613550 9013004 CONDUIT, 4 IN. RIGID, IN TRENCH 9014004 CONDUIT, 4 IN. RIGID, PUSHED 9014502 586.000 LF CONDUIT, 2 IN. RIGID, EXTERNAL ON STRUCTURE
1340 1350 Section 0012 Section 0013 LIGHTING 1 1360 1370 1380	6061080 14.000 EA MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total TEMS - J6I3550 9013004 5.000 LF CONDUIT, 4 IN. RIGID, IN TRENCH 9014004 53.000 LF CONDUIT, 4 IN. RIGID, PUSHED 9014502 586.000 LF
1340 1350 Section 0012 Section 0013 LIGHTING 1 1360 1370 1380 1390	MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total TEMS - J6I3550 9013004 CONDUIT, 4 IN. RIGID, IN TRENCH 9014004 CONDUIT, 4 IN. RIGID, PUSHED 9014502 586.000 LF CONDUIT, 2 IN. RIGID, EXTERNAL ON STRUCTURE 9015010 560.000 LF TRENCHING TYPE I
1340 1350 Section 0012 Section 0013 LIGHTING 1 1360 1370 1380 1390	MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total TEMS - J6I3550 9013004 CONDUIT, 4 IN. RIGID, IN TRENCH 9014004 CONDUIT, 4 IN. RIGID, PUSHED 9014502 CONDUIT, 2 IN. RIGID, EXTERNAL ON STRUCTURE 9015010 TRENCHING TYPE I 9016110 3.000 EA
1340 1350 Section 0012 Section 0013 LIGHTING 1 1360 1370 1380 1390	MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total TEMS - J6I3550 9013004 CONDUIT, 4 IN. RIGID, IN TRENCH 9014004 CONDUIT, 4 IN. RIGID, PUSHED 9014502 CONDUIT, 2 IN. RIGID, EXTERNAL ON STRUCTURE 9015010 TRENCHING TYPE I 9016110 3.000 EA
1340 1350 Section 0012 Section 0013 LIGHTING 1 1360 1370 1380 1390	6061080 14.000 EA MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total TEMS - J613550 9013004 5.000 LF CONDUIT, 4 IN. RIGID, IN TRENCH 9014004 53.000 LF CONDUIT, 4 IN. RIGID, PUSHED 9014502 586.000 LF CONDUIT, 2 IN. RIGID, EXTERNAL ON STRUCTURE 9015010 560.000 LF TRENCHING TYPE I
1340 1350 Section 0012 Section 0013 LIGHTING 1 1360 1370 1380 1400 1410	6061080 14.000 EA MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total TEMS - J613550 9013004 5.000 LF CONDUIT, 4 IN. RIGID, IN TRENCH 9014004 53.000 LF CONDUIT, 4 IN. RIGID, PUSHED 9014502 586.000 LF CONDUIT, 2 IN. RIGID, EXTERNAL ON STRUCTURE 9015010 560.000 LF TRENCHING TYPE I 9016110 3.000 EA PULL BOX, PREFORMED CLASS 1 9017008 1240.000 LF CABLE, 8 AWG 1 CONDUCTOR
1340 1350 Section 0012 Section 0013 LIGHTING 1 1360 1370 1380 1400 1410	6061080 14.000 EA MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total Tems - J613550 9013004 5.000 LF CONDUIT, 4 IN. RIGID, IN TRENCH 9014004 53.000 LF CONDUIT, 4 IN. RIGID, PUSHED 9014502 586.000 LF CONDUIT, 2 IN. RIGID, EXTERNAL ON STRUCTURE 9015010 560.000 LF TRENCHING TYPE I 9016110 3.000 EA FULL BOX, PREFORMED CLASS 1 9017008 1240.000 LF CABLE, 8 AWG 1 CONDUCTOR
1340 1350 Section 0012 Section 0013 LIGHTING 1 1360 1370 1380 1400 1410 1420	6061080 14.000 EA MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total Tems - J613550 9013004 5.000 LF CONDUIT, 4 IN. RIGID, IN TRENCH 9014004 53.000 LF CONDUIT, 4 IN. RIGID, PUSHED 9014502 586.000 LF CONDUIT, 2 IN. RIGID, EXTERNAL ON STRUCTURE 9015010 560.000 LF TRENCHING TYPE I 9016110 3.000 EA PULL BOX, PREFORMED CLASS 1 9017008 1240.000 LF CABLE, 8 AWG 1 CONDUCTOR 9017208 MIRE, 8 AWG, BARE NEUTRAL
1340 1350 Section 0012 Section 0013 LIGHTING 1 1360 1370 1380 1400 1410	6061080 14.000 EA MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total Tems - J613550 9013004 5.000 LF CONDUIT, 4 IN. RIGID, IN TRENCH 9014004 53.000 LF CONDUIT, 4 IN. RIGID, PUSHED 9014502 586.000 LF CONDUIT, 2 IN. RIGID, EXTERNAL ON STRUCTURE 9015010 560.000 LF TRENCHING TYPE I 9016110 3.000 EA PULL BOX, PREFORMED CLASS 1 9017008 1240.000 LF CABLE, 8 AWG 1 CONDUCTOR 9017208 620.000 LF WIRE, 8 AWG, BARE NEUTRAL
1340 1350 Section 0012 Section 0013 LIGHTING 1 1360 1370 1380 1400 1410 1420 1430	MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total TEMS - J613550 9013004 5.000 LF CONDUIT, 4 IN. RIGID, IN TRENCH 9014004 53.000 LF CONDUIT, 4 IN. RIGID, PUSHED 9014502 586.000 LF CONDUIT, 2 IN. RIGID, EXTERNAL ON STRUCTURE 9015010 560.000 LF TRENCHING TYPE I 9016110 3.000 EA PULL BOX, PREFORMED CLASS 1 9017008 1240.000 LF CABLE, 8 AWG 1 CONDUCTOR 9017208 620.000 LF WIRE, 8 AWG, BARE NEUTRAL 9017407 590.000 LF CABLE—CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG
1340 1350 Section 0012 Section 0013 LIGHTING 1 1360 1370 1380 1400 1410 1420	MGS END ANCHOR 6063014 33.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total TEMS - J613550 9013004 5.000 LF CONDUIT, 4 IN. RIGID, IN TRENCH 9014004 53.000 LF CONDUIT, 4 IN. RIGID, PUSHED 9014502 586.000 LF CONDUIT, 2 IN. RIGID, EXTERNAL ON STRUCTURE 9015010 560.000 LF TRENCHING TYPE I 9016110 3.000 EA PULL BOX, PREFORMED CLASS 1 9017008 1240.000 LF CABLE, 8 AWG 1 CONDUCTOR 9017208 620.000 LF WIRE, 8 AWG, BARE NEUTRAL 9017407 590.000 LF CABLE—CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG

Section 0013 Total	
Section 0014 SIGNAL ITEMS -	J6I3550
1450	9028500 3350.000 LF
	CABLE, LOOP DETECTOR, IN DUCT
Section 0014 Tota	
Section 0014 Tota	
Section 0015 ITS ITEMS - J6	T3550
	9109901 1.000 LS
1400	MISC. FIBER MANAGEMENT TOOL
1470	9109903 1999.000 LF
1470	MISC. MODOT ITS ASSETS RELOCATION
Section 0015 Tota	
Section 0016	
BRIDGE A41691	- J6I3550
1480	2069901 1.000 LS
	MISC. DEWATERING
1490	6239905 594.000 SQYD
	MISC. EPOXY URETHANE POLYMER WEARING SURFACE WITH HEALER SEALER
1500	7029902 8.000 EA
	MISC. Pile Encasement
1510	7040104 50.000 SQFT
	HALF-SOLE REPAIR
1520	7040113 5.000 SQFT
	CLEANING AND EPOXY COATING
Section 0016 Tota	
	11
Section 0017 BRIDGE A59621	- J6T3550
1530	6233000 4697.000 SQYD
1550	EPOXY POLYMER WEARING SURFACE
1540	
エンゴロ	7040104 75.000 SQFT HALF-SOLE REPAIR
1550	
1550	7040110 250.000 LF EPOXY PRESSURE INJECTING
15.00	
1560	7040163 711.000 SQYD CONCRETE CRACK FILLER
1570	
1570	7049903 10.000 LF
	MISC. BARRIER CURB REPAIR
1580	7172054 264.000 LF
	OPEN CELL FOAM JOINT SEAL
1590	7173002 56.000 LF

SILICONE EXPANSION JOINT SEALANT

Section 0018 BRIDGE A5	9851 – J6I3550		
1600	2069901	1.000 LS	
	MISC. DEWAT	ERING	
1610	6233000	926.000 SQYD	
		ER WEARING SURFACE	
1620	7029902 MISC. Pile	18.000 EA	
1630	7040104	50.000 SQFT	
1030	HALF-SOLE R		
 1640	7040163	253.000 SQYD	
1040	CONCRETE CR.	_	
1650	7125102	1.000 LS	
1030		PARATION FOR APPLYING EPOX	KY-MASTIC PRIMER
1660	7125961	1.000 LS	
T 0 0 0	GRAY EPOXY-	MASTIC PRIMER	
1670	7173002	49.000 LF	
	SILICONE EX	PANSION JOINT SEALANT	
0			
Section 0018	TOLAI		
Section 0019	0141 - J6I3550		
1680	2169902	20.000 EA	
1000		al of Raised Pavement Mark	kers
1690	2169904	1.000 SQFT	
1000		ent Patching	
 1700	6239905	3336.000 SQYD	
1700		-	SURFACE WITH HEALER SEALER
1710	7040104		
1,10	HALF-SOLE R		
1720			
1720	7040163 CONCRETE CR	-	
1720			
1730	7049901 MISC CLEAN	1.000 LS ING OF EXISTING DRAINAINAC	SE SYSTEM
	MISC. CLEAN	TIME OF EVISITING DEVILUATION	er sislem
Section 0019	Total		
Section 0020			
BRIDGE A6	0521 - J6I3550		
1740	6239905	2930.000 SQYD	
	MISC. EPOXY	URETHANE POLYMER WEARING	SURFACE WITH HEALER SEALER
1750	7040163	479.000 SQYD	
	CONCRETE CR	ACK FILLER	
1760	7049901	1.000 LS	
		ING OF EXISTING DRAINAGE S	SYSTEM
1770	7049903	25.000 LF	

MISC. Barrier Curb Repair

Missouri Department of Transportation Contract ID: 230519-F03 ______ Section 0020 Total Section 0021 BRIDGE A60833 - J6I3550 12.000 EA MISC. Removal of Raised Pavement Markers . 1790 6239905 2465.000 SQYD MISC. EPOXY URETHANE POLYMER WEARING SURFACE WITH HEALER SEALER 7040104 50.000 SQFT 1800 HALF-SOLE REPAIR 1810 7040163 410.000 SQYD CONCRETE CRACK FILLER -----1.000 LS 1820 7110200 PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY) 1830 7173002 41.000 LF SILICONE EXPANSION JOINT SEALANT Section 0021 Total Section 0022 BRIDGE A61902 - J6I3550 1840 6239905 2807.000 SQYD MISC. EPOXY URETHANE POLYMER WEARING SURFACE WITH HEALER SEALER 7040104 50.000 SQFT HALF-SOLE REPAIR 1860 7040163 468.000 SQYD CONCRETE CRACK FILLER 1870 7110200 1.000 LS PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY) 41.000 LF SILICONE EXPANSION JOINT SEALANT Section 0022 Total Section 0023 BRIDGE A64751 - J6I3550 6233000 1057.000 SOYD EPOXY POLYMER WEARING SURFACE 1900 7040104 50.000 SQFT HALF-SOLE REPAIR 1910 7040113 1569.000 SOFT 1569.000 SQFT CLEANING AND EPOXY COATING 7040163 1920 222.000 SQYD CONCRETE CRACK FILLER

20.000 EA

80.000 LF

CLEANING AND COATING EXISTING BEARINGS

SILICONE EXPANSION JOINT SEALANT

1930

7123100

1940 7173002

Section 0024				
	6571 - J6I3550			
	2161503	25.000 SQFT		
		XISTING DECK REPAIR		
 1960	6233000	1155.000 SQYD		
1300	EPOXY POLYME			
1970	7040101	5.000 SQFT		
1570		REPAIR (FORMED)		
1.000				
1980	7040102	5.000 SQFT REPAIR (UNFORMED)		
1 0 0 0				
1990	7040104 HALF-SOLE RE	50.000 SQFT		
2000	7040113	10.000 SQFT		
	CLEANING AND			
2010	7040163	222.000 SQYD		
	CONCRETE CRA			
2020	7173002	68.000 LF		
	SILICONE EXF	ANSION JOINT SEALANT		
Section 0024	Total			
	7521 - J6I3550			
BRIDGE A6		1481.000 SQYD		
BRIDGE A6	7521 - J6I3550 6239905	1481.000 SQYD URETHANE POLYMER WEARING SV	RFACE WITH HEAL	ER SEALER
BRIDGE A6	7521 - J6I3550 6239905		RFACE WITH HEAL	ER SEALER
BRIDGE A6	7521 - J613550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE	URETHANE POLYMER WEARING SU 50.000 SQFT PAIR	RFACE WITH HEAL	ER SEALER
BRIDGE A6 2030 2040	7521 - J613550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE	URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 1.000 SQFT	RFACE WITH HEAL	ER SEALER
BRIDGE A6 2030 2040	7521 - J6I3550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE	URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 1.000 SQFT EPOXY COATING		
BRIDGE A6 2030 2040 2050	7521 - J613550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE	URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 1.000 SQFT EPOXY COATING	URFACE WITH HEAL	
BRIDGE A6 2030 2040 2050	7521 - J613550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE 7040113 CLEANING AND	URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 1.000 SQFT EPOXY COATING 331.000 SQYD		
BRIDGE A6 2030 2040 2050	7521 - J613550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE 7040113 CLEANING AND	URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 1.000 SQFT EPOXY COATING 331.000 SQYD		
2030	7521 - J613550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE 7040113 CLEANING AND 7040163 CONCRETE CRA	URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 1.000 SQFT EPOXY COATING 331.000 SQYD CK FILLER		
BRIDGE A6 2030 2040 2050 2070	7521 - J613550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE 7040113 CLEANING AND 7040163 CONCRETE CRA 7173002 SILICONE EXE	URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 1.000 SQFT PEPOXY COATING 331.000 SQYD CK FILLER 31.000 LF		
BRIDGE A6 2030 2040 2050 2070	7521 - J613550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE 7040113 CLEANING AND 7040163 CONCRETE CRA 7173002 SILICONE EXE	URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 1.000 SQFT PEPOXY COATING 331.000 SQYD CK FILLER 31.000 LF		
BRIDGE A6 2030 2040 2050	7521 - J613550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE 7040113 CLEANING AND 7040163 CONCRETE CRA 7173002 SILICONE EXE	URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 1.000 SQFT PEPOXY COATING 331.000 SQYD CK FILLER 31.000 LF		
BRIDGE A6 2030 2040 2050 2070 Section 0025	7521 - J613550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE 7040113 CLEANING AND 7040163 CONCRETE CRA 7173002 SILICONE EXE	URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 1.000 SQFT PEPOXY COATING 331.000 SQYD CK FILLER 31.000 LF		
BRIDGE A6 2030 2040 2050 2060 2070 Section 0025	7521 - J613550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE 7040113 CLEANING AND 7040163 CONCRETE CRA 7173002 SILICONE EXE	URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 1.000 SQFT PEPOXY COATING 331.000 SQYD CK FILLER 31.000 LF		
BRIDGE A6 2030 2040 2050 2060 2070 Section 0025 BRIDGE A6	7521 - J6I3550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE 7040113 CLEANING AND 7040163 CONCRETE CRA 7173002 SILICONE EXE Total 7531 - J6I3550 6239905	URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 1.000 SQFT EPOXY COATING 331.000 SQYD CK FILLER 31.000 LF ANSION JOINT SEALANT		
BRIDGE A6 2030 2040 2050 2060 2070 Section 0025 BRIDGE A6	7521 - J6I3550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE 7040113 CLEANING AND 7040163 CONCRETE CRA 7173002 SILICONE EXE Total 7531 - J6I3550 6239905	URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 1.000 SQFT EPOXY COATING 331.000 SQYD CK FILLER 31.000 LF PANSION JOINT SEALANT		
BRIDGE A6 2030 2040 2050 2060 2070 Section 0025 Section 0026 BRIDGE A6 2080	7521 - J6I3550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE 7040113 CLEANING AND 7040163 CONCRETE CRA 7173002 SILICONE EXE Total 7531 - J6I3550 6239905	URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 1.000 SQFT EPOXY COATING 331.000 SQYD CK FILLER 31.000 LF ANSION JOINT SEALANT		
BRIDGE A6 2030 2040 2050 2060 2070 Section 0025 Section 0026 BRIDGE A6 2080	7521 - J6I3550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE 7040113 CLEANING AND 7040163 CONCRETE CRA 7173002 SILICONE EXE Total 7531 - J6I3550 6239905 MISC. EPOXY	URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 1.000 SQFT EPOXY COATING 331.000 SQYD CK FILLER 31.000 LF ANSION JOINT SEALANT 1481.000 SQYD URETHANE POLYMER WEARING SU 50.000 SQFT	URFACE WITH HEAL	JER SEALER
BRIDGE A6 2030 2040 2050 2060 2070 Section 0025 Section 0026 BRIDGE A6 2080 2090	7521 - J6I3550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE 7040113 CLEANING AND 7040163 CONCRETE CRA 7173002 SILICONE EXE Total 7531 - J6I3550 6239905 MISC. EPOXY 7040104	URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 1.000 SQFT EPOXY COATING 331.000 SQYD CK FILLER 31.000 LF ANSION JOINT SEALANT 1481.000 SQYD URETHANE POLYMER WEARING SU 50.000 SQFT	URFACE WITH HEAL	JER SEALER
BRIDGE A6 2030 2040 2050 2060 2070 Section 0025	7521 - J6I3550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE 7040113 CLEANING AND 7040163 CONCRETE CRA 7173002 SILICONE EXF Total 7531 - J6I3550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE	URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 1.000 SQFT 231.000 SQYD CK FILLER 31.000 LF ANSION JOINT SEALANT 1481.000 SQYD URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 331.000 SQYD CK FILLER	URFACE WITH HEAL	LER SEALER
BRIDGE A6 2030 2040 2050 2060 2070 Section 0025 Section 0026 BRIDGE A6 2080 2090	7521 - J6I3550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE 7040113 CLEANING AND 7040163 CONCRETE CRA 7173002 SILICONE EXF Total 7531 - J6I3550 6239905 MISC. EPOXY 7040104 HALF-SOLE RE 7040163	URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 1.000 SQFT 231.000 SQYD CK FILLER 31.000 LF ANSION JOINT SEALANT 1481.000 SQYD URETHANE POLYMER WEARING SU 50.000 SQFT PAIR 331.000 SQYD CK FILLER	URFACE WITH HEAL	LER SEALER

Section 0027 BRIDGE A704	461 - J6I3550
	6239905 2250.000 SQYD
	MISC. EPOXY URETHANE POLYMER WEARING SURFACE WITH HEALER SEALER
2130	7040163 328.000 SQYD
	CONCRETE CRACK FILLER
2140	7049903 5.000 LF
	MISC. Barrier Curb Repair
Section 0027	
Section 0028	
BRIDGE A708	801 - J6I3550
2150	6233000 1130.000 SQYD
	EPOXY POLYMER WEARING SURFACE
2160	7040102 20.000 SQFT SUBSTRUCTURE REPAIR (UNFORMED)
 2170	7040163 862.000 SQYD
-	CONCRETE CRACK FILLER
Section 0028	Total
Section 0029	
	811 - J6I3550
2180	6239905 1030.000 SQYD
	MISC. EPOXY URETHANE POLYMER WEARING SURFACE WITH HEALER SEALER
2190	7040163 373.000 SQYD CONCRETE CRACK FILLER
2200	7172054 48.000 LF OPEN CELL FOAM JOINT SEAL
	OPEN CELL FOAM JOINT SEAL
Section 0029	Total
Section 0030 BRIDGE A712	221 - J6I3550
2210	6233000 1379.000 SQYD
2210	EPOXY POLYMER WEARING SURFACE
2220	7040163 324.000 SQYD
2220	CONCRETE CRACK FILLER
2230	7049901 1.000 LS
2200	MISC. CLEANING OF EXISTING DRAINAGE SYSTEM
Section 0030	Total
Section 0031 BRIDGE A723	331 - J6I3550
2240	2169904 1.000 SQFT
	MISC. PAVEMENT PATCHING
2250	6233000 1120.000 SQYD

	EPOXY POLYMER WEARING SURFACE
2260	7040104 50.000 SQFT
	HALF-SOLE REPAIR
2270	7172054 90.000 LF
	OPEN CELL FOAM JOINT SEAL
2280	7173002 52.000 LF
	SILICONE EXPANSION JOINT SEALANT
Section 0031 Tota	
Section 0032 BRIDGE A73231	- J6I3550
2290	6233000 3284.000 SQYD
	EPOXY POLYMER WEARING SURFACE
2300	7040104 50.000 SQFT
	HALF-SOLE REPAIR
2310	7040110 144.000 LF
	EPOXY PRESSURE INJECTING
2320	7040113 233.000 SQFT
	CLEANING AND EPOXY COATING
2330	7040163 372.000 SQYD
	CONCRETE CRACK FILLER
2340	7049901 1.000 LS
	MISC. CLEANING OF EXISTING DRAINAGE SYSTEM
2350	7125101 1.000 LS SURFACE PREPARATION FOR OVERCOATING STRUCTURAL STEEL (SYSTEM G)
2260	
2360	7125111 1.000 LS INTERMEDIATE FIELD COAT (SYSTEM G)
2370	7129902 1.000 EA
2370	MISC. SLAB DRAIN EXTENSION
2380	7173002 100.000 LF
	SILICONE EXPANSION JOINT SEALANT
Section 0032 Tota	
0.000	
Section 0033 BRIDGE A80041	- J6I3550
	6233000 1027.000 SQYD
	EPOXY POLYMER WEARING SURFACE
2400	7040163 911.000 SQYD
	CONCRETE CRACK FILLER
Section 0033 Tota	
Section 0034 BRIDGE A80161	- J6I3550
2410	6233000 2215.000 SQYD
	EPOXY POLYMER WEARING SURFACE
2420	7040163 343.000 SQYD
	CONCRETE CRACK FILLER
	1

Section 0034 Total

Section 0035 BRIDGE A802	01 - J6I3550		
2430	6233000	1428.000 SQYD	
	EPOXY POLY	MER WEARING SURFACE	
2440	7040163	483.000 SQYD	
	CONCRETE C	RACK FILLER	
Section 0035 T	otal .		
Section 0036			
	21 - J6I3550		
2450	6233000	1033.000 SQYD	
	EPOXY POLY	MER WEARING SURFACE	
2460	7040163 CONCRETE C	256.000 SQYD RACK FILLER	
Section 0036 T	otal		
Section 0037 BRIDGE A802	81 - J6I3550		
2470		2648.000 SQYD MER WEARING SURFACE	
2480	7040163 CONCRETE C	1078.000 SQYD RACK FILLER	
Section 0037 I	otal		
Section 0038	91 - J6I3550		
2490	6233000	613.000 SQYD	
_ 100		MER WEARING SURFACE	
2500	7040163		
Section 0038 1	otal		
Section 0039 BRIDGE A803	31 - J6I3550		
2510	6233000	2531.000 SQYD	
		MER WEARING SURFACE	
 2520	7040163	1132.000 SQYD	
		RACK FILLER	
Section 0039 I	otal		

Missouri Department of Transportation

Contract ID: 230519-F03

BRIDGE A80361 - J6I3550

2530	6233000	1058.000 SQYD	
	EPOXY POLY	MER WEARING SURFACE	
2540	7040163	702.000 SQYD	
	CONCRETE C	RACK FILLER	
Section 004	O Total		
Ttem Total			\$0.00

DBE List Summary

Project: NHPP 64-1(100)

Bid Total: 0.00 Goal: 6.00% (0.00)

Total Entered: 0.00% (0.00)

Bidder ID: 0011540 Business Name: Company1

Name

Is Supplier? Item Count

Amount Is Complete?

DBE CERTIFICATION

- (6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 2 slots at 1000 hours per slot or 2000 hours.
- (7) Bidder's Certificaton for DBE Program and Contract Goal

(Applies to Federal Projects only.)

- (A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 6.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.
- (B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

- (10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.
- (11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and misrepresentation or omission of fact within the bid submission.
- (11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes \bigcirc No \bigcirc

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, rtation, 105 W. 2-0270. Telefax 1 or emailed to ginal documents it available if

directly to the Design Division, Missouri Department of Transpo Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102 transmittal to MoDOT will be permitted at fax no. 573-522-2281 subcontractor.disclosure@modot.mo.gov. The complete signed original original contractor of the mailed to MoDOT, but the bidder shall have requested by the Design Division or the engineer.
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$		
CATEGORY OF WORK:		
SUBCONTRACTOR NAME:		
DOLLAR VALUE: \$		
CATEGORY OF WORK:		
SUBCONTRACTOR NAME:		
DOLLAR VALUE: \$		
CATEGORY OF WORK:		
SUBCONTRACTOR NAME:		
DOLLAR VALUE: \$		
CATEGORY OF WORK:		
SUBCONTRACTOR NAME:		
DOLLAR VALUE: \$		
CATEGORY OF WORK:		
SUBCONTRACTOR NAME:		
DOLLAR VALUE: \$		
CATEGORY OF WORK:		
Submitted:		

SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

*** AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. ***

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

Yes No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

**Pay by: Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

**Bond ID: Verify Clear

**Surety Registry Agency:

**Bond Pct:

Surety State:

FIELDS WITH THE ** INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS