

STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING Contract I.D. 230519-C05

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S): FAF 350-1(7), (8)

Job J4S3339 Route 350 JACKSON County Job J4S3410 Route 350 JACKSON County

BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.

2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.

3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.

4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.

5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.

6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.

7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.

8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.

9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check Bid)at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to nonresponsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

TABLE OF CONTENTS

Notice to Contractors

Proposed Work	item	(1)
Compliance With Contract Provisions	item	(2)
Period of Performance	item	(3)
Liquidated Damages	item	(4)
Itemized Bid	item	(5)
Trainees	item	(6)
DBE Certification*	item	(7)
Acceptance of Provision for Price Adjustment for Fuel	item	(8a)
Acceptance of Provision for Asphalt Cement Price Index	item	(8b)
Max. Monetary Value of Awards Accepted this Bid Opening	item	(9)
Combination Bids	item	(10)
Certification for Federal Jobs	item	(11a)
Certification for State Jobs	item	(11b)
Antidiscrimination	item	(12)
Preference to Missouri Firms in Awarding of Contracts	item	(13)
Subcontractor Disclosure Form*	.item	(14)
Signature and Identity of Bidder	item	(15)
Bid Guaranty*	item	(16)

*These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 05/19/2023.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

(1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:

****(1): Job J4S3339 Route 350 JACKSON County. Intersection improvement and ADA at MO 350 and Hunter Street, Laurel Avenue, Maple Avenue, E Lewis, Sterling Avenue, and Westridge Road, the total length of improvement being 0.52 miles.****(2): Job J4S3410 Route 350 JACKSON County. Resurface, pavement repair and ADA from 63rd Street to 0.7 mile west of Colbern Road, the total length of improvement being 7.055 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

(2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876.

(3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.

(4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

TTHE NUMBER	Item Number	Quantity	Unit	Unit Price	Extension Price
Section 0001 Roadway Items	- J4S3339				
	REMOVAL OF	1.000 IMPROVEMENTS			
0020	CLASS A EXC	1896.000 AVATION			
0030		209.000			
0040	2063000 CLASS 3 EXC	43.000 AVATION	CUYD		
0050		1.100	STA		
0060	2101006A SUBGRADE CO	20.000	100F		
0070	3040506		SQYD 5 IN. THICK)		
0080	4019905 MISC. Aspha	19.400 lt Pavement Resto	SQYD pration		
0090	4019905 MISC. OPTIO	3024.000 NAL PAVEMENT	SQYD		
0100	6044011 PIPE COLLAR	2.000 . TYPE A			
0110	6081010 CONCRETE CU	110.500 RB RAMP	SQYD		
0120	6081012 TRUNCATED D	254.000 Omes	SQFT		
0130	6083006 6 IN. CONCR	104.400	_		
0140	6086004 CONCRETE SI	13.200 DEWALK, 4 IN.	SQYD		
0150	6092021 INTEGRAL CU	252.000 RB (OVER 6 IN. HI	LF EIGHT) TYPE A		
0160	6123000A	2.000 AILER MOUNTED AT	FENUATOR (TMA)		
0170	6161005 CONSTRUCTIO		SQFT		
0180	ADVANCED WA	20.000 RNING RAIL SYSTEN	4		
0190	CHANNELIZER	420.000 (TRIM LINE)	EA		
0200	6161030	10.000 VEABLE BARRICADE			
0210	6161040 FLASHING AR	2.000 ROW PANEL	EA		
0220	6161098A CHANGEABLE CONTRACTOR		EA THOUT COMMUNICATION		
0230		1.000			

0240	6191000 1984.000 LF PAVEMENT EDGE TREATMENT
0250	6200015 142.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE
0260	6200021 13.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
0270	6200036 64.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK
	6205902A 1312.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0290	6205903A 2116.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0300	6206108A 440.000 LF 8 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
	6207001 124.000 LF PAVEMENT MARKING REMOVAL
0320	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING
0330	7250315A 62.000 LF 15 IN. PIPE GROUP B
	7311032 4.000 FT PRECAST CONCRETE DROP INLET 3 FT X 2 FT
0350	7320015A 1.000 EA 15 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
0360	7320018A 1.000 EA 18 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
0370	8051000A 1.400 ACRE SEEDING - COOL SEASON GRASSES
0380	8061004 6.000 CUYD SEDIMENT TRAP ROCK
0390	8061005 240.000 LF ROCK DITCH CHECK
0400	8061016 28.000 CUYD SEDIMENT REMOVAL
0410	8064131 6776.000 SQYD TYPE 1A EROSION CONTROL BLANKET
Section 0001 Tota	1

Section 0002 Lighting Items - J4S3339 0420 9011030 5.000 EA LIGHTING POLE, 30 FT. OR 9.0 M, TYPE AT 0430 9011106 3.000 EA BRACKET ARM, 6 FT. OR 1.8 M ------ - - - -0440 9011110 3.000 EA BRACKET ARM, 10 FT. OR 3.0 M 0450 9011112 1.000 EA - - - -BRACKET ARM, 12 FT. OR 3.6 M 9011115 1.000 EA 0460 BRACKET ARM, 15 FT. OR 4.6 M -----

0470	9011311	5.000 EA
	LUMINAIRE, LED-A	
0480	9018613	1.000 EA
	POWER SUPPLY ASSEMBL	Y, TYPE 2, 240/120 VOLT SERVICE, LIGHTING AND SIGNALS
Section 0002 Tota	al	

Section 0003 Signal Items	- J4S3339
0490	9020211 16.000 EA
	SIGNAL HEAD, TYPE 1S
0500	9020213 1.000 EA
	SIGNAL HEAD, TYPE 3S
0510	9020215 2.000 EA
	SIGNAL HEAD, TYPE 5S
0520	9020513 7.000 EA
	SIGNAL HEAD, TYPE 3B
0530	9020514 2.000 EA
	SIGNAL HEAD, TYPE 4B
0540	9020833 19.000 SQFT
	SH-FLAT SHEET - SIGNAL SIGN
0550	9020834 16.000 EA
	SIGNAL SIGN, MOUNTING HARDWARE
0560	9022708 14.000 EA
	POST, SIGNAL 8 FT.
0570	9022715 2.000 EA
^	POST STONAL 15 FT
0580	9023230 1.000 EA
0380	POST, TYPE C, 30 FT. ARM OR 9.1 M ARM
0590	9023235 1.000 EA
0390	POST TYPE C 35 FT ARM OF 10 7 M ARM
0600	9024283 4.000 EA
0000	CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER
0.61.0	
0610	9025300 614.000 LF CONDUIT, 3 IN., TRENCH WITH TRACER WIRE
0620	9027300 1135.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE
0630	9028302 3440.000 LF
	CABLE, 12 AWG 2 CONDUCTOR
0640	9028308 3280.000 LF
0650	9028310 3300.000 LF
0660	9028311 2550.000 LF
	CABLE, 16 AWG 7 CONDUCTOR
0670	9028500 2040.000 LF
	CABLE, LOOP DETECTOR, IN DUCT
0680	9028510 2080.000 LF
	CABLE, LOOP DETECTOR, LEAD-IN
0690	9028810 10.000 EA
	PULL BOX, PREFORMED CLASS 1

0700	9028811	5.000 EA	
	PULL BOX, PREFORM	IED CLASS 2	
0710	9029100	16.300 CUYD	
	BASE, CONCRETE		
0720	9029902	16.000 EA	
	MISC. ACCESSIBLE	PEDESTRIAN SIGNALS	G (PUSHBUTTONS)
Section 0003 Tota	1		

	ems - J4S3339	
0730	9031241 8.000 EA	
<u>1</u> REVISED	BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)	
0740	9031270A 285.000 LF	
	2 IN. PSST POST - 12 GA.	
0750	9031271A 29.000 EA	
1 REVISED	DRIVEN POST ANCHOR FOR 2 IN. PSST - 12 GA.	
	9031272A 4.000 EA	
1 REVISED	2.25 IN. PSST POST INSERT (6 FT.) - 12 GA.	
0770	9031280 140 000 TE	
	2.5 IN. PSST POST - 12 GA.	
0/80	9031281A 6.000 EA	
1 REVISED	DRIVEN POST ANCHOR FOR 2.5 IN. PSST - 7 GA.	
	9035004A 283.000 SQFT	
	SH-FLAT SHEET	
0800	9035069A 9.000 SQFT	
	SHF-FLAT SHEET FLUORESCENT	
0810	9039902 1.000 EA	
	MISC. Relocating Signal Ahead Flasher Assembly	

Section 000 ITS Item	5 s - J4S3339	
0820	9103700	2.000 EA
	CCTV CAMER	A ASSEMBLY, INSTALLED
0830	9108343	2080.000 LF
	CABLE, 14	AWG, 2 CONDUCTOR SPEAKER WIRE, SHIELDED
Section 000	5 Total	

Section 000 Roadway 1	6 Items - J4S3410		
0840	2022010	1.000	LS
	REMOVAL OF	IMPROVEMENTS	
0850	2031000	2118.000	CUYD
	CLASS A EXC	CAVATION	
0860	2035500	597.000	CUYD
	EMBANKMENT	IN PLACE	
0870	2036000	132.000	CUYD
	COMPACTING	EMBANKMENT	

0880	2051010 9205.000 SQYD
	MODIFIED SUBGRADE
0890	2063000 309.000 CUYD
	CLASS 3 EXCAVATION
0900	2063100 9.000 CUYD
0900	
	CLASS 3 EXCAVATION IN ROCK
	2063500 2.000 EA
	CULVERT CLEANOUT
0920	2072000 7.200 STA
	LINEAR GRADING CLASS 2
0930	2101006A 37.000 100F
0550	SUBGRADE COMPACTION (6-INCH DEPTH)
0940	2159910 16.000 100F
	MISC. SHAPING SLOPES CLASS III - MODIFIED MATERIAL REQUIREMENT
	3040504 266.000 SQYD
	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)
0960	3040506 9235.000 SQYD
	TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)
0970	3049910 87.500 TONS
	MISC. PERMANENT AGGREGATE EDGE TREATMENT
0980	3101002 7.000 TONS
	GRAVEL (A)
0990	4011209 6958.000 TONS
	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)
1000	4020520 538.500 TONS
1000	BITUMINOUS PAVEMENT MIXTURE PG64-22 (SURFACE LEVELING)
1010	4030116 27726.900 TONS
	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125B MIX)
	4071005 32176.000 GAL
	TACK COAT
1030	4132000 4764.000 SOYD
1000	SCRUB SEAL
1040	5021312 641.600 SQYD
	CONCRETE PAVEMENT (12 IN. NON-REINFORCED 15 FT. JOINTS)
1050	5021333 8742.700 SQYD
	CONCRETE PAVEMENT (9 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)
1060	5031010A 177.000 SQYD
	BRIDGE APPROACH SLAB (MAJOR)
1070	5041000 215.600 SQYD
	CONCRETE APPROACH PAVEMENT
1080	6044011 1.000 EA
	PIPE COLLAR, TYPE A
1090	
	MISC. 8 IN. TRENCH DRAIN
1100	
T T O O	PIPE AGGREGATE PAVEMENT EDGE DRAIN
1110	6081000 41.100 SQYD
	CONCRETE MEDIAN
1120	6081010 18.400 SQYD
	CONCRETE CURB RAMP
1130	6081012 90.000 SQFT
TT00	

	TRUNCATED DOMES
	6083006 2.000 SQYD
	6 IN. CONCRETE MEDIAN STRIP
1150	6085008 36.500 SQYD
	PAVED APPROACH, 8 IN.
	6086004 559.400 SQYD
	CONCRETE SIDEWALK, 4 IN.
1170	6091010 330.000 LF
	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S
1180	6091042 11.000 LF
	CONCRETE GUTTER TYPE B
1190	6091052 129.000 LF
	CURB AND GUTTER TYPE B
	6092011 1332.000 LF
	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A
	6097000 28.000 CUYD
	ROCK LINING
1220	6113010 35.000 CUYD
	FURNISHING TYPE 1 ROCK BLANKET
1230	6113030 35.000 CUYD
1230	PLACING TYPE 1 ROCK BLANKET
1240	6122008 1.000 EA
	IMPACT ATTENUATOR 40 MPH (SAND BARREL ARRAY)
1250	6122009 11.000 EA
	IMPACT ATTENUATOR 45 MPH (SAND BARREL ARRAY)
1260	6122012 4.000 EA
	IMPACT ATTENUATOR 55 MPH (SAND BARREL ARRAY)
	6122020 10.000 EA
	REPLACEMENT SAND BARREL
1280	6122030 3.000 EA
	IMPACT ATTENUATOR (RELOCATION)
1290	6122040 2.000 EA
	WORK ZONE CRASH CUSHION (NARROW)
1300	6123000A 3.000 EA
1000	TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)
1 2 1 0	
	6131010 456.000 SQYD
1320	6131012 47.000 SQYD
	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)
	6131013 47.000 SQYD
	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)
	6131014 2052.000 LF
	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS)
1350	6131015 1140.000 EA
	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT
	REPAIR
1360	6133020 192.400 TONS
	FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS C PARTIAL DEPTH PAVEMENT
	REPAIR
1370	6133021 604 000 SOVD
	REMOVAL FOR CLASS C PARTIAL DEPTH PAVEMENT REPAIR
1380	6141120 2.000 EA

	CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MM X 600MM)
1390	6141121 7.000 EA
1390	CURVED VANE GRATE AND FRAME (4 FT. X 2 FT. OR 1200MM X 600MM)
1400	6143012 2.000 EA
1100	MANHOLE FRAME AND COVER, TYPE 2
1410	6143013 3.000 EA
1110	MANHOLE FRAME AND COVER, TYPE 3
1420	6161005 3028.000 SOFT
1120	CONSTRUCTION SIGNS
1430	6161008 49.000 EA
	ADVANCED WARNING RAIL SYSTEM
1440	6161025 350.000 EA
1110	CHANNELIZER (TRIM LINE)
1450	6161030 30.000 EA
	TYPE III MOVEABLE BARRICADE
1460	6161033 64.000 EA
	DIRECTIONAL INDICATOR BARRICADE
1470	6161040 5.000 EA
	FLASHING ARROW PANEL
1480	6161055 64.000 EA
	SEQUENTIAL FLASHING WARNING LIGHT
1490	6161070 34.000 EA
	TUBULAR MARKER
1500	6161098A 8.000 EA
	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED,
	CONTRACTOR RETAINED
1510	6162002 8.000 EA
1510	
1510 1520	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA
	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE
1520	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF
1520 1530	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE
1520 1530 1540	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB) 6173600D 5366.000 LF
1520 1530 1540	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB) 6173600D 5366.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED
1520 1530	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB) 6173600D 5366.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED 6173700B 306.000 LF
1520 1530 1540 1550	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB) 6173600D 5366.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED 6173700B 306.000 LF TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED
1520 1530 1540 1550	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB) 6173600D 5366.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED 6173700B 306.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED 6173700B 306.000 LF TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED 6173706 434.000 LF
1520 1530 1540 1550	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB) 6173600D 5366.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED 6173700B 306.000 LF TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED 6173706 434.000 LF TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED / RETAINED
1520 1530 1540 1550 1560	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB) 6173600D 5366.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED 6173700B 306.000 LF TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED 6173706 434.000 LF TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED / RETAINED
1520 1530 1540 1550 1560 1570	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB) 6173600D 5366.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED 6173700B 306.000 LF TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED 6173706 434.000 LF TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED 6174000A 2.000 EA TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION
1520 1530 1540 1550 1560 1570	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB) 6173600D 5366.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED 6173700B 306.000 LF TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED 6173706 434.000 LF TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED 6174000A 2.000 EA TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION
1520 1530 1540 1550 1560 1570 1580	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB) 6173600D 5366.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED 6173700B 306.000 LF TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED 6173706 434.000 LF TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED 6174000A 2.000 EA TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION 6174000A 2.000 EA TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION 6175010A 2344.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION
1520 1530 1540 1550 1560 1570 1580	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB) 6173600D 5366.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED 6173700B 306.000 LF TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED 6173706 434.000 LF TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED 6173706 434.000 LF TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED 6174000A 2.000 EA TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION 6175010A 2344.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER
1520 1530 1540 1550 1560 1570 1580	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB) 6173600D 5366.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED 6173700B 306.000 LF TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED 6173706 434.000 LF TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED 6174000A 2.000 EA TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION 6175010A 2344.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER 6181000 1.000 LS MOBILIZATION
1520 1530 1540 1550 1560 1570 1580	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB) 6173600D 5366.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED 6173700B 306.000 LF TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED 6173706 434.000 LF TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED 6174000A 2.000 EA TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION 6175010A 2344.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER 6181000 1.000 LS
1520 1530 1540 1550 1560 1570 1580 1590	6162002 8.000 EA TEMPORARY LONG-TERM RUMELE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB) 6173600D 5366.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED 6173700B 306.000 LF TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED 6173706 434.000 LF TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED 6174000A 2.000 EA TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION 6175010A 2344.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER 6181000 1.000 LS MOBILIZATION 6181020 12.000 EA \$600.00000 \$7,200.00 ADDITIONAL MOBILIZATION FOR SEEDING
1520 1530 1540 1550 1560 1570 1580 1590 1600	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB) 6173600D 5366.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED 6173700B 306.000 LF TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED 6173706 434.000 LF TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED 6174000A 2.000 EA TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION 6175010A 2344.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION 6175010A 2344.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION 6181000 1.000 LS MOBILIZATION
1520 1530 1540 1550 1560 1570 1580 1590 1610	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB) 6173600D 5366.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED 6173700B 306.000 LF TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED 6173706 434.000 LF TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED 6174000A 2.000 EA TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION 6175010A 2344.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION 6175010A 2344.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER 6181000 1.000 LS MOBILIZATION 6181020 12.000 EA \$600.00000 \$7,200.00 ADDITIONAL MOBILIZATION FOR SEEDING
1520 1530 1540 1550 1560 1570 1580 1590 1600 1610	6162002 8.000 EA TEMPORARY LONG-TERM RUMELE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB) 6173600D 5366.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED 6173700B 306.000 LF TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED 6173706 434.000 LF TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED 6174000A 2.000 EA TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION 6175010A 2344.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER 6181000 1.000 LS MOBILIZATION 6181020 12.000 EA \$600.00000 \$7,200.00 ADDITIONAL MOBILIZATION FOR SEEDING
1520 1530 1540 1550 1560 1570 1580 1590 1600 1610 1620	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB) 6173600D 5366.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED 6173700B 306.000 LF TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED 6173706 434.000 LF TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED 6174000A 2.000 EA TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION 6175010A 2344.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION 6175010A 2344.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER 6181000 1.000 LS MOBILIZATION 6181020 12.000 EA \$600.00000 \$7,200.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200009 670.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 6 IN. WHITE 6200015 981.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE
1520 1530 1540 1550 1560 1570 1580 1590 1600 1610	6162002 8.000 EA TEMPORARY LONG-TERM RUMBLE STRIPS 6169902 5.000 EA MISC. ADA COMPLIANT MOVEABLE BARRICADE 6173103 84.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB) 6173600D 5366.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED 6173700B 306.000 LF TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED 6173706 434.000 LF TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED 6174000A 2.000 EA TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION 6175010A 2344.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION 6175010A 2344.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER 6181000 1.000 LS MOBILIZATION 6181020 12.000 EA \$600.00000 \$7,200.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200009 670.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 6 IN. WHITE 6200015 981.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE

	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW
1640	6200021 41.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
1650	6200024 3.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW
1660	6200027 7.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT
1670	6200036 68.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK
1680	6205301B 10558.000 LF
	TEMPORARY REMOVABLE MARKING TAPE 4 IN., WHITE
1690	6205303B 12068.000 LF
	TEMPORARY REMOVABLE MARKING TAPE 4 IN., YELLOW
1700	6205309 10.000 LF
	TEMPORARY REMOVABLE MARKING TAPE, 24 IN., WHITE
1710	6205440A 5.000 EA
	TEMPORARY NON-REMOVABLE MARKING TAPE LEFT/RIGHT ARROW
1720	6205901A 6955.000 LF
	4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
1730	6205902A 112653.000 LF
	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
1740	6205903A 80485.000 LF
	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
1750	6205906A 4458.000 LF
	12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
1760	6207001 24037.000 LF
	PAVEMENT MARKING REMOVAL
1770	6207002 7.000 EA
	PAVEMENT MARKING REMOVAL (SYMBOLS)
1780	6221001 312346.000 SQYD
1780	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
1780	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD
1780	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS)
1780 1790	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 6261000A 560.600 STA
1780 1790	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 6261000A 560.600 STA BITUMINOUS SHOULDER RUMBLE STRIP
1780 1790	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 6261000A 560.600 STA BITUMINOUS SHOULDER RUMBLE STRIP 6274000 1.000 LS
1780 1790 1800 1810	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 6261000A 560.600 STA BITUMINOUS SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING
1780 1790 1800 1810	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 6261000A 560.600 STA BITUMINOUS SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7250315A 179.000 LF
1780 1790 1800 1810 1820	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 6261000A 560.600 STA BITUMINOUS SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7250315A 179.000 LF 15 IN. PIPE GROUP B
1780 1790 1800 1810 1820	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 6261000A 560.600 STA BITUMINOUS SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7250315A 179.000 LF 15 IN. PIPE GROUP B 7250318A 180.000 LF
1780 1790 1800 1810 1820 1830	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 6261000A 560.600 STA BITUMINOUS SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7250315A 179.000 LF 15 IN. PIPE GROUP B 7250318A 180.000 LF 18 IN. PIPE GROUP B
1780 1790 1800 1810 1820	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 6261000A 560.600 STA BITUMINOUS SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7250315A 179.000 LF 15 IN. PIPE GROUP B 7250318A 180.000 LF 18 IN. PIPE GROUP B 7261015 37.000 LF
1780 1790 1800 1810 1820 1830 1840	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 6261000A 560.600 STA BITUMINOUS SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7250315A 179.000 LF 15 IN. PIPE GROUP B 7250318A 180.000 LF 18 IN. PIPE GROUP B 7261015 37.000 LF 15 IN. PIPE GROUP A
1780 1790 1800 1810 1820 1830 1840	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 6261000A 560.600 STA BITUMINOUS SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7250315A 179.000 LF 15 IN. PIPE GROUP B 7250318A 180.000 LF 18 IN. PIPE GROUP B 7261015 37.000 LF 15 IN. PIPE GROUP A 7310048 4.000 FT
1780 1790 1800 1810 1820 1830 1840 1850	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 6261000A 560.600 STA BITUMINOUS SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7250315A 179.000 LF 15 IN. PIPE GROUP B 7250318A 180.000 LF 18 IN. PIPE GROUP B 7261015 37.000 LF 15 IN. PIPE GROUP A 7310048 4.000 FT PRECAST CONCRETE MANHOLE - 48 IN.
1780 1790 1800 1810 1820 1830 1830 1840 1850	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 6261000A 560.600 STA BITUMINOUS SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7250315A 179.000 LF 15 IN. PIPE GROUP B 7250318A 180.000 LF 18 IN. PIPE GROUP B 7261015 37.000 LF 15 IN. PIPE GROUP A 7310048 4.000 FT 7310060 4.000 FT
1780 1790 1800 1810 1820 1820 1830 1840 1850 1860	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 6261000A 560.600 STA BITUMINOUS SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7250315A 179.000 LF 15 IN. PIPE GROUP B 7250318A 180.000 LF 18 IN. PIPE GROUP B 7261015 37.000 LF 15 IN. PIPE GROUP A 7310048 4.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310060 4.000 FT PRECAST CONCRETE MANHOLE - 60 IN.
1780 1790 1800 1810 1820 1820 1830 1840 1850 1860	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 6261000A 560.600 STA BITUMINOUS SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7250315A 179.000 LF 15 IN. PIPE GROUP B 7250318A 180.000 LF 18 IN. PIPE GROUP B 7261015 37.000 LF 15 IN. PIPE GROUP A 7310048 4.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310060 4.000 FT PRECAST CONCRETE MANHOLE - 60 IN. 7311022 7.000 FT
1780 1790 1800 1810 1820 1820 1830 1840 1850 1860 1870	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 6261000A 560.600 STA BITUMINOUS SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7250315A 179.000 LF 15 IN. PIPE GROUP B 7250318A 180.000 LF 18 IN. PIPE GROUP B 7261015 37.000 LF 15 IN. PIPE GROUP A 7310048 4.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310060 4.000 FT PRECAST CONCRETE MANHOLE - 60 IN. 7311022 7.000 FT PRECAST CONCRETE MANHOLE - 60 IN. 7311022 7.000 FT PRECAST CONCRETE MANHOLE - 60 IN.
1780 1790 1800 1810 1820 1820 1830 1840 1850 1860 1870	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 6261000A 560.600 STA BITUMINOUS SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7250315A 179.000 LF 15 IN. PIPE GROUP B 7250316A 180.000 LF 18 IN. PIPE GROUP B 7261015 37.000 LF 15 IN. PIPE GROUP A 7310048 4.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310060 4.000 FT PRECAST CONCRETE MANHOLE - 60 IN. 7311022 7.000 FT PRECAST CONCRETE DROP INLET 2 FT X 2 FT 7311042 29.000 FT
1780 1790 1800 1810 1820 1820 1830 1840 1850 1860 1860 1870 1880	6221001 312346.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 6224010 539.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 6261000A 560.600 STA BITUMINOUS SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7250315A 179.000 LF 15 IN. PIPE GROUP B 7250318A 180.000 LF 18 IN. PIPE GROUP B 7261015 37.000 LF 15 IN. PIPE GROUP A 7310048 4.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310060 4.000 FT PRECAST CONCRETE MANHOLE - 60 IN. 7311022 7.000 FT PRECAST CONCRETE MANHOLE - 60 IN. 7311022 7.000 FT PRECAST CONCRETE MANHOLE - 60 IN.

1890	7311053 11.000 FT
	PRECAST CONCRETE DROP INLET 5 FT X 3 FT
1900	7320015A 7.000 EA
1900	15 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
1910	7320018A 1.000 EA
	18 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
1920	7329902 1.000 EA
	MISC. 15 IN. METAL FLARED END SECTION
1930	7329902 1.000 EA
1950	MISC. 48 IN. PRECAST CONCRETE FLARED END SECTION
1940	
1940	MISC. 15 IN. CORRUGATED METALLIC-COATED STEEL PIPE
1.050	
1950	7339903 4.000 LF MISC. 24 IN. CLASS IV REINFORCED CONCRETE PIPE
1960	7339903 22.000 LF
	MISC. 4 IN. PIPE GROUP B
1970	7339903 68.000 LF
	MISC. 8 IN. PIPE GROUP B
1980	8025006 1.800 ACRE
	MULCHING
1990	8041000 151.000 CUYD
	TOPSOIL
2000	8051000A 0.900 ACRE
	SEEDING - COOL SEASON GRASSES
2010	8061004 17.400 CUYD
	SEDIMENT TRAP ROCK
2020	8061005 54.000 LF
	ROCK DITCH CHECK
2030	8061006 110.000 LF
	ALTERNATE DITCH CHECK
2040	8061007A 12.000 EA
2010	CURB INLET CHECK
2050	8061016 88.000 CUYD
2030	SEDIMENT REMOVAL
2060	
2060	8061017 0.900 ACRE TEMPORARY SEEDING
2070	8061019 2480.000 LF
2080	8064129 652.000 SQYD
	TYPE 2 TURF REINFORCEMENT MAT
2090	8064134 191.000 SQYD
	TYPE 1D EROSION CONTROL BLANKET
Section 0006	Total \$7,200.0
	···· • • • • • • • • • • • • • • • • •

Section 000 Guardrai)7 l/Guard Cable Items - J4S34	110
2100	6061054 GUARDRAIL TYP	74.000 LF E E, 6 FT POST, 6 FT3 IN. SPACING
2110	6061060 MGS GUARDRAIL	1388.000 LF

2120	6061061 2375.000 LF
	MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING
2130	6061063 75.000 LF
	MGS GUARDRAIL, 6 FT. POSTS, 3 FT 1.5 IN. SPACING
	6061068 3.000 EA MGS BRIDGE APPROACH TRANSITION SECTION (EXTENDED CURB)
2150	6061069 1.000 EA MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)
	6061070 2.000 EA MGS VERTICAL CONCRETE BARRIER TRANSITION
2170	6061074 6.000 EA MGS HEIGHT AND BLOCK TRANSITION
2180	6061075 1.000 EA MGS LONG SPAN GUARDRAIL SECTION
	6061080 9.000 EA MGS END ANCHOR
2200	6062200A 1.000 EA BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY AND REHABILITATION WORK ONLY)
2210	6062303 1.000 EA ASYMMETRICAL TRANSITION SECTION, 6.5 FT. POSTS
2220	6063014 16.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)
Section 0007 Tota	al

Section 0008 Lighting	3 Items - J4S3410
2230	9011030 7.000 EA
	LIGHTING POLE, 30 FT. OR 9.0 M, TYPE AT
	9011115 7.000 EA
	bracket arm, 15 ft. or 4.6 m
	9011311 7.000 EA
	LUMINAIRE, LED-A
2260	
	BASE MOUNTED CONTROL STATION 240 VOLT - 4 CIRCUIT
2270	9013002 225.000 LF
	CONDUIT, 2 IN. RIGID, IN TRENCH
2280	
	CONDUIT, 3 IN. RIGID, IN TRENCH
2290	9014003 608.000 LF
	CONDUIT, 3 IN. RIGID, PUSHED
2300	9016110 7.000 EA
	PULL BOX, PREFORMED CLASS 1
2310	9017002 50.000 LF
	CABLE, 2 AWG 1 CONDUCTOR
	9017008 2980.000 LF
	CABLE, 8 AWG 1 CONDUCTOR
	9017110 630.000 LF
	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
	9017202 20.000 LF

	WIRE, 2 AWG, BARE NEUTRAL
2350	9017208 1490.000 LF
	WIRE, 8 AWG, BARE NEUTRAL
2360	9018230 7.000 EA
	POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)
2370	9018612 1.000 EA
	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY
Section 0008 Tot	al

Section 0009 Signal Items -	- J4S3410
2380	
	SIGNAL HEAD, TYPE 5S
2390	9020513 13.000 EA
	SIGNAL HEAD, TYPE 3B
2400	9020515 2.000 EA
2400	SIGNAL HEAD, TYPE 5B
2410	9020833 36.000 SQFT
	SH-FLAT SHEET - SIGNAL SIGN
2420	9020834 16.000 EA
	SIGNAL SIGN, MOUNTING HARDWARE
2430	9022708 2.000 EA
1 REVISED	POST, SIGNAL 8 FT.
2440	9023225 3.000 EA
	POST, TYPE C, 25 FT. ARM OR 7.6 M ARM
2450	9023235 1.000 EA
	POST, TYPE C, 35 FT. ARM OR 10.7 M ARM
2460	9023240 1.000 EA
2400	POST, TYPE C, 40 FT. ARM OR 12.2 M ARM
2470	9023250 1.000 EA POST, TYPE C, 50 FT. ARM OR 15.2 M ARM
2480	9024283 1.000 EA
	CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER
2490	9024920 8.000 EA
	DETECTOR, PUSHBUTTON
2500	9024921 8.000 EA
	ACCESSIBLE PEDESTRIAN SIGNAL
2510	9025200 12.000 LF
	CONDUIT, 2 IN., TRENCH WITH TRACER WIRE
2520	9025300 155.000 LF
2020	CONDUIT, 3 IN., TRENCH WITH TRACER WIRE
2520	
2530	9025400 48.000 LF CONDUIT, 4 IN., TRENCH WITH TRACER WIRE
2540	9027300 209.000 LF
	CONDUIT, 3 IN., PUSHED WITH TRACER WIRE
2550	9027400 293.000 LF
	CONDUIT, 4 IN., PUSHED WITH TRACER WIRE
2560	9028204 60.000 LF
	CABLE, 4 AWG 1 CONDUCTOR, POWER
2570	9028308 240.000 LF

	CABLE, 16 AWG 2 CONDUCTOR
2580	9028309 340.000 LF
	CABLE, 16 AWG 3 CONDUCTOR
2590	9028310 240.000 LF
	CABLE, 16 AWG 5 CONDUCTOR
2600	9028311 3150.000 LF
	CABLE, 16 AWG 7 CONDUCTOR
2610	9028354 110.000 LF
	FIBER OPTIC CABLE, 24 - FIBER, 18 SINGLE MODE, 6 MULTIMODE
2620	9028620 1.000 EA
	POWER SUPPLY ASSEMBLY, TYPE 2
2630	9028811 5.000 EA
	PULL BOX, PREFORMED CLASS 2
2640	9028812 1.000 EA
	PULL BOX, PREFORMED CLASS 3
2650	9029100 21.000 CUYD
	BASE, CONCRETE
2660	9029901 1.000 LS
	MISC. RELOCATE EMERGENCY VEHICLE PREEMPTION
2670	9029901 1.000 LS
	MISC. RELOCATE OGL WIRELESS ANTENNA
2680	9029902 1.000 EA
	MISC. CCTV CAMERA ASSEMBLY
2690	9029902 1.000 EA
	MISC. ELECTRONIC BLANK-OUT SIGN
2700	9029902 1.000 EA
-	MISC. KC DISTRICT VIDEO DETECTION SYSTEM
2710	9029902 24.000 EA
	MISC. OPTIONAL TRAFFIC SIGNAL DETECTORS
Section 0009 Tota	al

2720 9031010 3.300 CUYD CONCRETE FOOTINGS, EMBEDDED 2730 9031220 60.000 LB PIPE POSTS 2740 9031241 1.000 EA BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE) 2750 9031270A 390.000 LF 2 IN. PSST POST - 12 GA. 2760 9031272A 1.000 EA 2.25 IN. PSST POST INSERT (6 FT.) - 12 GA. 2770 9031274 21.000 EA CONCRETE POST ANCHOR FOR 2 IN. PSST 7 GA. 2780 9031280 44.500 LF 2.5 IN. PSST POST - 12 GA. 2790 9031285 3.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA.	Section 0010 Signing I	ms - J4S3410
2730 9031220 60.000 LB PIPE POSTS 2740 9031241 1.000 EA BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE) 2750 9031270A 390.000 LF 2 IN. PSST POST - 12 GA. 2760 9031272A 1.000 EA 2.25 IN. PSST POST INSERT (6 FT.) - 12 GA. 2770 9031274 21.000 EA CONCRETE POST ANCHOR FOR 2 IN. PSST 7 GA. 2780 9031280 44.500 LF 2.5 IN. PSST POST - 12 GA. 2790 9031285 3.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA.	2720	9031010 3.300 CUYD
2730 9031220 60.000 LB PIPE POSTS 2740 9031241 1.000 EA BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE) 2750 9031270A 390.000 LF 2 IN. PSST POST - 12 GA. 2760 9031272A 1.000 EA 2.25 IN. PSST POST INSERT (6 FT.) - 12 GA. 2770 9031274 21.000 EA CONCRETE POST ANCHOR FOR 2 IN. PSST 7 GA. 2780 9031280 44.500 LF 2.5 IN. PSST POST - 12 GA. 2790 9031285 3.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA.		
2740 9031241 1.000 EA BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE) 2750 9031270A 390.000 LF 2 IN. PSST POST - 12 GA. 2760 9031272A 1.000 EA 2.25 IN. PSST POST INSERT (6 FT.) - 12 GA. 2770 9031274 21.000 EA CONCRETE POST ANCHOR FOR 2 IN. PSST 7 GA. 2780 9031280 44.500 LF 2.5 IN. PSST POST - 12 GA. 2790 9031285 3.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA.	2730	
2740 9031241 1.000 EA BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE) 2750 9031270A 390.000 LF 2 IN. PSST POST - 12 GA. 2760 9031272A 1.000 EA 2.25 IN. PSST POST INSERT (6 FT.) - 12 GA. 2770 9031274 21.000 EA CONCRETE POST ANCHOR FOR 2 IN. PSST 7 GA. 2780 9031280 44.500 LF 2.5 IN. PSST POST - 12 GA. 2790 9031285 3.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA.		
2750 9031270A 390.000 LF 2 IN. PSST POST - 12 GA. 2760 9031272A 1.000 EA 2.25 IN. PSST POST INSERT (6 FT.) - 12 GA. 2770 9031274 21.000 EA CONCRETE POST ANCHOR FOR 2 IN. PSST 7 GA. 2780 9031280 44.500 LF 2.5 IN. PSST POST - 12 GA. 2790 9031285 3.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA.	2740	
2750 9031270A 390.000 LF 2 IN. PSST POST - 12 GA. 2760 9031272A 1.000 EA 2.25 IN. PSST POST INSERT (6 FT.) - 12 GA. 2770 9031274 21.000 EA CONCRETE POST ANCHOR FOR 2 IN. PSST 7 GA. 2780 9031280 44.500 LF 2.5 IN. PSST POST - 12 GA. 2790 9031285 3.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA.		
2760 9031272A 1.000 EA 2.25 IN. PSST POST INSERT (6 FT.) - 12 GA. 2770 9031274 21.000 EA CONCRETE POST ANCHOR FOR 2 IN. PSST 7 GA. 2780 9031280 44.500 LF 2.5 IN. PSST POST - 12 GA. 2790 9031285 3.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA.	2750	
2760 9031272A 1.000 EA 2.25 IN. PSST POST INSERT (6 FT.) - 12 GA. 2770 9031274 21.000 EA CONCRETE POST ANCHOR FOR 2 IN. PSST 7 GA. 2780 9031280 44.500 LF 2.5 IN. PSST POST - 12 GA. 2790 9031285 3.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA.		
2770 9031274 21.000 EA CONCRETE POST ANCHOR FOR 2 IN. PSST 7 GA. 2780 9031280 44.500 LF 2.5 IN. PSST POST - 12 GA. 2790 9031285 3.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA.	2760	
2770 9031274 21.000 EA CONCRETE POST ANCHOR FOR 2 IN. PSST 7 GA. 2780 9031280 44.500 LF 2.5 IN. PSST POST - 12 GA. 2790 9031285 3.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA.		
2780 9031280 44.500 LF 2.5 IN. PSST POST - 12 GA. 2790 9031285 3.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA.		
2780 9031280 44.500 LF 2.5 IN. PSST POST - 12 GA. 2790 9031285 3.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA.		
2790 9031285 3.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA.	2780	
2790 9031285 3.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA.		
	2790	
		CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA.
2800 9035004A 166.000 SQFT	2800	9035004A 166.000 SQFT

_

	SH-FLAT SHEET	
2810	9039902	14.000 EA
	MISC. RELOCATE	IGN
Section 0010 Total		

Item Total

\$7,200.00

DBE List Summary

Project: FAF 350-1(7)
Bid Total: 7,200.00
Goal: 8.00% (576.00)
Total Entered: 0.00% (0.00)

Name

Bidder ID: 0033335 Business Name: MoDOT

ID

Is Supplier? Item Count

Amount Is Complete?

DBE CERTIFICATION

(6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 1 slots at 1000 hours per slot or 1000 hours.

(7) Bidder's Certificaton for DBE Program and Contract Goal

(Applies to Federal Projects only.)

(A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 8.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.

(B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/ or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

(10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.

(11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and material misrepresentation or omission of fact within the bid submission.

(11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes \bigcirc No \bigcirc

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

\$

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if requested by the Design Division or the engineer.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

*** AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. ***

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

() Yes () No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

**Bond ID: Verify Clear

**Surety Registry Agency:

**Bond Pct:

Surety State:

FIELDS WITH THE ** INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS