

STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING Contract I.D. 231020-F03

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S): FAS-S502(014), FAS S503(13)

> Job J6S3215 Route D St Louis County Job J6S3592 Route D St Louis County

BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.

2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.

3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.

4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.

5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.

6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.

7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.

8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.

9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check Bid)at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to nonresponsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

TABLE OF CONTENTS

Notice to Contractors

Proposed Work	item	(1)
Compliance With Contract Provisions	item	(2)
Period of Performance	item	(3)
Liquidated Damages	item	(4)
Itemized Bid	item	(5)
Trainees	item	(6)
DBE Certification*	item	(7)
Acceptance of Provision for Price Adjustment for Fuel	item	(8a)
Acceptance of Provision for Asphalt Cement Price Index	item	(8b)
Max. Monetary Value of Awards Accepted this Bid Opening	item	(9)
Combination Bids	item	(10)
Certification for Federal Jobs	item	(11a)
Certification for State Jobs	item	(11b)
Antidiscrimination	item	(12)
Preference to Missouri Firms in Awarding of Contracts	item	(13)
Subcontractor Disclosure Form*	.item	(14)
Signature and Identity of Bidder	item	(15)
Bid Guaranty*	item	(16)

*These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 10/20/2023.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

(1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:

****(1): Job J6S3215 Route D ST LOUIS County. Resurface and ADA improvements from I-170 to west of Pennsylvania Ave., the total length of improvement being 1.93 miles.****(2): Job J6S3592 Route D ST LOUIS County. 4 Bridge rehabilitations and ADA improvements from I-170 to Ogden Ave., the total length of improvement being 3.473 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

(2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876.

(3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.

(4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in

accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity	Unit	Unit Price	Extension Price
Section 0001 Roadway Items	- J6S3215				
	2022010 REMOVAL OF	1.000 IMPROVEMENTS			
0020	2063000 CLASS 3 EXC	2458.000 CAVATION	CUYD		
0030	2063500	20.000	EA		
\	CULVERT CLE				
0040	2071000 LINEAR GRAI	19.500			
0050		119.600			
0050	MISC. LINE	AR GRADING CLASS	2, MODIFIED		
0060					
	TYPE 5 AGG				
 0070	4011211		TONS		
		PAVEMENT MIXTURE	PG64-22, (BP-2)	
0080	4030105	7520.100			
0000	ASPHALTIC (PG 76-22 (SP1250	C MIX)	
0090	4030111		·		
0000		CONCRETE MIXTURE		CLP MIX)	
0100		1.000			
0100		FORMANCE TESTING	-		
0110	4039905	89.400			
0110	4039905 MISC. OPTIC		~		
0120		10394.000			
0120		LOW OR NON-TRAC			
0130	5021110 CONCRETE PA		~		
0140	6039902	2.000 ST TO GRADE WATER			
0150	6039902				
		ST TO GRADE WATER			
0160	6042010	48.000	EA		
0170	6044011	1.000	EA		
	PIPE COLLAR				
0190	6049902	20.000			
		ST TO GRADE PULL 1	BOX		
0200	6049902	10.000			
	MISC. ADJUS				
0210	6049902	16.000			
	MISC. CONCE	RETE MANHOLE COLL	AR 		
0220	6049902	2.000			
		NALK TRENCH DRAIN			
	6081012 TRUNCATED I	OMES			
	6083004	38.400			
	4 IN. CONCE		-		
0250	6083006	563.400			

	6 IN. CONCRETE MEDIAN STRIP
	6085008 8352.200 SQYD PAVED APPROACH, 8 IN.
0270	6086004 5891.000 SQYD CONCRETE SIDEWALK, 4 IN.
0280	MISC. ADA CURB RAMP
0290	6091010 889.000 LF CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S
0300	6091011 204.000 LF CONCRETE CURB (OVER 6 IN. HEIGHT) TYPE S
	6091041 13.000 LF CONCRETE GUTTER TYPE A
0320	6091052 7791.000 LF CURB AND GUTTER TYPE B
0330	6092011 751.000 LF INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A
0340	6092021 56.000 LF INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE A
	6113010 16.000 CUYD FURNISHING TYPE 1 ROCK BLANKET
	6113030 16.000 CUYD PLACING TYPE 1 ROCK BLANKET
0370	6116010A 69.000 SQYD SLOPE PROTECTION
0380	6122008 9.000 EA IMPACT ATTENUATOR 40 MPH (SAND BARREL ARRAY)
	6123000A 5.000 EA TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)
0410	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)
0420	6131013 49.000 SQYD TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)
0440	6131015 234.000 EA DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR
0450	REPAIR 6141021 1.000 EA GRATE AND BEARING PLATE (3 FT. X 2 FT. OR 914 MM X 610 MM)
0460	6141120 38.000 EA CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MM X 600MM)
0470	6141121 3.000 EA CURVED VANE GRATE AND FRAME (4 FT. X 2 FT. OR 1200MM X 600MM)
	6143010 1.000 EA MANHOLE FRAME AND COVER, TYPE 1-A
0490	6143011 10.000 EA MANHOLE FRAME AND COVER, TYPE 1-B
0500	6169901 1.000 LS MISC. LUMP SUM TEMPORARY TRAFFIC CONTROL

0510	6169902 6.000 EA
	MISC. NTCIP COMPLIANT CHANGEABLE MESSAGE SIGNS (CONTRACTOR FURNISHED & RETAINED)
0520	6173600D 4188.000 LF
	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED
0530	6181000 1.000 LS
	MOBILIZATION
0540	6191000 7995.000 LF
	PAVEMENT EDGE TREATMENT
0550	6200015 596.000 LF
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE
0560	6200021 28.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
0570	6200030 1.000 EA
0370	PREFORMED THERMOPLASTIC PAVEMENT MARKING, WORD (ONLY)
0580	6200036 228.000 EA
0.580	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK
0500	
0590	6200042 117.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES
0600	6205901A 22036.000 LF
0610	6205902A 34563.000 LF
	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0620	6205906A 479.000 LF
	12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0630	6206000C 615.000 LF
	4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0640	6206001C 553.000 LF
	4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0650	6209901 1.000 LS
	MISC. TEMPORARY PAVEMENT MARKING PAINT
0660	6209902 15.000 EA
	MISC. 18 IN. WHITE ISLAND TUBULAR MARKER
0670	6209902 16.000 EA
	MISC. 18 IN. YELLOW ISLAND TUBULAR MARKER
	6221003 69299.000 SQYD
	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATER THAN 3 IN.
	THICK)
0690	6224010 947.000 SQYD
	MODIFIED COLDMILLING (DEPTH TRANSITIONS)
0700	6240103A 49.000 SQYD
	PERMANENT EROSION CONTROL GEOTEXTILE
0710	6274000 1.000 LS
	CONTRACTOR FURNISHED SURVEYING AND STAKING
0720	7261012 7.000 LF
	12 IN. PIPE GROUP A
	7261015 2060.000 LF
	15 IN. PIPE GROUP A
	7261018 1236.000 LF
	18 IN. PIPE GROUP A
0750	7261024 380.000 LF
	24 IN. PIPE GROUP A

0760	7310048 8.000 FT
0770	PRECAST CONCRETE MANHOLE - 48 IN. 7310060 61.000 FT
0780	PRECAST CONCRETE MANHOLE - 60 IN. 7311022 4.000 FT
	PRECAST CONCRETE DROP INLET 2 FT X 2 FT
0790	7311032 3.000 FT PRECAST CONCRETE DROP INLET 3 FT X 2 FT
0800	7311042 13.000 FT PRECAST CONCRETE DROP INLET 4 FT X 2 FT
0810	7319902 20.000 EA MISC. INLET TOP AND HOOD REPLACEMENT
0820	7319902 8.000 EA MISC. INLET TOP REPLACEMENT
0830	7319902 33.000 EA MISC. PRECAST CONC. DROP INLET MOD X
0840	7319902 4.000 EA MISC. SPECIAL DRAINAGE STRUCTURE
0850	7320618A 1.000 EA 18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0860	7320624A 2.000 EA 24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0870	8031000A 5026.000 SQYD TURF TYPE TALL FESCUE SODDING
0880	8061005 448.000 LF ROCK DITCH CHECK
0890	8061007A 95.000 EA CURB INLET CHECK
0900	8061016 132.000 CUYD SEDIMENT REMOVAL
0910	8061019 2280.000 LF SILT FENCE
Section 0001 Tot	

Guardrai	l/Guard Cable Items - J6S	3215	
0920	6061060	74.000 LF	
	MGS GUARDRA	L	
0930	6061080	1.000 EA	
	MGS END ANC	IOR	

Section 000 Lighting	3 Items - J6S3215		
0940	9011311	2.000 EA	
	LUMINAIRE,	LED-A	
0950	9013002	44.000 LF	
	CONDUIT, 2	IN. RIGID, IN TRENCH	
0960	9013004	1430.000 LF	

	CONDUIT, 4 IN. RIGID, IN TRENCH
0970	9015010 1929.000 LF
	TRENCHING TYPE I
0980	9015020 198.000 LF
	TRENCHING TYPE II
	9016110 19.000 EA
	PULL BOX, PREFORMED CLASS 1
1000	9017110 1620.000 LF
	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
1010	9017407 4100.000 LF
	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG
1020	9018230 8.000 EA
	POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)
1030	9018245 7.000 EA
	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)
1040	9019902 11.000 EA MISC. 150W TOP MOUNTED LED-A LUMINAIRE
1050	9019902 9.000 EA MISC. 170W TOP MOUNTED LED-B LUMINAIRE
1000	
1060	MISC. 30 FT. TOP MOUNT LIGHT POLE
1070	
1070	MISC. 45 FT. TOP MOUNTED LIGHT POLE
Section 0003 Tota	1

Section 0004 Signal Iter	ns - J6S3215
1080	9020213 1.000 EA SIGNAL HEAD, TYPE 3S
1090	9020513 5.000 EA SIGNAL HEAD, TYPE 3B
1100	9020833 366.000 SQFT SH-FLAT SHEET - SIGNAL SIGN
1110	9020834 78.000 EA SIGNAL SIGN, MOUNTING HARDWARE
1120	9022708 30.000 EA POST, SIGNAL 8 FT.
1130	9023135 2.000 EA POST, TYPE CL, 35 FT. ARM OR 10.7 M ARM
1140	9024283 1.000 EA CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER
1150	9025300 638.000 LF CONDUIT, 3 IN., TRENCH WITH TRACER WIRE
1160	9027300 286.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE
1170	9028208 570.000 LF CABLE, 8 AWG 1 CONDUCTOR, POWER
1180	9028219 190.000 LF CABLE, 10 AWG 1 CONDUCTOR, POWER
1190	9028302 180.000 LF

	CABLE, 12 AWG 2 CONDUCTOR
1200	9028308 6390.000 LF
	CABLE, 16 AWG 2 CONDUCTOR
1210	9028310 6430.000 LF
1220	9028311 480.000 LF
	CABLE, 16 AWG 7 CONDUCTOR
1230	9028811 5.000 EA
	PULL BOX, PREFORMED CLASS 2
	9028812 1.000 EA
	PULL BOX, PREFORMED CLASS 3
1250	9029100 19.300 CUYD
	BASE, CONCRETE
1260	9029902 36.000 EA
	MISC. AUDIBLE PEDESTRIAN PUSHBUTTON & SIGNING WITH VERBAL WALK MESSAGE
1270	9029902 6.000 EA
	MISC. COMBINATION PAD MOUNTED 120V/240V POWER SUPPLY & LIGHTING CONTROLLER WITH UPS)
1280	9029902 38.000 EA
	MISC. COUNTDOWN PEDESTRIAN SIGNAL HEAD, TYPE 1S
1290	9029902 75.000 EA
	MISC. POT HOLING FOR UTILITY FACILITIES
1300	9029902 6.000 EA
	MISC. RECTANGULAR RAPID FLASHING BEACON ASSEMBLY
1310	9029902 5.000 EA
	MISC. SIGNAL CABINET BASE WRAP AND CABINET SHIFT
1320	9029902 1.000 EA
	MISC. TEMPORARY GENERATOR FOR SIGNAL POWER
Section 0004 Tota	

Section 0005 Signing Iter	ms - J6S3215
1330	CONCRETE FOOTINGS, EMBEDDED
1340	9031220 2990.000 LB PIPE POSTS
	9031241 11.000 EA BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)
1360	
1370	9031280 1367.000 LF 2.5 IN. PSST POST - 12 GA.
1380	9031281A 118.000 EA DRIVEN POST ANCHOR FOR 2.5 IN. PSST - 7 GA.
1390	9031285 11.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA.
	9035004A 1053.000 SQFT SH-FLAT SHEET
	9035069A 285.000 SQFT SHF-FLAT SHEET FLUORESCENT

Section 0005 Total

120	9109901	1.000 LS
	MISC.	ITS ASSET MANAGEMENT TOOL
130	9109901	1.000 LS
		TRAFFIC SIGNAL MAINTENANCE, PROGRAMMING & ADJUSTMENT
440	9109902	2.000 EA
	MISC.	BURIED CABLE DRIVEABLE DELINEATOR
450	9109902	3.000 EA
	MISC.	CCTV CAMERA ASSEMBLY
460	9109902	40.000 EA
		FIBER OPTIC FUSION SPLICE
470	9109902	8.000 EA
1,0		FIBER OPTIC JUMPER
 . 480		8.000 EA
400		FIBER OPTIC PIGTAIL
490	9109902	3.000 EA
490		INSTALL CCTV CAMERA ASSEMBLY
500	9109902	1.000 EA INSTALL OR RELOCATE EXISTING COMMUNICATION EQUIPMENT
510	9109902	2.000 EA
		INSTALL POWER OUTLET STRIP
520	9109902	1.000 EA
	MISC.	INTERCEPT CONDUIT WITH PULL BOX
530	9109902	
		PULL BOX, PREFORMED CLASS 2
540	9109902	2.000 EA
		PULL BOX, PREFORMED CLASS 5
550	9109902	1.000 EA
	MISC.	WALL-MOUNTED INTERCONNECT CENTER, FURNISH & INSTALL
560	9109903	409.000 LF
	MISC.	CCTV CAMERA CABLE
570	9109903	66.000 LF
		CONDUIT, HDPE, PUSHED 2"
580	9109903	1856.000 LF
	MISC.	CONDUIT, PVC, TRENCH, 2"
 590	9109903	4210.000 LF
	MISC.	FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE
 600	9109903	965.000 LF
		MODOT ITS ASSETS RELOCATION
610		970.000 LF
610		RELOCATE FIBER OPTIC CABLE, 24 STRAND, 6MM, 18SM

Section 0007

Roadway Items - J6S3592

	CLEARING AND GRUBBING
1,620	
1630	2019919 0.100 ACRE MISC. LITTER REMOVAL AND DISPOSAL - CONTRACTOR PERFORMED
1640	2022010 1.000 LS REMOVAL OF IMPROVEMENTS
1650	2035500 22.000 CUYD
	EMBANKMENT IN PLACE
1660	2063000 2.000 CUYD
	CLASS 3 EXCAVATION
1670	2079909 7.900 STA
	MISC. LINEAR GRADING CLASS 2, MODIFIED
1680	2159910 1.000 100F
	MISC. SHAPING SLOPES, CLASS III - MODIFIED MATERIAL REQUIREMENT
1690	3040504 888.000 SQYD
	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)
1700	4030111 849.800 TONS
	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125CLP MIX)
1710	4031057 1.000 LS
	ASPHALT PERFORMANCE TESTING REPORTING
1720	4079912 1530.000 GAL
1,20	MISC. MODIFIED BONDED ASPHALTIC CONCRETE PAVEMENT
1730	
1730	5021331 533.400 SQYD CONCRETE PAVEMENT (7 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)
1740	6044011 1.000 EA
1750	6049902 4.000 EA
	MISC. ADJUSTING MANHOLES, VALVES, AND PULL BOXES
1760	6079903 136.000 LF
	MISC. 30 IN. PEDESTRIAN FENCE (STRUCTURES)
1770	6086004 85.900 SQYD
	CONCRETE SIDEWALK, 4 IN.
1780	6089902 1.000 EA
	MISC. ADA CURB RAMP
1790	6091010 125.000 LF
	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S
1800	6091052 793.000 LF
	CURB AND GUTTER TYPE B
1810	6097000 2.000 CUYD
1010	ROCK LINING
1820	6123000A 3.000 EA
1020	TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)
1.020	
1830	6131010 443.300 SQYD
1840	6131012 444.000 SQYD
	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)
1850	6131013 444.000 SQYD
	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)
1860	6131014 1486.000 LF
	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS)
1870	6131015 636.000 EA
	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT
	REPAIR
_	

1880	6131017 72.000 EA
	DOWEL BAR (FURNISHING AND INSTALLATION WITH BASKETS) FOR FULL DEPTH PAVEMENT REPAIR
1890	6131018 23.000 EA
	TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR (TYPE L JOINTS)
1900	6133018 31.700 TONS
	FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR
1910	6133019 191.200 SOYD
1910	REMOVAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR
1920	6161070 40.000 EA TUBULAR MARKER
1930	6169901 1.000 LS
1940	6169902 5.000 EA
	MISC. NTCIP COMPLIANT CHANGEABLE MESSAGE SIGN (CONTRACTOR FURNISHED/RETAINED)
1950	6172001 53.000 LF
	CONCRETE TRAFFIC BARRIER, TYPE B (MODIFIED)
1960	6173000 566.000 LF
	CONCRETE TRAFFIC BARRIER, TYPE C
1970	6173600D 950.000 LF
	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED
1980	6174000A 6.000 EA
1900	TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION
1.000	
1990	6179903 20.000 LF MISC. TYPE B CONCRETE TRAFFIC BARRIER HEIGHT TRANSITION SECTION
2000	6179903 84.000 LF
	MISC. TYPE C CONCRETE TRAFFIC BARRIER HEIGHT TRANSITION
2010	6181000 1.000 LS
2020	6200006 60.000 LF
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 4 IN YELLOW
2030	6200009 229.000 LF
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 6 IN. WHITE
2040	6200021 10.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
2050	6200030 2.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, WORD (ONLY)
2060	6205901A 20122.000 LF
	4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
2070	6205902A 13213.000 LF
2070	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
2080	6207002 12.000 EA
	PAVEMENT MARKING REMOVAL (SYMBOLS)
2090	6209901 1.000 LS
	MISC. TEMPORARY PAVEMENT MARKING PAINT
	6214600A 5.000 CUYD
	FLOWABLE BACKFILL
2110	6221001 167.000 SQYD
	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
2120	6224010 979.000 SQYD
	~

	MODIFIED COLDMILLING (DEPTH TRANSITIONS)
	6229905 57.800 SQYD
	MISC. SIDEWALK GRINDING
2140	6252003 6000.000 LB
	SLAB JACKING MATERIAL HIGH DENSITY POLYURETHANE
2150	6274000 1.000 LS
	CONTRACTOR FURNISHED SURVEYING AND STAKING
2160	7040103 4.000 SQFT
	SUPERSTRUCTURE REPAIR (UNFORMED)
2170	7250412 10.000 LF
	12 IN. PIPE GROUP C
2180	7320812A 1.000 EA
	12 IN. OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION
2190	8031000A 150.000 SQYD
	TURF TYPE TALL FESCUE SODDING
2200	8061019 673.000 LF
	SILT FENCE
Section 0007 Tota	

Section 0008

Guardrail/Guard Cable Items - J6S3592

2210	6061060 325.00) LF
	MGS GUARDRAIL	
2220	6061061 100.00) LF
	MGS GUARDRAIL, 8 FT. POSTS	6 FT 3 IN. SPACING
2230	6061069 4.00) EA
	MGS BRIDGE APPROACH TRANSI	ION SECTION (REGULAR/NO CURB)
2240	6061080 2.00) EA
	MGS END ANCHOR	
2250	6063014 1.00) EA
	TYPE A CRASHWORTHY END TER	MINAL (MASH)
Section 0008 Tota	、1	
Section 0008 Tota	11	

Section 00 ITS Iter	09 ms - J6S3592		
2260	9109903	2000.000 LF	
	MISC. MODO	T ITS ASSETS RELOCATION	
Section 00	09 Total		

Section 0010 Bridge A3) 38851 Items - J6S3592		
2270	7040163	206.000 SQYD	
	CONCRETE CRAC	CK FILLER	
Section 0010) Total		

Bridge A5	3281 Items - J6S3592		
2280	6230001	3717.000 SQYD	
	OPTIONAL PO	DLYMER WEARING SURFACE	
2290	7040102	230.000 SQFT	
	SUBSTRUCTU	RE REPAIR (UNFORMED)	
2300	7040104	250.000 SQFT	
	HALF-SOLE H	REPAIR	
2310	7040163	682.000 SQYD	
	CONCRETE CH	RACK FILLER	
2320	7049903	10.000 LF	
	MISC. Barr	ier Curb Repair	
2330	7172054	139.000 LF	
	OPEN CELL 1	FOAM JOINT SEAL	
Section 0011	Total		

0001 OPTIONAL POLYMER WEA 0104 HALF-SOLE REPAIR 0110	150.000	JRFACE 0 SQFT
0104 HALF-SOLE REPAIR	150.000	0 SQFT
HALF-SOLE REPAIR		
	143.000	
0110	143.000	
EPOXY PRESSURE INJEC	CTING	
0163	407.000	
CONCRETE CRACK FILL	ER	
2054	159.000	0 LF
OPEN CELL FOAM JOINT	I SEAL	
3002	28.000	0 LF
SILICONE EXPANSION C	JOINT SEA	EALANT
	OPEN CELL FOAM JOIN	OPEN CELL FOAM JOINT SEAL

2400	2161502	1936.000 SQFT	
	REMOVAL OF	CONCRETE WEARING SURFACE	
2410	6230001	266.000 SQYD	
	OPTIONAL P	DLYMER WEARING SURFACE	
2420	7040163	170.000 SQYD	
	CONCRETE C	RACK FILLER	

Item Total

\$0.00

DBE List Summary

Project: FAS S503(13)
Bid Total: 0.00
Goal: 11.00% (0.00)
Total Entered: 0.00% (0.00)

Name

Bidder ID: 0011540 Business Name: Companyl

ID

Is Supplier? Item Count

Amount Is Complete?

DBE CERTIFICATION

(6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 2 slots at 1000 hours per slot or 2000 hours.

(7) Bidder's Certificaton for DBE Program and Contract Goal

(Applies to Federal Projects only.)

(A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 11.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.

(B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/ or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

(10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.

(11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and material misrepresentation or omission of fact within the bid submission.

(11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes \bigcirc No \bigcirc

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

\$

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if requested by the Design Division or the engineer.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

*** AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. ***

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

() Yes () No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

**Bond ID: Verify Clear

**Surety Registry Agency:

**Bond Pct:

Surety State:

FIELDS WITH THE ** INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS