STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING Contract I.D. 231215-F01

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S): I-55-3(99)

Job J6I3427 Route I-55 St. Louis County and St. Louis City

BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

- 1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
- 2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
- 3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.
- 4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
- 5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
- 6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
- 7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
- 8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
- 9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid) at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to nonresponsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

TABLE OF CONTENTS

Notice to Contractors

Proposed Work	item	(1)
Compliance With Contract Provisions	item	(2)
Period of Performance	item	(3)
Liquidated Damages	item	(4)
Itemized Bid	item	(5)
Trainees	item	(6)
DBE Certification*	item	(7)
Acceptance of Provision for Price Adjustment for Fuel	item	(8a)
Acceptance of Provision for Asphalt Cement Price Index	item	(8b)
Max. Monetary Value of Awards Accepted this Bid Opening	item	(9)
Combination Bids	item	(10)
Certification for Federal Jobs	item	(11a)
Certification for State Jobs	item	(11b)
Antidiscrimination	item	(12)
Preference to Missouri Firms in Awarding of Contracts	item	(13)
Subcontractor Disclosure Form*	.item	(14)
Signature and Identity of Bidder	item	(15)
Bid Guaranty*	item	(16)

^{*}These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 12/15/2023.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

- (1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:
- ****(1): Job J6I3427 Route I-55 ST LOUIS, ST LOUIS CITY County. Resurface and ADA Improvements from Lindbergh Blvd. to Biddle St., the total length of improvement being 12.956 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

- (2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office Design Division at (573) 751-2876.
- (3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.
- (4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.
- (5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity	Unit	Unit Price Extension Price
Section 0001 Roadway Item	ns - J6I3427			
0010	2022010	1.000	LS	
	REMOVAL OF I	MPROVEMENTS		
0020	2031000 CLASS A EXCA	804.000		
0030	2036000 COMPACTING E			
0040				
0040	COMPACTING I	N CUT		
0050	2079909	32.900		
0030	MISC. MODIFI			
0060		69.000		
0000				MODIFED MATERIAL REQUIREMENT
0070		2023.000	. – – – –	
0070	FURNISHING R		~ ΑΤ.	
0080				
	PLACING ROCK		DQID	
0090		3954.000		
0030	TYPE 5 AGGRE			
0100		133.000	. – – – –	
0100	TYPE 5 AGGRE			THICK)
0110				
0110	MISC. TYPE 5		_	
0120			. – – – –	
0120	MISC. TYPE 5			
0130	3105003		. – – – –	
0130	GRAVEL (A) O			
0140		11323.800		
0110	BITUMINOUS P			22, (BP-1)
0150		1318.600		
0130	MISC. OPTION		DQID	
0160	4030011	6567.300		
0100				22 (SP095CLP MIX)
0170		70798.200	. – – – -	
0170	ASPHALTIC CO		PG 76-	22 (SP125BSM MIX)
0180	4031058	1.000		
0100	INTELLIGENT			
0190	4031059	1.000	. – – – –	
0130		D THERMAL PROFII		
0200	4071007	81511.000		
0200	TACK COAT -			
0210		962.200		
0210		EMENT (10 IN. NO	_	
0220	5021340			
0220	TYPE A2 SHOU		הואה	
0230				
0230	WATER ADJUST			
0240	6039902	1.000	. – – – –	
0240	0039302	1.000	ĿА	

Contract	TD.	23121	5-501
Contract	1111	7.317.1	コードリー

	WATER ADJUSTING WATER VALVE
0250	6042010 5.000 EA
	ADJUSTING MANHOLE
0260	6042020 1.000 EA
	ADJUSTING BASIN OR INLET
0270	6071012A 24.000 LF CHAIN-LINK FENCE (60 IN.)
0280	6071013A 21.000 LF
0200	CHAIN-LINK FENCE (72 IN.)
0290	6071043A 21.000 LF
0230	3-STRAND BARBED WIRE EXTENSION FOR CHAIN-LINK FENCE
0300	
	MISC. MANUAL SLIDING GATE
0310	6081000 44.500 SQYD
	CONCRETE MEDIAN
0320	6081012 154.000 SQFT
0020	TRUNCATED DOMES
0330	6083004 17.600 SQYD
	4 IN. CONCRETE MEDIAN STRIP
0340	6083006 819.700 SQYD
	6 IN. CONCRETE MEDIAN STRIP
0350	6084023 26.000 LF
	SIDEWALK HAND-RAILING WITHOUT BALUSTERS
0360	6085007 113.000 SQYD
	PAVED APPROACH, 7 IN.
0370	6086004 3381.600 SQYD
	CONCRETE SIDEWALK, 4 IN.
0380	6089902 10.000 EA
	MISC. 4 IN. BOLT DOWN BOLLARD
0390	6089902 2.000 EA
	MISC. 8 IN. DUCTILE IRON BOLLARD
0400	6089902 42.000 EA
	MISC. ADA CURB RAMP WITH TRUNCATED DOMES
0410	6089902 6.000 EA
	MISC. ADA CURB RAMP WITHOUT TRUNCATED DOMES
0420	6089903 26.000 LF
	MISC. HAND-RAILING MOUNTED TO CONCRETE RETAINING WALL
0430	6091010 2421.000 LF
	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S
0440	6091041 582.000 LF
0450	6091042 571.000 LF CONCRETE GUTTER TYPE B
0.4.60	
0460	6091060 144.200 SQYD PAVED DITCH
0470	6092011 595.000 LF
U 1 1 U	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A
0480	6096010A 33.000 CUYD
0400	FURNISHING TYPE 1 ROCK DITCH LINER
0490	
U = 9U	PLACING TYPE 1 ROCK DITCH LINER

Contract	TD.	231215-	FΩ

0500	6099903 4672.000 LF
0300	MISC. CONCRETE CURB UNDER GUARDRAIL
0510	6099903 124.000 LF
	MISC. CONCRETE GUTTER TYPE A (SPECIAL)
0520	6116010A 364.000 SQYD
	SLOPE PROTECTION
0530	6122012 10.000 EA
	IMPACT ATTENUATOR 55 MPH (SAND BARREL ARRAY)
0540	6122014 10.000 EA
	IMPACT ATTENUATOR 60 MPH (SAND BARREL ARRAY)
0550	6122020 30.000 EA
	REPLACEMENT SAND BARREL
0560	6122030 20.000 EA
0570	6123000A 10.000 EA
0580	6131010 433.000 SQYD FURNISHING AND PLACING CONCRETE MATERIAL FOR FULL DEPTH PAVEMENT REPAIR
0.500	
0590	6131012 43.000 SQYD SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)
0600	6131013 43.000 SOYD
0000	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)
0610	6131014 1430.000 LF
	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS)
0620	6131015 776.000 EA
	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT
	REPAIR
0630	6131017 60.000 EA
	DOWEL BAR (FURNISHING AND INSTALLATION WITH BASKETS) FOR FULL DEPTH PAVEMENT REPAIR
0640	6131018 78.000 EA
	TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR
	(TYPE L JOINTS)
0650	6132019 94.000 SQYD
	REMOVAL FOR CLASS A PARTIAL DEPTH PAVEMENT REPAIR
0660	6139911 27385.000 LB
	MISC. PARTIAL DEPTH CONCRETE PAVEMENT REPAIR USING FLEXIBLE, HOT POLYMER MODIFIED REPAIR MATERIAL
0670	6169901 1.000 LS
	MISC. LUMP SUM TEMPORARY TRAFFIC CONTROL
0680	6169901 1.000 LS
	MISC. TRAFFIC SIGNAL MAINTENANCE AND PROGRAMMING
0690	6169902 10.000 EA
	MISC. NTCIP COMPLIANT CHANGEABLE MESSAGE SIGN, CONTRACTOR FURNISHED / RETAINED
0700	6173000 183.000 LF
	6173001 638.000 LF
0720	6173102 144.000 LF
0720	CONCRETE TRAFFIC BARRIER, TYPE D (RETAINING WALL)
0730	6173600D 3500.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED
	TEMPORARI TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED

0740	6173700B 4800.000 LF
	TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED
0750	6179902 9.000 EA
	MISC. CONCRETE BARRIER GAP PROTECTION ASSEMBLY
0760	6179902 16.000 EA
	MISC. GUARDRAIL/CONCRETE BARRIER BLOCKOUT FILL
0770	6179903 532.000 LF
	MISC. CONCRETE TRAFFIC BARRIER, TYPE C (MODIFIED)
0780	6181000 1.000 LS
	MOBILIZATION
0790	6181020 4.000 EA \$600.00000 \$2,400.00
	ADDITIONAL MOBILIZATION FOR SEEDING
0800	6191000 3286.000 LF
	PAVEMENT EDGE TREATMENT
0810	6200003 202.000 LF
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 4 IN., WHITE
0820	6200009 1778.000 LF
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 6 IN. WHITE
0830	6200015 6403.000 LF
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE
0840	6200018 1097.000 LF
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW
0850	6200021 155.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
0860	6200024 45.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW
0870	6200027 29.000 EA
0070	PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT
0880	6200030 2.000 EA
0000	PREFORMED THERMOPLASTIC PAVEMENT MARKING, WORD (ONLY)
0890	6200033 2.000 EA
0090	PREFORMED THERMOPLASTIC PAVEMENT MARKING, R/R CROSSING MARKER
0900	6200042 335.000 EA
0900	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES
0910	6205902A 286412.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0920	6205903A 179413.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0930	6205906A 42187.000 LF 12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0940	6206000C 41794.000 LF
0950	6206001C 29925.000 LF
0960	6206108A 1908.000 LF
	8 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0970	6207001 74031.000 LF
0980	6207002 128.000 EA
0990	6209901 1.000 LS

	MISC. TEMPORARY PAVEMENT MARKING PAINT
1000	6209902 44.000 EA
1010	6209902 8424.000 EA
	MISC. INLAID PAVEMENT MARKER INSTALLATION
1020	6209902 44.000 EA
	MISC. ISLAND TUBULAR MARKER
1030	6209902 3.000 EA
	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, "SOUTH"
1040	6209902 6.000 EA
	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, "WEST"
1050	6209902 318.000 EA
	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN. WHITE MIDBLOCK (9 FOOT
	LENGTH AND UNDER)
1060	6209902 5.000 EA
	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, BIKE LANE
1070	6209902 12.000 EA
	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, BIKE SHARE ARROW
1080	6209902 8.000 EA
	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION LT/RT ARROW
1090	6209902 12.000 EA
	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, INTERNATIONAL SYMBOL OF
	ACCESSIBILITY
1100	6209902 9.000 EA
	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, INTERSTATE SHIELD
1110	6209902 15.000 EA
	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, MERGE ARROW WITH 3 IN.
	CONTRAST, BLACK
1120	6209902 2.000 EA
	MISC. PREFORMED THEROMOPLASTIC PAVEMENT MARKING, U-TURN ARROW
1130	6209902 7.000 EA
	MISC. TIER II INLAID PAVEMENT ARROW SYSTEM
1140	6209902 1.000 EA
	MISC. TIER II INLAID PAVEMENT ARROW SYSTEM (WITHOUT 8 LED INLAID MARKERS)
	6209903 564.000 LF
	MISC. 12 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
1160	6209903 384.000 LF
	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN. WHITE WITH 1.5 IN.
	CONTRAST, BLACK
1170	6209903 2576.000 LF
	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN. WHITE MIDBLOCK (GREATER
	THAN 9 FEET LENGTH)
1180	6209903 2481.000 LF
	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, 6 IN. WHITE WITH 1.5 IN. CONTRAST, BLACK
1100	
	6209903 44.000 LF
	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, 6 IN. YELLOW
1200	6221001 650059.000 SQYD
1210	6224010 163436.000 SQYD
	MODIFIED COLDMILLING (DEPTH TRANSITIONS)
	6229905 1924.000 SQYD
	MISC. LONGITUDINAL PAVEMENT GROOVING

1230		_	of Transportation Contract ID: 231215-F01
	6240103A PERMANENT ER	149.000 S	
 1240	6261000A	1033.700 S	מיית
1240		HOULDER RUMBLE ST	
	6274000	1.000 L	
1230	CONTRACTOR F		
1260	7034009 CLASS B-1 CC	1.700 C NCRETE (RETAINING	WALLS)
. L270	7040104	46.000 S	
	HALF-SOLE RE	PAIR	
 L280	7319902	60.000 E	
	MISC. INLET	TOP REPLACEMENT (IN KIND)
 L290	8025006	1.000 A	ACRE
1230	MULCHING	1.000 1	
1300		1.000 A	OCDE
1300	SEEDING - CC		
1310	8061006	150.000 L	JF
	ALTERNATE DI	TCH CHECK	
1320	8061007A	3.000 E	2A
	CURB INLET C		
1330	8061016	23.000 C	CUYD
	SEDIMENT REM	OVAL	
1340	8061019	1456.000 L	.F
	SILT FENCE		
Section 0001	Total		\$2,400.00
	. 10041		Ψ2 / 100.00
Section 0002			
	? /Guard Cable Items - J6I	3427	
	/Guard Cable Items - J6I		,F
	/Guard Cable Items - J6I: 6061010	375.000 L	"F
1350	/Guard Cable Items - J6I 6061010 GUARDRAIL TY	375.000 L PE A	
1350	/Guard Cable Items - J6I 6061010 GUARDRAIL TY 6061060	375.000 L PE A 41277.000 L	
1350	/Guard Cable Items - J6I 6061010 GUARDRAIL TY 6061060 MGS GUARDRAI	375.000 L PE A 41277.000 L L	LF
1350	/Guard Cable Items - J61: 6061010 GUARDRAIL TY 6061060 MGS GUARDRAI	375.000 L PE A 41277.000 L L 10706.000 L	LF LF
1350 1360 1370	/Guard Cable Items - J61: 6061010 GUARDRAIL TY 6061060 MGS GUARDRAI	375.000 L PE A 41277.000 L L 10706.000 L	LF
1350 1360 1370	/Guard Cable Items - J61: 6061010 GUARDRAIL TY 6061060 MGS GUARDRAI 6061061 MGS GUARDRAI	375.000 L PE A 41277.000 L L 10706.000 L L, 8 FT. POSTS, 6 401.000 L	LF FT 3 IN. SPACING LF
1350 1360 1370	/Guard Cable Items - J61: 6061010 GUARDRAIL TY 6061060 MGS GUARDRAI 6061061 MGS GUARDRAI	375.000 L PE A 41277.000 L L 10706.000 L L, 8 FT. POSTS, 6 401.000 L	LF FT 3 IN. SPACING LF
1350 1360 1370	/Guard Cable Items - J6I: 6061010 GUARDRAIL TY 6061060 MGS GUARDRAI 6061061 MGS GUARDRAI 6061063 MGS GUARDRAI	375.000 L PE A 41277.000 L L 10706.000 L L, 8 FT. POSTS, 6 401.000 L	LF FT 3 IN. SPACING LF FT 1.5 IN. SPACING
1350 1360 1370 1380	/Guard Cable Items - J6I: 6061010 GUARDRAIL TY 6061060 MGS GUARDRAI 6061061 MGS GUARDRAI 6061063 MGS GUARDRAI 6061065 MGS GUARDRAI	375.000 L PE A 41277.000 L L 10706.000 L L, 8 FT. POSTS, 6 401.000 L L, 6 FT. POSTS, 3 114.000 L L, 6 FT. POSTS, 1	LF FT 3 IN. SPACING LF FT 1.5 IN. SPACING LF FT 6.75 IN. SPACING
1350 1360 1370 1380	/Guard Cable Items - J61: 6061010 GUARDRAIL TY 6061060 MGS GUARDRAI 6061061 MGS GUARDRAI 6061063 MGS GUARDRAI 6061065 MGS GUARDRAI	375.000 L PE A 41277.000 L L 10706.000 L L, 8 FT. POSTS, 6 401.000 L L, 6 FT. POSTS, 3 114.000 L L, 6 FT. POSTS, 1 25.000 L	LF FT 3 IN. SPACING LF FT 1.5 IN. SPACING LF FT 6.75 IN. SPACING
1350 1360 1370 1380 1390	/Guard Cable Items - J61: 6061010 GUARDRAIL TY 6061060 MGS GUARDRAI 6061061 MGS GUARDRAI 6061063 MGS GUARDRAI 6061065 MGS GUARDRAI	375.000 L PE A 41277.000 L L 10706.000 L L, 8 FT. POSTS, 6 401.000 L L, 6 FT. POSTS, 3 114.000 L L, 6 FT. POSTS, 1 25.000 L	LF FT 3 IN. SPACING LF FT 1.5 IN. SPACING LF FT 6.75 IN. SPACING
1350 1360 1370 1380 1390	/Guard Cable Items - J61: 6061010 GUARDRAIL TY 6061060 MGS GUARDRAI 6061061 MGS GUARDRAI 6061063 MGS GUARDRAI 6061065 MGS GUARDRAI 6061067 MGS DOUBLE F	375.000 L PE A 41277.000 L L 10706.000 L L, 8 FT. POSTS, 6 401.000 L L, 6 FT. POSTS, 3 114.000 L L, 6 FT. POSTS, 1 25.000 L	LF FT 3 IN. SPACING LF FT 1.5 IN. SPACING LF FT 6.75 IN. SPACING LF
1350 1360 1370 1380 1390 1400	/Guard Cable Items - J61: 6061010 GUARDRAIL TY 6061060 MGS GUARDRAI 6061061 MGS GUARDRAI 6061063 MGS GUARDRAI 6061065 MGS GUARDRAI 6061067 MGS DOUBLE F 6061068 MGS BRIDGE A	375.000 L PE A 41277.000 L L 10706.000 L L, 8 FT. POSTS, 6 401.000 L L, 6 FT. POSTS, 3 114.000 L L, 6 FT. POSTS, 1 25.000 L ACED GUARDRAIL 68.000 E PPROACH TRANSITION	LF FT 3 IN. SPACING LF FT 1.5 IN. SPACING LF FT 6.75 IN. SPACING LF AN SECTION (EXTENDED CURB)
1350 1360 1370 1380 1390 1400	/Guard Cable Items - J6I: 6061010 GUARDRAIL TY 6061060 MGS GUARDRAI 6061061 MGS GUARDRAI 6061063 MGS GUARDRAI 6061065 MGS GUARDRAI 6061067 MGS DOUBLE F 6061068 MGS BRIDGE A	375.000 L PE A 41277.000 L L 10706.000 L L, 8 FT. POSTS, 6 401.000 L L, 6 FT. POSTS, 3 114.000 L L, 6 FT. POSTS, 1 25.000 L ACED GUARDRAIL 68.000 E PPROACH TRANSITION	LF FT 3 IN. SPACING LF FT 1.5 IN. SPACING LF FT 6.75 IN. SPACING LF EA N SECTION (EXTENDED CURB)
1350 1360 1370 1380 1390 1400	/Guard Cable Items - J61: 6061010	375.000 L PE A 41277.000 L L 10706.000 L L, 8 FT. POSTS, 6 401.000 L L, 6 FT. POSTS, 3 114.000 L L, 6 FT. POSTS, 1 25.000 L ACED GUARDRAIL 68.000 E PPROACH TRANSITION 3.000 E	LF FT 3 IN. SPACING LF FT 1.5 IN. SPACING LF FT 6.75 IN. SPACING LF EA N SECTION (EXTENDED CURB)
1350 1360 1370 1380 1390 1400 1410	/Guard Cable Items - J6I: 6061010	375.000 L PE A 41277.000 L L 10706.000 L L, 8 FT. POSTS, 6 401.000 L L, 6 FT. POSTS, 3 114.000 L L, 6 FT. POSTS, 1 25.000 L ACED GUARDRAIL 68.000 E PPROACH TRANSITION	LF FT 3 IN. SPACING LF FT 1.5 IN. SPACING LF FT 6.75 IN. SPACING LF AN SECTION (EXTENDED CURB) EA N SECTION (REGULAR/NO CURB)
1350 1360 1370 1380 1390 1400	/Guard Cable Items - J61: 6061010	375.000 L PE A 41277.000 L L 10706.000 L L, 8 FT. POSTS, 6 401.000 L L, 6 FT. POSTS, 3 114.000 L L, 6 FT. POSTS, 1 25.000 L ACED GUARDRAIL 68.000 E PPROACH TRANSITION 15.000 E	LF FT 3 IN. SPACING LF FT 1.5 IN. SPACING LF FT 6.75 IN. SPACING LF EA N SECTION (EXTENDED CURB) EA N SECTION (REGULAR/NO CURB)
1350 1360 1370 1380 1390 1400 1410 1420	/Guard Cable Items - J61: 6061010 GUARDRAIL TY 6061060 MGS GUARDRAI 6061061 MGS GUARDRAI 6061063 MGS GUARDRAI 6061065 MGS GUARDRAI 6061067 MGS DOUBLE F 6061068 MGS BRIDGE A 6061069 MGS BRIDGE A	375.000 L PE A 41277.000 L L 10706.000 L L, 8 FT. POSTS, 6 401.000 L L, 6 FT. POSTS, 3 114.000 L L, 6 FT. POSTS, 1 25.000 L ACED GUARDRAIL 68.000 E PPROACH TRANSITION 3.000 E PPROACH TRANSITION 15.000 E CONCRETE BARRIER	LF FT 3 IN. SPACING LF FT 1.5 IN. SPACING LF FT 6.75 IN. SPACING LF CA N SECTION (EXTENDED CURB) EA N SECTION (REGULAR/NO CURB) EA TRANSITION
1350 1360 1370 1380 1390 1400 1410 1420	/Guard Cable Items - J61: 6061010	375.000 L PE A 41277.000 L L 10706.000 L L, 8 FT. POSTS, 6 401.000 L L, 6 FT. POSTS, 3 114.000 L L, 6 FT. POSTS, 1 25.000 L ACED GUARDRAIL 68.000 E PPROACH TRANSITION 3.000 E PPROACH TRANSITION 15.000 E CONCRETE BARRIER 5.000 E	LF FT 3 IN. SPACING LF FT 1.5 IN. SPACING LF FT 6.75 IN. SPACING LF EA N SECTION (EXTENDED CURB) EA TRANSITION EA
1350 1360 1370 1380 1390 1400 1410 1420 1430	/Guard Cable Items - J61: 6061010 GUARDRAIL TY 6061060 MGS GUARDRAI 6061061 MGS GUARDRAI 6061063 MGS GUARDRAI 6061065 MGS GUARDRAI 6061067 MGS DOUBLE F 6061068 MGS BRIDGE A 6061069 MGS BRIDGE A	375.000 L PE A 41277.000 L L 10706.000 L L, 8 FT. POSTS, 6 401.000 L L, 6 FT. POSTS, 3 114.000 L L, 6 FT. POSTS, 1 25.000 L ACED GUARDRAIL 68.000 E PPROACH TRANSITION 3.000 E PPROACH TRANSITION 15.000 E CONCRETE BARRIER 5.000 E ND BLOCK TRANSITION	LF FT 3 IN. SPACING LF FT 1.5 IN. SPACING LF FT 6.75 IN. SPACING LF EA N SECTION (EXTENDED CURB) EA TRANSITION EA
1350 1360 1370 1380 1390 1400 1410 1420 1430	/Guard Cable Items - J61: 6061010 GUARDRAIL TY 6061060 MGS GUARDRAI 6061061 MGS GUARDRAI 6061063 MGS GUARDRAI 6061065 MGS GUARDRAI 6061067 MGS DOUBLE F 6061068 MGS BRIDGE A 6061070 MGS VERTICAL 6061074 MGS HEIGHT A	375.000 L PE A 41277.000 L L 10706.000 L L, 8 FT. POSTS, 6 401.000 L L, 6 FT. POSTS, 3 114.000 L L, 6 FT. POSTS, 1 25.000 L ACED GUARDRAIL 68.000 E PPROACH TRANSITION 3.000 E PPROACH TRANSITION 15.000 E CONCRETE BARRIER 5.000 E ND BLOCK TRANSITION	LF FT 3 IN. SPACING LF FT 1.5 IN. SPACING LF FT 6.75 IN. SPACING LF EA N SECTION (EXTENDED CURB) EA TRANSITION EA ON
1350 1360 1370 1380 1390 1400 1410 1420 1430 1440	/Guard Cable Items - J61: 6061010 GUARDRAIL TY 6061060 MGS GUARDRAI 6061061 MGS GUARDRAI 6061063 MGS GUARDRAI 6061065 MGS GUARDRAI 6061067 MGS DOUBLE F 6061068 MGS BRIDGE A 6061070 MGS VERTICAL 6061074 MGS HEIGHT A	375.000 L PE A 41277.000 L L 10706.000 L L, 8 FT. POSTS, 6 401.000 L L, 6 FT. POSTS, 3 114.000 L L, 6 FT. POSTS, 1 25.000 L ACED GUARDRAIL 68.000 E PPROACH TRANSITION 3.000 E PPROACH TRANSITION 15.000 E CONCRETE BARRIER 5.000 E ND BLOCK TRANSITION 61.000 E	LF FT 3 IN. SPACING LF FT 1.5 IN. SPACING LF FT 6.75 IN. SPACING LF EA N SECTION (EXTENDED CURB) EA TRANSITION EA ON

	Missouri Department of Transportation	Contract ID: 231215-F01
1460	6062303 1.000 EA ASYMMETRICAL TRANSITION SECTION, 6.5 FT. POSTS	
1470	6063014 92.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)	
1480	6063016 1.000 EA TYPE B CRASHWORTHY END TERMINAL	
1490	6063022 1.000 EA TYPE E CRASHWORTHY END TERMINAL (MASH)	
1500	6069902 129.000 EA MISC. GUARDRAIL POSTS IN CONCRETE	
1510	6069902 1.000 EA MISC. REMOVE AND RE-ERECT TYPE A CRASHWORTHY END TERMINAL (
1520	6069902 4.000 EA MISC. TYPE A CRASHWORTHY END TERMINAL (MASH TL-2)	
Section 0002 To	tal	
Section 0003 Lighting Iter	ms - J6I3427	
1530	RELOCATED POLE	
1540	9015010 365.000 LF TRENCHING TYPE I	
1550	9017407 400.000 LF CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AW	IG
1560	9018245 1.000 EA POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)	
Section 0003 To	tal	
Section 0004 Signal Items	- J6I3427	
1570	9020833 46.000 SQFT SH-FLAT SHEET - SIGNAL SIGN	
1580	9020834 2.000 EA SIGNAL SIGN, MOUNTING HARDWARE	
1590	9022708 8.000 EA POST, SIGNAL 8 FT.	
1600	9025300 43.000 LF CONDUIT, 3 IN., TRENCH WITH TRACER WIRE	
1610	9025400 101.000 LF CONDUIT, 4 IN., TRENCH WITH TRACER WIRE	
1620	9027300 165.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE	
1630		
1640		
1650	9028310 1550.000 LF CABLE, 16 AWG 5 CONDUCTOR	
	CABLE, 10 AWG 3 CONDUCTOR	

	CABLE, 16 AWG 7 CONDUCTOR
1670	9028500 1000.000 LF
1680	CABLE, LOOP DETECTOR, IN DUCT 9028810 1.000 EA
	PULL BOX, PREFORMED CLASS 1
1690	9028811 3.000 EA PULL BOX, PREFORMED CLASS 2
1700	9029100 3.600 CUYD
	BASE, CONCRETE
1710	9029902 10.000 EA
	MISC. ADJUSTING PULL BOX
1720	9029902 24.000 EA
	MISC. AUDIBLE PEDESTRIAN PUSHBUTTON AND SIGNING WITH VERBAL WALK MESSAGE
1730	9029902 6.000 EA
	MISC. COUNTDOWN PEDESTIRAN SIGNAL HEAD, TYP 1S
1740	9029902 1.000 EA
	MISC. PUSH BUTTON EXTENSION
1750	9029902 10.000 EA
	MISC. REMOVE AND INSTALL IN-PAVEMENT WIRELESS DETECTION SENSORS
1760	9029902 5.000 EA
	MISC. SL DISTRICT TRAFFIC SIGNAL DETECTION SYSTEM
1770	9029902 2.000 EA
	MISC. TIER III WRONG WAY LED SYSTEM
-	
Section 0005	: = .T6T3427
Signing Items	
Signing Items	9031010 0.400 CUYD CONCRETE FOOTINGS, EMBEDDED
Signing Items	9031010 0.400 CUYD CONCRETE FOOTINGS, EMBEDDED
Signing Items	9031010 0.400 CUYD CONCRETE FOOTINGS, EMBEDDED 9031020 58.500 CUYD CONCRETE FOOTINGS, BOLT DOWN
Signing Items 1780 1790	9031010 0.400 CUYD CONCRETE FOOTINGS, EMBEDDED 9031020 58.500 CUYD CONCRETE FOOTINGS, BOLT DOWN 9031220 440.000 LB
Signing Items 1780 1790	9031010 0.400 CUYD CONCRETE FOOTINGS, EMBEDDED 9031020 58.500 CUYD CONCRETE FOOTINGS, BOLT DOWN
Signing Items 1780 1790 1800	9031010 0.400 CUYD
Signing Items 1780 1790 1800	9031010 0.400 CUYD
Signing Items 1780 1790 1800 1810	9031010 0.400 CUYD
Signing Items 1780 1790 1800 1810	9031010 0.400 CUYD
Signing Items 1780 1790 1800 1810 1830	9031010 0.400 CUYD
Signing Items 1780 1790 1800 1810	9031010 0.400 CUYD
Signing Items 1780 1790 1800 1810 1820	9031010
Signing Items 1780 1790 1800 1810 1820 1830 1840	9031010 0.400 CUYD CONCRETE FOOTINGS, EMBEDDED 9031020 58.500 CUYD CONCRETE FOOTINGS, BOLT DOWN 9031220 440.000 LB PIPE POSTS 9031270A 33.000 LF 2 IN. PSST POST - 12 GA. 9031274 3.000 EA CONCRETE POST ANCHOR FOR 2 IN. PSST 7 GA. 9031280 400.000 LF 2.5 IN. PSST POST - 12 GA. 9031285 25.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA. 9035004A 295.000 SQFT SH-FLAT SHEET
Signing Items 1780 1790 1800 1810 1820 1830	9031010 0.400 CUYD
Signing Items 1780 1790 1800 1810 1820 1830 1840 1850	9031010 0.400 CUYD CONCRETE FOOTINGS, EMBEDDED 9031020 58.500 CUYD CONCRETE FOOTINGS, BOLT DOWN 9031220 440.000 LB PIPE POSTS 9031270A 33.000 LF 2 IN. PSST POST - 12 GA. 9031274 3.000 EA CONCRETE POST ANCHOR FOR 2 IN. PSST 7 GA. 9031280 400.000 LF 2.5 IN. PSST POST - 12 GA. 9031285 25.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA. 903104A 295.000 SQFT SH-FLAT SHEET 9035011A 1259.000 SQFT ST-STRUCTURAL
Signing Items 1780 1790 1800 1810 1820 1830 1840 1850	9031010 0.400 CUYD
Signing Items 1780 1790 1800 1810 1820 1830 1840 1850 1870	9031010 0.400 CUYD CONCRETE FOOTINGS, EMBEDDED 9031020 58.500 CUYD CONCRETE FOOTINGS, BOLT DOWN 9031220 440.000 LB PIPE POSTS 9031270A 33.000 LF 2 IN. PSST POST - 12 GA. 9031274 3.000 EA CONCRETE FOST ANCHOR FOR 2 IN. PSST 7 GA. 9031280 400.000 LF 2.5 IN. PSST POST - 12 GA. 9031285 25.000 EA CONCRETE FOST ANCHOR FOR 2.5 IN. PSST 7 GA. 9031285 25.000 EA CONCRETE FOST ANCHOR FOR 2.5 IN. PSST 7 GA. 9035004A 295.000 SQFT SH-FLAT SHEET 9035011A 1259.000 SQFT ST-STRUCTURAL 9035069A 34.000 SQFT SHF-FLAT SHEET FLUORESCENT
Signing Items 1780 1790 1800 1810 1820 1830 1840 1850	9031010 0.400 CUYD CONCRETE FOOTINGS, EMBEDDED 9031020 58.500 CUYD CONCRETE FOOTINGS, BOLT DOWN 9031220 440.000 LB PIPE POSTS 9031270A 33.000 LF 2 IN. PSST POST - 12 GA. 9031274 3.000 EA CONCRETE POST ANCHOR FOR 2 IN. PSST 7 GA. 9031280 400.000 LF 2.5 IN. PSST POST - 12 GA. 9031285 25.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA. 903104A 295.000 SQFT SH-FLAT SHEET 9035001A 1259.000 SQFT ST-STRUCTURAL 9035069A 34.000 SQFT SHF-FLAT SHEET FLUORESCENT 9035071A 228.000 SQFT STF-STRUCTURAL FLUORESCENT

\$2,400.00

MISC. REMOVE AND RELOCATE GROUND MOUNT SIGN 9039902 1900 2.000 EA MISC. SIGN BRACKET ASSEMBLY ------1.000 EA 1910 9039902 MISC. SIGN NO. 03, OVERHEAD TRUSS, 87 FT.-2 IN. 1920 9039902 1.000 EA MISC. SIGN NO. 06, OVERHEAD TRUSS, 84 FT.-0 IN.) 1930 9039904 208.000 SQFT MISC. REMOVE AND RELOCATE OVERHEAD TRUSS MOUNTED SIGN Section 0005 Total Section 0006 ITS Items - J6I3427 1000.000 LF MISC. MODOT ITS ASSETS RELOCATION Section 0006 Total Section 0007 Bridge A73691 Items - J6I3427 2996.000 SQYD 7040163 CONCRETE CRACK FILLER Section 0007 Total Section 0008 Bridge A77451 Items - J6I3427 7040163 1228.000 SQYD CONCRETE CRACK FILLER ______ Section 0008 Total Section 0009 Bridge A77461 Items - J6I3427 7040163 1970 1037.000 SQYD CONCRETE CRACK FILLER Section 0009 Total

Item Total

DBE List Summary

Project: I-55-3(99) Bidder ID: 0011540 Bid Total: 2,400.00 Business Name: Company1 Goal: 14.00% (336.00)

Total Entered: 0.00% (0.00)

Name

Is Supplier? Item Count

Amount Is Complete?

DBE CERTIFICATION

- (6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 1 slots at 1000 hours per slot or 1000 hours.
- (7) Bidder's Certificaton for DBE Program and Contract Goal

(Applies to Federal Projects only.)

- (A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 14.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.
- (B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

- (10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.
- (11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and misrepresentation or omission of fact within the bid submission.
- (11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes \bigcirc No \bigcirc

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, rtation, 105 W. 2-0270. Telefax 1 or emailed to ginal documents it available if

directly to the Design Division, Missouri Department of Transpo Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102 transmittal to MoDOT will be permitted at fax no. 573-522-2281 subcontractor.disclosure@modot.mo.gov. The complete signed original original contractor of the mailed to MoDOT, but the bidder shall have requested by the Design Division or the engineer.
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
Submitted:

SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

*** AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. ***

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

Yes No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

**Pay by: Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

**Bond ID: Verify Clear

**Surety Registry Agency:

**Bond Pct:

Surety State:

FIELDS WITH THE ** INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS