



**STATE OF MISSOURI  
HIGHWAYS and TRANSPORTATION COMMISSION**

JEFFERSON CITY, MISSOURI

**CONSTRUCTING OR IMPROVING**  
**Contract I.D.** 231215-F01

THIS JOB SHALL BE CONSTRUCTED UNDER  
FEDERAL PROJECT NUMBER(S): I-55-3(99)

Job J6I3427 Route I-55 St. Louis County and St. Louis City

BIDDER CHECKLIST  
FINAL CHECKLIST BEFORE SUBMITTING BID

1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at [www.bidx.com](http://www.bidx.com). Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.
4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid)at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

\*\*\*\*\*

Below is a list of common mistakes made by bidders leading to non-responsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision
  - only used if bidding more than one project and should be in only one bid proposal
- d) Not obtaining a digital ID in advance of the letting
  - (obtaining a digital ID may take 5 business days)

\*\*\*\*\*

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

**TABLE OF CONTENTS**

## Notice to Contractors

Proposed Work.....	item (1)
Compliance With Contract Provisions.....	item (2)
Period of Performance.....	item (3)
Liquidated Damages.....	item (4)
Itemized Bid.....	item (5)
Trainees.....	item (6)
DBE Certification*.....	item (7)
Acceptance of Provision for Price Adjustment for Fuel.....	item (8a)
Acceptance of Provision for Asphalt Cement Price Index....	item (8b)
Max. Monetary Value of Awards Accepted this Bid Opening...	item (9)
Combination Bids.....	item (10)
Certification for Federal Jobs.....	item (11a)
Certification for State Jobs.....	item (11b)
Antidiscrimination.....	item (12)
Preference to Missouri Firms in Awarding of Contracts.....	item (13)
Subcontractor Disclosure Form*.....	item (14)
Signature and Identity of Bidder.....	item (15)
Bid Guaranty*.....	item (16)

\*These forms are also available on MoDOT's Website, [www.modot.org](http://www.modot.org) under Information on the Bid Opening Info page of the Contractor Resources site.

**NOTICE TO CONTRACTORS**

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 12/15/2023.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

(1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:

\*\*\*\*(1): Job J6I3427 Route I-55 ST LOUIS, ST LOUIS CITY County. Resurface and ADA improvements from Lindbergh Blvd. to Biddle St., the total length of improvement being 12.956 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

(2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876.

(3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.

(4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity	Unit	Unit Price	Extension Price
Section 0001					
Roadway Items - J6I3427					
0010	2022010	1.000	LS		
	REMOVAL OF IMPROVEMENTS				
0020	2031000	804.000	CUYD		
	CLASS A EXCAVATION				
0030	2036000	185.000	CUYD		
	COMPACTING EMBANKMENT				
0040	2037075	8.500	STA		
	COMPACTING IN CUT				
0050	2079909	32.900	STA		
	MISC. MODIFIED LINEAR GRADING				
0060	2159910	69.000	100F		
	MISC. SHAPING SLOPES, CLASS III - MODIFIED MATERIAL REQUIREMENT				
0070	3030600	2023.000	SQYD		
	FURNISHING ROCK BASE MATERIAL				
0080	3030610A	2023.000	SQYD		
	PLACING ROCK BASE				
0090	3040504	3954.000	SQYD		
	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)				
0100	3040506	133.000	SQYD		
	TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)				
0110	3049905	526.000	SQYD		
	MISC. TYPE 5 AGGREGATE FOR BASE (VARIABLE THCKNESS)				
0120	3049907	57.000	CUYD		
	MISC. TYPE 5 AGGREGATE FOR BASE				
0130	3105003	251.000	SQYD		
	GRAVEL (A) OR CRUSHED STONE (B)				
0140	4011209	11323.800	TONS		
	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)				
0150	4019905	1318.600	SQYD		
	MISC. OPTIONAL PAVEMENT				
0160	4030011	6567.300	TONS		
	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095CLP MIX)				
0170	4030132	70798.200	TONS		
	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BSM MIX)				
0180	4031058	1.000	LS		
	INTELLIGENT COMPACTION				
0190	4031059	1.000	LS		
	PAVER-MOUNTED THERMAL PROFILES				
0200	4071007	81511.000	GAL		
	TACK COAT - LOW OR NON-TRACKING				
0210	5021110	962.200	SQYD		
	CONCRETE PAVEMENT (10 IN. NON-REINF)				
0220	5021340	702.700	SQYD		
	TYPE A2 SHOULDER				
0230	6039902	2.000	EA		
	WATER ADJUSTING WATER METER				
0240	6039902	1.000	EA		

WATER ADJUSTING WATER VALVE			
0250	6042010	5.000	EA
ADJUSTING MANHOLE			
0260	6042020	1.000	EA
ADJUSTING BASIN OR INLET			
0270	6071012A	24.000	LF
CHAIN-LINK FENCE (60 IN.)			
0280	6071013A	21.000	LF
CHAIN-LINK FENCE (72 IN.)			
0290	6071043A	21.000	LF
3-STRAND BARBED WIRE EXTENSION FOR CHAIN-LINK FENCE			
0300	6079901	1.000	LS
MISC. MANUAL SLIDING GATE			
0310	6081000	44.500	SQYD
CONCRETE MEDIAN			
0320	6081012	154.000	SQFT
TRUNCATED DOMES			
0330	6083004	17.600	SQYD
4 IN. CONCRETE MEDIAN STRIP			
0340	6083006	819.700	SQYD
6 IN. CONCRETE MEDIAN STRIP			
0350	6084023	26.000	LF
SIDEWALK HAND-RAILING WITHOUT BALUSTERS			
0360	6085007	113.000	SQYD
PAVED APPROACH, 7 IN.			
0370	6086004	3381.600	SQYD
CONCRETE SIDEWALK, 4 IN.			
0380	6089902	10.000	EA
MISC. 4 IN. BOLT DOWN BOLLARD			
0390	6089902	2.000	EA
MISC. 8 IN. DUCTILE IRON BOLLARD			
0400	6089902	42.000	EA
MISC. ADA CURB RAMP WITH TRUNCATED DOMES			
0410	6089902	6.000	EA
MISC. ADA CURB RAMP WITHOUT TRUNCATED DOMES			
0420	6089903	26.000	LF
MISC. HAND-RAILING MOUNTED TO CONCRETE RETAINING WALL			
0430	6091010	2421.000	LF
CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S			
0440	6091041	582.000	LF
CONCRETE GUTTER TYPE A			
0450	6091042	571.000	LF
CONCRETE GUTTER TYPE B			
0460	6091060	144.200	SQYD
PAVED DITCH			
0470	6092011	595.000	LF
INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A			
0480	6096010A	33.000	CUYD
FURNISHING TYPE 1 ROCK DITCH LINER			
0490	6096041	33.000	CUYD
PLACING TYPE 1 ROCK DITCH LINER			

0500	6099903	4672.000 LF	MISC. CONCRETE CURB UNDER GUARDRAIL
0510	6099903	124.000 LF	MISC. CONCRETE GUTTER TYPE A (SPECIAL)
0520	6116010A	364.000 SQYD	SLOPE PROTECTION
0530	6122012	10.000 EA	IMPACT ATTENUATOR 55 MPH (SAND BARREL ARRAY)
0540	6122014	10.000 EA	IMPACT ATTENUATOR 60 MPH (SAND BARREL ARRAY)
0550	6122020	30.000 EA	REPLACEMENT SAND BARREL
0560	6122030	20.000 EA	IMPACT ATTENUATOR (RELOCATION)
0570	6123000A	10.000 EA	TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)
0580	6131010	433.000 SQYD	FURNISHING AND PLACING CONCRETE MATERIAL FOR FULL DEPTH PAVEMENT REPAIR
0590	6131012	43.000 SQYD	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)
0600	6131013	43.000 SQYD	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)
0610	6131014	1430.000 LF	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS)
0620	6131015	776.000 EA	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR
0630	6131017	60.000 EA	DOWEL BAR (FURNISHING AND INSTALLATION WITH BASKETS) FOR FULL DEPTH PAVEMENT REPAIR
0640	6131018	78.000 EA	TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR (TYPE L JOINTS)
0650	6132019	94.000 SQYD	REMOVAL FOR CLASS A PARTIAL DEPTH PAVEMENT REPAIR
0660	6139911	27385.000 LB	MISC. PARTIAL DEPTH CONCRETE PAVEMENT REPAIR USING FLEXIBLE, HOT POLYMER MODIFIED REPAIR MATERIAL
0670	6169901	1.000 LS	MISC. LUMP SUM TEMPORARY TRAFFIC CONTROL
0680	6169901	1.000 LS	MISC. TRAFFIC SIGNAL MAINTENANCE AND PROGRAMMING
0690	6169902	10.000 EA	MISC. NTCIP COMPLIANT CHANGEABLE MESSAGE SIGN, CONTRACTOR FURNISHED / RETAINED
0700	6173000	183.000 LF	CONCRETE TRAFFIC BARRIER, TYPE C
0710	6173001	638.000 LF	CONCRETE TRAFFIC BARRIER, TYPE C (RETAINING WALL)
0720	6173102	144.000 LF	CONCRETE TRAFFIC BARRIER, TYPE D (RETAINING WALL)
0730	6173600D	3500.000 LF	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED

0740	6173700B	4800.000 LF		
	TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED			
0750	6179902	9.000 EA		
	MISC. CONCRETE BARRIER GAP PROTECTION ASSEMBLY			
0760	6179902	16.000 EA		
	MISC. GUARDRAIL/CONCRETE BARRIER BLOCKOUT FILL			
0770	6179903	532.000 LF		
	MISC. CONCRETE TRAFFIC BARRIER, TYPE C (MODIFIED)			
0780	6181000	1.000 LS		
	MOBILIZATION			
0790	6181020	4.000 EA	\$600.00000	\$2,400.00
	ADDITIONAL MOBILIZATION FOR SEEDING			
0800	6191000	3286.000 LF		
	PAVEMENT EDGE TREATMENT			
0810	6200003	202.000 LF		
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 4 IN., WHITE			
0820	6200009	1778.000 LF		
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 6 IN. WHITE			
0830	6200015	6403.000 LF		
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE			
0840	6200018	1097.000 LF		
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW			
0850	6200021	155.000 EA		
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW			
0860	6200024	45.000 EA		
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW			
0870	6200027	29.000 EA		
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT			
0880	6200030	2.000 EA		
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, WORD (ONLY)			
0890	6200033	2.000 EA		
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, R/R CROSSING MARKER			
0900	6200042	335.000 EA		
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES			
0910	6205902A	286412.000 LF		
	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS			
0920	6205903A	179413.000 LF		
	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS			
0930	6205906A	42187.000 LF		
	12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS			
0940	6206000C	41794.000 LF		
	4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS			
0950	6206001C	29925.000 LF		
	4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS			
0960	6206108A	1908.000 LF		
	8 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS			
0970	6207001	74031.000 LF		
	PAVEMENT MARKING REMOVAL			
0980	6207002	128.000 EA		
	PAVEMENT MARKING REMOVAL (SYMBOLS)			
0990	6209901	1.000 LS		

MISC. TEMPORARY PAVEMENT MARKING PAINT		
1000	6209902	44.000 EA
MISC. CURB REFLECTORS		
1010	6209902	8424.000 EA
MISC. INLAID PAVEMENT MARKER INSTALLATION		
1020	6209902	44.000 EA
MISC. ISLAND TUBULAR MARKER		
1030	6209902	3.000 EA
MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, "SOUTH"		
1040	6209902	6.000 EA
MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, "WEST"		
1050	6209902	318.000 EA
MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN. WHITE MIDBLOCK (9 FOOT LENGTH AND UNDER)		
1060	6209902	5.000 EA
MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, BIKE LANE		
1070	6209902	12.000 EA
MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, BIKE SHARE ARROW		
1080	6209902	8.000 EA
MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION LT/RT ARROW		
1090	6209902	12.000 EA
MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, INTERNATIONAL SYMBOL OF ACCESSIBILITY		
1100	6209902	9.000 EA
MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, INTERSTATE SHIELD		
1110	6209902	15.000 EA
MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, MERGE ARROW WITH 3 IN. CONTRAST, BLACK		
1120	6209902	2.000 EA
MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, U-TURN ARROW		
1130	6209902	7.000 EA
MISC. TIER II INLAID PAVEMENT ARROW SYSTEM		
1140	6209902	1.000 EA
MISC. TIER II INLAID PAVEMENT ARROW SYSTEM (WITHOUT 8 LED INLAID MARKERS)		
1150	6209903	564.000 LF
MISC. 12 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS		
1160	6209903	384.000 LF
MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN. WHITE WITH 1.5 IN. CONTRAST, BLACK		
1170	6209903	2576.000 LF
MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN. WHITE MIDBLOCK (GREATER THAN 9 FEET LENGTH)		
1180	6209903	2481.000 LF
MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, 6 IN. WHITE WITH 1.5 IN. CONTRAST, BLACK		
1190	6209903	44.000 LF
MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, 6 IN. YELLOW		
1200	6221001	650059.000 SQYD
COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)		
1210	6224010	163436.000 SQYD
MODIFIED COLDMILLING (DEPTH TRANSITIONS)		
1220	6229905	1924.000 SQYD
MISC. LONGITUDINAL PAVEMENT GROOVING		

1230	6240103A	149.000	SQYD	PERMANENT EROSION CONTROL GEOTEXTILE
1240	6261000A	1033.700	STA	BITUMINOUS SHOULDER RUMBLE STRIP
1250	6274000	1.000	LS	CONTRACTOR FURNISHED SURVEYING AND STAKING
1260	7034009	1.700	CUYD	CLASS B-1 CONCRETE (RETAINING WALLS)
1270	7040104	46.000	SQFT	HALF-SOLE REPAIR
1280	7319902	60.000	EA	MISC. INLET TOP REPLACEMENT (IN KIND)
1290	8025006	1.000	ACRE	MULCHING
1300	8051000A	1.000	ACRE	SEEDING - COOL SEASON GRASSES
1310	8061006	150.000	LF	ALTERNATE DITCH CHECK
1320	8061007A	3.000	EA	CURB INLET CHECK
1330	8061016	23.000	CUYD	SEDIMENT REMOVAL
1340	8061019	1456.000	LF	SILT FENCE
Section 0001 Total			\$2,400.00	

## Section 0002

## Guardrail/Guard Cable Items - J6I3427

1350	6061010	375.000	LF	GUARDRAIL TYPE A
1360	6061060	41277.000	LF	MGS GUARDRAIL
1370	6061061	10706.000	LF	MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 IN. SPACING
1380	6061063	401.000	LF	MGS GUARDRAIL, 6 FT. POSTS, 3 FT. - 1.5 IN. SPACING
1390	6061065	114.000	LF	MGS GUARDRAIL, 6 FT. POSTS, 1 FT. - 6.75 IN. SPACING
1400	6061067	25.000	LF	MGS DOUBLE FACED GUARDRAIL
1410	6061068	68.000	EA	MGS BRIDGE APPROACH TRANSITION SECTION (EXTENDED CURB)
1420	6061069	3.000	EA	MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)
1430	6061070	15.000	EA	MGS VERTICAL CONCRETE BARRIER TRANSITION
1440	6061074	5.000	EA	MGS HEIGHT AND BLOCK TRANSITION
1450	6061080	61.000	EA	MGS END ANCHOR

1460	6062303	1.000 EA
	ASYMMETRICAL TRANSITION SECTION, 6.5 FT. POSTS	
1470	6063014	92.000 EA
	TYPE A CRASHWORTHY END TERMINAL (MASH)	
1480	6063016	1.000 EA
	TYPE B CRASHWORTHY END TERMINAL	
1490	6063022	1.000 EA
	TYPE E CRASHWORTHY END TERMINAL (MASH)	
1500	6069902	129.000 EA
	MISC. GUARDRAIL POSTS IN CONCRETE	
1510	6069902	1.000 EA
	MISC. REMOVE AND RE-ERECT TYPE A CRASHWORTHY END TERMINAL (MASH)	
1520	6069902	4.000 EA
	MISC. TYPE A CRASHWORTHY END TERMINAL (MASH TL-2)	

Section 0002 Total

Section 0003

Lighting Items - J6I3427

1530	9011010	1.000 EA
	RELOCATED POLE	
1540	9015010	365.000 LF
	TRENCHING TYPE I	
1550	9017407	400.000 LF
	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG	
1560	9018245	1.000 EA
	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)	

Section 0003 Total

Section 0004

Signal Items - J6I3427

1570	9020833	46.000 SQFT
	SH-FLAT SHEET - SIGNAL SIGN	
1580	9020834	2.000 EA
	SIGNAL SIGN, MOUNTING HARDWARE	
1590	9022708	8.000 EA
	POST, SIGNAL 8 FT.	
1600	9025300	43.000 LF
	CONDUIT, 3 IN., TRENCH WITH TRACER WIRE	
1610	9025400	101.000 LF
	CONDUIT, 4 IN., TRENCH WITH TRACER WIRE	
1620	9027300	165.000 LF
	CONDUIT, 3 IN., PUSHED WITH TRACER WIRE	
1630	9027400	94.000 LF
	CONDUIT, 4 IN., PUSHED WITH TRACER WIRE	
1640	9028308	1540.000 LF
	CABLE, 16 AWG 2 CONDUCTOR	
1650	9028310	1550.000 LF
	CABLE, 16 AWG 5 CONDUCTOR	
1660	9028311	480.000 LF

## CABLE, 16 AWG 7 CONDUCTOR

1670	9028500	1000.000	LF
------	---------	----------	----

## CABLE, LOOP DETECTOR, IN DUCT

1680	9028810	1.000	EA
------	---------	-------	----

## PULL BOX, PREFORMED CLASS 1

1690	9028811	3.000	EA
------	---------	-------	----

## PULL BOX, PREFORMED CLASS 2

1700	9029100	3.600	CUYD
------	---------	-------	------

## BASE, CONCRETE

1710	9029902	10.000	EA
------	---------	--------	----

## MISC. ADJUSTING PULL BOX

1720	9029902	24.000	EA
------	---------	--------	----

## MISC. AUDIBLE PEDESTRIAN PUSHBUTTON AND SIGNING WITH VERBAL WALK MESSAGE

1730	9029902	6.000	EA
------	---------	-------	----

## MISC. COUNTDOWN PEDESTRIAN SIGNAL HEAD, TYP 1S

1740	9029902	1.000	EA
------	---------	-------	----

## MISC. PUSH BUTTON EXTENSION

1750	9029902	10.000	EA
------	---------	--------	----

## MISC. REMOVE AND INSTALL IN-PAVEMENT WIRELESS DETECTION SENSORS

1760	9029902	5.000	EA
------	---------	-------	----

## MISC. SL DISTRICT TRAFFIC SIGNAL DETECTION SYSTEM

1770	9029902	2.000	EA
------	---------	-------	----

## MISC. TIER III WRONG WAY LED SYSTEM

Section 0004 Total

## Section 0005

## Signing Items - J6I3427

1780	9031010	0.400	CUYD
------	---------	-------	------

## CONCRETE FOOTINGS, EMBEDDED

1790	9031020	58.500	CUYD
------	---------	--------	------

## CONCRETE FOOTINGS, BOLT DOWN

1800	9031220	440.000	LB
------	---------	---------	----

## PIPE POSTS

1810	9031270A	33.000	LF
------	----------	--------	----

## 2 IN. PSST POST - 12 GA.

1820	9031274	3.000	EA
------	---------	-------	----

## CONCRETE POST ANCHOR FOR 2 IN. PSST. - 7 GA.

1830	9031280	400.000	LF
------	---------	---------	----

## 2.5 IN. PSST POST - 12 GA.

1840	9031285	25.000	EA
------	---------	--------	----

## CONCRETE POST ANCHOR FOR 2.5 IN. PSST. - 7 GA.

1850	9035004A	295.000	SQFT
------	----------	---------	------

## SH-FLAT SHEET

1860	9035011A	1265.000	SQFT
------	----------	----------	------

## ST-STRUCTURAL

1870	9035069A	34.000	SQFT
------	----------	--------	------

## SHF-FLAT SHEET FLUORESCENT

1880	9035071A	240.000	SQFT
------	----------	---------	------

## STF-STRUCTURAL FLUORESCENT

1890	9039902	4.000	EA
------	---------	-------	----



REVISED



REVISED

## MISC. REMOVE AND RELOCATE GROUND MOUNT SIGN

---

1900 9039902 2.000 EA

## MISC. SIGN BRACKET ASSEMBLY

---

1910 9039902 1.000 EA

## MISC. SIGN NO. 03, OVERHEAD TRUSS, 87 FT.-2 IN.

---

1920 9039902 1.000 EA

## MISC. SIGN NO. 06, OVERHEAD TRUSS, 84 FT.-0 IN.)

---

1930 9039904 208.000 SQFT

## MISC. REMOVE AND RELOCATE OVERHEAD TRUSS MOUNTED SIGN

---

Section 0005 Total

---

## Section 0006

## ITS Items - J6I3427

---

1940 9109903 1000.000 LF

## MISC. MODOT ITS ASSETS RELOCATION

---

Section 0006 Total

---

## Section 0007

## Bridge A73691 Items - J6I3427

---

1950 7040163 2996.000 SQYD

## CONCRETE CRACK FILLER

---

Section 0007 Total

---

## Section 0008

## Bridge A77451 Items - J6I3427

---

1960 7040163 1228.000 SQYD

## CONCRETE CRACK FILLER

---

Section 0008 Total

---

## Section 0009

## Bridge A77461 Items - J6I3427

---

1970 7040163 1037.000 SQYD

## CONCRETE CRACK FILLER

---

Section 0009 Total

---

---

Item Total\$2,400.00

---

DBE List Summary

Project: I-55-3(99)

Bidder ID: 0011540

Bid Total: 2,400.00

Business Name: Company1

Goal: 14.00% (336.00)

Total Entered: 0.00% (0.00)

ID	Name	Is Supplier?	Item Count	Amount	Is Complete?
----	------	--------------	------------	--------	--------------

**DBE CERTIFICATION**

(6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 1 slots at 1000 hours per slot or 1000 hours.

(7) Bidder's Certificaton for DBE Program and Contract Goal

(Applies to Federal Projects only.)

(A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 14.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, [www.modot.org](http://www.modot.org) on the Bid Opening Info page of the Contractor Resources site.

(B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

**CONTRACT PROVISIONS**

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

\$

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

(10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.

(11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty and material misrepresentation or omission of fact within the bid submission.

(11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11(b)? **Yes** ☐ **No** ☐

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

**SUBCONTRACTOR DISCLOSURE**

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to [subcontractor.disclosure@modot.mo.gov](mailto:subcontractor.disclosure@modot.mo.gov). The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if requested by the Design Division or the engineer.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

**SIGNATURE AND IDENTITY OF BIDDER**

## (15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

\*\*\* AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. \*\*\*

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

☐ Yes ☐ No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

**BID BOND**

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

\*\*Pay by: ☐ Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

**ELECTRONIC BID BOND**

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

\*\*Bond ID:

\*\*Surety Registry Agency:

\*\*Bond Pct:

Surety State:

FIELDS WITH THE \*\* INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS