

# **STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION**

JEFFERSON CITY, MISSOURI

**CONSTRUCTING OR IMPROVING**  
**Contract I.D.** 240419-G05

THIS JOB SHALL BE CONSTRUCTED UNDER  
FEDERAL PROJECT NUMBER(S): FAS S603(85), FAS S605(40),  
I 44-2(324), FAS S604(69),  
FAS S603(70)

Job J8P3192 Route Various CHRISTIAN, GREENE County  
Job J8S3166 Route LP 44 GREENE County  
Job J8S3167 Route LP 44/BU 65 GREENE County  
Job J8S3171 Route BU 65 GREENE County  
Job J8S3224 Route LP 44 GREENE County

BIDDER CHECKLIST  
FINAL CHECKLIST BEFORE SUBMITTING BID

1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at [www.bidx.com](http://www.bidx.com). Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.
4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid)at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

\*\*\*\*\*

Below is a list of common mistakes made by bidders leading to non-responsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision
  - only used if bidding more than one project and should be in only one bid proposal
- d) Not obtaining a digital ID in advance of the letting
  - (obtaining a digital ID may take 5 business days)

\*\*\*\*\*

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

**TABLE OF CONTENTS**

## Notice to Contractors

|  |            |
|--|------------|
| Proposed Work.....   | item (1)   |
| Compliance With Contract Provisions.....                   | item (2)   |
| Period of Performance.....                                 | item (3)   |
| Liquidated Damages.....                                    | item (4)   |
| Itemized Bid.....  | item (5)   |
| Trainees.....  | item (6)   |
| DBE Certification*.....                                    | item (7)   |
| Acceptance of Provision for Price Adjustment for Fuel..... | item (8a)  |
| Acceptance of Provision for Asphalt Cement Price Index.... | item (8b)  |
| Max. Monetary Value of Awards Accepted this Bid Opening... | item (9)   |
| Combination Bids.....                                      | item (10)  |
| Certification for Federal Jobs.....                        | item (11a) |
| Certification for State Jobs.....                          | item (11b) |
| Antidiscrimination.....                                    | item (12)  |
| Preference to Missouri Firms in Awarding of Contracts..... | item (13)  |
| Subcontractor Disclosure Form*.....                        | item (14)  |
| Signature and Identity of Bidder.....                      | item (15)  |
| Bid Guaranty*.....   | item (16)  |

\*These forms are also available on MoDOT's Website, [www.modot.org](http://www.modot.org) under Information on the Bid Opening Info page of the Contractor Resources site.

**NOTICE TO CONTRACTORS**

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 04/19/2024.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

(1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:

\*\*\*\*(1): Job J8P3192 Route Various CHRISTIAN, GREENE County. ADA improvements at various locations on Loop 44, Rte. EE, Rte. YY, Outer Road 65, Rte. 160 in Springfield, Rte. 14, Rte. CC, Rte. J and Rte. NN in Ozark, Rte. M in Nixa and Rte. OO in Strafford, the total length of improvement being 8.447 miles.\*\*\*\*(2): Job J8S3166 Route LP 44 GREENE County. Coldmill and resurface from Scenic Ave to west of Rte 13 (Kansas Expwy) in Springfield, the total length of improvement being 1.101 miles.\*\*\*\*(3): Job J8S3167 Route LP 44/BU 65 GREENE County. Coldmill and resurface from 0.1 miles west of Glenstone Ave to east of Eastgate Ave in Springfield, the total length of improvement being 3.18 miles.\*\*\*\*(4): Job J8S3171 Route BU 65 GREENE County. ADA improvements from east of Glenstone Ave to Belcrest Ave in Springfield, the total length of improvement being 1.668 miles.\*\*\*\*(5): Job J8S3224 Route LP 44 GREENE County. Coldmill and resurface from Lulwood Ave to Scenic Ave and East of Kansas Expwy to East of Delaware Ave in Springfield, the total length of improvement being 4.943 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

(2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876.

(3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.

(4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

| Line Number             | Item Number                                   | Quantity | Unit | Unit Price | Extension Price |
|-------------------------|---|----------|------|------------|-----------------|
| Section 0001            |   |          |      |            |                 |
| Roadway Items - J8P3192 |   |          |      |            |                 |
| 0010                    | 2022010                                       | 1.000    | LS   |            |                 |
|                         | REMOVAL OF IMPROVEMENTS                       |          |      |            |                 |
| 0020                    | 2029903                                       | 7500.000 | LF   |            |                 |
|                         | MISC. SIDEWALK MANICURING                     |          |      |            |                 |
| 0030                    | 2063000                                       | 11.000   | CUYD |            |                 |
|                         | CLASS 3 EXCAVATION                            |          |      |            |                 |
| 0040                    | 2071000                                       | 9.800    | STA  |            |                 |
|                         | LINEAR GRADING CLASS 1                        |          |      |            |                 |
| 0050                    | 2079903                                       | 9433.000 | LF   |            |                 |
|                         | MISC. LINEAR GRADING FOR ADA FACILITIES       |          |      |            |                 |
| 0060                    | 3040143                                       | 5744.000 | SQYD |            |                 |
|                         | TYPE 1 AGGREGATE FOR BASE (4 IN. THICK)       |          |      |            |                 |
| 0070                    | 3040504                                       | 2281.000 | SQYD |            |                 |
|                         | TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)       |          |      |            |                 |
| 0080                    | 6042010                                       | 1.000    | EA   |            |                 |
|                         | ADJUSTING MANHOLE                             |          |      |            |                 |
| 0090                    | 6042020                                       | 14.000   | EA   |            |                 |
|                         | ADJUSTING BASIN OR INLET                      |          |      |            |                 |
| 0100                    | 6044011                                       | 3.000    | EA   |            |                 |
|                         | PIPE COLLAR, TYPE A                           |          |      |            |                 |
| 0110                    | 6081010                                       | 1197.300 | SQYD |            |                 |
|                         | CONCRETE CURB RAMP                            |          |      |            |                 |
| 0120                    | 6081012                                       | 1506.000 | SQFT |            |                 |
|                         | TRUNCATED DOMES                               |          |      |            |                 |
| 0130                    | 6082023                                       | 74.000   | LF   |            |                 |
|                         | HAND-RAILING FOR STEPS WITHOUT BALUSTERS      |          |      |            |                 |
| 0140                    | 6083008                                       | 214.300  | SQYD |            |                 |
|                         | 8 IN. CONCRETE MEDIAN STRIP                   |          |      |            |                 |
| 0150                    | 6085008                                       | 2280.600 | SQYD |            |                 |
|                         | PAVED APPROACH, 8 IN.                         |          |      |            |                 |
| 0160                    | 6086004                                       | 4363.100 | SQYD |            |                 |
|                         | CONCRETE SIDEWALK, 4 IN.                      |          |      |            |                 |
| 0170                    | 6086008                                       | 184.000  | SQYD |            |                 |
|                         | CONCRETE SIDEWALK, 8 IN.                      |          |      |            |                 |
| 0180                    | 6089903                                       | 109.000  | LF   |            |                 |
|                         | MISC. SIDEWALK GAP FILLER                     |          |      |            |                 |
| 0190                    | 6091010                                       | 552.000  | LF   |            |                 |
|                         | CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S |          |      |            |                 |
| 0200                    | 6091011                                       | 259.000  | LF   |            |                 |
|                         | CONCRETE CURB (OVER 6 IN. HEIGHT) TYPE S      |          |      |            |                 |
| 0210                    | 6091052                                       | 681.000  | LF   |            |                 |
|                         | CURB AND GUTTER TYPE B                        |          |      |            |                 |
| 0220                    | 6096010A                                      | 7.000    | CUYD |            |                 |
|                         | FURNISHING TYPE 1 ROCK DITCH LINER            |          |      |            |                 |
| 0230                    | 6096041                                       | 7.000    | CUYD |            |                 |
|                         | PLACING TYPE 1 ROCK DITCH LINER               |          |      |            |                 |
| 0240                    | 6099903                                       | 517.000  | LF   |            |                 |

## MISC. MODIFIED TYPE S CURB

|      |  |          |      |             |            |
|------|--|----------|------|-------------|------------|
| 0250 | 6116010A   | 8.000    | SQYD |             |            |
|      | SLOPE PROTECTION   |          |      |             |            |
| 0260 | 6123001  | 1.000    | LS   |             |            |
|      | TRUCK MOUNTED ATTENUATOR (TMA)   |          |      |             |            |
| 0270 | 6161005  | 3213.000 | SQFT |             |            |
|      | CONSTRUCTION SIGNS   |          |      |             |            |
| 0280 | 6161008  | 16.000   | EA   |             |            |
|      | ADVANCED WARNING RAIL SYSTEM   |          |      |             |            |
| 0290 | 6161025  | 350.000  | EA   |             |            |
|      | CHANNELIZER (TRIM LINE)  |          |      |             |            |
| 0300 | 6161030  | 50.000   | EA   |             |            |
|      | TYPE III MOVEABLE BARRICADE  |          |      |             |            |
| 0310 | 6161033  | 56.000   | EA   |             |            |
|      | DIRECTIONAL INDICATOR BARRICADE  |          |      |             |            |
| 0320 | 6161040  | 4.000    | EA   |             |            |
|      | FLASHING ARROW PANEL   |          |      |             |            |
| 0330 | 6161099  | 8.000    | EA   |             |            |
|      | CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED,<br>CONTRACTOR RETAINED |          |      |             |            |
| 0340 | 6169902  | 60.000   | EA   |             |            |
|      | MISC. ADA COMPLIANT MOVABLE BARRICADE  |          |      |             |            |
| 0350 | 6181000  | 1.000    | LS   |             |            |
|      | MOBILIZATION   |          |      |             |            |
| 0360 | 6181020  | 12.000   | EA   | \$600.00000 | \$7,200.00 |
|      | ADDITIONAL MOBILIZATION FOR SEEDING  |          |      |             |            |
| 0370 | 6200015  | 76.000   | LF   |             |            |
|      | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE   |          |      |             |            |
| 0380 | 6200036  | 545.000  | EA   |             |            |
|      | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK                                     |          |      |             |            |
| 0390 | 6200042  | 362.000  | EA   |             |            |
|      | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES                        |          |      |             |            |
| 0400 | 6207001  | 5823.000 | LF   |             |            |
|      | PAVEMENT MARKING REMOVAL   |          |      |             |            |
| 0410 | 6207002  | 116.000  | EA   |             |            |
|      | PAVEMENT MARKING REMOVAL (SYMBOLS)   |          |      |             |            |
| 0420 | 6229903  | 1000.000 | LF   |             |            |
|      | MISC. SIDEWALK JOINT GRINDING  |          |      |             |            |
| 0430 | 6240103A   | 34.000   | SQYD |             |            |
|      | PERMANENT EROSION CONTROL GEOTEXTILE   |          |      |             |            |
| 0440 | 6274000  | 1.000    | LS   |             |            |
|      | CONTRACTOR FURNISHED SURVEYING AND STAKING   |          |      |             |            |
| 0450 | 7250415  | 33.000   | LF   |             |            |
|      | 15 IN. PIPE GROUP C  |          |      |             |            |
| 0460 | 7250418  | 10.000   | LF   |             |            |
|      | 18 IN. PIPE GROUP C  |          |      |             |            |
| 0470 | 7259903  | 11.000   | LF   |             |            |
|      | MISC. 36 IN. x 24 IN. ELLIPTICAL PIPE, GROUP B   |          |      |             |            |
| 0480 | 7261018  | 8.000    | LF   |             |            |
|      | 18 IN. PIPE GROUP A  |          |      |             |            |
| 0490 | 7320618A   | 1.000    | EA   |             |            |
|      | 18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION  |          |      |             |            |



|                    |  |               |            |
|--------------------|--|---------------|------------|
| 0500               | 7320815A   | 1.000 EA      |            |
|                    | 15 IN. OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION          |               |            |
| 0510               | 7322018A   | 1.000 EA      |            |
|                    | BEVELED PIPE END TREATMENT FOR 18 IN. OR ALLOWED SUBSTITUTE PIPE |               |            |
| 0520               | 8025006  | 3.000 ACRE    |            |
|                    | MULCHING   |               |            |
| 0530               | 8031000A   | 6237.000 SQYD |            |
|                    | TURF TYPE TALL FESCUE SODDING                                    |               |            |
| 0540               | 8051000A   | 2.000 ACRE    |            |
|                    | SEEDING - COOL SEASON GRASSES                                    |               |            |
| 0550               | 8061005  | 31.000 LF     |            |
|                    | ROCK DITCH CHECK   |               |            |
| 0560               | 8061006  | 336.000 LF    |            |
|                    | ALTERNATE DITCH CHECK  |               |            |
| 0570               | 8061007A   | 141.000 EA    |            |
|                    | CURB INLET CHECK   |               |            |
| 0580               | 8061016  | 282.000 CUYD  |            |
|                    | SEDIMENT REMOVAL   |               |            |
| 0590               | 8061017  | 1.000 ACRE    |            |
|                    | TEMPORARY SEEDING  |               |            |
| 0600               | 8061019  | 11293.000 LF  |            |
|                    | SILT FENCE   |               |            |
| Section 0001 Total |  |               | \$7,200.00 |

Section 0002  
Lighting Items - J8P3192

|      |   |          |  |
|------|---|----------|--|
| 0610 | 9011010   | 1.000 EA |  |
|      | RELOCATED POLE                                    |          |  |
| 0620 | 9016110   | 2.000 EA |  |
|      | PULL BOX, PREFORMED CLASS 1                       |          |  |
| 0630 | 9018230   | 1.000 EA |  |
|      | POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT) |          |  |
| 0640 | 9019902   | 1.000 EA |  |
|      | MISC. CU LIGHTING POLE FOUNDATION                 |          |  |

Section 0002 Total

Section 0003  
Signal Items - J8P3192

|      |                                  |             |  |
|------|----------------------------------|-------------|--|
| 0650 | 9020213                          | 10.000 EA   |  |
|      | SIGNAL HEAD, TYPE 3S             |             |  |
| 0660 | 9020513                          | 4.000 EA    |  |
|      | SIGNAL HEAD, TYPE 3B             |             |  |
| 0670 | 9020811                          | 29.000 EA   |  |
|      | SIGNAL HEAD, TYPE 1S, PEDESTRIAN |             |  |
| 0680 | 9020833                          | 45.000 SQFT |  |
|      | SH-FLAT SHEET - SIGNAL SIGN      |             |  |
| 0690 | 9020834                          | 6.000 EA    |  |
|      | SIGNAL SIGN, MOUNTING HARDWARE   |             |  |
| 0700 | 9022708                          | 24.000 EA   |  |

## POST, SIGNAL 8 FT.

|      |  |              |
|------|--|--------------|
| 0710 | 9023225  | 3.000 EA     |
|      | POST, TYPE C, 25 FT. ARM OR 7.6 M ARM              |              |
| 0720 | 9024921  | 141.000 EA   |
|      | ACCESSIBLE PEDESTRIAN SIGNAL                       |              |
| 0730 | 9025200  | 30.000 LF    |
|      | CONDUIT, 2 IN., TRENCH WITH TRACER WIRE            |              |
| 0740 | 9025300  | 337.000 LF   |
|      | CONDUIT, 3 IN., TRENCH WITH TRACER WIRE            |              |
| 0750 | 9027300  | 1052.000 LF  |
|      | CONDUIT, 3 IN., PUSHED WITH TRACER WIRE            |              |
| 0760 | 9028202  | 250.000 LF   |
|      | CABLE, 2 AWG 1 CONDUCTOR, POWER                    |              |
| 0770 | 9028308  | 15950.000 LF |
|      | CABLE, 16 AWG 2 CONDUCTOR                          |              |
| 0780 | 9028310  | 6370.000 LF  |
|      | CABLE, 16 AWG 5 CONDUCTOR                          |              |
| 0790 | 9028311  | 2420.000 LF  |
|      | CABLE, 16 AWG 7 CONDUCTOR                          |              |
| 0800 | 9028500  | 1520.000 LF  |
|      | CABLE, LOOP DETECTOR, IN DUCT                      |              |
| 0810 | 9028620  | 1.000 EA     |
|      | POWER SUPPLY ASSEMBLY, TYPE 2                      |              |
| 0820 | 9028810  | 10.000 EA    |
|      | PULL BOX, PREFORMED CLASS 1                        |              |
| 0830 | 9028811  | 2.000 EA     |
|      | PULL BOX, PREFORMED CLASS 2                        |              |
| 0840 | 9028812  | 1.000 EA     |
|      | PULL BOX, PREFORMED CLASS 3                        |              |
| 0850 | 9028820  | 2.000 EA     |
|      | PULL BOX, CONCRETE, STANDARD                       |              |
| 0860 | 9029100  | 19.200 CUYD  |
|      | BASE, CONCRETE                                     |              |
| 0870 | 9029902  | 1.000 EA     |
|      | MISC. 2070 CONTROLLER                              |              |
| 0880 | 9029902  | 25.000 EA    |
|      | MISC. PEDESTRIAN PUSHBUTTON EXTENSION              |              |
| 0890 | 9029902  | 43.000 EA    |
|      | MISC. REMOTE PUSHBUTTON POST                       |              |
| 0900 | 9029902  | 4.000 EA     |
|      | MISC. RETROREFLECTIVE BACK PLATE                   |              |
| 0910 | 9029902  | 26.000 EA    |
|      | MISC. TRAFFIC SIGNAL LOUVERS                       |              |
| 0920 | 9029903  | 60.000 LF    |
|      | MISC. FURNISHING AND INSTALLING SPLIT DUCT CONDUIT |              |

Section 0003 Total

## Section 0004

Signing Items - J8P3192

|      |         |            |
|------|---------|------------|
| 0930 | 9031210 | 240.000 LB |
|------|---------|------------|

## STRUCTURAL STEEL POSTS

|      |          |              |  |
|------|----------|--------------|--|
| 0940 | 9031241  | 17.000 EA    | BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)    |
| 0950 | 9031272A | 15.000 EA    | 2.25 IN. PSST POST INSERT (6 FT.) - 12 GA.           |
| 0960 | 9031280  | 784.000 LF   | 2.5 IN. PSST POST - 12 GA.                           |
| 0970 | 9031285  | 49.000 EA    | CONCRETE POST ANCHOR FOR 2.5 IN. PSST. - 7 GA.       |
| 0980 | 9035004A | 238.000 SQFT | SH-FLAT SHEET  |
| 0990 | 9035069A | 296.000 SQFT | SHF-FLAT SHEET FLUORESCENT                           |
| 1000 | 9039902  | 4.000 EA     | MISC. RELOCATE AND REMOUNT EXISTING SIGN ON NEW PSST |

Section 0004 Total

## Section 0005

## Roadway Items-J8S3166

|      |         |                |   |
|------|---------|----------------|---|
| 1010 | 2022010 | 1.000 LS       | REMOVAL OF IMPROVEMENTS   |
| 1020 | 4030103 | 1735.400 TONS  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125C MIX)  |
| 1030 | 4071005 | 1760.000 GAL   | TACK COAT   |
| 1040 | 4133200 | 18086.000 SQYD | ULTRATHIN BONDED WEARING SURFACE, TYPE C  |
| 1050 | 4134000 | 480.000 GAL    | BITUMINOUS FOG SEAL   |
| 1060 | 4139905 | 2405.000 SQYD  | MISC. HIGH FRICTION SURFACE TREATMENT   |
| 1070 | 6132018 | 6.600 CUYD     | FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH PAVEMENT REPAIR              |
| 1080 | 6132019 | 40.000 SQYD    | REMOVAL FOR CLASS A PARTIAL DEPTH PAVEMENT REPAIR   |
| 1090 | 6161005 | 557.000 SQFT   | CONSTRUCTION SIGNS  |
| 1100 | 6161008 | 2.000 EA       | ADVANCED WARNING RAIL SYSTEM  |
| 1110 | 6161025 | 105.000 EA     | CHANNELIZER (TRIM LINE)   |
| 1120 | 6161030 | 2.000 EA       | TYPE III MOVEABLE BARRICADE   |
| 1130 | 6161040 | 2.000 EA       | FLASHING ARROW PANEL  |
| 1140 | 6161099 | 2.000 EA       | CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED |
| 1150 | 6181000 | 1.000 LS       | MOBILIZATION  |

|      |          |                |  |
|------|----------|----------------|--|
| 1160 | 6200015  | 148.000 LF     | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE                         |
| 1170 | 6200018  | 66.000 LF      | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW                        |
| 1180 | 6200021  | 16.000 EA      | PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW                     |
| 1190 | 6200036  | 16.000 EA      | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK                 |
| 1200 | 6200042  | 28.000 EA      | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES    |
| 1210 | 6205901A | 420.000 LF     | 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS        |
| 1220 | 6205902A | 15905.000 LF   | 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS         |
| 1230 | 6205903A | 21926.000 LF   | 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS        |
| 1240 | 6221001  | 35635.000 SQYD | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) |
| 1250 | 6274000  | 1.000 LS       | CONTRACTOR FURNISHED SURVEYING AND STAKING                                     |

Section 0005 Total

Section 0006

Signal Items-J8S3166

|      |         |          |   |
|------|---------|----------|---|
| 1260 | 9020834 | 4.000 EA | SIGNAL SIGN, MOUNTING HARDWARE  |
| 1270 | 9029902 | 2.000 EA | MISC. CONTRACTOR FURNISHED, CONTRACTOR INSTALLED RADAR DETECTION SYSTEM, 4 SENSOR |

Section 0006 Total

Section 0007

Signing Items-J8S3166

|      |          |              |  |
|------|----------|--------------|--|
| 1280 | 9031280  | 32.000 LF    | 2.5 IN. PSST POST - 12 GA.                     |
| 1290 | 9031285  | 2.000 EA     | CONCRETE POST ANCHOR FOR 2.5 IN. PSST. - 7 GA. |
| 1300 | 9035004A | 135.000 SQFT | SH-FLAT SHEET                                  |

Section 0007 Total

Section 0008

Roadway Items-J8S3167

|      |         |               |  |
|------|---------|---------------|--|
| 1310 | 2022010 | 1.000 LS      | REMOVAL OF IMPROVEMENTS                          |
| 1320 | 4030103 | 6989.700 TONS | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125C MIX) |

|      |          |                |  |
|------|----------|----------------|--|
| 1330 | 4071005  | 7138.000 GAL   | TACK COAT  |
| 1340 | 4134000  | 250.000 GAL    | BITUMINOUS FOG SEAL  |
| 1350 | 6161005  | 689.000 SQFT   | CONSTRUCTION SIGNS   |
| 1360 | 6161008  | 1.000 EA       | ADVANCED WARNING RAIL SYSTEM   |
| 1370 | 6161025  | 250.000 EA     | CHANNELIZER (TRIM LINE)  |
| 1380 | 6161030  | 2.000 EA       | TYPE III MOVEABLE BARRICADE  |
| 1390 | 6161040  | 2.000 EA       | FLASHING ARROW PANEL   |
| 1400 | 6161099  | 4.000 EA       | CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED,<br>CONTRACTOR RETAINED |
| 1410 | 6181000  | 1.000 LS       | MOBILIZATION   |
| 1420 | 6200015  | 1616.000 LF    | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE   |
| 1430 | 6200018  | 183.000 LF     | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW  |
| 1440 | 6200021  | 119.000 EA     | PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW   |
| 1450 | 6200024  | 8.000 EA       | PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW   |
| 1460 | 6200030  | 3.000 EA       | PREFORMED THERMOPLASTIC PAVEMENT MARKING, WORD (ONLY)  |
| 1470 | 6200033  | 8.000 EA       | PREFORMED THERMOPLASTIC PAVEMENT MARKING, R/R CROSSING MARKER                                      |
| 1480 | 6200036  | 464.000 EA     | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK                                     |
| 1490 | 6200042  | 105.000 EA     | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES                        |
| 1500 | 6205901A | 700.000 LF     | 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS                            |
| 1510 | 6205902A | 47790.000 LF   | 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS                             |
| 1520 | 6205903A | 48145.000 LF   | 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS                            |
| 1530 | 6206000C | 2553.000 LF    | 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS                               |
| 1540 | 6206001C | 10940.000 LF   | 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS                              |
| 1550 | 6207001  | 15590.000 LF   | PAVEMENT MARKING REMOVAL   |
| 1560 | 6207002  | 55.000 EA      | PAVEMENT MARKING REMOVAL (SYMBOLS)   |
| 1570 | 6209902  | 2.000 EA       | MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, LANE DROP ARROW LEFT                               |
| 1580 | 6221001  | 71364.000 SQYD |  |

## COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)

1590 6274000 1.000 LS

CONTRACTOR FURNISHED SURVEYING AND STAKING

Section 0008 Total

## Section 0009

Signal Items-J8S3167

1600 9028500 2670.000 LF

CABLE, LOOP DETECTOR, IN DUCT

1610 9029902 1.000 EA

MISC. CONTRACTOR FURNISHED, CONTRACTOR INSTALLED RADAR DETECTION SYSTEM, 3  
SENSOR

1620 9029902 5.000 EA

MISC. CONTRACTOR FURNISHED, CONTRACTOR INSTALLED RADAR DETECTION SYSTEM, 4  
SENSOR

Section 0009 Total

## Section 0010

Signing Items-J8S3167

1630 9031280 32.000 LF

2.5 IN. PSST POST - 12 GA.

1640 9031285 2.000 EA

CONCRETE POST ANCHOR FOR 2.5 IN. PSST. - 7 GA.

1650 9035004A 37.000 SQFT

SH-FLAT SHEET

Section 0010 Total

## Section 0011

Roadway Items - J8S3171

1660 2022010 1.000 LS

REMOVAL OF IMPROVEMENTS

1670 2029903 5000.000 LF

MISC. SIDEWALK MANICURING

1680 2071000 3.800 STA

LINEAR GRADING CLASS 1

1690 2079903 4914.000 LF

MISC. LINEAR GRADING FOR ADA FACILITIES

1700 3040143 2079.000 SQYD

TYPE 1 AGGREGATE FOR BASE (4 IN. THICK)

1710 3040504 2765.000 SQYD

TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)

1720 6042010 1.000 EA

ADJUSTING MANHOLE

1730 6049904 14.000 SQFT

MISC. STEEL PLATES

1740 6081010 449.800 SQYD

CONCRETE CURB RAMP

1750 6081012 576.000 SQFT

## TRUNCATED DOMES

|      |   |          |      |             |            |
|------|---|----------|------|-------------|------------|
| 1760 | 6084023                                       | 156.000  | LF   |             |            |
|      | SIDEWALK HAND-RAILING WITHOUT BALUSTERS       |          |      |             |            |
| 1770 | 6085008                                       | 2079.000 | SQYD |             |            |
|      | PAVED APPROACH, 8 IN.                         |          |      |             |            |
| 1780 | 6086004                                       | 2315.400 | SQYD |             |            |
|      | CONCRETE SIDEWALK, 4 IN.                      |          |      |             |            |
| 1790 | 6091010                                       | 34.000   | LF   |             |            |
|      | CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S |          |      |             |            |
| 1800 | 6099903                                       | 9.000    | LF   |             |            |
|      | MISC. MODIFIED TYPE A GUTTER                  |          |      |             |            |
| 1810 | 6123001                                       | 1.000    | LS   |             |            |
|      | TRUCK MOUNTED ATTENUATOR (TMA)                |          |      |             |            |
| 1820 | 6161005                                       | 703.000  | SQFT |             |            |
|      | CONSTRUCTION SIGNS                            |          |      |             |            |
| 1830 | 6161025                                       | 250.000  | EA   |             |            |
|      | CHANNELIZER (TRIM LINE)                       |          |      |             |            |
| 1840 | 6161030                                       | 10.000   | EA   |             |            |
|      | TYPE III MOVEABLE BARRICADE                   |          |      |             |            |
| 1850 | 6161033                                       | 28.000   | EA   |             |            |
|      | DIRECTIONAL INDICATOR BARRICADE               |          |      |             |            |
| 1860 | 6161040                                       | 2.000    | EA   |             |            |
|      | FLASHING ARROW PANEL                          |          |      |             |            |
| 1870 | 6169902                                       | 25.000   | EA   |             |            |
|      | MISC. ADA COMPLIANT MOVEABLE BARRICADE        |          |      |             |            |
| 1880 | 6181000                                       | 1.000    | LS   |             |            |
|      | MOBILIZATION                                  |          |      |             |            |
| 1890 | 6181020                                       | 4.000    | EA   | \$600.00000 | \$2,400.00 |
|      | ADDITIONAL MOBILIZATION FOR SEEDING           |          |      |             |            |
| 1900 | 6229903                                       | 350.000  | LF   |             |            |
|      | MISC. SIDEWALK JOINT GRINDING                 |          |      |             |            |
| 1910 | 6274000                                       | 1.000    | LS   |             |            |
|      | CONTRACTOR FURNISHED SURVEYING AND STAKING    |          |      |             |            |
| 1920 | 8025006                                       | 0.600    | ACRE |             |            |
|      | MULCHING                                      |          |      |             |            |
| 1930 | 8031000A                                      | 6106.000 | SQYD |             |            |
|      | TURF TYPE TALL FESCUE SODDING                 |          |      |             |            |
| 1940 | 8061006                                       | 250.000  | LF   |             |            |
|      | ALTERNATE DITCH CHECK                         |          |      |             |            |
| 1950 | 8061007A                                      | 52.000   | EA   |             |            |
|      | CURB INLET CHECK                              |          |      |             |            |
| 1960 | 8061016                                       | 156.000  | CUYD |             |            |
|      | SEDIMENT REMOVAL                              |          |      |             |            |
| 1970 | 8061017                                       | 0.600    | ACRE |             |            |
|      | TEMPORARY SEEDING                             |          |      |             |            |
| 1980 | 8061019                                       | 7405.000 | LF   |             |            |
|      | SILT FENCE                                    |          |      |             |            |

Section 0011 Total \$2,400.00

Section 0012

## Signal Items - J8S3171

|                    |   |             |
|--------------------|---|-------------|
| 1990               | 9020811                                 | 30.000 EA   |
|                    | SIGNAL HEAD, TYPE 1S, PEDESTRIAN        |             |
| 2000               | 9022708                                 | 24.000 EA   |
|                    | POST, SIGNAL 8 FT.                      |             |
| 2010               | 9024921                                 | 38.000 EA   |
|                    | ACCESSIBLE PEDESTRIAN SIGNAL            |             |
| 2020               | 9025300                                 | 530.000 LF  |
|                    | CONDUIT, 3 IN., TRENCH WITH TRACER WIRE |             |
| 2030               | 9027300                                 | 58.000 LF   |
|                    | CONDUIT, 3 IN., PUSHED WITH TRACER WIRE |             |
| 2040               | 9028308                                 | 5450.000 LF |
|                    | CABLE, 16 AWG 2 CONDUCTOR               |             |
| 2050               | 9028310                                 | 5250.000 LF |
|                    | CABLE, 16 AWG 5 CONDUCTOR               |             |
| 2060               | 9029100                                 | 10.600 CUYD |
|                    | BASE, CONCRETE                          |             |
| 2070               | 9029902                                 | 2.000 EA    |
|                    | MISC. ADJUSTING PULL BOX                |             |
| 2080               | 9029902                                 | 4.000 EA    |
|                    | MISC. PEDESTRIAN PUSHBUTTON EXTENSION   |             |
| 2090               | 9029902                                 | 10.000 EA   |
|                    | MISC. REMOTE PUSHBUTTON POST            |             |
| Section 0012 Total |   |             |

## Section 0013

## Signing Items - J8S3171

|                    |  |             |
|--------------------|--|-------------|
| 2100               | 9031280  | 48.000 LF   |
|                    | 2.5 IN. PSST POST - 12 GA.                     |             |
| 2110               | 9031285  | 3.000 EA    |
|                    | CONCRETE POST ANCHOR FOR 2.5 IN. PSST. - 7 GA. |             |
| 2120               | 9035069A                                       | 52.000 SQFT |
|                    | SHF-FLAT SHEET FLUORESCENT                     |             |
| Section 0013 Total |  |             |

## Section 0014

## Roadway Items - J8S3224

|      |   |                 |
|------|---|-----------------|
| 2130 | 2022010   | 1.000 LS        |
|      | REMOVAL OF IMPROVEMENTS   |                 |
| 2140 | 4030103   | 9790.300 TONS   |
|      | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125C MIX)                        |                 |
| 2150 | 4071005   | 10075.000 GAL   |
|      | TACK COAT   |                 |
| 2160 | 4133200   | 103315.000 SQYD |
|      | ULTRATHIN BONDED WEARING SURFACE, TYPE C                                |                 |
| 2170 | 6131010   | 16.200 SQYD     |
|      | FURNISHING AND PLACING CONCRETE MATERIAL FOR FULL DEPTH PAVEMENT REPAIR |                 |
| 2180 | 6131012   | 2.000 SQYD      |
|      | SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)                     |                 |



|      |          |                 |   |
|------|----------|-----------------|---|
| 2190 | 6131013  | 2.000 SQYD      | TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)                                  |
| 2200 | 6131014  | 72.000 LF       | FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS)                        |
| 2210 | 6131015  | 60.000 EA       | DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR                |
| 2220 | 6132018  | 34.300 CUYD     | FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH PAVEMENT REPAIR              |
| 2230 | 6132019  | 308.800 SQYD    | REMOVAL FOR CLASS A PARTIAL DEPTH PAVEMENT REPAIR   |
| 2240 | 6161005  | 1471.000 SQFT   | CONSTRUCTION SIGNS  |
| 2250 | 6161008  | 1.000 EA        | ADVANCED WARNING RAIL SYSTEM  |
| 2260 | 6161025  | 250.000 EA      | CHANNELIZER (TRIM LINE)   |
| 2270 | 6161030  | 4.000 EA        | TYPE III MOVEABLE BARRICADE   |
| 2280 | 6161040  | 2.000 EA        | FLASHING ARROW PANEL  |
| 2290 | 6161099  | 5.000 EA        | CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED |
| 2300 | 6181000  | 1.000 LS        | MOBILIZATION  |
| 2310 | 6200009  | 453.000 LF      | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 6 IN. WHITE   |
| 2320 | 6200015  | 1944.000 LF     | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE  |
| 2330 | 6200018  | 162.000 LF      | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW   |
| 2340 | 6200021  | 153.000 EA      | PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW                                      |
| 2350 | 6200033  | 4.000 EA        | PREFORMED THERMOPLASTIC PAVEMENT MARKING, R/R CROSSING MARKER                                   |
| 2360 | 6200036  | 461.000 EA      | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK                                  |
| 2370 | 6200042  | 162.000 EA      | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES                     |
| 2380 | 6205901A | 36506.000 LF    | 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS                         |
| 2390 | 6205902A | 78936.000 LF    | 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS                          |
| 2400 | 6205903A | 48291.000 LF    | 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS                         |
| 2410 | 6207001  | 6882.000 LF     | PAVEMENT MARKING REMOVAL  |
| 2420 | 6207002  | 3.000 EA        | PAVEMENT MARKING REMOVAL (SYMBOLS)  |
| 2430 | 6221001  | 202957.000 SQYD |   |

## COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)

---

|  |         |          |
|--|---------|----------|
| 2440                                       | 6274000 | 1.000 LS |
| CONTRACTOR FURNISHED SURVEYING AND STAKING |         |          |

---

Section 0014 Total

---

## Section 0015

## Signal Items - J8S3224

---

|  |         |          |
|--|---------|----------|
| 2450   | 9029902 | 2.000 EA |
| MISC. CONTRACTOR FURNISHED, CONTRACTOR INSTALLED RADAR DETECTION SYSTEM, 3<br>SENSOR |         |          |

---

|  |         |          |
|--|---------|----------|
| 2460   | 9029902 | 6.000 EA |
| MISC. CONTRACTOR FURNISHED, CONTRACTOR INSTALLED RADAR DETECTION SYSTEM, 4<br>SENSOR |         |          |

---

## Section 0015 Total

## Section 0016

## Signing Items - J8S3224

---

|                            |         |            |
|----------------------------|---------|------------|
| 2470                       | 9031280 | 208.000 LF |
| 2.5 IN. PSST POST - 12 GA. |         |            |

---

|  |         |           |
|--|---------|-----------|
| 2480   | 9031285 | 13.000 EA |
| CONCRETE POST ANCHOR FOR 2.5 IN. PSST. - 7 GA. |         |           |

---

|               |          |              |
|---------------|----------|--------------|
| 2490          | 9035004A | 451.000 SQFT |
| SH-FLAT SHEET |          |              |

---

## Section 0016 Total

---

|            |  |            |
|------------|--|------------|
| Item Total |  | \$9,600.00 |
|------------|--|------------|

---

DBE List Summary

Project: FAS S605(40)

Bidder ID: 0033335

Bid Total: 9,600.00

Business Name: MoDOT

Goal: 7.00% (672.00)

Total Entered: 0.00% (0.00)

| ID | Name | Is Supplier? | Item Count | Amount | Is Complete? |
|----|------|--------------|------------|--------|--------------|
|----|------|--------------|------------|--------|--------------|

**DBE CERTIFICATION**

(6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 1 slots at 1000 hours per slot or 1000 hours.

(7) Bidder's Certificaton for DBE Program and Contract Goal

(Applies to Federal Projects only.)

(A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 7.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, [www.modot.org](http://www.modot.org) on the Bid Opening Info page of the Contractor Resources site.

(B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

**CONTRACT PROVISIONS**

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

\$

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

(10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.

(11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty and material misrepresentation or omission of fact within the bid submission.

(11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11(b)? **Yes** ☐ **No** ☐

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

**SUBCONTRACTOR DISCLOSURE**

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to [subcontractor.disclosure@modot.mo.gov](mailto:subcontractor.disclosure@modot.mo.gov). The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if requested by the Design Division or the engineer.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:



DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

**SIGNATURE AND IDENTITY OF BIDDER**

## (15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

\*\*\* AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. \*\*\*

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

☐ **Yes**      ☐ **No**

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

**BID BOND**

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

\*\*Pay by: ☐ Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

**ELECTRONIC BID BOND**

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

\*\*Bond ID:

\*\*Surety Registry Agency:

\*\*Bond Pct:

Surety State:

FIELDS WITH THE \*\* INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS