STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING Contract I.D. 240517-D05

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S): FAF 52-3(26)

Job J5P3575 Route 52 MORGAN County

BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

- 1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
- 2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
- 3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.
- 4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
- 5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
- 6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
- 7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
- 8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
- 9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid) at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to nonresponsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

TABLE OF CONTENTS

Notice to Contractors

Proposed Work	item	(1)
Compliance With Contract Provisions	item	(2)
Period of Performance	item	(3)
Liquidated Damages	item	(4)
Itemized Bid	item	(5)
Trainees	item	(6)
DBE Certification*	item	(7)
Acceptance of Provision for Price Adjustment for Fuel	item	(8a)
Acceptance of Provision for Asphalt Cement Price Index	item	(8b)
Max. Monetary Value of Awards Accepted this Bid Opening	item	(9)
Combination Bids	item	(10)
Certification for Federal Jobs	item	(11a)
Certification for State Jobs	item	(11b)
Antidiscrimination	item	(12)
Preference to Missouri Firms in Awarding of Contracts	item	(13)
Subcontractor Disclosure Form*	.item	(14)
Signature and Identity of Bidder	item	(15)
Bid Guaranty*	item	(16)

^{*}These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 05/17/2024.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

- (1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:
- ****(1): Job J5P3575 Route 52 MORGAN County. Roundabout at Route 5 in Versailles, the total length of improvement being 0.736 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

- (2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office Design Division at (573) 751-2876.
- (3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.
- (4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.
- (5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Section 0001	Line Number	Item Number	Quantity	Unit	Unit Price	Extension Pri
REMOVAL OF IMPROVEMENTS		ns – J5P3575				
0220		REMOVAL OF IN	MPROVEMENTS			
1786.000 CUYP EMBANNOMENT IN PLACE	0020	2031000 CLASS A EXCAV	4206.000 /ATION	CUYD		
0040 2036000	0030	2035500	1788.000 N PLACE	CUYD		
2053000 CLASS 3 EXCAVATION CLASS 3 EXCAVATION	0040	2036000 COMPACTING EN	5681.000 MBANKMENT	CUYD		
1231.000 CUYD	0050	2063000 CLASS 3 EXCAY	3003.000 /ATION	CUYD		
0070		2063300	1231.000	CUYD		
0080 3040506 7334.000 SQYD TYPE 5 AGGREGATE FOR BASE (6 IN. THICK) 0090 3105002 72.000 TONS GRAVEL (A) OR CRUSHED STONE (B) 0100 4011209 26.600 TONS BITUMINOUS PAVEMENT MIXTURE PG64-22, (BF-1) 0110 4019905 1265.600 SQYD MISC. OPTIONAL PAVEMENT - 7 IN. HMA VS. 7 IN. NRPCCP 0120 4030101 2488.800 TONS ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP125C MIX) 0130 4030403 3536.900 SQYD MISC. OPTIONAL PAVEMENT - 10 IN. HMA VS. 8.5 IN. NRPCCP 0140 4039905 222.900 SQYD MISC. OPTIONAL PAVEMENT - 10 IN. HMA VS. 8.5 IN. NRPCCP 0150 4071005 1493.000 GAL TACK COAT 0160 5021308 18.100 SQYD CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS) 0170 5021333 783.500 SQYD CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS) 0180 5029905 251.100 SQYD MISC. CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS) 0190 MISC. CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS) 0190 502905 251.100 SQYD MISC. CONCRETE PAVEMENT (9 1/2 IN. NON-REINFORCED, 15 FT. JOINTS) TINTED 0200 FURNISHING UNBONDED CONCRETE OVERLAY 0210 5069905 1908.900 SQYD MISC. UNBONDED CONCRETE OVERLAY, PLACING 7 IN. 0220 MISC. UNBONDED CONCRETE OVERLAY, PLACING 7 IN. STAMPED 0230 6046015A 20.000 LF		3040504	2693.000	SQYD 4 IN. THICK)		
0090 3105002 72.000 TONS GRAVEL (A) OR CRUSHED STONE (B)	080	3040506 TYPE 5 AGGREC	7334.000	SQYD 6 IN. THICK)		
0100		3105002	72.000	TONS		
1265.600 SQYD		4011209	26.600	TONS PG64-22, (BP-1)		
10120	0110	4019905 MISC. OPTIONA	1265.600	SQYD IN. HMA VS. 7 IN.	NRPCCP	
0130		4030101		TONS		
0140 4039905 282.900 SQYD		4030403	3536.900	SQYD		
0150 4071005 1493.000 GAL		4039905	282.900	SQYD		
0160		4071005				
0170 5021333 783.500 SQYD	0160	5021308 CONCRETE PAVE	18.100	SQYD	. JOINTS)	
0180 5029905 251.100 SQYD MISC. CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS) - TINTED 0190 5029905 131.900 SQYD MISC. CONCRETE PAVEMENT (9 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)-TINTE STAMPED 0200 5062030A 424.700 CUYD FURNISHING UNBONDED CONCRETE OVERLAY 0210 5069905 1905.900 SQYD MISC. UNBONDED CONCRETE OVERLAY, PLACING 7 IN. 0220 5069905 278.800 SQYD MISC. UNBONDED CONCRETE OVERLAY, PLACING 7 IN STAMPED 0230 6046015A 20.000 LF		5021333	783.500	SQYD		
MISC. CONCRETE PAVEMENT (9 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)-TINT: 0200 5062030A 424.700 CUYD	0180			_		
0200 5062030A 424.700 CUYD FURNISHING UNBONDED CONCRETE OVERLAY 0210 5069905 1905.900 SQYD MISC. UNBONDED CONCRETE OVERLAY, PLACING 7 IN. 0220 5069905 278.800 SQYD MISC. UNBONDED CONCRETE OVERLAY, PLACING 7 IN STAMPED 0230 6046015A 20.000 LF	0190	MISC. CONCRE	TE PAVEMENT (9 1/2 IN. NON-RE		
0210 5069905 1905.900 SQYD MISC. UNBONDED CONCRETE OVERLAY, PLACING 7 IN. 0220 5069905 278.800 SQYD MISC. UNBONDED CONCRETE OVERLAY, PLACING 7 IN STAMPED 0230 6046015A 20.000 LF	0200		424.700	CUYD E OVERLAY		
0220 5069905 278.800 SQYD MISC. UNBONDED CONCRETE OVERLAY, PLACING 7 IN STAMPED 0230 6046015A 20.000 LF		MISC. UNBONDE	ED CONCRETE OVE	SQYD RLAY, PLACING 7 IN.		
0230 6046015A 20.000 LF	0220	5069905 MISC. UNBONDE	278.800	SQYD		
TO III, ODOTTED DIGITA		6046015A		LF		

0240	6081012 32.000 SQFT TRUNCATED DOMES
0050	
0250	6083003 295.400 SQYD 3 IN. CONCRETE MEDIAN STRIP
0260	6083006 1355.100 SQYD
0260	6 IN. CONCRETE MEDIAN STRIP
0270	6085008 1319.400 SQYD
0270	PAVED APPROACH, 8 IN.
0280	6086004 57.300 SQYD
	CONCRETE SIDEWALK, 4 IN.
0290	6091010 197.900 LF
	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S
0300	6091041 6.000 LF
	CONCRETE GUTTER TYPE A
0310	6091051 4622.000 LF
	CURB AND GUTTER TYPE A
0320	6091052 10.000 LF
	CURB AND GUTTER TYPE B
0330	6092012 74.000 LF
	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE B
0340	6096010A 50.000 CUYD
	FURNISHING TYPE 1 ROCK DITCH LINER
0350	6096020 89.000 CUYD
	FURNISHING TYPE 2 ROCK DITCH LINER
0360	6096030A 207.000 CUYD FURNISHING TYPE 3 ROCK DITCH LINER
0370	6096041 50.000 CUYD
0370	PLACING TYPE 1 ROCK DITCH LINER
0380	6096042 89.000 CUYD
	PLACING TYPE 2 ROCK DITCH LINER
0390	6096043 207.000 CUYD
	PLACING TYPE 3 ROCK DITCH LINER
0400	6096050 73.000 CUYD
	BEDDING MATERIAL FOR ROCK DITCH LINER
0410	6097000 6.000 CUYD
	ROCK LINING
0420	6099903 53.000 LF
	MISC. MODIFIED 6" TYPE A CURB AND GUTTER
0430	6122008 2.000 EA
	IMPACT ATTENUATOR 40 MPH (SAND BARREL ARRAY)
0440	6122009 1.000 EA
	IMPACT ATTENUATOR 45 MPH (SAND BARREL ARRAY)
0450	6122020 4.000 EA REPLACEMENT SAND BARREL
0460	IMPACT ATTENUATOR (RELOCATION)
0470	6141022 16.000 EA
01,0	GRATE AND BEARING PLATE (3 FT. X 3 FT. OR 914 MM X 914 MM)
0480	
	GRATE AND BEARING PLATE (5 FT. X 3 FT. OR 1524 MM X 914 MM)
0490	6141120 30.000 EA

	CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MM X 600MM)
0500	6143012 2.000 EA
	MANHOLE FRAME AND COVER, TYPE 2
0510	6143013 2.000 EA
	MANHOLE FRAME AND COVER, TYPE 3
0520	6143014 7.000 EA
	MANHOLE FRAME AND COVER, TYPE 4
0530	6161005 1254.000 SQFT
	CONSTRUCTION SIGNS
0540	6161025 150.000 EA
0340	CHANNELIZER (TRIM LINE)
0.550	
0550	6161030 17.000 EA
0560	6161040 3.000 EA
	FLASHING ARROW PANEL
0570	6161098A 4.000 EA
	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED
0500	
0580	61.73600D 63.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED
0590	6173700B 438.000 LF
	TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED
0600	6175011B 650.000 LF
	RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED
0610	6181000 1.000 LS
	MOBILIZATION
0620	
	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING
	6181020 4.000 EA \$600.00000 \$2,400.00
0620	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT
0620	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT
0620	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT
0620 0630 0640	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT 6200018 125.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW
0620	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT 6200018 125.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6200021 13.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
0620 0630 0640	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT 6200018 125.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6200021 13.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
0620 0630 0640	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT 6200018 125.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6200021 13.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW 6200027 4.000 EA
0620 0630 0640 0650	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT 6200018 125.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6200021 13.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW 6200027 4.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT
0620 0630 0640 0650	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT 6200018 125.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6200021 13.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW 6200027 4.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT 6200036 7.000 EA
0620 0630 0640 0650 0660	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT 6200018 125.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6200021 13.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW 6200027 4.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT 6200036 7.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK
0620 0630 0640 0650 0660	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT 6200018 125.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6200021 13.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW 6200027 4.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT 6200036 7.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK 6200042 36.000 EA
0620 0630 0640 0650 0660	6181020 4.000 EA \$600.0000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT 6200018 125.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6200021 13.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW 6200027 4.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT 6200036 7.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK 6200042 36.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES
0620 0630 0640 0650 0660 0670	6181020 4.000 EA \$600.0000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT 6200018 125.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6200021 13.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW 6200027 4.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT 6200036 7.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK 6200042 36.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES
0620 0630 0640 0650 0660 0670 0680	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT 6200018 125.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6200021 13.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW 6200027 4.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT 6200036 7.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK 6200042 36.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES 6205301B 1372.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., WHITE
0620 0630 0640 0650 0660 0670	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT 6200018 125.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6200021 13.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW 6200027 4.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT 6200036 7.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK 6200042 36.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES 6205301B 1372.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., WHITE
0620 0630 0640 0650 0660 0670 0680 0700	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT 6200018 125.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6200021 13.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW 6200027 4.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT 6200036 7.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK 6200042 36.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES 6205301B 1372.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., WHITE 6205303B 1175.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., YELLOW
0620 0630 0640 0650 0660 0670 0680	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT 6200018 125.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6200021 13.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW 6200027 4.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT 6200036 7.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK 6200042 36.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES 6205301B 1372.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., WHITE 6205303B 1175.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., YELLOW
0620 0630 0640 0650 0660 0670 0680 0700	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT 6200018 125.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6200021 13.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW 6200027 4.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT 6200036 7.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK 6200042 36.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE, YIELD LINE TRIANGLES 6205301B 1372.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., WHITE 6205303 1175.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., YELLOW 6205320 187.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., WHITE
0620 0630 0640 0650 0660 0670 0680 0700 0710	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT 6200018 125.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6200021 13.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW 6200027 4.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT 6200036 7.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK 6200042 36.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES 6205301B 1372.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., WHITE 6205303B 1175.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., YELLOW 6205320 187.000 LF TEMPORARY REMOVABLE MARKING TAPE, 12 IN., WHITE
0620 0630 0640 0650 0660 0670 0680 0700	6181020
0620 0630 0640 0650 0660 0670 0680 0700 0710	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT 6200018 125.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6200021 13.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW 6200027 4.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT 6200036 7.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK 6200042 36.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES 6205301B 1372.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., WHITE 6205303B 1175.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., YELLOW 6205320 187.000 LF TEMPORARY REMOVABLE MARKING TAPE, 12 IN., WHITE 6205902A 1652.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0620 0630 0640 0650 0660 0670 0680 0700 0710	6181020
0620 0630 0640 0650 0660 0670 0680 0700 0710 0720	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT 6200018 125.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6200021 13.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW 6200027 4.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT 6200036 7.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK 6200042 36.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES 6205301B 1372.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., WHITE 62053020 187.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., YELLOW 6205320 187.000 LF TEMPORARY REMOVABLE MARKING TAPE, 12 IN., WHITE 6205902A 1652.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 2311.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0620 0630 0640 0650 0660 0670 0680 0700 0710 0720	6181020 4.000 EA \$600.00000 \$2,400.00 ADDITIONAL MOBILIZATION FOR SEEDING 6191000 2929.000 LF PAVEMENT EDGE TREATMENT 6200018 125.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6200021 13.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW 6200027 4.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT 6200036 7.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK 6200042 36.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES 6205301B 1372.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., WHITE 62053020 187.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., YELLOW 62053020 187.000 LF TEMPORARY REMOVABLE MARKING TAPE, 12 IN., WHITE 6205902A 1652.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 2311.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS

0750	6206001C 11096.000 LF
	4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0760	6207001 5343.000 LF
	PAVEMENT MARKING REMOVAL
0770	6208076 6860.000 LF
0,70	4 IN TEMPORARY PAVEMENT MARKING PAINT
0780	6221001 6879.000 SOYD
0780	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
0790	6221003 10236.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATER THAN 3 IN. THICK)
0800	6240104A 1017.000 SQYD
0800	SEPARATION GEOTEXTILE
0810	6274000 1.000 LS
	CONTRACTOR FURNISHED SURVEYING AND STAKING
0820	7034041 197.700 CUYD
	CLASS B-1 CONCRETE (CULVERTS)
0830	7061030 26790.000 LB
	REINFORCING STEEL (CULVERTS)
0840	7201200 125.000 CUYD
	SELECT GRANULAR BACKFILL FOR STRUCTURAL SYSTEMS
0850	7250312A 41.000 LF
	12 IN. PIPE GROUP B
0860	7250315A 253.000 LF
0000	15 IN. PIPE GROUP B
0870	
0870	7250318A 1173.000 LF 18 IN. PIPE GROUP B
0880	7250324A 972.000 LF
	24 IN. PIPE GROUP B
0890	7250330A 415.000 LF
	30 IN. PIPE GROUP B
0900	7250336A 487.000 LF
	36 IN. PIPE GROUP B
0910	7250348A 90.000 LF
	48 IN. PIPE GROUP B
0920	7252005 178.000 LF
	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-5
0930	7261018 47.000 LF
	18 IN. PIPE GROUP A
0940	7310048 22.000 FT PRECAST CONCRETE MANHOLE - 48 IN.
0950	7310060 19.000 FT
	PRECAST CONCRETE MANHOLE - 60 IN.
0960	7310072 14.000 FT
	PRECAST CONCRETE MANHOLE - 72 IN.
0970	7311022 3.000 FT
	PRECAST CONCRETE DROP INLET 2 FT X 2 FT
0980	7311033 60.000 FT
	PRECAST CONCRETE DROP INLET 3 FT X 3 FT
0990	7311053 6.000 FT
	PRECAST CONCRETE DROP INLET 5 FT X 3 FT
1000	7319913 106.000 FT
1000	100.000 FI

	MISC. CAST-IN-PLACE DROP INLET, 2.5 FT L
1010	7319913 15.000 FT
1010	MISC. CAST-IN-PLACE DROP INLET, 5.0 FT L
1020	7319913 5.000 FT
1020	MISC. PRECAST DROP INLET, TYPE T, 2'-6" CURB INLET
1030	7319913 5.000 FT
	MISC. PRECAST DROP INLET, TYPE T, 5'-0" CURB INLET
1040	7320012A 2.000 EA
1010	12 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
1050	7320015A 5.000 EA
	15 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
1060	7320048A 1.000 EA
	48 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
1070	7320618A 2.000 EA
	18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
1080	7321005 2.000 EA
	B5 FLARED END SECTION
1090	8025006 3.100 ACRE
	MULCHING
1100	8051000A 2.200 ACRE
	SEEDING - COOL SEASON GRASSES
1110	8052000A 0.300 ACRE
	SEEDING - WARM SEASON GRASSES
1120	8061005 330.000 LF
	ROCK DITCH CHECK
1130	8061006 1112.000 LF
	ALTERNATE DITCH CHECK
1140	8061007A 46.000 EA
	CURB INLET CHECK
1150	8061016 40.000 CUYD
	SEDIMENT REMOVAL
1160	8061017 0.600 ACRE
1170	8061019 612.000 LF
	SILT FENCE
Section 0001 Tot	\$2,400.00
Section 0002	
Lighting Item:	s - J5P3575
1180	9011030 8.000 EA
	LIGHTING POLE, 30 FT. OR 9.0 M, TYPE AT
1190	9011104 1.000 EA
1200	9011108 1.000 EA
1010	BRACKET ARM, 8 FT. OR 2.4 M
1210	9011110 2.000 EA
	BRACKET ARM, 10 FT. OR 3.0 M
1220	9011112 2.000 EA BRACKET ARM, 12 FT. OR 3.6 M
1020	
1230	9011115 2.000 EA

	BRACKET ARM, 15 FT. OR 4.6 M
1240	9011311 8.000 EA
	LUMINAIRE, LED-A
1250	9012230 1.000 EA
	BASE MOUNTED CONTROL STATION 240 VOLT - 4 CIRCUIT
1260	9013002 80.000 LF
	CONDUIT, 2 IN. RIGID, IN TRENCH
1270	9013003 195.000 LF
	CONDUIT, 3 IN. RIGID, IN TRENCH
1280	9014003 124.000 LF
1290	9015010 1092.000 LF
1000	TRENCHING TYPE I
1300	9015020 75.000 LF TRENCHING TYPE II
1310	9016110 6.000 EA PULL BOX, PREFORMED CLASS 1
1320	
1320	CABLE, 2 AWG 1 CONDUCTOR
1330	9017110 650.000 LF
1000	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
1340	9017407 2090.000 LF
	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG
1350	9018230 8.000 EA
	POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)
1360	
1300	9018612 1.000 EA
	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY
	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY
	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY
	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY
	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY
Section 0002 Tot	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY
Section 0002 Tot	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY al 3 - J5P3575 7032002 2.000 CUYD
Section 0002 Tot Section 0003 Signals Items	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY al - J5P3575 7032002 CLASS B CONCRETE (MISC)
Section 0002 Tot Section 0003 Signals Items	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY al 3 - J5P3575 7032002
Section 0002 Tot Section 0003 Signals Items 1370 1380	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY al - J5P3575 7032002
Section 0002 Tot Section 0003 Signals Items 1370	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY al - J5P3575 7032002
Section 0002 Tot Section 0003 Signals Items 1370 1380	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY al - J5P3575 7032002
Section 0002 Tot Section 0003 Signals Items 1370 1380	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY al 3 - J5P3575 7032002
Section 0002 Tot Section 0003 Signals Items 1370 1380 1400	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY al 3 - J5P3575 7032002
Section 0002 Tot Section 0003 Signals Items 1370 1380	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY al 3 - J5P3575 7032002
Section 0002 Tot Section 0003 Signals Items 1370 1380 1400 1410	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY al - J5P3575 7032002
Section 0002 Tot Section 0003 Signals Items 1370 1380 1400 1410	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY all - J5P3575 7032002
Section 0002 Tot Section 0003 Signals Items 1370 1380 1400 1410	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY all - J5P3575 7032002
Section 0002 Tot Section 0003 Signals Items 1370 1380 1400 1410 1420 1430	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY al 3 - J5P3575 7032002
Section 0002 Tot Section 0003 Signals Items 1370 1380 1400 1410 1420	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY all 3 - J5P3575 7032002
Section 0002 Tot Section 0003 Signals Items 1370 1380 1400 1410 1420 1440	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY all 3 - J5P3575 7032002
Section 0002 Tot Section 0003 Signals Items 1370 1380 1400 1410 1420 1440	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY al 3 - J5P3575 7032002
Section 0002 Tot Section 0003 Signals Items 1370 1380 1400 1410 1420 1430 1450	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY al - J5P3575 7032002 CLASS B CONCRETE (MISC) 7061000 200.000 LB REINFORCING STEEL 9025200 CONDUIT, 2 IN., TRENCH WITH TRACER WIRE 9025300 15.000 LF CONDUIT, 3 IN., TRENCH WITH TRACER WIRE 9027504 9027504 90200 LF CONDUIT, 3 IN., EXTERNAL ON STRUCTURE 9028202 60.000 LF CABLE, 2 AWG 1 CONDUCTOR, POWER 9028208 50.000 LF CABLE, 8 AWG 1 CONDUCTOR, POWER 9029901 1.000 LS MISC. Traffic Signal/Lighting Modifications 9029902 1.000 EA MISC. RELOCATE CONTROLLER ASSEMBLY AND AUXILIARY EQUIPMENT
Section 0002 Tot Section 0003 Signals Items 1370 1380 1400 1410 1420 1440	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY al - J5P3575 7032002 CLASS B CONCRETE (MISC) 7061000 200.000 LB REINFORCING STEEL 9025200 CONDUIT, 2 IN., TRENCH WITH TRACER WIRE 9025300 15.000 LF CONDUIT, 3 IN., TRENCH WITH TRACER WIRE 9027504 9027504 90200 LF CONDUIT, 3 IN., EXTERNAL ON STRUCTURE 9028202 60.000 LF CABLE, 2 AWG 1 CONDUCTOR, POWER 9028208 50.000 LF CABLE, 8 AWG 1 CONDUCTOR, POWER 9029901 1.000 LS MISC. Traffic Signal/Lighting Modifications 9029902 1.000 EA MISC. RELOCATE CONTROLLER ASSEMBLY AND AUXILIARY EQUIPMENT

	MISC. RELOCATE POWER SUPP		
470		00 EA	
470	MISC. RELOCATE SIGNAL HEA		
ection 0003	Total		
Section 0004 Sianina I	tems - J5P3575		
		00 CUYD	
100	CONCRETE FOOTINGS, EMBEDD	ED	
490	9031220 1800.0		
1490	PIPE POSTS	00 115	
500	9031241 42.0 BREAKAWAY ASSEMBLY (PERFC	00 EA	
L510	9031242 43.0		
	36 IN. SURFACE-MOUNT DELI		
L520	9031250A 64.0		
	U-CHANNEL POST, 3 LB		
1530	9031280 947.0	00 LF	
	2.5 IN. PSST POST - 12 GA		
.540	9031281A 17.0		
	DRIVEN POST ANCHOR FOR 2.	5 IN. PSST - 7 GA.	
 L550	9031285 42.0		
	CONCRETE POST ANCHOR FOR		
1560	90350042		
1560	9035004A 346.0		
1560	9035004A 346.0 SH-FLAT SHEET	00 SQFT	
1560	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0	00 SQFT	
1560 1570	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL	00 SQFT 00 SQFT	
1560 1570	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL 9035069A 78.0	00 SQFT 00 SQFT 00 SQFT	
L560 L570 L580	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL	00 SQFT 00 SQFT 00 SQFT	
.560	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL 9035069A 78.0 SHF-FLAT SHEET FLUORESCEN	00 SQFT 00 SQFT 00 SQFT	
.560	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL 9035069A 78.0 SHF-FLAT SHEET FLUORESCEN	00 SQFT 00 SQFT 00 SQFT	
1560 1570 1580	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL 9035069A 78.0 SHF-FLAT SHEET FLUORESCEN	00 SQFT 00 SQFT 00 SQFT	
.560 .570 .580 Section 0004	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL 9035069A 78.0 SHF-FLAT SHEET FLUORESCEN	00 SQFT 00 SQFT 00 SQFT	
1560 1570 1580 Section 0004	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL 9035069A 78.0 SHF-FLAT SHEET FLUORESCEN	00 SQFT 00 SQFT 00 SQFT	
570 580 Section 0004 Section 0005 Bridge A9	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL 9035069A 78.0 SHF-FLAT SHEET FLUORESCEN Total 255 Items - J5P3575	00 SQFT 00 SQFT 00 SQFT	
1560 1570 1580 Section 0004 Section 0005 Bridge A9	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL 9035069A 78.0 SHF-FLAT SHEET FLUORESCEN Total 255 Items - J5P3575	00 SQFT 00 SQFT T 00 CUYD	
5500 570 580 Section 0004 Section 0005 Bridge A9	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL 9035069A 78.0 SHF-FLAT SHEET FLUORESCEN Total 255 Items - J5P3575 2063300 460.0 CLASS 4 EXCAVATION	00 SQFT 00 SQFT T	
Section 0005 Bridge A9	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL 9035069A 78.0 SHF-FLAT SHEET FLUORESCEN Total 255 Items - J5P3575 2063300 460.0 CLASS 4 EXCAVATION	00 SQFT 00 SQFT T 00 CUYD 00 LS	
.560 .570 .580 .580 .5ection 0004 .5ection 0005 .590	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL 9035069A 78.0 SHF-FLAT SHEET FLUORESCEN Total 255 Items - J5P3575 2063300 460.0 CLASS 4 EXCAVATION 2065500 1.00 TEMPORARY SHORING	00 SQFT 00 SQFT T 00 CUYD 00 LS	
1560 1570 1580 Section 0004 Section 0005 Bridge A9	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL 9035069A 78.0 SHF-FLAT SHEET FLUORESCEN Total 255 Items - J5P3575 2063300 460.0 CLASS 4 EXCAVATION 2065500 1.0 TEMPORARY SHORING 2069901 1.0	00 SQFT 00 SQFT T 00 CUYD 00 LS	
1560 1570 1580 Section 0004 Section 0005 Bridge A9	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL 9035069A 78.0 SHF-FLAT SHEET FLUORESCEN Total 2063300 460.0 CLASS 4 EXCAVATION 2065500 1.0 TEMPORARY SHORING 2069901 1.0 MISC. Dewatering	00 SQFT 00 SQFT T 00 CUYD 00 LS	
1560 1570 1580 Section 0004 Section 0005 Bridge A9	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL 9035069A 78.0 SHF-FLAT SHEET FLUORESCEN Total 255 Items - J5P3575 2063300 460.0 CLASS 4 EXCAVATION 2065500 1.0 TEMPORARY SHORING 2069901 1.0 MISC. Dewatering 7034040 244.9	00 SQFT 00 SQFT T 00 CUYD 00 LS 00 CUYD	
1560 1570 1580 Section 0004 Bridge A9 1590 1600	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL 9035069A 78.0 SHF-FLAT SHEET FLUORESCEN Total 255 Items - J5P3575 2063300 460.0 CLASS 4 EXCAVATION 2065500 1.0 TEMPORARY SHORING 2069901 1.0 MISC. Dewatering 7034040 244.9 CLASS B-1 CONCRETE (CULVE	00 SQFT 00 SQFT T 00 CUYD 00 LS 00 CUYD RTS-BRIDGE)	
1560 1570 1580 Section 0004 Bridge A9 1590 1600	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL 9035069A 78.0 SHF-FLAT SHEET FLUORESCEN Total 2063300 460.0 CLASS 4 EXCAVATION 2065500 1.0 TEMPORARY SHORING 2069901 1.0 MISC. Dewatering 7034040 244.9 CLASS B-1 CONCRETE (CULVE	00 SQFT 00 SQFT T 00 CUYD 00 LS 00 CUYD RTS-BRIDGE)	
1560 1570 1580 Section 0004 Section 0005 Bridge A9	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL 9035069A 78.0 SHF-FLAT SHEET FLUORESCEN Total 255 Items - J5P3575 2063300 460.0 CLASS 4 EXCAVATION 2065500 1.0 TEMPORARY SHORING 2069901 1.0 MISC. Dewatering 7034040 244.9 CLASS B-1 CONCRETE (CULVE	00 SQFT 00 SQFT T 00 CUYD 00 LS 00 CUYD RTS-BRIDGE) 00 LB TS-BRIDGE)	
1560 1570 1580 Section 0004 Bridge A9 1590 1600	9035004A 346.0 SH-FLAT SHEET 9035011A 104.0 ST-STRUCTURAL 9035069A 78.0 SHF-FLAT SHEET FLUORESCEN Total 255 Items - J5P3575 2063300 460.0 CLASS 4 EXCAVATION 2065500 1.0 TEMPORARY SHORING 2069901 1.0 MISC. Dewatering 7034040 244.9 CLASS B-1 CONCRETE (CULVER 7061020 45080.0 REINFORCING STEEL (CULVER	00 SQFT 00 SQFT T 00 CUYD 00 LS 00 CUYD RTS-BRIDGE) 00 LB TS-BRIDGE)	

DBE List Summary

Project: FAF 52-3(26)

Bidder ID: 0033335

Bid Total: 2,400.00

Business Name: MoDOT

Goal: 6.00% (144.00)

Name

Total Entered: 0.00% (0.00)

Is Supplier? Item Count Amount Is Complete?

DBE CERTIFICATION

- (6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 0 slots at 1000 hours per slot or 0 hours.
- (7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

- (A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 6.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.
- (B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

- (10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.
- (11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and misrepresentation or omission of fact within the bid submission.
- (11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes \bigcirc No \bigcirc

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if

requested by the Design Division or the engineer. SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK: SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK: SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

Contract ID: 240517-D05 DOLLAR VALUE: \$ CATEGORY OF WORK: SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK:

Submitted:

SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

*** AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. ***

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

Yes No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

**Pay by: Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

**Bond ID: Verify Clear

**Surety Registry Agency:

**Bond Pct:

Surety State:

FIELDS WITH THE ** INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS