

NORTH OF RTE K

A.A.D.T. - 2024 = 3361

A.A.D.T. - 2044 = 3714

D.H.V. = 13.3%

T = 9.7%

V = 55 M.P.H.

D = 52.1% / 47.9%

A.A.D.T. - 2024 = 1122
A.A.D.T. - 2044 = 1240
D.H.V. = 12.7%
T = 6.9%
V = 55 M.P.H.
D = 50.7% / 49.3%


A.A.D.T. - 2024 = 997
A.A.D.T. - 2044 = 1101
D.H.V. = 12.7%
T = 7.1%
V = 55 M.P.H.
D = 56.2% / 43.8%

CONVENTIONAL SYMBOLS (USED IN PLANS)

	EXISTING	NEW
BUILDINGS AND STRUCTURES		
GUARD RAIL		
GUARD CABLE		
CONCRETE RIGHT-OF-WAY MARKER		
STEEL RIGHT-OF-WAY MARKER		
LOCATION SURVEY MARKER		
UTILITIES		
FIBER OPTICS	- FO -	- FO -
OVERHEAD CABLE TV	- OTV -	- OTV -
UNDERGROUND CABLE TV	- UTV -	- UTV -
OVERHEAD TELEPHONE	- OT -	- OT -
UNDERGROUND TELEPHONE	- UT -	- UT -
OVERHEAD POWER	- OE -	- OE -
UNDERGROUND POWER	- UE -	- UE -
SANITARY SEWER	- S -	- S -
STORM SEWER	- SS -	- SS -
GAS	- G -	- G -
WATER	- W -	- W -
MANHOLE		
FIRE HYDRANT		
WATER VALVE		
WATER METER		
DROP INLET		
DITCH BLOCK		
GROUND MOUNTED SIGN		
LIGHT POLE		
H-FRAME POWER POLE		
TELEPHONE PEDESTAL		
FENCE		
CHAIN LINK		
WOVEN WIRE		
GATE POST		
BENCHMARK		


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
PLANS FOR PROPOSED
STATE HIGHWAY

PERRY/CAPE GIRARDEAU COUNTY



INDEX OF SHEETS

DESCRIPTION	SHEET NUMBER
TITLE SHEET -----	1
TYPICAL SECTIONS (TS) (1 SHEET)----	2
QUANTITIES (QU) (3 SHEETS)-----	3
SPECIAL SHEETS (SS)-----	4-5
TRAFFIC CONTROL SHEETS (TC)-----	6



DATE PREPARED	
2/21/2024	
ROUTE	STATE
B	MO
DISTRICT	SHEET NO.
SE	1
COUNTY	
PERRY/CAPE GIRARDEAU	
JOB NO.	
J953821	
CONTRACT ID.	

PROJECT NO.
BRIDGE NO.

[illegible]

MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION

105 WEST CAPITAL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

LENGTH OF PROJECT

BEGINNING OF PROJECT	LOG MILE 1.290
END OF PROJECT	LOG MILE 12.342






APPARENT LENGTH	11.052 MILES
-----------------	--------------

EQUATIONS AND EXCEPTIONS:

LM 1.498 TO LM 1.525 (L0204)	-144 FEET
LM 7.651 TO LM 7.803 (A2511)	-817 FEET

TOTAL CORRECTIONS	961 FEET
TOTAL CORRECTIONS	0.182 MILES
NET LENGTH OF PROJECT	10.870 MILES
STATE LENGTH	10.870 MILES

FOR INFORMATION ONLY	
ESTIMATED DISTURBED ACRES	0 ACRES



TYPICAL SECTION
SHEET 1 OF 1

PAVEMENT / ENTRANCES									
LOG MI	LOG MI	LOC	LENGTH FT	WIDTH FT	THICK IN	BIT PAVM'T MIXTURE PG64-22 SURFACE LEVELING 2.034 TON/CY TON	0.08 GAL /SY TACK GAL	GRAVEL A OR CRUSHED STONE B TON	REMARKS
1.290	1.498	LT/CL/RT	1098.2	24	1.00	165.5	234.3		BEGINNING OF JOB TO BR L0204
1.525	7.651	LT/CL/RT	32345.3	24	1.00	4873.4	6900.3		BETWEEN BR L0204 TO EXISTING JOINT BEFORE BR A2511
7.803	10.566	LT/CL/RT	14588.6	24	1.00	2198.0	3112.2		BETWEEN EXISTING JOINT AFTER BR A2511 TO THE TERMINATION OF 2' SHOULDERS
10.566	12.342	LT/CL/RT	9377.3	20	1.00	1177.4	1667.1		BETWEEN THE TERMINATION OF 2' SHOULDERS TO END OF JOB
1.290	12.342	LT/RT	58354.6			168.3			SAFETY EDGE (2% OF ASPHALT)
1.290	12.342	LT/CL/RT	58354.6			1105.2			IRREGULARITIES (100 TONS/MILE)
2.454		LT	18.0	VAR	1.00	3.9	5.4		SPRING VALLEY DRIVE
2.698		LT	18.0	VAR	1.00	5.2	7.3		TANGLEWOOD DRIVE
3.042		LT	18.0	VAR	1.00	5.1	7.2		PCR 501
3.043		RT	185.0	VAR	1.00	28.9	40.8		ROUTE K
5.635		LT	18.0	VAR	1.00	5.7	8.0		PCR 502
7.816		RT	120.0	VAR	1.00	22.4	31.7		OUTER 55(NORTHWEST SIDE)
7.816		LT	50.0	VAR	3.00	58.7	27.7		OUTER 55(SOUTHEAST SIDE)
8.930		LT	120.0	VAR	1.00	17.4	24.7		ROUTE F
9.188		RT	120.0	VAR	1.00	17.4	24.7		ROUTE O
1.290	12.342	LT/RT	VAR	10	1.00	54.6	77.3		PAVED COUNTY ROADS / CITY STREETS
1.290	12.342	LT/RT	VAR	10	3.00	4.0			NON-PAVED COUNTY ROADS / CITY STREETS
1.290	12.342	LT/RT	VAR	2	1.00	51.2			PAVED PRIVATE / COMMERCIAL ENTRANCES
1.290	12.342	LT/RT	VAR	2	1.00	178.0	252.2	90.0	NON-PAVED PRIVATE / COMMERCIAL ENTRANCES
1.290	12.342	LT/RT	VAR	2				10.0	NON-PAVED PRIVATE / COMMERCIAL ENTRANCES WITHOUT EXISTING APRON
					TOTAL	10140.3	12420.9	100.0	
					USE	10140.3	12421	100	
LOG MILES ARE APPROXIMATE. EXACT LOCATIONS TO BE DETERMINED BY ENGINEER.									

MOBILIZATION
LUMP SUM 1

COLDMILLING							
LOG MI	LOG MI	LOC	LENGTH FT	WIDTH FT	MODIFIED COLDMILLING SY	3 IN OR LESS COLDMILLING SY	REMARKS
1.290	1.299	LT/CL/RT	50.0	24.0	133.3		BEGIN JOB
1.488	1.498	LT/CL/RT	50.0	24.0	133.3		BEFORE BR L0204
1.527	1.536	LT/CL/RT	50.0	24.0	133.3		AFTER BR L0204
7.641	7.651	LT/CL/RT	50.0	24.0	133.3		EXISTING JOINT BEFORE BR A2511
7.803	7.812	LT/CL/RT	50.0	24.0	133.3		EXISTING JOINT AFTER BR A2511
10.641	10.651	LT/CL/RT	50.0	20.0	111.1		BEFORE BR X0891
10.651	10.705	LT/CL/RT	283.0	20.0		628.9	BR X0891
10.705	10.714	LT/CL/RT	50.0	20.0	111.1		AFTER BR X0891
12.332	12.342	LT/CL/RT	50.0	20.0	111.1		END JOB
2.454		LT	18.00	VAR	67.5		SPRING VALLEY DRIVE
2.698		LT	18.00	VAR	90.5		TANGLEWOOD DRIVE
3.042		LT	18.00	VAR	88.9		PCR 501
3.043		RT	185.0	VAR	64.3		ROUTE K INTERSECTION
5.635		LT	18.0	VAR	99.3		PCR 502
7.816		RT	120.0	VAR	117.8		OUTER 55(NORTHWEST SIDE) INTERSECTION
8.930		LT	120.0	VAR	78.6		ROUTE F INTERSECTION
9.188		RT	120.0	VAR	73.5		ROUTE O INTERSECTION
1.290	12.342	LT/RT	VAR	10	965.1		PAVED COUNTY ROADS/CITY STREETS
1.290	12.342	LT/RT	VAR	2	889.4		PAVED PRIVATE/COMMERCIAL ENTRANCES
				TOTAL	3534.7	628.9	
				USE	3535	629	
LOG MILES ARE APPROXIMATE. EXACT LOCATIONS TO BE DETERMINED BY ENGINEER.							

STATE OF MISSOURI

TIMOTHY CHRISTOPHER FICKETT

NUMBER PC-2017000351

PROFESSIONAL ENGINEER

02/28/2024 6:43:22 AM

TIMOTHY CHRISTOPHER FICKETT - CIVIL

MO-PE-2017000351

DATE PREPARED
2/28/2024

ROUTE
B

STATE
MO

DISTRICT
SE

SHEET NO.
3

COUNTY
PERRY/CAPE GIRARDEAU

JOB NO.
J9S3821

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION


105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

QUANTITY SHEET
SHEET 1 OF 3

EFFECTIVE: 04-01-2024															
SIGN	SIZE	AREA	QTY	TOTAL	QTY	TOTAL	SIGN								
SIGN	IN.	SQ.FT.	EACH	SQ.FT.	EACH	SQ.FT.	NUM.								
WARNING SIGNS								DESCRIPTION							
WO1-1L	48X48	16.00						TURN (SYMBOL LEFT)							
WO1-1R	48X48	16.00						TURN (SYMBOL RIGHT)							
WO1-2L	48X48	16.00						CURVE (SYMBOL LEFT)							
WO1-2R	48X48	16.00						CURVE (SYMBOL RIGHT)							
WO1-3L	48X48	16.00						REVERSE TURN (SYMBOL LEFT)							
WO1-3R	48X48	16.00						REVERSE TURN (SYMBOL RIGHT)							
WO1-4L	48X48	16.00						REVERSE CURVE (SYMBOL LEFT)							
WO1-4R	48X48	16.00						REVERSE CURVE (SYMBOL RIGHT)							
WO1-4bL	48X48	16.00						DOUBLE ARROW REVERSE CURVE (SYMBOL LEFT)							
WO1-4bR	48X48	16.00						DOUBLE ARROW REVERSE CURVE (SYMBOL RIGHT)							
WO1-4cL	48X48	16.00						TRIPLE ARROW REVERSE CURVE (SYMBOL LEFT)							
WO1-4cR	48X48	16.00						TRIPLE ARROW REVERSE CURVE (SYMBOL RIGHT)							
WO1-6	60X30	12.50						HORIZONTAL ARROW (SYMBOL)							
WO1-6a	72X36	18.00						HORIZ. ARROW (SYMBOL ON PERMANENT BARRICADE)							
WO1-7	60X30	12.50						DOUBLE HEAD HORIZONTAL ARROW (SYMBOL)							
WO1-7a	72X36	18.00						DOUBLE HEAD HORIZ. ARROW (SYMBOL ON PERM. BARR.)							
WO1-8	18X24	3.00						CHEVRON (SYMBOL)							
WO1-8a	30X36	7.50						CHEVRON (SYMBOL FOR DIVIDED HIGHWAYS)							
WO3-1	48X48	16.00						STOP AHEAD (SYMBOL)							
WO3-2	48X48	16.00						YIELD AHEAD (SYMBOL)							
WO3-3	48X48	16.00						SIGNAL AHEAD (SYMBOL)							
WO3-4	48X48	16.00	11	176				BE PREPARED TO STOP							
WO3-5	48X48	16.00						SPEED LIMIT AHEAD							
WO4-1L	48X48	16.00						MERGE (SYMBOL FROM LEFT)							
WO4-1R	48X48	16.00						MERGE (SYMBOL FROM RIGHT)							
WO4-1aL	48X48	16.00						MERGE (LEFT)							
WO4-1aR	48X48	16.00						MERGE (RIGHT)							
WO5-1	48X48	16.00						ROAD/BRIDGE/RAMP NARROWS							
WO5-3	48X48	16.00						ONE LANE BRIDGE							
WO5-5	48X48	16.00						NARROW LANES							
WO6-1	48X48	16.00						DIVIDED HIGHWAY (SYMBOL)							
WO6-2	48X48	16.00						DIVIDED HIGHWAY END (SYMBOL)							
WO6-3	48X48	16.00						TWO WAY TRAFFIC (SYMBOL)							
WO7-3a	30X24	5.00						NEXT XX MILES (PLAQUE)							
WO8-1	48X48	16.00						BUMP							
WO8-2	48X48	16.00						DIP							
WO8-3	48X48	16.00						PAVEMENT ENDS							
WO8-4	48X48	16.00						SOFT SHOULDER							
WO8-5	48X48	16.00						SLIPPERY WHEN WET (SYMBOL)							
WO8-6	48X48	16.00						TRUCK CROSSING							
WO8-6c	48X48	16.00						TRUCK ENTRANCE							
WO8-7	36X36	9.00						LOOSE GRAVEL							
WO8-7a	36X36	9.00						FRESH OIL / LOOSE GRAVEL							
WO8-9	48X48	16.00						LOW SHOULDER							
WO8-11	48X48	16.00	18	288				UNEVEN LANES							
WO8-12	48X48	16.00	18	288				NO CENTER LINE							
WO8-15	48X48	16.00						GROOVED PAVEMENT							
WO8-15P	30X24	5.00						MOTORCYCLE (PLAQUE)							
WO8-17L	48X48	16.00						SHOULDER DROP-OFF (SYMBOL LEFT)							
WO8-17R	48X48	16.00						SHOULDER DROP-OFF (SYMBOL RIGHT)							
WO8-17P	30X24	5.00						SHOULDER DROP-OFF (PLAQUE)							
W10-1	42RND.	9.62						RAILROAD CROSSING							
WO12-1	24X24	4.00						DOUBLE DOWN ARROW (SYMBOL)							
WO12-2	48X48	16.00						LOW CLEARANCE (SYMBOL)							
WO12-2x	24X18	3.00						LOW CLEARANCE (PLAQUE)							
WO12-2a	84X24	14.00						OVERHEAD LOW CLEARANCE (FEET AND INCHES)							
WO12-4	120X60	50.00						LOW CLEARANCE XX FT XX IN XX MILES AHEAD							
WO12-5	120X60	50.00						WIDTH RESTRICTION XX FT XX IN XX MILES AHEAD							
WO13-1	30X30	6.25						ADVISORY SPEED (PLAQUE)							
WO16-2	30X24	5.00						XXX FEET (PLAQUE)							
WO16-3	30X24	5.00						X MILE (PLAQUE)							
WO20-1	48X48	16.00	17	272				ROAD/BRIDGE/RAMP WORK AHEAD							
WO20-2	48X48	16.00						DETOUR AHEAD							
WO20-3	48X48	16.00						ROAD CLOSED AHEAD							
WO20-4	48X48	16.00	8	128				ONE LANE ROAD AHEAD							
WO20-5	48X48	16.00						RIGHT/CENTER/LEFT LANE CLOSED AHEAD							
WO20-5a	48X48	16.00						2 RIGHT/CENTER/LEFT LANES CLOSED AHEAD							
WO20-6a	48X48	16.00						RIGHT/CENTER/LEFT LANE CLOSED							
WO20-7a	48X48	16.00	17	272				FLAGGER (SYMBOL)							
WO21-2	36X36	9.00						FRESH OIL							
WO21-5	48X48	16.00	2	32				SHOULDER WORK / SHOULDER WORK AHEAD							
WO22-1	48X48	16.00						BLASTING ZONE AHEAD							
WO22-2	42X36	10.50						TURN OFF 2-WAY RADIO AND PHONE							
WO22-3	42X36	10.50						END BLASTING ZONE							
GO22-1	21X15	2.19	4	8.76				WET PAINT (ARROW PIVOTS)							


SIGN	SIZE	AREA	QTY	TOTAL	QTY	TOTAL	SIGN								
SIGN	IN.	SQ.FT.	EACH	SQ.FT.	EACH	SQ.FT.	NUM.								
GUIDE SIGNS								DESCRIPTION							
E05-1	36X48	12.00						GORE EXIT							
E05-2	48X36	12.00						EXIT OPEN							
E05-2a	48X36	12.00						EXIT CLOSED							
GO20-1	60X24	10.00	2	20				ROAD WORK NEXT XX MILES							
GO20-2	48X24	8.00	2	16				END ROAD WORK							
GO20-4	36X18	4.50	1	4.5				PILOT CAR FOLLOW ME							
GO20-4a	42X30	8.75	2	17.5				PILOT CAR IN USE WAIT & FOLLOW							
GO20-4a	18X12	1.50	10	15				PILOT CAR IN USE WAIT & FOLLOW							
GO20-5aP	36X24	6.00						WORK ZONE (PLAQUE)							
MO4-8a	24X18	3.00						END DETOUR							
MO4-9L	48X36	12.00						DETOUR (LEFT)							
MO4-9R	48X36	12.00						DETOUR (RIGHT)							
MO4-9P	48X12	4.00						STREET NAME (PLAQUE)							
MO4-10L	48X18	6.00						DETOUR ARROW (LEFT)							
MO4-10R	48X18	6.00						DETOUR ARROW (RIGHT)							
REGULATORY SIGNS															
R1-1	48X48	13.25						STOP							
R1-2	48TRI.	6.93						YIELD							
R1-2a	36X36	9.00						TO ONCOMING TRAFFIC (PLAQUE)							
R1-3P	30X12	2.50						ALL WAY (PLAQUE)							
R2-1	36X48	12.00						SPEED LIMIT XX							
R3-1	48X48	16.00						NO RIGHT TURN (SYMBOL)							
R3-2	48X48	16.00						NO LEFT TURN (SYMBOL)							
R3-3	36X36	9.00						NO TURNS							
R3-4	48X48	16.00						NO U-TURN (SYMBOL)							
R3-7L	30X30	6.25						LEFT LANE MUST TURN LEFT							
R3-7R	30X30	6.25						RIGHT LANE MUST TURN RIGHT							
R4-1	36X48	12.00						DO NOT PASS							
R4-2	36X48	12.00						PASS WITH CARE							
R4-7a	36X48	12.00						KEEP RIGHT (HORIZONTAL ARROW)							
R4-8a	36X48	12.00						KEEP LEFT (HORIZONTAL ARROW)							
R5-1	30X30	6.25						DO NOT ENTER							
R5-1a	36X24	6.00						WRONG WAY							
R6-1L	54X18	6.75						ONE WAY ARROW (LEFT)							
R6-1R	54X18	6.75						ONE WAY ARROW (RIGHT)							
R6-2L	24X30	5.00						ONE WAY (LEFT)							
R6-2R	24X30	5.00						ONE WAY (RIGHT)							
R9-9	24X12	2.00						SIDEWALK CLOSED							
R9-11L	24X18	3.00						SIDEWALK CLOSED AHEAD, (ARROW LEFT) CROSS HERE							
R9-11R	24X18	3.00						SIDEWALK CLOSED AHEAD, (ARROW RIGHT) CROSS HERE							
R10-6	24X36	6.00						STOP HERE ON RED (45° ARROW)							
R11-2	48X30	10.00						ROAD CLOSED							
R11-3a	60X30	12.50						ROAD CLOSED XX MILES AHEAD							
R11-4	60X30	12.50						LOCAL TRAFFIC ONLY							
CONST-3A	60X48	20.00						ROAD CLOSED TO THRU TRAFFIC							
CONST-3X	56X12	4.67						FINE SIGN							
CONST-3X	56X12	4.67						SPEEDING/PASSING (PLATE)							
MISCELLANEOUS SIGNS															
CONST-5	48X36	12.00						POINT OF PRESENCE							
CONST-5	96X48	32.00						POINT OF PRESENCE							
CONST-7	48X24	8.00	2	16				RATE OUR WORK ZONE							
CONST-7	72X36	18.00						RATE OUR WORK ZONE							
CONST-8	48X36	12.00	2	24				WORK ZONE NO PHONE ZONE							

BEGIN PROJECT




PLAN VIEW AT RTE B
(LM 1.290)


END PROJECT




PLAN VIEW AT RTE B
(LM 12.342)




TYPICAL
RTE B



TYPICAL
RTE B




PLAN VIEW AT RTE K (LM 3.043)
PLAN VIEW AT OUTER 55(NORTHWEST SIDE) (LM 7.816)
PLAN VIEW AT RTE F (LM 8.930)
PLAN VIEW AT RTE O (LM 9.188)




TYPICAL
SECTION A-A

- OVERLAY
- MODIFIED
COLDMILLING


LOG MILE LOCATIONS APPROXIMATE
ADJUST AS DIRECTED BY ENGINEER
TO FIT FIELD CONDITIONS.



TYPICAL AT BRIDGE L0204 (LM 1.514)




TYPICAL AT BRIDGE A2511 (LM 7.726)



TYPICAL AT BRIDGE X0891 (LM 10.680)

CHIP SEAL ENTIRE COLDMILLED SECTION
OF BRIDGE PRIOR TO OVERLAYING



DATE PREPARED
2/21/2024

ROUTE B STATE MO

DISTRICT SE SHEET NO. 4

COUNTY
PERRY/CAPE GIRARDEAU

JOB NO.
J9S3821

CONTRACT ID.

PROJECT NO.


BRIDGE NO.

DESCRIPTION	DATE


MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


SPECIAL SHEET
SHEET 1 OF 2




PLAN VIEW FOR PAVED PRIVATE AND COMMERCIAL ENTRANCES




TYPICAL SECTION A-A




PLAN VIEW FOR PAVED CITY STREETS AND COUNTY ROADS



TYPICAL SECTION A-A




PLAN VIEW FOR PAVED CITY STREETS AND COUNTY ROADS APRON TO R/W




TYPICAL SECTION A-A


PLAN VIEW AT SPRING VALLEY DRIVE (LOG MILE 2.454)
PLAN VIEW AT TANGLEWOOD DRIVE (LOG MILE 2.698)
PLAN VIEW AT PCR 501 (LOG MILE 3.042)
PLAN VIEW AT PCR 502 (LOG MILE 5.635)




PLAN VIEW FOR NON-PAVED PRIVATE AND COMMERCIAL ENTRANCES WITH EXISTING APRON




TYPICAL SECTION A-A




PLAN VIEW FOR NON-PAVED PRIVATE AND COMMERCIAL ENTRANCES WITHOUT EXISTING APRON



TYPICAL SECTION A-A



PLAN VIEW FOR NON-PAVED CITY STREETS AND COUNTY ROADS



TYPICAL SECTION A-A

* USE 50' APRON ON OUTER 55(SOUTHEAST SIDE).

- COLDMILLING
- GRADING
- GRAVEL A OR CRUSHED STONE B

NOTES

ALL GRADING NECESSARY FOR THE PROPER CONSTRUCTION OF HOT MIX AND AGGREGATE APRONS SHALL BE CONSIDERED INCIDENTAL WORK AND AT NO DIRECT PAY.

THE WIDTH OF ALL HOT MIX AND AGGREGATE APRONS MAY BE ADJUSTED BY THE ENGINEER AS NECESSARY TO OBTAIN SUITABLE TRANSITIONS.



TIMOTHY CHRISTOPHER PICKETT - CIVIL
MO-PE-2017000351
DATE PREPARED
2/21/2024

ROUTE B STATE MO

DISTRICT SE SHEET NO. 5

COUNTY PERRY/CAPE GIRARDEAU

JOB NO. J953821

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL JEFFERSON CITY, MO 65102

1-888-ASK-MODOT (1-888-275-6636)

MODOT

SPECIAL SHEET SHEET 2 OF 2

