STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING Contract I.D. 240920-C03

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S): FAS-S304 (002),FAF-152-1 (19)

Job JKU0046 Route 1 CLAY County

Job JKU0054 Route 152 CLAY County

BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.

2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.

3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.

4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.

5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.

6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.

7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.

8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.

9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check Bid)at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to nonresponsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

TABLE OF CONTENTS

Notice to Contractors

Proposed Work	item	(1)
Compliance With Contract Provisions	item	(2)
Period of Performance	item	(3)
Liquidated Damages	item	(4)
Itemized Bid	item	(5)
Trainees	item	(6)
DBE Certification*	item	(7)
Acceptance of Provision for Price Adjustment for Fuel	item	(8a)
Acceptance of Provision for Asphalt Cement Price Index	item	(8b)
Max. Monetary Value of Awards Accepted this Bid Opening	item	(9)
Combination Bids	item	(10)
Certification for Federal Jobs	item	(11a)
Certification for State Jobs	item	(11b)
Antidiscrimination	item	(12)
Preference to Missouri Firms in Awarding of Contracts	item	(13)
Subcontractor Disclosure Form*	.item	(14)
Signature and Identity of Bidder	item	(15)
Bid Guaranty*	item	(16)

*These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 09/20/2024.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

(1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:

****(1): Job JKU0046 Route 1 CLAY County. Coldmill and resurface from Route 152 to 72nd Street in Kansas City, the total length of improvement being 1.81 miles.****(2): Job JKU0054 Route 152 CLAY County. Resurface, pavement repair, and guardrail from Route 1 to I-35 in Kansas City, the total length of improvement being 4.39 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

(2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876.

(3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.

(4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor,

materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity Unit	Unit Price	Extension Price
Section 0001 Roadway Iter	ns - JKU0046			
0010	2022010 REMOVAL OF IMP			
0020	2153000 SHAPING SLOPES	4.000 100F , CLASS III		
0030	3049910 MISC. PERMANEN	347.000 TONS T AGGREGATE EDGE TREATMENT		
0040	4011211	1288.500 TONS EMENT MIXTURE PG64-22, (BP-	2)	
0050		5694.100 TONS RETE MIXTURE PG 70-22 (SP09		
0060	4079912 MISC. MODIFIED	16963.000 GAL BONDED ASHPALTIC CONCRETE		
0070	6131010 FURNISHING AND	561.300 SQYD PLACING CONCRETE MATERIAL	FOR FULL DEPTH PAVEMEN	
0080	6131012 SUBGRADE COMPA	56.000 SQYD CTION (6 IN. DEPTH) (PAVEME	NT REPAIR)	
0090	6131013 TYPE 1 OR 5 AG	56.000 SQYD GREGATE FOR BASE (4 IN. THI		
0100		2232.000 LF EMENT REPAIR SAW CUT (FOR P	ERIMETER AND INTERNAL	
0110	6131015 DOWEL BAR (DF REPAIR	1004.000 EA RILLING, FURNISHING AND IN		L DEPTH PAVEMENT
0120	6131017	3.000 EA RNISHING AND INSTALLATION		
0130	(TYPE L JOINTS	46.000 EA LING, FURNISHING AND INSTAL)		
0140	6133018 FURNISHING ANI REPAIR	247.400 TONS D PLACING BITUMINOUS MATERI	AL FOR CLASS B PARTIA	L DEPTH PAVEMENT
0150	6133019 REMOVAL FOR CL	1121.500 SQYD ASS B PARTIAL DEPTH PAVEMEN	T REPAIR	
0160	6161005 CONSTRUCTION S	1224.000 SQFT IGNS		
0170	6161008 ADVANCED WARNI	4.000 EA NG RAIL SYSTEM		
0180	6161025 CHANNELIZER (T	400.000 EA RIM LINE)		
0190	6161040 FLASHING ARROW	4.000 EA		
0200	6161099	2.000 EA SSAGE SIGN WITH COMMUNICA AINED	TION INTERFACE, CONTR	ACTOR FURNISHED,
0210	6181000 MOBILIZATION	1.000 LS		
0220	6200009	126.000 LF		

MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 6066610 1.000 EA END ANCHOR Section 0002 Total Section 0003 Signal Items - JKU0046 0370 9029902 5.000 EA		Missouri Department of Transportation C	ontract ID: 240920-C03
0220 6200015 396,000 LF PREFORMED THERMOLIGITE FAVEMENT MARKING, 24 IN, WHITE 0240 6200019 60.000 LF FREFORMED THERMOLIGITE FAVEMENT MARKING, 24 IN, WHITE 0250 6200021 18.000 EA FREFORMED THERMOFLASTIC FAVEMENT MARKING, 24 IN, YELLOW 0250 6200024 2.000 EA FREFORMED THERMOFLASTIC FAVEMENT MARKING, STRAIGHT ARROW 0260 6200024 2.000 EA FREFORMED THERMOFLASTIC FAVEMENT MARKING, STRAIGHT ARROW 0270 6200501 12494.000 LF FREFORMED THERMOFLASTIC FAVEMENT MARKING, 30 IN WHITE MICHLOCK 0280 6205902A 24538.000 LF FREFORMED THERMOFLASTIC FAVEMENT MARKING, 30 IN WHITE MICHLOCK 0280 6205902A 24538.000 LF FREFORMED THERMOFLASTIC FAVEMENT MARKING, 30 IN WHITE MICHLOCK 0280 6205902A 24538.000 LF FREFORMED THEMENTHER EAVEMENT MARKING PAINT, TYPE L BEADS 0310 62061253 1396.000 LF FREFORMED THEMENTHER EAVEMENT MARKING FAINT, TYPE L BEADS 0310 62061253 13937.000 EA FAUEMENT FOR REMOVAL OF SUBFACING (3 IN. THICK OR LESS) 0310 62061253 13137.000 SQND FREFORMED THEMENTHER FAUEMENT FOR REMOVAL OF SUBFACING (3 IN. THICK OR LE		PREFORMED THERMOPLASTIC PAVEMENT MARKING, 6 IN. WHITE	
PREFORMED THERMOPLASTIC FAVEMENT MARKING, 24 IN. WHITE 0240 6200016 60.000 LF 0250 6200021 18.000 EA 0260 6200024 2.000 EA 0260 6200026 99.000 EA 0260 6205901A 12494.000 LF 0260 6205902A 26558.000 LF 0260 6205902A 26558.000 LF 0260 6205903A 12694.000 LF 0260 6205903A 12695.000 LF 0260 6205903A 12695.000 LF 0260 6205903A 12694.000 LF 0260 6205125A 1306.000 LF 0260 6206125A 1306.000 LF 0260 6224010 18137.000 SQMD	0230		
0 6200018 60.000 LF PREFORMED THERMOLASTIC FAVEMENT MARKING, 24 IN. YELLOW 0250 6200021 18.000 EA 0260 6200024 2.000 EA PREFORMED THERMOPLASTIC FAVEMENT MARKING, LEFT/RIGHT ARCOW 0270 6200036 99.000 EA PREFORMED THERMOPLASTIC FAVEMENT MARKING, STRAIGHT ARCOW 0270 6200036 99.000 LF PREFORMED THERMOPLASTIC FAVEMENT MARKING, 30 IN WHITE MIDELOCK 0280 6205903A 12494.000 LF 4 1N. YELLOW HIGH BUILD WATERBORNE FAVEMENT MARKING FAINT, TYPE L BEADS 0290 6205903A 4603.000 LF 6 1N. WHITE HIGH BUILD WATERBORNE FAVEMENT MARKING FAINT, TYPE L BEADS 0300 6206125A 1306.000 LF 6 1N. VELLOW HIGH BUILD WATERBORNE FAVEMENT MARKING FAINT, TYPE L BEADS 0310 62206125A 1306.000 LF 24 1N. YELLOW HIGH BUILD WATERBORNE FAVEMENT MARKING FAINT, TYPE L BEADS 0320 6221001 84816.000 SQYD COLEMILLING BITUMINOUS FAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 0330 6224010 925.000 LF	0230	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE	
FREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 0250 6200021 18.000 EA PREFORMED THERMOPLASTIC FAVEMENT MARKING, LEFT/RIGHT ARROW 9260 6200024 2.000 EA PREFORMED THERMOPLASTIC FAVEMENT MARKING, STRAIGHT ARROW 9270 6200036 99.000 EA 0270 620501A 12494.000 LF 7000 EA 0280 6205902A 26558.000 LF 41N. YELLOW HIGH BUILD WATERBORNE FAVEMENT MARKING PAINT, TYPE L BEADS 0290 6205902A 26558.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE FAVEMENT MARKING PAINT, TYPE L BEADS 0300 6205902A 26558.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0310 6205903A 4603.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0310 6205903A 1306.000 LF 24 IN, YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0310 6220101 84816.000 SQTD COLDMILLING DITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 0320 622101 18137.000 SQTD Guardrail/Guard Cable Items - JKUD046 0340 6061061 925.000 LF MODIFIED COLMILLING (DEP	0240		
0250 6200021 18.000 EA PREPORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW 0260 6200024 2.000 EA PREPORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW 0270 6200036 99.000 EA PREPORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK 0270 620036 29.000 EA PREPORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK 0280 6205301A 12494.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0290 6205302A 26558.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0300 6205303A 4603.000 LF 24 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0310 6206125A 1306.000 LF 24 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 0320 6221001 18137.000 SQVD COLWILLING DETUMINOUS PAVEMENT FOR REMOVAL OF SUFFACING (3 IN. THICK OR LESS) 0330 6224010 18137.000 SQVD Suffact all tems - JKU0046 0330 6224010 18137.000 SQVD Suffact all tems - JKU0046 0330 603104 5.000 EA Suffact all tems - JKU0046	0210		
PEEFORMED THERMOPLASTIC FAVENMENT MARKING, LETT/RIGHT ARROW 2260 6200024 2,000 EA PEEFORMED THERMOPLASTIC FAVENENT MARKING, STRAIGHT ARROW 2270 6200036 95.000 EA PEEFORMED THERMOPLASTIC FAVENENT MARKING, 30 IN WHITE MIDBLOCK 2280 6205902A 26538.000 LF 6 IN. VELLOW HTGH BUILD WATERBORNE FAVENENT MARKING FAINT, TYPE L BEADS 2300 6205903A 4603.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE FAVENENT MARKING FAINT, TYPE L BEADS 2310 6206125A 1306.000 LF 6 IN. VELLOW HIGH BUILD WATERBORNE FAVENENT MARKING FAINT, TYPE L BEADS 2320 62125A 1306.000 LF 6 IN. VELLOW HIGH BUILD WATERBORNE FAVENENT MARKING FAINT, TYPE L BEADS 2310 6226125A 1306.000 LF 24 IN. YELLOW STANDARD WATERBORNE FAVENENT MARKING FAINT, TYPE L BEADS 2320 622100 1 64216.000 SQUD COLDMILLING BITUMINOUS FAVENENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 2330 622401 18137.000 SQUD MODIFFED COLDMILLING (DEPTH TRANSITIONS) Section 0001 7 otal Section 0002 Guardrail/Guard Cable ILems - JKU0046 TYPE A CRASHWORTHY END TERMINAL (MASH) 3360 6066610 1.000 FAUNCHICK SECTION 0002 Secti			
0260 6200024 2.000 EA PREFORMED THERMORLASTIC FAVEMENT MARKING, STRAIGHT ARROW 0270 6200036 99.000 EA PREFORMED THERMORLASTIC FAVEMENT MARKING, 30 IN WHITE MIDBLOCK 0280 6205901A 12494.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE FAVEMENT MARKING FAINT, TYPE L BEADS 0290 6205902A 26558.000 LF 6 IN. WHITE HIGH BUILD MATERBORNE FAVEMENT MARKING FAINT, TYPE L BEADS 0300 6205903A 4603.000 LF 6 IN. WHITE HIGH BUILD MATERBORNE FAVEMENT MARKING FAINT, TYPE L BEADS 0310 6206125A 1306.000 LF 24 IN. YELLOW HIGH BUILD WATERBORNE FAVEMENT MARKING FAINT, TYPE L BEADS 0320 6221001 B4816.000 SQYD 0320 6224010 18137.000 SQYD 0330 6224010 18137.000 SQYD 0330 6224010 18137.000 SQYD 0330 6224010 18137.000 SQYD 0330 6224010 18137.000 SQYD 0350 6063014 525.000 LF 0350 6063014 525.000 EA TYPE A CRASHWORTHY BUD TEMINAL (MASH) 0360 6066610 0350 6063014 <t< td=""><td>0230</td><td></td><td></td></t<>	0230		
PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW 0270 6200036 99.000 EA PREFORMED THERMOPLASTIC FAVEMENT MARKING, 30 IN WHITE MIDELOCK 0280 6205901A 12494.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE FAVEMENT MARKING PAINT, TYPE L BEADS 0290 6205902A 26555.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0300 6205903A 4603.000 LF 6 IN. YELLOW MICH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0310 6206125A 1306.000 LF 24 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 0320 6221001 84816.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 0330 6224010 18137.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) Section 0001 Total Section 0001 Total Section 0002 Guardrail/Guard Cable Items - JKU0046 0350 6065014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0350 6066610 600661	0260		
0270 6200036 99.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK 0280 6205901A 12494.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0290 6205902A 26558.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0300 6205903A 4603.000 LF 6 IN. VELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0310 6206125A 1306.000 LF 24 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0320 6221001 84016.000 SQVD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 0330 6224010 18137.000 SQVD MODIFIED COLDMILLING (DEPTH TRANSITIONS) Section 0001 Total Section 0002 Guardrail/Guard Cable Items - JKU0046 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 6066610 1.000 EA END ANCHOR Section 0002 TOLAL Section 0003 Signal Items - JKU0046	0200		
PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK 0280 6205901A 12494.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0290 6205903A 26558.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0300 6205903A 4603.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0310 6206125A 1306.000 LF 24 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0320 6221001 84916.000 SQVD 0011 84916.000 SQVD 0020 6224010 18137.000 SQVD 0011 Total Section 0001 Total Section 0002 Guardrail/Guard Cable Items - JKU0046 0350 6063014 5.000 EA TYPE A CRASHWORTHLY BND TERMINIAL (MASH) 0350 6066610 1.000 EA END ANCHOR Section 0002 Total Section 0002 Total Section 0002 Total	0270		
0280 6205901A 12494.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0290 6205902A 26558.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0300 6205902A 4603.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0310 6206125A 1306.000 LF 24 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0320 6221001 84916.000 SQVD 0330 6224010 18137.000 SQVD 0330 6224010 18137.000 SQVD MCDIFFED COLDMILLING (DEPTH TRANSITIONS) MODIFFED COLDMILLING (DEPTH TRANSITIONS) Section 0001 Total Section 0002 Guardrail/Guard Cable Items - JKU0046 925.000 LF 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 1.000 EA END ANCHOR END ANCHOR Section 0002 Total 1.000 EA Section 0003 Signal Items - JKU0046	0270		<pre></pre>
4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0290 6205902A 26558.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0300 6205903A 4603.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0310 6206125A 1306.000 LF 24 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0320 6221001 84816.000 SQVD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 0330 6224010 18137.000 SQVD MODIFIED COLDMILLING (DEPTH TRANSITIONS) Section 0001 Total Section 0001 Total Section 0002 Guardrail/Guard Cable Items - JKU0046 0340 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TEMINAL (MASH) 0360 6066610 1.000 EA END ANCHOR END ANCHOR Section 0003 Signal Items - JKU0046 0370 9029902 5.000 EA <td></td> <td></td> <td></td>			
0290 6205902A 26558.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0300 6205903A 4603.000 LF 6 IN. YELLOW HIGH BULLD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0310 6206125A 1306.000 LF 24 IN. YELLOW HIGH BULLD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0320 6221001 84816.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 0330 6224010 18137.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) Section 0001 Total Section 0002 Guardrail/Guard Cable Items - JKU0046 0340 606101 925.000 LF MGS GUARDRAIL, & FT. POSTS, 6 FT 3 IN. SPACING 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 6066610 END ANCHOR Section 0002 Total Section 0002 Total Section 0002 Total	0280		PE I. BEADS
6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0300 6205903A 4603.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0310 6206125A 1306.000 LF 24 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0320 6221001 84316.000 SQVD 0330 6224010 18137.000 SQVD 0330 6224010 18137.000 SQVD 0340 606101 925.000 LF 0340 606101 925.000 LF 0350 6066101 925.000 LF 0350 6066610 5.000 EA 0360 6066610 1.000 EA Section 0002 END ANCHOR Section 0002 Total 5.000 EA			
0300 6205903A 4603.000 LF 6 IN. YELLOW HIGH BULLD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0310 6206125A 1306.000 LF 24 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 0320 6221001 84816.000 SQVD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 0330 6224010 18137.000 SQVD MODIFIED COLDMILLING (DEPTH TRANSITIONS) Section 0001 Total Section 0002 Guardrail/Guard Cable Items - JKU0046 0340 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 6066610 1.000 EA END ANCHOR Section 0002 Total Section 0003 Signal Items - JKU0046 0370 902902 5.000 EA	0290		L BEADS
6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 0310 6206125A 1306.000 LF 24 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 0320 622101 84816.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 0330 6224010 18137.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) Section 0001 Total Section 0002 Guardrail/Guard Cable Items - JKU0046 0340 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 6066610 1.000 EA END ANCHOR Section 0002 Total Section 0002 Section 0002 Section 0002 Section 0002 Total Section 0002 Section 0003 Signal Items - JKU0046 0370 9029902 5.000 EA			
0310 6206125A 1306.000 LF 24 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 0320 6221001 84816.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 0330 6224010 18137.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) Section 0001 Total Section 0002 Guardrail/Guard Cable Items - JKU0046 0340 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 6066610 1.000 EA END ANCHOR Section 0002 Total Section 0002 Total Section 0003 Signal Items - JKU0046 0370 902902 5.000 EA	0300		PE I. BEADS
24 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 0320 6221001 84816.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 0330 6224010 18137.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) Section 0001 Total Section 0002 Guardrail/Guard Cable Items - JKU0046 0340 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 6066510 END ANCHOR Section 0002 Total Section 0003 5.000 EA Signal Items - JKU0046 5.000 EA 0370 9029902 5.000 EA			
0320 6221001 84816.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 0330 6224010 18137.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) Section 0001 Total Section 0002 Guardrail/Guard Cable Items - JKU0046 0340 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 606610 1.000 EA END ANCHOR Section 0002 Total Section 0002 Total	0310		P BEADS
COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) 0330 6224010 18137.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) Section 0001 Total Section 0002 Guardrail/Guard Cable Items - JKU0046 0340 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 6066610 1.000 EA END ANCHOR Section 0002 Total Section 0002 Total Section 0002 Total			
0330 6224010 18137.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) Section 0001 Total Section 0002 Guardrail/Guard Cable Items - JKU0046 0340 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 6066610 1.000 EA END ANCHOR Section 0002 Total Section 0003 Signal Items - JKU0046 0370 9029902 5.000 EA	0320	~	I THICK OR LESS)
MODIFIED COLDMILLING (DEPTH TRANSITIONS) Section 0001 Total Section 0002 Guardrail/Guard Cable Items - JKU0046 0340 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 6066610 1.000 EA END ANCHOR Section 0002 Total Section 0002 Total Section 0003 Signal Items - JKU0046 0370 902902 5.000 EA			
Section 0001 Total Section 0002 Guardrail/Guard Cable Items - JKU0046 0340 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 6066610 1.000 EA END ANCHOR Section 0002 Total Section 0002 Total Section 0003 Signal Items - JKU0046 0370 9029902 5.000 EA	0350		
Section 0002 Guardrail/Guard Cable Items - JKU0046 0340 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 6066610 1.000 EA END ANCHOR Section 0002 Total			
Guardrail/Guard Cable Items - JKU0046 0340 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 6066610 1.000 EA END ANCHOR 1.000 EA Section 0002 Total 5.000 EA 0370 9029902 5.000 EA	Section 0001 Tot	tal	
Guardrail/Guard Cable Items - JKU0046 0340 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 6066610 1.000 EA END ANCHOR 1.000 EA Section 0002 Total 5.000 EA 0370 9029902 5.000 EA			
Guardrail/Guard Cable Items - JKU0046 0340 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 6066610 1.000 EA END ANCHOR 1.000 EA Section 0002 Total 5.000 EA 0370 9029902 5.000 EA			
MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 6066610 1.000 EA END ANCHOR Section 0002 Total Section 0003 Signal Items - JKU0046 0370 9029902 5.000 EA		ard Cable Items - JKU0046	
MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 6066610 1.000 EA END ANCHOR Section 0002 Total Section 0003 Signal Items - JKU0046 0370 9029902 5.000 EA	0340	6061061 925.000 LF	
0350 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 6066610 1.000 EA END ANCHOR Section 0002 Total Section 0003 Signal Items - JKU0046 0370 9029902 5.000 EA			
TYPE A CRASHWORTHY END TERMINAL (MASH) 0360 6066610 1.000 EA END ANCHOR Section 0002 Total Section 0003 Signal Items - JKU0046 0370 9029902 5.000 EA	0350		
0360 6066610 1.000 EA END ANCHOR Section 0002 Total Section 0003 Signal Items - JKU0046 0370 902902 5.000 EA		TYPE A CRASHWORTHY END TERMINAL (MASH)	
END ANCHOR Section 0002 Total Section 0003 Signal Items - JKU0046 0370 902902 5.000 EA	0360		
Section 0002 Total Section 0003 Signal Items - JKU0046 0370 9029902 5.000 EA		END ANCHOR	
Section 0003 Signal Items - JKU0046 0370 9029902 5.000 EA			
Signal Items - JKU0046 0370 9029902 5.000 EA	Section 0002 Tot	tal	
Signal Items - JKU0046 0370 9029902 5.000 EA			
0370 9029902 5.000 EA	Section 0003 Signal Items	- JKU0046	
	0370		
MIDE. OTTOMAL HAMILE DIGMAL DELECTORD		MISC. OPTIONAL TRAFFIC SIGNAL DETECTORS	

Section 0003 Total

Section 0004 Roadway 1	4 Items - JKU0054		
0380	2022010	1.000 LS	
	REMOVAL OF I	MPROVEMENTS	
0390	2159910	15.000 100F	
	MISC. SHAPIN	IG SLOPES CLASS III MODIFIED MATERIAL REQIREMENT	
	MISC. SHAFIN	G SLOFES CLASS III MODIFIED MAIERIAL REQIREMENT	

0400	3049910 4033.600 TONS
	MISC. PERMANENT AGGREGATE EDGE TREATMENT
0410	4011211 8536.100 TONS
	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2)
0420	4030005 20174.100 TONS
0120	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095C MIX)
0430	4079912 69464.000 GAL
	MISC. MODIFIED BONDED ASPHALTIC CONCRETE PAVEMENT
0440	4133200 116654.000 SQYD
	ULTRATHIN BONDED WEARING SURFACE, TYPE C
0450	4139905 5612.000 SQYD
	MISC. HIGH FRICTION SURFACE TREATMENT (BAUXITE)
0460	6131010 416.500 SQYD
0460	
	FURNISHING AND PLACING CONCRETE MATERIAL FOR FULL DEPTH PAVEMENT REPAIR
0470	6131012 42.000 SQYD
	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)
0480	6131013 42.000 SQYD
	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)
0490	6131014 1404.000 LF
0490	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS)
0500	6131015 220.000 EA
	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT
	REPAIR
0510	6131017 172.000 EA
	DOWEL BAR (FURNISHING AND INSTALLATION WITH BASKETS) FOR FULL DEPTH PAVEMENT
	REPAIR
0520	6131018 91.000 EA
	TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR
	(TYPE L JOINTS)
0530	6133018 9.700 TONS
	FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS B PARTIAL DEPTH PAVEMENT
	REPAIR
	6133019 87.600 SQYD
	REMOVAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR
0550	6161005 1624.000 SQFT
0000	CONSTRUCTION SIGNS
0560	6161008 4.000 EA
	ADVANCED WARNING RAIL SYSTEM
	6161025 278.000 EA
	CHANNELIZER (TRIM LINE)
0580	6161030 15.000 EA
	TYPE III MOVEABLE BARRICADE
0500	
0590	6161033 56.000 EA
	DIRECTIONAL INDICATOR BARRICADE
0600	6161040 6.000 EA
	FLASHING ARROW PANEL
0610	6161055 56.000 EA
	SEQUENTIAL FLASHING WARNING LIGHT
0620	6161099 8.000 EA
	CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED,
	CONTRACTOR RETAINED
0620	
	6169902 5.000 EA
	MISC. ADA COMPLIANT MOVABLE BARRICADE

0640	6181000 1.000 LS
	MOBILIZATION
0650	6200015 1057.000 LF
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE
0660	6200021 63.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
0670	6200036 298.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK
0680	6200045 2.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LT/RT FISH HOOK ARROW
0690	6205902A 76743.000 LF
	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0700	6205903A 55137.000 LF
	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0710	6205906A 6881.000 LF
	12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0720	6206000C 3015.000 LF
	4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0730	6206001C 40.000 LF
	4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0740	6206108A 1409.000 LF
	8 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0750	6206124A 36.000 LF
	24 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0760	6206125A 68.000 LF
	24 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0770	6221001 288217.000 SQYD
	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
0780	6224010 12833.000 SQYD
	MODIFIED COLDMILLING (DEPTH TRANSITIONS)
0790	6261000A 707.300 STA
	BITUMINOUS SHOULDER RUMBLE STRIP
	1
Section 0004 Tota	

0080	6061061 28	362.000 LF
	MGS GUARDRAIL, 8 FT.	POSTS, 6 FT 3 IN. SPACING
810	6061068	2.000 EA
	MGS BRIDGE APPROACH I	RANSITION SECTION (EXTENDED CURB)
820	6061069	8.000 EA
	MGS BRIDGE APPROACH I	RANSITION SECTION (REGULAR/NO CURB)
830	6061080	5.000 EA
	MGS END ANCHOR	
840	6063014	15.000 EA
	TYPE A CRASHWORTHY EN	ID TERMINAL (MASH)

Signal	Items - JKU0054		
0850	9029902	1.000 EA	
	MISC.	OPTIONAL TRAFFIC SIGNAL DETECTORS	
Section 0006 Total			

Item Total

\$0.00

DBE List Summary

Project: FAF-152-1 (19)
Bid Total: 0.00
Goal: 5.00% (0.00)
Total Entered: 0.00% (0.00)

Bidder ID: 0011540 Business Name: Company 1

ID Name

Is Supplier? Item Count

Amount Is Complete?

DBE CERTIFICATION

(6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 0 slots at 1000 hours per slot or 0 hours.

(7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

(A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 5.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.

(B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/ or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

(10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.

(11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and material misrepresentation or omission of fact within the bid submission.

(11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes \bigcirc No \bigcirc

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

\$

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if requested by the Design Division or the engineer.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

*** AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. ***

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

() Yes () No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

**Bond ID: Verify Clear

**Surety Registry Agency:

**Bond Pct:

Surety State:

FIELDS WITH THE ** INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS