# STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

**CONSTRUCTING OR IMPROVING Contract I.D.** 240920-A06

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S):

Job JST0099 Route Various CARROLL, CHARITON, LINN, RANDOLPH County

# BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

- 1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
- 2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
- 3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.
- 4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
- 5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
- 6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
- 7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
- 8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
- 9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid) at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

Below is a list of common mistakes made by bidders leading to nonresponsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

# TABLE OF CONTENTS

#### Notice to Contractors

Proposed Work	item	(1)
Compliance With Contract Provisions	item	(2)
Period of Performance	item	(3)
Liquidated Damages	item	(4)
Itemized Bid	item	(5)
Trainees	item	(6)
DBE Certification*	item	(7)
Acceptance of Provision for Price Adjustment for Fuel	item	(8a)
Acceptance of Provision for Asphalt Cement Price Index	item	(8b)
Max. Monetary Value of Awards Accepted this Bid Opening	item	(9)
Combination Bids	item	(10)
Certification for Federal Jobs	item	(11a)
Certification for State Jobs	item	(11b)
Antidiscrimination	item	(12)
Preference to Missouri Firms in Awarding of Contracts	item	(13)
Subcontractor Disclosure Form*	.item	(14)
Signature and Identity of Bidder	item	(15)
Bid Guaranty*	item	(16)

<sup>\*</sup>These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

#### NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 09/20/2024.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

- (1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:
- \*\*\*\*(1): Job JST0099 Route Various CARROLL, CHARITON, LINN, RANDOLPH County. Resurface on Routes E, EE, T, UU, in Carroll County, Routes TT, ZZ, EE, W in Linn County, Routes TT, ZZ, W in Chariton County, Route W in Randolph County and a potential for Route NN in Carroll County, Route C and UU in Chariton County, the total length of improvement being 68.21 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

- (2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office Design Division at (573) 751-2876.
- (3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.
- (4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.
- (5) ITEMIZED BID: The bidder should complete the following section in

accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Section 0001	Line Number	Item Number	Quantity	Unit	Unit Price	Extension P	rice
0010   0010							
REMOVAL OF IMPROVEMENTS  0020 2153000 2.000 100F SHAPING SLOPES, CLASS III  0030 3108D02 863.000 CONS GRAVEL (A) OR CRUSHED STONE (B)  0040 4029910 1171.700 TONS MISC. Replacement of Damaged Pavement  0050 4071005 67357.000 GaL TACK COAT  0060 6161047 6.000 EA TYPE III OBJECT MARKER  0070 6169901 1.000 LS MISC. TRAFFIC CONTROL LUMF SUM  0060 611000 1.000 LS MOBILIZATION 150455.000 LF  4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS  0100 6206001C 357703.000 LF  4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS  0110 620601C 357703.000 LF  4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS  0110 620601C 357703.000 LF  0120 6224010 3947.000 SQTD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OF SURFACE LEVELING)  0150	Roadway Items	- JST0099					
153000   2153000   2153000   2153000   200	0010	2022010	1.000	LS			
1000							
0030 3105002 863.000 TONS	0020						
0300 3105002 863.000 TONS		SHAPING SL	OPES, CLASS III				
GRAVEL (A) OR CRUSHED STONE (B)							
MISC. Replacement of Damaged Pavement							
MISC. Replacement of Damaged Pavement  4071005 67357.000 GAL  TACK COAT  0060 6161047 6.000 EA  TYPE III OBJECT MARKER  0070 616901 1.000 LS  MISC. TRAFFIC CONTROL LUMP SUM  0080 6181000 1.000 LS  MOBILIZATION  0090 6206000C 185455.000 LF  4 IN. WHITE STANDARD WATERRORNE PAVEMENT MARKING PAINT, TYPE P BEADS  0100 6206001C 537703.000 LF  4 IN. YELLOW STANDARD WATERRORNE PAVEMENT MARKING PAINT, TYPE P BEADS  0110 6221001 988.000 SQYD  COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK (3 MODIFIED COLDMILLING (DEPTH TRANSITIONS)  0130 622905 2925.200 SQYD  MISC. Removal of Damaged Pavement  Section 0001 Total  Section 0002 Guardrail/Guard Cable Items - JST0099  0140 6061069 2.000 EA  MSS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)  0150 6063014 2.000 EA  TYPE A CRASHWORTHY END TERMINAL (MASH)  Section 0002 Total  Section 0002 Total  Section 0003 Total  Section 0003 TOTAL  Section 0004 TOTAL  Section 0005 TOTAL  SECTION 0005 TOTAL  SECTION 0005 TOTAL  MSS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)  0150 6063014 2.000 EA  TYPE A CRASHWORTHY END TERMINAL (MASH)  Section 0007 Total  Section 0008 TOTAL  SECTION 0008 TOTAL  SECTION 0009 TOTAL  MSS CRITICAL TOTAL SECTION OF THE SECTION OF				. – – – – – – – – – –			
0050 4071005 67357.000 GAL TACK COAT  0060 6161047 TYPE III OBJECT MARKER  0070 6169901 1.000 LS MISC. TRAFFIC CONTROL LUMP SUM  0080 6181000 1.000 LS MODELLIZATION  0090 6206000C 18555.000 LF 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS  0100 6206001C 537703.000 LF 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS  0110 6221001 988.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK (3	0040						
TACK COAT   1000 EA							
0060 6161047 6.000 EA TYPE III OBJECT MARKER 0070 6169901 1.000 LS MISC. TRAFFIC CONTROL LUMP SUM 0080 6181000 1.000 LS MOBILIZATION 0090 6206000C 185455.000 LF 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 0100 6206001C 537703.000 LF 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 0110 6221001 988.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK (3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0050		67357.000	GAL			
TYPE III OBJECT MARKER  0070 6169901 1.000 LS  MISC. TRAFFIC CONTROL LUMP SUM  0080 6181000 1.000 LS  MOBILIZATION  0090 6206000C 185455.000 LF  4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS  0100 6206001C 537703.000 LF  4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS  0110 6221001 988.000 SQYD  COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK (3 IN. THICK (4 IN. YELLOW STANDARD)  0120 6224010 3947.000 SQYD  MODIFIED COLDMILLING (DEPTH TRANSITIONS)  0130 6229905 2929.200 SQYD  MISC. Removal of Damaged Pavement  Section 0001 Total  Section 0001 Total  Section 0002 Cuardrail/Guard Cable Items - JST0099  0140 6061069 2.000 EA  MCS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)  0150 6063014 2.000 EA  TYPE A CRASHWORTHY END TERMINAL (MASH)  Section 0002 Total  Section 0003 ROUTE T Carroll - JST0099  0160 3049910 1434.800 TONS  MISC. Permanent Aggregate Edge Treatment  0170 4020521 7503.400 TONS  BITUMINOUS PAVEMENT MIXTURE PC55-28H (SURFACE LEVELING)							
1.000 LS	0060	6161047	6.000	EA			
0070		TYPE III O	BJECT MARKER				
0080 6181000 1.000 LS  MOBILIZATION 18455.000 LF  4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 0100 6206001C 537703.000 LF  4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 0110 6221001 988.000 SQVD  COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK COLDMILLING (DEPTH TRANSITIONS) 0120 6224010 3947.000 SQVD  MODIFIED COLDMILLING (DEPTH TRANSITIONS) 0130 6229905 2929.200 SQVD  MISC. Removal of Damaged Pavement  Section 0001 Total  Section 0001 Total  Section 0002 Guardrail/Guard Cable Items - JST0099 0140 6061069 2.000 EA  MSS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB) 0150 6063014 2.000 EA  TYPE A CRASHWORTHY END TERMINAL (MASH)  Section 0002 Total  Section 0003 Route T Carroll - JST0099 0160 3049910 1434.800 TONS  MISC. Permanent Aggregate Edge Treatment 0170 402521 7503.400 TONS  BITUMINOUS PAVEMENT MIXTURE POS8-28H (SURFACE LEVELING)	0070	6169901	1.000				
0080 6181000 1.000 LS    MOBILIZATION		MISC. TRAF	FIC CONTROL LUMP	SUM			
0990 6206000C 185455.000 LF 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 0100 6206001C 537703.000 LF 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 0110 6221001 988.000 SQYD COLDMILLING BITUMINUOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK C) 0120 6224010 3947.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 0130 6229905 2929.200 SQYD MISC. Removal of Damaged Pavement  Section 0001 Total  Section 0001 Total  Section 0002 Guardrail/Guard Cable Items - JST0099 0140 6061069 2.000 EA MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB) 0150 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)  Section 0002 Total  Section 0002 Total  Section 0003 Route T Carroll - JST0099 0160 3049910 1434.800 TONS MISC. Permanent Aggregate Edge Treatment 0170 4020521 7503.400 TONS BITUMINOUS PAVEMENT MIXTURE P658-28H (SURFACE LEVELING)	0080	6181000	1.000				
0090 6206000C 185455.000 LF 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 0100 6206001C 537703.000 LF 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 0110 6221001 988.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK COLDMILLING (5 SQYD MODIFIED COLDMILLING (5 SQYD MISC. Removal of Damaged Pavement  Section 0001 Total  Section 0001 Total  Section 0002 Guardrail/Guard Cable Items - JST0099 0140 6061069 2.000 EA MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB) 0150 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)  Section 0002 Total  Section 0002 Total  Section 0003 Route T Carroll - JST0099 0160 3049910 1434.800 TONS MISC. Permanent Aggregate Edge Treatment 0170 4020521 7503.400 TONS BITUMINOUS PAVEMENT MIXTURE PGS8-28H (SURFACE LEVELING)		MOBILIZATI	ON				
4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS  0100 6206001C 537703.000 LF 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS  0110 6221001 988.000 SQYD  COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OF MODIFIED COLDMILLING (DEPTH TRANSITIONS)  0120 6224010 3947.000 SQYD  MODIFIED COLDMILLING (DEPTH TRANSITIONS)  0130 6229905 2929.200 SQYD  MISC. Removal of Damaged Pavement  Section 0001 Total  Section 0001 Total  Section 0002 Guardrail/Guard Cable Items - JST0099  0140 6061069 2.000 EA  MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)  0150 6063014 2.000 EA  TYPE A CRASHWORTHY END TERMINAL (MASH)  Section 0002 Total  Section 0002 Total  Section 0003 Route T Carroll - JST0099  0160 304910 1434.800 TONS  MISC. Permanent Aggregate Edge Treatment  0170 4020521 7503.400 TONS  BITUMINOUS PAVEMENT MIXTURE PGS8-28H (SURFACE LEVELING)							
0100 6206001C 537703.000 LF 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 0110 6221001 988.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK COLDMILLING (DEPTH TRANSITIONS) 0120 6224010 3947.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS) 0130 6229905 2929.200 SQYD MISC. Removal of Damaged Pavement  Section 0001 Total  Section 0002 Guardrail/Guard Cable Items - JST0099 0140 6061069 2.000 EA MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB) 0150 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)  Section 0002 Total  Section 0002 Total  Section 0003 Route T Carroll - JST0099 0160 3049910 1434.800 TONS MISC. Permanent Aggregate Edge Treatment 0170 4020521 7503.400 TONS BITUMINOUS PAVEMENT MIXTURE PGS8-28H (SURFACE LEVELING)					MARKING PAINT, TYPE P I	BEADS	
4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS  0110 6221001 988.000 SQYD				. – – – – – – – – – –			
0110 6221001 988.000 SQYD	0100				MADVING DAINE EVDE D	DEADC	
COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK COURTS OF SURFACING (3 IN. TH						DEADS	
0120 6224010 3947.000 SQYD	0110						
MODIFIED COLDMILLING (DEPTH TRANSITIONS)  0130 6229905 2929.200 SQYD							;s) 
0130 6229905 2929.200 SQYD  MISC. Removal of Damaged Pavement  Section 0001 Total  Section 0002 Guardrail/Guard Cable Items - JST0099  0140 6061069 2.000 EA  MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)  0150 6063014 2.000 EA  TYPE A CRASHWORTHY END TERMINAL (MASH)  Section 0002 Total  Section 0002 Total  Section 0003 Route T Carroll - JST0099  0160 3049910 1434.800 TONS  MISC. Permanent Aggregate Edge Treatment  0170 4020521 7503.400 TONS  BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)	0120	6224010	3947.000	SQYD			
0130 6229905 2929.200 SQYD  MISC. Removal of Damaged Pavement  Section 0001 Total  Section 0002     Guardrail/Guard Cable Items - JST0099  0140 6061069 2.000 EA		MODIFIED C	OLDMILLING (DEPTH	TRANSITIONS)			
Section 0001 Total  Section 0002     Guardrail/Guard Cable Items - JST0099  0140	0130	6229905	2929.200				
Section 0002		MISC. Remo	val of Damaged Pa	vement			
Section 0002	G						
Guardrail/Guard Cable Items - JST0099  0140 6061069 2.000 EA	Section 0001 Tota	∄1					
Guardrail/Guard Cable Items - JST0099  0140 6061069 2.000 EA							
Guardrail/Guard Cable Items - JST0099  0140 6061069 2.000 EA							
0140 6061069 2.000 EA  MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)  0150 6063014 2.000 EA  TYPE A CRASHWORTHY END TERMINAL (MASH)  Section 0002 Total  Section 0003  Route T Carroll - JST0099  0160 3049910 1434.800 TONS  MISC. Permanent Aggregate Edge Treatment  0170 4020521 7503.400 TONS  BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)							
MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)  0150 6063014 2.000 EA	Guardrail/Guar	d Cable Items - J	ST0099				
0150 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)  Section 0002 Total  Section 0003 Route T Carroll - JST0099  0160 3049910 1434.800 TONS MISC. Permanent Aggregate Edge Treatment  0170 4020521 7503.400 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)	0140	6061069	2.000	EA			
TYPE A CRASHWORTHY END TERMINAL (MASH)  Section 0002 Total  Section 0003 Route T Carroll - JST0099  0160 3049910 1434.800 TONS MISC. Permanent Aggregate Edge Treatment  0170 4020521 7503.400 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)		MGS BRIDGE	APPROACH TRANSIT	ION SECTION (RE	EGULAR/NO CURB)		
Section 0002 Total  Section 0003 Route T Carroll - JST0099  0160 3049910 1434.800 TONS MISC. Permanent Aggregate Edge Treatment  0170 4020521 7503.400 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)	0150	6063014	2.000	EA			
Section 0002 Total  Section 0003 Route T Carroll - JST0099  0160 3049910 1434.800 TONS MISC. Permanent Aggregate Edge Treatment  0170 4020521 7503.400 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)			SHWORTHY END TERM				
Section 0003     Route T Carroll - JST0099  0160							
Route T Carroll - JST0099  0160 3049910 1434.800 TONS	Section 0002 Tota	∄1					
Route T Carroll - JST0099  0160 3049910 1434.800 TONS							
Route T Carroll - JST0099  0160 3049910 1434.800 TONS							
0160 3049910 1434.800 TONS  MISC. Permanent Aggregate Edge Treatment  0170 4020521 7503.400 TONS  BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)	Section 0003						
MISC. Permanent Aggregate Edge Treatment  0170 4020521 7503.400 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)	Route T Carrol	1 - JST0099					
0170 4020521 7503.400 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)	0160	3049910	1434.800	TONS			
0170 4020521 7503.400 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)		MISC. Perm	anent Aggregate E				
	0170	4020521	7503.400				
			PAVEMENT MIXTURE	PG58-28H (SURF	'ACE LEVELING)		
Section 0003 Total	Section 0003 Tota	al					

0180	3049910 868.400 TONS	
)100	MISC. Permanent Aggregate Edge Treatment	
)190	4020521 4597.100 TONS	
	BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)	
ection 0004	Total	
ection 0005		
Route E Ca	arroll - JST0099	
200	3049910 1648.800 TONS	
	MISC. Permanent Aggregate Edge Treatment	
)210	4020521 9470.600 TONS	
	BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)	
Section 0005	Total	
Section 0006 Route UU 0	Carroll - JST0099	
0220	3049910 1709.600 TONS	
	MISC. Permanent Aggregate Edge Treatment	
)230	4020521 9122.600 TONS	
3200	BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)	
Section 0006	Total	
Section 0007 Route EE I	Linn - JST0099	
0240	3049910 816.000 TONS	
	MISC. Permanent Aggregate Edge Treatment	
)250	4020521 4387.500 TONS	
	BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)	
Section 0007	Total	
Section 0008 Route W Ch	hariton - JST0099	
0260	3049910 1020.300 TONS	
	MISC. Permanent Aggregate Edge Treatment	
)270	4020521 5643.800 TONS	
	BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)	
Section 0008	Total	
Section 0009	Linn - JST0099	

1579.000 TONS

0280

3049910

Contract ID: 240920-A06

	MISC. Permanent Aggregate Edge Treatment
0290	4020521 8390.800 TONS
	BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)
Section 0009 T	otal
Section 0010 Route W Line	n - JST0099
0300	3049910 797.700 TONS MISC. Permanent Aggregate Edge Treatment
0310	4020521 4141.700 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)
Section 0010 T	
Section 0011 Route ZZ Lin	nn - JST0099
0320	3049910 787.700 TONS MISC. Permanent Aggregate Edge Treatment
0330	4020521 4202.400 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)
Section 0011 T	otal
Section 0012 ADD ALTERNA	TE 1 - Route NN Carroll - JST0099
0340	3049910 560.100 TONS
0350	MISC. Permanent Aggregate Edge Treatment 4020521 2952.400 TONS
	BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)
0360	4029910 60.300 TONS MISC. Replacement of Damaged Pavement
0370	4071005 3444.000 GAL TACK COAT
0380	6206001C 33543.000 LF 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0390	6224010 153.000 SQYD  MODIFIED COLDMILLING (DEPTH TRANSITIONS)
0400	6229905 150.700 SQYD
Section 0012 T	MISC. Removal of Damaged Pavement
Section 0013 ADD ALTERNA	TE 2 - Route C Chariton - JST0099
0410	3049910 1101.700 TONS  MISC. Permanent Aggregate Edge Treatment
0420	4020521 5907.300 TONS
0430	BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING) 4029910 120.300 TONS

Contract ID: 240920-A06

	MISC. Replacement of Damaged Pavement
0440	4071005 6919.000 GAL
0450	TACK COAT 6206001C 61055.000 LF
	4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0460	6224010 493.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS)
0470	6229905 300.800 SQYD MISC. Removal of Damaged Pavement
Section 001	
Section 001	
	RNATE 3 - Route UU Chariton - JST0099
0480	3049910 527.700 TONS  MISC. Permanent Aggregate Edge Treatment
0490	4020521 2682.300 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)
0500	4029910 54.300 TONS MISC. Replacement of Damaged Pavement
0510	4071005 3103.000 GAL TACK COAT
0520	6206001C 31061.000 LF 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0530	6224010 376.000 SQYD MODIFIED COLDMILLING (DEPTH TRANSITIONS)
0540	6229905 135.800 SQYD MISC. Removal of Damaged Pavement
Section 001	
Thom Make 3	40.00
Item Total	\$0.00

# DBE CERTIFICATION

- (6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 0 slots at 1000 hours per slot or 0 hours.
- (7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

- (A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 0 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.
- (B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

# CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

- (10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.
- (11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and misrepresentation or omission of fact within the bid submission.
- (11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes  $\bigcirc$  No  $\bigcirc$ 

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

#### SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if

requested by the Design Division or the engineer. SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK: SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK: SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
Submitted:
aubilitited:

#### SIGNATURE AND IDENTITY OF BIDDER

#### (15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

\*\*\* AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. \*\*\*

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

# Yes No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

# BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

\*\*Pay by: Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

#### ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

\*\*Bond ID: Verify Clear

\*\*Surety Registry Agency:

\*\*Bond Pct:

Surety State:

FIELDS WITH THE \*\* INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS