STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING Contract I.D. 241018-F03

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S): FAF 366-1(5)

Job J6S3582 Route 366 ST LOUIS County

BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.

2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.

3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.

4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.

5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.

6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.

7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.

8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.

9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check Bid)at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to nonresponsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

TABLE OF CONTENTS

Notice to Contractors

Proposed Work	item	(1)
Compliance With Contract Provisions	item	(2)
Period of Performance	item	(3)
Liquidated Damages	item	(4)
Itemized Bid	item	(5)
Trainees	item	(6)
DBE Certification*	item	(7)
Acceptance of Provision for Price Adjustment for Fuel	item	(8a)
Acceptance of Provision for Asphalt Cement Price Index	item	(8b)
Max. Monetary Value of Awards Accepted this Bid Opening	item	(9)
Combination Bids	item	(10)
Certification for Federal Jobs	item	(11a)
Certification for State Jobs	item	(11b)
Antidiscrimination	item	(12)
Preference to Missouri Firms in Awarding of Contracts	item	(13)
Subcontractor Disclosure Form*	.item	(14)
Signature and Identity of Bidder	item	(15)
Bid Guaranty*	item	(16)

*These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 10/18/2024.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

(1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:

****(1): Job J6S3582 Route 366 ST LOUIS County. Resurface, bridge replacement, ADA improvements, and signal improvements west of Geyer Road to the Saint Louis City limit, the total length of improvement being 6.29 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

(2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876.

(3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.

(4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity	Unit	Unit Price	Extension Price
Section 0001 ROADWAY ITEMS	- J6S3582				
	REMOVAL OF IM				
0020	2031000 CLASS A EXCAN	1282.000 ATTON			
0030	2036000 COMPACTING EM	317.000 IBANKMENT			
0040	2039901 MISC. GROUND	1.000			
0050	2063000 Class 3 excav	1623.000 ATION	CUYD		
0060	2065500 TEMPORARY SHO	1.000			
0070	2079909 MISC. LINEAR	474.600	2 - MODIFIED		
0080	FURNISHING RC	91.000 CK FILL	CUYD		
0090	PLACING ROCK	91.000 FILL	CUYD		
0100	2159910 MISC. SHAPING	6.000 SLOPES CLASS	III - MODIFIED MATER	AIAL REQUIREMENT	
0110	3040183 TYPE 1 AGGREG	44.000	SQYD 8 IN. THICK)		
0120	3040504		SQYD		
0130		3465.000	SQYD 6 IN THICK)		
0140	4011209 BITUMINOUS PA	7.100	TONS		
0150	4030003	21144.800		 ()	
0160		20928 800	TONS		
0170	4079912	38838.000	GAL ing or Non-Tracking		
0180	5021310 CONCRETE PAVE	1105.600	SQYD	JOINTS)	
0190	5021332	1954.600			
0200	5021334	205.600			
0210	5041000 CONCRETE APPF	290.500	SQYD		
0220	6039902	5.000 TO GRADE WATER	EA		
0230	6039902		EA		
0240	6042010	122.000			

	ADJUSTING MANHOLE
0250	6042020 211.000 EA
	ADJUSTING BASIN OR INLET
0260	6044013 4.000 EA
	PIPE COLLAR, TYPE C
0270	6071011A 113.000 LF
	CHAIN-LINK FENCE (48 IN.)
0280	6081012 2354.000 SQFT
	TRUNCATED DOMES
0290	6083006 1043.300 SQYD
0250	6 IN. CONCRETE MEDIAN STRIP
0300	6084024 56.000 LF
	SIDEWALK HAND-RAILING WITH BALUSTERS
	6085008 17674.900 SQYD
	PAVED APPROACH, 8 IN.
0320	6086004 16157.300 SQYD
	CONCRETE SIDEWALK, 4 IN.
0330	6086007 736.400 SQYD
	CONCRETE SIDEWALK, 7 IN.
0340	6089902 565.000 EA
0010	MISC. ADA CURB RAMP
0350	6089905 213.000 SQYD
0360	6089905 312.200 SQYD
	MISC. PAVED APPROACH, 7 IN., HIGH EARLY STRENGTH
0370	6089905 70.800 SQYD
	MISC. PAVED APPROACH, 8 IN., HIGH EARLY STRENGTH
	6091010 3798.000 LF
	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S
0390	6091041 59.000 LF
	CONCRETE GUTTER TYPE A
0400	6091052 10528.000 LF
	CURB AND GUTTER TYPE B
	6092011 1313.000 LF
0410	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A
0420	6092021 987.000 LF
0430	6097000 5.000 CUYD
	ROCK LINING
	6113020 803.000 CUYD
	FURNISHING TYPE 2 ROCK BLANKET
	6113040 803.000 CUYD
	PLACING TYPE 2 ROCK BLANKET
0460	6116010A 238.000 SQYD
	SLOPE PROTECTION
0470	6131010 987.100 SQYD
0110	FURNISHING AND PLACING CONCRETE MATERIAL FOR FULL DEPTH PAVEMENT REPAIR
0480	6131012 197.000 SQYD SUBCRADE COMPACTION (6 IN DEPTH) (PAMEMENT REPAID)
	6131013 197.000 SQYD
	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)

0.5.0.0	
0500	6131014 3944.000 LF FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS)
0510	6131015 1410.000 EA
0010	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR
0520	6131017 185.000 EA
	DOWEL BAR (FURNISHING AND INSTALLATION WITH BASKETS) FOR FULL DEPTH PAVEMENT REPAIR
0530	6131018 321.000 EA
	TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR (TYPE L JOINTS)
0540	6141120 33.000 EA
	CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MM X 600MM)
0550	6143012 22.000 EA
	MANHOLE FRAME AND COVER, TYPE 2
0560	6149902 2.000 EA
	MISC. CONVERT GRATE INLET TO CURB INLET
0570	6149902 16.000 EA
	MISC. CONVERT INLET TO MANHOLE
0580	6149902 1.000 EA MISC. SIDEWALK TRENCH DRAIN
0590	6161098A 4.000 EA
	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED CMS?
0600	6169901 1.000 LS
	MISC. LUMP SUM TEMPORARY TRAFFIC CONTROL
0610	6173000 399.000 LF
	CONCRETE TRAFFIC BARRIER, TYPE C
0620	6173103 256.000 LF CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB)
0630	6181000 1.000 LS
	MOBILIZATION
0640	6191000 801.000 LF
	PAVEMENT EDGE TREATMENT
0650	6200009 219.000 LF
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 6 IN. WHITE
0660	6200015 2795.000 LF
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE
0670	6200021 178.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
0680	6200024 2.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW
0690	6200027 3.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT
0700	6200030 2.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, WORD (ONLY)
0710	6200036 861.000 EA
	preformed thermoplastic pavement marking, 30 in white midblock
0720	6200042 157.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES
0730	6205901A 73486.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS

0740	6205902A 120938.000 LF
	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0750	6205903A 3121.000 LF
	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0760	6206000C 3110.000 LF
	4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0770	6207001 5655.000 LF
	PAVEMENT MARKING REMOVAL
0780	6207002 10.000 EA
	PAVEMENT MARKING REMOVAL (SYMBOLS)
0790	6208063 43.000 EA
	TEMPORARY PAVEMENT MARKING
0800	6208076 19073.000 LF
0810	6209901 1.000 LS
	MISC. TEMPORARY PAVEMENT MARKING PAINT
0820	6209902 53.000 EA
0830	6209902 53.000 EA
	MISC. 18 IN. YELLOW ISLAND TUBULAR MARKER
0840	6221001 258233.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
0850	6221011 626.000 SQYD COLDMILLING CONCRETE PAVEMENT FOR REMOVAL OF SURFACE
0860	
0000	PERMANENT EROSION CONTROL GEOTEXTILE
0870	
0870	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING
0870	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING
0880	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS
	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS
0880	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7261012 361.000 LF 12 IN. PIPE GROUP A
0880	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7261012 361.000 LF 12 IN. PIPE GROUP A 7261015 494.000 LF
0880	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7261012 361.000 LF 12 IN. PIPE GROUP A 7261015 494.000 LF
0880	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7261012 361.000 LF 12 IN. PIPE GROUP A
0880 0890 0900	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7261012 361.000 LF 12 IN. PIPE GROUP A 7261015 494.000 LF 15 IN. PIPE GROUP A 7261018 152.000 LF 18 IN. PIPE GROUP A
0880 0890 0900	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7261012 361.000 LF 12 IN. PIPE GROUP A 7261015 494.000 LF 15 IN. PIPE GROUP A 7261018 152.000 LF
0880 0890 0900 0910 0920	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7261012 361.000 LF 12 IN. PIPE GROUP A 7261015 494.000 LF 15 IN. PIPE GROUP A 7261018 152.000 LF 18 IN. PIPE GROUP A 7261024 169.000 LF 24 IN. PIPE GROUP A
0880 0890 0900 0910 0920	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7261012 361.000 LF 12 IN. PIPE GROUP A 7261015 494.000 LF 15 IN. PIPE GROUP A 7261018 152.000 LF 18 IN. PIPE GROUP A 7261024 169.000 LF 24 IN. PIPE GROUP A 7261030 20.000 LF
0880 0890 0900 0910 0920 0930	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7261012 361.000 LF 12 IN. PIPE GROUP A 7261015 494.000 LF 15 IN. PIPE GROUP A 7261018 152.000 LF 18 IN. PIPE GROUP A 7261024 169.000 LF 24 IN. PIPE GROUP A 7261030 20.000 LF 30 IN. PIPE GROUP A
0880 0890 0900 0910 0920	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7261012 361.000 LF 12 IN. PIPE GROUP A 7261015 494.000 LF 15 IN. PIPE GROUP A 7261018 152.000 LF 18 IN. PIPE GROUP A 7261024 169.000 LF 24 IN. PIPE GROUP A 7261030 20.000 LF 30 IN. PIPE GROUP A 7261036 129.000 LF
0880 0890 0900 0910 0920 0930	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7261012 361.000 LF 12 IN. PIPE GROUP A 7261015 494.000 LF 15 IN. PIPE GROUP A 7261018 152.000 LF 18 IN. PIPE GROUP A 7261024 169.000 LF 24 IN. PIPE GROUP A 7261030 20.000 LF 30 IN. PIPE GROUP A 7261036 129.000 LF 36 IN. PIPE GROUP A
0880 0890 0900 0910 0920 0930 0940	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7261012 361.000 LF 12 IN. PIPE GROUP A 7261015 494.000 LF 15 IN. PIPE GROUP A 7261018 152.000 LF 18 IN. PIPE GROUP A 7261024 169.000 LF 24 IN. PIPE GROUP A 7261030 20.000 LF 30 IN. PIPE GROUP A 7261036 129.000 LF 36 IN. PIPE GROUP A 7261036 129.000 LF 36 IN. PIPE GROUP A 7310048 65.000 FT
0880 0890 0900 0910 0920 0930 0940 0950	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7261012 361.000 LF 12 IN. PIPE GROUP A 7261015 494.000 LF 15 IN. PIPE GROUP A 7261018 152.000 LF 18 IN. PIPE GROUP A 7261024 169.000 LF 24 IN. PIPE GROUP A 7261030 20.000 LF 30 IN. PIPE GROUP A 7261036 129.000 LF 36 IN. PIPE GROUP A 7261036 129.000 LF 36 IN. PIPE GROUP A 7310048 65.000 FT PRECAST CONCRETE MANHOLE - 48 IN.
0880 0890 0900 0910 0920 0930 0940 0950	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7261012 361.000 LF 12 IN. PIPE GROUP A 7261015 494.000 LF 15 IN. PIPE GROUP A 7261018 152.000 LF 18 IN. PIPE GROUP A 7261024 169.000 LF 24 IN. PIPE GROUP A 7261030 20.000 LF 30 IN. PIPE GROUP A 7261036 129.000 LF 36 IN. PIPE GROUP A 7310048 65.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310060 8.000 FT
0880 0890 0900 0910 0920 0930 0940 0950 0960	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7261012 361.000 LF 12 IN. PIPE GROUP A 7261015 494.000 LF 15 IN. PIPE GROUP A 7261018 152.000 LF 18 IN. PIPE GROUP A 7261024 169.000 LF 24 IN. PIPE GROUP A 7261030 20.000 LF 30 IN. PIPE GROUP A 7261036 129.000 LF 36 IN. PIPE GROUP A 7310048 65.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310060 8.000 FT PRECAST CONCRETE MANHOLE - 60 IN.
0880 0890 0900 0910 0920 0930 0940 0950 0960 0970	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7261012 361.000 LF 12 IN. PIPE GROUP A 7261015 494.000 LF 15 IN. PIPE GROUP A 7261018 152.000 LF 18 IN. PIPE GROUP A 7261024 169.000 LF 24 IN. PIPE GROUP A 7261030 20.000 LF 30 IN. PIPE GROUP A 7261036 129.000 LF 36 IN. PIPE GROUP A 7310048 65.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310060 8.000 FT PRECAST CONCRETE MANHOLE - 60 IN. 7310072 6.000 FT
0880 0890 0900 0910 0920 0930 0940 0950 0960 0970	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7261012 361.000 LF 12 IN. PIPE GROUP A 7261015 494.000 LF 15 IN. PIPE GROUP A 7261018 152.000 LF 18 IN. PIPE GROUP A 7261024 169.000 LF 24 IN. PIPE GROUP A 7261030 20.000 LF 30 IN. PIPE GROUP A 7261036 129.000 LF 36 IN. PIPE GROUP A 7310048 65.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310060 8.000 FT PRECAST CONCRETE MANHOLE - 60 IN. 7310072 6.000 FT PRECAST CONCRETE MANHOLE - 72 IN.
0880 0890 0900 0910 0920 0930 0940 0950 0960 0970 0980	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7261012 361.000 LF 12 IN. PIPE GROUP A 7261015 494.000 LF 15 IN. PIPE GROUP A 7261018 152.000 LF 18 IN. PIPE GROUP A 7261024 169.000 LF 24 IN. PIPE GROUP A 7261030 20.000 LF 30 IN. PIPE GROUP A 7261036 129.000 LF 36 IN. PIPE GROUP A 7310048 65.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310060 8.000 FT PRECAST CONCRETE MANHOLE - 60 IN. 7310072 6.000 FT PRECAST CONCRETE MANHOLE - 72 IN. 7311022 116 000 FT
0880 0890 0900 0910 0920 0930 0940 0950 0960 0970 0980	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7201000 610.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7261012 361.000 LF 12 IN. PIPE GROUP A 7261015 494.000 LF 15 IN. PIPE GROUP A 7261018 152.000 LF 18 IN. PIPE GROUP A 7261024 169.000 LF 24 IN. PIPE GROUP A 7261030 20.000 LF 30 IN. PIPE GROUP A 7261036 129.000 LF 36 IN. PIPE GROUP A 7310048 65.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310060 8.000 FT PRECAST CONCRETE MANHOLE - 60 IN. 7310072 6.000 FT PRECAST CONCRETE MANHOLE - 72 IN.

	MISC. SINGLE STREET INLET
1000	7319913 24.000 FT
	MISC. SPECIAL STRUCTURE
1010	7320615A 3.000 EA
	15 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
1020	7320624A 1.000 EA
	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
	7320636A 1.000 EA
	36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
1040	8031000A 24259.000 SQYD
	TURF TYPE TALL FESCUE SODDING
1050	8039905A 52.000 SQYD
	MISC. LANDSCAPING RESTORATION
	8061007A 293.000 EA
	CURB INLET CHECK
1070	8061016 458.000 CUYD
	SEDIMENT REMOVAL
1080	8061019 12756.000 LF
	SILT FENCE
1090	8061050 338.000 LF
	TYPE C BERM
Section 0001 Tot	
22202011 0001 100	

Section 0002 GUARDRAIL	2 //GUARD CABLE ITEMS - J6S	3582	
1100	6061060	850.000 LF	
	MGS GUARDRAI	ΓL	
1110	6061074	2.000 EA	
	MGS HEIGHT A	AND BLOCK TRANSITION	
1120	6061080	1.000 EA	
	MGS END ANCH	IOR	
1130	6063014	4.000 EA	
	TYPE A CRASH	HWORTHY END TERMINAL	(MASH)
1140	6063020	3.000 EA	
	TYPE C CRASH	WORTHY END TERMINAL	(MASH)

Section 0003 LIGHTING ITEMS	- J6S3582
1150	9013004 333.000 LF CONDUIT, 4 IN. RIGID, IN TRENCH
1160	9014004 358.000 LF CONDUIT, 4 IN. RIGID, PUSHED
1170	9015010 70.000 LF TRENCHING TYPE I
1180	9016110 5.000 EA PULL BOX, PREFORMED CLASS 1
1190	9016112 1.000 EA PULL BOX, PREFORMED CLASS 3

1200	9017110 380.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
1210	9017407 610.000 LF CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG
1220	9018230 5.000 EA POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)
1230	9018245 1.000 EA POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)
	9019902 4.000 EA MISC. 30 FT. TOP MOUNT LIGHT POLE
1250	MISC. 45 FT. TOP MOUNT LIGHT POLE
1260	MISC. TOP MOUNTED LED-A LUMINAIRE
	9019902 1.000 EA MISC. TOP MOUNTED LED-B LUMINAIRE
Section 0003 Tota	

Section 0004

	ITEMS - J6S3582
1280	9020111 1.000 EA
	SIGNAL HEAD, TYPE 1T
1290	9020113 1.000 EA
	SIGNAL HEAD, TYPE 3T
1300	9020213 16.000 EA
	SIGNAL HEAD, TYPE 3S
1310	9020214 1.000 EA
	SIGNAL HEAD, TYPE 4S
1320	9020513 80.000 EA
	SIGNAL HEAD, TYPE 3B
1330	9020514 19.000 EA
	SIGNAL HEAD, TYPE 4B
1340	9020833 664.000 SQFT
	SH-FLAT SHEET - SIGNAL SIGN
1350	9020834 86.000 EA
	SIGNAL SIGN, MOUNTING HARDWARE
1360	9022651 20.000 EA
	LUMINAIRE LED-A, 120 VOLT COMPATIBLE
1370	9022708 42.000 EA
	POST, SIGNAL 8 FT.
1380	9022715 2.000 EA
	POST, SIGNAL 15 FT.
390	9023120 1.000 EA
	POST, TYPE CL, 20 FT. ARM OR 6.1 M ARM
400	9023125 1.000 EA
	POST, TYPE CL, 25 FT. ARM OR 7.6 M ARM
410	9023130 3.000 EA
	POST, TYPE CL, 30 FT. ARM OR 9.1 M ARM
420	9023135 4.000 EA
	POST, TYPE CL, 35 FT. ARM OR 10.7 M ARM

1430	9023145 2.000 EA
	POST, TYPE CL, 45 FT. ARM OR 13.7 M ARM
1440	9023150 4.000 EA
	POST, TYPE CL, 50 FT. ARM OR 15.2 M ARM
1450	9023215 1.000 EA
	POST, TYPE C, 15 FT. ARM OR 4.6 M ARM
1460	9023220 1.000 EA
	POST, TYPE C, 20 FT. ARM OR 6.1 M ARM
1470	9023225 2.000 EA
	POST, TYPE C, 25 FT. ARM OR 7.6 M ARM
1480	9023230 1.000 EA
	POST, TYPE C, 30 FT. ARM OR 9.1 M ARM
1490	9023235 4.000 EA
	POST, TYPE C, 35 FT. ARM OR 10.7 M ARM
1500	9023240 6.000 EA
	POST, TYPE C, 40 FT. ARM OR 12.2 M ARM
1510	9023245 5.000 EA
	POST, TYPE C, 45 FT. ARM OR 13.7 M ARM
1520	9023250 2.000 EA
	POST, TYPE C, 50 FT. ARM OR 15.2 M ARM
1530	9023430 1.000 EA
	POST, TYPE BL, LONGEST ARM 30 FT. OR 9.1 M
1540	9023440 1.000 EA
	POST, TYPE BL, LONGEST ARM 40 FT. OR 12.2 M
1550	9024283 11.000 EA
	CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER
1560	9025300 1986.000 LF
	CONDUIT, 3 IN., TRENCH WITH TRACER WIRE
1570	CONDUIT, 3 IN., TRENCH WITH TRACER WIRE 9027300 4293.000 LF
1570	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE
	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE
1570 1580	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
1570 1580 1590	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET 9028208 2240.000 LF
1570 1580 1590	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET 9028208 2240.000 LF
1570 1580 1590	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
1570 1580 1590 1600	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET 9028208 2240.000 LF CABLE, 8 AWG 1 CONDUCTOR, POWER 9028302 3390.000 LF CABLE, 12 AWG 2 CONDUCTOR
1570 1580 1590 1600	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET 9028208 2240.000 LF CABLE, 8 AWG 1 CONDUCTOR, POWER 9028302 3390.000 LF CABLE, 12 AWG 2 CONDUCTOR
1570 1580 1590 1600 1610	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET 9028208 2240.000 LF CABLE, 8 AWG 1 CONDUCTOR, POWER 9028302 3390.000 LF CABLE, 12 AWG 2 CONDUCTOR 9028308 14550.000 LF CABLE, 16 AWG 2 CONDUCTOR
1570 1580 1590 1600 1610 1620	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET 9028208 2240.000 LF CABLE, 8 AWG 1 CONDUCTOR, POWER 9028302 3390.000 LF CABLE, 12 AWG 2 CONDUCTOR 9028308 14550.000 LF CABLE, 16 AWG 2 CONDUCTOR 9028310 14660.000 LF
1570 1580 1590 1600 1610 1620	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET 9028208 2240.000 LF CABLE, 8 AWG 1 CONDUCTOR, POWER 9028302 3390.000 LF CABLE, 12 AWG 2 CONDUCTOR 9028308 14550.000 LF CABLE, 16 AWG 2 CONDUCTOR 9028310 14660.000 LF
1570 1580 1590 1600 1610 1620	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET 9028208 2240.000 LF CABLE, 8 AWG 1 CONDUCTOR, POWER 9028302 3390.000 LF CABLE, 12 AWG 2 CONDUCTOR 9028308 14550.000 LF CABLE, 16 AWG 2 CONDUCTOR 9028310 14660.000 LF CABLE, 16 AWG 5 CONDUCTOR
1570 1580 1590 1600 1610 1620 1630	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET 9028208 2240.000 LF CABLE, 8 AWG 1 CONDUCTOR, POWER 9028302 3390.000 LF CABLE, 12 AWG 2 CONDUCTOR 9028308 14550.000 LF CABLE, 16 AWG 2 CONDUCTOR 9028310 14660.000 LF CABLE, 16 AWG 5 CONDUCTOR 9028311 24650.000 LF CABLE, 16 AWG 5 CONDUCTOR
1570 1580 1590 1600 1610 1620 1630	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET 9028208 2240.000 LF CABLE, 8 AWG 1 CONDUCTOR, POWER 9028302 3390.000 LF CABLE, 12 AWG 2 CONDUCTOR 9028308 14550.000 LF CABLE, 16 AWG 2 CONDUCTOR 9028310 14660.000 LF CABLE, 16 AWG 5 CONDUCTOR 9028311 24650.000 LF
1570 1580 1590 1600 1610 1620 1630 1640	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET 9028208 2240.000 LF CABLE, 8 AWG 1 CONDUCTOR, POWER 9028302 3390.000 LF CABLE, 12 AWG 2 CONDUCTOR, POWER 9028308 14550.000 LF CABLE, 12 AWG 2 CONDUCTOR 9028310 14550.000 LF CABLE, 16 AWG 2 CONDUCTOR 9028310 14660.000 LF CABLE, 16 AWG 5 CONDUCTOR 9028311 24650.000 LF CABLE, 16 AWG 7 CONDUCTOR 9028310 2.000 EA PULL BOX, PREFORMED CLASS 1
1570 1580 1590 1600 1610 1620 1630 1640	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET 9028208 2240.000 LF CABLE, 8 AWG 1 CONDUCTOR, POWER 9028302 3390.000 LF CABLE, 12 AWG 2 CONDUCTOR 9028308 14550.000 LF CABLE, 16 AWG 2 CONDUCTOR 9028310 14660.000 LF CABLE, 16 AWG 5 CONDUCTOR 9028311 24650.000 LF CABLE, 16 AWG 5 CONDUCTOR 9028311 24650.000 LF CABLE, 16 AWG 7 CONDUCTOR 9028310 2.000 EA
1570 1580 1590 1600 1610 1620 1630 1640 1650	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET 9028208 2240.000 LF CABLE, 8 AWG 1 CONDUCTOR, POWER 9028302 3390.000 LF CABLE, 12 AWG 2 CONDUCTOR 9028308 14550.000 LF CABLE, 16 AWG 2 CONDUCTOR 9028310 14660.000 LF CABLE, 16 AWG 5 CONDUCTOR 9028311 24650.000 LF CABLE, 16 AWG 7 CONDUCTOR 9028310 24650.000 LF CABLE, 16 AWG 7 CONDUCTOR 9028810 2.000 EA PULL BOX, PREFORMED CLASS 1 9028811 35.000 EA PULL BOX, PREFORMED CLASS 2
1570 1580 1590 1600 1610 1620 1630 1640 1650	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, FOLE AND BRACKET 9028208 2240.000 LF CABLE, 8 AWG 1 CONDUCTOR, FOWER 9028302 3390.000 LF CABLE, 12 AWG 2 CONDUCTOR 9028308 14550.000 LF CABLE, 16 AWG 2 CONDUCTOR 9028310 14660.000 LF CABLE, 16 AWG 5 CONDUCTOR 9028311 24650.000 LF CABLE, 16 AWG 7 CONDUCTOR 9028311 24650.000 LF CABLE, 16 AWG 7 CONDUCTOR 9028810 2.000 EA PULL BOX, PREFORMED CLASS 1 9028811 35.000 EA PULL BOX, PREFORMED CLASS 2
1570 1580 1590 1600 1610 1620 1630 1640 1650 1660	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET 9028208 2240.000 LF CABLE, 8 AWG 1 CONDUCTOR, POWER 9028302 3390.000 LF CABLE, 12 AWG 2 CONDUCTOR 9028308 14550.000 LF CABLE, 16 AWG 2 CONDUCTOR 9028310 14660.000 LF CABLE, 16 AWG 5 CONDUCTOR 9028311 24650.000 LF CABLE, 16 AWG 7 CONDUCTOR 9028311 24650.000 LF CABLE, 16 AWG 7 CONDUCTOR 9028310 2.000 EA PULL BOX, PREFORMED CLASS 1 9028811 35.000 EA PULL BOX, PREFORMED CLASS 2 9028812 15.000 EA PULL BOX, PREFORMED CLASS 3
1570 1580 1590 1600 1610 1620 1630 1640 1650 1660	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET 9028208 2240.000 LF CABLE, 8 AWG 1 CONDUCTOR, POWER 9028302 3390.000 LF CABLE, 12 AWG 2 CONDUCTOR 9028308 14550.000 LF CABLE, 16 AWG 2 CONDUCTOR 9028310 14660.000 LF CABLE, 16 AWG 5 CONDUCTOR 9028311 24650.000 LF CABLE, 16 AWG 7 CONDUCTOR 9028311 24650.000 LF CABLE, 16 AWG 7 CONDUCTOR 9028311 24650.000 LF CABLE, 16 AWG 7 CONDUCTOR 9028810 2.000 EA PULL BOX, PREFORMED CLASS 1 9028811 35.000 EA PULL BOX, PREFORMED CLASS 2 9028812 15.000 EA PULL BOX, PREFORMED CLASS 3
1570 1580 1590 1600 1610 1620 1630 1640 1650 1660 1670	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET 9028208 2240.000 LF CABLE, 8 AWG 1 CONDUCTOR, POWER 9028302 3390.000 LF CABLE, 12 AWG 2 CONDUCTOR 9028308 14550.000 LF CABLE, 16 AWG 2 CONDUCTOR 9028310 14660.000 LF CABLE, 16 AWG 5 CONDUCTOR 9028311 24650.000 LF CABLE, 16 AWG 7 CONDUCTOR 9028810 2.000 EA PULL BOX, PREFORMED CLASS 1 9028811 35.000 EA PULL BOX, PREFORMED CLASS 2 9028812 15.000 EA PULL BOX, PREFORMED CLASS 3 9028812 15.000 EA PULL BOX, PREFORMED CLASS 3 902100 163.800 CUYD BASE, CONCRETE 163.800 CUYD
1570 1580 1590 1600 1610 1620 1630 1640 1650 1660 1670	9027300 4293.000 LF CONDUIT, 3 IN., PUSHED WITH TRACER WIRE 9028100 2250.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET 9028208 2240.000 LF CABLE, 8 AWG 1 CONDUCTOR, POWER 9028302 3390.000 LF CABLE, 12 AWG 2 CONDUCTOR 9028308 14550.000 LF CABLE, 16 AWG 2 CONDUCTOR 9028310 14660.000 LF CABLE, 16 AWG 5 CONDUCTOR 9028311 24650.000 LF CABLE, 16 AWG 7 CONDUCTOR 9028810 2.000 EA PULL BOX, PREFORMED CLASS 1 9028811 35.000 EA PULL BOX, PREFORMED CLASS 2 9028812 15.000 EA PULL BOX, PREFORMED CLASS 3 9028812 15.000 EA PULL BOX, PREFORMED CLASS 3 902100 163.800 CUYD BASE, CONCRETE 163.800 CUYD

	TEMPORARY TRAFFIC SIGNALS AND LIGHTING
1690	9029901 1.000 LS
	MISC. TRAFFIC SIGNAL MAINTENANCE & PROGRAMMING
1700	9029902 80.000 EA
	MISC. AUDIBLE PEDESTRIAN PUSHBUTTON AND SIGNING WITH VERBAL WALK MESSAGE
1710	9029902 11.000 EA
	MISC. COMBINATION PAD MOUNTED 120V/240V POWER SUPPLY AND LIGHTING CONTROLLER WITH UPS
1720	9029902 75.000 EA
	MISC. COUNTDOWN PEDESTRIAN SIGNAL HEAD, TYPE 1S
1730	9029902 14.000 EA
	MISC. INSTALL MODOT FURNISHED TRAFFIC SIGNAL CONTROLLER
1740	9029902 14.000 EA
	MISC. NETWORK CONNECTED SIGNAL MONITOR
1750	9029902 6.000 EA
	MISC. PEDESTRIAN PUSH BUTTON EXTENSION
1760	9029902 6.000 EA
	MISC. PEDESTRIAN PUSH BUTTON STANCHION, 4 FT.
1770	9029902 100.000 EA
	MISC. POT HOLING UTILITY FACILITIES
1780	9029902 3.000 EA
	MISC. POWERED R3-1 LED BLANK-OUT SIGN
1790	9029902 2.000 EA
	MISC. RECTANGULAR RAPID FLASHING BEACON SYSTEM
1800	9029902 14.000 EA
	MISC. SL DISTRICT TRAFFIC SIGNAL DETECTION SYSTEM
Section 0004	

Section 0005 SIGNING I	5 TEMS - J6S3582
1810	9031010 1.000 CUYD CONCRETE FOOTINGS, EMBEDDED
1820	9031020 0.300 CUYD CONCRETE FOOTINGS, BOLT DOWN
1830	9031210 930.000 LB STRUCTURAL STEEL POSTS
1840	PIPE POSTS
	9031241 16.000 EA BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)
1860	9031270A 1113.000 LF 2 IN. PSST POST - 12 GA.
1870	9031271A 65.000 EA DRIVEN POST ANCHOR FOR 2 IN. PSST - 12 GA.
1880	CONCRETE POST ANCHOR FOR 2 IN. PSST 7 GA.
1890	9031280 352.000 LF 2.5 IN. PSST POST - 12 GA.
1900	9031281A 23.000 EA DRIVEN POST ANCHOR FOR 2.5 IN. PSST - 7 GA.

_

1910	9031285 Concrete post an	3.000 EA CHOR FOR 2.5 IN. PSST 7 GA.
1920	9035004A SH-FLAT SHEET	317.000 SQFT
1930	9035011A ST-STRUCTURAL	204.000 SQFT
1940	9035069A SHF-FLAT SHEET F	215.000 SQFT JUORESCENT
1950	9039902 MISC. REMOVE AND	100.000 EA RELOCATE EXISTING GROUND MOUNT SIGN

Section 0006 ITS ITEMS - J6S3582				
1960	9109901	1.000 LS		
		ITS ASSET MANAGEMENT TOOL		
1970	9109901	1.000 LS		
		REMOVAL OF EXISTING FIBER OPTIC CABLE		
1980	9109902	39.000 EA		
		ADJUST TO GRADE MODOT PULL BOX		
1990		3.000 EA		
	MISC.	CCTV CAMERA ASSEMBLY		
2000	9109902	4.000 EA		
	MISC.	CCTV EXTENSION POLE, 20' METALLIC FINISH		
2010	9109902	438.000 EA		
		FIBER OPTIC FUSION SPLICE		
2020	9109902			
	MISC.	FIBER OPTIC JUMPER		
2030	9109902	72.000 EA		
	MISC.	FIBER OPTIC PIGTAIL		
2040	9109902	3.000 EA		
		INSTALL CCTV CAMERA ASSEMBLY		
2050	9109902	9.000 EA		
	MISC.	INSTALL CONDUIT INTO EXISTING BOX		
2060	9109902	11.000 EA		
	MISC.	INSTALL MODOT FURNISHED IP-ADDRESSABLE POWER STRIP		
2070	9109902	11.000 EA		
		INSTALL OR RELOCATE EXISTING COMMUNICATION EQUIPMENT		
2080	9109902	1.000 EA		
		INTERCEPT CONDUIT WITH PULL BOX		
2090	9109902	3.000 EA		
		ITS PULL BOX WITH CONCRETE PAD, PREFORMED CLASS 2		
2100	9109902	4.000 EA		
	MISC.	ITS PULL BOX WITH CONCRETE PAD, PREFORMED CLASS 5		
2110	9109902	3.000 EA		
		REMOVE AND RELOCATE EXISTING CCTV CAMERA		
2120	9109902	7.000 EA		
	MISC.	REMOVE IN-PAVEMENT WIRELESS DETECTION SYSTEM PER INTERSECTION		
2130	9109902	16.000 EA		
	MISC.	WALL-MOUNTED INTERCONNECT CENTER		

2140	9109903 1570.000 LF
	MISC. CCTV CAMERA CABLE
2150	9109903 300.000 LF
	MISC. CONDUIT REPAIR
2160	9109903 657.000 LF
	MISC. CONDUIT, HDPE, DRILL, 2"
2170	9109903 195.000 LF
	MISC. CONDUIT, HDPE, TRENCH, 2"
2180	9109903 33053.000 LF
	MISC. FIBER OPTIC CABLE, 24 STRAND SINGLE MODE
2190	9109903 1000.000 LF
	MISC. MODOT ITS ASSETS RELOCATION
Section 0006 Tota	1
Section 0000 10ta	±

Section 000 CRESTWOOD	7 D SIGNALS ITEMS - J6S3582
2200	9029901 1.000 LS
	MISC. PAINTING NB GLENWOOD SIGN MAST ARM AND POST
2210	9029901 1.000 LS
	MISC. PAINTING NEW SAPPINGTON INTERSECTION SIGNAL EQUIPMENT
2220	9029902 2.000 EA
	MISC. POWDER COATING SIGNAL EQUIPMENT, 15 FT POST
2230	9029902 3.000 EA
	MISC. POWDER COATING SIGNAL EQUIPMENT, 4 FT POST
2240	9029902 21.000 EA
	MISC. POWDER COATING SIGNAL EQUIPMENT, 8 FT POST
2250	9029902 1.000 EA
	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE BL POST W/ 30' LONGEST MAST ARM
2260	9029902 1.000 EA
	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE BL POST W/ 40' LONGEST MAST ARM
2270	9029902 1.000 EA
	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE C POST W/ 20' MAST ARM
2280	9029902 2.000 EA
	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE C POST W/ 25' MAST ARM
2290	9029902 1.000 EA
	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE C POST W/ 30' MAST ARM
2300	9029902 3.000 EA
	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE C POST W/ 40' MAST ARM
2310	9029902 2.000 EA
	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE C POST W/ 45' MAST ARM
2320	9029902 1.000 EA
	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE C POST W/ 50' MAST ARM
2330	9029902 1.000 EA
	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE CL POST W/ 20' MAST ARM
2340	9029902 1.000 EA
	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE CL POST W/ 30' MAST ARM
2350	9029902 1.000 EA
	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE CL POST W/ 35' MAST ARM
2360	9029902 3.000 EA
	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE CL POST W/ 50' MAST ARM

Section 0007 Total

2370	2061000 150.000 CUYD
	CLASS 1 EXCAVATION
2380	2065500 1.000 LS
	TEMPORARY SHORING
2390	2160500 1.000 LS
	REMOVAL OF BRIDGES
2400	5031010A 377.000 SQYD
	BRIDGE APPROACH SLAB (MAJOR)
2410	6073000 155.000 LF
	(30 IN.) DECORATIVE PEDESTRIAN FENCE(STRUCTURES)
2420	7021212 330.000 LF
	GALVANIZED STRUCTURAL STEEL PILES (12 IN)
2430	7025001 2.000 EA
2 100	DYNAMIC PILE TESTING
2440	7027000 22.000 EA
2 1 10	PILE POINT REINFORCEMENT
2450	7032003 74.800 CUYD
2400	CLASS B CONCRETE (SUBSTRUCTURE)
2460	
2460	7034219A 186.000 LF TYPE D BARRIER
2470	7034222 721.000 SQYD SLAB ON CONCRETE BEAM
2480	7034420 1519.000 SQFT
2490	7034430 1451.000 SQFT
	SIDEWALK (BRIDGES)
2500	7056050A 724.000 LF
	27 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM
2510	7071000 1.000 LS
	CONDUIT SYSTEM ON STRUCTURE
2520	7151001 2.000 EA
	VERTICAL DRAIN AT END BENTS
2530	7161003 20.000 EA
	LAMINATED NEOPRENE BEARING PAD (TAPERED)

Item Total

\$0.00

DBE List Summary

Project: FAF 366-1(5)
Bid Total: 0.00
Goal: 10.00% (0.00)
Total Entered: 0.00% (0.00)

Bidder ID: 0011540 Business Name: Company 1

ID Name

Supp?/Dist? Item Count

Amount Is Complete?

DBE CERTIFICATION

(6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 2 slots at 1000 hours per slot or 2000 hours.

(7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

(A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 10.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.

(B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/ or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

(10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.

(11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and material misrepresentation or omission of fact within the bid submission.

(11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes \bigcirc No \bigcirc

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

\$

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if requested by the Design Division or the engineer.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

*** AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. ***

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

() Yes () No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

**Bond ID: Verify Clear

**Surety Registry Agency:

**Bond Pct:

Surety State:

FIELDS WITH THE ** INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS