


DESIGN DESIGNATION		
RTE 54 S/O CRD OSAGE RIVER BRIDGE		
A.A.D.T - 2025 =	22,750	
A.A.D.T - 2035 =	22,900	
D.H.V. =	9.01%	
T =	15.40%	
V =	70 M.P.H	
D =	47.7%/ 52.3%	
FUNCTIONAL CLASS.	FREEWAY	
RTE 54 N/O CRD OSAGE RIVER BRIDGE		
A.A.D.T - 2025 =	25,016	
A.A.D.T - 2035 =	29,023	
D.H.V. =	8.28%	
T =	13.45%	
V =	70 M.P.H	
D =	49.5%/ 50.5%	
FUNCTIONAL CLASS.	FREEWAY	
RTE 54 S/O 52		
A.A.D.T - 2025 =	21,531	
A.A.D.T - 2035 =	23,230	
D.H.V. =	8.77%	
T =	9.87%	
V =	70 M.P.H	
D =	48.0%/ 52.0%	
FUNCTIONAL CLASS.	FREEWAY	
RTE 54 N/O 52		
A.A.D.T - 2025 =	17,152	
A.A.D.T - 2035 =	18,515	
D.H.V. =	8.85%	
T =	16.96%	
V =	70 M.P.H	
D =	48.0%/ 52.0%	
FUNCTIONAL CLASS.	FREEWAY	

NO NEW RIGHT OF WAY

CONVENTIONAL SYMBOLS (USED IN PLANS)		
	EXISTING	NEW
BUILDINGS AND STRUCTURES		
GUARD RAIL		
GUARD CABLE		
CONCRETE RIGHT-OF-WAY MARKER		
STEEL RIGHT-OF-WAY MARKER		
LOCATION SURVEY MARKER		
UTILITIES		
FIBER OPTICS	-FO-	-FO-
OVERHEAD CABLE TV	-OTV-	-OTV-
UNDERGROUND CABLE TV	-UTV-	-UTV-
OVERHEAD TELEPHONE	-OT-	-OT-
UNDERGROUND TELEPHONE	-UT-	-UT-
OVERHEAD POWER	-OE-	-OE-
UNDERGROUND POWER	-UE-	-UE-
SANITARY SEWER	-S-	-S-
STORM SEWER	-SS-	-SS-
GAS	-G-	-G-
WATER	-W-	-W-
MANHOLE		
FIRE HYDRANT		
WATER VALVE		
WATER METER		
DROP INLET		
DITCH BLOCK		
GROUND MOUNTED SIGN		
LIGHT POLE		
H-FRAME POWER POLE		
TELEPHONE PEDESTAL		
FENCE		
CHAIN LINK		
WOVEN WIRE		
GATE POST		
BENCHMARK		
NOTE: DASHED OR OPEN SYMBOLS INDICATE EXISTING FEATURES		



INDEX OF SHEETS	
DESCRIPTION	SHEET NUMBER
TITLE SHEET -----	1
TYPICAL SECTIONS (TS) (7 SHEETS)---	2
QUANTITIES (QU) (23 SHEETS)-----	3
PLAN-PROFILE (PP)-----	4-6
REFERENCE POINTS (RP)-----	7
COORDINATE POINTS (CP)-----	7
SPECIAL SHEETS (SS)-----	8-31
TRAFFIC CONTROL SHEETS (TC)-----	32-43
SIGNING (SN)-----	44-45
CROSS SECTIONS (XS)-----	1-6
LENGTH OF PROJECT	
RTE 54 WESTBOUND	
BEGINNING	L.M. 123.037
END	L.M. 145.243
APPARENT LENGTH	22.206 MILES
EQUATIONS AND EXCEPTIONS	
BRIDGE A2750	
BEGIN	L.M. 130.923
END	L.M. 130.961
BRIDGE A6291	
BEGIN	L.M. 131.603
END	L.M. 131.672
BRIDGE A5793	
BEGIN	L.M. 132.068
END	L.M. 132.122
BRIDGE A2752	
BEGIN	L.M. 134.228
END	L.M. 134.254
BRIDGE A2679	
BEGIN	L.M. 139.448
END	L.M. 139.486
BRIDGE A16752	
BEGIN	L.M. 141.481
END	L.M. 141.522
BRIDGE A8727	
BEGIN	L.M. 142.953
END	L.M. 143.001
BRIDGE A1479	
BEGIN	L.M. 144.844
END	L.M. 145.009
RTE 54 EASTBOUND	
BEGINNING	L.M. 126.641
END	L.M. 148.761
APPARENT LENGTH	22.120 MILES
EQUATIONS AND EXCEPTIONS	
BRIDGE A6358	
BEGIN	L.M. 126.832
END	L.M. 126.994
BRIDGE A8807	
BEGIN	L.M. 128.851
END	L.M. 128.898
BRIDGE A1675	
BEGIN	L.M. 130.306
END	L.M. 130.347
BRIDGE A2678	
BEGIN	L.M. 132.330
END	L.M. 132.368
BRIDGE A2752	
BEGIN	L.M. 137.573
END	L.M. 137.598
BRIDGE A5792	
BEGIN	L.M. 139.702
END	L.M. 139.754
BRIDGE A2751	
BEGIN	L.M. 140.191
END	L.M. 140.226
BRIDGE A2749	
BEGIN	L.M. 140.874
END	L.M. 140.919
TOTAL CORRECTIONS	0.924 MILES
NET LENGTH OF PROJECT	43.402 MILES
STATE LENGTH	43.402 MILES
FOR INFORMATION ONLY	
ESTIMATED DISTURBED ACRES	22.7 ACRES

STATE OF MISSOURI

RYAN JOSEPH LIBBERT

NUMBER

PE-2006019679

PROFESSIONAL ENGINEER

08/05/2024 12:33:47 PM

RYAN JOSEPH LIBBERT - CIVIL

MO-PE-2006019679

DATE PREPARED

8/5/2024

ROUTE

54

STATE

MO

DISTRICT

CD

SHEET NO.

1

COUNTY

MILLER

JOB NO.

J5P3500

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION


DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION


105 WEST CAPITOL

JEFFERSON CITY, MO 65102

1-888-ASK-MODOT (1-888-275-6636)




TYPICAL SECTION OF RTE 54 W.B.L.
L.M. 123.094 - L.M. 124.100



TYPICAL SECTION OF RTE 54 W.B.L.
L.M. 124.100 - L.M. 131.433
L.M. 134.066 - L.M. 134.254

SP125C (PG 70-22)	1.927 TON/YD ³
BP-1 (PG 64-22)	1.948 TON/YD ³
TACK COAT-COLDMILLED SURFACE	0.10 GAL/YD ²



DATE PREPARED
8/5/2024

ROUTE 54 STATE MO
DISTRICT CD SHEET NO. 2

COUNTY MILLER

JOB NO. J5P3500



CONTRACT ID.

PROJECT NO.


BRIDGE NO.

DATE	DESCRIPTION





TYPICAL SECTION SHEET
WESTBOUND LANES
SHEET 2 OF 7



STATE OF MISSOURI
RYAN JOSEPH LIBBERT
NUMBER
PE-2006019679
PROFESSIONAL ENGINEER
08/05/2024 12:38:15 PM
RYAN JOSEPH LIBBERT - CIVIL
MO-PE-2006019679

DATE PREPARED
8/5/2024

ROUTE 54 STATE MO

DISTRICT CD SHEET NO. 2

COUNTY MILLER

JOB NO. J5P3500

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE


DATE

DATE


DATE

MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

1-888-ASK-MODOT (1-888-275-6636)



TYPICAL SECTION OF RTE 54 E.B.L.
L.M. 126.641- L.M. 128.586




TYPICAL SECTION OF RTE 54 E.B.L.
L.M. 128.586- L.M. 148.761

SP125C (PG 70-22)	1.927 TON/YD ³
BP-1 (PG 64-22)	1.948 TON/YD ³
TACK COAT-COLDMILLED SURFACE	0.10 GAL/YD ²

TYPICAL SECTION SHEET
EASTBOUND LANES
SHEET 3 OF 7

US54 WBL



STATE OF MISSOURI

RYAN JOSEPH LIBBERT

NUMBER PE-2008019679

PROFESSIONAL ENGINEER

08/05/2024 12:36:30 PM

RYAN JOSEPH LIBBERT - CIVIL

MO-PE-2008019679

DATE PREPARED

8/5/2024

ROUTE

54

STATE

MO

DISTRICT

CD

SHEET NO.

2

COUNTY

MILLER

JOB NO.

J5P3500

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL

JEFFERSON CITY, MO 65102

1-888-ASK-MODOT (1-888-275-6636)




TYPICAL SECTION SHEET

TRANSITION DETAILS

WESTBOUND

SHEET 4 OF 7

US54 EBL



TYPICAL SECTION SHEET
TRANSITION DETAILS
EASTBOUND
SHEET 5 OF 7

STATE OF MISSOURI

RYAN JOSEPH LIBBERT

NUMBER

PE-2006019679

PROFESSIONAL ENGINEER

08/05/2024 12:38:50 PM

RYAN JOSEPH LIBBERT - CIVIL

MO-PE-2006019679

DATE PREPARED

8/5/2024

ROUTE

54

DISTRICT

CD

STATE

MO

SHEET NO.

2

COUNTY

MILLER

JOB NO.

J5P3500

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE


DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL

JEFFERSON CITY, MO 65102

1-888-ASK-MODOT (1-888-273-6636)



* SHOULDER WIDTH VARIES FROM 1' TO 6' THROUGHOUT THE PROJECT LIMITS. WIDTH OF THE VEGETATIVE BARRIER SHALL BE ADJUSTED ACCORDINGLY.

TYPICAL SECTION SHEET
RTE 54 GUARD CABLE - WBL
SHEET 7 OF 7

REMOVAL OF IMPROVEMENTS - GUARDRAIL					
LOG MILE		LOCATION	ITEM	QTY FT	REMARKS
FROM	TO				
WBL					
131.552	131.617	RTE 54 WB LT.	GUARDRAIL	387.5	BEFORE BR A6291
131.573	131.617	RTE 54 WB RT.	GUARDRAIL	300	BEFORE BR A6291
132.000	132.068	RTE 54 WB LT.	GUARDRAIL	387.5	BEFORE BR A5793
132.015	132.068	RTE 54 WB RT.	GUARDRAIL	312.5	BEFORE BR A5793
135.234	135.282	RTE 54 WB LT.	GUARDRAIL	525	MEDIAN AT BR A2810
141.419	141.481	RTE 54 WB LT.	GUARDRAIL	350	BEFORE BR A16752
EBL					
130.358	130.440	RTE 54 WB RT.	GUARDRAIL	450	AFTER BR A16751
			TOTAL	1 LUMP SUM	

MOBILIZATION
1 LUMP SUM

CONTRACTOR SURVEYING & STAKING
TOTAL = 1 LUMP SUM

REMOVAL OF IMPROVEMENTS - SIGNS						
L.M. OR STA.	SIGN NO.	LOCATION	SIGN TYPE	NO. OF SIGNS	NO. OF POSTS	REMARKS
WBL						
126.583	5	WB LT.	WRONG WAY	1	1	REMOVE/SALVAGE/REPLACE - SEE JSP
126.623	6	WB LT.	DO NOT ENTER	1	2	REMOVE/SALVAGE/REPLACE - SEE JSP
129.520	9	WB LT.	WRONG WAY	1	1	REMOVE/SALVAGE/REPLACE - SEE JSP
137.851	14	WB LT.	WRONG WAY	1	1	REMOVE/SALVAGE/REPLACE - SEE JSP
137.911	15	WB LT.	DO NOT ENTER	1	1	REMOVE SIGN AND POST
137.930	16	WB LT.	ONE WAY ARROW	1	2	REMOVE/SALVAGE/REPLACE - SEE JSP
138.011	17	WB LT.	EAST, WEST, 54, 45 LT. ARROW (ADV), THRU ARROW	6	1	REMOVE/SALVAGE/REPLACE - SEE JSP
138.242	18	WB LT.	WRONG WAY	1	1	REMOVE/SALVAGE/REPLACE - SEE JSP
138.715	19	WB LT.	WRONG WAY	1	1	REMOVE/SALVAGE/REPLACE - SEE JSP
138.775	20	WB LT.	DO NOT ENTER	1	2	REMOVE/SALVAGE/REPLACE - SEE JSP
139.095	21	WB LT.	WRONG WAY	1	1	REMOVE/SALVAGE/REPLACE - SEE JSP
139.136	22	WB LT.	DO NOT ENTER / NO LEFT TURN	2	2	REMOVE/SALVAGE/REPLACE - SEE JSP
141.557	35	WB LT.	DO NOT ENTER	1	1	REMOVE SIGN AND POST
EBL						
148.257	1	EB LT.	DO NOT ENTER	1	2	REMOVE/SALVAGE/REPLACE - SEE JSP
148.217	2	EB LT.	WRONG WAY	1	1	REMOVE/SALVAGE/REPLACE - SEE JSP
146.697	3	EB LT.	DO NOT ENTER	1	1	REMOVE SIGN AND POST
146.630	4	EB LT.	WRONG WAY	1	1	REMOVE/SALVAGE/REPLACE - SEE JSP
145.746	7	EB LT.	WRONG WAY	1	1	REMOVE/SALVAGE/REPLACE - SEE JSP
145.786	8	EB LT.	DO NOT ENTER	1	1	REMOVE SIGN AND POST
135.715	10	EB LT.	WRONG WAY	1	1	REMOVE/SALVAGE/REPLACE - SEE JSP
135.756	11	EB LT.	DO NOT ENTER	1	1	REMOVE SIGN AND POST
134.897	12	EB LT.	WRONG WAY	1	1	REMOVE/SALVAGE/REPLACE - SEE JSP
134.958	13	EB LT.	DO NOT ENTER	1	1	REMOVE SIGN AND POST
131.918	23	EB LT.	EMERGENCY VEHICLE	1	1	REMOVE/SALVAGE/REPLACE - SEE JSP
131.937	24	EB LT.	WRONG WAY	1	1	REMOVE/SALVAGE/REPLACE - SEE JSP
131.977	25	EB LT.	DO NOT ENTER	1	1	REMOVE SIGN AND POST
132.018	26	EB LT.	ONE WAY ARROW	1	2	REMOVE/SALVAGE/REPLACE - SEE JSP
131.718	27	EB LT.	WRONG WAY	1	1	REMOVE/SALVAGE/REPLACE - SEE JSP
131.757	28	EB LT.	DO NOT ENTER	1	1	REMOVE SIGN AND POST
131.337	30	EB LT.	WRONG WAY	1	1	REMOVE/SALVAGE/REPLACE - SEE JSP
131.356	31	EB LT.	DO NOT ENTER / NO LEFT TURN	2	2	REMOVE/SALVAGE/REPLACE - SEE JSP
131.156	32	EB LT.	WRONG WAY	1	1	REMOVE/SALVAGE/REPLACE - SEE JSP
131.197	33	EB LT.	DO NOT ENTER	1	1	REMOVE SIGN AND POST
131.237	34	EB LT.	ONE WAY ARROW	1	2	REMOVE/SALVAGE/REPLACE - SEE JSP
127.822	36	EB LT.	WRONG WAY	1	1	REMOVE/SALVAGE/REPLACE - SEE JSP
127.862	37	EB LT.	DO NOT ENTER	1	2	REMOVE/SALVAGE/REPLACE - SEE JSP
127.902	38	EB LT.	ONE WAY ARROW / NO LEFT TURN	2	1	REMOVE SIGNS AND POST
RAMP AT ROUTE 52						
1+88	40	RAMP RT.	NO TRUCK PARKING	1	1	REMOVE/SALVAGE/REPLACE - SEE JSP
2+47	42	RAMP RT.	BUS/54/52/LT. ARROW/RT. & LT. ARROW	5	1	REMOVE/SALVAGE/REPLACE - SEE JSP
3+37	43	RAMP RT.	YIELD	1	1	REMOVE SIGN AND POST
			TOTAL	1 LUMP SUM		

STATE OF MISSOURI

RYAN JOSEPH LIBBERT

NUMBER
PE-2006019679

PROFESSIONAL ENGINEER

08/05/2024 12:39:40 PM

RYAN JOSEPH LIBBERT - CIVIL

MO-PE-2006019679

DATE PREPARED

8/5/2024

ROUTE

54

STATE

MO

DISTRICT

CD

SHEET NO.

3

COUNTY

MILLER

JOB NO.

J5P3500

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION

MoDOT

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SUMMARY OF QUANTITIES
SHEET 4 OF 23



BITUMINOUS SHOULDER RUMBLE STRIPS					
LOG MILE		ROUTE	LENGTH FT	BIT SHDR	REMARK
FROM	TO			RUMBLE STRIPS STA	
WBL					
123.077	123.46	US54 WBL	2022.24	20.2	RT.
123.077	123.5	US 54 WBL	2233.44	22.3	LT.
123.560	124.923	US54 WBL	7196.64	72.0	LT.
123.560	124.984	US54 WBL	7518.72	75.2	RT.
125.124	126.025	US 54 WBL	4757.28	47.6	LT.
125.164	125.901	US 54 WBL	3891.36	38.9	RT.
126.061	126.583	US 54 WBL	2756.16	27.6	LT.
126.080	126.630	US 54 WBL	2904	29.0	RT.
126.662	127.342	US 54 WBL	3590.4	71.8	LT. & RT.
127.363	128.542	US 54 WBL	6225.12	62.3	RT.
127.363	128.602	US 54 WBL	6541.92	65.4	LT.
128.641	129.181	US 54 WBL	2851.2	28.5	LT.
128.641	129.460	US 54 WBL	4324.32	43.2	RT.
129.619	130.923	US 54 WBL	6885.12	68.9	LT.
129.878	130.597	US 54 WBL	3796.32	38.0	RT.
130.777	130.923	US 54 WBL	770.88	7.7	RT.
130.961	131.603	US 54 WBL	3389.76	67.8	LT. & RT.
131.672	132.068	US 54 WBL	2090.88	20.9	LT.
131.372	131.713	US 54 WBL	1800.48	18.0	RT.
131.852	132.068	US 54 WBL	1140.48	11.4	RT.
132.122	134.228	US 54 WBL	11119.68	111.2	LT.
132.122	132.294	US 54 WBL	908.16	9.1	RT.
132.474	134.228	US 54 WBL	9261.12	92.6	RT.
134.254	135.012	US 54 WBL	4002.24	40.0	RT.
134.254	135.991	US 54 WBL	9171.36	91.7	LT.
135.092	135.412	US 54 WBL	1689.6	16.9	RT.
135.552	136.031	US 54 WBL	2529.12	25.3	RT.
136.070	136.811	US 54 WBL	3912.48	39.1	LT.
136.070	136.851	US 54 WBL	4123.68	41.2	RT.
136.892	137.350	US 54 WBL	2418.24	48.4	LT. & RT.
137.391	137.772	US 54 WBL	2011.68	20.1	RT.
137.731	138.130	US 54 WBL	2106.72	21.1	LT.
137.951	138.773	US 54 WBL	4340.16	43.4	RT.
138.291	138.633	US 54 WBL	1805.76	18.1	LT.
138.813	139.153	US 54 WBL	1795.2	35.9	LT. & RT.
139.174	139.448	US 54 WBL	1446.72	14.5	RT.
139.375	139.448	US 54 WBL	385.44	3.9	LT.
139.486	140.300	US 54 WBL	4297.92	43.0	LT.
139.555	139.656	US 54 WBL	533.28	5.3	RT.
140.059	140.439	US 54 WBL	2006.4	20.1	RT.
140.460	141.116	US 54 WBL	3463.68	34.6	LT.
140.619	141.216	US 54 WBL	3152.16	31.5	RT.
141.260	141.481	US 54 WBL	1166.88	23.3	LT. & RT.
141.522	141.600	US 54 WBL	411.84	4.1	LT.
141.640	142.953	US 54 WBL	6932.64	69.3	LT.
141.959	142.614	US 54 WBL	3458.4	34.6	RT.
142.733	142.953	US 54 WBL	1161.6	11.6	RT.
143.001	143.115	US 54 WBL	601.92	6.0	RT.
143.001	144.478	US 54 WBL	7798.56	78.0	LT.
143.395	144.059	US 54 WBL	3505.92	35.1	RT.
144.099	144.499	US 54 WBL	2112	21.1	RT.
144.638	144.844	US 54 WBL	1087.68	21.8	LT. & RT.
145.200	145.243	US 54 WBL	227.04	4.5	LT.
			TOTAL	1953.1	
			USE	1953.1	

RUMBLE TOTALS				
	WB	EB	TOTAL	USE
SHOULDER RUMBLES	1,953.10	1,945.70	3,898.80	3,898.8

BITUMINOUS SHOULDER RUMBLE STRIPS					
LOG MILE		ROUTE	LENGTH FT	BIT SHDR	REMARKS
FROM	TO			RUMBLE STRIPS STA	
EBL					
126.662	126.832	US54 EBL	897.6	9.0	LT.
126.683	126.832	US54 EBL	786.72	7.9	RT.
126.994	127.081	US54 EBL	459.36	4.6	LT.
126.994	127.101	US54 EBL	564.96	5.6	RT.
127.241	128.851	US54 EBL	8500.8	85.0	LT.
127.241	127.862	US54 EBL	3278.88	32.8	RT.
127.922	128.540	US54 EBL	3263.04	32.6	RT.
128.779	128.851	US54 EBL	380.16	3.8	RT.
128.898	130.058	US54 EBL	6124.8	61.2	LT.
128.898	128.999	US54 EBL	533.28	5.3	RT.
129.280	130.219	US54 EBL	4957.92	49.6	RT.
130.179	130.306	US54 EBL	670.56	6.7	LT.
130.240	130.306	US54 EBL	348.48	3.5	RT.
130.360	130.479	US54 EBL	628.32	6.3	LT.
130.360	130.539	US54 EBL	945.12	9.5	RT.
130.619	131.377	US54 EBL	4002.24	40.0	LT.
130.958	131.216	US54 EBL	1362.24	13.6	RT.
131.256	131.377	US54 EBL	638.88	6.4	RT.
131.395	131.757	US54 EBL	1911.36	19.1	RT.
131.737	132.330	US54 EBL	3131.04	31.3	LT.
131.797	131.858	US54 EBL	322.08	3.2	RT.
132.037	132.330	US54 EBL	1547.04	15.5	RT.
132.368	132.479	US54 EBL	586.08	5.9	LT.
132.368	132.877	US54 EBL	2687.52	26.9	RT.
132.697	133.016	US54 EBL	1684.32	16.8	LT.
133.055	133.557	US54 EBL	2650.56	26.5	LT.
133.076	133.557	US54 EBL	2539.68	25.4	RT.
133.578	133.758	US54 EBL	950.4	9.5	RT.
133.737	134.317	US54 EBL	3062.4	30.6	LT.
133.937	135.735	US54 EBL	9493.44	94.9	RT.
134.497	134.937	US54 EBL	2323.2	23.2	LT.
134.977	135.735	US54 EBL	4002.24	40.0	LT.
135.795	137.573	US54 EBL	9387.84	93.9	LT.
135.814	136.275	US54 EBL	2434.08	24.3	RT.
136.356	136.735	US54 EBL	2001.12	20.0	RT.
136.894	137.573	US54 EBL	3585.12	35.9	RT.
137.598	139.375	US54 EBL	9382.56	93.8	RT.
137.598	139.702	US54 EBL	11109.12	111.1	LT.
139.496	139.676	US54 EBL	950.4	9.5	RT.
139.754	140.191	US54 EBL	2307.36	23.1	LT.
139.996	140.191	US54 EBL	1029.6	10.3	RT.
140.226	140.874	US54 EBL	3421.44	68.4	LT. & RT.
140.936	141.095	US54 EBL	839.52	8.4	RT.
140.936	142.033	US54 EBL	5792.16	57.9	LT.
141.255	142.094	US54 EBL	4429.92	44.3	RT.
142.514	143.176	US54 EBL	3495.36	35.0	RT.
142.636	143.136	US54 EBL	2640	26.4	LT.
143.216	144.417	US54 EBL	6341.28	63.4	LT.
143.216	144.436	US54 EBL	6441.6	64.4	RT.
144.497	145.116	US54 EBL	3268.32	32.7	LT.
144.497	145.136	US54 EBL	3373.92	33.7	RT.
145.178	145.618	US54 EBL	2323.2	23.2	LT.
145.178	145.780	US54 EBL	3178.56	31.8	RT.
145.819	146.520	US54 EBL	3701.28	37.0	LT.
145.819	146.559	US54 EBL	3907.2	39.1	RT.
146.740	148.217	US54 EBL	7798.56	78.0	LT.
146.740	148.257	US54 EBL	8009.76	80.1	RT.
148.297	148.750	US54 EBL	2391.84	47.8	LT. & RT.
			TOTAL	1945.7	
			USE	1945.7	

DATE PREPARED	
8/5/2024	
ROUTE	STATE
54	MO
DISTRICT	SHEET NO.
CD	3
COUNTY	
MILLER	
JOB NO.	
J5P3500	
CONTRACT ID.	

PROJECT NO.
BRIDGE NO.

[illegible]

MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102

COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING - 3" THICK OR LESS - CONTINUED							
LOG MILE		LOCATION	LENGTH FT	AVG WIDTH FT	DEPTH IN	BIT. PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) SY	REMARKS
135.422	135.505	RTE 54 WB	438.2	46	2	2,239.69	ACCEL LANE (RT) - 18'
135.505	135.546	RTE 54 WB	216.5	42	2	1,010.33	TAPER (RT) - 18' TO 10'
135.546	135.991	RTE 54 WB	2,349.6	30	2	7,832.00	
135.991	136.035	RTE 54 WB	232.3	36	2	929.20	TAPER (LT) - 4' TO 16'
136.050		RTE 54 WB		VAR	2	169.00	SEE SS #11 - CAVE DR. (RT)
136.050		RTE 54 WB		VAR	2	210.00	SEE SS #11 - CROSSOVER (LT)
136.035	136.054	RTE 54 WB	100.32	24	2	267.52	
136.054	136.806	RTE 54 WB	3,970.6	30	2	13,235.33	
136.806	136.866	RTE 54 WB	316.8	35	2	1,232.00	TAPER/ DECEL (LT) - 4' TO 14'
136.871		RTE 54 WB		VAR	2	140.00	SEE SS #12 - CROSSOVER (LT)
136.866	136.880	RTE 54 WB	73.92	24	2	197.12	
136.880	137.352	RTE 54 WB	2,492.2	30	2	8,307.33	
137.352	137.391	RTE 54 WB	205.92	24	2	549.12	
137.391	137.731	RTE 54 WB	1,795.2	26	2	5,186.13	
137.731	137.772	RTE 54 WB	216.5	30	2	721.67	
137.772	137.951	RTE 54 WB	945.1	28	2	2,940.31	
137.951	138.130	RTE 54 WB	945.1	30	2	3,150.33	
138.130	138.291	RTE 54 WB	850.1	26	2	2,455.84	
138.291	138.633	RTE 54 WB	1,805.8	30	2	6,019.33	
138.633	138.794	RTE 54 WB	850.1	26	2	2,455.84	
138.791		RTE 54 WB		VAR	2	182.00	SEE SS #14 - CROSSOVER (LT)
138.794	139.153	RTE 54 WB	1,895.5	30	2	6,318.33	
139.153	139.174	RTE 54 WB	110.9	24	2	295.73	
139.174	139.448	RTE 54 WB	1446.72	26	2.00	4,179.41	
BRIDGE EXCEPTION - A2679 - LOG MILE 139.448 TO LOG MILE 139.486							
139.486	139.555	RTE 54 WB	364.3	28	2	1,133.38	
139.555	139.656	RTE 54 WB	533.3	30	2	1,777.67	
139.656	140.059	RTE 54 WB	2,127.8	28	2	6,619.82	
140.059	140.300	RTE 54 WB	1,272.5	30	2	4,241.67	
140.300	140.439	RTE 54 WB	733.9	26	2	2,120.16	
140.439	140.468	RTE 54 WB	153.1	24	2	408.27	
140.468	140.619	RTE 54 WB	797.3	28	2	2,480.49	
140.619	141.116	RTE 54 WB	2,624.2	30	2	8,747.33	
141.116	141.135	RTE 54 WB	141.0	37	2	579.67	TAPER (LT) - 4' TO 14'
141.135	141.216	RTE 54 WB	427.7	38	2	1,805.84	DECEL LANE (LT) - 14'
141.230		RTE 54 WB		VAR	2	935.00	SEE SS #17 - CROSSOVER (LT)
141.216	141.241	RTE 54 WB	132.0	26	2	381.33	
141.241	141.481	RTE 54 WB	1,267.2	28	2	3,942.40	
BRIDGE EXCEPTION - A16752 - LOG MILE 141.481 TO LOG MILE 141.522							
141.522	141.604	RTE 54 WB	433.0	28	2	1,347.11	
141.560		RTE 54 WB		VAR	2	750.00	SEE SS #18 - OFFSET LEFT FROM EB (LT)
141.604	141.628	RTE 54 WB	126.72	24	2	337.92	
141.628	141.959			30	2		
141.959	142.006	RTE 54 WB	248.2	41	2	1,130.69	TAPER (LT) - 10' TO 16'
142.006	142.759	RTE 54 WB	3,975.8	44	2	19,437.24	DECEL LANE (LT) - 16'
142.854		RTE 54 WB	140.0	VAR	2	220.00	SEE SS #19 - BUS 54 RAMP (LT)
142.759	142.768	RTE 54 WB	47.52	24	2	126.72	
142.768	142.953	RTE 54 WB	976.8	30	2	3,256.00	
BRIDGE EXCEPTION - A8727 - LOG MILE 142.953 TO LOG MILE 143.001							
143.001	143.100	RTE 54 WB	522.7	30	2	1,742.33	
143.094		RTE 54 WB		VAR	2	504.00	SEE SS #20 - BUS 54 RAMP (RT)
143.100	143.147	RTE 54 WB	248.16	24	2	661.76	
143.147	143.306	RTE 54 WB	839.5	44	2	4,104.22	ACCEL LANE (RT) - 16'
143.306	143.386	RTE 54 WB	422.4	41	2	1,924.27	TAPER (RT) - 16' TO 10'
143.386	144.478	RTE 54 WB	5,765.8	30	2	19,219.33	
144.478	144.519		216.5	35	2	841.94	TAPER (LT) - 4' TO 14'
144.519	144.559	RTE 54 WB	211.2	51	2	1,196.80	TAPER (RT) - 10' TO 16'
144.559	144.611	RTE 54 WB	274.6	54	2	1,647.60	DECEL LANE (LT)
144.621		RTE 54 WB		VAR	2	535.00	SEE SS #21 - CROSSOVER (LT)
144.621		RTE 54 WB		VAR	2	795.00	SEE SS #21 - RIVER RD. (RT)
144.611	144.637	RTE 54 WB	137.28	24	2	366.08	
144.637	144.844	RTE 54 WB	1,093.0	30	2	3,643.33	
BRIDGE EXCEPTION - A1479 - LOG MILE 144.844 TO LOG MILE 145.009							
145.009	145.100	RTE 54 WB	480.5	42	2	2,242.33	TAPER SHLDR/DECEL (LT) - 4' TO 14', TAPER SHLDR/DECEL (RT) - 4' TO 16'
145.100	145.140	RTE 54 WB	211.2	54	2	1,267.20	DECEL LANE (LT) - 14', DECEL LANE (RT) - 16'
145.140	145.180	RTE 54 WB	211.2	65	2	1,525.33	OFFSET LEFT/ TAPER (LT) - 14' TO 35', DECEL (RT) - 16
145.246		RTE 54 WB		VAR	2	170.00	SEE SS #22 - CROSSOVER (LT)
145.246		RTE 54 WB		VAR	2	1,243.00	SEE SS #22 - RTE 242 RAMP (RT)
0.024	0.216	RP 54W TO 242	1,014.0	25	2	2,816.67	RP PAVEMENT (RT)
0.216	0.259	RP 54W TO 242	225.0	35	2	875.00	RP PAVEMENT (RT)
0.259	0.306	RP 54W TO 242	248.2	45	2	1,241.00	RP PAVEMENT (RT) - END PROJECT
145.180	145.183	RTE 54 WB	15.84	24	2	42.24	
145.183	145.243	RTE 54 WB	316.8	30	2	1,056.00	
				SUBTOTALS (2)		181,662.70	

SUMMARY OF QUANTITIES
SHEET 12 OF 23


COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING - 3" THICK OR LESS - CONTINUED							
LOG MILE		LOCATION	LENGTH FT			BIT. PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) SY	REMARKS
				AVG WIDTH FT	DEPTH IN		
FROM	TO						
0.014	0.162	RP 87 TO 54E	781.44	36	2	3,125.76	RP PAVEMENT
139.676		RTE 54 EB		VAR	2	300.00	SEE SS #8 - RAMP GORE AREA (RT)
139.675	139.694	RTE 54 EB	100.32	24	2	267.52	
139.694	139.702	RTE 54 EB	42.24	46	2	215.89	ACCEL LANE (RT) - 18'
BRIDGE EXCEPTION - A5792 - LOG MILE 139.702 TO LOG MILE 139.754							
139.754	139.896	RTE 54 EB	749.76	46	2	3,832.11	ACCEL LANE (RT) - 18'
139.896	140.000	RTE 54 EB	549.12	42	2	2,562.56	TAPER (RT) - 18' TO 10'
140.000	140.136	RTE 54 EB	718.08	30	2	2,393.60	
140.136	140.191	RTE 54 EB	290.40	36	2	1,161.60	SHLDR WIDENING (LT) - 10'
BRIDGE EXCEPTION - A2751 - LOG MILE 140.191 TO LOG MILE 140.226							
140.226	140.256	RTE 54 EB	158.40	33	2	580.80	SHLDR WIDENING TAPER (LT) - 10' TO 4'
140.256	140.815	RTE 54 EB	2,951.52	31	2	10,166.35	SHLDR WIDENING TAPER (LT) - 4' TO 6'
140.815	140.874	RTE 54 EB	311.52	32	2	1,107.63	
BRIDGE EXCEPTION - A2749 - LOG MILE 140.874 TO LOG MILE 140.919							
140.919	140.955	RTE 54 EB	190.08	31	2	654.72	SHLDR WIDENING TAPER (LT) - 6' TO 4'
140.955	141.085	RTE 54 EB	686.40	30	2	2,288.00	
141.085		RTE 54 EB		VAR	2	738.00	SEE SS #7 - RAMP GORE AREA (RT)
141.085	141.118	RTE 54 EB	174.24	24	2	464.64	
141.118	141.207	RTE 54 EB	469.92	46	2	2,401.81	ACCEL LANE (RT) - 18'
141.207	141.249	RTE 54 EB	221.76	42	2	1,034.88	TAPER (RT) - 18' TO 10'
141.249	142.030	RTE 54 EB	4,123.68	26	2	11,912.85	
142.030	142.094	RTE 54 EB	337.92	37	2	1,389.23	TAPER (LT) - 6' TO 16'
142.094	142.126	RTE 54 EB	168.96	40	2	750.93	DECEL LANE (LT) - 16'
142.126	142.218	RTE 54 EB	485.76	47	2	2,536.75	SEE SS #6 - OFFSET LEFT (LT) - 16' TO 30'
142.173	142.214	RTE 54 EB	216.48	30	2	721.60	SHLDR (LT) - 8' TO 4'
142.222	142.240	RTE 54 EB	95.04	24	2	253.44	
142.240	142.312	RTE 54 EB	380.16	28	2	1,182.72	
142.312	142.334	RTE 54 EB	116.16	34	2	438.83	TAPER (LT) - 4' TO 16'
142.334	142.634	RTE 54 EB	1584	26	2	4,576.00	DECEL LANE - J-TURN (LT) - 16' TO 36'
142.514	142.634	RTE 54 EB	633.6	26	2	1,830.40	
142.634	143.139	RTE 54 EB	2,666.40	30	2	8,888.00	
143.139	143.195	RTE 54 EB	295.68	34	2	1,117.01	SHLDR WIDENING (LT) - 8'
143.202		RTE 54 EB		VAR.	2	255.00	SEE SS #5 - CROSSOVER (LT)
143.195	143.214	RTE 54 EB	100.32	24	2	267.52	
143.214	144.417	RTE 54 EB	6,351.84	30	2	21,172.80	
144.417	144.457	RTE 54 EB	180.00	36	2	720.00	TAPER (LT) - 4' TO 16'
144.471		RTE 54 EB		VAR.	2	315.00	SEE SS #4 - CROSSOVER (LT)
144.457	144.476	RTE 54 EB	100.32	24	2	267.52	
144.476	145.114	RTE 54 EB	3,368.64	30	2	11,228.80	
145.114	145.136	RTE 54 EB	116.16	36	2	464.64	TAPER (LT) - 4' TO 16'
145.136	145.156	RTE 54 EB	105.60	53	2	621.87	TAPER (RT) - 10' TO 16'
145.156	145.165	RTE 54 EB	47.52	56	2	295.68	DECEL (LT) - 16', DECEL (RT) - 16'
145.172		RTE 54 EB		VAR.	2	315.00	SEE SS #3 - CROSSOVER (LT)
145.172		RTE 54 EB		VAR.	2	760.00	SEE SS #3 - ROUTE MM (RT)
145.165	145.187	RTE 54 EB	116.16	24	2	309.76	
145.187	145.608	RTE 54 EB	2,222.88	30	2	7,409.60	
145.608	145.679	RTE 54 EB	374.88	35	2	1,457.87	TAPER (LT) - 2' TO 16'
145.679	145.699	RTE 54 EB	105.60	42	2	492.80	DECEL LANE (LT) - 16'
145.699	145.797	RTE 54 EB	517.44	72	2	4,139.52	DECEL LANE (LT) - 16' TO 75'
145.800		RTE 54 EB		VAR.	2	240.00	SEE SS #3 - CROSSOVER (LT)
145.797	145.818	RTE 54 EB	110.88	24	2	295.68	
145.818	146.518	RTE 54 EB	3,696.00	30	2	12,320.00	
146.518	146.563	RTE 54 EB	237.60	34	2	897.60	TAPER (LT) - 4' TO 16'
146.563	146.630	RTE 54 EB	353.76	40	2	1,572.27	DECEL LANE (LT) - 16'
146.630	146.709	RTE 54 EB	417.12	52	2	2,410.03	DECEL LANE (LT) - 16' TO 40'
146.709	146.719	RTE 54 EB	52.80	24	2	140.80	
146.719	146.740	RTE 54 EB	110.88	28	2	344.96	
146.740	148.216	RTE 54 EB	7,793.28	30	2	25,977.60	
148.216	148.249	RTE 54 EB	174.24	41	2	793.76	TAPER/ DECEL LANE (LT) - 4' TO 25'
148.273	148.294	RTE 54 EB	110.88	41	0.75	505.12	TAPER (LT) - 25' TO 4'
148.318	148.761	RTE 54 EB	2,339.04	30	2	7,796.80	
					SUBTOTALS (4)	172,681.63	
					SUBTOTALS (1)	281,309.43	
					SUBTOTALS (2)	181,662.70	
					SUBTOTALS (3)	242,252.73	
					TOTAL	877,906.49	
					USE	877,906	

SUMMARY OF QUANTITIES
SHEET 14 OF 23

[illegible]

SUMMARY OF QUANTITIES
SHEET 16 OF 23

PAVEMENT MARKINGS - US 54 WB - CONTINUED																			
LOG MILE		LOCATION	LENGTH (FT)	HIGH BUILD WATERBORNE PAV. MARK. PAINT, TYPE L BEADS						WATERBORNE PAV. MARK. PAINT, TYPE P BEADS			PREFORMED THERMOPLASTIC INTERSECTION MARKING						REMARKS
				6" SOLID YELLOW (FT)	6" INTER YELLOW (FT)	6" SOLID WHITE (FT)	6" INTER WHITE (FT)	12" SOLID WHITE (FT)	8" SOLID WHITE (FT)	8" INTER WHITE (FT)	4" SOLID WHITE (FT)	4" INTER WHITE (FT)	4" SOLID YELLOW (FT)	LEFT/ RIGHT ARROW (EACH.)	STRT ARROW (EACH)	COMBO STRT/LT/RT FISH HOOK ARROW (EACH)	12" WHITE (FT)	24" WHITE (FT)	
FROM	TO																		
0.055	0.274	RAMP 2 LT.	1,156.32	1,156.32															EDGE LINE
131.875	132.279	RTE 54 WB RT.	2,133.12			2,133.12													EDGE LINE
132.279	132.301	RTE 54 WB RT.	116.16					116.16											GORE LINE
132.301	132.329	RTE 54 WB RT.	147.84					147.84											LANE LINE
132.329	132.365	RTE 54 WB RT.	190.08				47.52												LINE EXTENSION (3' LONG, 9' GAP)
0.015	0.220	RAMP 4 RT.	1,082.40			1,082.40													EDGE LINE
0.015	0.204	RAMP 4 LT.	997.92	997.92															EDGE LINE
0.204	0.220	RAMP 4 LT.	84.48					84.48											GORE LINE
132.301	135.088	RTE 54 WB RT.	14,715.36			14,715.36													EDGE LINE
135.006	135.072	RTE 54 WB RT.	348.48				87.12												LINE EXTENSION (3' LONG, 9' GAP)
135.072	135.088	RTE 54 WB RT.	84.48					84.48											LANE LINE
135.088	135.133	RTE 54 WB RT.	237.60					237.60											GORE LINE
0.004	0.135	RAMP 2 RT.	691.68			691.68													EDGE LINE
0.004	0.035	RAMP 2 LT.	163.68					163.68											GORE LINE
0.035	0.135	RAMP 2 LT.	528.00	528.00															EDGE LINE
0.137		RAMP 2														15		15	STOP BAR AND YIELD BAR
135.133	135.371	RTE 54 WB RT.	1,256.64			1,256.64													EDGE LINE
135.371	135.405	RTE 54 WB RT.	179.52					179.52											GORE LINE
135.405	135.438	RTE 54 WB RT.	174.24					174.24											LANE LINE
135.438	135.473	RTE 54 WB RT.	184.80				46.20												LINE EXTENSION (3' LONG, 9' GAP)
0.014	0.167	RAMP 4 RT.	807.84			807.84													EDGE LINE
0.014	0.159	RAMP 4 LT.	765.60	765.60															EDGE LINE
0.159	0.167	RAMP 4 LT.	42.24					42.24											GORE LINE
135.405	137.917	RTE 54 WB RT.	13,263.36			13,263.36													EDGE LINE
136.062	137.352	RTE 54 WB LT.	6,811.20	6,811.20															EDGE LINE
137.352	137.374	RTE 54 WB RT.	116.16				29.04												BUBBLE (3' LONG, 9' GAP)
137.352	137.721	RTE 54 WB LT.	1,948.32				487.08												ACCEL. LANE
137.357	138.277	RTE 54 WB LT.	4,857.60	4,857.60															EDGE LINE
137.761	137.868	RTE 54 WB RT.	564.96			141.24													DECEL. LANE (3' LONG, 9' GAP)
137.868	137.935	RTE 54 WB RT.	353.76					353.76											LANE LINE
137.935		RTE 54 WB RT.	90.00						90.00										ISLAND MARKING
137.946	139.506	RTE 54 WB RT.	8,236.80			8,236.80													EDGE LINE
138.118	138.240	RTE 54 WB LT.	644.16				161.04												DECEL. LANE (3' LONG, 9' GAP)
138.240	138.282	RTE 54 WB LT.	221.76					221.76											DECEL. LANE
138.275		RTE 54 WB LT.	70.00			70.00													J-TURN
138.282	138.787	RTE 54 WB LT.	2,666.40	2,666.40															EDGE LINE
138.632	138.737	RTE 54 WB LT.	554.40				138.60												DECEL. LANE (3' LONG, 9' GAP)
138.737	138.787	RTE 54 WB LT.	264.00					264.00											LANE LINE
138.772	138.787	RTE 54 WB LT.	79.20			79.20													OFFSET LEFT
138.787		RTE 54 WB LT.	45.00			45.00													CROSSOVER EDGELINE
138.787		RTE 54 WB LT.															6		YIELD BAR
138.787	138.792	RTE 54 WB LT.	26.40		6.60														CROSSOVER - (3' LONG, 9' GAP)
138.792	139.153	RTE 54 WB LT.	1,906.08	1,906.08															EDGE LINE
139.153	139.174	RTE 54 WB RT.	110.88																BUBBLE (3' LONG, 9' GAP)
139.153	139.367	RTE 54 WB LT.	1,129.92				27.72												ACCEL. LANE (3' LONG, 9' GAP)
139.157	140.462	RTE 54 WB LT.	6,890.40	6,890.40															EDGE LINE
139.523		RTE 54 WB RT.	95.00					95.00											ISLAND MARKING - COPPERHEAD RD.
139.524	139.660	RTE 54 WB RT.	718.08			718.08													EDGE LINE
139.645	139.743	RTE 54 WB RT.	517.44				129.36												RIGHT LANE LINE (3' LONG, 9' GAP)
139.743	139.815	RTE 54 WB RT.	380.16					380.16											RIGHT LANE LINE
139.815		RTE 54 WB RT.	65.00						65.00										ISLAND MARKING - BEAR LAKE RD.
139.815	139.966	RTE 54 WB RT.	797.28				199.32												RIGHT LANE LINE (3' LONG, 9' GAP)
139.819	140.016	RTE 54 WB RT.	1,040.16			1,040.16													EDGE LINE
139.966	140.030	RTE 54 WB RT.	160.00					160.00											RIGHT LANE LINE
140.030		RTE 54 WB RT.	65.00						65.00										ISLAND MARKING - HOWSER RD.
140.039	140.585	RTE 54 WB RT.	2,882.88			2,882.88													EDGE LINE
140.303	140.408	RTE 54 WB LT.	554.40				138.60												DECEL. LANE (3' LONG, 9' GAP)
140.408	140.468	RTE 54 WB LT.	316.80																LEFT LANE LINE
140.449	140.537	RTE 54 WB RT.	464.64				116.16												RIGHT LANE LINE (3' LONG, 9' GAP)
140.462		RTE 54 WB LT.	70.00			70.00													J-TURN
140.468	141.222	RTE 54 WB LT.	3,981.12	3,981.12															EDGE LINE
140.537	140.606	RTE 54 WB RT.	364.32					364.32											RIGHT LANE LINE
140.606		RTE 54 WB RT.	105.00						105.00										ISLAND MARKING - WALNUT GROVE RD.
140.608	141.587	RTE 54 WB RT.	5,169.12			5,169.12													EDGE LINE
141.138	141.165	RTE 54 WB LT.	142.56				35.64												LEFT LANE LINE (3' LONG, 9' GAP)

		DATE PREPARED 8/5/2024	
ROUTE 54		STATE MO	
DISTRICT CD		SHEET NO. 3	
COUNTY MILLER			
JOB NO. J5P3500			
CONTRACT ID.			
PROJECT NO.			
BRIDGE NO.			
DESCRIPTION			
DATE			
MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION			
			
105 WEST CAPITAL JEFFERSON CITY, MO 65102 1-888-ASK-MODOT (1-888-275-6636)			

[illegible]


PAVEMENT MARKINGS - US 54 EB																			
LOG MILE		LOCATION	LENGTH (FT)	HIGH BUILD WATERBORNE PAV. MARK. PAINT, TYPE L BEADS						WATERBORNE PAV. MARK. PAINT, TYPE P BEADS			PREFORMED THERMOPLASTIC INTERSECTION MARKING						REMARKS
				6" SOLID YELLOW (FT)	6" INTER YELLOW (FT)	6" SOLID WHITE (FT)	6" INTER WHITE (FT)	12" SOLID WHITE (FT)	8" SOLID WHITE (FT)	8" INTER WHITE (FT)	4" SOLID WHITE (FT)	4" INTER WHITE (FT)	4" SOLID YELLOW (FT)	LEFT/ RIGHT ARROW (EACH.)	STRT ARROW (EACH)	COMBO STRT/LT/RT FISH HOOK ARROW (EACH)	12" WHITE (FT)	24" WHITE (FT)	
FROM	TO																		
126.638	127.212	RTE 54 EB LT.	3,030.72	3,030.72			29,202.36												EDGELINE
126.638	148.761	RTE 54 EB	116,809.44																CENTERLINE
126.638	126.640	RTE 54 EB RT.	10.56																RIGHT LANE LINE
126.638		WOOD RIVER RD.			32.00			58.00											EDGELINE AND ISLAND MARKING
126.665	127.208	RTE 54 EB RT.	2,867.04																EDGELINE
127.116	127.218	RTE 54 EB LT.	538.56			538.56													LEFT LANE LINE
127.146	127.218	RTE 54 EB RT.	380.16			380.16													RIGHT LANE LINE
127.218	127.223	RTE 54 EB RT.	26.40				6.60												CROSSOVER (3' LONG, 9' GAP)
127.218	127.232	RTE 54 EB LT.	73.92				18.48												CROSSOVER (3' LONG, 9' GAP)
127.233		OSAGE RIVER BRIDGE RD.			188.00			40.00											OSAGE RIVER BRIDGE RD. - EDGELINES AND ISLAND MARKING
127.223	127.228	RTE 54 EB RT.	26.40			26.40													EDGELINE
127.228	127.241	RTE 54 EB RT.	68.64				17.16												RIGHT LANE LINE (3' LONG, 9' GAP)
127.232	130.230	RTE 54 EB LT.	15,829.44	15,829.44															EDGELINE
127.241	128.784	RTE 54 EB RT.	8,147.04		8,147.04														EDGELINE (INCLUDES PARTIAL RAMP)
128.596	128.662	RTE 54 EB RT.	348.48																RIGHT LANE LINE (3' LONG, 9' GAP)
128.662	128.784	RTE 54 EB RT.	644.16				87.12												GORE
128.719	128.784	RTE 54 EB RT.	343.20					343.20											GORE ON RAMP
128.784	129.005	RTE 54 EB RT.	1,166.88			1,166.88													EDGELINE
129.005	129.022	RTE 54 EB RT.	89.76					89.76											GORE ON RAMP
129.005	129.102	RTE 54 EB RT.	512.16					512.16											GORE AND LANE LINE
129.005	130.600	RTE 54 EB RT.	8,421.60			8,421.60													EDGELINE
129.102	129.200	RTE 54 EB RT.	517.44				129.36												ACCEL. LANE (3' LONG, 9' GAP)
130.091	130.160	RTE 54 EB LT.	364.32				91.08												DECEL. LANE (3' LONG, 9' GAP)
130.160	130.185	RTE 54 EB LT.	132.00																GORE AND LANE LINE
130.173	130.185	RTE 54 EB LT.	63.36																GORE IN OFFSET LEFT
130.185	130.230	RTE 54 EB LT.	237.60			237.60													EDGELINE IN OFFSET LEFT
130.185	130.600	RTE 54 EB LT.	2,191.20	2,191.20															EDGELINE
130.504	130.528	RTE 54 EB LT.	126.72				31.68												LEFT LANE LINE (3' LONG, 9' GAP)
130.528	130.600	RTE 54 EB LT.	380.16			380.16													GORE AND LANE LINE
130.551	130.562	RTE 54 EB RT.	58.08				14.52												RIGHT LANE LINE (3' LONG, 9' GAP)
130.562	130.600	RTE 54 EB RT.	200.64					430.28											GORE AT RIGHT TURN LANE
130.590	130.600	RTE 54 EB LT.	90.80			181.60													EDGELINE ON 54 AND OFFSET LEFT AND CROSSOVER
130.600	130.609	RTE. 54 LT. & RT.	95.04				47.52												CROSSOVER (3' LONG, 9' GAP)
130.609	130.640	RTE 54 EB RT.	163.68																GORE AT ACCEL. LANE
130.610		ROUTE V			63.00							88.00				15			CENTERLINE, LANELINE AND STOP BAR
130.640	130.885	RTE 54 EB RT.	1,293.60				323.40												ACCEL. LANE (3' LONG, 9' GAP)
130.609	132.000	RTE 54 EB RT.	7,344.48			7,344.48													EDGELINE
130.609	131.366	RTE 54 EB LT.	3,996.96	3,996.96															EDGELINE
131.366	131.389	RTE 54 EB RT.	121.44				30.36												BUBBLE (3' LONG, 9' GAP)
131.366	131.741	RTE 54 EB LT.	1,980.00				495.00												ACCEL. LANE (3' LONG, 9' GAP)
131.371	132.157	RTE 54 EB LT.	4,150.08	4,150.08															EDGELINE
131.862	131.949	RTE 54 EB RT.	459.36				114.84												RIGHT LANE LINE (3' LONG, 9' GAP)
131.949	132.016	RTE 54 EB RT.	353.76			353.76													RIGHT LANE LINE
132.016		RTE 54 EB RT.	85.00					85.00											ISLAND MARKING - ALLEN RD.
132.028	133.031	RTE 54 EB RT.	5,295.84			5,295.84													EDGELINE
132.489	132.593	RTE 54 EB LT.	549.12				137.28												DECEL. LANE (3' LONG, 9' GAP)
132.593	132.688	RTE 54 EB LT.	501.60			501.60													DECEL. LANE LINE
132.688	133.037	RTE 54 EB LT.	1,842.72	1,842.72															EDGELINE
132.872	132.981	RTE 54 EB RT.	575.52				143.88												RIGHT LANE LINE (3' LONG, 9' GAP)
132.981	133.031	RTE 54 EB RT.	264.00																RIGHT LANE LINE
133.037	133.041	RTE 54 EB LT.	21.12																CROSSOVER (3' LONG, 9' GAP)
133.041		TOLWOOD RD.															30		STOP BAR
133.041	133.549	RTE 54 EB LT.	2,682.24	2,682.24															EDGELINE
133.065	133.900	RTE 54 EB RT.	4,408.80			4,408.80													EDGELINE
133.549	133.572	RTE 54 EB RT.	121.44				30.36												BUBBLE (3' LONG, 9' GAP)
133.549	133.731	RTE 54 EB LT.	960.96				240.24												ACCEL. LANE (3' LONG, 9' GAP)
133.553	134.357	RTE 54 EB LT.	4,245.12	4,245.12															EDGELINE
133.746	133.851	RTE 54 EB RT.	554.40				138.60												RIGHT LANE LINE (3' LONG, 9' GAP)
133.851	133.915	RTE 54 EB RT.	337.92					337.92											RIGHT LANE LINE
133.915		RTE 54 EB RT.	75.00																ISLAND MARKING - MIDWAY RD.
133.927	135.771	RTE 54 EB RT.	9,736.32			9,736.32													EDGELINE
134.319	134.424	RTE 54 EB LT.	554.40				138.60												DECEL. LANE (3' LONG, 9' GAP)
134.424	134.484	RTE 54 EB LT.	316.80			316.80													DECEL. LANE LINE
134.484	135.782	RTE 54 EB LT.	6,853.44	6,853.44															EDGELINE

SUMMARY OF QUANTITIES
SHEET 19 OF 23

PAVEMENT MARKINGS - US 54 EB - CONTINUED																			
LOG MILE		LOCATION	LENGTH (FT)	HIGH BUILD WATERBORNE PAV. MARK. PAINT, TYPE L BEADS						WATERBORNE PAV. MARK. PAINT, TYPE P BEADS			PREFORMED THERMOPLASTIC INTERSECTION MARKING						REMARKS
				6" SOLID YELLOW (FT)	6" INTER YELLOW (FT)	6" SOLID WHITE (FT)	6" INTER WHITE (FT)	12" SOLID WHITE (FT)	8" SOLID WHITE (FT)	8" INTER WHITE (FT)	4" SOLID WHITE (FT)	4" INTER WHITE (FT)	4" SOLID YELLOW (FT)	LEFT/ RIGHT ARROW (EACH.)	STRT ARROW (EACH)	COMBO STRT/LT/RT FISH HOOK ARROW (EACH)	12" WHITE (FT)	24" WHITE (FT)	
FROM	TO																		
135.771	135.782	RTE 54 EB RT.	58.08																EDGE LINE
135.782	135.787	RTE 54 EB RT.	26.40				6.60												CROSSOVER (3' LONG, 9' GAP)
135.786	135.792	RTE 54 EB RT.	31.68			31.68													EDGE LINE
135.792	135.802	RTE 54 EB RT.	52.80				13.20												CROSSOVER (3' LONG, 9' GAP)
135.792	142.212	RTE 54 EB LT.	33,897.60	33,897.60															EDGE LINE
135.792	136.360	RTE 54 EB RT.	2,999.04			2,999.04													EDGE LINE
136.279	136.355	RTE 54 EB RT.	401.28				100.32												DECEL. LANE (3' LONG, 9' GAP)
136.355	136.360	RTE 54 EB RT.	26.40					26.40											GORE ON RAMP
0.049	0.227	RAMP 3 LT. & RT.	939.84	939.84		599.84													EDGE LINES (RT. ENDS AT LM 0.161)
136.355	136.400	RTE 54 EB RT.	237.60					237.60											GORE
136.400	136.702	RTE 54 EB RT.	1,594.56			1,594.56													EDGE LINE
0.016	0.166	RAMP 1 LT. & RT.	792.00	792.00															EDGE LINES
136.702	136.766	RTE 54 EB RT.	337.92					337.92											GORE
136.716	136.733	RTE 54 EB RT.	89.76					89.76											GORE ON RAMP
136.716	139.510	RTE 54 EB RT.	14,752.32			14,752.32													EDGE LINE
136.766	136.808	RTE 54 EB RT.	221.76				55.44												ACCEL. LANE (3' LONG, 9' GAP)
139.370	139.478	RTE 54 EB RT.	570.24				142.56												DECEL. LANE (3' LONG, 9' GAP)
139.478	139.520	RTE 54 EB RT.	221.76					221.76											GORE
139.488	139.510	RTE 54 EB RT.	116.16					116.16											GORE ON RAMP
0.020	0.251	RAMP 3 LT. & RT.	1,219.68	1,219.68		1,219.68													EDGE LINES
139.520	139.668	RTE 54 EB RT.	781.44			781.44													EDGE LINE
139.668	139.768	RTE 54 EB RT.	528.00					528.00											GORE AND ACCEL. LANE LINE
0.014	0.162	RAMP 1 LT. & RT.	781.44	781.44		781.44													EDGE LINES
139.676	139.690	RTE 54 EB RT.	73.92					73.92											GORE ON RAMP
139.676	141.085	RTE 54 EB RT.	7,439.52			7,439.52													EDGE LINE
139.768	139.896	RTE 54 EB RT.	675.84				168.96												ACCEL. LANE (3' LONG, 9' GAP)
141.085	141.131	RTE 54 EB RT.	242.88					242.88											GORE AND ACCEL. LANE LINE
141.131	141.168	RTE 54 EB RT.	195.36				48.84												ACCEL. LANE (3' LONG, 9' GAP)
5.784	5.803	BU 54 E LT.	100.32	100.32															EDGE LINE
5.784	5.835	BU 54 E RT.	269.28			269.28													EDGE LINE
5.805	5.835	BU 54 E LT.	158.40					158.40											GORE ON RAMP
141.119	142.211	RTE 54 EB RT.	5,765.76			5,765.76													EDGE LINE
142.037	142.126	RTE 54 EB LT.	469.92				117.48												DECEL. LANE (3' LONG, 9' GAP)
142.081	142.199	RTE 54 EB RT.	623.04				623.04												RIGHT LANE LINE (3' LONG, 9' GAP)
142.126	142.218	RTE 54 EB LT.	485.76			485.76													LEFT OFFSET EDGE LINE
142.126	142.222	RTE 54 EB LT.	506.88	506.88															EDGE LINE
142.199	142.218	RTE 54 EB RT.	100.32			100.32													RIGHT LANE LINE
142.212		RTE 54 EB LT.															6		YIELD BAR
142.222	142.231	RTE 54 EB LT.	47.52				11.88												CROSSOVER (3' LONG, 9' GAP)
142.228	142.270	RTE 54 EB RT.	221.76			221.76													ACCEL. LANE LINE
142.231	142.640	RTE 54 EB LT.	2,159.52	2,159.52															EDGE LINE
142.223		DOYLE RD.								335.00				365.00					CENTERLINE AND EDGE LINES
142.239	145.156	RTE 54 EB RT.	15,401.76			15,401.76													EDGE LINE
142.270	142.451	RTE 54 EB RT.	955.68				238.92												ACCEL. LANE (3' LONG, 9' GAP)
142.312	142.549	RTE 54 EB LT.	1,251.36				312.84												DECEL. LANE (3' LONG, 9' GAP)
142.549	142.573	RTE 54 EB LT.	126.72			126.72													DECEL. LANE LINE
142.573	142.630	RTE 54 EB LT.	300.96			300.96													EDGE LINE
142.573	142.634	RTE 54 EB LT.	322.08			322.08													J-TURN EDGE LINE
142.630	145.172	RTE 54 EB LT.	13,421.76	13,421.76															EDGE LINE
145.149	145.176	RTE 54 EB LT.	142.56			142.56													EDGE LINE
145.167	145.173	RTE 54 EB RT.	31.68			31.68													EDGE LINE
145.172		ROUTE MM	275.00						110.00					180.00					CENTERLINE, ISLAND MARKING AND EDGE LINES
145.176	145.187	RTE 54 EB LT.	58.08				14.52												CROSSOVER (3' LONG, 9' GAP)
145.182	145.797	RTE 54 EB LT.	3,247.20	3,247.20															EDGE LINE
145.186	146.706	RTE 54 EB RT.	8,025.60			8,025.60													EDGE LINE
145.608	145.679	RTE 54 EB LT.	374.88				93.72												DECEL. LANE (3' LONG, 9' GAP)
145.679	145.797	RTE 54 EB LT.	623.04			683.04													EDGE LINES
145.797		RTE 54 EB LT.															6		YIELD BAR
145.806	146.709	RTE 54 EB LT.	4,767.84	4,767.84															EDGE LINE
146.518	146.630	RTE 54 EB LT.	591.36				147.84												DECEL. LANE (3' LONG, 9' GAP)
146.563	146.690	RTE 54 EB RT.	670.56			670.56													RIGHT LANE LINE (3' LONG, 9' GAP)
146.630	146.709	RTE 54 EB LT.	417.12			460.12													EDGE LINES
		SUBTOTAL (5)	61,834.08		0.00	63,662.00	2,766.72	3,072.96	110.00	0.00	335.00	0.00	545.00	0	0	0	0	0	12

SUMMARY OF QUANTITIES
SHEET 20 OF 23

PAVEMENT MARKINGS - US 54 EB - CONTINUED																				
LOG MILE		LOCATION	LENGTH (FT)	HIGH BUILD WATERBORNE PAV. MARK. PAINT, TYPE L BEADS						WATERBORNE PAV. MARK. PAINT, TYPE P BEADS			PREFORMED THERMOPLASTIC INTERSECTION MARKING						REMARKS	
				6" SOLID YELLOW (FT)	6" INTER YELLOW (FT)	6" SOLID WHITE (FT)	6" INTER WHITE (FT)	12" SOLID WHITE (FT)	8" SOLID WHITE (FT)	8" INTER WHITE (FT)	4" SOLID WHITE (FT)	4" INTER WHITE (FT)	4" SOLID YELLOW (FT)	LEFT/ RIGHT ARROW (EACH.)	STRT ARROW (EACH)	COMBO STRT/LT/RT FISH HOOK ARROW (EACH)	12" WHITE (FT)	24" WHITE (FT)		YEILD LINE TRIANGLES (EACH)
146.563	146.690	RTE 54 EB RT.	670.56				670.56													RIGHT LANE LINE (3' LONG, 9' GAP)
146.630	146.709	RTE 54 EB LT.	417.12			460.12		417.12												EDGLEINES
146.690	146.709	RTE 54 EB RT.	100.32					100.32												EDGGLEINE
146.709		RTE 54 EB LT.																27	7	YEILD BAR, 1 CHEVRON
146.713		HUNTER RD.				200.00														EDGLINES
146.717	148.281	RTE 54 EB LT.	8,257.92	8,257.92																EDGGLEINE
146.719	148.761	RTE 54 EB RT.	10,781.76			10,781.76														EDGGLEINE
148.262	148.283	RTE 54 EB LT.	110.88			110.88														LEFT TURN EDGGLEINE
148.283	148.294	RTE 54 EB RT.	58.08				14.52													CROSSOVER (3' LONG, 9' GAP)
148.290	148.761	RTE 54 EB LT.	2,486.88	2,486.88																EDGGLEINE
US 54 AND ROUTE W INTERCHANGE																				
0.007	0.053	WILLMORE S	242.88								242.88									EDGGLEINE
0.007	0.029	WILLMORE S	116.16								116.16									EDGGLEINE
0.007	0.015	WILLMORE S	42.24										168.96							TAPER
0.015	0.027	WILLMORE S	63.36										126.72							EDGGLEINE ALONG ISLAND
0.027		WILLMORE S									45.00	15.00							9	ROUNABOUT EDGGLEINE (2' LONG, 2' GAP), YIELD BAR AND LANE LINE
0.152	0.051	RAMP 1 / WILLMORE S	510.00	510.00																EDGGLEINE
0.152	0.029	RAMP 1 / WILLMORE S	570.00			570.00														EDGGLEINE
0.056		WILLMORE S										17.50							12	YIELD BAR AND ROUNABOUT EDGGLEINE (2' LONG, 2' GAP)
0.045	0.056	RAMP 3 / WILLMORE S	435.00	435.00																EDGGLEINE
0.045	0.053	RAMP 3 / WILLMORE S	430.00			430.00														EDGGLEINE
0.051	0.120	WILLMORE S / BAGNELL DAM S	945.00								945.00									EDGGLEINE
0.053		WILLMORE S	355.00										355.00							ROUNABOUT EDGGLEINE
0.059	0.125	WILLMORE S	348.48								348.48									EDGGLEINE
0.061	0.078	WILLMORE S	89.76										179.52							EDGGLEINE ALONG ISLAND
0.061		WILLMORE S									75.00	15.00							9	ROUNABOUT EDGGLEINE (2' LONG, 2' GAP), YIELD BAR AND LANE LINE
0.078	0.125	WILLMORE S	248.16										496.32							CENTERLINE
0.084	0.142	RAMP 4 / WILLMORE S	700.00			700.00														EDGGLEINE
0.084	0.125	RAMP 4 / WILLMORE S	660.00	660.00																EDGGLEINE
0.099	0.125	WILLMORE S	137.28								137.28									LANE LINE
0.099		WILLMORE S												1						LEFT ARROW
0.114		WILLMORE S												1						LEFT ARROW
0.129	0.205	WILLMORE S	401.28									200.64	822.56							TWTL
0.129		WILLMORE S						35.00												ISLAND MARKING
0.142	0.215	WILLMORE S	385.44								385.44									EDGGLEINE
0.170		WILLMORE S												2						2 - LEFT ARROWS
0.188	0.224	WILLMORE S	190.08								380.16									EDGGLEINE ALONG ISLAND
0.188		WILLMORE S												1		1				RIGHT ARROW, STRT/LEFT FISH HOOK
0.205	0.226	WILLMORE S	110.88										221.76							EDGGLEINE ALONG ISLAND
0.209		WILLMORE S												1						RIGHT ARROW
0.215	0.265	WILLMORE S / BAGNELL DAM S	480.00								480.00									EDGGLEINE
0.226		WILLMORE S								40.00	45.00								15	ROUNABOUT EDGGLEINE (2' LONG, 2' GAP), YIELD BARS AND LANE LINE
0.255		WILLMORE S								27.50	45.00								19	ROUNABOUT EDGGLEINE (2' LONG, 2' GAP), YIELD BARS AND LANE LINE
0.255	0.363	WILLMORE S	435.00								435.00									EDGGLEINE
0.266		WILLMORE S												1	1					1 - STRT ARROW, 1 - LEFT ARROW
0.020	0.167	RAMP 2	776.16	776.16																EDGGLEINE
0.020	23.608	RAMP 2 / RTE W	1,032.00			1,032.00														EDGGLEINE
0.138	0.167	RAMP 2	140.00								140.00									LEFT LANE EDGGLEINE ALONG ISLAND
0.138	0.150	RAMP 2	53.00								53.00									RIGHT LANE EDGGLEINE
0.150	0.167	RAMP 2	90.00										90.00							RIGHT LANE EDGGLEINE ALONG ISLAND
0.167		RAMP 2								13.00									11	YIELD BAR AND ROUNABOUT EDGGLEINE (2' LONG, 2' GAP)
0.025		US 54 TO W								46.00	16.00								17	ROUNABOUT EDGGLEINE, YIELD BAR AND LANE LINE
23.608	0.183	RTE W / US 54 TO BU 54	320.00								320.00									EDGGLEINE
23.608	23.634	ROUTE W	137.28										274.56							CENTERLINE
23.634	23.645	ROUTE W	58.08										232.32							TAPER
23.645	23.666	ROUTE W	110.88										221.76							EDGGLEINE ALONG ISLAND
23.666		ROUTE W								20.00	30.00								11	ROUNABOUT EDGGLEINE (2' LONG, 2' GAP), YIELD BAR AND LANE LINE
0.183	0.255	US 54 TO BU 54 / WILLMORE	580.00								580.00									EDGGLEINE
5.298		BAGNELL DAM N	270.00							19.00	32.00								10	ROUNABOUT EDGGLEINE (2' LONG, 2' GAP), YIELD BAR AND LANE LINE
5.299		BAGNELL DAM N											270.00							ROUNABOUT EDGGLEINE
0.167	0.120	RAMP 2 / BAGNELL DAM S	590.00								590.00									EDGGLEINE
0.199	0.125	US 54 TO BU 54 /	475.00										950.00							EDGGLEINE ALONG ISLAND
0.081	0.099	BAGNELL DAM S	95.04										95.04							TAPER
0.108		BAGNELLL DAM S														2				STRT/RIGHT FISH HOOK, LEFT FISH HOOK
SUBTOTAL (6)				13,125.96	0.00	14,284.76	685.08	517.44	35.00	165.50	5,441.40	248.14	4,504.52	7	1	3	0	27	120	



DATE PREPARED
8/5/2024
ROUTE **54** STATE **MO**
DISTRICT **CD** SHEET NO. **3**

COUNTY
MILLER
JOB NO.
J5P3500
CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE																			

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

PAVEMENT MARKINGS - US 54 AND ROUTE W INTERCHANGE - CONTINUED																				
LOG MILE		LOCATION	LENGTH (FT)	HIGH BUILD WATERBORNE PAV. MARK. PAINT, TYPE L BEADS						WATERBORNE PAV. MARK. PAINT, TYPE P BEADS			PREFORMED THERMOPLASTIC INTERSECTION MARKING						REMARKS	
				6" SOLID YELLOW (FT)	6" INTER YELLOW (FT)	6" SOLID WHITE (FT)	6" INTER WHITE (FT)	12" SOLID WHITE (FT)	8" SOLID WHITE (FT)	8" INTER WHITE (FT)	4" SOLID WHITE (FT)	4" INTER WHITE (FT)	4" SOLID YELLOW (FT)	LEFT/ RIGHT ARROW (EACH.)	STRT ARROW (EACH)	COMBO STRT/LT/RT FISH HOOK ARROW (EACH)	12" WHITE (FT)	24" WHITE (FT)		YIELD LINE TRIANGLES (EACH)
FROM	TO																			
0.108	0.255	BAGNELL DAM S / WILLMORE S	100.00									100.00							LANE LINE	
0.144		BAGNELL DAM S										25.00	22.50					14	ROUNDABOUT EDGE LINE (2' LONG, 2' GAP), YIELD BAR AND LANE LINE	
0.144		BAGNELL DAM S	350.00																ROUNDABOUT EDGE LINE	
0.144	0.363	BAGNELL DAM S / WILLMORE S	400.00											350.00					EDGE LINE ALONG ISLAND, TAPER AND CENTERLINE	
0.148	0.363	BAGNELL DAM S / WILLMORE S	450.00									450.00							EDGE LINE	
0.127	0.266	BAGNELL DAM S / WILLMORE S	50.00																EDGE LINE AT ROUNDABOUT	
0.127	0.150	BAGNELL DAM S	75.00																LANE LINE	
0.148	0.265	BAGNELL DAM S	617.76									617.76	75.00						EDGE LINE	
0.150		BAGNELL DAM S								10.00		60.00							10	
0.150	0.175	BAGNELL DAM S	132.00												264.00				ROUNDABOUT EDGE LINE (2' LONG, 2' GAP), YIELD BAR AND LANE LINE	
0.175	0.202	BAGNELL DAM S	142.56												570.24				EDGE LINE ALONG ISLAND	
0.202	0.265	BAGNELL DAM S	332.64												665.28				TAPER	
0.166		BAGNELL DAM S																	CENTERLINE	
0.184	0.189	BAGNELL DAM S	240.00									18.00	22.50						8	
0.189		BAGNELL DAM S										240.00							ROUNDABOUT EDGE LINE (2' LONG, 2' GAP), YIELD BAR AND LANE LINE	
														1		1			EDGE LINE ALONG ISLAND	
																			RIGHT ARROW, STRT/LEFT FISH HOOK	
RAMP WIDENING AT US 54 AND ROUTE 52 INTERCHANGE																				
1+00.00	2+89.30	RAMP 54E TO 52	189.30																LANE LINES	
0+02.70	4+71.60	RAMP 54E TO 52	450.00																EDGE LINE	
1+35.00		RAMP 54E TO 52													2				1 LEFT ARROW, 1 RIGHT ARROW	
2+35.00		RAMP 54E TO 52													2				1 LEFT ARROW, 1 RIGHT ARROW	
3+10.00		RAMP 54E TO 52								120.00							18	12	STOP BAR, YIELD BAR AND ISLAND MARKING	
		SUBTOTAL (7)		0.00	0.00	690.00	0.00	0.00	120.00	10.00	1,510.76	120.00	2,699.52	5	0	1	18	0	44	
		SUBTOTAL (1)		69,495.04	0.00	49,152.00	30,577.80	2,344.32	55.00	0.00	0.00	0.00	320.00	0	0	0	0	0	153	
		SUBTOTAL (2)		30,560.64	6.60	52,578.44	2,067.12	2,974.24	420.00	0.00	0.00	0.00	0.00	0	0	0	15	0	21	
		SUBTOTAL (3)		22,672.32	0.00	24,898.60	847.44	649.44	0.00	0.00	145.00	0.00	520.00	6	2	0	0	0	9	
		SUBTOTAL (4)		44,821.92	5.28	50,587.64	31,438.44	2,716.52	258.00	0.00	0.00	0.00	88.00	0	0	0	45	0	0	
		SUBTOTAL (5)		61,834.08	0.00	63,662.00	2,766.72	3,072.96	110.00	0.00	335.00	0.00	545.00	0	0	0	0	0	12	
		SUBTOTAL (6)		13,125.96	0.00	14,284.76	685.08	517.44	35.00	165.50	5,441.40	248.14	4,504.52	7	1	3	0	27	120	
		TOTAL	242,509.96	11.88	255,853.44	68,382.60	12,274.92	998.00	175.50	7,432.16	368.14	8,677.04	18	3	4	78	180	220		
		GRAND TOTAL	242,522		324,236		12,275		1,174		7,800		8,677	18	3	4	78	180	220	

7 FT. CHANNEL POST DELINEATOR				
STATION		LOCATION	DELINEATOR WHITE/RED (EACH)	REMARKS
FROM	TO			
2+62.63		RAMP RT.	1	
		TOTAL	1	
		USE	1	

[illegible]

GRADING -RAMP RIGHT TURN LANE					
STATION		LOCATION	CLASS A EXCAVATION	COMPACTING EMBANKMENT	REMARKS
FROM	TO		(CY)	(CY)	
0+02.70	6+00.00	RAMP RT.	323	18	
		TOTAL	323	18	
		USE	323	18	


STATE OF MISSOURI
 RYAN JOSEPH
 LIBBERT
 NUMBER
 PE-2006019679
 PROFESSIONAL ENGINEER

09/27/2024 6:09:23 AM
 RYAN JOSEPH LIBBERT - CIVIL
 MOLPE-2006019679

PROJECT NO.
BRIDGE NO.

[illegible]MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



- * REMOVE/SALVAGE/REPLACE
- ** SEE GENERAL PROVISIONS FOR DETAILS
- EXISTING RED/WHITE DELINEATOR
- NEW RED/WHITE DELINEATOR

ALL BEARINGS BASED ON STATE PLANE BEAARINGS, CENTRAL ZONE.

ANY WORK INDICATED ON THE PLANS THAT EXTENDS BEYOND THE PROJECT LIMITS IS CONSIDERED INCIDENTAL TO AND A PART OF THE CONSTRUCTION OF THIS PROJECT.

THE EXISTENCE AND APPROXIMATE LOCATION OF UTILITY FACILITIES KNOWN TO EXIST, AS SHOWN ON THE PLANS, ARE BASED ON THE BEST INFORMATION AVAILABLE TO THE COMMISSION AT THIS TIME. THIS INFORMATION IS PROVIDED BY THE COMMISSION "AS-IS" AND THE COMMISSION EXPRESSLY DISCLAIMS ANY REPRESENTATION OR WARRANTY AS TO THE COMPLETENESS, ACCURACY, OR SUITABILITY OF THE INFORMATION FOR ANY USE. RELIANCE UPON THIS INFORMATION IS DONE AT THE RISK AND PERIL OF THE USER, AND THE COMMISSION SHALL NOT BE LIABLE FOR ANY DAMAGES THAT MAY ARISE FROM ANY ERROR IN THE INFORMATION. IT IS, THEREFORE, THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE EXISTENCE, LOCATION AND STATUS OF ANY FACILITY. SUCH VERIFICATION INCLUDES DIRECT CONTACT WITH THE LISTED UTILITIES.

STATE OF MISSOURI

RYAN JOSEPH LIBBERT

NUMBER PE-2006019679

PROFESSIONAL ENGINEER

08/05/2024 1:18:19 PM

RYAN JOSEPH LIBBERT - CIVIL

MO-PE-2006019679

DATE PREPARED
8/5/2024

ROUTE 54
DISTRICT CD

STATE MO
SHEET NO. 4

COUNTY MILLER

JOB NO. J5P3500

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION



DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL

JEFFERSON CITY, MO 65102

1-888-ASK-MODOT (1-888-275-6636)





DATE PREPARED 8/5/2024	
ROUTE 54	STATE MO
DISTRICT CD	SHEET NO. 5
COUNTY MILLER	
JOB NO. J5P3500	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION




105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



0

PLAN SHEET
GEOMETRY SHEET
PAVEMENT MARKING
SHEET 3 OF 3






DATE PREPARED 8/5/2024	
ROUTE	STATE MO
DISTRICT	SHEET NO. PLAN2
COUNTY	
JOB NO.	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	



DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

1 METER = 3.280833333 US SURVEY FEET (USFT)






DATE PREPARED	
8/5/2024	
ROUTE	STATE
54	MO
DISTRICT	SHEET NO.
CD	12
COUNTY	
MILLER	
JOB NO.	
J5P3500	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



STATE OF MISSOURI

RYAN JOSEPH LIBBERT

NUMBER

PE-2006019679

PROFESSIONAL ENGINEER

DATE PREPARED

8/5/2024

ROUTE

54

STATE

MO

DISTRICT

CD

SHEET NO.

13

COUNTY

MILLER

JOB NO.

J5P3500

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

MODOT

105 WEST CAPITOL

JEFFERSON CITY, MO 65102

1-888-ASK-MODOT (1-888-275-6636)



MO-PE-2006019679
DATE PREPARED
8/5/2024

ROUTE	STATE
54	MO

34	MO
DISTRICT	SHEET NO.
CD	17

CD	17
COUNTY	
MILLER	

MILLER
JOB NO.
1583500

J5P3500
CONTRACT ID.

PROJECT NO.

BRIDGE NO.


[illegible]

MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION

MoDOT

105 WEST CAPITOL
JEFFERSON CITY, MO 65102


2	✓
---	---





LOG MILE 135.257 (US 54 WB)
LOG MILE 136.573 (US 54 EB)

NOT TO SCALE

SPECIAL SHEET
SHEET 10 OF 24





LOG MILE 139.146 (US 54 WB)
LOG MILE 132.688 (US 54 EB)

NOT TO SCALE
SPECIAL SHEET
SHEET 14 OF 24

STATE OF MISSOURI

RYAN JOSEPH

LEBBERT

NUMBER

PE-2006019679

PROFESSIONAL ENGINEER

08/05/2024 1:20:01 PM

RYAN JOSEPH LEBBERT - CIVIL

MO-PE-2006019679

DATE PREPARED

8/5/2024

ROUTE

54

STATE

MO

DISTRICT

CD

SHEET NO.

21

COUNTY

MILLER

JOB NO.

J5P3500

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION


DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION


105 WEST CAPITOL

JEFFERSON CITY, MO 65102

1-888-ASK-MODOT (1-888-273-6636)



- * NOTE:
- (32) REMOVE/SALVAGE/REPLACE - APPROX. LOG MILE 131.156 EB
 - (33) REMOVE SIGN AND POST - NEW SIGN AND POSTS - APPROX. LOG MILE 131.197 EB
 - (34) REMOVE/SALVAGE/REPLACE - APPROX. LOG MILE 131.237 EB



LOG MILE 141.230 (US 54 WB)
LOG MILE 130.610 (US 54 EB)

NOT TO SCALE

SPECIAL SHEET
SHEET 17 OF 24

STATE OF MISSOURI

RYAN JOSEPH LIBERT

NUMBER

PE-2006019679

PROFESSIONAL ENGINEER

08/05/2024 1:20:50 PM

RYAN JOSEPH LIBERT - CIVIL

MO-PE-2006019679

DATE PREPARED

8/5/2024

ROUTE

54

STATE

MO

DISTRICT

CD

SHEET NO.

24

COUNTY

MILLER

JOB NO.

J5P3500

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION


DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL

JEFFERSON CITY, MO 65102

1-888-ASK-MODOT (1-888-275-6636)




NOTES:

SIGN G020-2 IS USED ON ALL PROJECTS WHERE SIGN G020-1 IS USED.

OTHER SIGNS SUCH AS DETOUR OR ALTERNATE ROUTE SIGNING MAY BE USED OUTSIDE THE PROJECT LIMITS.

ANY EXISTING SIGNING THAT CONFLICTS WITH THE TRAFFIC CONTROL
SIGNING SHALL BE COMPLETELY COVERED OR REMOVED.

- (1) DISTANCE MAY BE ADJUSTED ACCORDING TO FIELD CONDITIONS. WHERE TRAFFIC BACKUPS ARE EXPECTED BEYOND THE ADVANCE WARNING AREA, ADDITIONAL SIGNING MAY BE NEEDED.
- (2) SIGN CONST-5-96 IS PLACED IN A VISIBLE AREA WITHIN THE PROJECT LIMITS PROVIDED ITS PLACEMENT DOES NOT DISRUPT A SEQUENCE OF SIGNS. IF A VISIBLE LOCATION WITHIN THE PROJECT IS NOT AVAILABLE, THE SIGN MAY BE PLACED 500 FEET BEFORE SIGN CONST-7-72 OR CONST-7-48.
- (3) THE "POINT OF PRESENCE" SIGN IS AVAILABLE IN TWO SIZES DEPENDING ON ROADWAY CONDITION. THE 48 IN. X 36 IN. SIGN IS USED ON LOW VOLUME ROUTES THAT CARRY 400 AADT OR LESS, ON PROJECTS THAT HAVE A DURATION OF 4 WEEKS OR LESS OR IN URBAN AREAS WHERE THERE IS INSUFFICIENT RIGHT OF WAY FOR AN EIGHT FOOT WIDE SIGN. THE 96IN. X 48 IN. VERSION OF THE SIGN IS USED IN ALL OTHER APPLICATIONS. BUT CAN ALSO BE USED IN PLACE OF THE 48 IN. X 36 IN. SIGN IF ADDED EMPHASIS IS DEEMED NECESSARY.
- (4) THE "WORK ZONE NO PHONE ZONE" SIGN IS PLACED A MINIMUM OF 500 FEET BEFORE THE ROAD WORK AHEAD SIGN.




CONST-5-96 SH-FLAT SHEET;
3.000" Radius, 1.000" Border, White on, Blue;
"Road", D; "Resurfacing", D; "Fall 2025", D;
Table of letter and object lefts

R	o	a	d
11,875	19,000	25,125	31,750

R	e	s	u	r	t	a	c	i	n	g
11,875	19,000	24,875	31,500	38,500	42,875	47,250	53,750	60,375	64,250	70,000

R	F	a	i	l	2	0	5	
11,875	44,750	49,000	54,250	57,250	64,125	69,250	74,625	80,125

TEMPORARY TRAFFIC CONTROL SHEET
BEGIN / END PROJECT
MULTI-LANE DIVIDED
SHEET 1 OF 12



DATE PREPARED	
8/5/2024	
ROUTE	STATE
54	MO
DISTRICT	SHEET NO.
CD	32
COUNTY	
MILLER	
JOB NO.	
J5P3500	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

[illegible]

MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION

 105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SIGN SPACING FOR ADVANCE SIGN SERIES (1) (2)		
PERMANENT POSTED SPEED MPH	UNDIVIDED HIGHWAYS (S)	DIVIDED HIGHWAYS (S)
0-35	200'	200'
40-45	350'	500'
50-55	500'	1000'
60-70	1000'	SA - 1000' SB - 1500' SC - 2640'

TAPER LENGTHS AND END TREATMENTS FOR CONCRETE BARRIER				
PERMANENT POSTED SPEED MPH	MINIMUM LANE TAPER LENGTH (3)			END TREATMENT (4)
	10'	11'	12'	
<40	160'	168'	176'	BARRIER HEIGHT TRANSITION
>40	160'	168'	350'	APPROVED CRASH CUSHION

TAPER LENGTHS AND SPACING FOR CHANNELIZERS							
PERMANENT POSTED SPEED MPH	MINIMUM LANE TAPER LENGTH (3) (T2)			MINIMUM SHOULDER TAPER LENGTH BASED ON 10' SHOULDER (T1)	BUFFER LENGTH FT. (B)	MAXIMUM CHANNELIZER SPACING	
	10'	11'	12'			THROUGH TAPER	THROUGH WORK AREA
0-35	205'	225'	245'	70'	400'	35'*	40'*
40-45	450'	495'	540'	150'	400'	40'*	80'*
50-55	550'	605'	660'	185'	560'	50'**	80'**
60-70	700'	770'	840'	235'	840'	60'**	120'**

* SPACING REDUCED TO 1/2 AT INTERSECTIONS.
** SPACING MAY BE REDUCED TO 1/2 AT INTERSECTIONS.

TRAFFIC CONTROL LEGEND

SIGN (SINGLE SIDED)

SIGN (DOUBLE SIDED)

FLAGGER

CONE

CHANNELIZER

DIRECTIONAL INDICATOR BARRICADE

TUBULAR MARKER

MOVABLE BARRICADE (PLAN VIEW)

CHANGEABLE MESSAGE BOARD

TRAFFIC BARRIER (PLAN VIEW)

TRAFFIC BARRIER (SECTION VIEW)

HIGH-LEVEL WARNING DEVICE (FLAG TREE)

SHORT - TERM OR LONG-TERM RUMBLE STRIPS

WORK SPACE

ADVANCE WARNING RAIL SYSTEM

FLASHING ARROW PANEL

FLASHING ELECTRIC LIGHT

IMPACT ATTENUATOR ARRAY (SAND BARRELS)

MOVABLE BARRICADE (SIDE VIEW)

OBJECT MARKER - TYPE I

OBJECT MARKER - TYPE II

OBJECT MARKER - TYPE III

LUMINAIRE

TMA - TRUCK MOUNTED ATTENUATOR

CRASH CUSHION

TRAFFIC OR PEDESTRIAN SIGNAL

- NOTES:
- (1) SPACING BETWEEN SIGNS AND SPACING BETWEEN LAST SIGN AND FLAGGER, BEGINNING OF TAPER, OF SIGNED CONDITION.
 - (2) SPACINGS MAY BE ADJUSTED AS NECESSARY TO MEET FIELD CONDITIONS ND VISIBILTY.
 - (3) TAPER LENGTHS SHOWN INCLUDE LENGTH REQUIRED FOR LANE AND 10' SHOULDER.
 - (4) CONCRETE BARRIER MAY BE INSTALLED AT AND 8:1 FLARE RATE FROM THE SHOULDER POINT TO THE LIMITS OF THECLEAR ZONE WHERE TEH SIDE SLOPE IS 6:1 OR FLATTER.
 - (5) DISTANCE PLACED BEFORE THE FEATURE REQUIRING ATTENTION (e.g. MERGE, LANE SHIFT, REDUCED SPEED).
 - (6) SPACING MAY NEED TO BE ADJUSTED IF TEMPORARY RUMBLE STRIPS ARE SLIDING OR MOVING.

ROADWAY TYPE	SIGN HEIGHT	MAX. WORK ZONE LENGTH (L)
URBAN	1' PORTABLE 7' POST	1 MILE
RURAL DIVIDED	1' PORTABLE 7' POST	2 MILE
RURAL UNDIVIDED	1' PORTABLE 5' POST	3 MILE

LONG-TERM RUMBLE STRIPS		
PERMANENT POSTED SPEED (MPH)	DISTANCE (FT) (5)	SPACING (FT) (6)
0-45 (OPTIONAL)	120	10-12
50-55	160	10-12
60-70	200	10-12

RECOMMENDED MAX SPEED REDUCTIONS	
CONSTRUCTION ACTIVITY LOCATION	SPEED REDUCTION
10 FT. BEYOND EDGE OF TRAVELWAY TO EDGE OF RIGHT OF WAY	NO SPEED REDUCTION
IN TRAFFIC LANE OR WITHIN 10 FT. OF THE TRAFFIC LANE	10 MPH
HEAD-TO-HEAD ON MULTI-LANE	10 MPH
SPECIAL CIRCUMSTANCES WITHIN TEMPORARY TRAFFIC CONTROL WORK ZONE MAY WARRANT A LOWER SPEED LIMIT THAN RECOMMENDED ABOVE. ALL SPEED LIMIT REDUCTIONS GREATER THAN 10 MPH SHALL BE DOCUMENTED, SUBMITTED TO AND APPROVED BY THE DISTRICT WORK ZONE COORDINATOR.	

TEMPORARY TRAFFIC CONTROL SHEET
SPACING AND TAPER LENGTHS FOR
WORK ZONES, CHANNELIZERS AND
CONCRETE BARRIER
TRAFFIC CONTROL LEGEND
SHEET 2 OF 12

DATE PREPARED
8/5/2024

ROUTE
54

DISTRICT
CD

STATE
MO

SHEET NO.
33

COUNTY
MILLER

JOB NO.
J5P3500

CONTRACT ID.

PROJECT NO.



BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)





--



AN ARROW BOARD SHALL BE USED WHEN A FREEWAY LANE IS CLOSED. WHEN MORE THAN ONE FREEWAY LANE IS CLOSED, A SEPARATE ARROW BOARD SHALL BE USED FOR EACH CLOSED LANE.

TEMPORARY TRAFFIC CONTROL SHEET
STATIONARY LANE CLOSURE
ON DIVIDED HIGHWAY
SHEET 5 OF 12



WORK IN THE VICINITY
OF A EXIT RAMP AREAS

[illegible]



"RAMP"




TEMPORARY PAVEMENT MARKING OPTIONAL FOR SHORT TERM OPERATIONS.

TEMPORARY TRAFFIC CONTROL SHEET
PARTIAL CLOSURE
EXIT RAMP
SHEET 7 OF 12





105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



FOR WORK ZONES WHERE DEVICES ARE IN PLACE OVER NIGHT, USE TRIM-LINE CHANNELIZERS.

TEMPORARY TRAFFIC CONTROL SHEET
WORK IN VICINITY OF
ENTRANCE RAMP
SHEET 8 OF 12

		DATE PREPARED 8/5/2024	
ROUTE 54		STATE MO	
DISTRICT CD		SHEET NO. 39	
COUNTY MILLER			
JOB NO. J5P3500			
CONTRACT ID.			
PROJECT NO.			
BRIDGE NO.			
MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION  105 WEST CAPITOL JEFFERSON CITY, MO 65102 1-888-ASK-MODOT (1-888-275-6636)			
DATE			
DESCRIPTION			

UPON APPROVAL OF THE ENGINEER, THE CONTRACTOR MAY PROVIDE ADDITIONAL PROTECTIVE TRUCKS EQUIPPED WITH PROPER WARNING DEVICES.

PROTECTIVE TRUCKS AND WORK VEHICLES SHALL DISPLAY HIGH-INTENSITY ROTATING, FLASHING, OSCILLATING, OR STROBE LIGHTS.

VEHICLE HAZARD WARNING SIGNALS SHALL NOT BE USED INSTEAD OF THE VEHICLE'S HIGH-INTENSITY ROTATING, FLASHING, OSCILLATING, OR STROBE LIGHTS.

VEHICLE-MOUNTED SIGNS SHALL BE MOUNTED IN A MANNER SUCH THAT THEY ARE NOT OBSCURED BY EQUIPMENT OR SUPPLIES. SIGN LEGENDS ON VEHICLE-MOUNTED SIGNS SHALL BE COVERED OR TURNED FROM VIEW WHEN WORK IS NOT IN PROGRESS.

FLASHING ARROW PANELS SHALL BE INCIDENTAL TO TRUCK MOUNTED
ATTENUATORS, WHEREVER USED. NO ADDITIONAL PAYMENT WILL BE MADE.

FLASHING ARROW PANELS SHALL, AS A MINIMUM, BE TYPE B, WITH A SIZE OF 60 X 30 INCHES.

A FLASHING ARROW BOARD SHALL BE USED WHEN A FREEWAY LANE IS CLOSED. WHEN MORE THAN ONE LANE CLOSED, A SEPARATE FLASHING ARROW BOARD SHALL BE USED FOR EACH CLOSED LANE.





SEE TRAFFIC CONTROL SHEET 2 FOR WORK ZONE SPEED
LIMIT GUIDELINES.

SEE TRAFFIC CONTROL SHEET 2 FOR SIGN SPACING, DEVICE SPACING
CHANNELIZING TAPER LENGTHS.

SPEED	SPACING
PERMANENT POSTED (MPH)	LENGTH T (FT)
≤ 35	245
40-45	540
50-55	660
60-70	840

MOBILE ON MULTI-LANE HIGHWAY

TEMPORARY TRAFFIC CONTROL
MOBILE ON MULTI-LANE HIGHWAY
SHEET 9 OF 12



DATE PREPARED

8/5/2024

ROUTE	STATUS
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

54	MO
DISTRICT	SHEET

DISTRICT SHEET
CD 40

COUNTY

MILLER

JOB NO.
15P3500

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

BRIDGE NO.

[illegible]

MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102

NOT TO SCALE

NOTES:

UPON APPROVAL OF THE ENGINEER, THE CONTRACTOR MAY PROVIDE ADDITIONAL PROTECTIVE TRUCKS EQUIPPED WITH PROPER WARNING DEVICES.

PROTECTIVE TRUCKS AND WORK VEHICLES SHALL DISPLAY HIGH-INTENSITY ROTATING, FLASHING, OSCILLATING, OR STROBE LIGHTS.

VEHICLE HAZARD WARNING SIGNALS SHALL NOT BE USED INSTEAD OF THE VEHICLE'S HIGH-INTENSITY ROTATING, FLASHING, OSCILLATING, OR STROBE LIGHTS.

VEHICLE-MOUNTED SIGNS SHALL BE MOUNTED IN A MANNER SUCH THAT THEY ARE NOT OBSCURED BY EQUIPMENT OR SUPPLIES. SIGN LEGENDS ON VEHICLE-MOUNTED SIGNS SHALL BE COVERED OR TURNED FROM VIEW WHEN WORK IS NOT IN PROGRESS.

FLASHING ARROW PANELS SHALL BE INCIDENTAL TO TRUCK MOUNTED ATTENUATORS, WHEREVER USED. NO ADDITIONAL PAYMENT WILL BE MADE.

FLASHING ARROW PANELS SHALL, AS A MINIMUM, BE TYPE B, WITH A SIZE OF 60 X 30 INCHES.

A FLASHING ARROW BOARD SHALL BE USED WHEN A FREEWAY LANE IS CLOSED. WHEN MORE THAN ONE LANE CLOSED, A SEPARATE FLASHING ARROW BOARD SHALL BE USED FOR EACH CLOSED LANE.

(1) WET PAINT SIGNS ARE INSTALLED TO INDICATE THE SIDE IN WHICH THE PAVEMENT MARKING MATERIAL IS BEING APPLIED. AT THE CONTRACTOR'S OPTION, A FRONT FACING WET PAINT SIGN MAY BE INSTALLED ON THE LEFT SIDE OF THE PAVEMENT MARKING EQUIPMENT.

(2) WARNING TRUCK IS POSITIONED AT THE NO TRACK POINT OF THE PAVEMENT MARKING MATERIAL, OR SPACING SHOWN, WHICH EVER IS GREATER.

SEE TRAFFIC CONTROL SHEET 2 FOR WORK ZONE SPEED LIMIT GUIDELINES.

SEE TRAFFIC CONTROL SHEET 2 FOR SIGN SPACING, DEVICE SPACING CHANNELIZING TAPER LENGTHS.

SPEED	SPACING
PERMANENT POSTED (MPH)	LENGTH T (FT)
≤ 35	245
40-45	540
50-55	660
60-70	840

FLASHING ARROW PANEL

LEFT
OR
CENTER

RIGHT LANE CLOSED

W020-6a

WET PAINT

WET PAINT


G022-1 (1)

FLASHING ARROW PANEL


LEFT
OR
CENTER

RIGHT LANE CLOSED AHEAD

W020-5



STRIPING ON MULTI-LANE HIGHWAY






DATE PREPARED 8/5/2024	
ROUTE 54	STATE MO
DISTRICT CD	SHEET NO. 41
COUNTY MILLER	
JOB NO. J5P3500	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



NOTES :


SIGN 35 AND TEMPORARY RAISED PAVEMENT MARKING (SEE STANDARD PLAN 620.10) INSTALLED WHERE CENTERLINE STRIPING HAS BEEN COVERED OR REMOVED. SIGNS ARE TO REMAIN IN PLACE UNTIL THE PERMANENT CENTERLINE PAVEMENT MARKINGS ARE IN PLACE. SIGNS SHALL BE COVERED OR REMOVED WHEN PAVEMENT CENTERLINE MARKING HAS BEEN INSTALLED.

SIGN (35) IS PLACED AT APPROXIMATELY TWO-MILE INTERVALS AND AT STATE ROUTE JUNCTIONS. WHEN THE INSTALLATION AT A JUNCTION IS WITHIN ONE-EIGHTH MILE OF THE NORMAL MAINLINE SIGN (35), THE LATTER MAY BE ELIMINATED.

ALL SIGNS SHALL BE POST MOUNTED AND IN ACCORDANCE WITH
STANDARD PLAN 616.10 AND 903.03.

NOT TO SCALE

TRAFFIC CONTROL
SHEET 11 OF 12



DATE PREPARED
8/5/2024

ROUTE 54	STATE MO
-------------	-------------

DISTRICT CD	SHEET NO. 42
----------------	-----------------

COUNTY
MILLER

JOB NO.
J5P3500

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

[illegible]


MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION

The logo for the Missouri Department of Transportation (MoDOT) features the word "MoDOT" in a bold, sans-serif font. Below the text is a stylized graphic of a road or highway curving upwards and to the right, with several curved lines above it suggesting motion or a bridge structure.

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

MOUNTING HEIGHT DETAIL

POSTS LENGTHS TO BE SIZED TO LOCATION.
PLACE SIGNS AT MINIMUMS AND REMOVE
REMAINDER OF POST LENGTH.
ONLY USE ENTIRE 16' POST LENGTH WHEN
REQUIRED TO MEET MINIMUMS.




SEE STANDARD PLANS 903.03 FOR INSTALLATION DETAILS

- POSTS - 12 GAUGE - 2.5" X 2.5"
- ANCHORS - 7 GAUGE - 3" X 3" O.D.
- BREAKAWAY - CERTIFIED NCHRP 350 COMPLIANT
USE REQUIRED FOR DOUBLE POST
INSTALLATIONS ONLY
- GALVANIZATION - ALL PSST POSTS, ANCHORS AND
BREAKAWAY CASTINGS SHALL BE
GALVANIZED PER MODOT STANDARD
SPECIFICATIONS

* 7' MINIMUM REQUIRED IN URBAN APPLICATIONS AND PREFERRED IN RURAL APPLICATIONS.
IN RURAL APPLICATIONS ONLY - IN SITUATIONS WHERE THE 7' MINIMUM CAN
NOT BE ATTAINED WITH A 16' PSST A RANGE OF 5' - 7' CAN BE USED AS
LONG AS DISTANCE "Y" IS ALSO MAINTAINED.

NOTE: PERFORATED SQUARE STEEL TUBE (PSST) POSTS ARE PAID AS 16 LINEAR FOOT, CONTRACTOR
IS RESPONSIBLE TO PROPERLY PLACE SIGN AS SHOWN ABOVE IN "MOUNTING HEIGHT DETAIL"



DATE PREPARED 8/5/2024	
ROUTE 54	STATE MO
DISTRICT CD	SHEET NO. 44
COUNTY MILLER	
JOB NO. J5P3500	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION



105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

