STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING Contract I.D. 241018-D01

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S): FAS-S402(44)

Job J5P3433 Route AC, 63 BOONE County

BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.

2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.

3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.

4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.

5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.

6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.

7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.

8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.

9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check Bid)at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to nonresponsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

TABLE OF CONTENTS

Notice to Contractors

Proposed Work	item	(1)
Compliance With Contract Provisions	item	(2)
Period of Performance	item	(3)
Liquidated Damages	item	(4)
Itemized Bid	item	(5)
Trainees	item	(6)
DBE Certification*	item	(7)
Acceptance of Provision for Price Adjustment for Fuel	item	(8a)
Acceptance of Provision for Asphalt Cement Price Index	item	(8b)
Max. Monetary Value of Awards Accepted this Bid Opening	item	(9)
Combination Bids	item	(10)
Certification for Federal Jobs	item	(11a)
Certification for State Jobs	item	(11b)
Antidiscrimination	item	(12)
Preference to Missouri Firms in Awarding of Contracts	item	(13)
Subcontractor Disclosure Form*	.item	(14)
Signature and Identity of Bidder	item	(15)
Bid Guaranty*	item	(16)

*These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 10/18/2024.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

(1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:

****(1): Job J5P3433 Route AC, 63 BOONE County. Modify interchange configuration at Route AC and Route 63 in Columbia, the total length of improvement being 0.479 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

(2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876.

(3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.

(4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity	Unit	Unit Price	Extension Price
Section 0001 Roadway Items	- J5P3433				
	2022010 REMOVAL OF 3	1.000 IMPROVEMENTS	-		
0020	2031000 CLASS A EXC	60287.000 AVATION	CUYD		
0030	2035500 EMBANKMENT	51491.000	CUYD		
0040		3536.000 EMBANKMENT	CUYD		
0050	2042010 SETTLEMENT (9.000 GAUGE	EA		
0060	2063000 CLASS 3 EXC	8266.000	CUYD		
0070		241.000 AVATION	CUYD		
0080	3040504 TYPE 5 AGGRI	6550.000	SQYD 4 IN. THICK)		
0090	3040506 TYPE 5 AGGRI	3810.000 Egate for base (6	SQYD 5 IN. THICK)		
0100	4010150 TYPE A2 SHOT	3810.000	SQYD		
0110	6042010 ADJUSTING MA	2.000 ANHOLE	EA		
0120	6049902 MISC. ADJUS	7.000 I GAS VALVE	EA		
0130	6049902 MISC. ADJUS	2.000 I WATER METER	EA		
0140	6049902 MISC. ADJUS	7.000	EA		
0150	6081010 CONCRETE CUI	RB RAMP	SQYD		
0160	6081012 TRUNCATED DO	414.000	SQFT		
0170		1466.600	SQYD		
0180	6085008 PAVED APPRO	1097.000	SQYD		
0190		3180.600 DEWALK, 4 IN.	SQYD		
0200	6091010 CONCRETE CUI	367.000	LF AND UNDER) TYPE S		
0210	6091052 CURB AND GU	6039.000	LF		
0220	6096020 FURNISHING 1	2048.000	CUYD H LINER		
0230		2048.000	CUYD INER		
0240		123.000			

	ROCK LINING
0250	6099903 113.000 LF MISC. MODIFIED TYPE S CURB
0260	6113020 439.000 CUYD FURNISHING TYPE 2 ROCK BLANKET
0270	6113040 439.000 CUYD PLACING TYPE 2 ROCK BLANKET
0280	6122014 2.000 EA IMPACT ATTENUATOR 60 MPH (SAND BARREL ARRAY)
0290	6122020 4.000 EA REPLACEMENT SAND BARREL
0300	6122030 1.000 EA IMPACT ATTENUATOR (RELOCATION)
0310	6143013 70.000 EA MANHOLE FRAME AND COVER, TYPE 3
0320	6161005 721.000 SQFT CONSTRUCTION SIGNS
0330	6161008 6.000 EA ADVANCED WARNING RAIL SYSTEM
0340	6161025 63.000 EA CHANNELIZER (TRIM LINE)
0350	6161030 5.000 EA TYPE III MOVEABLE BARRICADE
0360	6161040 2.000 EA FLASHING ARROW PANEL
0370	6161099 3.000 EA CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED
0380	6173602B 3750.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / COMMISSION RETAINED
0390	6181000 1.000 LS MOBILIZATION
	6200021 31.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
0410	6200024 6.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW
0420	6200027 4.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT
0430	6200042 7.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES
0440	6205301B 826.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN . WHITE
0450	6205303B 16312.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., YELLOW
0460	6205320 36.000 LF TEMPORARY REMOVABLE MARKING TAPE, 12 IN., WHITE
0470	6205902A 22071.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0480	6205903A 4145.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0490	6205906A 324.000 LF 12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS

0500	6206000C 12885.000 LF 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0510	6206001C 11137.000 LF 4 IN YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT TYPE P BEADS
0520	6206124A 378.000 LF 24 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0530	6206125A 97.000 LF 24 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0540	6209902 3.000 EA MISC. PREFORMED PAVEMENT MARKING HELMETED CYCLIST
0550	6240101A 658.000 SQYD SUBSURFACE DRAINAGE GEOTEXTILE
0560	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING
0570	7034041 157.300 CUYD CLASS B-1 CONCRETE (CULVERTS)
0580	7061030 32120.000 LB REINFORCING STEEL (CULVERTS)
0590	7250312A 51.000 LF 12 IN. PIPE GROUP B
0600	7250315A 1999.000 LF 15 IN. PIPE GROUP B
0610	7250318A 43.000 LF 18 IN. PIPE GROUP B
0620	7250324A 144.000 LF 24 IN. PIPE GROUP B
0630	7250330A 33.000 LF 30 IN. PIPE GROUP B
0640	7250336A 544.000 LF 36 IN. PIPE GROUP B
0650	7250354A 847.000 LF 54 IN. PIPE GROUP B
	7250360A 196.000 LF 60 IN. PIPE GROUP B
0670	7261015 216.000 LF 15 IN. PIPE GROUP A
0680	24 IN. PIPE GROUP A
	7261030 240.000 LF 30 IN. PIPE GROUP A
0700	7261036 415.000 LF 36 IN. PIPE GROUP A
0710	7261048 69.000 LF 48 IN. PIPE GROUP A
0720	7269903 114.000 LF MISC. 48 IN. HDPE PIPE
0730	7310048 8.000 FT PRECAST CONCRETE MANHOLE - 48 IN.
0740	7310060 9.000 FT PRECAST CONCRETE MANHOLE - 60 IN.
0750	7310072 5.000 FT

	PRECAST CONCRETE MANHOLE - 72 IN.
0760	7311022 5.000 FT
0700	PRECAST CONCRETE DROP INLET 2 FT X 2 FT
0770	7311053 155.000 FT
0,,0	PRECAST CONCRETE DROP INLET 5 FT X 3 FT
0780	7319903 105.000 LF
0700	MISC. CITY OF COLUMBIA TYPE M DROP INLET 5 FT X 3 FT
0790	7319903 14.000 LF
0750	MISC. CITY OF COLUMBIA TYPE M DROP INLET 5 FT X 4 FT
0800	7319903 4.000 LF
0000	MISC. PRECAST CONCRETE OUTLET STRUCTURE 5 FT X 5 FT
0810	7319913 6.000 FT
0010	MISC. PRECAST CONCRETE DROP INLET 4 FT X 4 FT
0820	
0020	MISC. PRECAST CONCRETE DROP INLET 5 FT X 4 FT
0830	7319913 10.000 FT
0830	MISC. PRECAST CONCRETE DROP INLET 5 FT X 5 FT
0840	7319913 57.000 FT
0840	MISC. PRECAST CONCRETE MANHOLE, 96 IN.
0.050	
0850	7320012A 2.000 EA 12 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
0860	7320015A 5.000 EA 15 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
0870	7320018A 1.000 EA 18 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
0880	7320024A 5.000 EA 24 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
0890	7320030A 1.000 EA 30 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
0900	7320036A 1.000 EA 36 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
0.01.0	
0910	7320054A 1.000 EA 54 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
0920	7320630A 4.000 EA 30 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0930	7320636A 2.000 EA 36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0940	8025006 11.500 ACRE MULCHING
0950	8051000A 11.500 ACRE SEEDING - COOL SEASON GRASSES
0960	8061004 5.000 CUYD SEDIMENT TRAP ROCK
0970	8061005 46.000 LF ROCK DITCH CHECK
0980	8061006 30.000 LF
	ALTERNATE DITCH CHECK
0990	8061007A 58.000 EA
	CURB INLET CHECK
1000	8061016 109.000 CUYD
	SEDIMENT REMOVAL

8061017 TEMPORAF		3.100	ACRE		
	RY SEEDING		none		
8061019 SILT FEN	JCE	3075.000	LF		
	ete - J5P34	133			
TYPE 5 A			IN. THICK)		
5021310 CONCRETE	E PAVEMENT	(10 TN NOT	SQYD N-REINFORCED 15	5 FT. JOINTS)	
6262000A PORTLANI		17.300	STA	TRIP	
	lt - J5P343	33			
TYPE 5 A	AGGREGATE F	OR BASE (6	IN. THICK)		
4039905 MISC. 12		7021.000	SQYD Concrete		
6261000A		17.300	STA		
	- Concrete	- J5P3433			
3040506 TYPE 5 A			-		
5021309 CONCRETE					
	- Asphalt -	- J5P3433			
3040506 TYPE 5 A			IN. THICK)		
4039905 MISC. 11			SQYD CONCRETE		
	AA1 - Route 63 - Concr 3040506 TYPE 5 7 5021310 CONCRETH 6262000A PORTLANN Detal AA2 - Route 63 - Aspha 3040506 TYPE 5 7 4039905 MISC. 12 6261000A BITUMING Detal BB1 - Route AC, Ramps 3040506 TYPE 5 7 5021309 CONCRETH Detal	AA1 Route 63 - Concrete - J5P34 3040506 TYPE 5 AGGREGATE F 5021310 CONCRETE PAVEMENT 6262000A PORTLAND CEMENT CO otal AA2 Route 63 - Asphalt - J5P343 3040506 TYPE 5 AGGREGATE F 4039905 MISC. 12 1/2 INCH 6261000A BITUMINOUS SHOULDE otal BB1 Route AC, Ramps - Concrete 3040506 TYPE 5 AGGREGATE F 5021309 CONCRETE PAVEMENT otal BB2 Route AC, Ramps - Asphalt - 3040506 TYPE 5 AGGREGATE F 4039905 MISC. 11 1/2 INCH	AA1 AA1 Route 63 - Concrete - J5P3433 3040506 7021.000 TYPE 5 AGGREGATE FOR BASE (6 5021310 7021.000 CONCRETE PAVEMENT (10 IN. NOI 6262000A 17.300 PORTLAND CEMENT CONCRETE SHO otal AA2 Route 63 - Asphalt - J5P3433 3040506 7021.000 MISC. 12 1/2 INCH ASPHALTIC 6261000A 17.300 BITUMINOUS SHOULDER RUMBLE ST otal BE1 BE1 Route AC, Ramps - Concrete - J5P3433 3040506 22734.000 TYPE 5 AGGREGATE FOR BASE (6 5021309 22733.900 CONCRETE PAVEMENT (9 IN. NON otal BE2 Route AC, Ramps - Asphalt - J5P3433 3040506 22734.000 TYPE 5 AGGREGATE FOR BASE (6 5021309 22733.900 CONCRETE PAVEMENT (9 IN. NON otal	AA1 AA1 Route 63 - Concrete - J5P3433 3040506 7021.000 SQYD TYPE 5 AGGREGATE FOR BASE (6 IN. THICK) 5021310 7021.000 SQYD CONCRETE PAVEMENT (10 IN. NON-REINFORCED 11 6262000A 17.300 STA PORTLAND CEMENT CONCRETE SHOULDER RUMBLE ST otal AA2 Route 63 - Asphalt - J5P3433 3040506 7021.000 SQYD TYPE 5 AGGREGATE FOR BASE (6 IN. THICK) 4039905 7021.000 SQYD MISC. 12 1/2 INCH ASPHALTIC CONCRETE 6261000A 17.300 STA BITUMINOUS SHOULDER RUMBLE STRIP otal BB1 Route AC, Ramps - Concrete - J5P3433 3040506 22734.000 SQYD TYPE 5 AGGREGATE FOR BASE (6 IN. THICK) 5021309 22733.900 SQYD CONCRETE PAVEMENT (9 IN. NON-REINFORCED 15 otal BB2 Route AC, Ramps - Asphalt - J5P3433 3040506 22734.000 SQYD TYPE 5 AGGREGATE FOR BASE (6 IN. THICK) 4039905 22733.900 SQYD MISC. 11 1/2 INCH ASPHALTIC CONCRETE	AA1 Route 63 - Concrete - J5P3433 3040506 7021.000 SQYD TTPE 5 AGGREGATE FOR BASE (6 IN. THICK) 5021310 7021.000 SQYD CONCRETE PAVEMENT (10 IN. NON-REINFORCED 15 FT. JOINTS) 6262000A 17.300 STA PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 50tal AA2 AA2 AA2 AA2 AA2 AA2 AA2 AA2 AA2 AA

Section 0006 CC1 Alt Pvmt E - Lenoir & Lemone - Concrete - J5P3433

	TYPE 5 A	GGREGATE FOR BASE (4 IN. THICK))	
1140	5021307	9609.600 SQYD		
		PAVEMENT (7 IN. NON-REINFORCE	, ,	
Section 0006 I				

Section 0007 Alt Pvmt	CC2 F - Lenoir & Lemone -	Asphalt - J5P3433	
1150	3040504 TYPE 5 AGG	9610.000 SQYD REGATE FOR BASE (4 IN. THICK)	
1160	4039905 MISC. 9 IN	9609.600 SQYD Ch Asphaltic concrete	

Section 0007 Total

1170	6061060	2863.000 LF
	MGS GUARDRAI	
1180	6061061	875.000 LF
	MGS GUARDRAI	L, 8 FT. POSTS, 6 FT 3 IN. SPACING
1190	6061080	4.000 EA
	MGS END ANCH)R
1200	6063014	4.000 EA
	TYPE A CRASH	NORTHY END TERMINAL (MASH)

Section 000 Lighting	9 Items - J5P3433	
1210	9011030 8.000 EA	
	LIGHTING POLE, 30 FT. OR 9.0 M, TYPE AT	
1220		
	BRACKET ARM, 15 FT. OR 4.6 M	
1230	9011311 8.000 EA	
	LUMINAIRE, LED-A	
	9013003 34.000 LF	
	CONDUIT, 3 IN. RIGID, IN TRENCH	
1250	9014003 931.000 LF	
	CONDUIT, 3 IN. RIGID, PUSHED	
	9015010 109.000 LF	
	TRENCHING TYPE I	
	9016110 8.000 EA	
	PULL BOX, PREFORMED CLASS 1	
1280	9017008 2290.000 LF	
	CABLE, 8 AWG 1 CONDUCTOR	
1290	9017110 760.000 LF	
	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	
1300	9017208 1150.000 LF	
	WIRE, 8 AWG, BARE NEUTRAL	

1310	9017407 220.0	00 LF
	CABLE-CONDUIT, 1 IN., 2 C	ONDUCTORS AND 1 BARE NEUTRAL, 8 AWG
1320	9018230 8.0	00 EA
	POLE FOUNDATION (30 FT. O	R 9.0 M MOUNTING HEIGHT)
1330	9018613 2.0	00 EA
	POWER SUPPLY ASSEMBLY, TY	PE 2, 240/120 VOLT SERVICE, LIGHTING AND SIGNALS
1340	9019902 1.0	00 EA
	MISC. DRILL PULLBOX AND A	IG
Section 0009 Tota	al	

Section 0010 Signal Items -	- J5P3433
1350	9020213 8.000 EA
	SIGNAL HEAD, TYPE 3S
1360	9020513 16.000 EA
	SIGNAL HEAD, TYPE 3B
1370	9020514 2.000 EA
	SIGNAL HEAD, TYPE 4B
1380	9020811 16.000 EA
	SIGNAL HEAD, TYPE 1S, PEDESTRIAN
1390	9020833 110.000 SQFT
	SH-FLAT SHEET - SIGNAL SIGN
1400	9020834 26.000 EA
	SIGNAL SIGN, MOUNTING HARDWARE
1410	9022213 2.000 EA
1110	SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 3S
1420	9022708 10.000 EA
1420	POST, SIGNAL 8 FT.
1430	9022715 2.000 EA
1400	POST. SIGNAL 15 FT
1440	9023225 1.000 EA
1440	POST, TYPE C, 25 FT. ARM OR 7.6 M ARM
1 4 5 0	
1450	9023230 2.000 EA POST, TYPE C, 30 FT. ARM OR 9.1 M ARM
1 4 6 0	
1460	9023235 1.000 EA POST, TYPE C, 35 FT. ARM OR 10.7 M ARM
1 4 7 0	
1470	9023240 1.000 EA
	POST, TYPE C, 40 FT. ARM OR 12.2 M ARM
1480	9023245 1.000 EA
1490	9023250 1.000 EA
	POST, TYPE C, 50 FT. ARM OR 15.2 M ARM
1500	9023255 1.000 EA
	POST, TYPE C, 55 FT. ARM
1510	9024283 2.000 EA
	CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER
1520	9024975 2.000 EA
	VIDEO DETECTION SYSTEM
1530	9025200 1023.000 LF
	CONDUIT, 2 IN., TRENCH WITH TRACER WIRE

1540	9025300 230.000 LF
	CONDUIT, 3 IN., TRENCH WITH TRACER WIRE
1550	9025400 40.000 LF
	CONDUIT, 4 IN., TRENCH WITH TRACER WIRE
1560	9027200 388.000 LF
	CONDUIT, 2 IN., PUSHED WITH TRACER WIRE
1570	9027300 670.000 LF
	CONDUIT, 3 IN., PUSHED WITH TRACER WIRE
1580	9028208 170.000 LF
	CABLE, 8 AWG 1 CONDUCTOR, POWER
1590	9028310 3460.000 LF
	CABLE, 16 AWG 5 CONDUCTOR
1600	9028311 6320.000 LF
	CABLE, 16 AWG 7 CONDUCTOR
1610	9028811 12.000 EA
	PULL BOX, PREFORMED CLASS 2
1620	9028812 2.000 EA
	PULL BOX, PREFORMED CLASS 3
1630	9028816 2.000 EA
	PULL BOX, PREFORMED CLASS 5
1640	9029100 34.400 CUYD
	BASE, CONCRETE
1650	9029901 1.000 LS
	MISC. REMOVE EXISTING FIBER OPTIC CABLE
1660	9029902 2.000 EA
	MISC. APS SYSTEM (INTERSECTION)
1670	9029902 1.000 EA
	MISC. FIBER ENCLOSURE
1680	9029902 1.000 EA
	MISC. IN-GROUND SPLICE ENCLOSURE
1690	9029902 2.000 EA
	MISC. NETWORK SWITCH
1700	9029903 2760.000 LF
	MISC. FIBER OPTIC CABLE, 24SM
Section 0010 1	Total

Section 0011 Signing Items - J5P3433 1710 1720 1730

9031010 7.000 CUYD CONCRETE FOOTINGS, EMBEDDED 26.900 CUYD 9031020 CONCRETE FOOTINGS, BOLT DOWN 1730 9031210 2910 000 TR _____ 9031210 2910.000 LB STRUCTURAL STEEL POSTS 1740 9031220 1460.000 LB PIPE POSTS 1750 9031241 32.000 EA BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE) 760 9031280 419.000 LF 1760 2.5 IN. PSST POST - 12 GA.

1770	9031281A 93.000 EA DRIVEN POST ANCHOR FOR 2.5 IN. PSST - 7 GA.
1780	9035004A 126.000 SQFT SH-FLAT SHEET
1790	9035011A 694.000 SQFT ST-STRUCTURAL
1800	9035069A 310.000 SQFT SHF-FLAT SHEET FLUORESCENT
1810	9036043 1.000 EA TUBULAR SUPPORT, TYPE C-2018-34
1820	9039902 1.000 EA MISC. 75 FT SPAN TUBULAR TRUSS, 2 TUBE
	9039902 27.000 EA MISC. EXISTING SIGN TO BE REMOVED
	9039902 10.000 EA MISC. RELOCATE EXISTING SIGN
	9039902 3.000 EA MISC. RELOCATE EXISTING SIGN BY OTHERS
	9039902 1.000 EA MISC. TUBULAR SUPPORT, TYPE C-2015-24
	9039903 18.000 LF MISC. 4 IN. PSST POST
Section 0011 Tot	al

Section 0012 City of Columbia Sewer Items - J5p3433		
1880	6039921 1.000 LS	
	SEWER MOBILIZATION FOR SEWER WORK	
1890	6039922 3.000 EA	
	SEWER ABANDONMENT OF EXISTING SEWER - CONCRETE CAP	
1900	6039922 5.000 EA	
	SEWER ABANDONMENT OF EXISTING SEWER STRUCTURE - FLOWABLE BACKFILL,OR SAND	
1910	6039922 1.000 EA	
	SEWER CONNECTION TO EXISTING SEWER	
1920	6039922 2.000 EA	
	SEWER DOGHOUSE STRUCTURE (MANHOLE)	
1930	6039922 20.000 EA	
	SEWER LANE CHANNELIZERS	
	6039922 1.000 EA	
	SEWER RAISE EXISTING SANITARY STRUCTURE	
1950	6039922 2.000 EA	
	SEWER REMOVAL OF EXISTING SEWER STRUCTURE - FLOWABLE BACKFILL, OR COMPACTED ROCK BACKFILL	
1960	6039922 10.000 EA	
	SEWER STANDARD STRUCTURE (MANHOLE, 6' DEEP)	
1970	6039922 4.000 EA	
	SEWER STEEL PLATE	
1980	6039923 955.000 LF	
	SEWER ABANDONMENT OF EXISTING SEWER PIPE- FLAOWABLE BACKFILL, OR GROUT	
1990	6039923 1538.000 LF	

	SEWER CONSTRUCTION STAKING
2000	60.000 LF
	SEWER GRAVEL/LOG SOCK
2010	60.000 LF
	SEWER INLET CHECK
2020	6039923 100.000 LF
	SEWER P.C. CONCRETE CURB & GUTTER REMOVAL
2030	6039923 80.000 LF
	SEWER ROCK DITCH CHECK
2040	6039923 75.000 LF
	SEWER SANITARY SEWER 14-INCH STEEL CASING PIPE, OPEN CUT,RIGHT OF WAY
	(GRANULAR)
2050	6039923 846.000 LF
	SEWER SANITARY SEWER 8- INCH PVC PIPE, OPEN CUT
2060	6039923 419.000 LF
	SEWER SANITARY SEWER 8- INCH PVC PIPE, OPEN CUT, RIGHT OF WAY (GRANULAR BACKFILL)
2070	6039923 118.000 LF
	SEWER SANITARY SEWER 8-INCH C900-DR21 RESTAINED JOINT PVC PIPE, OPEN CUT, RIGHT OF WAY (GRANULAR BACKFILL)
2080	6039923 40.000 LF
2000	SEWER SANITARY SEWER BORE, HDD OR BORING AND JACKING, WITH 14 INCH C900-DR21
	RESTRAINED JOINT PVC PIPE, RIGHT OF WAY
2090	6039923 40.000 LF
	SEWER SANITARY SEWER BORE, HDD OR BORING AND JACKING, WITH 8 INCH C900-DR21
	RESTRAINED JOINT PVC PIPE, RIGHT OF WAY
2100	6039923 115.000 LF
	SEWER SANITARY SEWER CARRIER PIPE, 8-INCH C900-DR21 RESTRAINED JOINT PVC PIPE
2110	6039923 340.000 LF
	SEWER SILT FENCE AND/OR MULCH BERM
2120	6039923 240.000 LF
2130	
	SEWER ASPHALT STREET OR DRIVEWAY REMOVAL
2140	6039924 80.000 CUYD
2150	6039924 230.000 CUYD
	SEWER ROCK EXCAVATION
2160	6039925 135.000 SQYD
2170	6169904 27.000 SQFT
2180	7319913 2.000 FT
	MISC. ADDITIONAL DEPTH OF DOGHOUSE STRUCTURE
2190	7319913 30.000 FT
	MISC. ADDITIONAL DEPTH OF STANDARD STRUCTURE
Section 0012 To	tal

Section 0013

City of Columbia Waterline Items - J5P3433

2200

2210	6039902 22.000 EA
2210	WATER 16 INCH DUCTILE IRON FITTINGS (INCLUDING BUT NOT LIMITED TO TEES, BENDS,
	SOLID SLEEVES AND REDUCERS)
2220	6039902 4.000 EA
	WATER 16 INCH GATE VALVE
2230	6039902 7.000 EA
	WATER 24 IN. DUCTILE IRON FITTING (INCLUDING BUT NOT LIMITED TO TEES, BENDS, SOLID SLEEVE AND REDUCERS)
2240	6039902 4.000 EA
	WATER CONNECT TO EXISTING 16 INCH WATER MAIN (INCLUDES ALL LABOR & MATERIALS BEYOND PIPE AND FITTINGS INCLUDED IN OTHER BID ITEMS)
2250	6039902 2.000 EA
	WATER CONNECT TO EXISTING 24 INCH WATER MAIN (INCLUDES ALL LABOR AND MATERIALS BEYOND THE PIPE BEYOND INCLUDED IN OTHER BID ITEMS)
2260	6039902 2.000 EA
	WATER FIRE HYDRANT ASSEMBLY INSTALLATION (INCLUDING HYDRANT, TEE, VALVE, BLOCKING AND UP TO 8 FT OF PIPING)
2270	6039902 1.000 EA
	WATER FIRE HYDRANT REMOVAL (INCLUDING INSTALLATION OF CAP OR PLUG FOR CONNECTED PIPING)
2280	6039903 1609.000 LF
	WATER 16 IN. PC 350 RESTRAINED DUCTILE IRON WATER MAIN
2290	6039903 963.000 LF
	WATER 16" PC 350 PUSH JOINT DUCTILE IRON WATER MAIN
2300	6039903 259.000 LF
	WATER 24 IN. PC 350 RESTRAINED JOINT DUCTILE IRON WATER MAIN
2310	6039903 18.000 LF
	WATER 24 INCH STEEL CASING
2320	6039903 33.000 LF
	WATER 30 INCH STEEL CASING
2330	6039907 110.000 CUYD
	WATER CLASS 3 ROCK EXCAVATION
Section 0013	Total

Item Total

\$0.00

DBE CERTIFICATION

(6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 0 slots at 1000 hours per slot or 0 hours.

(7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

(A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 0 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.

(B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/ or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

(10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.

(11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and material misrepresentation or omission of fact within the bid submission.

(11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes \bigcirc No \bigcirc

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

\$

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if requested by the Design Division or the engineer.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

*** AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. ***

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

() Yes () No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

**Bond ID: Verify Clear

**Surety Registry Agency:

**Bond Pct:

Surety State:

FIELDS WITH THE ** INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS