

STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING Contract I.D. 240920-C03

THIS JOB SHALL BE CONSTRUCTED UNDER
FEDERAL PROJECT NUMBER(S): FAS-S304 (002), FAF-152-1 (19)

Job JKU0046 Route 1 CLAY County

Job JKU0054 Route 152 CLAY County

BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

- 1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
- 2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
- 3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.
- 4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
- 5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
- 6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
- 7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
- 8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
- 9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid) at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to nonresponsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

TABLE OF CONTENTS

Notice to Contractors

| Proposed Work | item | (1) |
|---|-------|-------|
| Compliance With Contract Provisions | item | (2) |
| Period of Performance | item | (3) |
| Liquidated Damages | item | (4) |
| Itemized Bid | item | (5) |
| Trainees | item | (6) |
| DBE Certification* | item | (7) |
| Acceptance of Provision for Price Adjustment for Fuel | item | (8a) |
| Acceptance of Provision for Asphalt Cement Price Index | item | (8b) |
| Max. Monetary Value of Awards Accepted this Bid Opening | item | (9) |
| Combination Bids | item | (10) |
| Certification for Federal Jobs | item | (11a) |
| Certification for State Jobs | item | (11b) |
| Antidiscrimination | item | (12) |
| Preference to Missouri Firms in Awarding of Contracts | item | (13) |
| Subcontractor Disclosure Form* | .item | (14) |
| Signature and Identity of Bidder | item | (15) |
| Bid Guaranty* | item | (16) |

^{*}These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 09/20/2024.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

- (1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:
- ****(1): Job JKU0046 Route 1 CLAY County. Coldmill and resurface from Route 152 to 72nd Street in Kansas City, the total length of improvement being 1.81 miles.****(2): Job JKU0054 Route 152 CLAY County. Resurface, pavement repair, and guardrail from Route 1 to I-35 in Kansas City, the total length of improvement being 4.39 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

- (2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office Design Division at (573) 751-2876.
- (3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.
- (4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.
- (5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor,

materials, equipment, services, etc. required for the performance and completion of the work, as follows:

| Line Number | Item Number | Quantity | Unit | Unit Price | Extension Price |
|------------------------------|------------------------------------|-----------------------------|----------------------------|---------------------|------------------|
| Section 0001 Roadway Item | | | | | |
| 0010 | 2022010 REMOVAL OF IM | 1.000 PROVEMENTS | | | |
| 0020 | 2153000 SHAPING SLOPE | 4.000 | 100F | | |
| 0030 | 3049910 MISC. PERMANE | 347.000 | TONS | | |
| 0040 | 4011211 BITUMINOUS PA | 1288.500 VEMENT MIXTURE | TONS PG64-22, (BP-2) | | |
| 0050 | | 5694.100 | TONS | IX) | |
| 0065 | 4079912 | 16963 000 | GAL | | |
| ADDED | MISC. HIGH AP | PLICATION RATE | TACK COAT | | |
| 0070 | 6131010 FURNISHING AN | 561.300 | SQYD | FULL DEPTH PAVEMENT | |
| 0080 | 6131012 SUBGRADE COMP. | 56.000 ACTION (6 IN. D | SQYD EPTH) (PAVEMENT RE | EPAIR) | |
| 0090 | 6131013 TYPE 1 OR 5 A | 56.000 GGREGATE FOR BA | SQYD SE (4 IN. THICK) | | |
| 0100 | 6131014 FULL DEPTH PA | 2232.000 VEMENT REPAIR S | LF | ETER AND INTERNAL | |
| 0110 | 6131015 DOWEL BAR (D REPAIR | 1004.000 RILLING, FURNI | | LATION) FOR FULI | DEPTH PAVEMENT |
| 0120 | 6131017 DOWEL BAR (FU REPAIR | 3.000 JRNISHING AND | EA INSTALLATION WITH | BASKETS) FOR FUL | L DEPTH PAVEMENT |
| 0130 | 6131018 | 46.000 LING, FURNISHIN | EA | ON) FOR FULL DEPTH | |
| 0140 | 6133018 FURNISHING AN REPAIR | 247.400 D PLACING BITU | MINOUS MATERIAL F | OR CLASS B PARTIA | |
| 0150 | 6133019 REMOVAL FOR C | 1121.500 LASS B PARTIAL | SQYD DEPTH PAVEMENT REA | | |
| 0160 | 6161005 CONSTRUCTION | 1224.000 SIGNS | SQFT | | |
| 0170 | 6161008 | 4.000 ING RAIL SYSTEM | EA | | |
| 0180 | 6161025 CHANNELIZER (' | 400.000 TRIM LINE) | EA | | |
| 0190 | 6161040 FLASHING ARRO | 4.000 | EA | | |
| 0200 | 6161099 | | EA TH COMMUNICATION | INTERFACE, CONTRA | ACTOR FURNISHED, |
| 0210 | 6181000 MOBILIZATION | 1.000 | LS | | |
| 0220 | | 126.000 | | | |

| | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 6 IN. WHITE |
|--|--|
| 0230 | 6200015 396.000 LF |
| | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE |
| 0240 | 6200018 60.000 LF |
| | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW |
| 0250 | 6200021 18.000 EA |
| | PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW |
| 0260 | 6200024 2.000 EA |
| | PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW |
| 0270 | 6200036 99.000 EA |
| 0270 | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK |
| 0200 | |
| 0280 | 6205901A 12494.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS |
| | |
| 0290 | 6205902A 26558.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS |
| | |
| 0300 | 6205903A 4603.000 LF |
| | |
| 0310 | 6206125A 1306.000 LF |
| | 24 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS |
| 0320 | 6221001 84816.000 SQYD |
| | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) |
| 0330 | 6224010 18137.000 SQYD |
| 0000 | |
| Section 0001 Tot | MODIFIED COLDMILLING (DEPTH TRANSITIONS) |
| Section 0001 Tot Section 0002 | MODIFIED COLDMILLING (DEPTH TRANSITIONS) |
| Section 0001 Tot Section 0002 Guardrail/Gua 0340 | MODIFIED COLDMILLING (DEPTH TRANSITIONS) tal ard Cable Items - JKU0046 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING |
| Section 0001 Tot Section 0002 Guardrail/Gua 0340 | MODIFIED COLDMILLING (DEPTH TRANSITIONS) tal ard Cable Items - JKU0046 6061061 925.000 LF |
| Section 0001 Tot Section 0002 Guardrail/Gua 0340 | MODIFIED COLDMILLING (DEPTH TRANSITIONS) tal ard Cable Items - JKU0046 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) |
| Section 0001 Tot Section 0002 Guardrail/Gua 0340 0350 | MODIFIED COLDMILLING (DEPTH TRANSITIONS) tal ard Cable Items - JKU0046 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 6061080 1.000 EA |
| Section 0001 Tot Section 0002 Guardrail/Gua 0340 0350 | MODIFIED COLDMILLING (DEPTH TRANSITIONS) tal ard Cable Items - JKU0046 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) |
| Section 0001 Tot Section 0002 Guardrail/Gua 0340 0350 | MODIFIED COLDMILLING (DEPTH TRANSITIONS) tal ard Cable Items - JKU0046 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 6061080 1.000 EA MGS END ANCHOR |
| Section 0001 Tot Section 0002 Guardrail/Gua 0340 0355 ADDED Section 0002 Tot Section 0003 | MODIFIED COLDMILLING (DEPTH TRANSITIONS) tal ard Cable Items - JKU0046 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 6061080 1.000 EA MGS END ANCHOR |
| Section 0001 Tot Section 0002 Guardrail/Gua 0340 0350 0355 ADDED Section 0002 Tot | MODIFIED COLDMILLING (DEPTH TRANSITIONS) tal ard Cable Items - JKU0046 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 6061080 1.000 EA MGS END ANCHOR |
| Section 0001 Tot Section 0002 Guardrail/Gua 0340 0350 Comparison of the compariso | MODIFIED COLDMILLING (DEPTH TRANSITIONS) tal ard Cable Items - JKU0046 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 6061080 1.000 EA MGS END ANCHOR |
| Section 0001 Tot Section 0002 Guardrail/Gua 0340 0350 Comparison of the compariso | MODIFIED COLDMILLING (DEPTH TRANSITIONS) tal ard Cable Items - JKU0046 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 6061080 1.000 EA MGS END ANCHOR tal - JKU0046 9029902 5.000 EA MISC. OPTIONAL TRAFFIC SIGNAL DETECTORS |
| Section 0001 Tot Section 0002 Guardrail/Gua 0340 0355 ADDED Section 0002 Tot Section 0003 Signal Items 0370 | MODIFIED COLDMILLING (DEPTH TRANSITIONS) tal ard Cable Items - JKU0046 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 6061080 1.000 EA MGS END ANCHOR tal - JKU0046 9029902 5.000 EA MISC. OPTIONAL TRAFFIC SIGNAL DETECTORS |
| Section 0001 Tot Section 0002 Guardrail/Gua 0340 0350 0355 ADDED Section 0002 Tot Section 0003 Signal Items 0370 Section 0003 Tot Section 0004 | MODIFIED COLDMILLING (DEPTH TRANSITIONS) tal ard Cable Items - JKU0046 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 6061080 1.000 EA MGS END ANCHOR tal - JKU0046 9029902 5.000 EA MISC. OPTIONAL TRAFFIC SIGNAL DETECTORS tal 8 - JKU0054 2022010 1.000 LS REMOVAL OF IMPROVEMENTS |
| Section 0001 Tot Section 0002 Guardrail/Gua 0340 0350 Comparison of the section 0002 Tot Section 0003 Signal Items 0370 Section 0003 Tot Section 0004 Roadway Items | MODIFIED COLDMILLING (DEPTH TRANSITIONS) tal ard Cable Items - JKU0046 6061061 925.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING 6063014 5.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) 6061080 1.000 EA MGS END ANCHOR tal - JKU0046 9029902 5.000 EA MISC. OPTIONAL TRAFFIC SIGNAL DETECTORS tal s - JKU0054 2022010 1.000 LS |

| 0400 | 3049910 4033.600 TONS |
|--------|---|
| | MISC. PERMANENT AGGREGATE EDGE TREATMENT |
| 0410 | 4011211 8536.100 TONS |
| | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2) |
| 0420 | 4030005 20174.100 TONS |
| | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095C MIX) |
| 0430 | 4079912 69464.000 GAL |
| 0430 | |
| | MISC. MODIFIED BONDED ASPHALTIC CONCRETE PAVEMENT |
| 0440 | 4133200 116654.000 SQYD |
| | ULTRATHIN BONDED WEARING SURFACE, TYPE C |
| 0450 | 4139905 5612.000 SQYD |
| | MISC. HIGH FRICTION SURFACE TREATMENT (BAUXITE) |
| 0460 | 6131010 416.500 SQYD |
| 0100 | FURNISHING AND PLACING CONCRETE MATERIAL FOR FULL DEPTH PAVEMENT REPAIR |
| | |
| 0470 | 6131012 42.000 SQYD |
| | SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR) |
| 0480 | 6131013 42.000 SQYD |
| | TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR) |
| 0490 | 6131014 1404.000 LF |
| 0 13 0 | FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS) |
| 0500 | |
| 0500 | 6131015 220.000 EA |
| | DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR |
| | |
| 0510 | 6131017 172.000 EA |
| | DOWEL BAR (FURNISHING AND INSTALLATION WITH BASKETS) FOR FULL DEPTH PAVEMENT |
| | REPAIR |
| 0520 | 6131018 91.000 EA |
| | TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR |
| | (TYPE L JOINTS) |
| 0530 | 6133018 9.700 TONS |
| | FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS B PARTIAL DEPTH PAVEMENT |
| | REPAIR |
| 0540 | 6133019 87.600 SQYD |
| | REMOVAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR |
| 0550 | 6161005 1624.000 SOFT |
| 0330 | CONSTRUCTION SIGNS |
| | |
| 0560 | 6161008 4.000 EA |
| | ADVANCED WARNING RAIL SYSTEM |
| 0570 | 6161025 278.000 EA |
| | CHANNELIZER (TRIM LINE) |
| 0580 | 6161030 15.000 EA |
| | TYPE III MOVEABLE BARRICADE |
| 0590 | 6161033 56.000 EA |
| 0390 | |
| | DIRECTIONAL INDICATOR BARRICADE |
| 0600 | 6161040 6.000 EA |
| | FLASHING ARROW PANEL |
| 0610 | 6161055 56.000 EA |
| | SEQUENTIAL FLASHING WARNING LIGHT |
| 0620 | 6161099 8.000 EA |
| 0020 | CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED, |
| | CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED |
| 0.630 | |
| 0630 | 6169902 5.000 EA |
| | MISC. ADA COMPLIANT MOVABLE BARRICADE |
| | |

| 0640 | 6181000 1.000 LS |
|------------------|--|
| | MOBILIZATION |
| 0650 | 6200015 1057.000 LF |
| | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE |
| 0660 | 6200021 63.000 EA |
| 0000 | PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW |
| | |
| 0670 | 6200036 298.000 EA |
| | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK |
| 0680 | 6200045 2.000 EA |
| | PREFORMED THERMOPLASTIC PAVEMENT MARKING, LT/RT FISH HOOK ARROW |
| 0690 | 6205902A 76743.000 LF |
| | 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS |
| 0700 | 6205903A 55137.000 LF |
| 0700 | 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS |
| | |
| 0710 | 6205906A 6881.000 LF |
| | 12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS |
| 0720 | 6206000C 3015.000 LF |
| | 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS |
| 0730 | 6206001C 40.000 LF |
| | 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS |
| 0740 | |
| 0740 | 6206108A 1409.000 LF 8 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS |
| | |
| 0750 | 6206124A 36.000 LF |
| | 24 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS |
| 0760 | 6206125A 68.000 LF |
| | 24 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS |
| 0770 | 6221001 288217.000 SQYD |
| | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) |
| 0780 | 6224010 12833.000 SQYD |
| 0 7 0 0 | MODIFIED COLDMILLING (DEPTH TRANSITIONS) |
| 0700 | |
| 0790 | 6261000A 707.300 STA |
| | BITUMINOUS SHOULDER RUMBLE STRIP |
| Section 0004 Tot | tal |
| | |
| | |
| | |
| Section 0005 | and Cable Thomas TWIIOCEA |
| | ard Cable Items - JKU0054 |
| 0800 | 6061061 2862.000 LF |
| | MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING |
| 0810 | 6061068 2.000 EA |
| | MGS BRIDGE APPROACH TRANSITION SECTION (EXTENDED CURB) |
| 0820 | 6061069 8.000 EA |
| | MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB) |
| 0020 | |
| 0830 | 6061080 5.000 EA |
| | |
| 0840 | 6063014 15.000 EA |
| | TYPE A CRASHWORTHY END TERMINAL (MASH) |
| Coation Coop mai | |
| Section 0005 Tot | Lal |

Missouri Department of Transportation

Contract ID: 240920-C03

Signal Items - JKU0054

0850 9029902 1.000 EA

MISC. OPTIONAL TRAFFIC SIGNAL DETECTORS

Section 0006 Total

Item Total \$0.00

DBE List Summary

Project: FAF-152-1 (19)

Bid Total: 0.00 Goal: 5.00% (0.00)

Total Entered: 0.00% (0.00)

Bidder ID: 0011540

Business Name: Company 1

Contract ID: 240920-C03

ID Name Supp?/Dist? Item Count Amount Is Complete?

DBE CERTIFICATION

- (6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 0 slots at 1000 hours per slot or 0 hours.
- (7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

- (A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 5.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.
- (B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

- (10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.
- (11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and misrepresentation or omission of fact within the bid submission.
- (11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes \bigcirc No \bigcirc

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if

requested by the Design Division or the engineer. SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK: SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK: SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$ CATEGORY OF WORK: SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK: SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK: SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK: SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK: SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK:

Submitted:

SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

*** AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. ***

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

Yes No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

Contract ID: 240920-C03

BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

**Pay by: Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

**Bond ID: Verify Clear

**Surety Registry Agency:

**Bond Pct:

Surety State:

FIELDS WITH THE ** INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS