STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING Contract I.D. 240920-H02

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S): FAF 67-1(28), FAF-67-1(27)

Job J9P3751 Route 67 BUTLER County

Job J9P3764 Route 67 BUTLER County

BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.

2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.

3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.

4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.

5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.

6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.

7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.

8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.

9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check Bid)at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to nonresponsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

TABLE OF CONTENTS

Notice to Contractors

Proposed Work	item	(1)
Compliance With Contract Provisions	item	(2)
Period of Performance	item	(3)
Liquidated Damages	item	(4)
Itemized Bid	item	(5)
Trainees	item	(6)
DBE Certification*	item	(7)
Acceptance of Provision for Price Adjustment for Fuel	item	(8a)
Acceptance of Provision for Asphalt Cement Price Index	item	(8b)
Max. Monetary Value of Awards Accepted this Bid Opening	item	(9)
Combination Bids	item	(10)
Certification for Federal Jobs	item	(11a)
Certification for State Jobs	item	(11b)
Antidiscrimination	item	(12)
Preference to Missouri Firms in Awarding of Contracts	item	(13)
Subcontractor Disclosure Form*	.item	(14)
Signature and Identity of Bidder	item	(15)
Bid Guaranty*	item	(16)

*These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 09/20/2024.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

(1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:

****(1): Job J9P3751 Route 67 BUTLER County. Upgrade to freeway, 3 bridges and 2 box culvert extensions from 2.0 miles south of Poplar Bluff to 4.5 miles south of Poplar Bluff, the total length of improvement being 2.504 miles.****(2): Job J9P3764 Route 67 BUTLER County. Upgrade to freeway from 1.5 mi. south of Route 158 near Harviell to County Road 338, the total length of improvement being 1.647 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

(2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876.

(3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.

(4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity	Unit		Unit Price	Extension	Price
Section 0001 Roadway Items	- J9P3751						
	CLEARING AN						
0020	2022010 REMOVAL OF	1.000 IMPROVEMENTS	LS				
0030	2027000 DISPOSAL AN	3.000	EA				
0040	2031000	53679.000					
2 REVISED	CLASS A EXC.	AVATION					
0050	2035500 EMBANKMENT	50386.000	CUYD				
0060	2036000 COMPACTING	43416.000	CUYD				
0070	2037075 COMPACTING	5.400	STA				
	2051010 MODIFIED SU	108524.000	SQYD				
0090	2063000 CLASS 3 EXC.	1187.000	CUYD				
0100	2063500 CULVERT CLE	7.000	EA				
	3040506 TYPE 5 AGGR	4358.000	SQYD				
0125		98680.200					
2 ADDED	MISC. MODIF	IED ROCK BASE					
0130	3105002 GRAVEL (A)	58.000	TONS (B)				
	4019905 MISC. TEMPO	RARY OPTIONAL PAV	SQYD VEMENT &				
	4030103 ASPHALTIC C		TONS	(SP125C MIX)			
0160	4030308 ASPHALTIC C	114.900 ONCRETE MIXTURE 1					
0170		276.000					
0180	5041000 CONCRETE AP	574.200 PROACH PAVEMENT	SQYD				
		40.000	LF				
		8.000					
	6097000 ROCK LINING	113.000					
0240	6113020		CUYD				
0250		2193.000	CUYD				
0260		2.000					

	IMPACT ATTENUATOR 60 MPH (SAND BARREL ARRAY)
0270	6122020 6.000 EA
	REPLACEMENT SAND BARREL
0280	6122030 4.000 EA
	IMPACT ATTENUATOR (RELOCATION)
0290	6161005 1213.000 SQFT
	CONSTRUCTION SIGNS
0300	6161008 6.000 EA
	ADVANCED WARNING RAIL SYSTEM
0310	6161025 200.000 EA
	CHANNELIZER (TRIM LINE)
0320	6161030 20.000 EA
	TYPE III MOVEABLE BARRICADE
0330	6161033 28.000 EA
	DIRECTIONAL INDICATOR BARRICADE
0340	6161040 2.000 EA
	FLASHING ARROW PANEL
0350	6161070 20.000 EA
	TUBULAR MARKER
0360	6161099 3.000 EA
	CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED,
	CONTRACTOR RETAINED
0370	6162002 18.000 EA
	TEMPORARY LONG-TERM RUMBLE STRIPS
0380	6173700B 2225.000 LF
	TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED
0390	6175011B 1176.000 LF
0390	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED
	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS
	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION
	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.00000 \$3,000.00
0400	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION
0400	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.00000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF
0400 0410 0420	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.00000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW
0400	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.00000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6205901A 3008.000 LF
0400 0410 0420	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.00000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6205901A 3008.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0400 0410 0420 0430	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.00000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6205901A 3008.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205902A 30437.000 LF
0400 0410 0420 0430	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.00000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6205901A 3008.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205902A 30437.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0400 0410 0420 0430 0440	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.00000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6205901A 3008.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205902A 30437.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23739.000 LF
0400 0410 0420 0430 0440	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.00000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6205901A 3008.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205902A 30437.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0400 0410 0420 0430 0440	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.00000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6205901A 3008.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205902A 30437.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23739.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23739.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206000C 1404.000 LF
0400 0410 0420 0430 0440 0450	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.00000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6205901A 3008.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205902A 30437.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23739.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23739.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206000C 1404.000 LF 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0400 0410 0420 0430 0440 0450 0460	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.00000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6205901A 3008.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205902A 30437.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23739.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205000C 1404.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206000C 1404.000 LF 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206001C 1360.000 LF
0400 0410 0420 0430 0440 0450 0460	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.0000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6205901A 3008.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205902A 30437.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23739.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23739.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206000C 1404.000 LF 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206001C 1360.000 LF 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0400 0410 0420 0430 0440 0450 0460 0470	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.0000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6205901A 3008.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205902A 30437.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23739.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23739.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206000C 1404.000 LF 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206001C 1360.000 LF 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0400 0410 0420 0430 0440 0450 0460 0470	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.00000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6205901A 3008.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205902A 30437.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23739.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206000C 1404.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206000C 1404.000 LF 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206001C 1360.000 LF 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 6206001C 1360.000 LF 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 6206001C 1360.000 LF 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 6207001 15459.000 LF PAVEMENT MARKING REMOVAL
0400 0410 0420 0430 0440 0450 0460 0470	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.00000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6205901A 3008.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205902A 30437.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23739.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206000C 1404.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206000C 1404.000 LF 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206001C 1360.000 LF 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 6206001C 1360.000 LF 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 6206001C 1360.000 LF 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 6207001 15459.000 LF PAVEMENT MARKING REMOVAL
0400 0410 0420 0420 0430 0440 0450 0460 0470 0480 0490	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.00000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6205901A 3008.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205902A 30437.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23735.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23735.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206000C 1404.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206000C 1404.000 LF 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 6206001C 1360.000 LF 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 6207001 15459.000 LF PAVEMENT MARKING REMOVAL 6207002 2.000 EA FAVEMENT MARKING REMOVAL (SYMBOLS)
0400 0410 0420 0420 0430 0440 0450 0460 0470 0480	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.00000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6205901A 3008.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205902A 30437.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23735.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23735.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206000C 1404.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206000C 1404.000 LF 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 6206001C 1360.000 LF 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 6207001 15459.000 LF PAVEMENT MARKING REMOVAL 6207002 2.000 EA FAVEMENT MARKING REMOVAL (SYMBOLS)
0400 0410 0420 0420 0430 0440 0450 0460 0470 0480 0490	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.00000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6205901A 3008.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205902A 30437.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23739.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205000C 1404.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206000C 1404.000 LF 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206001C 1360.000 LF 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 6207001 15459.000 LF PAVEMENT MARKING REMOVAL 6207002 2.000 EA PAVEMENT MARKING REMOVAL 6207002 2.000 EA PAVEMENT MARKING REMOVAL (SYMBOLS) 6208064A 40.000 EA TEMPORARY RAISED PAVEMENT MARKER
0400 0410 0420 0430 0440 0450 0460 0470 0480 0490 0500	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.00000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6205901A 3008.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205902A 30437.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23739.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205000C 1404.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206000C 1404.000 LF 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 6206001C 1360.000 LF 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 6207001 15459.000 LF PAVEMENT MARKING REMOVAL 6207002 2.000 EA PAVEMENT MARKING REMOVAL (SYMBOLS) 6208064A 40.000 EA TEMPORARY RAISED PAVEMENT MARKER
0400 0410 0420 0420 0430 0440 0440 0450 0450 0460 0470 0480 0490 0500	6175011B 1176.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED 6181000 1.000 LS MOBILIZATION 6181020 5.000 EA \$600.00000 \$3,000.00 ADDITIONAL MOBILIZATION FOR SEEDING 6200018 57.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW 6205901A 3008.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205902A 30437.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23739.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 23739.000 LF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206000C 1404.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6206000C 1404.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 6206001C 1360.000 LF 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS 6207001 15459.000 LF PAVEMENT MARKING REMOVAL 6207002 2.000 EA PAVEMENT MARKING REMOVAL (SYMBOLS) 6208064A 40.000 EA TEMPORARY RAISED PAVEMENT MARKER 6208076 20047.000 LF 4 IN TEMPORARY RAISED PAVEMENT MARKING PAINT

0520	6209902 2.000 EA
	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, REDUCTION ARROW
0530	6221001 555.000 SQYD
	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
0540	6240103A 3290.000 SQYD
	PERMANENT EROSION CONTROL GEOTEXTILE
0550	6261000A 3.700 STA
	BITUMINOUS SHOULDER RUMBLE STRIP
0560	6261001 2.400 STA
	BITUMINOUS CENTERLINE RUMBLE STRIP
0570	6274000 1.000 LS
	CONTRACTOR FURNISHED SURVEYING AND STAKING
0580	7250318A 68.000 LF
	18 IN. PIPE GROUP B
0590	7261018 1012.000 LF
	18 IN PIPE CROUP A
0600	7261024 848.000 LF
0000	24 IN. PIPE GROUP A
0610	7261030 123.000 LF
	30 IN PIPE CROID A
0620	7261036 182.000 LF
0020	36 IN. PIPE GROUP A
0630	7320018A 4.000 EA
0000	18 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
0640	
0010	18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0650	7320624A 18.000 EA
0000	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0660	7320630A 4.000 EA
0000	30 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0670	7320636A 2.000 EA
	36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0680	8025006 53.100 ACRE
0000	
0690	MULCHING 8051000A 30.400 ACRE
	SEEDING - COOL SEASON GRASSES
0700	8052000A 22.700 ACRE
	SEEDING - WARM SEASON GRASSES
0710	8061003 9.800 CUYD
	SEDIMENT TRAP EXCAVATION
0720	8061004 14.000 CUYD
	SEDIMENT TRAP ROCK
0730	8061005 1801.000 LF
	ROCK DITCH CHECK
	8061006 1526.000 LF
	ALTERNATE DITCH CHECK
0750	
	SEDIMENT REMOVAL
0760	
	TEMPORARY SEEDING
0770	8061019 11191.000 LF

SILT FENCE	
8064128 432.000 SQYD	
MISC. DRAINING PONDS	
	00.00
4039905 77725.800 SQYD	
6261000A 472.300 STA	
6261001 3.800 STA	
BITUMINOUS CENTERLINE RUMBLE STRIP	
'otal	
CONCRETE PAVEMENT (9 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)	
6262000A 472.300 STA	
PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP62620013.800 STA	
PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP	
PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6262001 3.800 STA PORTLAND CEMENT CONCRETE CENTERLINE RUMBLE STRIP	·
PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6262001 3.800 STA PORTLAND CEMENT CONCRETE CENTERLINE RUMBLE STRIP	
PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6262001 3.800 STA PORTLAND CEMENT CONCRETE CENTERLINE RUMBLE STRIP Total BB1 - Mainline 67 - A2 Shoulders - Asphalt - J9P3751 4010150 20954.400 SQYD TYPE A2 SHOULDER	· · · · · · · · · · · · · · · · · · ·
PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6262001 3.800 STA PORTLAND CEMENT CONCRETE CENTERLINE RUMBLE STRIP Cotal BB1 - Mainline 67 - A2 Shoulders - Asphalt - J9P3751 4010150 20954.400 SQYD	·
PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6262001 3.800 STA PORTLAND CEMENT CONCRETE CENTERLINE RUMBLE STRIP Cotal BB1 - Mainline 67 - A2 Shoulders - Asphalt - J9P3751 4010150 20954.400 SQYD TYPE A2 SHOULDER	
PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6262001 3.800 STA PORTLAND CEMENT CONCRETE CENTERLINE RUMBLE STRIP Cotal BB1 - Mainline 67 - A2 Shoulders - Asphalt - J9P3751 4010150 20954.400 SQYD TYPE A2 SHOULDER	
PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6262001 3.800 STA PORTLAND CEMENT CONCRETE CENTERLINE RUMBLE STRIP Notal BB1 - Mainline 67 - A2 Shoulders - Asphalt - J9P3751 4010150 20954.400 SQYD TYPE A2 SHOULDER Potal BB2	
PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6262001 3.800 STA PORTLAND CEMENT CONCRETE CENTERLINE RUMBLE STRIP Potal BB1 - Mainline 67 - A2 Shoulders - Asphalt - J9P3751 4010150 20954.400 SQYD TYPE A2 SHOULDER Notal BB2 - Mainline 67 - A2 Shoulders - Concrete J9P3751 5021340 20954.400 SQYD	·
PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6262001 3.800 STA PORTLAND CEMENT CONCRETE CENTERLINE RUMBLE STRIP Potal BB1 - Mainline 67 - A2 Shoulders - Asphalt - J9P3751 4010150 20954.400 SQYD TYPE A2 SHOULDER Notal BB2 - Mainline 67 - A2 Shoulders - Concrete J9P3751 5021340 20954.400 SQYD TYPE A2 SHOULDER	
PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6262001 3.800 STA PORTLAND CEMENT CONCRETE CENTERLINE RUMBLE STRIP Total BB1 - Mainline 67 - A2 Shoulders - Asphalt - J9P3751 4010150 20954.400 SQYD TYPE A2 SHOULDER Notal BB2 - Mainline 67 - A2 Shoulders - Concrete J9P3751 5021340 20954.400 SQYD TYPE A2 SHOULDER Notal CC1	
PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6262001 3.800 STA PORTLAND CEMENT CONCRETE CENTERLINE RUMBLE STRIP Notal BB1 - Mainline 67 - A2 Shoulders - Asphalt - J9P3751 4010150 20954.400 SQYD TYPE A2 SHOULDER Notal BB2 - Mainline 67 - A2 Shoulders - Concrete J9P3751 5021340 20954.400 SQYD TYPE A2 SHOULDER Notal	
	TYPE 1 TURF REINFORCEMENT MAT 8069902 1.000 EA MISC. DRAINING PONDS Notal AA1 AA1 Mainline 67 - Asphalt - J9P3751 4039905 77725.800 SQYD MISC. 12.5 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C 6261000A 472.300 STA BITUMINOUS SHOULDER RUMBLE STRIP 6261001 3.800 STA BITUMINOUS CENTERLINE RUMBLE STRIP Fotal AA2 AA2 AA2 AA2 AA2 AA2 AA2 CONCRETE PAVEMENT (9 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)

Section 0006 Total

Section 000 Alt Pvmt)7 CC2 F - Outer Road 67 - Cor	acrete - J9P3751	
0900	5021107 Concrete p	1915.900 SQYD AVEMENT (7 IN. NON-REINF)	
0910	6262000A PORTLAND C	10.400 STA EMENT CONCRETE SHOULDER RUMBLE STRIP	
Section 000)7 Total		

Section 000 Guardrai	3 ./Guard Cable Items - J9P3751
0920	6061040 88.000 LF GUARDRAIL TYPE D
0930	6061060 1763.000 LF MGS GUARDRAIL
0940	6061061 225.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING
0950	6061068 5.000 EA MGS BRIDGE APPROACH TRANSITION SECTION (EXTENDED CURB)
0960	6061075 2.000 EA MGS LONG SPAN GUARDRAIL SECTION
0970	6061080 4.000 EA MGS END ANCHOR
0980	6063014 7.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)
Section 000	3 Total

Section 000 Signing 1	9 Items - J9P3751
0990	9031010 0.900 CUYD
	CONCRETE FOOTINGS, EMBEDDED
1000	9031210 630.000 LB
	STRUCTURAL STEEL POSTS
1010	9031241 9.000 EA
	BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)
1020	9031256 48.000 EA
	7 FT. CHANNEL POST DELINEATOR, WHITE
1030	9031270A 416.000 LF
	2 IN. PSST POST - 12 GA.
1040	9031271A 24.000 EA
	DRIVEN POST ANCHOR FOR 2 IN. PSST - 12 GA.
1050	9031272A 5.000 EA
	2.25 IN. PSST POST INSERT (6 FT.) - 12 GA.
1060	9031280 288.000 LF
	2.5 IN. PSST POST - 12 GA.
1070	9031281A 16.000 EA
	DRIVEN POST ANCHOR FOR 2.5 IN. PSST - 7 GA.

1080	9035004A SH-FLAT SHEET	76.000 SQFT
1090	9035011A ST-STRUCTURAL	56.000 SQFT
1100	9035069A SHF-FLAT SHEET FLUC	299.000 SQFT rescent
Section 0009 Tot	al	

Section 0010 Bridge A9) 278 Items - J9P3751
1110	2061000 75.000 CUYD
	CLASS 1 EXCAVATION
1120	
	BRIDGE APPROACH SLAB (MAJOR)
1130	7021212 1106.000 LF
	GALVANIZED STRUCTURAL STEEL PILES (12 IN)
1140	7027000 14.000 EA
	PILE POINT REINFORCEMENT
1150	7032003 62.100 CUYD
	CLASS B CONCRETE (SUBSTRUCTURE)
	7034219A 235.000 LF
	TYPE D BARRIER
1170	7034221 398.000 SQYD
	SLAB ON CONCRETE NU-GIRDER
1180	7056022 335.000 LF
	NU 43, PRESTRESSED CONCRETE NU-GIRDER
1190	7123610 14.000 EA
	SLAB DRAIN
1200	7151001 2.000 EA
	VERTICAL DRAIN AT END BENTS
	7161000 8.000 EA
	PLAIN NEOPRENE BEARING PAD
Section 0010	

Section 001 Bridge AS	1 9279 Items - J9P3751					
1220	2061000	95.000	CUYD			
	CLASS 1 EXC	AVATION				
1230	5031010A	171.000	SQYD		 	
	BRIDGE APPR	OACH SLAB (MAJOR)				
1240	7021212	1120.000	LF		 	
	GALVANIZED	STRUCTURAL STEEL	PILES	(12 IN)		
1250	7027000	14.000	EA		 	
	PILE POINT	REINFORCEMENT				
1260	7032003	63.800	CUYD		 	
	CLASS B CON	CRETE (SUBSTRUCTU	RE)			
1270	7034219A	235.000	LF		 	
	TYPE D BARR	IER				

1280	7034221 SLAB ON CONCRETE NU-	398.000 SQYD Strder	
1290	7056022	335.000 LF	
	NU 43, PRESTRESSED (DNCRETE NU-GIRDER	
1300	7123610	14.000 EA	
	SLAB DRAIN		
1310	7151001	2.000 EA	
	VERTICAL DRAIN AT EN) BENTS	
1320	7161000	8.000 EA	
	PLAIN NEOPRENE BEARI	IG PAD	
Section 0011 Total	1		

Section 0012 Bridge A936	9 Items - J9P3751			
1330	2061000	160.000	CUYD	
	CLASS 1 EXCAVAT	FION		
1340		127.000		
	BRIDGE APPROACH	H SLAB (MINOR		
		960.000		
	GALVANIZED STRU	JCTURAL STEEL	PILES	(12 IN)
1360		12.000		
	PILE POINT REIN	JFORCEMENT		
1370		48.800		
	CLASS B CONCREI	E (SUBSTRUCTU	RE)	
1380	7034219A	235.000	LF	
	TYPE D BARRIER			
1390	7034221	300.000		
	SLAB ON CONCREI	E NU-GIRDER		
1400	7056022	335.000		
	NU 43, PRESTRES	SED CONCRETE	NU-GIR	RDER
1410	7123610	14.000	EA	
	SLAB DRAIN			
	7151001			
	VERTICAL DRAIN	AT END BENTS		
		8.000		
	PLAIN NEOPRENE			
Section 0012 1				

Section 001 Box Culv	3 ert A80941 Items - J9P3'	751	
1440	2063300 CLASS 4 EX	295.000 CUYD CAVATION	
1450	2069901 MISC. Dewa	1.000 LS tering	
1460	2163501 PARTIAL RE	1.000 LS MOVAL OF CULVERT-BRIDGE CONCRETE	
1470	7034040 Class B-1	353.500 CUYD CONCRETE (CULVERTS-BRIDGE)	
1480	7061020	69340.000 LB	

REINFORCING STEEL (CULVERTS-BRIDGE)

Section 0013 Total

1490	ert A80961 Items - J9P3 2063300	285.000 CUYD	
1490	CLASS 4 E		
1500	2069901 MISC. Dew	1.000 LS atering	
1510	2163501 Partial r	1.000 LS EMOVAL OF CULVERT-BRIDGE CONCRETE	
1520	7034040 CLASS B-1	367.300 CUYD CONCRETE (CULVERTS-BRIDGE)	
1530		72170.000 LB NG STEEL (CULVERTS-BRIDGE)	
Section 001	4 Total		

Section 0015	
	ems - J9P3764
1540	
	CLEARING AND GRUBBING
1550	2022010 1.000 LS
	REMOVAL OF IMPROVEMENTS
1560	2031000 123770.000 CUYD
2 REVISED	CLASS A EXCAVATION
	2035500 2244.000 CUYD
2 REVISED	EMBANKMENT IN PLACE
1580	
2 REVISED	COMPACTING EMBANKMENT
1590	2037075 35.700 STA
	COMPACTING IN CUT
1600	2051010 113286.000 SQYD
2 REVISED	MODIFIED SUBGRADE
1610	2063000 2912.000 CUYD
	CLASS 3 EXCAVATION
1620	2063500 6.000 EA
	CULVERT CLEANOUT
1630	2072000 12.000 STA
	LINEAR GRADING CLASS 2
1640	3040506 64958 000 SOVD
2 REVISED	TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)
1655	3049905 71899.100 SQYD
2 ADDED	MISC. MODIFIED ROCK BASE
1660	3105002 172.000 TONS
	GRAVEL (A) OR CRUSHED STONE (B)
1670	4011209 245.100 TONS
	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)
1680	4019905 2169.000 SQYD
	MISC. TEMPORARY OPTIONAL PAVEMENT AND BASE

1690	4071005 83.000 GAL TACK COAT
1700	5021107 984.900 SOYD
1700	CONCRETE PAVEMENT (7 IN. NON-REINF)
1710	6044011 5.000 EA
	PIPE COLLAR, TYPE A
1740	6096020 325.000 CUYD
1/40	FURNISHING TYPE 2 ROCK DITCH LINER
1750	6096030A 431.000 CUYD
	FURNISHING TYPE 3 ROCK DITCH LINER
1760	6096042 325.000 CUYD
	PLACING TYPE 2 ROCK DITCH LINER
1770	6096043 431.000 CUYD
	PLACING TYPE 3 ROCK DITCH LINER
1780	6096050 143.000 CUYD
1/00	BEDDING MATERIAL FOR ROCK DITCH LINER
	BEDDING MAILAIND FOR KOCK DITCH LINEK
1790	6097000 149.000 CUYD
	ROCK LINING
1800	6113010 857.000 CUYD
	FURNISHING TYPE 1 ROCK BLANKET
1810	6113030 857.000 CUYD
1010	PLACING TYPE 1 ROCK BLANKET
1820	6122014 4.000 EA
	IMPACT ATTENUATOR 60 MPH (SAND BARREL ARRAY)
1830	6122020 10.000 EA
	REPLACEMENT SAND BARREL
1840	6122030 6.000 EA
	IMPACT ATTENUATOR (RELOCATION)
1850	6122040 1.000 EA
1000	
	WORK ZONE CRASH CUSHION (NARROW)
1860	6141022 13.000 EA
	GRATE AND BEARING PLATE (3 FT. X 3 FT. OR 914 MM X 914 MM)
1870	6141120 15.000 EA
	CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MM X 600MM)
1880	6161005 1940.000 SQFT
	CONSTRUCTION SIGNS
1890	
	ADVANCED WARNING RAIL SYSTEM
	6161025 300.000 EA
	CHANNELIZER (TRIM LINE)
	6161030 30.000 EA
	TYPE III MOVEABLE BARRICADE
1920	
1920	DIRECTIONAL INDICATOR BARRICADE
1.000	DIRECTIONAL INDICATOR BARRICADE
	6161040 2.000 EA
	FLASHING ARROW PANEL
1940	6161099 6.000 EA
	CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED,
	CONTRACTOR RETAINED
1950	6162002 18.000 EA
	TEMPORARY LONG-TERM RUMBLE STRIPS
1960	6173000 3863.000 LF

	CONCRETE TRAFFIC BARRIER, TYPE C
1970	6173600D 463.000 LF TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED
1980	6173700B 4088.000 LF TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED
1990	6173706 325.000 LF
	TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED
2000	6174000A 2.000 EA
2000	TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION
2010	6175011B 113.000 LF
2010	RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED
2020	6181000 1.000 LS MOBILIZATION
2030	6181020 5.000 EA \$600.00000 \$3,000.00
2040	6191000 480.000 LF
	PAVEMENT EDGE TREATMENT
2050	6205902A 26778.000 LF
	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
2060	6205903A 16345.000 LF
	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
2070	6205906A 687.000 LF
	12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
2080	6206000C 20418.000 LF
	4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
2090	6206001C 20414.000 LF
	4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
2100	6207001 24267.000 LF
	PAVEMENT MARKING REMOVAL
2110	6208064A 133.000 EA
	TEMPORARY RAISED PAVEMENT MARKER
2120	6208076 16192.000 LF
	4 IN TEMPORARY PAVEMENT MARKING PAINT
2130	6224010 481.000 SQYD
	MODIFIED COLDMILLING (DEPTH TRANSITIONS)
2140	6240103A 1367.000 SOYD
	PERMANENT EROSION CONTROL GEOTEXTILE
2150	6261000A 1.000 STA
	BITUMINOUS SHOULDER RUMBLE STRIP
2160	6274000 1.000 LS
	CONTRACTOR FURNISHED SURVEYING AND STAKING
2170	7250318A 934.000 LF
	18 IN. PIPE GROUP B
2180	7261012 856.000 LF
	12 IN. PIPE GROUP A
2190	7261018 398.000 LF
	18 IN. PIPE GROUP A
2200	7261024 1487.000 LF
	24 IN. PIPE GROUP A
2210	7261036 97.000 LF
	36 IN. PIPE GROUP A

2220	7311022 34.000 FT
	PRECAST CONCRETE DROP INLET 2 FT X 2 FT
2230	7311033 71.000 FT
	PRECAST CONCRETE DROP INLET 3 FT X 3 FT
2240	7319903 8.000 LF
	MISC. SPECIAL INLET NO. 1
2250	7319903 14.000 LF
	MISC. SPECIAL INLET NO. 2
2260	7320018A 40.000 EA
22.00	18 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
2270	7320618A 2.000 EA
2270	18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
2280	7320624A 40.000 EA
2200	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
2290	7320636A 1.000 EA 36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
2300	8025006 34.300 ACRE
	MULCHING
2310	8051000A 30.700 ACRE
	SEEDING - COOL SEASON GRASSES
2320	8052000A 3.600 ACRE
	SEEDING - WARM SEASON GRASSES
2330	8061003 50.000 CUYD
	SEDIMENT TRAP EXCAVATION
2340	8061004 50.000 CUYD
	SEDIMENT TRAP ROCK
2350	8061005 3542.000 LF
	ROCK DITCH CHECK
2360	8061006 1708.000 LF
	ALTERNATE DITCH CHECK
2370	8061007A 17.000 EA
	CURB INLET CHECK
2380	8061016 447.000 CUYD
	SEDIMENT REMOVAL
2390	8061017 3.600 ACRE
	TEMPORARY SEEDING
2400	8061019 6399.000 LF
	SILT FENCE
2410	
2 110	MISC. DRAINING PONDS
Section 0015 To	tal \$3,000.00

Section 0016 Alt Pvmt	5 DD1 G - Mainline 67 - Asphalt - J9P	3764
2420		56832.200 SQYD
	MISC. 12.5 INCHES,	ASPHALTIC CONCRETE PAVEMENT SP125C
2430	6261000A	334.900 STA
	BITUMINOUS SHOULDEF	R RUMBLE STRIP
Section 0016	5 Total	

Section 0017 Alt Pvmt H ·	DD2 - Mainline 67 - Concrete - J9P3764
2440	5021333 56832.200 SQYD
	CONCRETE PAVEMENT (9 1/2 IN. NON-REINFORCED, 15 FT. JOINTS) 12.5 INCHES ASPHALTIC CONCRETE PAVEMENT SP125C
2450	6262000A 334.900 STA PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP
Section 0017 T	otal
Section 0018 Alt Pvmt I ·	EE1 - Mainline 67 - A2 Shoulders - Asphalt - J9P3764
2460	4010150 15066.900 SQYD TYPE A2 SHOULDER
Section 0018 T	otal
Section 0019	
	- Mainline 67 - A2 Shoulders Concrete J9P3764 5021340 15066.900 SQYD
2470	TYPE A2 SHOULDER
Section 0019 T	otal
Section 0020 Alt Pvmt K ·	FF1 - Outer Road 67 - Asphalt - J9P3764
2480	4010107 32210.800 SQYD 7 INCHES, BITUMINOUS PAVEMENT
2490	6261000A 144.900 STA BITUMINOUS SHOULDER RUMBLE STRIP
Section 0020 T	otal
Section 0021 Alt Pvmt L ·	FF2 - Outer Road 67 - Concrete - J9P3764
2500	5021107 32210.800 SQYD CONCRETE PAVEMENT (7 IN. NON-REINF)
2510	6262000A 144.900 STA PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP
Section 0021 T	otal
Section 0022 Guardrail/Gu	uard Cable Items - J9P3764
2520	6061060 475.000 LF MGS GUARDRAIL
2530	6061070 1.000 EA
	MGS VERTICAL CONCRETE BARRIER TRANSITION
2540	6061080 1.000 EA

	MGS END ANC	HOR		
2550	6063014	2.000 EA		
	TYPE A CRAS	HWORTHY END TERMINAL	(MASH)	
2560	6063017	1.000 EA		
	TYPE C CRAS	HWORTHY END TERMINAL		
Section 0022	Totol			
Section 0022	IULAI			

Section 0023 Signing I	3 Items - J9P3764
2570	9031010 6.100 CUYD CONCRETE FOOTINGS, EMBEDDED
2580	
2590	9031256 40.000 EA 7 FT. CHANNEL POST DELINEATOR, WHITE
2600	9031270A 272.000 LF 2 IN. PSST POST - 12 GA.
2610	9031271A 17.000 EA DRIVEN POST ANCHOR FOR 2 IN. PSST - 12 GA.
2620	9031280 160.000 LF 2.5 IN. PSST POST - 12 GA.
2630	9031281A 10.000 EA DRIVEN POST ANCHOR FOR 2.5 IN. PSST - 7 GA.
	9035004A 110.000 SQFT SH-FLAT SHEET
2650	9035011A 630.000 SQFT ST-STRUCTURAL
2660	9035069A 84.000 SQFT SHF-FLAT SHEET FLUORESCENT
2670	9035071A 18.000 SQFT STF-STRUCTURAL FLUORESCENT
Section 0023	

Item Total

\$6,000.00

DBE List Summary

Project: FAF 67-1(28) Bid Total: 6,000.00 Goal: 7.00% (420.00) Total Entered: 0.00% (0.00)

Name

Bidder ID: 0011540 Business Name: Company 1

ID

Supp?/Dist? Item Count

Amount Is Complete?

DBE CERTIFICATION

(6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 2 slots at 1000 hours per slot or 2000 hours.

(7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

(A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 7.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.

(B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/ or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

(10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.

(11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and material misrepresentation or omission of fact within the bid submission.

(11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes \bigcirc No \bigcirc

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

\$

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if requested by the Design Division or the engineer.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

*** AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. ***

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

() Yes () No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

**Bond ID: Verify Clear

**Surety Registry Agency:

**Bond Pct:

Surety State:

FIELDS WITH THE ** INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS