STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING Contract I.D. 241018-A04

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S): IS 35-2(118)

Job JNW0133 Route I-35, 69 Clinton County

BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.

2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.

3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.

4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.

5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.

6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.

7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.

8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.

9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check Bid)at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to nonresponsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

TABLE OF CONTENTS

Notice to Contractors

Proposed Work	item	(1)
Compliance With Contract Provisions	item	(2)
Period of Performance	item	(3)
Liquidated Damages	item	(4)
Itemized Bid	item	(5)
Trainees	item	(6)
DBE Certification*	item	(7)
Acceptance of Provision for Price Adjustment for Fuel	item	(8a)
Acceptance of Provision for Asphalt Cement Price Index	item	(8b)
Max. Monetary Value of Awards Accepted this Bid Opening	item	(9)
Combination Bids	item	(10)
Certification for Federal Jobs	item	(11a)
Certification for State Jobs	item	(11b)
Antidiscrimination	item	(12)
Preference to Missouri Firms in Awarding of Contracts	item	(13)
Subcontractor Disclosure Form*	.item	(14)
Signature and Identity of Bidder	item	(15)
Bid Guaranty*	item	(16)

*These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 10/18/2024.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

(1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:

****(1): Job JNW0133 Route I-35, 69 CLINTON County. Concrete pavement replacement and pavement rehab on I-35 from Shoal Creek to north of Route 116 near Lathrop and on Route 69 from Shoal Creek to Route 116 near Lathrop, the total length of improvement being 16.31 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

(2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876.

(3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.

(4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and

Contract ID: 241018-A04

completion of the work, as follows:

Backland 2001 2013000 137.000 ACSE Southay I toom - JNA0133 1.000 ACSE 0010 2022010 1.000 ACSE 00240 2022010 1.000 ACSE 00360 2023000 37028.000 CUYD 00360 2038000 37028.000 CUYD 0040 2038000 2214.000 CUYD 00560 2035500 4224.000 CUYD EMEANNOMENT IN FLACE COMPACTINE IN CUY 00560 2035000 8744.000 CUYD 00560 2035000 14.600 STA 00560 2035000 14.600 STA 00560 2035000 14.600 STA 00560 2035000 14.600 STA 00560 203600 9040 00560 203600 9040 00560 203600 9040 00560 203600 9040 00560 203600 9040 00560 203600 9040 00560 203600 9040 0110 2129900 9050.000 GVID<	Line Number	Item Number	Quantity	Unit	Unit Price	Extension Price
CLEARING AND GRUBEING 0020 2022010 1.000 LS REMOVAL OF IMPROVEMENTS 30130 201100 0030 201100 373528.000 CUYD 0040 2025.000 2024.000 CUYD 0050 2025.000 1224.000 CUYD 0050 2035.000 1224.000 CUYD 0050 2035.000 1424.000 CUYD 0060 203000 4934.000 CUYD 0070 2037075 14.600 STA 0070 2037075 14.600 STA 0070 2037075 14.900 CUYD 0170 2037075 14.900 CUYD 0170 2043000 495.000 CUYD 0170 2043000 495.000 CUYD 0170 2044000 9.000 CUYD 0170 2045000 9.000 CUYD 0170 2045000 1294.000 CUYD 0170 2044000 1294.000 CUYD 0180 2129900 1294.000 CUYD 0180 2129900 1294.000 CUYD 0180 3049905		- JNW0133				
0020 202010 1.000 LS RENEWOAR. OF THEREVENTION 0030 2031000 37828.000 CUYD CLASS & EXCAVATION 0050 2035000 218.000 CUYD 0040 2032000 1218.000 CUYD 0050 2035000 43714.000 CUYD 0060 2035000 43714.000 CUYD 0070 COMPACTING IN CUT 0080 2051010 79496.000 202D 0080 2051010 79496.000 202D 0080 2051010 79496.000 202D 0080 2051010 79496.000 202D 0080 2051010 79496.000 CUYD 0100 2040000 8ACKFILL 0100 2040000 8ACKFILL 0110 2040000 8ACKFILL 0110 2040000 8ACKFILL 0110 2040000 8ACKFILL 0110 2040000 SACKFILL 0110 2040000 SACKFILL 0110 2040000 SACKFILL 0110 2149907 700 203100 CUYD 0120 2149907 203100 CUYD 0120 2149907 203100 CUYD 0120 2142907 2031000 CUYD 0120 2122000A 1994.000 LOF NISC. FHOULDER CRADING FOR NOUTE 69 0120 2142907 12931.000 CUYD 0120 2122000A 1994.000 LOF NISC. FHOULDER CRADING FOR NOUTE 69 0120 212000A 1994.000 LOF NISC. TYPE 5 0R 7 ACGREGATE FOR BASE (4 IN. THICK) 0150 3049905 123813.400 SQYD NISC. TYPE 5 0R 7 ACGREGATE FOR BASE (4 IN. THICK) 0170 3049907 532.200 TOYD NISC. TYPE 5 0R 7 ACGREGATE FOR BASE (4 IN. THICK) 0170 3049907 532.200 TOYD NISC. CONCRETE FOR MASE (6 IN. THICK) 0170 3049907 532.200 TOYD NISC. CONCRETE FOR MASE (6 IN. THICK) 0170 3049907 532.200 TOYD NISC. CONCRETE FOR MASE (6 IN. THICK) 0170 3049907 532.200 TOYD NISC. CONCRETE FOR MASE (6 IN. THICK) 0170 3049907 532.200 TOYD NISC. CONCRETE FOR MASE (6 IN. THICK) 0190 4011211 1006CRATHER FIXTURE FC54-22, (BP-2) 0100 401121 1006CRATHER FIXTURE FC54-22, (BP-2) 0100 401121 1006CRATHER FIXTURE FC54-24, (RP-2) 0120 401232 422.700 TOYS RITURINOUS FAVEMENT MIXTURE FC54-24, (RP-2) 020 403905 54365.500 SQYD 020 403905 4356.500 SQYD		CLEARING AND	GRUBBING			
0030 203100 77828.000 CUYD CLASS & ECCAVATION 0040 20320500 4224.000 CUYD CLASS C EXCAVATION 0050 2035500 4224.000 CUYD EMBANIMENT IN PLACE 0060 203100 48744.000 CUYD COMPACTING IN CUT 0070 2037075 14.800 STA COMPACTING IN CUT 0060 205101 74496.000 SQYD MODIFIED SUNGRADE 0090 2063000 459.000 CUYD CLASS 3 EXCAVATION 0100 2064000 9.000 CUYD CLASS 3 EXCAVATION 0100 2064000 860.000 100F MISC. SHOULDER GRADING FOR FOUTE 69 MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0150 3049905 212811400 SQYD MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0150 MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0150 MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0150 MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0150 MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0150 MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0150 MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0150 MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0150 MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0150 MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0150 MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0150 MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0150 MISC. OWNERET HIXTURE FOR 5-28L, (BP-2) MISC. OWNERET MISCURE FOR FOR BASE (4 IN. THICK) 0150 MISC. OWNERET MISC. FORMERT MISCURE FOR FOR BASE (4 IN. THICK) 0150 MISC. OWNERET MISC. FORMERT MISC	0020	2022010 REMOVAL OF IN	1.000 Aprovements	LS		
0040 2012000 2018.000 CUID 0050 2015500 4224.000 CUID 0060 209600 48144.000 CUID 0060 209600 48144.000 CUID 0070 2037075 14.800 STA 0080 205101 79496.000 StA 0080 205101 79496.000 StA 0090 2063000 459.000 CUID 0090 2064000 9.000 CUID 0100 2064000 9.000 CUID 0110 2129900 660.000 100F 0120 2149907 7851.000 CUYD 0130 2125000A 1964.000 100F MISC. BHOUBER CRADING FOR ROUTE 69 110 SI28900 SI281.000 0120 2149907 7851.000 CUYD SI281.000 0130 2125000A 1964.000 100F SIXELIKS COMEST ELASING SI281.000 SI297 SIXELIKS OF FARCHARTH SIXE		2031000	37828.000			
0050 2035500 4224,000 CUYD 0060 2036000 4744,000 CUYD 0070 2037075 14.800 STA 0070 2037075 14.800 STA 0080 2051010 79496,000 SQYD 0080 2051010 79496,000 SQYD 0090 2063000 459,000 CUYD 0100 2064000 9.000 CUYD 0110 2064000 9.000 CUYD 0110 2064000 9.000 CUYD 0110 2064000 9.000 CUYD 0110 2129900 660.000 100F MISC. SHOULDER GRADING FOR ROUTE 69 111 130 0120 MISC. PLACING SHOPES, CLASS 11 1014 0130 2132000A 1904,000 100F SHAFING SLOPES, CLASS 11 7439,000 SQYD 0140 302131 76829,000 CUYD 0140 3049905 125813,400 SQYD	0040	2032000 CLASS C EXCAN	2018.000 /ATION	CUYD		
0066 2036000 48744.000 CUYD 0070 2037075 14.800 STA 0080 2051010 79496.000 SQYD 0080 2051010 79496.000 CUYD 0090 2063001 459.000 CUYD 0100 2064000 9.000 CUYD 0100 2064001 9.000 CUYD 0100 2064001 860.000 100F 0110 2129900 860.000 100F 0120 2149907 72931.000 CUYD 0120 2149907 72931.000 CUYD 0130 2152000A 1904.000 100F MISC, FLACING SPECIAL FILL 110 3021931 0140 3021311 76829.000 SQYD SHAPING SLOPES, CLASS II 501400 SQYD 0150 3049905 125813.400 SQYD 0160 3049905 125813.400 SQYD 0170 3049907 5649.000 CUYD MISC, TYPE 5 OR 7 AGGREGATE FOR BASE (6 IN, THICK) 110 0180 3049910 385.200 TONS MISC, CONCRETE PAVEMENT FROCESSING 138.200 TONS		2035500	4224.000			
0070 2037075 14.800 STA COMPACTING IN CUT 0080 2051010 79496.000 SQYD MODIFIED SUBGRADE 0090 2063000 459.000 CUYD CLASS 3 EXCAVATION 0100 2064000 9.000 CUYD POROUS BACKFILL 0110 2129900 866.000 100F MISC. SHOULDER GRADING FOR ROUTE 69 0120 2149907 72891.000 CUYD MISC. FLACING SPECIAL FILL 0130 2152000A 1904.000 100F SHAFING SLOPES, CLASS II 0140 3021311 76829.000 SQYD STABILIZED PERMERALE BACK FILK 0150 3049905 12180.900 SQYD MISC. TYPE 5 OR 7 ACCREATE FOR BASE (4 IN. THICK) 0150 3049905 125813.400 SQYD MISC. TYPE 5 OR 7 ACCREATE FOR BASE (4 IN. THICK) 0170 3049907 5689.000 CUYD MISC. CONCRETE FAVEMENT FROCESSING 0180 3049910 38826.400 TONS BITUMINOUS PAVEMENT MIXTURE FG68-28H, (BP-2) 0200 4011211 860.400 TONS BITUMINOUS PAVEMENT MIXTURE FG58-		2036000	48744.000	CUYD		
0080 2051010 79496.000 SQYD 0090 2063000 459.000 CUYD CLASS 3 EXCAVATION 0100 2064000 9.000 CUYD 0100 2064000 9.000 CUYD FORCUS BACKFILL 0110 2123900 B60.000 100F MISC. SHOULDER GRADING FOR ROUTE 69 0120 2143907 72891.000 CUYD MISC. SHOULDER GRADING FOR ROUTE 69 0120 SHAPING SLOPES, CLASS II 0130 2152000A 1904.000 100F MISC. FLACING SPECEAL FILL 0140 3021311 76829.000 SOYD 0140 3021311 76829.000 SOYD STABILIZED PERMERALE BASE (4 IN. THICK) 0150 3049905 82180.3900 <soyd< td=""> MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0160 3049905 123813.400<soyd< td=""> MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (6 IN. THICK) 0170 3049907 S689.000 CUYD MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (6 IN. THICK) MISC. CONCRETE FAVEMENT PACCESSING 0180 3049910 383.200</soyd<></soyd<>	0070	2037075	14.800			
0090 206300 459.000 CUYD CLLASS 3 EXCAVATION 0000 CUYD 0100 206400 9.000 CUYD POROUS BACKFILL 0100 2129900 860.000 100F MISC. SHOULDER GRADING FOR ROUTE 69 0120 2149907 72891.000 CUYD MISC. FLACING SPECIAL FILL 0130 2152000A 1904.000 100F SHAFING SLOPES, CLASS II 0140 3021311 76829.000 SQVD STABILIZED PERMEABLE BASE (4IN. THICK) 0150 3049905 82180.900 SQVD MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0160 3049905 125813.400 SQVD MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (6 IN. THICK) 0170 3049907 5689.000 CUVD MISC. CONCRETE PAVEMENT PROCESSING 0180 3049910 383.200 TONS MISC. PERMANENT AGGREGATE EDEE TERTHENT 0190 4011211 860.400 TONS BITUMINOUS PAVEMENT MIXTURE P658-28H, (BP-2) 0200 4011231 19656.900 TONS BITUMINOUS PAVEMENT MIXTURE P658-28H, (BP-1) 0210 4011232 422.700 TONS BITUMINOUS PAVEMENT MIXTURE P658-28H, (BP-2) 0210 4	0080	2051010 MODIFIED SUBC	79496.000	SQYD		
0100 2064000 9.000 CUYD POROUS BACKFILL 0110 2129900 860.000 100F MISC. SHOULDER GRADING FOR ROUTE 69 0120 2149907 72891.000 CUYD MISC. PLACING SPECIAL FILL 0130 2152000A 1904.000 100F SHAPING SLOPES, CLASS II 0140 3021311 76829.000 SQYD STABLLIZED PERMEABLE BASE (4IN. THICK) 0150 3049905 82180.900 SQYD MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0160 3049907 5689.000 CUYD MISC. CONCRETE FAVEMENT FOR BASE (6 IN. THICK) 0170 3049907 5689.000 CUYD MISC. CONCRETE FAVEMENT PROCESSING 0180 3049910 383.200 TONS MISC. PERMANENT AGGREGATE EDGE THEATMENT 0190 4011211 860.400 TONS BITUMINOUS FAVEMENT MIXTURE PG64-22, (BP-2) 0200 4011231 19656.900 TONS BITUMINOUS FAVEMENT MIXTURE PG58-28H, (BP-1) 0210 4011231 19656.900 TONS BITUMINOUS FAVEMENT MIXTURE PG58-28H, (BP-2) <td></td> <td>2063000</td> <td>459.000</td> <td></td> <td></td> <td></td>		2063000	459.000			
0110 2129900 860.000 100F MISC. SHOULDER GRADING FOR ROUTE 69 0120 2149907 72891.000 CUVD MISC. PLACING SPECIAL FILL 0130 2152000A 1904.000 100F SHAPING SLOPES, CLASS II 0140 3021311 76829.000 SQVD STABHLIZED PERMEABLE BASE (41N. THICK) 0150 3049905 82180.900 SQVD MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0160 3049905 125813.400 SQVD MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (6 IN. THICK) 0170 3049907 5689.000 CUVD MISC. CONCRETE PAVEMENT PROCESSING 0180 3049910 383.200 TONS MISC. PERMANENT AGGREGATE EDGE TREATMENT 0190 4011211 860.400 TONS BITUNINOUS PAVEMENT MIXTURE P664-22, (BP-2) 0200 4011231 19656.900 TONS BITUNINOUS PAVEMENT MIXTURE P658-288, (BF-1) 0210 4011231 422.700 TONS BITUNINOUS PAVEMENT MIXTURE P658-288, (BF-2) 0220 4019905 43239.200 SQVD MISC. OPTIONAL BAS		2064000 Porous backfi	9.000 ILL	CUYD		
0120 2149907 72891.000 CUVD MISC. PLACING SPECIAL FILL 0130 2152000A 1904.000 100F SHAPING SLOPES, CLASS II 0140 3021311 76829.000 SQVD STABILIZED PERMEABLE BASE (4IN. THICK) 0150 3049905 82180.900 SQVD MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0160 3049905 125813.400 SQVD MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (6 IN. THICK) 0170 3049907 5689.000 CUVD MISC. CONCRETE PAVEMENT PROCESSING 0180 3049901 383.200 TONS MISC. CONCRETE PAVEMENT PROCESSING 0190 4011211 860.400 TONS BITUMINOUS PAVEMENT MIXTURE P664-22, (BP-2) 0200 4011231 19656.900 TONS BITUMINOUS PAVEMENT MIXTURE P664-22, (BP-1) 0210 4011232 422.700 TONS BITUMINOUS PAVEMENT MIXTURE P658-28H, (BP-1) 0210 4011232 422.700 TONS BITUMINOUS PAVEMENT MIXTURE P658-28H, (BP-2) 0220 4019905 43239.200 SQVD MISC. OPTIONAL BASE WIDENING (10 IN.) FOR ROUTE 69 AND RAMP 2 AND 3 CURB ISLANDS 0230 4019905 4586.500 SQVD		2129900	860.000	100F		
0130 2152000A 1904.000 100F SHAPING SLOPES, CLASS II 0140 3021311 76829.000 SQYD STABILIZED PERMEABLE BASE (4IN. THICK) 0150 3049905 82180.900 SQYD MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0160 3049905 125813.400 SQYD MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (6 IN. THICK) 0170 3049907 5689.000 CUYD MISC. CONCRETE PAVEMENT PROCESSING 0180 3049910 383.200 TONS MISC. PERMANENT AGGREGATE EDGE TREATMENT 0190 4011211 860.400 TONS BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2) 0200 4011231 19656.900 TONS BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1) 0210 401232 422.700 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H, (BP-1) 0210 BITUMINOUS PAVEMENT MIXTURE PG58-28H, (BP-2) 0220 4019905 43239.200 SQYD MISC. OPTIONAL BASE WIDENING (10 IN.) FOR ROUTE 69 AND RAMP 2 AND 3 CURE ISLANDS 0230 4019905 4586.500 SQYD	0120					
0140 3021311 76829.000 SQYD STABILIZED PERMEABLE BASE (4IN. THICK) 0150 3049905 82180.900 SQYD MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0160 3049905 125813.400 SQYD MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (6 IN. THICK) 0170 3049907 5689.000 CUYD MISC. CONCRETE PAVEMENT PROCESSING 0180 3049910 383.200 TONS MISC. PERMANENT AGGREGATE EDGE TREATMENT 0190 4011211 860.400 TONS BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2) 0200 4011231 19656.900 TONS BITUMINOUS PAVEMENT MIXTURE PG84-22, (BP-1) 0210 4011232 422.700 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H, (BP-2) 0220 4019905 43239.200 SQYD MISC. OPTIONAL BASE WIDENING (10 IN.) FOR ROUTE 69 AND RAMP 2 AND 3 CURE ISLANDS 4586.500 SQYD		2152000A	1904.000	100F		
0150 3049905 82180.900 SQYD MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (4 IN. THICK) 0160 3049905 125813.400 SQYD MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (6 IN. THICK) 0170 3049907 5689.000 CUYD MISC. CONCRETE PAVEMENT PROCESSING 0180 3049910 383.200 TONS MISC. PERMANENT AGGREGATE EDGE TREATMENT 0190 4011211 860.400 TONS BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2) 0200 4011231 19656.900 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H, (BP-1) 0210 4011232 422.700 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H, (BP-2) 0220 4019905 43239.200 SQYD MISC. OPTIONAL BASE WIDENING (10 IN.) FOR ROUTE 69 AND RAMP 2 AND 3 CURB ISLANDS 4019905 4586.500 SQYD		3021311	76829.000	SQYD		
0160 3049905 125813.400 SQYD MISC. TYPE 5 OR 7 AGGREGATE FOR BASE (6 IN. THICK) 0170 3049907 5689.000 CUYD MISC. CONCRETE PAVEMENT PROCESSING 0180 3049910 383.200 TONS MISC. PERMANENT AGGREGATE EDGE TREATMENT 0190 4011211 860.400 TONS BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2) 0200 4011231 19656.900 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H, (BP-1) 0210 4011232 422.700 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H, (BP-2) 0220 4019905 43239.200 SQYD MISC. OPTIONAL BASE WIDENING (10 IN.) FOR ROUTE 69 AND RAMP 2 AND 3 CURB ISLANDS 0230 4019905		3049905	82180.900	SQYD		
0170 3049907 5689.000 CUYD MISC. CONCRETE PAVEMENT PROCESSING 0180 3049910 383.200 TONS MISC. PERMANENT AGGREGATE EDGE TREATMENT 0190 4011211 860.400 TONS BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2) 0200 4011231 19656.900 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H, (BP-1) 0210 4011232 422.700 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H, (BP-2) 0220 4019905 43239.200 SQYD MISC. OPTIONAL BASE WIDENING (10 IN.) FOR ROUTE 69 AND RAMP 2 AND 3 CURB ISLANDS 4586.500 SQYD	0160	3049905	125813.400	SQYD		
0180 3049910 383.200 TONS MISC. PERMANENT AGGREGATE EDGE TREATMENT 0190 4011211 860.400 TONS BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2) 0200 4011231 19656.900 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H, (BP-1) 0210 4011232 422.700 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H, (BP-2) 0220 4019905 43239.200 SQYD MISC. OPTIONAL BASE WIDENING (10 IN.) FOR ROUTE 69 AND RAMP 2 AND 3 CURB ISLANDS 0230 4019905 4586.500 SQYD		3049907	5689.000	CUYD	.)	
0190 4011211 860.400 TONS BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2) 0200 4011231 19656.900 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H, (BP-1) 0210 4011232 422.700 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H, (BP-2) 0220 4019905 43239.200 SQYD MISC. OPTIONAL BASE WIDENING (10 IN.) FOR ROUTE 69 AND RAMP 2 AND 3 CURB ISLANDS 4586.500 SQYD	0180	3049910	383.200	TONS		
0200 4011231 19656.900 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H, (BP-1) 0210 4011232 422.700 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H, (BP-2) 0220 4019905 43239.200 SQYD MISC. OPTIONAL BASE WIDENING (10 IN.) FOR ROUTE 69 AND RAMP 2 AND 3 CURB ISLANDS 0230 4019905 4586.500 SQYD		4011211	860.400	TONS		
0210 4011232 422.700 TONS BITUMINOUS PAVEMENT MIXTURE PG58-28H, (BP-2) 0220 4019905 43239.200 SQYD MISC. OPTIONAL BASE WIDENING (10 IN.) FOR ROUTE 69 AND RAMP 2 AND 3 CURB ISLANDS 0230 4019905 4586.500 SQYD		4011231	19656.900	TONS		
0220 4019905 43239.200 SQYD MISC. OPTIONAL BASE WIDENING (10 IN.) FOR ROUTE 69 AND RAMP 2 AND 3 CURB ISLANDS 0230 4019905 4586.500 SQYD	0210	4011232	422.700	TONS		
0230 4019905 4586.500 SQYD		4019905 MISC. OPTION	43239.200	SQYD		
TIDO, OTITOMINI INVERIENT FOR I DO TEREORARY PROTING CROBOVERO	0230	4019905	4586.500	SQYD		

0240	
	BITUMINOUS PAVEMENT MIXTURE PG58-28H (SURFACE LEVELING)
0250	4030003 2644.100 TONS
	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095C MIX)
0260	4030005 1542.700 TONS
	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095C MIX)
0270	4030132 2011.300 TONS
	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BSM MIX)
0280	4079912 17047.000 GAL
0200	MISC. NON-TRACKING TACK COAT
0290	5021340 49643.400 SQYD TYPE A2 SHOULDER
0300	5029905 62279.200 SQYD
	MISC. CONCRETE PAVEMENT (10 1/2 IN. NON-REINFORCED, 15 FT. JOINTS, OPTIMIZED)
0310	5029905 206397.800 SQYD
	MISC. UNBONDED CONCRETE OVERLAY PLACEMENT, 10 IN.
0320	5029907 62272.000 CUYD
	MISC. FURNISHING UNBONDED CONCRETE OVERLAY (OPTIMIZED)
0330	5049905 111.200 SOYD
	MISC. CONCRETE APPROACH PAVEMENT (OPTIMIZED)
0340	
0340	5062033 167698.200 SQYD UNBONDED CONCRETE OVERLAY INTERLAYER
0350	5069905 821.800 SQYD
	MISC. UNBONDED CONCRETE OVERLAY INTERLAYER (PAVEMENT REPAIR)
0360	6042020 22.000 EA
	ADJUSTING BASIN OR INLET
0370	6044011 13.000 EA
	6044011 13.000 EA PIPE COLLAR, TYPE A
	6044011 13.000 EA
0380	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN
	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN
0380	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN
0380	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDGE DRAIN
0380	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDGE DRAIN 6054020 576.000 EA
0380 0390 0400	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDGE DRAIN 6054020 576.000 EA OUTLET PIPES AND SPLASH PADS
0380 0390 0400	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDGE DRAIN 6054020 576.000 EA OUTLET PIPES AND SPLASH PADS 6072010 1024.000 LF
0380 0390 0400 0410	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDGE DRAIN 6054020 576.000 EA OUTLET PIPES AND SPLASH PADS 6072010 1024.000 LF WOVEN WIRE FENCE
0380 0390 0400 0410	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDGE DRAIN 6054020 576.000 EA OUTLET PIPES AND SPLASH PADS 6072010 1024.000 LF WOVEN WIRE FENCE 6083003 234.600 SQYD
0380 0390 0400 0410 0420	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDGE DRAIN 6054020 576.000 EA OUTLET PIPES AND SPLASH PADS 6072010 1024.000 LF WOVEN WIRE FENCE 6083003 234.600 SQYD 3 IN. CONCRETE MEDIAN STRIP
0380 0390 0400 0410 0420	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDGE DRAIN 6054020 576.000 EA OUTLET PIPES AND SPLASH PADS 6072010 1024.000 LF WOVEN WIRE FENCE 6083003 234.600 SQYD 3 IN. CONCRETE MEDIAN STRIP
0380 0390 0400 0410 0420	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDGE DRAIN 6054020 576.000 EA OUTLET PIPES AND SPLASH PADS 6072010 1024.000 LF WOVEN WIRE FENCE 6083003 234.600 SQYD 3 IN. CONCRETE MEDIAN STRIP 6091042 152.000 LF CONCRETE GUTTER TYPE B
0380 0390 0400 0410 0420 0430	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDGE DRAIN 6054020 576.000 EA OUTLET PIPES AND SPLASH PADS 6072010 1024.000 LF WOVEN WIRE FENCE 6083003 234.600 SQYD 3 IN. CONCRETE MEDIAN STRIP 6091042 152.000 LF
0380 0390 0400 0410 0420 0430 0440	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDGE DRAIN 6054020 576.000 EA OUTLET PIPES AND SPLASH PADS 6072010 1024.000 LF WOVEN WIRE FENCE 6083003 234.600 SQYD 3 IN. CONCRETE MEDIAN STRIP 6091042 152.000 LF CONCRETE GUTTER TYPE B 6096010A 1196.000 CUYD FURNISHING TYPE 1 ROCK DITCH LINER
0380 0390 0400 0410 0420 0430 0440	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDGE DRAIN 6054020 576.000 EA OUTLET PIPES AND SPLASH PADS 6072010 1024.000 LF WOVEN WIRE FENCE 6083003 234.600 SQYD 3 IN. CONCRETE MEDIAN STRIP 6091042 152.000 LF CONCRETE GUTTER TYPE B 6096010A 1196.000 CUYD FURNISHING TYPE 1 ROCK DITCH LINER
0380 0390 0400 0410 0420 0430 0440	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDGE DRAIN 6054020 576.000 EA OUTLET PIPES AND SPLASH PADS 6072010 1024.000 LF WOVEN WIRE FENCE 6083003 234.600 SQYD 3 IN. CONCRETE MEDIAN STRIP 6091042 152.000 LF CONCRETE GUTTER TYPE B 6096010A 1196.000 CUYD FURNISHING TYPE 1 ROCK DITCH LINER 6096030A 572.000 CUYD
0380 0390 0400 0410 0420 0430 0440 0450	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDGE DRAIN 6054020 576.000 EA OUTLET PIPES AND SPLASH PADS 6072010 1024.000 LF WOVEN WIRE FENCE 6083003 234.600 SQYD 3 IN. CONCRETE MEDIAN STRIP 6091042 152.000 LF CONCRETE GUTTER TYPE B 6096010A 1196.000 CUYD FURNISHING TYPE 1 ROCK DITCH LINER 6096030A 572.000 CUYD FURNISHING TYPE 3 ROCK DITCH LINER
0380 0390 0400 0410 0420 0430 0440 0440 0440 0440 0440 0440 0440 0440	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDGE DRAIN 6054020 576.000 EA OUTLET PIPES AND SPLASH PADS 6072010 1024.000 LF WOVEN WIRE FENCE 6083003 234.600 SQYD 3 IN. CONCRETE MEDIAN STRIP 6091042 152.000 LF CONCRETE GUTTER TYPE B 6096010A 1196.000 CUYD FURNISHING TYPE 1 ROCK DITCH LINER 6096030A 572.000 CUYD FURNISHING TYPE 3 ROCK DITCH LINER 6096041 1196.000 CUYD
0380 0390 0400 0410 0420 0430 0440 0440 0440 0440 0440 0440 0440 0440 0440	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDGE DRAIN 6054020 576.000 EA OUTLET PIPES AND SPLASH PADS 6072010 1024.000 LF WOVEN WIRE FENCE 6083003 234.600 SQYD 3 IN. CONCRETE MEDIAN STRIP 6096010A 1196.000 CUYD FURNISHING TYPE 1 ROCK DITCH LINER 6096030A 572.000 CUYD FURNISHING TYPE 3 ROCK DITCH LINER 6096041 1196.000 CUYD FLACING TYPE 1 ROCK DITCH LINER
0380 0390 0400 0410 0420 0430 0440 0440 0440 0440 0440 0440 0440 0440 0440	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDGE DRAIN 6054020 576.000 EA OUTLET PIPES AND SPLASH PADS 6072010 1024.000 LF WOVEN WIRE FENCE 6083003 234.600 SQYD 3 IN. CONCRETE MEDIAN STRIP 6091042 152.000 LF CONCRETE GUTTER TYPE B 6096010A 1196.000 CUYD FURNISHING TYPE 1 ROCK DITCH LINER 6096030A 572.000 CUYD FURNISHING TYPE 3 ROCK DITCH LINER 6096041 1196.000 CUYD FLACING TYPE 1 ROCK DITCH LINER 6096043 572.000 CUYD
0380 0390 0400 0410 0420 0430 0440 0440 0440 0440 0440 0440 0440 0440 0440 0440 0440 0440	6044011 13.000 EA FIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDGE DRAIN 6054020 576.000 EA OUTLET PIPES AND SPLASH PADS 6072010 1024.000 LF WOVEN WIRE FENCE 6083003 234.600 SQYD 3 IN. CONCRETE MEDIAN STRIP 6091042 152.000 LF CONCRETE GUTTER TYPE B 6096010A 1196.000 CUYD FURNISHING TYPE 1 ROCK DITCH LINER 6096030A 572.000 CUYD FURNISHING TYPE 3 ROCK DITCH LINER 6096041 1196.000 CUYD PLACING TYPE 1 ROCK DITCH LINER 6096043 572.000 CUYD PLACING TYPE 3 ROCK DITCH LINER
0380 0390 0400 0410 0420 0430 0440 0440 0440 0440 0440 0440 0440 0440 0440 0440 0440 0440	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDGE DRAIN 6054020 576.000 EA OUTLET PIPES AND SPLASH PADS 6072010 1024.000 LF WOVEN WIRE FENCE 6083003 234.600 SQYD 3 IN. CONCRETE MEDIAN STRIP 6091042 152.000 LF CONCRETE GUTTER TYPE B 6096010A 1196.000 CUYD FURNISHING TYPE 1 ROCK DITCH LINER 6096030A 572.000 CUYD FURNISHING TYPE 3 ROCK DITCH LINER 6096041 1196.000 CUYD PLACING TYPE 1 ROCK DITCH LINER 6096043 572.000 CUYD PLACING TYPE 3 ROCK DITCH LINER 6096043 572.000 CUYD PLACING TYPE 3 ROCK DITCH LINER
0380 0390 0400 0410 0420 0430 0440 0440 0440 0440 0440 0440 0440 0440 0440 0440 0440 0440	6044011 13.000 EA PIPE COLLAR, TYPE A 6046012A 260.000 LF 12 IN. SLOTTED DRAIN 6053030A 149459.000 LF PIPE AGGREGATE PAVEMENT EDCE DRAIN 6054020 576.000 EA OUTLET PIPES AND SPLASH PADS 6072010 1024.000 LF WOVEN WIRE FENCE 6083003 234.600 SQYD 3 IN. CONCRETE MEDIAN STRIP 6091042 152.000 LF CONCRETE GUTTER TYPE B 6096010A 1196.000 CUYD FURNISHING TYPE 1 ROCK DITCH LINER 6096030A 572.000 CUYD FURNISHING TYPE 3 ROCK DITCH LINER 6096041 1196.000 CUYD PLACING TYPE 1 ROCK DITCH LINER 6096043 572.000 CUYD PLACING TYPE 1 ROCK DITCH LINER 6096043 572.000 CUYD PLACING TYPE 3 ROCK DITCH LINER 6096050 208.000 CUYD PLACING TYPE 3 ROCK DITCH LINER 6096050 208.000 CUYD BEDDING MATERIAL FOR ROCK DITCH LINER

	ROCK LINING
0500	6119907 23661.000 CUYD
	MISC. STOCKPILE OF EXCESS REMOVED MATERIAL
0510	6122019 23.000 EA
	IMPACT ATTENUATOR 70 MPH (SAND BARREL ARRAY)
0520	6122020 23.000 EA
	REPLACEMENT SAND BARREL
0530	6122030 14.000 EA
	IMPACT ATTENUATOR (RELOCATION)
0540	6131010 533.300 SQYD
	FURNISHING AND PLACING CONCRETE MATERIAL FOR FULL DEPTH PAVEMENT REPAIR
0550	6131012 53.000 SQYD
	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)
0560	6131013 53.000 SQYD
	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)
0570	
	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS)
0580	6131015 1320.000 EA
	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT
	REPAIR
	6131017 21.000 EA
	DOWEL BAR (FURNISHING AND INSTALLATION WITH BASKETS) FOR FULL DEPTH PAVEMENT
	REPAIR
0600	6131018 21.000 EA
	TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR (TYPE L JOINTS)
0610	6133020 986.200 TONS FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS C PARTIAL DEPTH PAVEMENT
	REPAIR
0620	6133021 4505.600 SQYD
	REMOVAL FOR CLASS C PARTIAL DEPTH PAVEMENT REPAIR
0630	6139902 993.000 EA
	MISC. DOWEL BAR (DRILLING, FURNISHING, AND INSTALLATION) FOR FULL DEPTH REPAIRS
	OF EXISTING UNBONDED OVERLAY
0640	6139902 176.000 EA
	MISC. DOWEL BAR (FURNISHING AND INSTALLATION WITH BASKETS) FOR FULL DEPTH
	REPAIRS OF EXISTING UNBONDED OVERLAY
0650	6139902 4.000 EA
	MISC. EMERGENCY PAVEMENT REPAIR EVENT
0660	6139902 111.000 EA
	MISC. TIE BAR (FURNISHING, AND INSTALLATION WITH BASKETS) FOR FULL DEPTH REPAIRS OF EXISTING UNBONDED OVERLAY (TYPE L JOINTS)
0670	
0670	MISC. FULL DEPTH REPAIRS OF EXISTING UNBONDED OVERLAY SAWCUT (FOR PERIMETER AND
	INTERNAL SAW CUTS)
0680	6139907 251.000 CUYD
	MISC. FURNISHING AND PLACING CONCRETE MATERIAL FOR FULL-DEPTH REPAIRS OF
	UNBONDED OVERLAY
0690	6161005 6259.000 SOFT
	CONSTRUCTION SIGNS
0700	6161025 344.000 EA
	CHANNELIZER (TRIM LINE)
0710	6161030 89.000 EA
	TYPE III MOVEABLE BARRICADE
	······

0720	
	DIRECTIONAL INDICATOR BARRICADE
0730	6161040 4.000 EA
	FLASHING ARROW PANEL
0740	6161047 23.000 EA
	TYPE III OBJECT MARKER
0750	6161055 38.000 EA
	SEQUENTIAL FLASHING WARNING LIGHT
0760	6161070 1142.000 EA
	TUBULAR MARKER
0770	6161095 3.000 EA
0770	RADAR SPEED ADVISORY SYSTEM
0780	6161098A 9.000 EA
0780	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED,
	CONTRACTOR RETAINED
0790	6162002 16.000 EA
	TEMPORARY LONG-TERM RUMBLE STRIPS
0800	6169902 9.000 EA
	MISC. TYPE II OBJECT MARKER
0810	6173103 152.000 LF
	CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB)
0820	6181000 1.000 LS
	MOBILIZATION
0830	6181020 4.000 EA \$600.00000 \$2,400.00
	ADDITIONAL MOBILIZATION FOR SEEDING
0840	6200015 100.000 LF
0010	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE
0850	6.000 EA
0050	PREFORMED THERMOPLASTIC PAVEMENT MARKING, OFF RAMP WRONG WAY ARROW
0860	6200042 20.000 EA
0000	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES
0870	6205902A 110342.000 LF
	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0880	6205903A 98766.000 LF
	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0890	6205906A 1524.000 LF
	12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0900	6206000C 87299.000 LF
	4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0910	6206001C 58216.000 LF
	4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0920	6206124A 300.000 LF
	24 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0930	6207001 304092.000 LF
0,000	PAVEMENT MARKING REMOVAL
0940	6208064A 136.000 EA
0940	TEMPORARY RAISED PAVEMENT MARKER
0950	6208076 274750.000 LF
0960	6209903 770.000 LF
0960	

	MISC. 6 IN. TEMPORARY PAVEMENT MARKING PAINT
0980	6209903 5714.000 LF
0980	MISC. 8 IN. TEMPORARY PAVEMENT MARKING PAINT
0990	6221001 178.000 SQYD
0990	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
1000	
1000	6221003 23644.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATER THAN 3 IN. THICK)
1010	6224010 8005.000 SOYD
1010	MODIFIED COLDMILLING (DEPTH TRANSITIONS)
1020	
1020	PERMANENT EROSION CONTROL GEOTEXTILE
1030	6261000A 873.200 STA
1030	BITUMINOUS SHOULDER RUMBLE STRIP
1040	
1040	PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP
1050	
1050	6269909 29.500 STA MISC. OPTIONAL RUMBLE STRIPS FOR I-35 TEMPORARY MEDIAN CROSSOVERS
1060	
1000	6279901 1.000 LS MISC. DESIGN SERVICES
1070	
1070	6279901 1.000 LS MISC. MODIFIED CONTRACTOR FURNISHED SURVEY
1000	
1080	7032002 42.400 CUYD CLASS B CONCRETE (MISC)
1000	
1090	7250412 384.000 LF 12 IN. PIPE GROUP C
1100	
1100	18 IN PIPE GROUP C
1110	7261024 34.000 LF
1110	24 IN. PIPE GROUP A
1120	7261030 19.000 LF
1120	30 TN PIPE GROUP A
1130	7261036 283.000 LF
	36 IN. PIPE GROUP A
1140	7261048 29.000 LF
1110	48 IN. PIPE GROUP A
1150	7320624A 2.000 EA
	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
1160	7320630A 1.000 EA
	30 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
	7320636A 8.000 EA
	36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
	7320648A 2.000 EA
	48 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
1190	7320812A 4.000 EA
	12 IN. OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION
1200	7320818A 2.000 EA
	18 IN. OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION
	7321014A 2.000 EA
	18 IN. OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION
1220	8025006 137.900 ACRE
	MULCHING

1230	8051000A SEEDING - COOL	92.300 ACRE SEASON GRASSES	
	8052000A SEEDING - WARM	12.600 ACRE SEASON GRASSES	
	8061004 SEDIMENT TRAP F		
1260	8061005 ROCK DITCH CHEC	8483.000 LF K	
1270	8061016 SEDIMENT REMOVA	1091.000 CUYD L	
1280	8061017 TEMPORARY SEEDI	45.600 ACRE NG	
1290	8061019 SILT FENCE		
	8064140 Type 3b erosion	20183.000 SQYD CONTROL BLANKET	
Section 0001			\$2,400.00

Section 0002

Guardrail/Guard Cable Items - JNW0133

	6061060 3675.000 LF
	MGS GUARDRAIL
1320	6061070 8.000 EA
	MGS VERTICAL CONCRETE BARRIER TRANSITION
1330	6061078 5.000 LF
	MGS EMBEDDED ANCHOR SECTION (WITH RUBRAIL)
	6061080 2.000 EA
	MGS END ANCHOR
	6063014 4.000 EA
	TYPE A CRASHWORTHY END TERMINAL (MASH)
1360	6069902 6.000 EA
	MISC. MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB) (RELOCATED)
	6069902 24.000 EA
	MISC. MGS END ANCHOR (RELOCATED)
	6069902 2.000 EA
	MISC. MGS HEIGHT AND BLOCK TRANSITION (RELOCATED)
1390	6069902 31.000 EA
	MISC. TYPE A CRASHWORTHY END TERMINAL (MASH) (RELOCATED)
1400	6069903 11688.000 LF
	MISC. MGS GUARDRAIL (RELOCATED)

	Section 0003 Lighting Items - JNW0133		
1410	9011030 LIGHTING POL	6.000 EA E, 30 FT. OR 9.0 M, TYPE AT	
1420	9011062 LIGHTING POL	4.000 EA E, 45 FT. OR 13.5 M, TYPE AT DESIGN 2	
1430	9011115	10.000 EA	

	BRACKET ARM, 15 FT. OR 4.6 M
1440	9011311 6.000 EA
	LUMINAIRE, LED-A
1450	9011312 4.000 EA
	LUMINAIRE, LED-B
1460	9012231 1.000 EA
	BASE MOUNTED CONTROL STATION 480 VOLT-4 CIRCUIT
1470	9013002 54.000 LF
	CONDUIT, 2 IN. RIGID, IN TRENCH
1480	9013003 15.000 LF
	CONDUIT, 3 IN. RIGID, IN TRENCH
1490	9014004 478.000 LF
	CONDUIT, 4 IN. RIGID, PUSHED
1500	9015010 5334.000 LF
	TRENCHING TYPE I
1510	9016110 17.000 EA
	PULL BOX, PREFORMED CLASS 1
1520	9017002 100.000 LF
	CABLE, 2 AWG 1 CONDUCTOR
1530	9017008 2150.000 LF
	CABLE, 8 AWG 1 CONDUCTOR
1540	9017110 1020.000 LF
	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
1550	9017407 5830.000 LF
	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG
1560	9018230 6.000 EA
	POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)
1570	9018245 4.000 EA
	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)
1580	9018622 1.000 EA
	POWER SUPPLY ASSEMBLY, TYPE 2, 480 VOLT SERVICE, LIGHTING ONLY
1590	9019400 1.000 LS
	TEMPORARY LIGHTING
Section 0003 I	
20001011 00000 1	

Section 0004 Signing Items	- JNW0133
1600	9031010 26.600 CUYD
	CONCRETE FOOTINGS, EMBEDDED
1610	9031210 7940.000 LB
	STRUCTURAL STEEL POSTS
1620	9031220 1580.000 LB
	PIPE POSTS
1630	9031252 31.000 EA
	7 FT. CHANNEL POST DELINEATOR, DOUBLE STACKED WHITE
1640	9031253A 6.000 EA
	7 FT. CHANNEL POST DELINEATOR, DOUBLE STACKED YELLOW
1650	9031256 93.000 EA
	7 FT. CHANNEL POST DELINEATOR, WHITE
1660	9031257A 8.000 EA

	7 FT. CHANNEL POST DELINEATOR, YELLOW
1670	9031258 22.000 EA
	7 FT. CHANNEL POST DELINEATOR, WHITE/RED
1680	9031259A 8.000 EA
	7 FT. CHANNEL POST DELINEATOR, YELLOW/RED
1690	9031270A 91.000 LF
	2 IN. PSST POST - 12 GA.
1700	9031274 74.000 EA
	CONCRETE POST ANCHOR FOR 2 IN. PSST 7 GA.
1710	9035004A 517.000 SQFT
	SH-FLAT SHEET
1720	9035011A 1064.000 SQFT
	ST-STRUCTURAL
1730	
	MISC. RELOCATION OF IMPROVEMENTS - SIGNING
1740	9039901 1.000 LS
	MISC. REMOVAL OF IMPROVEMENTS - SIGNING
Section 0004 Tot	

Section 0005 Incentive	/Disincentive Clause -	JNW0133	
1750	6189916	18000.000 DLR	
	MISC. ACC	ELERATING THE COMPLETION OF CLOSURE WOR	k stage 2
Section 0005	Total		

Item Total

\$2,400.00

DBE List Summary

Project: IS 35-2(118) Bid Total: 2,400.00 Goal: 4.00% (96.00) Total Entered: 0.00% (0.00)

Name

Bidder ID: 0011540 Business Name: Companyl

ID

Supp?/Dist? Item Count

Amount Is Complete?

DBE CERTIFICATION

(6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 2 slots at 1000 hours per slot or 2000 hours.

(7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

(A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 4.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.

(B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/ or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

(10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.

(11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and material misrepresentation or omission of fact within the bid submission.

(11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes \bigcirc No \bigcirc

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

\$

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if requested by the Design Division or the engineer.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

*** AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. ***

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

() Yes () No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

**Bond ID: Verify Clear

**Surety Registry Agency:

**Bond Pct:

Surety State:

FIELDS WITH THE ** INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS