

FUNCTIONAL CLASSIFICATION-
INTERSTATE AND FREEWAY

NO RIGHT OF WAY IS ACQUIRED ON THIS PROJECT

NOTE: DASHED OR OPEN SYMBOLS INDICATE
EXISTING FEATURES

EXISTING	NEW
	
	
	
	
	
	
	
	
	
	
	
	
	
	
	
	
	
	
	
	
	
	
	

 SAN
 HYD
 WV
 WM
 DI
 SIGN
 PED

 V
 X
 BM



KEY MAP

KEY MAP

LOCATION OF VARIOUS COUNTIES

THE EXISTENCE AND APPROXIMATE LOCATION OF UTILITY FACILITIES KNOWN TO EXIST, AS SHOWN ON THE PLANS, ARE BASED ON THE BEST INFORMATION AVAILABLE TO THE COMMISSION AT THIS TIME. THIS INFORMATION IS PROVIDED BY THE COMMISSION "AS-IS" AND THE COMMISSION EXPRESSLY DISCLAIMS ANY REPRESENTATION OR WARRANTY AS TO THE COMPLETENESS, ACCURACY, OR SUITABILITY OF THE INFORMATION FOR ANY USE. RELIANCE UPON THIS INFORMATION IS DONE AT THE RISK AND PERIL OF THE USER, AND THE COMMISSION SHALL NOT BE LIABLE FOR ANY DAMAGES THAT MAY ARISE FROM ANY ERROR IN THE INFORMATION. IT IS, THEREFORE, THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE EXISTENCE, LOCATION AND STATUS OF ANY FACILITY. SUCH VERIFICATION INCLUDES DIRECT CONTACT WITH THE LISTED UTILITIES.

TITLE SHEET -----	1
TYPICAL SECTIONS (TS) (0 SHEETS)---	N/A
QUANTITIES (QU) (8 SHEETS)-----	3
TRAFFIC CONTROL SHEETS (TC)-----	4-11
SIGNING (SN)-----	12-105



DATE PREPARED

ROUTE	STATE
VARIOUS	MO

DISTRICT KC	SHEET NO. 1
----------------	----------------

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE _____

TRANSPORTATION

MISSOURI HIGHWAYS AND T



MISSOURI HIGHWAYS AUTHORITY
COMMISSION

MoDOT

JEFFERSON


1-888-ASK-MO

BEGINNING OF PROJECT	VARIOUS
END OF PROJECT	VARIOUS

SEE QUANTITIES SHEETS FOR LOCATIONS

FOR INFORMATION ONLY
ESTIMATED DISTURBED ACRES

0.00 ACRES



MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SIGNING																
LOCATION NUMBER	COUNTY	ROUTE	COORDINATES	NEW SIGN IN. BY IN.	SIGN ST-STRUCT GREEN SQUARE FEET	SIGN STF-STRUCT YELLOW SQUARE FEET	REMOVAL OF IMPROVEMENTS EXISTING SIGN REMOVED EACH	EXISTING POST REMOVED OR TRIMMED EACH	TEMPORARY TRAFFIC CONTROL							
									SETUP 1 EACH	SETUP 2 EACH	SETUP 3 EACH	SETUP 4 EACH	SETUP 5 EACH	SETUP 6 EACH	SETUP 7 EACH	SETUP 8 EACH
248	CLAY	EB COOK INGHAM DR	39.30376,-94.58827	96X48	32		1		1							
249	CLAY	EB COOK INGHAM DR	39.30369,-94.58319	108X84	63		1						1			
250	CLAY	WB COOK INGHAM DR	39.30392,-94.58144	96X48	32		1		1							
251	CLAY	WB COOK INGHAM DR	39.30397,-94.58703	108X84	63		1							1		
252	CLAY	WB COOK INGHAM DR	39.30396,-94.58683	108X84	63		1							1		
253	CLAY	EB BARRY RD	39.24623,-94.58994	120X84	70		1								1	
254	CLAY	WB BARRY RD	39.24664,-94.59222	120X84	70.0		1				1					
255	CLAY	WB 68TH ST	39.21759,-94.58985	120X84	70		1		1							
256	CLAY	US 169	39.20608,-94.58945	168X120	140		1							1		
257	CLAY	US 169	39.21401,-94.58930	168X120	140		1									
258	CLAY	US 169	39.17907,-94.59357	96X48	32		1				1					
259	JACKSON	EB COLBERN RD	38.94407,-94.41056	120X48	40		1		1							
260	JACKSON	EB COLBERN RD	38.94349,-94.40958	96X36	24		1							1		
261	JACKSON	EB COLBERN RD	38.94410,-94.40829	96X84	56		1								1	
262	JACKSON	US 50	38.94336,-94.40801	120X48	40		1							1		
263	JACKSON	EB CHIPMAN RD	39.92579,-94.40365	96X84	56		1							1		
264	JACKSON	US 50	38.91753,-94.40057	168X108	126		1							1		
265	JACKSON	US 50	38.91426,-94.39776	132X96	88		1							1		
266	JACKSON	3RD ST	38.91138,-94.39188	N/A			1								1	
267	JACKSON	US 50	38.90281,-94.37447	144X96	96		1									
268	JACKSON	US 50	38.90276,-94.36567	72X60	30		1							1		
269	JACKSON	US 50	38.90248,-94.35848	252X144	252		1	CUT 1' OFF TOP POSTS			1					
270	JACKSON	US 50	38.90222,-94.34814	252X156	273		1							1		
271	JACKSON	US 50	38.90160,-94.34193	144X48	48		1		1							
272	JACKSON	NB RA	38.90091,-94.33972	108X48	36		1		1							
273	JACKSON	NB RA	38.90297,-94.33961	120X84	70		1		1							
274	JACKSON	SB RA	38.90147,-94.34008	96X84	56		1		1							
275	JACKSON	US 50	38.90202,-94.34136	228X84	133		1							1		
276	JACKSON	SB MO 7	38.89415,-94.26478	120X48	40		1						1			
277	JACKSON	US 50	38.89290,-94.26999	240X180	300		1						1			
278	JACKSON	US 50	38.89254,-94.26541	132X48	44		1						1			
279	JACKSON	NB MO 7	38.89225,-94.26457	108X48	36		1						1			
280	JACKSON	NB MO 7	38.89381,-94.26453	120X84	70		1							1		
281	JACKSON	US 50	38.89384,-94.26336	132X48	44		1								1	
282	JACKSON	NB MO 7	38.89295,-94.26461	72X24	12		1							1		
283	JACKSON	US 50	38.87116,-94.15240	204x132	187		1							1		
284	JACKSON	US 50	38.86916,-94.16940	204X144	204		1						1			
285	JACKSON	US 50	38.86892,-94.17122	72X60	30		1							1		
286	JACKSON	EB 150	38.86927,-94.17346	108X48	63		1				1					
287	JACKSON	WB 150	38.86801,-94.17350	96X84	56		1									1
288	JACKSON	US 50	38.87094,-94.15468	84X36	21		1							1		
289	JACKSON	US 50	38.86995,-94.15977	204X84	119		1							1		
290	JACKSON	SB ROUTE F	38.87128,-94.13394	96X24	16		1									1
291	JACKSON	US 50	38.87018,-94.13796	72X48	24		1							1		
292	JACKSON	US 50	38.87005,-94.13518	144X48	48		1	CUT 2' OFF TOP POSTS						1		
293	JACKSON	US 50	38.87052,-94.13200	132X48	44		1	CUT 2' OFF TOP POSTS						1		
294	JACKSON	US 50	38.86946,-94.11669	72X36	18		1	CUT 1' OFF TOP POSTS						1		
295	JACKSON	US 50	38.87002,-94.11668	72X36	18		1	CUT 1' OFF TOP POSTS						1		
				SUB TOTAL 8	3593		48	5	8	0	0	4	7	22	4	2

* SETUP NUMBER IS FOR BIDDING ONLY. ACTUAL SETUPS SHALL BE ADJUSTED AS NEEDED IN THE FIELD.

TOTALS				
	SIGN ST-STRUCT GREEN SQUARE FEET	SIGN STF-STRUCT YELLOW SQUARE FEET	REMOVAL OF IMPROVEMENTS EXISTING SIGN REMOVED EACH	EXISTING POST REMOVED OR TRIMMED EACH
SUB TOTAL 1	4005.3	0	42	0
SUB TOTAL 2	2127.5	0	19	6
SUB TOTAL 3	1738.5	0	27	1
SUB TOTAL 4	2877	120	41	6
SUB TOTAL 5	1279	0	27	4
SUB TOTAL 6	2264	0	40	11
SUB TOTAL 7	4317	0	56	6
SUB TOTAL 8	3593	0	48	5
TOTAL	22201.3	120	300	39
PAY TOTAL	22201.3	120	1 LUMP SUM	

TOTALS								
TEMPORARY TRAFFIC CONTROL								
	SETUP 1 EACH	SETUP 2 EACH	SETUP 3 EACH	SETUP 4 EACH	SETUP 5 EACH	SETUP 6 EACH	SETUP 7 EACH	SETUP 8 EACH
SUB TOTAL 1	4		5	1	7	25		1
SUB TOTAL 2					3	9		
SUB TOTAL 3				1	5	19		
SUB TOTAL 4	1				5	27	1	7
SUB TOTAL 5	2			4	3	15	1	1
SUB TOTAL 6	5			3	7	24	4	
SUB TOTAL 7	5			4	6	34	3	3
SUB TOTAL 8	8			4	7	22	4	2
TOTAL	25	0	5	17	43	175	13	14
PAY TOTAL	1 LUMP SUM							

SUMMARY OF QUANTITIES
SHEET 8 OF 8

STATE OF MISSOURI

JACLYN A WHITE

NUMBER
PE-2003001116

PROFESSIONAL ENGINEER

Jaclyn A. White

10/08/2024 10:30:19 AM

JACLYN A WHITE - CIVIL

MO-PE-2003001116

DATE PREPARED
10/9/2024

ROUTE
VARIOUS

DISTRICT
KC

STATE
MO

SHEET NO.
3

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL

JEFFERSON CITY, MO 65102

1-888-ASK-MODOT (1-888-275-6636)

MoDOT

Traffic Control Legend, Sign Spacing, Device Spacing, Channelizing Taper Lengths And Recommended Maximum Speed Reductions

SIGN SPACING FOR ADVANCE SIGN SERIES (1) (2)		
PERMANENT POSTED SPEED MPH	UNDIVIDED HIGHWAYS	DIVIDED HIGHWAYS
0-35	200'	200'
40-45	350'	500'
50-55	500'	1000'
60-70	1000'	SA - 1000' SB - 1500' SC - 2640'

TAPER LENGTHS AND END TREATMENTS FOR CONCRETE BARRIER				
PERMANENT POSTED SPEED MPH	MINIMUM LANE TAPER LENGTH (3)			END TREATMENT (4)
	10'	11'	12'	
<40	160'	168'	176'	BARRIER HEIGHT TRANSITION
≥40	160'	168'	176'	APPROVED CRASH CUSHION

TAPER LENGTHS AND SPACING FOR CHANNELIZERS							
PERMANENT POSTED SPEED MPH	MINIMUM LANE TAPER LENGTH (L)			MINIMUM SHOULDER TAPER LENGTH (T1) BASED ON 10' SHOULDER	BUFFER LENGTH FT	MAXIMUM CHANNELIZER SPACING	
						THROUGH TAPER	THROUGH WORK AREA
	0-35	205'	225'	245'	70'	280'	35'
40-45	450'	495'	540'	150'	400'	40'	80'
50-55	550'	605'	660'	185'	560'	50'	80'
60-70	700'	770'	840'	235'	840'	60'	120'

THE SA DIMENSION IS THE DISTANCE FROM THE TRANSITION OR POINT OF RESTRICTION TO THE FIRST SIGN.

THE SB DIMENSION IS THE DISTANCE BETWEEN THE FIRST AND SECOND SIGNS.

THE SC DIMENSION IS THE DISTANCE BETWEEN THE SECOND AND THIRD SIGNS.

(THE "FIRST SIGN" IS THE SIGN IN A THREE-SIGN SERIES THAT IS CLOSEST TO THE TEMPORARY TRAFFIC CONTROL ZONE. THE "THIRD SIGN" IS THE SIGN THAT IS FURTHEST UPSTREAM FROM THE TEMPORARY TRAFFIC CONTROL ZONE)

DETAILS NOTES:

- SPACING BETWEEN SIGNS AND SPACING BETWEEN LAST SIGN AND FLAGGER, BEGINNING OF TAPER, OF SIGNED CONDITION.
- SPACING MAY BE ADJUSTED AS NECESSARY TO MEET FIELD CONDITIONS.
- TAPER LENGTHS SHOWN INCLUDE LENGTH REQUIRED FOR LANE AND 10' SHOULDER
- CONCRETE BARRIER MAY BE INSTALLED AT 8:1 FLARE RATE FROM THE SHOULDER POINT OF THE LIMITS OF THE CLEAR ZONE WHERE THE SIDE SLOPE IS 6:1 OR FLATTER

LANE TAPER LENGTH (L)

L = W X P FOR 40 MPH OR MORE
 $L = \frac{WP^2}{60}$ FOR 35 MPH OR LESS
L = TAPER LENGTH IN FEET
W = LATERAL SHIFT IN FEET
P = POSTED SPEED PRIOR TO ROAD WORK IN MPH

SHOULDER TAPER LENGTH (T1)

ADJUST LENGTH ACCORDING TO SHOULDER WIDTH BASED ON TABLE RATE FOR 10' WIDE.

TRAFFIC CONTROL LEGEND

 SIGN (SINGLE SIDED)	 FLASHING ARROW PANEL
 FLAGGER	 CHANGEABLE MESSAGE BOARD
 CHANNELIZER	 TYPE III MOVEABLE BARRICADE
 PROTECTIVE VEHICLE WITH WORK SIGN, FLASHING ARROW PANEL AND REAR-MOUNTED IMPACT ATTENUATOR UNIT.	

LEGEND NOTE:


THE PROTECTIVE VEHICLE SIGN SHALL BE MOUNTED AT A RECOMMENDED HEIGHT OF 48 IN. ABOVE THE ROAD SURFACE.



GENERAL NOTES:

- SEE STANDARD PLAN 616.10 FOR DETAILS AND ITEMS NOT SHOWN.
- EXISTING SIGNS SHALL BE COVERED DURING WORKING HOURS ONLY IF IN CONFLICT WITH TRAFFIC CONTROL PLANS.
- NO DIRECT PAYMENT WILL BE MADE FOR RELOCATING, COVERING, UNCOVERING OR REMOVING SIGNS.
- CONES ALLOWABLE FOR DAYTIME OPERATIONS ONLY.
- LOCATE FLASHING ARROW PANEL AT BEGINNING OF TAPER WHEN FEASIBLE, ARROW PANELS ARE ALWAYS LOCATED BEHIND CHANNELIZERS OR CONES.

EPG TABLE 616.29 RECOMMENDED MAXIMUM SPEED REDUCTIONS	
ACTIVITY (I.E. WORKERS, EQUIPMENT OR MATERIAL) LOCATION	RECOMMENDED WORK ZONE SPEED REDUCTION (WHEN APPLICABLE)
10 FT. BEYOND EDGE OF TRAVELWAY TO EDGE OF RIGHT OF WAY	NO SPEED REDUCTION
IN TRAFFIC LANE OR WITHIN 10FT. OF THE TRAFFIC LANE	10 MPH
HEAD-TO-HEAD ON MULTILANE	10 MPH
SPECIAL CIRCUMSTANCES WITHIN A TEMPORARY TRAFFIC CONTROL WORK ZONE MAY WARRANT A LOWER SPEED LIMIT THAN RECOMMENDED ABOVE. ALL SPEED LIMIT REDUCTIONS GREATER THAN 10 MPH SHALL BE DOCUMENTED, SUBMITTED TO AND APPROVED BY THE DISTRICT WORK ZONE COORDINATOR.	



TEMPORARY TRAFFIC CONTROL
SHEET 1 OF 8

	
DATE PREPARED 8/13/2024	
ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 4
COUNTY VARIOUS	
JOB NO. JKU0389	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	
DESCRIPTION	
DATE	
MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION	
105 WEST CAPITOL JEFFERSON CITY, MO 65102 1-888-ASK-MODOT (1-888-275-6636)	




SETUP
TYPE 1
SINGLE LANE
CLOSURE
TEMPORARY
TRAFFIC CONTROL
SHEET 2 OF 8


[illegible]



SETUP
TYPE 2
DOUBLE LANE CLOSURE
TEMPORARY
TRAFFIC CONTROL
SHEET 3 OF 8








SETUP TYPE 4

LANE CLOSURE FOR WORK
AT EXIT RAMP LANE AREA




SETUP TYPE 5

LANE(S) CLOSURE FOR WORK
PRIOR TO EXIT RAMP LANE AREA




W020-1
(2)

BRIDGE
OR
RAMP



FLASHING
ARROW PANEL



R2-1
(4)



W020-5
(5)

CENTER LANE
OR
LEFT LANE



W05-1
(43)

BRIDGE
OR
RAMP




W020-6a
(6)

CENTER
OR
LEFT



W04-1a
(6A)



E05-1
(49)



G020-5aP
(54)

DIRECTIONAL INDICATOR BARRICADES, WITH LIGHT



CHANNELIZERS



PROTECTIVE VEHICLE WITH
WORK SIGN, FLASHING ARROW
PANEL AND REAR-MOUNTED
IMPACT ATTENUATOR UNIT.

NOTES:


(1) SIGN (43) REQUIRED WHEN RAMP WIDTH IS REDUCED.

(2) FIVE CHANNELIZERS DEVICE MINIMUM.

* ADJUST LENGTHS WHEN CONDITIONS REQUIRE.

SETUP
TYPE 4 & 5
WORK IN VICINITY
OF EXIT RAMP

TEMPORARY
TRAFFIC CONTROL
SHEET 5 OF 8



DATE PREPARED
8/13/2024

ROUTE
VARIOUS

STATE
MO

DISTRICT
KC

SHEET NO.
8

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL


JEFFERSON CITY, MO 65102

1-888-ASK-MODOT (1-888-275-6636)






TWO LANE UNDIVIDED
SHOULDER WORK
MINOR TRAVELWAY ENCROACHMENT



MULTI-LANE DIVIDED
SHOULDER WORK
MINOR TRAVELWAY ENCROACHMENT



NOTES:

SEE TRAFFIC CONTROL SHEET 1 FOR WORKZONE SPEED LIMIT GUIDELINES.
SEE TRAFFIC CONTROL SHEET 1 FOR SIGN SPACING, DEVICE SPACING AND
CHANNELIZING TAPER LENGTHS.

SIGN 2 NOT REQUIRED IF SHOULDER WORK IS LOCATED WITHIN THE
LIMITS OF AN ACTIVITY AREA WHERE ANOTHER SIGN 2 IS ALREADY USED.

THE PROTECTIVE VEHICLE MAY BE OMITTED IF A TAPER AND CHANNELIZING
DEVICES ARE USED.

VEHICLE- MOUNTED SIGNS SHALL BE MOUNTED IN A MANNER SUCH THAT
THEY ARE NOT OBSCURED BY EQUIPMENT OR SUPPLIES. SIGN LEGEND ON
VEHICLE-MOUNTED SIGNS SHALL BE COVERED OR TURNED FROM VIEW WHEN
WORK IS NOT IN PROGRESS.



VEHICLE HAZARD WARNING SIGNALS SHALL NOT BE USED INSTEAD
OF THE VEHICLE'S HIGH -INTENSITY ROTATING FLASHING, FLASHING,
OSCILLATING, OR STROBE LIGHTS.



SHADOW AND WORK VEHICLES SHALL DISPLAY HIGH-DENSITY ROTATING,
FLASHING, OSCILLATING, OR STROBE LIGHTS.

(1). SIGN 44A NOT REQUIRED FOR NARROW LANE SECTIONS LESS THAN
ONE MILE.

SETUP TYPE 6
SHOULDER WORK
MINOR ENCROACHMENT
TEMPORARY
TRAFFIC CONTROL
SHEET 6 OF 8

STATE OF MISSOURI JACLYN A. WHITE NUMBER PE-2003001116 PROFESSIONAL ENGINEER Jaclyn A. White 08/14/2024 7:17:03 AM JACLYN A. WHITE - CIVIL MO-PE-2003001116	
DATE PREPARED 8/13/2024	
ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 9
COUNTY VARIOUS	
JOB NO. JKU0389	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	
DESCRIPTION	
DATE	
MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION	
105 WEST CAPITOL JEFFERSON CITY, MO 65102 1-888-ASK-MODOT (1-888-275-6636)	


[illegible]



- NOTES:

- (1). SEE TRAFFIC CONTROL SHEET 1 FOR WORK ZONE SPEED LIMIT GUIDELINES.
- (2). SEE TRAFFIC CONTROL SHEET 1 FOR SIGN SPACING, DEVICE SPACING AND CHANNELIZING TAPER LENGTHS.
- (3). SIGN 2 NOT REQUIRED IF WORK IS LOCATED WITHIN THE LIMITS OF AN ACTIVITY AREA WHERE ANOTHER SIGN 2 IS ALREADY USED.
- (4). SIGN W03-5 (REDUCE SPEED AHEAD) CAN BE USED WHEN TRAFFIC DYNAMICS WARRANTS.

SETUP TYPE 8
UNDIVIDED HIGHWAY
SHOULDER WORK
TEMPORARY
TRAFFIC CONTROL
SHEET 8 OF 8



TO

INTERSTATE
470


WEST

Colbern Rd

↑

18.25 26.75 15 45 18 19 3.375 40.375 18.25
17.5 115.125 20 33.875 17.5
88.25 27.5 88.25
204

15 27.5 15.5 20 25.5 15 25.5 15 15 18 15 14.4
93 111 111

[illegible]

E	X	I	T
17.000	28.375	41.250	46.125
24.250			


SIGN NO.	4
COORDINATES	38.938067 N, 94.359437 W
ROADWAY	MO 291

TO  WEST

Colbern Rd

EXIT 3/4 MILE

T	O	W	E	S	T			
18,250	32,500	80,000	123,000	156,825	174,825			
C	O	I	e	r	n	R	d	
17,500	38,750	58,000	69,375	86,500	105,500	119,875	152,825	173,750
E	X	I	G	M	I	L	E	
31,000	42,375	55,250	60,125	87,125	133,000	147,250	152,825	184,000



E1:1 ST=STRUCTURAL;
9,000' Radius, 2,000' Border, White on Green;
Interstate 470 18,000' B: "NORTH", E Mod: "Y", E Mod: "MILE", E Mod:
Table of letter and object sets

	N	O	R	T	H
12,000	70,500	85,875	99,500	111,000	122,500
1/2	M	I	L	E	
37,375	73,375	85,125	89,625	99,125	

D

Holmes Rd

EXIT 3/4 MILE

19 16 19 12 18 12 15 20 16 30 16

25.875 37 38.125 18 110.375 27.875 18 40 33.875 25.875 37

216

☐	93.000							
H	o	l	m	e	s	R	d	
25.875	48.750	68.000	79.375	106.625	123.625	156.250	177.375	
E	X	I	T	$\frac{3}{4}$	M	I	L	E
37.000	48.375	61.250	66.125	93.125	139.000	153.250	158.625	170.000

D

Holmes Rd

↑


93.000							
H	o	l	m	e	s	R	d
25.875	48.750	68.000	79.375	106.625	123.625	156.250	177.375
94.250							

Loch Lloyd
Cleveland
NEXT RIGHT

15.75 45.375 13.375 53.75 15.75
22.375 99.25 22.375
26.75 37.5 10 43 26.75
144
84
13.375 13.375 10 12 12 10 13.375 13.375

L	o	c	h	L	I	o	y	d
15.750	28.375	40.000	52.625	74.500	88.375	95.000	106.375	119.750
C	I	A	V	E	I	A	N	D
22.375	37.375	43.875	55.250	67.750	80.500	87.000	100.625	113.125
N	E	X	T	R	I	G	H	T
26.750	37.250	46.750	56.750	74.250	84.750	89.250	99.875	109.875

E	X	I	T
17.000	28.375	41.250	46.125
			
24.250			




PROJECT NO.
BRIDGE NO.

[illegible]

MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION


105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)





D1-2a ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 180"; "Loch Lloyd", E Mod; "3", E Mod;
Standard Arrow Custom 12.250" X 8.125" 180"; "Cleveland", E Mod; "13", E Mod;
Table of letter and object lefts


↩	L	o	c	h	L	l	o	y	d	3
7.000	27.250	34.750	41.750	49.375	62.500	70.750	74.750	81.500	89.500	106.625
↩	C	l	e	v	e	l	a	n	d	13
7.000	27.250	36.250	40.125	47.000	54.500	62.125	66.000	74.125	81.750	102.250 106.625



E4-3 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
"Loch Lloyd", E Mod; "Cleveland", E Mod; "NEXT RIGHT", E Mod;
Table of letter and object lefts


L	o	c	h	L	l	o	y	d
15.750	28.375	40.000	52.625	74.500	88.375	95.000	106.375	119.750
C	l	e	v	e	l	a	n	d
22.375	37.375	43.875	55.250	67.750	80.500	87.000	100.625	113.125
N	E	X	T	R	I	G	H	T
26.750	37.250	46.750	56.750	74.250	84.750	89.250	99.875	109.875

SIGN NO.	12
COORDINATES	38.865821 N, 94.600498 W
ROADWAY	MO 150



E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
Rounded Rectangle 1.875" Radius;
"Holmes Rd", E Mod; "EXIT", E Mod; "3/4", E Mod; "MILE", E Mod;
Table of letter and object lefts

D	93.000							
H	o	l	m	e	s	R	d	
25.875	48.750	68.000	79.375	106.625	123.625	156.250	177.375	
E	x	i	t	3/4	m	i	l	e
37.000	48.375	61.250	66.125	93.125	139.000	153.250	158.825	170.000



E1-1 ST-STRUCTURAL:
12.000" Radius, 2.000" Border, White on, Green;
Rounded Rectangle 1.875" Radius;
"Holmes Rd", E Mod; Arrow 160 - 35.000" 45";
Table of letter and object lefts

	93.000						
H	o	l	m	e	s	R	d
25.875	48.750	68.000	79.375	106.625	123.625	156.250	177.375
	94.250						

STATE OF MISSOURI

JACLYN A. WHITE

NUMBER

PE-2003001116

PROFESSIONAL ENGINEER

Jaclyn A. White

08/14/2024 9:16:17 AM

JACLYN A WHITE - CIVIL

MO-PE-2003001116

DATE PREPARED
8/13/2024

ROUTE
VARIOUS

DISTRICT
KC

STATE
MO

SHEET NO.
14

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL

JEFFERSON CITY, MO 65102

1-888-ASK-MODOT (1-888-275-6636)

MODOT

E	X	I	T
17.000	28.375	41.250	46.125
↗ 24.250			

The diagram shows a rectangular road sign with a black border and rounded corners. The sign contains the text "Lee's Summit" on the top line and "Harrisonville" on the bottom line, both in a bold, black, sans-serif font. A white upward-pointing arrow is on the left side, and a white rightward-pointing arrow is on the right side. The sign is surrounded by dimension lines indicating its size and the spacing of the text and arrows. The overall width is 120 units, and the overall height is 48 units. The text "Lee's Summit" is 80.75 units wide, and "Harrisonville" is 80.75 units wide. The arrows are 9.5 units wide. The spacing between the arrows and the text is 8 units. The spacing between the two lines of text is 10 units. The spacing between the text and the right edge is 12.25 units. The spacing between the text and the left edge is 9.5 units. The spacing between the text and the top edge is 10.875 units. The spacing between the text and the bottom edge is 10.875 units. The spacing between the text and the right edge is 12.25 units. The spacing between the text and the left edge is 9.5 units.

Dimension	Value
Overall Width	120
Overall Height	48
Text "Lee's Summit" Width	80.75
Text "Harrisonville" Width	80.75
Arrow Width	9.5
Spacing (Left Arrow to Text)	8
Spacing (Text to Right Arrow)	8
Spacing (Text to Top Edge)	10.875
Spacing (Text to Bottom Edge)	10.875
Spacing (Text to Right Edge)	12.25
Spacing (Text to Left Edge)	9.5
Spacing (Between Lines of Text)	10

↑ 9.500	L 25.625	e 33.125	e 40.125	' 46.375	s 49.000	S 62.125	u 71.000	m 79.250	m 90.750	i 102.250	t 106.000	
H 9.500	a 18.625	r 26.750	r 32.500	i 38.250	s 42.000	o 48.875	n 56.500	v 63.875	i 72.125	l 76.625	l 81.250	e 85.000

Technical drawing of a rectangular sign with rounded corners. The sign contains two lines of text, each followed by a right-pointing arrow. The top line reads "Loch Lloyd 3" and the bottom line reads "Cleveland 13". The drawing includes detailed dimension lines for the sign's overall size and the spacing of its components.

Sign Text:

- Top line: **Loch Lloyd 3** →
- Bottom line: **Cleveland 13** →

Dimensions (in inches):

- Overall Width:** 120
- Overall Height:** 48
- Text Line Spacing:** 10.875
- Text Line Height:** 11
- Text Line Margin (Left):** 7
- Text Line Margin (Right):** 7
- Text Line Margin (Bottom):** 7
- Text Line Margin (Top):** 7
- Text Line Margin (Left):** 27.25
- Text Line Margin (Right):** 27.25
- Text Line Margin (Bottom):** 15.375
- Text Line Margin (Top):** 15.375
- Text Line Margin (Left):** 59.625
- Text Line Margin (Right):** 59.625
- Text Line Margin (Bottom):** 10.75
- Text Line Margin (Top):** 10.75
- Text Line Margin (Left):** 6.375
- Text Line Margin (Right):** 6.375

Diagram of a rectangular highway sign with dimensions and spacing. The sign is divided into two sections by a horizontal line. The top section contains an upward-pointing arrow and the text "Harrisonville". The bottom section contains the text "Lee's Summit" and a rightward-pointing arrow. The sign has a double border. Dimensions are provided in feet and inches.


Section	Element	Width (ft)	Height (ft)
Top Section	Arrow	7.75	11
	Harrisonville	80.75	11
Bottom Section	Lee's Summit	80.75	11
	Arrow	7.75	11

Overall dimensions: 120 ft wide, 22 ft high.

L	e	e	.	s	S	u	m	m	l	t	⇒
7.750	15.250	22.250	28.375	31.125	44.125	53.125	61.250	72.750	84.250	88.000	100.000

[illegible]

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



E8-1 ST-STRUCTURAL;
9,000" Radius, 2,000" Border, White on, Green;
State Highway 291 M1-6a1 12,000" B; "SOUTH", E Mod; "Harrisonville", E Mod;
Standard Arrow Custom 36,000" X 12,125" 180";
Table of letter and object lefts


	S	O	U	T	H
25,750	65,750	75,500	84,250	92,375	99,875
H	a	r	r	i	s
12,125	24,375	35,125	42,875	50,500	55,500
o	n	v	i	e	
64,625	74,875	84,625	95,625	101,625	107,750
c					
113,000					
48,000					



E1x1 ST-STRUCTURAL;
12,000" Radius, 2,000" Border, White on, Green;
State Highway 150 M1-6a4 18,000" C; "Grandview", E Mod; "Greenwood", E Mod; "EXIT", E Mod; "1/2", E Mod; "MILE", E Mod;
Table of letter and object lefts

	C	r	a	n	d	v	i	e	w
73,500	16,000	38,500	51,250	71,500	90,375	108,750	129,250	139,125	156,250
G	r	e	e	n	w	o	d		
15,125	37,625	50,375	67,750	86,750	105,375	125,125	146,625	164,125	
E	x	i	t	1	2	m	i	l	e
26,500	37,875	50,750	55,625	62,500	125,625	139,750	145,250	156,625	

SIGN NO.	21
COORDINATES	38,841226 N, 94,376104 W
ROADWAY	MO 291



E8-1 ST-STRUCTURAL;
9,000" Radius, 2,000" Border, White on, Green;
State Highway 291 M1-6a1 12,000" B; "NORTH", E Mod; "Lee's Summit", E Mod;
Standard Arrow Custom 36,000" X 12,125" 180";
Table of letter and object lefts

	N	O	R	T	H
25,500	65,500	75,750	84,500	92,500	100,125
L	e	e	s	s	u
9,750	19,875	29,125	37,375	41,000	58,375
m	m	i	t		
81,250	96,500	111,875	116,875		
48,000					



Jacquelyn A. White
08/13/2024 8:19:50 AM
JACQUELYN A. WHITE - CIVIL
MO-PE-2003001116

DATE PREPARED
8/13/2024

ROUTE STATE
VARIOUS MO

DISTRICT SHEET NO.
KC 16

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

MODOT

Technical drawing of a rectangular road sign with rounded corners. The sign features a black border, a white background, and a black outline of Illinois at the top center containing the number "150". Below this, the words "Grandview" and "Greenwood" are written in large, bold, black sans-serif font. At the bottom center is a black arrow pointing diagonally up and to the right. Dimension lines with numerical values are present along all four edges.

73.500								
C	r	a	n	d	v	l	e	w
16.000	38.500	51.250	71.500	90.375	108.750	129.250	139.125	156.250
C	r	e	e	n	w	o		d
15.125	37.625	50.375	67.750	86.750	105.375	129.125	146.625	164.125
82.250								



	G	r	a	n	d	v	i	e	w	B
10.000	30.250	39.250	44.375	52.500	60.125	67.375	75.625	79.625	86.375	103.625
G	r	e	e	n	w	o	o	d	l	
10.000	19.000	24.125	31.125	38.750	46.125	55.625	62.625	69.625	87.375	97.750

Technical drawing of a rectangular exit sign with dimensions. The sign features the word "EXIT" in large, bold, black capital letters at the top, and a large, hollow arrow pointing diagonally upwards and to the right below it. The sign is enclosed in a double-line border. Dimensions are provided in inches:


- Overall width: 72
- Overall height: 60
- Text "EXIT" width: 38
- Text "EXIT" height: 12
- Arrow width: 23.5
- Arrow height: 23.5
- Left margin: 17
- Right margin: 17
- Top margin: 8.25
- Bottom margin: 8.25
- Margin between text and arrow: 8

E 17.000	X 28.375	I 41.250	T 46.125
 24.250			

SIGN NO.	25
COORDINATES	38,870688 N, 94,375108 W
ROADWAY	MO 291



G	r	e	e	n	w	o	o	d
15,125	37,625	50,375	67,750	86,750	105,375	129,125	146,625	164,125
G	r	a	n	d	v	e	w	
16,000	38,500	51,250	71,500	90,375	108,750	129,250	139,125	156,250
E	X	I	T	I	M	L	E	
36,375	47,750	60,625	65,500	92,375	115,750	129,875	135,375	146,750



105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


SIGN NO.	26
COORDINATES	38.857898 N, 94.375808 W
ROADWAY	MO 291



E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
State Highway 150 M1-6a4 18.000" C; "Greenwood", E Mod; "Grandview", E Mod; Arrow 160 - 35.000" 45;
Table of letter and object lefts


	73.500								
G	r	e	e	n	w	o	o	d	
15.125	37.625	50.375	67.750	86.750	105.375	129.125	146.625	164.125	
G	r	a	n	d	v	i	e	w	
16.000	38.500	51.250	71.500	90.375	108.750	129.250	139.125	156.250	
	82.250								

SIGN NO.	27
COORDINATES	38.855483 N, 94.375899 W
ROADWAY	MO 291



E5-1 ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; Arrow 133 - 30.000" 45';
Table of letter and object lefts

E 17.000	X 28.375	I 41.250	T 46.125
 24.250			



MO-PE-2003001116
DATE PREPARED

8/13/2024

ROUTE	STATE
VARIOUS	MO

DISTRICT	SHEET NO
163	13

KC	18
COUNTY	

VARIOUS

JOB NO.
441222

JKU0389
CONTRACT ID.

PROJECT NO.

BRIDGE NO.


[illegible]

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

MoDOT

105 WEST CAPITOL
JEFFERSON CITY, MO 65102


SIGN NO.	28
COORDINATES	38.853593 N, 94.376963 W
ROADWAY	MO 291



D1-2a ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 180"; "Greenwood", E Mod; "1", E Mod;
"Grandview", E Mod; "8", E Mod; Standard Arrow Custom 12.250" X 8.125" 0°;
Table of letter and object lefts

←	G	r	e	e	n	w	o	o	d	l
10.000	30.250	39.250	44.375	51.375	59.000	66.375	75.875	82.875	89.875	107.625
G	r	a	n	d	v	i	e	w	8	⇒
10.000	19.000	24.125	32.250	39.875	47.125	55.375	59.375	66.125	83.375	97.750


SIGN NO.	30
COORDINATES	39.115947 N, 94.386291 W
ROADWAY	US 24



E9-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"West", E Mod; "Outer Road", E Mod; Standard Arrow Custom 12.000" X 6.000" 180°;
"NORTH", E Mod;
Table of letter and object lefts

W	e	s	t					
25.625	33.375	38.375	43.375					
O	u	t	e	r	R	o	a	d
9.750	16.750	22.250	26.625	32.375	41.250	47.625	52.875	58.500
⇐	N	O	R	T	H			
9.750	27.750	33.875	39.375	44.375	49.125			

SIGN NO.	29
COORDINATES	39.116365 N, 94.386240 W
ROADWAY	US 24



E9-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"West", E Mod; "Outer Road", E Mod; "NORTH", E Mod;
Standard Arrow Custom 12.000" X 6.000" 0°;
Table of letter and object lefts

W	e	s	t					
25.625	33.375	38.375	43.375					
O	u	t	e	r	R	o	a	d
9.750	16.750	22.250	26.625	32.375	41.250	47.625	52.875	58.500
N	O	R	T	H	⇒			
18.875	25.125	30.500	35.500	40.250	50.250			



Jacquyn A. White
08/13/2024 9:33:33 AM
JACLYN A WHITE - CIVIL
MO-PE-2003001116

DATE PREPARED
8/13/2024

ROUTE STATE

VARIOUS MO

DISTRICT SHEET NO.

KC 19

COUNTY

VARIOUS

JOB NO.

JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL JEFFERSON CITY, MO 65102

1-888-ASK-MODOT (1-888-275-6636)

MODOT


SIGN NO.	31
COORDINATES	39.112768 N, 94.383089 W
ROADWAY	MO 291



E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
"Independence", E Mod; "Lexington", E Mod; Arrow 133 - 30.000" 45';
Table of letter and object lefts

66.000												
I	n	d	e	p	e	n	d	e	n	c	e	
13.750	21.875	34.375	47.000	59.625	71.125	83.750	96.375	109.000	121.625	134.250	145.750	
L	e	x	l	n	g	t	o	n				
33.125	45.750	57.250	71.375	79.000	91.625	103.875	113.500	126.375				
↗ 72.250												


SIGN NO.	32
COORDINATES	39.114671 N, 94.383818 W
ROADWAY	MO 291



E5-1 ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; Arrow 133 - 30.000" 45';
Table of letter and object lefts

E	X	I	T
17.000	28.375	41.250	46.125
24.250			

SIGN NO.	33
COORDINATES	39.116380 N, 94.383885 W
ROADWAY	MO 291



D1-1a ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"Lexington", E Mod; "29", E Mod; Standard Arrow Custom 12.250" X 8.125" 0';
Table of letter and object lefts

L	e	x	I	n	g	t	o	n	2	9	Arrow
8.000	15.625	22.500	31.000	35.625	43.125	50.500	56.250	64.000	77.375	85.375	99.750



DATE PREPARED
8/13/2024

ROUTE	STATE
VARIOUS	MO
DISTRICT	SHEET NO.
KC	20

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

24

Independence

Lexington

EXIT 1/2 MILE

Dimensions (Top): 17.75, 41, 84, 168.5, 84, 17.75

Dimensions (Bottom): 41, 44.125, 31.625, 15, 20.875, 15, 33.25, 44.125, 204

Dimensions (Right): 13.5, 16, 18.5, 10, 15, 18, 16, 14, 16, 12.5, 36, 15, 125, 127.5, 156

E3	84,000																					
I	17.750	27.375	d	42.500	e	57.625	p	72.875	e	86.500	n	101.750	d	116.875	e	131.875	n	147.125	c	162.250	e	176.125
L	41.000	e	62.125	x	69.875	i	86.875	n	96.000	g	111.125	t	125.875	o	137.500	n	152.875					
E	44.125	X	53.500	I	64.250	T	68.375	1/2	90.750	M	126.625	I	138.500	L	143.000	E	152.500					

Technical drawing of a highway shield for Independence Lexington, Route 24. The shield is white with a black border and contains the text "24" in a black shield, "Independence" and "Lexington" in large black letters, and a black arrow pointing up and to the right. Dimensions are provided for the shield and its components.

Dimensions (in inches):

- Overall width: 240
- Overall height: 120
- Shield width: 102
- Shield height: 36
- Text "24" width: 106.25
- Text "24" height: 27.5
- Text "Independence" width: 146.25
- Text "Independence" height: 43.75
- Text "Lexington" width: 146.25
- Text "Lexington" height: 43.75
- Arrow width: 106.25
- Arrow height: 27.5

E	102,000																					
I	14.25	26.750	d	45.265	e	64.500	p	83.500	e	100.625	n	119.625	d	138.500	e	157.375	n	176.500	c	195.375	e	212.625
L	43.750	e	62.625	x	79.875	i	101.125	n	112.625	g	131.500	t	149.750	o	164.250	n	183.500					
W	106.250																					

Technical drawing of a rectangular exit sign. The sign features the word "EXIT" in large, bold, black capital letters at the top, and a large, hollow, black-outlined arrow pointing diagonally upwards and to the right below it. The sign is enclosed in a double-line border with rounded corners. Dimensions are provided in inches:

- Overall width: 72
- Overall height: 60
- Text "EXIT" width: 38
- Text "EXIT" height: 12
- Arrow width: 23.5
- Arrow height: 23.5
- Left margin: 17
- Right margin: 17
- Top margin: 8.25
- Bottom margin: 8.25
- Distance from top margin to arrow: 8
- Distance from arrow to bottom margin: 23.5
- Distance from left margin to arrow: 24.25
- Distance from arrow to right margin: 24.25

E 17.000	X 28.375	I 41.250	T 46.125
↗ 24.250			

The diagram shows a rectangular sign with a double border. The text "Liberty" is on the top line and "Lee's Summit" is on the bottom line. A white arrow points up to the "Liberty" text, and another white arrow points right from the "Summit" text. Dimensions are provided for the sign's overall size and the spacing between characters and words.

Measurement	Value
Sign Width	120
Sign Height	46
Character Spacing (Liberty)	8
Character Spacing (Lee's Summit)	8
Word Spacing (Liberty to Lee's)	44.25
Word Spacing (Summit to End)	51.875
Character Width (L)	7.75
Character Width (e)	8.125
Character Width (e's)	28.375
Character Width (S)	47.875
Character Width (u)	12.25
Character Width (m)	7.75

[illegible]

Technical drawing of a rectangular sign with rounded corners. The sign features a left-pointing arrow and the text "Lexington 29". Dimension lines indicate a total width of 120 and a total height of 24. Internal dimensions include 8, 12.25, 8, 61.125, 8.25, 14.375, and 8 for the width, and 8, 8.125, 8, 8, and 7.875 for the height.

←	L	e	x	i	n	g	t	o	n	2	9
8.000	28.250	35.875	42.750	51.250	55.875	63.375	70.750	76.500	84.250	97.625	105.625

Technical drawing of a rectangular sign for "Lee's Summit Liberty". The sign features a double-line border. The text "Lee's Summit" is positioned on the top line, and "Liberty" is on the bottom line. An upward-pointing arrow is on the left, and a rightward-pointing arrow is on the right. Dimensions are provided for the sign's overall size and the spacing of the text and arrows.


Overall Dimensions:

- Width: 120
- Height: 48

Text and Arrow Spacing Dimensions:

- Top line spacing (from left edge): 9.75, 8.125, 8, 28.5, 8, 47.875, 9.75
- Bottom line spacing (from left edge): 9.75, 44.375, 43.875, 12.25, 9.75
- Right side spacing (from right edge): 10.875, 8.125, 10, 8, 7.875, 12.25, 8.875, 11

↑	L	e	e	'	s	S	u	m	m	i	t
9.750	25.875	33.500	40.375	46.625	49.250	62.375	71.250	79.500	91.000	102.500	106.250
L	l	b	e	r	t	y	⇒				
9,750	18,125	22,625	29,500	37,125	42,000	47,625	98,000				




SIGN NO.	40
COORDINATES	39.117180 N, 94.384315 W
ROADWAY	US 24

SIGN NO.	41
COORDINATES	39.116979 N, 94.385417 W
ROADWAY	US 24

E8-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
State Highway 291 M1-6a1 12.000" B; "NORTH", E Mod; "Liberty", E Mod;
Standard Arrow Custom 36.000" X 12.125" 180';
Table of letter and object lefts


	N	O	R	T	H	
13.500	53.500	63.750	72.500	80.500	88.125	
L	i	b	e	r	t	y
24.500	35.625	41.625	50.750	60.875	67.500	75.000
	36.000					



SIGN NO.	42
COORDINATES	39.117639 N, 94.383106 W
ROADWAY	US 24


E9-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"East", E Mod; "Outer Road", E Mod; Standard Arrow Custom 12.000" X 6.000" 180';
"NORTH", E Mod;
Table of letter and object lefts

E	a	s	t					
26.250	32.250	37.750	42.750					
O	u	t	e	r	R	o	a	d
9.750	16.750	22.250	26.625	32.375	41.250	47.625	52.875	58.500
↔	N	O	R	T	H			
9.750	27.750	33.875	39.375	44.375	49.125			



E8-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
State Highway 291 M1-6a1 12.000" B; "SOUTH", E Mod; "Lee's Summit", E Mod;
Standard Arrow Custom 36.000" X 12.125" 180';
Table of letter and object lefts

291	S	O	U	T	H					
25.750	65.750	75.500	84.250	92.375	99.875					
L	e	e	'	s	S	u	m	m	i	t
9.750	19.875	29.125	37.375	41.000	58.375	70.375	81.250	96.500	111.875	116.875
←	48.000									



E9-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"East", E Mod; "Outer Road", E Mod; "NORTH", E Mod;
Standard Arrow Custom 12.000" X 6.000" 0';
Table of letter and object lefts

E	a	s	t					
26.250	32.250	37.750	42.750					
O	u	t	e	r	R	o	a	d
9.750	16.750	22.250	26.625	32.375	41.250	47.625	52.875	58.500
N	O	R	T	H	=>			
18.875	25.125	30.500	35.500	40.250	50.250			

STATE OF MISSOURI

JACLYN A. WHITE

NUMBER

PE-2003001116

PROFESSIONAL ENGINEER

Jaclyn A. White

08/14/2024 9:43:56 AM

JACLYN A WHITE - CIVIL

MO-PE-2003001116

DATE PREPARED

8/13/2024

ROUTE

STATE

VARIOUS

MO

DISTRICT

SHEET NO.

KC

23

COUNTY

VARIOUS

JOB NO.

JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION







DATE


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL

JEFFERSON CITY, MO 65102

1-888-ASK-MODOT (1-888-275-6636)







E	X	I	T	S			
12.625	22.125	32.875	37.000	59.375			
100.000							
N	W	G	L	t	h	S	t
16.000	36.000	76.125	96.125	120.875	137.125	169.875	190.000
1/2	M	I	L	E			
66.500	109.625	123.750	129.250	140.625			

Technical drawing of a rectangular sign with dimensions and text. The sign is 96 units wide and 30 units high. The text "EXIT 20" is centered on the sign. The dimensions are as follows:


- Overall width: 96
- Overall height: 30
- Left margin: 10,875
- Text "EXIT" width: 31,75
- Space between "EXIT" and "20": 15
- Text "20" width: 27,5
- Right margin: 10,875
- Top margin: 10
- Text height: 15
- Bottom margin: 5



E	X	I	T	Z	O
10.875	20.375	31.125	35.250	57.625	72.625
24.000	87.000				
T	r	a	c	y	
35.375	56.250	68.875	87.625	104.500	
W	e	s	t	o	n
25.125	50.875	67.750	84.375	98.875	118.125
¾	M	I	L	E	
35.125	81.000	95.125	100.625	112.000	



E	X	I	T	Z	O
10.875	20.375	31.125	35.250	57.625	72.625
24.000	87.000				
T	r	a	c	y	
35.375	56.250	68.875	87.625	104.500	
W	e	s	t	o	n
25.125	50.875	67.750	84.375	98.875	118.125
64.250					



D2-3 ST-STRUCTURAL:

6,000" Radius, 1,000" Border, White on, Green;

Rounded Rectangle 1,500" Radius;


Rounded Rectangle 1,500" Radius;

"4", E Mod; "St Joseph", E Mod; "26", E Mod; "Council Bluffs", E Mod; "155", E Mod;

Table of letter and object lefts

□	□	4										
10,000	32,500	128,625										
S	t	J	o	s	e	p	h	2	6			
10,000	18,000	30,000	38,750	45,625	52,375	60,000	67,625	119,625	127,625			
C	o	u	n	c	i	l	B	l	s			
10,000	18,500	26,125	34,375	41,875	49,500	54,000	63,500	72,750	77,375	84,750	89,625	94,500
I	S	S										
114,750	119,250	127,625										

SIGN NO.	51
COORDINATES	39.395418 N, 94.789268W
ROADWAY	N.B., I-29




SIGN NO.	52 a, b
COORDINATES	39.435064 N, 94.789299W
ROADWAY	N.B., I-29

E1-6P ST-STRUCTURAL:
6,000" Radius, 2,000" Border, White on, Green;
"EXIT", E Mod; "25", E Mod;

E1-1 ST-STRUCTURAL:
12,000" Radius, 2,000" Border, White on, Green;
Rounded Rectangle 1,875" Radius;
Rounded Rectangle 1,875" Radius;
"Camden Point", E Mod; "1", E Mod; "1 MILE", E Mod;
Table of letter and object lefts

E	X	I	T	2	5					
10,750	20,250	31,000	35,000	67,500	73,250					
87,000	135,000									
C	a	m	d	e	n	P	o	i	n	t
16,375	37,625	58,000	65,250	104,125	123,125	155,875	176,625	195,875	207,250	225,625
I	M	1	L	E						
94,375	117,750	131,875	137,375	148,750						



DATE PREPARED 8/14/2024	
ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 26
COUNTY VARIOUS	
JOB NO. JKU0389	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION



105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Technical drawing of a rectangular road sign. The sign contains the following text and symbols:

- Top left: Two square boxes containing the letters **H** and **Z**.
- Top right: The number **4**.
- Middle: The text **St Joseph** followed by the number **22**.
- Bottom: The text **Council Bluffs** followed by the number **151**.

Dimensions and spacing (in inches) are indicated by dimension lines:

- Overall width: 144
- Overall height: 60
- Top margin: 10
- Bottom margin: 10
- Left margin: 10
- Right margin: 10
- Box height: 15
- Box width: 12
- Letter height: 8
- Letter width: 7.5
- Text height: 15
- Text width: 42.625
- Number height: 15
- Number width: 14.375
- Number width: 15.25
- Number width: 19.25
- Number width: 36
- Number width: 47
- Number width: 79.125
- Number width: 7.375

		4																			
10,000	32,500	126,625																			
S	t	J	30,000	38,750	45,825	52,375	60,000	67,825	72,125	119,625	127,625										
C	10,000	o	18,500	u	26,125	34,375	c	i	49,500	B	54,000	I	72,750	u	77,375	f	84,750	f	89,625	s	94,500
	l	118,750	5	123,250	l	131,625															

DD 5

St Joseph 17

Council Bluffs 146

	S																						
10,000	127.625																						
S	10,000	t	18.125	J	30.125	o	38.750	s	45.625	e	52.375	p	60.000	h	67.625	i	123.625	127.625					
C	10,000	o	18.500	u	26.250	n	34.375	c	41.875	i	49.500	54.125	B	61.625	72.875	u	77.375	f	84.875	f	89.625	s	94.500
	l	114.625	4	118.625	6	127.625																	


Technical drawing of a highway sign for New Market Dearborn. The sign is rectangular with rounded corners and a double border. It features the letters 'H' and 'Z' in separate boxes at the top. The main text reads 'New Market' and 'Dearborn' in large, bold, sans-serif font. A white arrow points upwards from the bottom center. Dimensions are provided in feet and inches.

Dimensions (in feet and inches):

- Overall width: 16.125
- Overall height: 16.125
- Text area width: 13.675
- Text area height: 10.4
- Letter 'H' width: 1.625
- Letter 'Z' width: 1.625
- Letter 'H' height: 1.625
- Letter 'Z' height: 1.625
- Text 'New Market' width: 13.675
- Text 'Dearborn' width: 13.675
- Arrow width: 1.625
- Arrow height: 1.625

Table of letter and object hits										
E		X		I		T		O		
10,675	20,375	31,125	35,250	57,625	72,825					
☐	☐									
69,000	117,000									
N		W		M		A		t		
18,125	39,000	56,125	95,875	121,125	141,500	155,875	172,875	189,875		
D		E		b		a		n		
39,625	60,750	78,125	98,500	112,875	130,000	149,250	163,625			
Σ	94,250									

[illegible]



D1-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90'; "St Joseph", E Mod;
"St Louis", E Mod; Standard Arrow Custom 12.250" X 8.125" 0';
Table of letter and object lefts


↑	S	t	J	o	s	e	p	h
8.625	24.750	32.750	44.750	53.500	60.375	67.125	74.750	82.250
S	t	L	o	u	l	s	→	
8.625	16.625	28.625	36.250	43.875	52.125	55.875	75.125	



E8-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
Interstate 435 12.000" B; "SOUTH", E Mod; "St Louis", E Mod;
Standard Arrow Custom 36.000" X 12.125" 180';
Table of letter and object lefts

	S	O	U	T	H	
13.750	53.750	63.500	72.250	80.375	87.875	
S	t	L	o	u	l	s
19.125	29.875	45.875	56.000	66.250	77.125	82.125
						
36.000						

SIGN NO.	62
COORDINATES	38.30346 N, 94.51209 W
ROADWAY	291



E8-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
Interstate 435 12.000" B; "WEST", E Mod; "St Joseph", E Mod;
Standard Arrow Custom 36.000" X 12.125" 180';
Table of letter and object lefts

W 17.000	S 57.000	E 69.375	S 77.000	T 85.000			
S 12.250	t 23.000	J 39.000	o 50.625	s 59.750	e 68.750	p 78.875	h 89.000
← 36.000							

SIGN NO.	64
COORDINATES	38.30310 N, 94.50897 W
ROADWAY	291

STATE OF MISSOURI

JACLYN A. WHITE

NUMBER

PE-2003001116

PROFESSIONAL ENGINEER

Jaclyn A. White

08/14/2024 10:21:37 AM

JACLYN A WHITE - CIVIL

MO-PE-2003001116

DATE PREPARED

8/14/2024

ROUTE

STATE

VARIOUS

MO

DISTRICT

SHEET NO.

KC

30

COUNTY

VARIOUS

JOB NO.

JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION





DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION


105 WEST CAPITOL

JEFFERSON CITY, MO 65102

1-888-ASK-MODOT (1-888-275-6636)



STATE OF MISSOURI JACLYN A. WHITE NUMBER PE-2003001116 PROFESSIONAL ENGINEER <i>Jaclyn A. White</i> 08/14/2024 1:58:25 PM JACLYN A WHITE - CIVIL MO-PE-2003001116	
DATE PREPARED 8/14/2024	
ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 33
COUNTY VARIOUS	
JOB NO. JKU0389	
CONTRACT I.D.	
PROJECT NO.	
BRIDGE NO.	
DATE	DESCRIPTION
MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION  105 WEST CAPITOL JEFFERSON CITY, MO 65102 1-888-ASK-MODOT (1-888-275-6636)	




E1-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
Interstate 470 18.000" B; State Highway 291 M1-6a4 18.000" C; "SOUTH", E Mod; "USE LEFT LANE", E Mod;
Table of letter and object lefts

		S	O	U	T	H
14.625	71.625	128.625	143.375	156.375	168.500	179.875

U	S	E	L	E	F	T	L	A	N	E
28.875	41.500	54.125	75.125	86.500	97.875	108.375	129.375	139.125	153.500	166.125

SIGN NO.	77
COORDINATES	39.08010 N , 94.37135 W
ROADWAY	291



E6-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
"39th St", E Mod; "3/4", E Mod; Interstate 70 12.000" C; "1", E Mod; "1/4", E Mod; "1", E Mod; "3/4", E Mod;
Table of letter and object lefts

3	9	t	h	S	t	3/4
12.500	25.875	40.250	51.125	73.000	86.375	122.750

	1	1/4
12.500	110.250	124.375
	1	3/4
12.500	110.250	122.750

SIGN NO.	78
COORDINATES	39.05954 N , 94.37048 W
ROADWAY	291



DATE PREPARED 8/14/2024	
ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 34
COUNTY VARIOUS	
JOB NO. JKU0389	
CONTRACT ID.	


PROJECT NO.
BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



64.250

Technical drawing of a rectangular exit sign with rounded corners. The sign features the text "EXIT" in a large, bold, sans-serif font at the top, followed by "16 C" in a similar font. Below the text is a large, hollow arrow pointing upwards and slightly to the right. The drawing includes dimension lines and numerical values in millimeters.

Dimensions (mm):

- Overall width: 170
- Overall height: 242.5
- Text "EXIT" width: 116.25
- Text "16 C" width: 143.75
- Arrow width at base: 10
- Sign border width: 6.5

E5-1a ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; "16 C", E Mod; Arrow 133 - 30.000" 45';

24.250


Technical drawing of a highway exit sign for Interstate 70 West, Kansas City, 1/4 mile, right lane only. The sign is rectangular with rounded corners and a black border. It features a shield-shaped logo for Interstate 70 on the left, followed by the word "WEST" in large, bold, black capital letters. Below this, "Kansas City" is written in a very large, bold, black serif font. Underneath that, "1/4 MILE" is written in a large, bold, black sans-serif font. At the bottom, "RIGHT LANE ONLY" is written in a large, bold, black sans-serif font. The drawing includes detailed dimensions in inches and millimeters for the sign's overall size and the placement of its elements.

E1-5P ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; "16 C", E Mod;

E1-1 ST-STRUCTURAL:
12.000" Radius, 2.000" Border, White on, Green;
Interstate 70 18.000" C; "WEST", E Mod; "Kansas City", E Mod; "1/4", E Mod; "MILE", E Mod;

STF-STRUCTURAL FLUORESCENT;
12.000" Radlus, 2.000" Border, Black on, Yellow;
"RIGHT LANE ONLY", E Mod;

SIGN NO.	80
COORDINATES	39.04780 N , 94.36404 W
ROADWAY	291



DATE PREPARED

8/14/202

ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 35

COUNTY

VARIOUS

JOB NO.	
---------	--

JKU0389


CONTRACT ID

PROJECT NO.

BRIDGE NO.

[illegible]MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)




D2-3 ST-STRUCTURAL;
9,000" Radius, 2,000" Border, White on, Green;
"Garden City", E Mod; "9", E Mod; "Creighton", E Mod; "17", E Mod; "Clinton", E Mod; "39", E Mod;
Table of letter and object lefts

G	a	r	d	e	n	C	i	t	y	9
14.000	28.125	41.625	50.125	62.750	75.375	97.250	112.250	118.500	127.875	167.375

C	r	e	i	g	h	t	o	n	l	7
14.000	29.000	37.375	50.125	56.625	70.250	82.500	92.250	105.000	160.750	167.375

C	l	n	t	o	n	3	9			
14.000	29.000	36.500	44.125	56.375	66.125	78.875	154.000	167.375		

SIGN NO.	82
COORDINATES	38.61701 N, 94.34016 W
ROADWAY	MO 7




D1-2a ST-STRUCTURAL;
6,000" Radius, 1,000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90°; "Garden City", E Mod; "3", E Mod; "Austin", E Mod; "9", E Mod;
Standard Arrow Custom 12.250" X 8.125" 0°;
Table of letter and object lefts

↑	G	a	r	d	e	n	C	i	t	y	3
12.000	28.125	36.625	44.750	49.875	57.375	65.000	78.125	87.125	90.875	96.500	137.625

A	u	s	t	i	n	9	⇒
12.000	22.125	29.500	36.125	42.625	47.125	117.375	131.750

SIGN NO.	84
COORDINATES	38.59529 N, 94.24950 W
ROADWAY	MO 7



R16-25;
STF-STRUCTURAL FLUORESCENT;
6,000" Radius, 1,000" Border, Black on, Yellow;
"STATE LAW", E Mod;

SIGN NO.	83
COORDINATES	38.61494 N, 94.32909 W
ROADWAY	MO 7

ST-STRUCTURAL;
6,000" Radius, 1,000" Border, Black on, White;
"MOVE OVER OR SLOW DOWN", D 85% spacing; "FOR STOPPED", D; "EMERGENCY OR", D; "MAINTENANCE VEHICLES", D;
Table of letter and object lefts

S	T	A	T	E	L	A	W
26.000	34.000	40.500	49.000	56.625	70.500	77.000	85.625

M	O	V	E	O	V	E	R	O	R	S	L	O	W	D	O	W	N
5.000	10.875	16.000	21.500	30.250	35.500	40.875	45.500	54.625	60.000	69.250	74.375	79.000	84.250	94.500	99.500	104.750	110.875

F	O	R	S	T	O	P	P	E	D
32.125	36.875	42.500	52.625	57.750	62.500	68.125	73.625	79.000	83.875

E	M	E	R	G	E	N	C	Y	O	R
29.000	33.875	39.875	44.625	49.750	55.250	60.000	65.500	70.250	81.250	86.875

M	A	I	N	T	E	N	A	N	C	E	V	E	H	I	C	L	E	S
11.250	17.000	23.125	25.500	30.625	35.500	40.250	45.375	51.500	57.000	62.125	71.750	77.375	82.250	87.625	90.000	95.125	99.875	104.750

STATE OF MISSOURI

JACLYN A. WHITE

NUMBER
PE-2003001116

PROFESSIONAL ENGINEER

Jaclyn A. White
08/14/2024 2:00:08 PM
JACLYN A WHITE - CIVIL
MO-PE-2003001116

DATE PREPARED
8/14/2024

ROUTE
VARIOUS

STATE
MO

DISTRICT
KC

SHEET NO.
36

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.


BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



D1-2a ST-STRUCTURAL;

6.000" Radius, 1.000" Border, White on, Green;


Standard Arrow Custom 12.250" X 8.125" 90'; "Harrisonville", E Mod; "8", E Mod;

Standard Arrow Custom 12.250" X 8.125" 180'; "Austin", E Mod; "9", E Mod;

Table of letter and object lefts

↑ 12.000	H 28.125	a 37.250	r 45.375	r 51.125	l 56.875	s 60.625	o 67.500	n 75.125	v 82.500	l 90.750	l 95.250	l 99.875	e 103.750	8 137.625
← 12.000	A 32.250	u 42.375	s 49.750	t 56.375	l 62.875	n 67.375	9 137.625							

SIGN NO.	86
COORDINATES	38.59404,-94.24572
ROADWAY	MO 7



D2-2 ST-STRUCTURAL;


6.000" Radius, 1.000" Border, White on, Green;

"8", E Mod; "Harrisonville", E Mod; "10", E Mod;

Table of letter and object lefts

49 10.000	71 37.000	8 139.625												
H 10.000	a 19.125	r 27.250	r 33.000	l 38.750	s 42.500	o 49.250	n 57.000	v 64.375	l 72.500	l 77.125	l 81.625	e 85.625	l 135.000	o 139.375

SIGN NO.	87
COORDINATES	38.59843,-94.25085
ROADWAY	MO 7



I4-1 ST-STRUCTURAL;


6.000" Radius, 1.000" Border, White on, Green;

"Garden City", E Mod; "CITY LIMIT", D;

Table of letter and object lefts

G 10.625	a 19.125	r 27.250	d 32.375	e 39.875	n 47.500	C 60.625	i 69.625	t 73.375	y 79.000
C 27.375	I 32.500	T 34.625	Y 38.625	L 49.750	I 54.500	M 56.875	I 62.875	T 65.000	

SIGN NO.	88
COORDINATES	38.58217,-94.22063
ROADWAY	MO 7



DATE PREPARED

8/14/2024

ROUTE STATE

VARIOUS MO

DISTRICT SHEET NO.

KC 37

COUNTY

VARIOUS

JOB NO.

JKU0389

CONTRACT ID.

PROJECT NO.


BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION



105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
Rounded Rectangle 1.875" Radius;
Rounded Rectangle 1.875" Radius;
Rounded Rectangle 1.875" Radius;
"Blairstown", E Mod; "Garden City", E Mod; "EXIT", E Mod; "1", E Mod; "MILE", E Mod;
Table of letter and object lefts

51.000	99.000	147.000								
B	I	a	l	r	s	t	o	w	n	
32.375	55.375	65.250	85.625	97.000	109.375	125.875	140.375	157.625	182.875	
G	a	r	d	e	n	C	i	t	y	
20.500	41.750	62.125	74.750	93.625	112.750	145.500	168.000	177.375	191.375	
E	X	I	T	l	M	I	L	E		
54.375	65.750	78.625	83.500	110.375	133.750	147.875	153.375	164.750		

SIGN NO.	89
COORDINATES	38.58021,-94.21536
ROADWAY	MO 7



Jacquelyn A. White
08/14/2024 2:01:09 PM
JACQLYN A WHITE - CIVIL
MO-PE-2003001116

DATE PREPARED
8/14/2024

ROUTE STATE
VARIOUS MO

DISTRICT SHEET NO.
KC 38

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.


DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


MODOT



E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
Rounded Rectangle 1.875" Radius;
Rounded Rectangle 1.875" Radius;
Rounded Rectangle 1.875" Radius;
"Blairstown", E Mod; "Garden City", E Mod; Arrow 160 - 35.000" 45';
Table of letter and object lefts

51.000	99.000	147.000								
B 32.375	I 55.375	a 65.250	i 85.625	r 97.000	s 109.375	t 125.875	o 140.375	w 157.625	n 182.875	
G 20.500	a 41.750	r 62.125	d 74.750	e 93.625	n 112.750	C 145.500	i 168.000	t 177.375	y 191.375	
100.250										

SIGN NO.	90
COORDINATES	38.57483,-94.20042
ROADWAY	MO 7




DATE PREPARED 8/14/2024	
ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 39
COUNTY VARIOUS	
JOB NO. JKU0389	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION




105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
Rounded Rectangle 1.875" Radius;
Rounded Rectangle 1.875" Radius;
Rounded Rectangle 1.875" Radius;
"Garden City", E Mod; "Blairstown", E Mod; "EXIT", E Mod; "3/4", E Mod; "MILE", E Mod;
Table of letter and object lefts

51.000	99.000	147.000							
G	a	r	d	e	n	C	i	t	y
20.500	41.750	62.125	74.750	93.625	112.750	145.500	168.000	177.375	191.375
B	l	a	l	r	s	t	o	w	n
32.375	55.375	65.250	85.625	97.000	109.375	125.875	140.375	157.625	182.875
E	X	I	T	¾	M	I	L	E	
43.000	54.375	67.250	72.125	99.125	145.000	159.250	164.625	176.000	

SIGN NO.	97
COORDINATES	38.56034 -94.18195
ROADWAY	MO 7







DATE PREPARED 8/14/2024	
ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 42
COUNTY VARIOUS	
JOB NO. JKU0389	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION



105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)






PROJECT NO.
BRIDGE NO.

[illegible]

MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION


105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)





SIGN NO.	107
COORDINATES	38.50574,-94.09134
ROADWAY	MO 7


JACLYN A. WHITE NUMBER PE-200300116 PROFESSIONAL ENGINEER <i>Jaclyn A. White</i> DATE PREPARED 8/14/2024					
ROUTE		STATE			
VARIOUS		MO			
DISTRICT		SHEET NO.			
KC		45			
COUNTY					
VARIOUS					
JOB NO.					
<bjku0389< b=""></bjku0389<>					
CONTRACT ID.					
PROJECT NO.					
BRIDGE NO.					
DATE	DESCRIPTION				
MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION 105 WEST CAPITOL JEFFERSON CITY, MO 65102 1-888-ASK-MODOT (1-888-275-6636)					



E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
Rounded Rectangle 1.875" Radius;
"Creighton", E Mod; Arrow 160 - 35.000" 45';
Table of letter and object lefts

75.000										
c	r	e	i	g	h	t	o	n		
15.250	37.750	50.500	69.500	79.375	99.875	118.250	132.750	152.000		
76.250										


SIGN NO.	108
COORDINATES	38.50231,-94.07628
ROADWAY	MO 7



E5-1 ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; Arrow 133 - 30.000" 45';
Table of letter and object lefts

E	X	I	T	
17.000	28.375	41.250	46.125	
24.250				

SIGN NO.	109
COORDINATES	38.50175,-94.07430
ROADWAY	MO 7



E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
Rounded Rectangle 1.875" Radius;
"Creighton", E Mod; "EXIT", E Mod; "3/4", E Mod; "MILE", E Mod;
Table of letter and object lefts

75.000										
C	r	e	i	g	h	t	o	n		
15.250	37.750	50.500	69.500	79.375	99.875	118.250	132.750	152.000		
E	X	I	T	3/4	M	I	L	E		
19.000	30.375	43.250	48.125	75.125	121.000	135.250	140.625	152.000		

SIGN NO.	110
COORDINATES	38.49313,-94.05609
ROADWAY	MO 7



DATE PREPARED
8/14/2024

ROUTE STATE
VARIOUS MO

DISTRICT SHEET NO.
KC 46

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.


DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


MODOT



E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
Rounded Rectangle 1.875" Radius;
"Creighton", E Mod; Arrow 160 - 35.000" 45';
Table of letter and object lefts

□							
75.000							
C	r	e	i	g	h	t	o
15.250	37.750	50.500	69.500	79.375	99.875	118.250	132.750
152.000							
↗							
76.250							


SIGN NO.	111
COORDINATES	38.49918,-94.06700
ROADWAY	MO 7



E5-1 ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; Arrow 133 - 30.000" 45';
Table of letter and object lefts

E	X	I	T
17.000	28.375	41.250	46.125
↗			
24.250			


SIGN NO.	112
COORDINATES	38.49988,-94.06850
ROADWAY	MO 7



D1-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 180'; "Creighton", E Mod;
Table of letter and object lefts

←	C	r	e	i	g	h	t	o	n
8.000	28.250	37.250	42.375	50.000	53.875	62.000	69.375	75.250	82.875

SIGN NO.	113
COORDINATES	38.50066,-94.06902
ROADWAY	MO 7



DATE PREPARED		8/14/2024	
ROUTE	STATE	VARIOUS	MO
DISTRICT	SHEET NO.	KC	47
COUNTY	VARIOUS		
JOB NO.	JKU0389		
CONTRACT ID.			

PROJECT NO.	
BRIDGE NO.	

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION




105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



D1-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"Creighton", E Mod; Standard Arrow Custom 12.250" X 8.125" 0';
Table of letter and object lefts

C	r	e	i	g	h	t	o	n	→
8.000	17.000	22.125	29.625	33.625	41.750	49.125	55.000	62.625	75.750


SIGN NO.	114
COORDINATES	38.50038,-94.07261
ROADWAY	MO 7



E8-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
State Highway 7 M1-6a 12.000" E; "SOUTH", E Mod; "Clinton", E Mod;
Standard Arrow Custom 36.000" X 12.125" 180';
Table of letter and object lefts

7	S	O	U	T	H	
10.750	44.750	54.500	63.250	71.375	78.875	
C	I	I	n	t	o	n
18.625	30.625	36.750	42.750	52.625	60.375	70.625
←						
30.000						

SIGN NO.	116
COORDINATES	38.50038,-94.07114
ROADWAY	MO 7




I4-1 SH-FLAT SHEET;
1.500" Radius, 0.750" Border, White on, Green;
"Creighton", E Mod; "CITY LIMIT", D;
Table of letter and object lefts

C	r	e	i	g	h	t	o	n
4.625	11.375	15.125	20.875	23.875	30.000	35.500	39.750	45.625
C	I	T	Y					
13.250	16.750	18.125	20.750					
L	I	M	I	T				
28.125	31.375	32.875	36.875	38.250				

SIGN NO.	11
COORDINATES	38,49965,-94,07
ROADWAY	MO 7

SIGN NO.	115
COORDINATES	38.49965,-94.07152
ROADWAY	MO 7



D1-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90'; "Clinton", E Mod; "Harrisonville", E Mod;
Standard Arrow Custom 12.250" X 8.125" 0';
Table of letter and object lefts

↑	C	I	I	N	T	O	N						COORDINATES 38,50225,-94,07123	
9.500	25.625	34.625	39.250	43.750	51.125	56.875	64.625						ROADWAY MO 7	
H	a	r	r	i	s	o	n	v	i	l	e			
9.500	18.625	26.750	32.500	38.250	42.000	48.875	56.500	63.875	72.125	76.625	81.250	85.125		
→														
98.250														

SIGNING SHEET 37 OF 94

SIGN NO.	117
COORDINATES	38.50225,-94.07123
ROADWAY	MO 7

STATE OF MISSOURI

JACLYN A. WHITE

NUMBER

PE-2003001116

PROFESSIONAL ENGINEER

Jaclyn A. White

08/14/2024 2:06:28 PM

JACLYN A WHITE - CIVIL

MO-PE-2003001116

DATE PREPARED

8/14/2024

ROUTE

STATE

VARIOUS

MO

DISTRICT

SHEET NO.

KC

48

COUNTY

VARIOUS

JOB NO.

JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION


105 WEST CAPITOL

JEFFERSON CITY, MO 65102

1-888-ASK-MODOT (1-888-275-6636)

MODOT


SIGNING SHEET 37 OF 94



E8-1 ST-STRUCTURAL;
9,000" Radius, 2,000" Border, White on, Green;
State Highway 7 M1-6a 12,000" E; "NORTH", E Mod; "Harrisonville", E Mod;
Standard Arrow Custom 36,000" X 12,125" 180';
Table of letter and object lefts

17	N	O	R	T	H								ROADWAY	
28.500	62.500	72.750	81.500	89.500	97.125									
H	a	r	r	l	s	o	n	v	l	l	l	e		
12.125	24.375	35.125	42.875	50.500	55.500	64.625	74.875	84.625	95.625	101.625	107.750	113.000		
←														
48.000														


SIGN NO.	119
COORDINATES	38,50156;-94,07123
ROADWAY	MO 7



I6-1 ST-STRUCTURAL;
6,000" Radius, 1,000" Border, White on, Green;
"Henry", E Mod;
"COUNTY LINE", D 95% spacing;
Table of letter and object lefts

H	e	n	r	y	
11.875	21.000	28.625	36.750	41.625	
C	O	U	N	T	Y
4.500	9.625	15.125	20.500	25.625	29.625
	L	I	N	E	
	39.500	44.250	46.500	51.875	


SIGN NO.	121
COORDINATES	38,49862;-94,06706
ROADWAY	MO 7



D1-2 ST-STRUCTURAL;
6,000" Radius, 1,000" Border, White on, Green;
Standard Arrow Custom 12,250" X 8,125" 90'; "Harrisonville", E Mod; "Clinton", E Mod;
Standard Arrow Custom 12,250" X 8,125" 0';
Table of letter and object lefts

	H	a	r	r	i	s	o	n	v	i	l	l	e
11.750	27.875	37.000	45.125	51.000	56.750	60.500	67.250	75.000	82.250	90.500	95.125	99.625	103.625
C	l	i	n	t	o	n							
11.750	20.750	25.375	30.000	37.250	43.125	50.750	96.500						

SIGN NO.	120
COORDINATES	38,49950;-94,07132
ROADWAY	MO 7



I6-1 ST-STRUCTURAL;
6,000" Radius, 1,000" Border, White on, Green;
"Cass", E Mod;
"COUNTY LINE", D 95% spacing;
Table of letter and object lefts

C	a	s	s		
16.250	24.750	32.000	38.625		
C	O	U	N	T	Y
4.500	9.625	15.125	20.500	25.625	29.625
	L	I	N	E	
	39.500	44.250	46.500	51.875	

SIGN NO.	122
COORDINATES	38,49904;-94,06671
ROADWAY	MO 7



Jaclyn A. White
08/14/2024 2:07:01 PM
JACLYN A WHITE - CIVIL
MO-PE-2003001116

DATE PREPARED
8/14/2024

ROUTE STATE
VARIOUS MO

DISTRICT SHEET NO.
KC 49

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.


DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

MODOT



L	I	M	I	T
31.750	36.500	38.875	44.875	47.000


Technical drawing of a road sign for Exit 17, Liberty, Missouri. The sign is rectangular with rounded corners and a black border. It features a black silhouette of Missouri with the number '291' inside. Below the silhouette, the word 'Liberty' is written in a large, bold, sans-serif font. At the bottom, there is a black arrow pointing upwards and to the right. Dimensions are provided in feet and inches.

Dimension	Value
Overall Width	96
Overall Height	144
Exit Sign Width	96
Exit Sign Height	30
Exit Sign Text: EXIT 17	
Missouri Silhouette Width	45
Missouri Silhouette Height	27.5
Liberty Text Width	110.75
Liberty Text Height	27.5
Arrow Width	45
Arrow Height	27.5

E1-5P ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; "17", E Mod;

E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
State Highway 291 M1-6a4 18.000" C; "Liberty", E Mod; Arrow 160 - 35.000" 45';
Table of letter and object lefts

SIGN NO.	124
COORDINATES	39.25205,-94.45062
ROADWAY	I-35



DATE PREPARED

ROUTE	STATE
-------	-------

DISTRICT	SHEET NO.
----------	-----------

RE	50
COUNTY	

VAR1005
JOB NO.

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

[illegible]MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION




E1-5P ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; "17", E Mod;

E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
State Highway 291 M1-6a4 18.000" C; "Liberty", E Mod; "KCI Airport", E Mod; Arrow 160 - 35.000" 45';

E	X	I	T	1	7				
14.875	24.375	35.125	39.125	61.625	69.125				
85.500									
L	I	b	e	r	t	y			
52.625	73.375	84.875	102.000	121.000	133.250	147.250			
K	C	I	A	I	r	p	o	r	t
20.875	41.250	61.375	85.375	110.625	122.125	136.500	153.625	172.875	185.125
94.250									

SIGN NO.	125
COORDINATES	39.26791,-94.44091
ROADWAY	I-35



E5-1a ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; "20", E Mod 85% spacing;
Arrow 133 - 30.000" 45';

Table of letter and object lefts

E 17.000	X 28.375	I 41.250	T 46.125
2 6.000	O 23.500	↗ 42.375	

SIGN NO.	126
COORDINATES	39.28968,-94.41456
ROADWAY	I-35

STATE OF MISSOURI

JACLYN A. WHITE

NUMBER

PE-2003001116

PROFESSIONAL ENGINEER

Jaclyn A. White

08/14/2024 2:08:00 PM

JACLYN A WHITE - CIVIL

MO-PE-2003001116

DATE PREPARED

8/14/2024

ROUTE

VARIOUS

STATE

MO

DISTRICT

KC

SHEET NO.

51

COUNTY

VARIOUS

JOB NO.

JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL

JEFFERSON CITY, MO 65102

1-888-ASK-MODOT (1-888-275-6636)

MoDOT



D5-17 ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Blue;
"TRUCK", E Mod; "PARKING", E Mod; Arrow 80 - 25.000" 45';

D5-18P ST-STRUCTURAL;
3.000" Radius, 1.000" Border, White on, Blue;
"NO FACILITIES", E Mod;
Table of letter and object lefts


T	R	U	C	K		
17.625	27.125	37.625	48.250	58.250		
P	A	R	K	I	N	G
9.000	19.125	31.125	41.625	51.875	56.500	67.000

SIGN NO.	127
COORDINATES	38.31913,-94.39875
ROADWAY	I-35

32.125

N	O
9.125	15.500

F	A	C	I	L	I	T	I	E	S
26.500	31.750	39.000	45.000	47.750	53.500	55.875	61.625	64.375	70.000




I4-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"Kearney", E Mod; "CITY LIMIT", D;
Table of letter and object lefts

K	e	a	r	n	e	y
11.125	19.250	26.250	34.375	40.125	47.625	54.375
C	I	T	Y			
15.375	20.500	22.625	26.625			

L	I	M	I	T
37.750	42.500	44.875	50.875	53.000

SIGN NO.	128
COORDINATES	39.36125,-94.37574
ROADWAY	I-35




DATE PREPARED	
8/14/2024	
ROUTE	STATE
VARIOUS	MO
DISTRICT	SHEET NO.
KC	52
COUNTY	
VARIOUS	
JOB NO.	
JKU0389	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DESCRIPTION									
DATE									

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION


105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



E8-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
Interstate 49 12.000" C; "SOUTH", E Mod; "Joplin", E Mod;
Standard Arrow Custom 36.000" X 12.125" 180';
Table of letter and object lefts

		S	O	U	T	H
11.750	45.750	79.750	89.500	98.250	106.375	113.875
J	o	p	l	l	n	
40.500	52.125	62.500	72.500	78.625	84.750	
48.000						


SIGN NO.	129
COORDINATES	38.82520,-94.52110
ROADWAY	1-49



D1-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90'; "Joplin", E Mod; "Kansas City", E Mod;
Standard Arrow Custom 12.250" X 8.125" 0';
Table of letter and object lefts

	J	o	p	l	l	n				
12.125	28.250	37.000	44.625	52.250	56.750	61.375				
K	a	n	s	a	s	C	i	t	y	
12.125	20.250	28.375	35.625	42.500	49.750	62.875	71.875	75.625	81.250	95.625


SIGN NO.	130
COORDINATES	38.82628,-94.51990
ROADWAY	1-49



D1-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 180'; "Raymore", E Mod;
"Belton", E Mod; Standard Arrow Custom 12.250" X 8.125" 0';
Table of letter and object lefts

⬅	R	a	y	m	o	r	e
11.250	31.500	40.000	47.250	56.000	66.875	74.500	79.625
B	e	l	t	o	n	➡	
11.250	19.875	27.500	31.250	37.000	44.750	72.500	

SIGN NO.	131
COORDINATES	38.81387,-94.50536
ROADWAY	1-49



D1-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90'; "Kansas City", E Mod; "Joplin", E Mod;
Standard Arrow Custom 12.250" X 8.125" 0';
Table of letter and object lefts

	K	a	n	s	a	s	C	i	t	y		
8.125	24.250	32.375	40.500	47.875	54.625	62.000	75.000	84.000	87.750	93.375		
J	o	p	l	i	n							
8.125	16.875	24.625	32.125	36.750	41.250	87.625						

SIGN NO.	132
COORDINATES	38.81322,-94.50527
ROADWAY	1-49



Jaclyn A. White
08/14/2024 2:08:55 PM
JACLYN A WHITE - CIVIL
MO-PE-2003001116

DATE PREPARED

8/14/2024

ROUTE STATE

VARIOUS MO

DISTRICT SHEET NO.

KC 53

COUNTY

VARIOUS

JOB NO.

JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL

JEFFERSON CITY, MO 65102

1-888-ASK-MODOT (1-888-275-6636)

MODOT




E9-1 ST-STRUCTURAL;
6,000" Radius, 1,000" Border, White on, Green;
"East", E Mod; "Outer Road", E Mod; "NORTH", E Mod;
Standard Arrow Custom 17,000" X 6,000" 180; "SOUTH", E Mod;
Standard Arrow Custom 17,000" X 6,000" 0;

Table of letter and object lefts

E	a	s	t
26.250	32.250	37.750	42.750
O	u	t	e
9.750	16.750	22.250	26.625
N	O	R	T
6.000	12.125	17.625	22.625
H	S	O	U
27.375	40.875	46.750	52.250
T	H		
57.250	62.000		
10.250	45.000		

SIGN NO.	133
COORDINATES	38.81308,-94.50204
ROADWAY	1+49




E9-1 ST-STRUCTURAL;
6,000" Radius, 1,000" Border, White on, Green;
"East", E Mod; "Outer Road", E Mod; "SOUTH", E Mod;
Standard Arrow Custom 17,000" X 6,000" 180; "NORTH", E Mod;
Standard Arrow Custom 17,000" X 6,000" 0;

Table of letter and object lefts

E	a	s	t
26.250	32.250	37.750	42.750
O	u	t	e
9.750	16.750	22.250	26.625
S	O	U	T
6.000	11.875	17.375	22.375
H	N	O	R
27.125	40.625	46.750	52.250
T	H		
57.250	62.000		
10.000	44.750		

SIGN NO.	134
COORDINATES	38.81333,-94.50147
ROADWAY	1+49




D1-2 ST-STRUCTURAL;
6,000" Radius, 1,000" Border, White on, Green;
Standard Arrow Custom 12,250" X 8,125" 90; "Joplin", E Mod; "Kansas City", E Mod;
Standard Arrow Custom 12,250" X 8,125" 0;

Table of letter and object lefts

↑	J	o	p	l	l	n
12.125	28.250	37.000	44.625	52.250	56.750	61.375
K	a	n	s	a	s	C
12.125	20.250	28.375	35.625	42.500	49.750	62.875
l	t	y	⇒			
71.875	75.625	81.250	95.625			

SIGN NO.	135
COORDINATES	38.81341,-94.50252
ROADWAY	1+49



D1-2 ST-STRUCTURAL;
6,000" Radius, 1,000" Border, White on, Green;
Standard Arrow Custom 12,250" X 8,125" 90; "Kansas City", E Mod; "Joplin", E Mod;
Standard Arrow Custom 12,250" X 8,125" 0;

Table of letter and object lefts

↑	K	a	n	s	a	s	C	i	t	y
8.125	24.250	32.375	40.500	47.875	54.625	62.000	75.000	84.000	87.750	93.375
J	o	p	l	l	n	⇒				
8.125	16.875	24.625	32.125	36.750	41.250	87.625				

SIGN NO.	137
COORDINATES	38.78596,-94.49869
ROADWAY	1+49

SIGNING SHEET 43 OF 94



Jaclyn A. White
08/14/2024 2:09:21 PM
JACLYN A WHITE-CIVIL
MO-PE-2003001116

DATE PREPARED
8/14/2024

ROUTE STATE
VARIOUS MO

DISTRICT SHEET NO.
KC 54

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.


DESCRIPTION

DATE


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


MODOT




SIGN NO.	152
COORDINATES	39.09724,-94.48863
ROADWAY	I-435



SIGN NO.	154
COORDINATES	39.08345,-94.49057
ROADWAY	I-435




SIGN NO.	153
COORDINATES	39.09631,-94.4887
ROADWAY	I-435



SIGN NO.	155
COORDINATES	39.08264,-94.49192
ROADWAY	I-435

DATE PREPARED	
8/14/2024	
ROUTE	STATE
VARIOUS	MO
DISTRICT	SHEET NO.
KC	58
COUNTY	
VARIOUS	
JOB NO.	
JKU0389	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	
DESCRIPTION	
DATE	
MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION	
105 WEST CAPITAL JEFFERSON CITY, MO 65102 1-888-ASK-MODOT (1-888-275-6636)	




D1-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"Manchester", E Mod; "Trfwy", E Mod; Standard Arrow Custom 12.250" X 8.125" 0°;
Table of letter and object lefts

M	a	n	c	h	e	s	t	e	r	
8.000	18.125	26.250	33.875	41.375	49.000	55.750	62.375	68.250	75.750	87.750

T	r	f	w	y
26.875	35.250	40.250	45.125	54.500

SIGN NO.	156
COORDINATES	39.08240,-94.49224
ROADWAY	I-435




E5-1a ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; "70", E Mod 85% spacing;
Arrow 133 - 30.000" 45°;
Table of letter and object lefts

E	X	I	T
17.000	28.375	41.250	46.125

7	0	
6.000	23.500	42.375

SIGN NO.	158
COORDINATES	38.96012,-94.53149
ROADWAY	I-435




D1-2d ST-STRUCTURAL;
3.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 9.000" X 6.000" 135°; "Hillcrest Rd", E Mod; "87th St", E Mod;
Standard Arrow Custom 9.000" X 6.000" 45°;
Table of letter and object lefts

	H	I	I	I	c	r	e	s	t	R	d
7.500	20.750	27.875	31.375	34.750	37.750	43.375	47.250	52.375	57.250	66.250	72.625

8	7	t	h	S	t
7.500	13.625	19.625	24.500	34.375	40.375


69.250

SIGN NO.	157
COORDINATES	38.96743,-94.52032
ROADWAY	I-435



E5-1a ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; "69", E Mod; Arrow 133 - 30.000" 45°;
Table of letter and object lefts

E	X	I	T
17.000	28.375	41.250	46.125

6	9	
6.000	24.125	42.375

SIGN NO.	159
COORDINATES	38.96567,-94.52073
ROADWAY	I-435



Jaclyn A. White
08/14/2024 2:11:45 PM
JACLYN A. WHITE - CIVIL
MO-PE-2003001116

DATE PREPARED
8/14/2024

ROUTE STATE
VARIOUS MO

DISTRICT SHEET NO.
KC 59

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

MODOT





Table of letter and object lefts

SIGN NO.	162
COORDINATES	39.09173,-94.48696
ROADWAY	I-435

Table of letter and object lefts

R	I	G	H	T	L	A	N	E	O	N	L	Y
17.500	30.125	35.625	48.250	60.375	81.250	91.000	105.500	118.125	139.000	152.125	164.750	174.500

1000000




E8-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
"NORTH", E Mod; Interstate 435 12.000" B; "EAST", E Mod; "Claycomo", E Mod;
Standard Arrow Custom 36.000" X 12.125" 180°;

Table of letter and object lefts

N	O	R	T	H	E	A	S	T
12.125	22.375	31.125	39.125	46.750	63.625	72.250	81.875	90.000
17.625	67.750							
C	I	a	y	c	o	m	o	
14.625	26.625	31.875	41.625	52.375	61.625	71.875	86.375	
36.000								

SIGN NO.	163
COORDINATES	39.09274,-94.48725
ROADWAY	I-435



E8-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
Interstate 435 12.000" B; "NORTH", E Mod; "Claycomo", E Mod;
Standard Arrow Custom 36.000" X 12.125" 0°;

Table of letter and object lefts

13.500	N	O	R	T	H			
53.500	63.750	72.500	80.500	88.125				
C	I	a	y	c	o	m	o	
14.625	26.625	31.875	41.625	52.375	61.625	71.875	86.375	
36.000								

SIGN NO.	166
COORDINATES	38.10654,-94.48556
ROADWAY	I-435

STATE OF MISSOURI

JACLYN A. WHITE

NUMBER
PE-2003001116

PROFESSIONAL ENGINEER

Jaclyn A. White

08/14/2024 2:12:38 PM

JACLYN A WHITE - CIVIL

MO-PE-2003001116

DATE PREPARED

8/14/2024

ROUTE

VARIOUS

STATE

MO

DISTRICT

KC

SHEET NO.

61

COUNTY

VARIOUS

JOB NO.

JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE



DESCRIPTION


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL

JEFFERSON CITY, MO 65102


1-888-ASK-MODOT (1-888-275-6636)






I	n	d	e	p	e	n	d	e	n	c	e
11.875	16.750	24.250	31.750	39.375	46.250	53.875	61.375	69.000	76.625	84.125	91.000
C	I	T	Y	L	I	M	I	T			
33.375	38.500	40.625	44.625	55.750	60.500	62.875	68.875	71.000	SIGN NO.		

SIGN NO.	171
COORDINATES	39.04703,-94.44418
ROADWAY	I - 70




E 17.000	X 28.375	I 41.250	T 46.125
1 8.000	4 17.125	 40.375	

SIGN NO.	173
COORDINATES	39.04481,-94.38981
ROADWAY	I-70



E 17.000	X 28.375	I 41.250	T 46.125
1 11.625	5 21.625	B 46.000	
 24.250			


SIGN NO.	174
COORDINATES	39.04134,-94.36022
ROADWAY	I-70



R	a	y	t	o	w	n	➡
14.000	22.375	29.750	37.500	43.375	50.250	60.375	129.750

B	l	u	e	R	i	d	g	e	B	l	v	d	⇒
14.000	23.250	27.750	35.375	48.500	57.500	61.500	69.000	76.500	89.625	98.875	102.625	110.125	129.750


SIGN NO.	172
COORDINATES	39.04691,-94.44309
ROADWAY	I-70



←	T	O	3	9	t	h	S	t
6.500	26.000	33.625	48.250	56.250	64.875	71.375	84.500	92.625

M	a	l	l	E	n	t	r	a	n	c	e
26.000	36.125	44.250	48.750	58.250	66.875	74.250	80.750	85.750	93.875	101.500	108.375

SIGN NO.	175
COORDINATES	39.03818,-94.34170
ROADWAY	I-70



COUNTY	VARIOUS
--------	---------

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.


BRIDGE NO.[illegible]

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

MoDOT

105 WEST CAPITOL
JEFFERSON CITY, MO 65102





Blue Springs
CITY LIMIT


7.375 26.5 8 46.75 7.375

27.375 16.375 6 18.875 27.375


96

7.5 6 6.5 8 8 36


B	I	U	E					
7.375	16.625	21.250	28.750					
S	P	R	I	N	G	S		
41.875	50.750	58.375	64.125	68.625	76.250	83.500		
C	I	T	Y	L	I	M	I	T
27.375	32.500	34.625	38.625	49.750	54.500	56.875	62.875	65.000



SIGN NO.	177
COORDINATES	39.03845,-94.33905
ROADWAY	I-70




SIGN NO.	179
COORDINATES	39.03433,-94.30770
ROADWAY	1-70



SIGN NO.	180
COORDINATES	39.03091,-94.27204
ROADWAY	I - 70


[illegible]



I4-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"Oak Grove", E Mod; "CITY LIMIT", D;
Table of letter and object lefts

O	a	k	G	r	o	v	e	
10.250	19.000	27.125	40.250	49.250	54.250	61.125	68.625	
C	I	T	Y	L	I	M	I	T
21.375	26.500	28.625	32.625	43.750	48.500	50.875	56.875	59.000


SIGN NO.	181
COORDINATES	39.01607,-94.13348
ROADWAY	I-70



E5-1a ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; "28", E Mod 85% spacing;
Arrow 133 - 30.000" 45';
Table of letter and object lefts

E	X	I	T
17.000	28.375	41.250	46.125
2	8	↗	
6.000	23.500	42.375	


SIGN NO.	182
COORDINATES	39.01616,-94.131124
ROADWAY	I-70



D1-1a ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 180'; "Lake Lotawana", E Mod; "7", E Mod;
Table of letter and object lefts

↵	L	a	k	e	L	o	t	a	w	a	n	a	7
8.000	28.250	35.750	43.875	50.750	63.750	71.375	78.125	84.000	91.375	100.875	109.000	116.625	129.625


SIGN NO.	183
COORDINATES	39.03042,-94.27120
ROADWAY	I-70



D1-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90'; "Columbia", E Mod; "Kansas City", E Mod;
Standard Arrow Custom 12.250" X 8.125" 0';
Table of letter and object lefts

↑	C	o	I	u	m	b	I	a	ROADWAY	
12.125	28.250	36.750	44.375	49.000	57.125	68.625	76.250	80.125		
K	a	n	s	a	s	C	i	t	y	↩
12.125	20.250	28.375	35.625	42.500	49.750	62.875	71.875	75.625	81.250	95.625

SIGN NO.	184
COORDINATES	39.04055,-94.34121
ROADWAY	I-70





DATE PREPARED 8/14/2024	
ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 65
COUNTY VARIOUS	
JOB NO. JKU0389	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION


105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



E 17.000	X 28.375	I 41.250	T 46.125
1 10.875	5 20.750	A 43.125	
 24.250			

SIGN NO.	186
COORDINATES	39.04230,-94.36453
ROADWAY	1 - 70


[illegible]



E4-1 ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"Independence", E Mod; "NEXT", E Mod; "6", E Mod; "EXITS", E Mod;
Table of letter and object lefts

I	N	D	E	P	E	N	D	E	N	C	E
13.750	21.875	34.375	47.000	59.625	71.125	83.750	96.375	109.000	121.625	134.250	145.750
N	E	X	T	6	E	X	I	T	S		
23.375	33.875	43.375	53.500	75.875	102.875	112.375	123.125	127.125	136.625		


SIGN NO.	187
COORDINATES	39.03795,-94.33431
ROADWAY	I-70



E5-1a ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; "9", E Mod; Arrow 133 - 30.000" 45';
Table of letter and object lefts

E	X	I	T
17.000	28.375	41.250	46.125
9	Arrow		
12.000	36.375		


SIGN NO.	190
COORDINATES	39.05075,-94.47164
ROADWAY	I-70



E5-1a ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; "12", E Mod; Arrow 133 - 30.000" 45';
Table of letter and object lefts

E	X	I	T
17.000	28.375	41.250	46.125
1	2	Arrow	
8.750	18.625	39.750	


SIGN NO.	188
COORDINATES	39.04807,-94.41198
ROADWAY	I-70



E5-1a ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; "11", E Mod; Arrow 133 - 30.000" 45';
Table of letter and object lefts

E	X	I	T
17.000	28.375	41.250	46.125
1	1	Arrow	
12.000	21.875	36.500	


SIGN NO.	189
COORDINATES	39.04725,-94.44073
ROADWAY	I-70



D1-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 180'; "Raytown", E Mod; "Independence", E Mod;
Standard Arrow Custom 12.250" X 8.125" 0';
Table of letter and object lefts

←	R	a	y	t	o	w	n				
7.750	28.000	36.375	43.750	51.500	57.375	64.250	74.375				
I	n	d	e	p	e	n	d	e	n	c	e
7.750	12.625	20.125	27.625	35.250	42.125	49.750	57.250	64.875	72.500	80.000	86.875
→											
100.000											


SIGN NO.	191
COORDINATES	39.05163,-94.47274
ROADWAY	I-70



DATE PREPARED 8/14/2024	
ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 67
COUNTY VARIOUS	
JOB NO. JKU0389	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DESCRIPTION	DATE





D1-2a ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90"; "Orrick", E Mod; "7", E Mod; "Excelsior Springs", E Mod; "13", E Mod;
Standard Arrow Custom 12.250" X 8.125" 0";
Table of letter and object lefts


Table of letter and object lefts

↑	O	r	r	l	c	k	7
8.500	24.625	34.000	39.750	45.500	49.500	57.000	153.125

SIGN NO.	192
COORDINATES	39.26459,-94.01654
ROADWAY	MO 10

E	x	c	e	l	s	i	o	r	S	p	r	l	n	g	s
8.500	16.500	24.375	31.250	38.875	42.625	50.125	54.125	61.750	73.625	82.625	90.125	95.875	100.500	108.000	115.375


1	3	⇒
128.500	132.875	147.250



D1-2a ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 180"; "Richmond", E Mod;
"Camden", E Mod; "5", E Mod; Standard Arrow Custom 12.250" X 8.125" 0";
Table of letter and object lefts

←	R	l	c	h	m	o	n	d
6.750	27.000	36.125	40.000	47.625	55.750	66.750	74.375	82.000
C	a	m	d	e	n	5	⇒	
6.750	15.250	23.375	34.375	41.875	49.500	62.625	77.000	

SIGN NO.	193
COORDINATES	39.26579,-93.98603
ROADWAY	MO 10



E1-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
Rounded Rectangle 1.875" Radius;
"Richmond", E Mod; "Camden", E Mod; "EXIT", E Mod; "1", E Mod; "MILE", E Mod;
Table of letter and object lefts

SIGN NO.		194	
COORDINATES		39.26537,-94.01134	
ROADWAY		MO 10	

□								
51.000								
R	l	c	h	m	o	n	d	
16.000	31.125	37.625	50.375	63.875	82.125	94.875	107.500	
C	a	m	d	e	n			
26.125	40.375	53.875	72.000	84.625	97.375			
E	X	I	T	1	M	I	L	E
26.250	33.875	42.375	45.625	63.625	79.125	88.625	92.250	99.875



Jaclyn A. White
08/14/2024 2:15:55 PM
JACLYN A WHITE-CIVIL
MO-PE-2003001116

DATE PREPARED
8/14/2024

ROUTE STATE

VARIOUS MO

DISTRICT SHEET NO.

KC 68

COUNTY

VARIOUS

JOB NO.

JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.


DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


MODOT



E1-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
Rounded Rectangle 1.875" Radius;
"Richmond", E Mod; "Camden", E Mod; Arrow 133 - 30.000" 45';
Table of letter and object lefts

51.000								
R	l	c	h	m	o	n	d	
16.000	31.125	37.625	50.375	63.875	82.125	94.875	107.500	
C	a	m	d	e	n			
26.125	40.375	53.875	72.000	84.625	97.375			
54.250								


SIGN NO.	195
COORDINATES	38.26651,-93.99359
ROADWAY	MO 10



E5-1 ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; Arrow 133 - 30.000" 45';
Table of letter and object lefts

E	X	I	T
17.000	28.375	41.250	46.125
24.250			

SIGN NO.	196
COORDINATES	38.26660,-93.99033
ROADWAY	MO 10



D1-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90"; "Excelsior Springs", E Mod; "Carrollton", E Mod;
Standard Arrow Custom 12.250" X 8.125" 0';
Table of letter and object lefts

8.000	E	x	c	e	l	s	i	o	r	
	24.125	32.000	39.875	46.875	54.500	58.125	65.750	69.625	77.375	
	S	p	r	i	n	g	s			
	89.250	98.250	105.750	111.500	116.125	123.625	131.000			
C	a	r	r	o	l	l	t	o	n	123.750
8.000	16.500	24.625	30.375	35.375	43.125	47.750	51.500	57.250	65.000	

SIGN NO.	197
COORDINATES	38.26496,-93.98539
ROADWAY	MO 10

STATE OF MISSOURI

JACLYN A. WHITE

NUMBER

PE-2003001116

PROFESSIONAL ENGINEER

Jaclyn A. White

08/14/2024 2:16:25 PM

JACLYN A WHITE - CIVIL

MO-PE-2003001116

DATE PREPARED

8/14/2024

ROUTE

VARIOUS

STATE

MO

DISTRICT

KC

SHEET NO.

69

COUNTY

VARIOUS

JOB NO.

JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION


DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL

JEFFERSON CITY, MO 65102


1-888-ASK-MODOT (1-888-275-6636)



E8-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
State Highway 10 M1-6a 12.000" D; "WEST", E Mod; "Excelsior Springs", E Mod; Standard Arrow Custom 36.000" X 12.125" 180';
Table of letter and object lefts

10	W	E	S	T											
50.000	84.000	96.375	104.000	112.000											
E	x	c	e	i	s	i	o	r	S	p	r	i	n	g	s
9.375	20.000	30.500	39.750	49.875	54.875	64.875	70.125	80.375	96.250	108.125	118.250	125.875	132.000	142.125	151.875
←															
66.000															

SIGN NO.	198
COORDINATES	39.2661,-93.98438
ROADWAY	MO 10



E1-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
Rounded Rectangle 1.875" Radius;
"Richmond", E Mod; "Camden", E Mod; "EXIT", E Mod; "1/2", E Mod; "MILE", E Mod;
Table of letter and object lefts

51.000								
R	i	c	h	m	o	n	d	
16.000	31.125	37.625	50.375	63.875	82.125	94.875	107.500	
C	a	m	d	e	n			
26.125	40.375	53.875	72.000	84.625	97.375			
E	X	I	T	1/2	M	I	L	E
19.625	27.250	35.875	39.125	57.000	85.750	95.125	98.875	106.375

SIGN NO.	199
COORDINATES	39.26571,-93.97266
ROADWAY	MO 10



Jaclyn A. White
08/14/2024 2:16:52 PM
JACLYN A WHITE - CIVIL
MO-PE-2003001116

DATE PREPARED
8/14/2024

ROUTE STATE
VARIOUS MO

DISTRICT SHEET NO.
KC 70

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.


DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION


105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

MODOT



☐							
51,000							
R	i	c	h	m	o	n	d
16.000	31.125	37.625	50.375	63.875	82.125	94.875	107.500
C	a	m	d	e	n		
26.125	40.375	53.875	72.000	84.625	97.375		
							
54.250							


SIGN NO.	200
COORDINATES	39,26630,-93,97983
ROADWAY	MO 10



D1-2a ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 180"; "Camden", E Mod;
"5", E Mod; "Richmond", E Mod;
Standard Arrow Custom 12.250" X 8.125" 0';
Table of letter and object lefts

←	C	a	m	d	e	n	5	
6.750	27.000	35.500	43.625	54.625	62.125	69.750	82.875	
R	i	c	h	m	o	n	d	⇒
6.750	15.875	19.750	27.375	35.500	46.500	54.125	61.750	77.000


SIGN NO.	201
COORDINATES	39.26696,-93.98355
ROADWAY	MO 10



Q										
42,000										
P	o	i	o							
39.000	52.875	65.625	72.250							
H	e	n	r	l	e	t	t	a		
11.750	27.000	39.625	53.250	62.875	69.500	80.750	90.125	99.750		
E	X	I	T	$\frac{1}{2}$	M	I	L	E		
13.625	21.250	29.875	33.125	51.000	79.750	89.125	92.875	100.375		

SIGN NO.	202
COORDINATES	39.26588,-93.97805
ROADWAY	MO 10


	
DATE PREPARED	
8/14/2024	
ROUTE	STATE
VARIOUS	MO
DISTRICT	SHEET NO.
KC	71
COUNTY	
VARIOUS	
JOB NO.	
JKU0389	
CONTRACT I.D.	
PROJECT NO.	
BRIDGE NO.	
DESCRIPTION	
DATE	
MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION	
	
105 WEST CAPITAL JEFFERSON CITY, MO 65102 1-888-ASK-MODOT (1-888-275-6636)	



E1-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
State Highway 13 M1-6a3 18.000" D; "Polo", E Mod; "Henrietta", E Mod;
Arrow 133 - 30.000" 45';
Table of letter and object lefts

13	42.000								
P	39.000	o	52.875	l	65.625	o	72.250		
H	11.750	e	27.000	n	39.625	r	53.250	l	62.875
		e	69.500	t	80.750	t	90.125	a	99.750
↗	48.250								


SIGN NO.	203
COORDINATES	39.26533-93.97089
ROADWAY	MO 10



D1-2a ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 180"; "Polo", E Mod; "21", E Mod;
"Henrietta", E Mod; "2", E Mod; Standard Arrow Custom 12.250" X 8.125" 0';
Table of letter and object lefts

←	P	o	l	o	2	l				
7.750	28.000	36.250	44.000	48.000	89.500	97.875				
H	e	n	r	l	e	t	t	a	2	→
7.750	16.875	24.500	32.625	38.375	42.375	49.125	54.750	60.500	73.625	88.000

SIGN NO.	204
COORDINATES	39.26638-93.96341
ROADWAY	MO 10



D1-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90"; "Excelsior Springs", E Mod; "Carrollton", E Mod;
Standard Arrow Custom 12.250" X 8.125" 0';
Table of letter and object lefts

↑	E	x	c	e	l	s	l	o	r	
8.000	24.125	32.000	39.875	46.875	54.500	58.125	65.750	69.625	77.375	
	S	p	r	l	n	g	s			
	89.250	98.250	105.750	111.500	116.125	123.625	131.000			
C	a	r	r	o	l	t	o	n	→	
8.000	16.500	24.625	30.375	35.375	43.125	47.750	51.500	57.250	65.000	123.750

SIGN NO.	205
COORDINATES	39.26584-93.96164
ROADWAY	MO 10

STATE OF MISSOURI

JACLYN A. WHITE

NUMBER
PE-2003001116

PROFESSIONAL ENGINEER

Jaclyn A. White
08/14/2024 2:29:17 PM
JACLYN A WHITE - CIVIL
MO-PE-2003001116

DATE PREPARED
8/14/2024

ROUTE
VARIOUS

DISTRICT
KC

STATE
MO

SHEET NO.
72

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.


DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION




105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



E8-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
State Highway 10 M1-6a 12.000" D; "WEST", E Mod; "Excelsior Springs", E Mod; Standard Arrow Custom 36.000" X 12.125" 180°;
Table of letter and object lefts

10	W	E	S	T												
50.000	84.000	96.375	104.000	112.000												
E	x	c	e	l	s	i	o	r	s	p	r	i	n	g	s	
9.375	20.000	30.500	39.750	49.875	54.875	64.875	70.125	80.375	96.250	108.125	118.250	125.875	132.000	142.125	151.875	
66.000																

SIGN NO.	206
COORDINATES	39.26770,-93.96359
ROADWAY	MO 10



D1-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 180°; "Henrietta", E Mod; "2", E Mod;
"Polo", E Mod; "21", E Mod; Standard Arrow Custom 12.250" X 8.125" 0°;
Table of letter and object lefts

H	e	n	r	i	e	t	t	a	2
28.000	37.125	44.750	52.875	58.625	62.625	69.375	75.000	80.750	93.875
P	o	l	o	2	1	6.375			
7.750	16.000	23.750	27.750	69.250	77.625	88.000			

SIGN NO.	207
COORDINATES	39.26820,-93.96302
ROADWAY	MO 10




DATE PREPARED 8/14/2024	
ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 73
COUNTY VARIOUS	
JOB NO. JKU0389	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


MoDOT



D1-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 180'; "Henrietta", E Mod;
Table of letter and object lefts

←	H	e	n	r	i	e	t	t	a
8.875	29.125	38.250	45.875	54.125	59.875	63.750	70.625	76.250	82.000

SIGN NO.	208
COORDINATES	39.24294,-93.93430
ROADWAY	MO 13




I4-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"Henrietta", E Mod; "CITY LIMIT", D;
Table of letter and object lefts

H	e	n	r	i	e	t	t	a
7.000	16.125	23.750	32.000	37.750	41.625	48.500	54.125	59.875

C	I	T	Y
15.375	20.500	22.625	26.625

L	I	M	I	T
37.750	42.500	44.875	50.875	53.000

SIGN NO.	210
COORDINATES	39.24457,-93.93883
ROADWAY	MO 13




I4-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"Richmond", E Mod; "CITY LIMIT", D;
Table of letter and object lefts

R	I	C	H	M	O	N	D
12.000	21.000	25.000	32.625	40.750	51.625	59.375	66.875

C	I	T	Y	L	I	M	I	T
21.375	26.500	28.625	32.625	43.750	48.500	50.875	56.875	59.000

SIGN NO.	209
COORDINATES	39.24611,-93.94184
ROADWAY	MO 13



E1-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
"Henrietta", E Mod; "EXIT", E Mod; "1", E Mod; "MILE", E Mod;
Table of letter and object lefts

H	e	n	r	i	e	t	t	a
17.625	40.500	59.500	79.875	94.250	104.125	121.125	135.125	149.625

E	X	I	T	1	M	I	L	E
30.375	41.750	54.625	59.500	86.375	109.750	123.875	129.375	140.750

SIGN NO.	211
COORDINATES	39.25536,-93.95292
ROADWAY	MO 13



Jaclyn A. White
08-14-2024 2:30:15 PM
JACLYN A WHITE - CIVIL
MO-PE-2003001116

DATE PREPARED
8/14/2024

ROUTE STATE
VARIOUS MO

DISTRICT SHEET NO.
KC 74

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.


DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

MODOT




I4-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"Henrietta", E Mod; "CITY LIMIT", D;
Table of letter and object lefts

H	e	n	r	i	e	t	t	a
7.000	16.125	23.750	32.000	37.750	41.625	48.500	54.125	59.875

C	I	T	Y
15.375	20.500	22.625	26.625

L	I	M	I	T
37.750	42.500	44.875	50.875	53.000

SIGN NO.	212
COORDINATES	39.24800,-93.94269
ROADWAY	MO 13




E1-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
"Henrietta", E Mod; "EXIT", E Mod; "1", E Mod; "MILE", E Mod;
Table of letter and object lefts

H	e	n	r	i	e	t	t	a
17.625	40.500	59.500	79.875	94.250	104.125	121.125	135.125	149.625

E	X	I	T	1	M	I	L	E
30.375	41.750	54.625	59.500	86.375	109.750	123.875	129.375	140.750

SIGN NO.	214
COORDINATES	39.23029,-93.91998
ROADWAY	MO 13



E5-1 ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; Arrow 133 - 30.000" 45';
Table of letter and object lefts

E	X	I	T
17.000	28.375	41.250	46.125

↗
24.250

SIGN NO.	213
COORDINATES	39.24469,-93.94003
ROADWAY	MO 13

STATE OF MISSOURI

JACLYN A. WHITE

NUMBER

PE-2003001116

PROFESSIONAL ENGINEER

Jaclyn A. White

09/14/2024 2:30:45 PM

JACLYN A WHITE - CIVIL

MO-PE-2003001116

DATE PREPARED

8/14/2024

ROUTE

VARIOUS

STATE

MO

DISTRICT

KC

SHEET NO.

75

COUNTY

VARIOUS

JOB NO.

JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION


DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL

JEFFERSON CITY, MO 65102


1-888-ASK-MODOT (1-888-275-6636)



E1-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
"Henrietta", E Mod; Arrow 160 - 35.000" 45';
Table of letter and object lefts

H	e	n	r	i	e	t	t	a	↗
20.000	42.875	61.875	82.250	96.625	106.500	123.500	137.500	152.000	180.500


SIGN NO.	215
COORDINATES	39.23955,-93.92887
ROADWAY	MO 13



D1-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"Henrietta", E Mod; Standard Arrow Custom 12.250" X 8.125" 0';
Table of letter and object lefts

H	e	n	r	i	e	t	t	a	→
8.875	18.000	25.625	33.875	39.625	43.500	50.375	56.000	61.750	74.875


SIGN NO.	216
COORDINATES	39.24303,-93.93809
ROADWAY	MO 13



D1-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90'; "Richmond", E Mod;
"Lexington", E Mod; Standard Arrow Custom 12.250" X 8.125" 0';
Table of letter and object lefts

↖	R	i	c	h	m	o	n	d	
7.375	23.500	32.500	36.500	44.125	52.250	63.125	70.875	78.375	
L	e	x	i	n	g	t	o	n	➡
7.375	14.875	21.750	30.375	34.875	42.500	49.750	55.625	63.250	76.375

SIGN NO.	217
COORDINATES	39.22538,-93.88932
ROADWAY	MO 13



Jaclyn A. White
08/14/2024 2:31:16 PM
JACLYN A WHITE - CIVIL
MO-PE-2003001116

DATE PREPARED
8/14/2024

ROUTE STATE

VARIOUS MO

DISTRICT SHEET NO.

KC 76

COUNTY

VARIOUS

JOB NO.

JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.


DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


MODOT



E8-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
State Highway 13 M1-6a 12.000" D; "NORTH", E Mod; "Richmond", E Mod;
Standard Arrow Custom 36.000" X 12.125" 180';
Table of letter and object lefts

13	N	O	R	T	H		
16.500	50.500	60.750	69.500	77.500	85.125		
R	i	c	h	m	o	n	d
14.000	26.125	31.375	41.500	52.375	66.875	77.125	87.250
←							
36.000							


SIGN NO.	218
COORDINATES	39.22732,-93.88745
ROADWAY	MO 13



D1-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90'; "Lexington", E Mod;
"Richmond", E Mod; Standard Arrow Custom 12.250" X 8.125" 0';
Table of letter and object lefts

↑	L	E	X	I	N	G	T	O	N
7.875	24.000	31.500	38.500	47.000	51.500	59.125	66.500	72.250	80.000
R	I	C	H	M	O	N	D	→	
7.875	16.875	20.875	28.500	36.625	47.500	55.250	62.750	75.875	


SIGN NO.	219
COORDINATES	39.22790,-93.88670
ROADWAY	MO 13



E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
Rounded Rectangle 1.875" Radius;
"Hardin", E Mod; "EXIT", E Mod; "3/4", E Mod; "MILE", E Mod;
Table of letter and object lefts

63.000								
H	a	r	d	I	n			
27.750	50.625	70.875	83.625	104.000	115.500			
E	X	I	T	3/4	M	I	L	E
10.500	21.875	34.750	39.625	63.125	105.500	119.750	125.125	136.500

SIGN NO.	221
COORDINATES	39.21711,-93.86902
ROADWAY	MO 13



Jaclyn A. White
08/16/2024 2:31:55 PM
JACLYN A WHITE - CIVIL
MO-PE-2003001116

DATE PREPARED
8/14/2024

ROUTE STATE

VARIOUS MO

DISTRICT SHEET NO.

KC 77

COUNTY

VARIOUS

JOB NO.

JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL

JEFFERSON CITY, MO 65102

1-888-ASK-MODOT (1-888-275-6636)

MODOT



E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
Rounded Rectangle 1.875" Radius;
Arrow 160 - 35.000" 45"; "Hardin", E Mod;
Table of letter and object lefts

40.750	88.750

H	a	r	d	i	n
15.750	38.625	58.875	71.625	92.000	103.500


SIGN NO.	222
COORDINATES	39.22283,-93.87918
ROADWAY	MO 13



D1-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"Hardin", E Mod; "6", E Mod; Standard Arrow Custom 12.250" X 8.125" 0";
Table of letter and object lefts

H	a	r	d	i	n	6	
9.000	18.125	26.250	31.250	39.500	44.000	60.375	74.750

SIGN NO.	224
COORDINATES	39.22723,-93.88626
ROADWAY	MO 13



E5-1 ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; Arrow 133 - 30.000" 45';
Table of letter and object lefts

E	X	I	T
17.000	28.375	41.250	46.125
24.250			

SIGN NO.	223
COORDINATES	39.22459,-93.88260
ROADWAY	MO 13



I6-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"Lafayette", E Mod; "COUNTY LINE", D;

I3-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"Missouri", E Mod; "River", E Mod;
Table of letter and object lefts

L	a	f	a	y	e	t	t	e
6.750	14.250	21.625	26.625	34.000	42.000	48.750	54.375	60.125

C	O	U	N	T	Y
9.625	14.750	20.375	25.875	31.000	35.125

SIGN NO.	225
COORDINATES	39.21981,-93.86907
ROADWAY	MO 13

L	I	N	E
46.125	50.875	53.250	58.750

M	I	S	S	O	U	R	I
10.500	21.125	24.875	31.500	38.375	46.000	54.250	60.000

R	I	V	E	R
20.125	29.125	32.875	40.375	48.000



Jacquelyn A. White
08/14/2024 2:32:24 PM
JACLYN A WHITE - CIVIL
MO-PE-2003001116

DATE PREPARED
8/14/2024

ROUTE STATE
VARIOUS MO

DISTRICT SHEET NO.
KC 78

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.


DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

MODOT



D2-3 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Rounded Rectangle 1.500" Radius;
"2", E Mod; "Richmond", E Mod; "9", E Mod; "Hamilton", E Mod; "42", E Mod;
Table of letter and object lefts

Diagram of a rectangular road sign with dimensions and text layout. The sign is white with a black border and rounded corners. The text is black and centered. The dimensions are given in feet and inches.

Dimensions:

- Overall width: 108"
- Overall height: 11'
- Top border: 10.875"
- Bottom border: 10.875"
- Left border: 9"
- Right border: 9"
- Text area width: 81"
- Text area height: 48.75"
- Text area left margin: 12.25"
- Text area right margin: 12.25"
- Text area top margin: 8"
- Text area bottom margin: 8"
- Text area center margin: 10.25"
- Text area center margin: 10.75"
- Text area center margin: 8"
- Text area center margin: 12.25"
- Text area center margin: 9"

Text:

← **Lexington**
Waverly 18 →

D1-2a ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 180; "Lexington", E Mod; "Waverly", E Mod;
"18", E Mod; Standard Arrow Custom 12.250" X 8.125" 0;
Table of letter and object lefts

Technical drawing of a two-part highway sign for Ray County Line and Missouri River. The top sign is rectangular with rounded corners, 60 inches wide and 36 inches high. It contains the text "Ray" in large bold letters and "COUNTY LINE" in smaller bold letters. The bottom sign is also rectangular with rounded corners, 72 inches wide and 36 inches high. It contains the text "Missouri" and "River" in large bold letters. Dimensions for text placement and sign size are provided in inches.

Top Sign Dimensions:

- Overall width: 60"
- Overall height: 36"
- Text "Ray" height: 24"
- Text "COUNTY LINE" height: 12"
- Text "Ray" width: 48"
- Text "COUNTY LINE" width: 60"

Bottom Sign Dimensions:

- Overall width: 72"
- Overall height: 36"
- Text "Missouri" height: 24"
- Text "River" height: 12"
- Text "Missouri" width: 60"
- Text "River" width: 60"

I6-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"Ray", E Mod; "COUNTY LINE", D 95% spacing;

I3-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"Missouri", E Mod; "River", E Mod;
Table of letter and object lefts

JACLYN A. WHITE
NUMBER
PE-2003001116

Jaclyn A. White
08/14/2024 2:33:13 PM
JACLYN A WHITE - CIVIL

DATE PREPARED	
8/14/2024	
ROUTE	STATE
VARIOUS	MO
DISTRICT	SHEET #
KC	79
COUNTY	
VARIOUS	
JOB NO.	
JKU0389	
CONTRACT ID.	

PROJECT NO.
BRIDGE NO.


1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26

[illegible]

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

MoDOT


105 WEST CAPITOL
JEFFERSON CITY, MO 65102



E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
State Highway 269 M1-6a4 18.000" B; "Chouteau", E Mod; "Trfwy", E Mod; "EXIT", E Mod; "1/2", E Mod; "MILE", E Mod;
Table of letter and object lefts

67.500							
C	h	o	u	t	e	a	u
18.000	40.500	59.375	78.625	97.000	111.500	128.875	149.250
T	r	f	w	y			
47.500	68.375	80.875	93.000	116.375			
E	X	I	T	1/2	M	I	L
20.500	31.875	44.750	49.625	76.500	119.625	133.750	150.625

SIGN NO.	234
COORDINATES	38.14893,-94.54619
ROADWAY	MO 210



DATE PREPARED 8/14/2024	
ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 81
COUNTY VARIOUS	
JOB NO. JKU0389	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION





105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

N Brighton Ave

Searcy Creek Pkwy


EXIT 1/2 MILE



E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
"N Brighton", E Mod; "Ave", E Mod; "Searcy Creek", E Mod; "Pkwy", E Mod; "EXIT", E Mod; "1/2", E Mod; "MILE", E Mod;
Table of letter and object lefts

N	B	r	I	g	h	t	o	n		
35.750	71.625	94.750	109.125	119.000	139.500	157.750	172.250	191.500		
A	v	e								
92.625	115.750	134.625								
S	e	a	r	c	y	C	r	e	e	k
15.875	36.500	53.875	74.250	86.875	103.750	139.875	162.375	175.000	192.500	211.500
P	k	w	y							
81.125	102.625	119.375	142.750							
E	X	I	T	1/2	M	I	L	E		
50.500	61.875	74.750	79.625	106.500	149.625	163.750	169.250	180.625		

SIGN NO.	235
COORDINATES	39.15084,-94.53409
ROADWAY	MO 210



DATE PREPARED 8/14/2024	
ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 82
COUNTY VARIOUS	
JOB NO. JKU0389	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION



105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)




Table of letter and object lefts

N	B	r	l	g	h	t	o	n
35.750	71.625	94.750	109.125	119.000	139.500	157.750	172.250	191.500

A	v	e
92.625	115.750	134.625

S	e	a	r	c	y	C	r	e	e	k
15.875	36.500	53.875	74.250	86.875	103.750	139.875	162.375	175.000	192.500	211.500

P	k	w	y
81.125	102.625	119.375	142.750

[illegible]

SIGN NO.	236
COORDINATES	39.15124,-94.52814
ROADWAY	MO 210



Jaclyn A. White
08/14/2024 2:34:48 PM
JACLYN A WHITE - CIVIL
MO-PE-2003001116

DATE PREPARED

8/14/2024	
ROUTE	STATE
VARIOUS	MO

DISTRICT	SHEET NO.
KC	83

COUNTY

VARIOUS

JOB NO.
JKU0389


CONTRACT ID.

PROJECT NO.

BRIDGE NO.

[illegible]MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



D1-3 ST-STRUCTURAL:
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90"; "Searcy Creek Pkwy", E Mod; Standard Arrow Custom 12.250" X 8.125" 90";
"Birmingham Rd", E Mod; Standard Arrow Custom 12.250" X 8.125" 0"; Standard Arrow Custom 12.250" X 8.125" 180";
"N Brighton Ave", E Mod;
Table of letter and object lefts

↑	S	e	a	r	c	y	C	r	e	e	k	P	k	w	y
8.750	24.875	33.125	40.000	48.250	53.250	60.000	74.500	83.500	88.500	95.500	103.125	116.125	124.750	131.500	140.875
↑	B	i	r	m	i	n	g	h	a	m	B	d	⇒		
8.750	24.875	34.125	38.625	44.375	56.000	60.500	68.000	76.250	83.750	91.875	108.375	116.750	135.000		
↔	N	B	r	i	g	h	t	o	n	A	v	e			
8.750	29.000	43.375	52.625	58.375	62.375	70.500	77.875	83.625	91.375	104.375	113.750	121.250			

SIGN NO.	237
COORDINATES	39.15229,-94.52325
ROADWAY	MO 210



E1-1 ST-STRUCTURAL:
12.000" Radius, 2.000" Border, White on, Green;
Interstate 435 18.000" B; "Independence", E Mod; "Claycomo", E Mod; "EXIT", E Mod; "1", E Mod; "MILE", E Mod;
Table of letter and object lefts

↑	103.500														
I	n	d	e	p	e	n	d	e	n	c	e				
20.625	32.750	51.625	70.500	89.500	106.625	125.625	144.500	163.375	182.500	201.375	218.625				
C	i	a	y	c	o	m	o								
52.250	74.750	84.625	102.875	122.875	140.125	159.500	186.625								
E	x	i	t	1	M	i	L	E							
66.375	77.750	90.625	95.500	122.375	145.750	159.875	165.375	176.750							

SIGN NO.	238
COORDINATES	39.15356,-94.52011
ROADWAY	MO 210



Jaclyn A. White
08/14/2024 2:35:20 PM
JACLYN A WHITE - CIVIL
MO-PE-2003001116

DATE PREPARED
8/14/2024

ROUTE STATE
VARIOUS MO

DISTRICT SHEET NO.
KC 84

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION


105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

MODOT

SIGN NO.	241
COORDINATES	39.23237,-94.31445
ROADWAY	MO 210

SIGN NO.	240
COORDINATES	39.18080,-94.40164
ROADWAY	MO 210


[illegible]



D1-3a ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90"; "Orrick", E Mod; "9", E Mod; Standard Arrow Custom 12.250" X 8.125" 180";
"Excelsior Springs", E Mod; "8", E Mod; "Missouri City", E Mod; Standard Arrow Custom 12.250" X 8.125" 0";
Table of letter and object lefts

↑ 10.000	O 26.125	r 35.500	r 41.250	l 47.000	c 50.875	k 58.500	9 151.625										
← 10.000	E 30.250	x 38.125	c 46.000	e 53.000	l 60.625	s 64.250	l 71.875	o 75.750	r 83.500	S 95.375	p 104.375	r 111.875	l 117.625	n 122.250	g 129.750	s 137.125	
	8 151.625																
M 10.000	l 20.625	s 24.375	s 31.000	o 37.750	u 45.500	r 53.625	l 59.375	C 68.875	l 77.875	t 81.625	y 87.250	→ 145.750					


SIGN NO.	242
COORDINATES	39.24714,-94.28790
ROADWAY	MO 210



D1-2a ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90"; "Orrick", E Mod; "5", E Mod; Standard Arrow Custom 12.250" X 8.125" 180";
"Excelsior Springs", E Mod; "7", E Mod;
Table of letter and object lefts

↑ 10.000	O 26.125	r 35.500	r 41.250	l 47.000	c 50.875	k 58.500	5 151.625										
← 10.000	E 30.250	x 38.125	c 46.000	e 53.000	l 60.625	s 64.250	l 71.875	o 75.750	r 83.500	S 95.375	p 104.375	r 111.875	l 117.625	n 122.250	g 129.750	s 137.125	
	7 151.625																


SIGN NO.	243
COORDINATES	39.23863,-94.2263
ROADWAY	MO 210



I6-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"Ray", E Mod;
"COUNTY LINE", D 95% spacing;
Table of letter and object lefts

R 18.875	a 27.375	y 34.625				
C 4.500	O 9.625	U 15.125	N 20.500	T 25.625	Y 29.625	
	L 39.500	I 44.250	N 46.500	E 51.875		


SIGN NO.	244
COORDINATES	39.23418,-94.21191
ROADWAY	MO 210



D3-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"N Ameristar Dr", E Mod 95% spacing; "NEXT LEFT", E Mod;
6.000" Radius, 1.000" Border, White on, Green;
"N Eldon Ave", E Mod 95% spacing; "NEXT RIGHT", E Mod;
Table of letter and object lefts

N 6.000	A 19.875	m 29.875	e 40.750	r 48.250	i 53.875	s 57.500	t 64.000	a 69.750	r 77.750
	D 89.250	r 98.125							
N 29.250	E 35.500	X 41.250	T 47.250	L 57.750	E 63.375	F 69.125	T 74.375		
N 16.125	E 30.125	l 38.500	d 42.375	o 49.875	n 57.375	A 70.125	v 79.250	e 86.750	
N 26.875	E 33.125	X 38.875	T 44.875	R 55.375	l 61.625	G 64.375	H 70.750	T 76.750	


SIGN NO.	245
COORDINATES	39.15501,-94.47439
ROADWAY	MO 210



DATE PREPARED 8/14/2024	
ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 86
COUNTY VARIOUS	
JOB NO. JKU0389	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DATE	DESCRIPTION





E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
State Highway 269 M1-6a4 18.000" B; "Chouteau", E Mod; "Trfwy", E Mod; "EXIT", E Mod; "3/4", E Mod; "MILE", E Mod;
Table of letter and object lefts


 67.500									<table><tr><td>SIGN NO.</td><td>246</td></tr><tr><td>COORDINATES</td><td>39.15417;-94.51847</td></tr><tr><td>ROADWAY</td><td>MO 210</td></tr></table>		SIGN NO.	246	COORDINATES	39.15417;-94.51847	ROADWAY	MO 210
SIGN NO.	246															
COORDINATES	39.15417;-94.51847															
ROADWAY	MO 210															
C 18.000	h 40.500	o 59.375	u 78.625	t 97.000	e 111.500	a 128.875	u 149.250									
T 47.500	r 68.375	f 80.875	w 93.000	y 116.375												
E 19.000	X 30.375	I 43.250	T 48.125	¾ 75.125	M 121.000	I 135.250	L 140.625	E 152.000								



D1-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 180'; "Birmingham Rd", E Mod; "N Brighton Ave", E Mod;
Standard Arrow Custom 12.250" X 8.125" 0';
Table of letter and object lefts

7.250	B 27.500	I 36.750	r 41.250	m 47.000	I 58.500	n 63.125	g 70.625	h 78.875	a 86.375	m 94.500	R 111.000	d 119.375
N 7.250	B 21.625	r 30.875	I 36.625	g 40.500	h 48.750	t 56.000	o 61.875	n 69.500	A 82.625	v 91.875	e 99.500	112.500

SIGN NO.	247
COORDINATES	39.15418;-94.51995
ROADWAY	MO 210



DATE PREPARED 8/14/2024	
ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 87
COUNTY VARIOUS	
JOB NO. JKU0389	
CONTRACT ID.	

PROJECT NO.
BRIDGE NO.

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION


105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



D1-1a ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90'; "KCI Airport", E Mod; "6", E Mod;
Table of letter and object lefts

↑	K	C	I	A	i	r	p	o	r	t	6
9.000	25.125	33.375	41.375	51.000	61.000	65.625	71.375	78.250	85.875	90.875	104.625


SIGN NO.	252
COORDINATES	39.30396,-94.58683
ROADWAY	WB COOK INGHAM



E8-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
"NORTH", E Mod; "Smithville", E Mod;
Standard Arrow Custom 36.000" X 12.125" 180';
Table of letter and object lefts

169	N	O	R	T	H					ROADWAY	EB BARRY R	
13.500	53.500	63.750	72.500	80.500	88.125							
S	m	l	t	h	v	l	l	l	e			
11.000	23.000	38.250	43.250	52.000	61.750	72.750	78.750	84.875	90.125			
←												
36.000												


SIGN NO.	253
COORDINATES	39.24623,-94.58994
ROADWAY	EB BARRY RD



E8-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
"SOUTH", E Mod; "Kansas City", E Mod; Standard Arrow Custom 36.000" X 12.125" 0';
Table of letter and object lefts

169	S	O	U	T	H				
19.750	59.750	69.500	78.250	86.375	93.875				
K	a	n	s	a	s	C	i	t	y
9.625	20.500	31.250	41.125	50.125	59.875	77.375	89.375	94.250	101.750
⇒	42.000								

SIGN NO.	254
COORDINATES	39.24664,-94.59222
ROADWAY	WB BARRY RD




DATE PREPARED	8/14/2024
ROUTE	VARIOUS
STATE	MO
DISTRICT	KC
SHEET NO.	89
COUNTY	VARIOUS
JOB NO.	JKU0389
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DESCRIPTION	
DATE	

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

MODOT



E8-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
"SOUTH", E Mod; "Kansas City", E Mod; Standard Arrow Custom 36.000" X 12.125" 180';
Table of letter and object lefts

169	S	O	U	T	H						
19.750	59.750	69.500	78.250	86.375	93.875						
K	a	n	s	a	s	C	l	t	y		
9.625	20.500	31.250	41.125	50.125	59.875	77.375	89.375	94.250	101.750		
←											
42.000											

SIGN NO.	255
COORDINATES	39.21759,-94.58985
ROADWAY	WB 68TH ST



E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
"NW 68th", E Mod; "St", E Mod; "EXIT", E Mod; "3/4", E Mod; "MILE", E Mod;
Table of letter and object lefts

N	W	6	8	t	h																	
18.125	38.125	79.250	99.375	120.875	137.125																	
S	t																					
68.875	89.125																					
E	X	I	T	¾	M	I	L	E														
13.000	24.375	37.250	42.125	69.125	115.000	129.250	134.625	146.000														

SIGN NO.	256
COORDINATES	38.20608,-94.58945
ROADWAY	US 169

STATE OF MISSOURI

JACLYN A. WHITE

NUMBER

PE-2003001116

PROFESSIONAL ENGINEER

Jaclyn A. White

09/09/2024 1:59:58 PM

JACLYN A WHITE - CIVIL

MO-PE-2003001116

DATE PREPARED

8/14/2024

ROUTE

VARIOUS

STATE

MO

DISTRICT

KC

SHEET NO.

90

COUNTY

VARIOUS

JOB NO.

JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION


DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL

JEFFERSON CITY, MO 65102

1-888-ASK-MODOT (1-888-275-6636)




D1-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90'; "Raytown", E Mod; "Lee's Summit", E Mod;
Standard Arrow Custom 12.250" X 8.125" 0';
Table of letter and object lefts

↑	R	a	y	t	o	w	n
7.750	23.875	32.250	39.625	47.375	53.250	60.125	70.250
L	e	e	'	s	S	u	m
7.750	15.250	22.250	28.375	31.125	44.125	53.125	61.250

m	i	t	→
72.750	84.250	88.000	100.000


SIGN NO.	259
COORDINATES	38.94407,-94.41056
ROADWAY	EB COLBERN RD



I4-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"Unity Village", E Mod; "CITY LIMIT", D;
Table of letter and object lefts

U	n	i	t	y
6.500	15.750	23.875	27.625	33.250
V	i	l	l	a
46.750	56.250	60.875	65.375	69.375
g	e	C	I	T
76.875	84.375	27.375	32.500	34.625
Y	L	I	M	I
38.625	49.750	54.500	56.875	62.875
T				
65.000				

SIGN NO.	260
COORDINATES	38.94349,-94.40958
ROADWAY	EB COLBERN RD



E8-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
State Highway 350 M1-6a1 12.000" B; "WEST", E Mod; "Raytown", E Mod;
Standard Arrow Custom 36.000" X 12.125" 180';
Table of letter and object lefts

W	E	S	T
51.000	63.375	71.000	79.000

R	a	y	t	o	w	n
13.625	24.875	34.625	45.125	52.875	62.000	75.500

SIGN NO.	261
COORDINATES	38.94410,-94.40829
ROADWAY	EB COLBERN RD

←
30.000



D1-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 180'; "Bannister Rd", E Mod; "Colbern Rd", E Mod;
Standard Arrow Custom 12.250" X 8.125" 0';
Table of letter and object lefts

←	B	a	n	n	i	s	t	e	r	R	d
8.750	29.000	37.625	45.750	53.875	62.000	65.750	72.375	78.250	85.875	97.750	106.125
C	o	l	b	e	r	n	R	d	→		
8.750	17.250	24.875	29.500	36.375	43.875	49.750	62.750	71.250	99.000		

SIGN NO.	262
COORDINATES	38.94336,-94.40801
ROADWAY	US 50

STATE OF MISSOURI

JACLYN A. WHITE

NUMBER PE-2003001116

PROFESSIONAL ENGINEER

Jaclyn A. White
08/14/2024 2:39:13 PM
JACLYN A WHITE - CIVIL
MO-PE-2003001116

DATE PREPARED
8/14/2024

ROUTE
VARIOUS

STATE
MO

DISTRICT
KC

SHEET NO.
92

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.


DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


MODOT



E8-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
"WEST", E Mod; "Raytown", E Mod;
Standard Arrow Custom 36.000" X 12.125" 180';
Table of letter and object lefts

	W	E	S	T		
14.000	48.000	60.375	68.000	76.000		
R	a	y	t	o	w	n
13.625	24.875	34.625	45.125	52.875	62.000	75.500
30.000						

SIGN NO.	263
COORDINATES	38.92579,-94.40365
ROADWAY	EB CHIPMAN



E1-1 ST-STRUCTURAL;

12.000" Radius, 2.000" Border, White on, Green;

"Chipman", E Mod; "Rd", E Mod; "EXIT", E Mod; "1/2", E Mod; "MILE", E Mod;

Table of letter and object lefts

C	h	i	p	m	a	n		
17.250	39.750	60.125	71.625	90.500	117.625	138.000		
R	d							
67.125	88.125							
E	X	I	T	1/2	M	I	L	E
14.500	25.875	38.750	43.625	70.500	113.625	127.750	133.250	144.625

SIGN NO.	264
COORDINATES	38.91753,-94.40057
ROADWAY	US 50

STATE OF MISSOURI
JACLYN A. WHITE
NUMBER
PE-2003001116
PROFESSIONAL ENGINEER
08/14/2024 2:39:28 PM
JACLYN A WHITE - CIVIL
MO-PE-2003001116

DATE PREPARED
8/14/2024

ROUTE	STATE
VARIOUS	MO
DISTRICT	SHEET NO.
KC	93

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.


PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION


105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



E1-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
"3rd St", E Mod; Arrow 160 - 35.000" 45';
Table of letter and object lefts

3	r	d	S	t
16.625	39.750	52.500	85.250	105.375
52.250				


SIGN NO.	265
COORDINATES	38.91426,-94.39776
ROADWAY	US 50



E5-1 ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; Arrow 133 - 30.000" 45';
Table of letter and object lefts

E	X	I	T
17.000	28.375	41.250	46.125
24.250			

SIGN NO.	268
COORDINATES	38.90276,-94.36567
ROADWAY	US 50




E1-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
State Highway 291 M1-6a4 18.000" B; "NORTH", E Mod;

STF-STRUCTURAL FLUORESCENT;
9.000" Radius, 2.000" Border, Black on, Yellow;
"RIGHT LANE", E Mod; "EXIT ONLY", E Mod;
Table of letter and object lefts

291	N	O	R	T	H			
12.000	70.500	85.875	99.000	111.000	122.500			
R	I	G	H	T	L	A	N	E
26.375	36.875	41.500	52.000	62.000	79.500	87.625	99.625	110.250
E	X	I	T	O	N	L	Y	
31.375	40.875	51.625	55.625	73.125	84.000	94.500	102.625	


SIGN NO.	267
COORDINATES	38.90281,-94.37447
ROADWAY	US 50



DATE PREPARED 8/14/2024	
ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 94
COUNTY VARIOUS	
JOB NO. JKU0389	
CONTRACT ID.	

PROJECT NO.
BRIDGE NO.

DATE	DESCRIPTION



E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
Rounded Rectangle 1.875" Radius;
"Greenwood", E Mod 95% spacing; "Todd George Pkwy", E Mod 95% spacing; "EXIT", E Mod; "3/4", E Mod; "MILE", E Mod;
Table of letter and object lefts

108.000									
G	r	e	e	n	w	o	o	d	
62.125	79.875	89.875	103.625	118.625	133.250	152.125	165.875	179.750	
T	o	d	d	G	e	o	r	g	e
12.000	26.750	40.500	55.375	81.625	98.375	112.125	127.250	137.250	152.125
P	k	w	y						
178.375	195.375	208.625	227.125						
E	X	I	T	3/4	M	I	L	E	
66.875	76.375	87.125	91.125	113.625	151.875	163.625	168.250	177.750	

SIGN NO.	269
COORDINATES	38.90246,-94.35848
ROADWAY	US 50



DATE PREPARED
8/14/2024

ROUTE STATE
VARIOUS MO

DISTRICT SHEET NO.
KC 95

COUNTY
VARIOUS

JOB NO.
JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE


DATE

DATE

DATE

DATE

DATE




E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
Rounded Rectangle 1.875" Radius;
"Greenwood", E Mod 95% spacing; "Todd George Pkwy", E Mod 95% spacing; Arrow 160 - 35.000" 45';
Table of letter and object lefts

108.000

G	r	e	e	n	w	o	o	d					
62.125	79.875	89.875	103.625	118.625	133.250	152.125	165.875	179.750					
T	o	d	d	G	e	o	r	g	e	P	k	w	y
12.000	26.750	40.500	55.375	81.625	98.375	112.125	127.250	137.250	152.125	178.375	195.375	208.625	227.125

112.250

SIGN NO.	270
COORDINATES	38.90222,-94.34814
ROADWAY	US 50




DATE PREPARED 8/14/2024	
ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 96
COUNTY VARIOUS	
JOB NO. JKU0389	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION




105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



D1-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 180°; "Todd George Pkwy", E Mod 90% spacing;
"Ranson Rd", E Mod 90% spacing; Standard Arrow Custom 12.250" X 8.125" 0°;
Table of letter and object lefts

←	T	o	d	d	G	e	o	r	g	e	P	k	w	y
7.000	26.000	33.375	40.125	47.500	59.500	67.875	74.625	82.000	87.000	94.375	106.375	114.875	121.375	130.500
R	a	n	s	o	n	R	d	→						
7.000	15.250	23.125	30.250	36.875	44.250	56.875	65.125	124.750						


SIGN NO.	271
COORDINATES	38.90160,-94.34193
ROADWAY	US 50



E8-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
"WEST", E Mod; "Kansas City", E Mod; Standard Arrow Custom 36.000" X 12.125" 180°;
Table of letter and object lefts

50	W	E	S	T					
26.000	60.000	72.375	80.000	88.000					
K	a	n	s	a	s	C	I	t	y
9.625	20.500	31.250	41.125	50.125	59.875	77.375	89.375	94.250	101.750
←									
42.000									


SIGN NO.	273
COORDINATES	38.90297,-94.33961
ROADWAY	NB RA



D1-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90°; "Kansas City", E Mod; "Sedalia", E Mod;
Standard Arrow Custom 12.250" X 8.125" 0°;
Table of letter and object lefts

↑	K	a	n	s	a	s	C	I	t	y
8.125	24.250	32.375	40.500	47.875	54.625	62.000	75.000	84.000	87.750	93.375
S	e	d	a	l	i	a	→			
8.125	16.375	23.375	30.875	39.000	43.625	47.500	87.625			


SIGN NO.	272
COORDINATES	38.90091,-94.33972
ROADWAY	NB RA



E8-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
"EAST", E Mod; "Sedalia", E Mod;
Standard Arrow Custom 36.000" X 12.125" 180°;
Table of letter and object lefts

50	E	A	S	T		
14.875	48.875	57.500	67.125	75.250		
S	e	d	a	l	i	a
18.375	29.375	38.625	48.625	59.500	65.625	70.875
←						
30.000						

SIGN NO.	274
COORDINATES	38.90147,-94.34008
ROADWAY	SB RA




DATE PREPARED 8/14/2024	
ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 97
COUNTY VARIOUS	
JOB NO. JKU0389	
CONTRACT ID.	

PROJECT NO.
BRIDGE NO.

DESCRIPTION									
DATE									

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION


105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



E1-1 ST-STRUCTURAL;
9.000" Radius, 2.000" Border, White on, Green;
"Blackwell Rd", E Mod 97% spacing; "EXIT", E Mod; "1", E Mod; "MILE", E Mod;
Table of letter and object lefts

B	I	a	c	k	w	e	I	I	R	d
15.500	38.375	48.000	66.625	85.375	102.000	125.625	144.500	155.750	178.875	199.750
E	X	I	T	I	M	I	L	E		
54.375	65.750	78.625	83.500	110.375	133.750	147.875	153.375	164.750		


SIGN NO.	275
COORDINATES	38.90202;-94.34136
ROADWAY	US 50



D1-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90°; "Sedalia", E Mod; "Kansas City", E Mod;
Standard Arrow Custom 12.250" X 8.125" 0°;
Table of letter and object lefts

↑	S	e	d	a	I	I	a			
12.125	28.250	36.500	43.375	51.000	59.125	63.625	67.625			
K	a	n	s	a	s	C	I	t	y	→
12.125	20.250	28.375	35.625	42.500	49.750	62.875	71.875	75.625	81.250	95.625

SIGN NO.	276
COORDINATES	38.89415;-94.26478
ROADWAY	MO 7




DATE PREPARED		8/14/2024
ROUTE	STATE	VARIOUS MO
DISTRICT	SHEET NO.	KC 98
COUNTY	VARIOUS	
JOB NO.	JKU0389	
CONTRACT ID.		
PROJECT NO.		
BRIDGE NO.		

DESCRIPTION										
DATE										

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION




105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
State Highway 7 M1-6a3 18.000" E; "Blue Springs", E Mod; "Pleasant Hill", E Mod; Arrow 160 - 35.000" 45';
Table of letter and object lefts

102.000											
B	I	u	e	S	p	r	i	n	g	s	
18.500	41.500	53.000	71.875	104.625	127.000	145.875	160.250	171.625	190.500	208.875	
P	I	e	a	s	a	n	t	H	i	I	I
18.250	39.875	49.750	67.125	85.375	102.375	122.750	141.125	171.125	195.125	206.500	218.000
106.250											

SIGN NO.	277
COORDINATES	38.89290,-94.26999
ROADWAY	US 50




DATE PREPARED 8/14/2024	
ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 99
COUNTY VARIOUS	
JOB NO. JKU0389	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION



105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



I4-1 ST-STRUCTURAL;


3.000" Radius, 0.750" Border, White on, Green;

"Lake Lotawana", E Mod 75% spacing; "CITY LIMIT", D;

Table of letter and object lefts

L	a	k	e
3.750	9.125	14.625	19.500
L	o	t	a
27.500	32.875	37.750	41.750
w	a	n	a
46.875	53.625	59.250	64.375
C	L	J	E
22.250	25.750	27.125	29.750
L	J	E	
37.125	40.375	41.875	45.875
L	J	E	
40.375	41.875	45.875	47.250

SIGN NO.	282
COORDINATES	38.89295,-94.26461
ROADWAY	MO 7



E1-1 ST-STRUCTURAL;


12.000" Radius, 2.000" Border, White on, Green;

State Highway 150 M1-6a4 18.000" C; "Lone Jack", E Mod; "EXIT", E Mod; "3/4", E Mod; "MILE", E Mod;

Table of letter and object lefts

150								
L	o	n	e	J	a	c	k	
21.000	39.875	59.125	78.000	110.750	132.625	151.375	170.375	
E	X	I	T	3/4	M	I	L	E
31.000	42.375	55.250	60.125	87.125	133.000	147.250	152.625	164.000

SIGN NO.	283
COORDINATES	38.87116,-94.15240
ROADWAY	US 50



DATE PREPARED

8/14/2024

ROUTE STATE

VARIOUS MO

DISTRICT SHEET NO.

KC 101

COUNTY

VARIOUS

JOB NO.

JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION


DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL JEFFERSON CITY, MO 65102


1-888-ASK-MODOT (1-888-275-6636)

MODOT



E1-1 ST-STRUCTURAL;
12.000" Radius, 2.000" Border, White on, Green;
State Highway 150 M1-6a4 18.000" C; "Lone Jack", E Mod; Arrow 160 - 35.000" 45';
Table of letter and object lefts

150 79.500								SIGN NO. 284
L 21.000	o 39.875	n 59.125	e 78.000	J 110.750	a 132.625	c 151.375	k 170.375	COORDINATES 38.86916,-94.16940
↗ 88.250								ROADWAY US 50



E5-1 ST-STRUCTURAL;
6.000" Radius, 2.000" Border, White on, Green;
"EXIT", E Mod; Arrow 133 - 30.000" 45';
Table of letter and object lefts

E 17.000	X 28.375	I 41.250	T 46.125	SIGN NO. 285
↗ 24.250				
				COORDINATES 38.86892,-94.17122
				ROADWAY US 50

STATE OF MISSOURI

JACLYN A. WHITE

NUMBER

PE-2003001116

PROFESSIONAL ENGINEER

Jaclyn A. White

08/14/2024 2:43:08 PM

JACLYN A WHITE - CIVIL

MO-PE-2003001116

DATE PREPARED

8/14/2024

ROUTE

VARIOUS

STATE

MO

DISTRICT

KC

SHEET NO.

102

COUNTY

VARIOUS

JOB NO.

JKU0389

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION


DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL

JEFFERSON CITY, MO 65102


1-888-ASK-MODOT (1-888-275-6636)



D1-2a ST-STRUCTURAL;
3.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 9.000" X 6.000" 180"; "Warrensburg", E Mod 90% spacing; "24", E Mod 90% spacing;
"Lone Jack", E Mod 90% spacing; "2", E Mod 90% spacing; Standard Arrow Custom 9.000" X 6.000" 0";
Table of letter and object lefts

↩	W	a	r	r	e	n	s	b	u	r	g	2	4
4.500	18.000	25.625	31.500	35.625	39.375	44.875	50.250	55.625	61.125	67.000	70.750	80.125	86.000
L	o	n	e	J	a	c	k	2	↪				
4.500	10.000	15.625	21.125	30.000	36.250	41.750	47.250	72.750	82.500				


SIGN NO.	290
COORDINATES	38,87128,-94,13394
ROADWAY	ROUTE F



D3-2 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Rounded Rectangle 1.500" Radius;
"NEXT LEFT", E Mod;
Table of letter and object lefts

□	26.000		
N	E	X	T
11.250	17.500	23.250	29.250
L	E	F	T
39.750	45.375	51.125	56.375


SIGN NO.	291
COORDINATES	38,87018,-94,13796
ROADWAY	US 50



D1-2a ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90"; "Warrensburg", E Mod; "24", E Mod;
Standard Arrow Custom 12.250" X 8.125" 180"; "Oak Grove", E Mod; "9", E Mod;
Table of letter and object lefts

↪	W	a	r	r	e	n	s	b	u	r	g	2	4
10.500	26.625	37.000	45.125	50.875	56.000	63.500	70.875	78.375	86.000	94.125	99.250	118.000	126.125
↩	O	a	k	G	r	o	v	e	9				
10.500	30.750	39.500	47.625	60.750	69.750	74.875	81.625	89.125	127.125				

SIGN NO.	292
COORDINATES	38,87005,-94,13618
ROADWAY	US 50




DATE PREPARED		8/14/2024
ROUTE	STATE	VARIOUS MO
DISTRICT	SHEET NO.	KC 104
COUNTY	VARIOUS	
JOB NO.	JKU0389	
CONTRACT ID.		
PROJECT NO.		
BRIDGE NO.		

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION


105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



D1-2a ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
Standard Arrow Custom 12.250" X 8.125" 90°; "Lone Jack", E Mod; "2", E Mod; "Oak Grove", E Mod;
"9", E Mod; Standard Arrow Custom 12.250" X 8.125" 0°;
Table of letter and object lefts

↑	L	o	n	e	J	a	c	k	2
10.500	26.625	34.125	41.875	49.375	62.500	71.250	78.750	86.375	115.125
O	a	k	G	r	o	v	e	9	→
10.500	19.250	27.375	40.375	49.375	54.500	61.250	68.875	94.875	109.250


SIGN NO.	293
COORDINATES	38.87052-94.13200
ROADWAY	US 50



I6-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"Johnson", E Mod; "COUNTY LINE", D;
Table of letter and object lefts

J	o	h	n	s	o	n
10.250	19.000	26.625	34.875	42.125	49.000	56.625
C	O	U	N	T	Y	
9.625	14.750	20.375	25.875	31.000	35.125	
L	I	N	E			
46.125	50.875	53.250	58.750			


SIGN NO.	294
COORDINATES	38.86946-94.11669
ROADWAY	US 50



I6-1 ST-STRUCTURAL;
6.000" Radius, 1.000" Border, White on, Green;
"Jackson", E Mod; "COUNTY LINE", D;
Table of letter and object lefts

J	a	c	k	s	o	n
11.000	19.750	27.250	34.750	41.375	48.250	56.000
C	O	U	N	T	Y	
9.625	14.750	20.375	25.875	31.000	35.125	
L	I	N	E			
46.125	50.875	53.250	58.750			

SIGN NO.	295
COORDINATES	38.87002-94.11668
ROADWAY	US 50



DATE PREPARED 8/14/2024	
ROUTE VARIOUS	STATE MO
DISTRICT KC	SHEET NO. 105
COUNTY VARIOUS	
JOB NO.	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DESCRIPTION	DATE