STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING Contract I.D. 241115-D02

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S): FAF 50-3(112),(117),19-4(26)

Job J5P3574 Route 50 OSAGE County

Job JCD0044 Route 50 GASCONADE, OSAGE County

Job JCD0045 Route 19 GASCONADE County

BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

- 1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
- 2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
- 3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.
- 4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
- 5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
- 6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
- 7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
- 8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
- 9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid) at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to non-responsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

TABLE OF CONTENTS

Notice to Contractors

Proposed Work	item	(1)
Compliance With Contract Provisions	item	(2)
Period of Performance	item	(3)
Liquidated Damages	item	(4)
Itemized Bid	item	(5)
Trainees	item	(6)
DBE Certification*	item	(7)
Acceptance of Provision for Price Adjustment for Fuel	item	(8a)
Acceptance of Provision for Asphalt Cement Price Index	item	(8b)
Max. Monetary Value of Awards Accepted this Bid Opening	item	(9)
Combination Bids	item	(10)
Certification for Federal Jobs	item	(11a)
Certification for State Jobs	item	(11b)
Antidiscrimination	item	(12)
Preference to Missouri Firms in Awarding of Contracts	item	(13)
Subcontractor Disclosure Form*	.item	(14)
Signature and Identity of Bidder	item	(15)
Bid Guaranty*	item	(16)

^{*}These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 11/15/2024.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

- (1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:
- ****(1): Job J5P3574 Route 50 OSAGE County. Signalized intersection at Route CC in Linn, the total length of improvement being 0.668 miles.****(2): Job JCD0044 Route 50 GASCONADE, OSAGE County. Coldmill and resurface from west of Linn to east of Rosebud, the total length of improvement being 34.734 miles.****(3): Job JCD0045 Route 19 GASCONADE County. Resurface from Route 50 to Crawford County line, the total length of improvement being 17.621 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

- (2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office Design Division at (573) 751-2876.
- (3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.
- (4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity Unit	Unit Price Extension Price
Section 0001 ROADWAY ITEM	4S - J5P3574		
0010	2022010	1.000 LS	
	REMOVAL OF I		
0020	2031000 CLASS A EXCA	6690.000 CUYD	
0030	2036000 COMPACTING E	1618.000 CUYD	
0040			
0040	CLASS 3 EXCA		
0050		5714.000 SQYD	
0030		GATE FOR BASE (4 IN. THICK)	
0060			
0000		GATE FOR BASE (6 IN. THICK)	
0070	3049905	87.000 SQYD	
0070		AGGREGATE FOR BASE (7 IN. THIC	CK)
0080			
		TUMINOUS PAVEMENT	
0090	4010150	998.600 SQYD	
	TYPE A2 SHOU	LDER	
0100		2053.900 TONS	
	ASPHALTIC CO	NCRETE MIXTURE PG 64-22 (SP1250	C MIX)
0110	4030306	3307.600 TONS	
	ASPHALTIC CO	NCRETE MIXTURE PG 64-22 (SP2500	C MIX)
0120	4039905	2688.400 SOYD	
	MISC. OPTION	AL PAVEMENT	
0130	4071005		
	TACK COAT		
0140	5021331		
		EMENT (7 1/2 IN. NON-REINFORCED	
0150	5029905	014 600 2000	
		TE TRUCK APRON, 8"	
0160	6044013	2.000 EA	
	PIPE COLLAR,		
0170		86.400 SQYD	
	CONCRETE MED	IAN	
	6081010	52.000 SQYD	
	CONCRETE CUR	B RAMP	
0190	6081012	110.000 SQFT	
	TRUNCATED DO		
0200	6083006	64.200 SQYD	
	6 IN. CONCRE	TE MEDIAN STRIP	
0210		1004.800 SQYD	
	PAVED APPROA	CH, 8 IN.	
0220	6091011	944.000 LF	
		B (OVER 6 IN. HEIGHT) TYPE S	
0230	6091052	1167.000 LF	
	CURB AND GUT	TER TYPE B	
0240	6092011	157.000 LF	

	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A
0250	6092031 210.900 LF
	CONCRETE CURB LOW PROFILE TYPE E
0260	6096010A 87.000 CUYD
	FURNISHING TYPE 1 ROCK DITCH LINER
0270	6096020 39.000 CUYD
	FURNISHING TYPE 2 ROCK DITCH LINER
0280	6096030A 57.000 CUYD
	FURNISHING TYPE 3 ROCK DITCH LINER
0290	6096041 87.000 CUYD
	PLACING TYPE 1 ROCK DITCH LINER
0300	6096042 39.000 CUYD
	PLACING TYPE 2 ROCK DITCH LINER
0310	6096043 57.000 CUYD
	PLACING TYPE 3 ROCK DITCH LINER
0320	6097000 37.000 CUYD
	ROCK LINING
0330	6099903 1519.000 LF
	MISC. CURB AND GUTTER, SPECIAL
0340	6141120 3.000 EA
0350	6161098A 6.000 EA
	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED
0360	6162002 4.000 EA
	TEMPORARY LONG-TERM RUMBLE STRIPS
0.370	6169901 1.000 LS
0370	MISC. LUMP SUM TEMPORARY TRAFFIC CONTROL
0380	6181000 1.000 LS
	MOBILIZATION
0390	6200015 621.000 LF
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE
0400	6200018 436.000 LF
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW
	6200021 29.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
0420	6200030 4.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, WORD (ONLY)
0430	6205301B 8130.000 LF
	TEMPORARY REMOVABLE MARKING TAPE 4 IN., WHITE
0440	6205303B 9000.000 LF
	TEMPORARY REMOVABLE MARKING TAPE 4 IN., YELLOW
	6205901A 11750.000 LF
	4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0460	6205902A 11060 000 T.F.
	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0470	6207001 13189.000 LF
	PAVEMENT MARKING REMOVAL
	6221001 15027.000 SQYD
	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
0490	6274000 1.000 LS
	CONTRACTOR FURNISHED SURVEYING AND STAKING

Cont.ract.	TD:	241115-D0

0500	7250315A 22.000 LF
	15 IN. PIPE GROUP B
0510	7261015 513.000 LF
	15 IN. PIPE GROUP A
0520	7261018 198.000 LF
	18 IN. PIPE GROUP A
0530	7261021 188.000 LF
	21 IN. PIPE GROUP A
0540	7261024 442.000 LF
	24 IN. PIPE GROUP A
0550	7261036 40.000 LF
	36 IN. PIPE GROUP A
05.60	
0560	7269921 1.000 LS
	SEWER MISC. CULVERT EXTENSION
0570	7311022 11.000 FT
	PRECAST CONCRETE DROP INLET 2 FT X 2 FT
0580	7311030 4.000 FT
	PRECAST CONCRETE DROP INLET 3 FT X 2 FT-6 IN.
0500	
0590	7311053 41.000 FT
	PRECAST CONCRETE DROP INLET 5 FT X 3 FT
0600	7320015A 2.000 EA
	15 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
0610	7320615A 4.000 EA
	15 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0620	
0020	
	TURF TYPE TALL FESCUE SODDING
0630	8051000A 1.000 ACRE
	SEEDING - COOL SEASON GRASSES
0640	8061004 30.000 CUYD
	SEDIMENT TRAP ROCK
0650	8061005 1663.000 LF
	ROCK DITCH CHECK
0.660	
0660	8061007A 16.000 EA
	CURB INLET CHECK
0670	8061016 61.000 CUYD
	SEDIMENT REMOVAL
0680	8061017 1.000 ACRE
	TEMPORARY SEEDING
0690	8061019 2664.000 LF
0090	SILT FENCE
0700	8064141 4876.000 SQYD
	TYPE 4 EROSION CONTROL BLANKET
Section 0001 Tot	
	<u></u>
Section 0002	
LIGHTING ITEMS	S - J5P3574
0710	9011030 1.000 EA
	LIGHTING POLE, 30 FT. OR 9.0 M, TYPE AT
0720	9011115 8.000 EA
J 1 2 V	BRACKET ARM, 15 FT. OR 4.6 M
	DIAGNET ANN, 10 F1. OK 4.0 M

	Missouri Department of Transportati	on Contract ID: 241115-D02
0730	9011311 1.000 EA	
	LUMINAIRE, LED-A	
0740	9016110 2.000 EA	
	PULL BOX, PREFORMED CLASS 1	
0750	9018230 1.000 EA	
	POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING	HEIGHT)
Section 0002	? Total	
Section 0003	}	
SIGNALS I	TEMS - J5P3574	
0760	9020111 1.000 EA	
	SIGNAL HEAD, TYPE 1T	
0770	9020211 1.000 EA	
	SIGNAL HEAD, TYPE 1S	
0780	9020213 4.000 EA	
0790	9020513 13.000 EA	
0800	9020514 4.000 EA	
0810	9020811 8.000 EA	
0820	9020833 130.000 SQFT	
0830	9020834 21.000 EA	
0840	9022651 7.000 EA	
	LUMINAIRE LED-A, 120 VOLT COMPATIBLE	
0850	9022708 2.000 EA	
	POST, SIGNAL 8 FT.	
0860	9022715 3.000 EA	
	POST, SIGNAL 15 FT.	

0810	9020811 8.000 EA
	SIGNAL HEAD, TYPE 1S, PEDESTRIAN
0820	9020833 130.000 SQFT
	SH-FLAT SHEET - SIGNAL SIGN
0830	9020834 21.000 EA
	SIGNAL SIGN, MOUNTING HARDWARE
0840	9022651 7.000 EA
	LUMINAIRE LED-A, 120 VOLT COMPATIBLE
0850	9022708 2.000 EA
	POST, SIGNAL 8 FT.
0860	9022715 3.000 EA
	POST, SIGNAL 15 FT.
0870	9023130 1.000 EA
	POST, TYPE CL, 30 FT. ARM OR 9.1 M ARM
0880	9023140 1.000 EA
	POST, TYPE CL, 40 FT. ARM OR 12.2 M ARM
0890	9023145 2.000 EA
	POST, TYPE CL, 45 FT. ARM OR 13.7 M ARM
0900	9023155 1.000 EA
	POST, TYPE CL, 55 FT. ARM
0910	9023255 1.000 EA
	POST, TYPE C, 55 FT. ARM
0920	9023455 1.000 EA
	POST, TYPE BL, LONGEST ARM 55 FT.
0930	9024283 2.000 EA
	CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER
0940	9024965 2.000 EA
	DETECTOR, MICROWAVE
0950	9025200 955.000 LF
	CONDUIT, 2 IN., TRENCH WITH TRACER WIRE

_ _ _ _

- -

- -

Contract I	D: 24	1115	5-D02
------------	-------	------	-------

0960	9025300 360.000 LF
0970	9027200 280.000 LF
	CONDUIT, 2 IN., PUSHED WITH TRACER WIRE
0980	9027300 620.000 LF
	CONDUIT, 3 IN., PUSHED WITH TRACER WIRE
0990	9028100 770.000 LF
	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
1000	9028208 570.000 LF
	CABLE, 8 AWG 1 CONDUCTOR, POWER
1010	9028302 1790.000 LF
	CABLE, 12 AWG 2 CONDUCTOR
1020	9028308 1790.000 LF
	CABLE, 16 AWG 2 CONDUCTOR
1030	9028310 1800.000 LF
	CABLE, 16 AWG 5 CONDUCTOR
1040	9028311 5660.000 LF
	CABLE, 16 AWG 7 CONDUCTOR
1050	9028811 6.000 EA
	PULL BOX, PREFORMED CLASS 2
1060	9028812 2.000 EA
1000	PULL BOX, PREFORMED CLASS 3
1070	
1070	BASE, CONCRETE
1080	
1000	MISC. AUDIBLE ACCESSIBLE PEDESTRIAN PUSHBUTTON AND SIGN
1090	9029902 2.000 EA
1090	MISC. COMBINATION PAD MOUNTED 120/240 VOLT POWER SUPPLY & LIGHTING CONTROLLER
	W/ UNINTERRUPTIBLE POWER SUPPLY
Section 0003 To	btal
-	
Section 0004	
SIGNING ITEM	IS - J5P3574
1100	
	9031250A 69.000 LF
	9031250A 69.000 LF U-CHANNEL POST, 3 LB
1110	U-CHANNEL POST, 3 LB
1110	U-CHANNEL POST, 3 LB 9031270A 109.000 LF
	U-CHANNEL POST, 3 LB 9031270A 109.000 LF 2 IN. PSST POST - 12 GA.
1110	U-CHANNEL POST, 3 LB 9031270A
1120	U-CHANNEL POST, 3 LB 9031270A
1120	U-CHANNEL POST, 3 LB 9031270A
1120	U-CHANNEL POST, 3 LB 9031270A
1120	U-CHANNEL POST, 3 LB 9031270A
1120	U-CHANNEL POST, 3 LB 9031270A
1120	U-CHANNEL POST, 3 LB 9031270A
1120 1130 1140	U-CHANNEL POST, 3 LB 9031270A
1120 1130 1140	U-CHANNEL POST, 3 LB 9031270A
1120 1130 1140	U-CHANNEL POST, 3 LB 9031270A
1120 1130 1140 Section 0004 To	U-CHANNEL POST, 3 LB 9031270A 109.000 LF 2 IN. PSST POST - 12 GA. 9031271A 10.000 EA DRIVEN POST ANCHOR FOR 2 IN. PSST - 12 GA. 9035004A 132.000 SQFT SH-FLAT SHEET 9035069A 18.000 SQFT SHF-FLAT SHEET FLUORESCENT
1120 1130 1140 Section 0004 To	U-CHANNEL POST, 3 LB 9031270A 109.000 LF 2 IN. PSST POST - 12 GA. 9031271A 10.000 EA DRIVEN POST ANCHOR FOR 2 IN. PSST - 12 GA. 9035004A 132.000 SQFT SH-FLAT SHEET 9035069A 18.000 SQFT SHF-FLAT SHEET FLUORESCENT
1120 1130 1140 Section 0004 To Section 0005 ITS ITEMS -	U-CHANNEL POST, 3 LB 9031270A 109.000 LF 2 IN. PSST POST - 12 GA. 9031271A 10.000 EA DRIVEN POST ANCHOR FOR 2 IN. PSST - 12 GA. 9035004A 132.000 SQFT SH-FLAT SHEET 9035069A 18.000 SQFT SHF-FLAT SHEET FLUORESCENT

Contract ID: 241115-D02	Contract	ID:	241115-D02
-------------------------	----------	-----	------------

1160	9108354 2130.000 LF
	FIBER OPTIC CABLE, 48-STRAND, SINGLE MODE
1170	9108811 6.000 EA
	PULL BOX, PREFORMED CLASS 2
1180	9108816 2.000 EA
	PULL BOX, PREFORMED CLASS 5
1190	9109902 12.000 EA
	MISC. FIBER OPTIC JUMPER, SINGLE MODE
1200	9109902 12.000 EA
1200	MISC. FIBER OPTIC PIGTAIL, SINGLE MODE
1010	
1210	9109902 12.000 EA
	MISC. FUSION SPLICE, SINGLE MODE
1220	9109902 2.000 EA
	MISC. HARDENED ETHERNET SWITCH - LAYER 2
1230	9109902 1.000 EA
	MISC. RACK-MOUNTED INTERCONNECT CENTER
1240	9109902 2.000 EA
	MISC. WALL-MOUNTED INTERCONNECT CENTER
~	,
Section 0005 Tota	
Section 0006	
ROADWAY ITEMS	- JCD0044
1250	2022010 1.000 LS
	REMOVAL OF IMPROVEMENTS
	2072000 23.200 STA
	LINEAR GRADING CLASS 2
1270	2152000A 124.000 100F
	SHAPING SLOPES, CLASS II
1280	2153000 60.000 100F
1200	SHAPING SLOPES, CLASS III
1200	
	3105002 5547.000 TONS GRAVEL (A) OR CRUSHED STONE (B)
1300	4011209 3807.700 TONS
	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)
1310	4030101 88106.300 TONS
	ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP125C MIX)
1320	4071005 75722.000 GAL
	TACK COAT
	6131010 1513.600 SQYD
	FURNISHING AND PLACING CONCRETE MATERIAL FOR FULL DEPTH PAVEMENT REPAIR
1340	6131012 152.000 SQYD
	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)
1350	
	6131014 4409.000 LF
	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS)
1360	6131015 2750.000 EA
	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT
1370	6131017 154.000 EA
	DOWEL BAR (FURNISHING AND INSTALLATION WITH BASKETS) FOR FULL DEPTH PAVEMENT
1380	6131018 110.000 EA

	TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR (TYPE L JOINTS)
	6139911 4394.000 LB
1390	MISC. REM., FURN., & PLACE MTRL. FOR CL. A PARTIAL DEPTH PVM'T REPAIR (USING
	FLEXIBLE HOT POLYMER-MOD. MTRL)
1400	6161099 4.000 EA
	CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED,
	CONTRACTOR RETAINED
1410	6169901 1.000 LS
	MISC. TEMPORARY TRAFFIC CONTROL
1420	
	MOBILIZATION
1430	6200015 372.000 LF
1130	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE
1.4.4.0	6200018 115.000 LF
1440	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW
1450	6200021 15.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
1460	6200036 51.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK
1470	6205901A 311764.000 LF
	4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
1480	6205902A 371107.000 LF
	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
1490	6209902 3.000 EA
1100	MISC. LANE REDUCTION ARROW
1500	6209903 770.000 LF
1500	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, 8 IN. WHITE
1510	6221001 573065.000 SQYD
	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
1520	6224010 18809.000 SQYD
	MODIFIED COLDMILLING (DEPTH TRANSITIONS)
1530	6261000A 2706.700 STA
	BITUMINOUS SHOULDER RUMBLE STRIP
1540	6261001 1578.600 STA
	BITUMINOUS CENTERLINE RUMBLE STRIP
Section 0006 Total	
	aı
Section 0007	
	RD CABLE ITEMS - JCD0044
1550	6061060 3550.000 LF
	MGS GUARDRAIL
1560	6061069 20.000 EA
	MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)
1570	6063014 22.000 EA
	TYPE A CRASHWORTHY END TERMINAL (MASH)
0	
Section 0007 Total	aı — — — — — — — — — — — — — — — — — — —

	Missouri Department of Transportation Contract ID: 241115-DC
SIGNING IT	PEMS - JCD0044
	9031010 0.300 CUYD
1500	CONCRETE FOOTINGS, EMBEDDED
1 5 0 0	
1590	9031241 2.000 EA BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)
1600	9031270A 28.000 LF
	2 IN. PSST POST - 12 GA.
1610	9031274 2.000 EA
	CONCRETE POST ANCHOR FOR 2 IN. PSST 7 GA.
Section 0008	Total
Section 0009	
	ORK - CITY OF LINN - JCD0044
1620	4011209 657.000 TONS
	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)
1630	4019905 24.900 SQYD
	MISC. SHOULDER REPAIR - CITY OF LINN
1640	4030101 74.100 TONS
	ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP125C MIX)
1650	4071005 667.000 GAL
	TACK COAT
 1660	6221001 6663.000 SQYD
	0221001 0003.000 5010
	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
Section 0009	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
Section 0009	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
Section 0009 Section 0010 ROADWAY IT	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) Total
Section 0009 Section 0010 ROADWAY IT	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) Total PEMS - JCD0045 2022010 1.000 LS REMOVAL OF IMPROVEMENTS
Section 0009 Section 0010 ROADWAY IT	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) Total PEMS - JCD0045 2022010 1.000 LS REMOVAL OF IMPROVEMENTS
Section 0009 Section 0010 ROADWAY IT	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) Total PEMS - JCD0045 2022010
Section 0009 Section 0010 ROADWAY IT	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) Total PEMS - JCD0045 2022010
Section 0009 Section 0010 ROADWAY IT 1670 1680	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) Total Tems - JCD0045 2022010
Section 0009 Section 0010 ROADWAY IT 1670 1680	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) Total Tems - JCD0045 2022010
Section 0009 Section 0010 ROADWAY IT 1670 1680	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) Total PEMS - JCD0045 2022010
Section 0009 Section 0010 ROADWAY IT 1670 1680 1690	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) Total PEMS - JCD0045 2022010 1.000 LS REMOVAL OF IMPROVEMENTS 2152000A 1769.000 100F SHAPING SLOPES, CLASS II 2153000 18.000 100F SHAPING SLOPES, CLASS III 3105002 985.000 TONS GRAVEL (A) OR CRUSHED STONE (B)
Section 0009 Section 0010 ROADWAY IT 1670 1680 1690	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) Total PEMS - JCD0045 2022010
Section 0009 Section 0010 ROADWAY II 1670 1680 1700	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) Total PEMS - JCD0045 2022010
Section 0009 Section 0010 ROADWAY II 1670 1680 1700	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) Total TOTAL
Section 0009 Section 0010 ROADWAY IT 1670 1680 1700 1710	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) Total Total Tems - JCD0045 2022010
Section 0009 Section 0010 ROADWAY IT 1670 1680 1700 1710	Total Tems - JCD0045 2022010
Section 0009 Section 0010 ROADWAY IT 1670 1680 1700 1710	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) Total PEMS - JCD0045 2022010
Section 0009 Section 0010 ROADWAY IT 1670 1680 1700 1710 1720	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) Total PEMS - JCD0045 2022010
Section 0009 Section 0010 ROADWAY IT 1670 1680 1700 1710 1720	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) Total Tems - JCD0045 2022010
Section 0009 Section 0010 ROADWAY IT 1670 1680 1700 1710 1720 1730	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) Total Tems - JCD0045 2022010
Section 0009 Section 0010 ROADWAY IT 1670 1680 1700 1710 1720 1730	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) Total Total Tems - JCD0045 2022010 1.000 LS REMOVAL OF IMPROVEMENTS 2152000A 1769.000 100F SHAPING SLOPES, CLASS II 2153000 18.000 100F SHAPING SLOPES, CLASS III 3105002 985.000 TONS GRAVEL (A) OR CRUSHED STONE (B) 4011209 35342.000 TONS BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1) 4071005 23287.000 GAL TACK COAT 6161099 2.000 EA CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED CONTRACTOR RETAINED 6169901 1.000 LS MISC. TEMPORARY TRAFFIC CONTROL
Section 0009 Section 0010 ROADWAY IT 1670 1680 1700 1710 1720 1730	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) Total Total Tems - JCD0045 2022010
Section 0009 Section 0010 ROADWAY IT 1670 1680 1700 1710 1720 1730	Total Tems - JCD0045 2022010 REMOVAL OF IMPROVEMENTS 2152000A 1769.000 100F SHAPING SLOPES, CLASS II 2153000 SHAPING SLOPES, CLASS III 3105002 985.000 TONS GRAVEL (A) OR CRUSHED STONE (B) 4011209 35342.000 TONS BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1) 4071005 23287.000 GAL TACK COAT 6161099 CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHEE CONTRACTOR RETAINED 6169901 MISC. TEMPORARY TRAFFIC CONTROL 6181000 MOBILIZATION 6200015 20.000 LF
Section 0009 Section 0010 ROADWAY II 1670 1680 1700 1710 1720 1730 1740	Total Tems - JCD0045 2022010

\$0.00

	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW
1780	6200021 3.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
1790	6206000C 188496.000 LF
	4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
1800	6206001C 189140.000 LF
	4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
1810	6221001 1466.000 SOYD
	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
1820	6224010 6809.000 SQYD
	MODIFIED COLDMILLING (DEPTH TRANSITIONS)
1830	6261000A 1382.000 STA
1000	BITUMINOUS SHOULDER RUMBLE STRIP
1840	6261001 864.000 STA
1040	BITUMINOUS CENTERLINE RUMBLE STRIP
1850	6269905 53.000 SQYD
1030	MISC. TRANSVERSE RUMBLE
Section 0010) Total
Section 0011	
GUARDRAII	J/GUARD CABLE ITEMS - JCD0045
1860	6061060 600.000 LF
	MGS GUARDRAIL
1870	6061069 8.000 EA
	MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)
1880	6062304 4.000 EA
	ASYMETRICAL TRANSITION SECTION, 7.5 FT. POSTS
1890	6063014 12.000 EA
	TYPE A CRASHWORTHY END TERMINAL (MASH)
Section 0011	l Total

Item Total

DBE List Summary

Project: FAF 50-3(117) Bidder ID: 0011540

Bid Total: 0.00 Goal: 5.00% (0.00)

Total Entered: 0.00% (0.00)

Business Name: Company 1

Contract ID: 241115-D02

ID Name Supp?/Dist? Item Count Amount Is Complete?

DBE CERTIFICATION

- (6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 1 slots at 1000 hours per slot or 1000 hours.
- (7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

- (A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 5.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.
- (B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

- (10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.
- (11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and misrepresentation or omission of fact within the bid submission.
- (11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes \bigcirc No \bigcirc

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, rtation, 105 W. 2-0270. Telefax 1 or emailed to ginal documents it available if

directly to the Design Division, Missouri Department of Transpo Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102 transmittal to MoDOT will be permitted at fax no. 573-522-2281 subcontractor.disclosure@modot.mo.gov. The complete signed original original contractor of the mailed to MoDOT, but the bidder shall have requested by the Design Division or the engineer.
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

Contract ID: 241115-D02

DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
OOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
OOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
Submitted:

SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

*** AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. ***

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

Yes No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

Contract ID: 241115-D02

BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

**Pay by: Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

**Bond ID: Verify Clear

**Surety Registry Agency:

**Bond Pct:

Surety State:

FIELDS WITH THE ** INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS