

**STATE OF MISSOURI  
HIGHWAYS and TRANSPORTATION COMMISSION**

JEFFERSON CITY, MISSOURI

**CONSTRUCTING OR IMPROVING**  
**Contract I.D.** 241018-D01

THIS JOB SHALL BE CONSTRUCTED UNDER  
FEDERAL PROJECT NUMBER(S): FAS-S402(44)

Job J5P3433 Route AC, 63 BOONE County

BIDDER CHECKLIST  
FINAL CHECKLIST BEFORE SUBMITTING BID

1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at [www.bidx.com](http://www.bidx.com). Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.
4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid)at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

\*\*\*\*\*

Below is a list of common mistakes made by bidders leading to non-responsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision  
-only used if bidding more than one project and should be  
in only one bid proposal
- d) Not obtaining a digital ID in advance of the letting  
(obtaining a digital ID may take 5 business days)

\*\*\*\*\*

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

**TABLE OF CONTENTS**

Notice to Contractors

Proposed Work..... item (1)

Compliance With Contract Provisions..... item (2)

Period of Performance..... item (3)

Liquidated Damages..... item (4)

Itemized Bid..... item (5)

Trainees..... item (6)

DBE Certification\*..... item (7)

Acceptance of Provision for Price Adjustment for Fuel..... item (8a)

Acceptance of Provision for Asphalt Cement Price Index.... item (8b)

Max. Monetary Value of Awards Accepted this Bid Opening... item (9)

Combination Bids..... item (10)

Certification for Federal Jobs..... item (11a)

Certification for State Jobs..... item (11b)

Antidiscrimination..... item (12)

Preference to Missouri Firms in Awarding of Contracts..... item (13)

Subcontractor Disclosure Form\*.....item (14)

Signature and Identity of Bidder..... item (15)

Bid Guaranty\*..... item (16)

\*These forms are also available on MoDOT's Website, [www.modot.org](http://www.modot.org) under Information on the Bid Opening Info page of the Contractor Resources site.

**NOTICE TO CONTRACTORS**

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 10/18/2024.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

(1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:

\*\*\*\*(1): Job J5P3433 Route AC, 63 BOONE County. Modify interchange configuration at Route AC and Route 63 in Columbia, the total length of improvement being 0.479 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

(2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876.

(3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.

(4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity	Unit	Unit Price	Extension Price
Section 0001					
Roadway Items - J5P3433					
0010	2022010	1.000	LS		
	REMOVAL OF IMPROVEMENTS				
0020	2031000	60287.000	CUYD		
	CLASS A EXCAVATION				
0030	2035500	51491.000	CUYD		
	EMBANKMENT IN PLACE				
0040	2036000	3536.000	CUYD		
	COMPACTING EMBANKMENT				
0050	2042010	9.000	EA		
	SETTLEMENT GAUGE				
0060	2063000	8266.000	CUYD		
	CLASS 3 EXCAVATION				
0070	2063300	266.000	CUYD		
<b>2</b> REVISED	CLASS 4 EXCAVATION				
0080	3040504	14292.000	SQYD		
<b>2</b> REVISED	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)				
0090	3040506	3810.000	SQYD		
	TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)				
0100	4010150	5032.300	SQYD		
<b>2</b> REVISED	TYPE A2 SHOULDER				
0110	6042010	2.000	EA		
	ADJUSTING MANHOLE				
0120	6049902	7.000	EA		
	MISC. ADJUST GAS VALVE				
0130	6049902	2.000	EA		
	MISC. ADJUST WATER METER				
0140	6049902	7.000	EA		
	MISC. ADJUST WATER VALVE				
0150	6081010	160.900	SQYD		
<b>2</b> REVISED	CONCRETE CURB RAMP				
0160	6081012	414.000	SQFT		
	TRUNCATED DOMES				
0170	6083008	1466.600	SQYD		
	8 IN. CONCRETE MEDIAN STRIP				
0180	6085008	4093.000	SQYD		
<b>2</b> REVISED	PAVED APPROACH, 8 IN.				
0190	6086004	3010.700	SQYD		
<b>2</b> REVISED	CONCRETE SIDEWALK, 4 IN.				
0200	6091010	367.000	LF		
	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S				
0210	6091052	5717.000	LF		
<b>2</b> REVISED	CURB AND GUTTER TYPE B				
0220	6096020	2048.000	CUYD		
	FURNISHING TYPE 2 ROCK DITCH LINER				
0230	6096042	2048.000	CUYD		
	PLACING TYPE 2 ROCK DITCH LINER				
0240	6097000	123.000	CUYD		

## ROCK LINING

0250	6099903	113.000	LF	MISC. MODIFIED TYPE S CURB
0260	6113020	439.000	CUYD	FURNISHING TYPE 2 ROCK BLANKET
0270	6113040	439.000	CUYD	PLACING TYPE 2 ROCK BLANKET
0280	6122014	2.000	EA	IMPACT ATTENUATOR 60 MPH (SAND BARREL ARRAY)
0290	6122020	4.000	EA	REPLACEMENT SAND BARREL
0300	6122030	1.000	EA	IMPACT ATTENUATOR (RELOCATION)
0310	6143013	70.000	EA	MANHOLE FRAME AND COVER, TYPE 3
0320	6161005	721.000	SQFT	CONSTRUCTION SIGNS
0330	6161008	6.000	EA	ADVANCED WARNING RAIL SYSTEM
0340	6161025	63.000	EA	CHANNELIZER (TRIM LINE)
0350	6161030	5.000	EA	TYPE III MOVEABLE BARRICADE
0360	6161040	2.000	EA	FLASHING ARROW PANEL
0370	6161099	3.000	EA	CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED
0380	6173600D	3750.000	LF	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED
<b>1</b> REVISED				
0390	6181000	1.000	LS	MOBILIZATION
0400	6200021	31.000	EA	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
0410	6200024	6.000	EA	PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW
0420	6200027	4.000	EA	PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT
0430	6200042	7.000	EA	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES
0440	6205301B	826.000	LF	TEMPORARY REMOVABLE MARKING TAPE 4 IN., WHITE
0450	6205303B	16312.000	LF	TEMPORARY REMOVABLE MARKING TAPE 4 IN., YELLOW
0460	6205320	36.000	LF	TEMPORARY REMOVABLE MARKING TAPE, 12 IN., WHITE
0470	6205902A	22071.000	LF	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0480	6205903A	4145.000	LF	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0490	6205906A	324.000	LF	12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS

0500	6206000C	12885.000 LF	
		4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	
0510	6206001C	11137.000 LF	
		4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	
0520	6206124A	378.000 LF	
		24 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	
0530	6206125A	97.000 LF	
		24 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	
0540	6209902	3.000 EA	
		MISC. PREFORMED PAVEMENT MARKING HELMETED CYCLIST	
0550	6240101A	658.000 SQYD	
		SUBSURFACE DRAINAGE GEOTEXTILE	
0560	6274000	1.000 LS	
		CONTRACTOR FURNISHED SURVEYING AND STAKING	
0570	7034041	157.300 CUYD	
		CLASS B-1 CONCRETE (CULVERTS)	
0580	7061030	32120.000 LB	
		REINFORCING STEEL (CULVERTS)	
0590	7250312A	51.000 LF	
		12 IN. PIPE GROUP B	
0600	7250315A	2106.000 LF	
		15 IN. PIPE GROUP B	
<b>2</b> REVISED			
0610	7250318A	43.000 LF	
		18 IN. PIPE GROUP B	
0620	7250324A	144.000 LF	
		24 IN. PIPE GROUP B	
0630	7250330A	33.000 LF	
		30 IN. PIPE GROUP B	
0640	7250336A	544.000 LF	
		36 IN. PIPE GROUP B	
0650	7250354A	847.000 LF	
		54 IN. PIPE GROUP B	
0660	7250360A	196.000 LF	
		60 IN. PIPE GROUP B	
0670	7261015	216.000 LF	
		15 IN. PIPE GROUP A	
0680	7261024	364.000 LF	
		24 IN. PIPE GROUP A	
0690	7261030	240.000 LF	
		30 IN. PIPE GROUP A	
0700	7261036	368.000 LF	
		36 IN. PIPE GROUP A	
<b>2</b> REVISED			
0710	7261048	69.000 LF	
		48 IN. PIPE GROUP A	
0720	7269903	114.000 LF	
		MISC. 48 IN. HDPE PIPE	
0730	7310048	8.000 FT	
		PRECAST CONCRETE MANHOLE - 48 IN.	
0740	7310060	9.000 FT	
		PRECAST CONCRETE MANHOLE - 60 IN.	
0750	7310072	5.000 FT	



## PRECAST CONCRETE MANHOLE - 72 IN.

0760	7311022	5.000 FT	PRECAST CONCRETE DROP INLET 2 FT X 2 FT
0770	7311053	155.000 FT	PRECAST CONCRETE DROP INLET 5 FT X 3 FT
0780	7319903	105.000 LF	MISC. CITY OF COLUMBIA TYPE M DROP INLET 5 FT X 3 FT
0790	7319903	14.000 LF	MISC. CITY OF COLUMBIA TYPE M DROP INLET 5 FT X 4 FT
0800	7319903	4.000 LF	MISC. PRECAST CONCRETE OUTLET STRUCTURE 5 FT X 5 FT
0810	7319913	6.000 FT	MISC. PRECAST CONCRETE DROP INLET 4 FT X 4 FT
0820	7319913	57.000 FT	MISC. PRECAST CONCRETE DROP INLET 5 FT X 4 FT
0830	7319913	10.000 FT	MISC. PRECAST CONCRETE DROP INLET 5 FT X 5 FT
0840	7319913	57.000 FT	MISC. PRECAST CONCRETE MANHOLE, 96 IN.
0850	7320012A	2.000 EA	12 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
0860	7320015A	5.000 EA	15 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
0870	7320018A	2.000 EA	18 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
<b>2</b> REVISED	7320624A	5.000 EA	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0880	7320624A	5.000 EA	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
<b>2</b> REVISED	7320030A	1.000 EA	30 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
0890	7320030A	1.000 EA	30 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
0900	7320036A	1.000 EA	36 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
0910	7320054A	1.000 EA	54 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
0920	7320630A	4.000 EA	30 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0930	7320636A	2.000 EA	36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0940	8025006	11.500 ACRE	MULCHING
0950	8051000A	11.500 ACRE	SEEDING - COOL SEASON GRASSES
0960	8061004	5.000 CUYD	SEDIMENT TRAP ROCK
0970	8061005	46.000 LF	ROCK DITCH CHECK
0980	8061006	30.000 LF	ALTERNATE DITCH CHECK
0990	8061007A	58.000 EA	CURB INLET CHECK
1000	8061016	109.000 CUYD	SEDIMENT REMOVAL

1010 8061017 3.100 ACRE  
TEMPORARY SEEDING

-----  
1020 8061019 3075.000 LF  
SILT FENCE  
-----

Section 0001 Total

Section 0002 AA1  
Alt Pvmnt A - Route 63 - Concrete - J5P3433

1030 3040506 7021.000 SQYD  
TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)

-----  
1040 5021310 7021.000 SQYD  
CONCRETE PAVEMENT (10 IN. NON-REINFORCED 15 FT. JOINTS)  
-----

1050 6262000A 17.300 STA  
PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP  
-----

Section 0002 Total

Section 0003 AA2  
Alt Pvmnt B - Route 63 - Asphalt - J5P3433

1060 3040506 7021.000 SQYD  
TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)

-----  
1070 4039905 7021.000 SQYD  
MISC. 12 1/2 INCH ASPHALTIC CONCRETE  
-----

1080 6261000A 17.300 STA  
BITUMINOUS SHOULDER RUMBLE STRIP  
-----

Section 0003 Total

Section 0004 BB1  
Alt Pvmnt C - Route AC, Ramps - Concrete - J5P3433

1090 3040506 22549.000 SQYD  
**2** REVISED TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)

-----  
1100 5021309 22549.100 SQYD  
**2** REVISED CONCRETE PAVEMENT (9 IN. NON-REINFORCED 15 FT. JOINTS)  
-----

Section 0004 Total

Section 0005 BB2  
Alt Pvmnt D - Route AC, Ramps - Asphalt - J5P3433

1110 3040506 22549.000 SQYD  
**2** REVISED TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)

-----  
1120 4039905 22549.100 SQYD  
**2** REVISED MISC. 11 1/2 INCH ASPHALTIC CONCRETE  
-----

Section 0005 Total

Section 0006 CC1  
Alt Pvmnt E - Lenoir & Lemone - Concrete - J5P3433

1130 3040504 9794.000 SQYD

<b>2</b>	<b>REVISED</b>	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)
1140	5021307	9793.500 SQYD
<b>2</b>	<b>REVISED</b>	CONCRETE PAVEMENT (7 IN. NON-REINFORCED, 15 FT. JOINTS)
Section 0006 Total		

Section 0007 CC2		
Alt Pvmt F - Lenoir & Lemone - Asphalt - J5P3433		
1150	3040504	9794.000 SQYD
<b>2</b>	<b>REVISED</b>	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)
1160	4039905	9793.500 SQYD
<b>2</b>	<b>REVISED</b>	MISC. 9 INCH ASPHALTIC CONCRETE
Section 0007 Total		

Section 0008		
Guardrail/Guard Cable Items - J5P3433		
1170	6061060	2863.000 LF
		MGS GUARDRAIL
1180	6061061	875.000 LF
		MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 IN. SPACING
1190	6061080	4.000 EA
		MGS END ANCHOR
1200	6063014	4.000 EA
		TYPE A CRASHWORTHY END TERMINAL (MASH)
Section 0008 Total		

Section 0009		
Lighting Items - J5P3433		
1210	9011030	8.000 EA
		LIGHTING POLE, 30 FT. OR 9.0 M, TYPE AT
1220	9011115	8.000 EA
		BRACKET ARM, 15 FT. OR 4.6 M
1230	9011311	8.000 EA
		LUMINAIRE, LED-A
1240	9013003	34.000 LF
		CONDUIT, 3 IN. RIGID, IN TRENCH
1250	9014003	931.000 LF
		CONDUIT, 3 IN. RIGID, PUSHED
1260	9015010	109.000 LF
		TRENCHING TYPE I
1270	9016110	8.000 EA
		PULL BOX, PREFORMED CLASS 1
1280	9017008	2290.000 LF
		CABLE, 8 AWG 1 CONDUCTOR
1290	9017110	760.000 LF
		CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
1300	9017208	1150.000 LF
		WIRE, 8 AWG, BARE NEUTRAL

1310	9017407	220.000 LF	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG
1320	9018230	8.000 EA	POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)
1330	9018613	2.000 EA	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING AND SIGNALS
1340	9019902	1.000 EA	MISC. DRILL PULLBOX AND ATG

Section 0009 Total

Section 0010

Signal Items - J5P3433

1350	9020213	8.000 EA	SIGNAL HEAD, TYPE 3S
1360	9020513	16.000 EA	SIGNAL HEAD, TYPE 3B
1370	9020514	2.000 EA	SIGNAL HEAD, TYPE 4B
1380	9020811	16.000 EA	SIGNAL HEAD, TYPE 1S, PEDESTRIAN
1390	9020833	110.000 SQFT	SH-FLAT SHEET - SIGNAL SIGN
1400	9020834	26.000 EA	SIGNAL SIGN, MOUNTING HARDWARE
1410	9022213	2.000 EA	SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 3S
1420	9022708	10.000 EA	POST, SIGNAL 8 FT.
1430	9022715	2.000 EA	POST, SIGNAL 15 FT.
1440	9023225	1.000 EA	POST, TYPE C, 25 FT. ARM OR 7.6 M ARM
1450	9023230	2.000 EA	POST, TYPE C, 30 FT. ARM OR 9.1 M ARM
1460	9023235	1.000 EA	POST, TYPE C, 35 FT. ARM OR 10.7 M ARM
1470	9023240	1.000 EA	POST, TYPE C, 40 FT. ARM OR 12.2 M ARM
1480	9023245	1.000 EA	POST, TYPE C, 45 FT. ARM OR 13.7 M ARM
1490	9023250	1.000 EA	POST, TYPE C, 50 FT. ARM OR 15.2 M ARM
1500	9023255	1.000 EA	POST, TYPE C, 55 FT. ARM
1510	9024283	2.000 EA	CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER
1520	9024975	2.000 EA	VIDEO DETECTION SYSTEM
1530	9025200	1023.000 LF	CONDUIT, 2 IN., TRENCH WITH TRACER WIRE

1540	9025300	230.000	LF
	CONDUIT, 3 IN., TRENCH WITH TRACER WIRE		
1550	9025400	40.000	LF
	CONDUIT, 4 IN., TRENCH WITH TRACER WIRE		
1560	9027200	388.000	LF
	CONDUIT, 2 IN., PUSHED WITH TRACER WIRE		
1570	9027300	670.000	LF
	CONDUIT, 3 IN., PUSHED WITH TRACER WIRE		
1580	9028208	170.000	LF
	CABLE, 8 AWG 1 CONDUCTOR, POWER		
1590	9028310	3460.000	LF
	CABLE, 16 AWG 5 CONDUCTOR		
1600	9028311	6320.000	LF
	CABLE, 16 AWG 7 CONDUCTOR		
1610	9028811	12.000	EA
	PULL BOX, PREFORMED CLASS 2		
1620	9028812	2.000	EA
	PULL BOX, PREFORMED CLASS 3		
1630	9028816	2.000	EA
	PULL BOX, PREFORMED CLASS 5		
1640	9029100	34.400	CUYD
	BASE, CONCRETE		
1650	9029901	1.000	LS
	MISC. REMOVE EXISTING FIBER OPTIC CABLE		
1660	9029902	2.000	EA
	MISC. APS SYSTEM (INTERSECTION)		
1670	9029902	1.000	EA
	MISC. FIBER ENCLOSURE		
1680	9029902	1.000	EA
	MISC. IN-GROUND SPLICE ENCLOSURE		
1690	9029902	2.000	EA
	MISC. NETWORK SWITCH		
1700	9029903	2760.000	LF
	MISC. FIBER OPTIC CABLE, 24SM		

Section 0010 Total

---

Section 0011

Signing Items - J5P3433

1710	9031010	7.000	CUYD
	CONCRETE FOOTINGS, EMBEDDED		
1720	9031020	26.900	CUYD
	CONCRETE FOOTINGS, BOLT DOWN		
1730	9031210	2910.000	LB
	STRUCTURAL STEEL POSTS		
1740	9031220	1460.000	LB
	PIPE POSTS		
1750	9031241	32.000	EA
	BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)		
1760	9031280	419.000	LF
	2.5 IN. PSST POST - 12 GA.		

1770	9031281A	93.000 EA	DRIVEN POST ANCHOR FOR 2.5 IN. PSST - 7 GA.
1780	9035004A	126.000 SQFT	SH-FLAT SHEET
1790	9035011A	694.000 SQFT	ST-STRUCTURAL
1800	9035069A	310.000 SQFT	SHF-FLAT SHEET FLUORESCENT
1810	9036043	1.000 EA	TUBULAR SUPPORT, TYPE C-2018-34
1820	9039902	1.000 EA	MISC. 75 FT SPAN TUBULAR TRUSS, 2 TUBE
1830	9039902	27.000 EA	MISC. EXISTING SIGN TO BE REMOVED
1840	9039902	10.000 EA	MISC. RELOCATE EXISTING SIGN
1850	9039902	3.000 EA	MISC. RELOCATE EXISTING SIGN BY OTHERS
1860	9039902	1.000 EA	MISC. TUBULAR SUPPORT, TYPE C-2015-24
1870	9039903	18.000 LF	MISC. 4 IN. PSST POST

Section 0011 Total

Section 0012

City of Columbia Sewer Items - J5p3433

1880	6039921	1.000 LS	SEWER MOBILIZATION FOR SEWER WORK
1890	6039922	3.000 EA	SEWER ABANDONMENT OF EXISTING SEWER - CONCRETE CAP
1900	6039922	5.000 EA	SEWER ABANDONMENT OF EXISTING SEWER STRUCTURE - FLOWABLE BACKFILL, OR SAND
1910	6039922	1.000 EA	SEWER CONNECTION TO EXISTING SEWER
1920	6039922	2.000 EA	SEWER DOGHOUSE STRUCTURE (MANHOLE)
1930	6039922	20.000 EA	SEWER LANE CHANNELIZERS
1940	6039922	1.000 EA	SEWER RAISE EXISTING SANITARY STRUCTURE
1950	6039922	2.000 EA	SEWER REMOVAL OF EXISTING SEWER STRUCTURE - FLOWABLE BACKFILL, OR COMPACTED ROCK BACKFILL
1960	6039922	10.000 EA	SEWER STANDARD STRUCTURE (MANHOLE, 6' DEEP)
1970	6039922	4.000 EA	SEWER STEEL PLATE
1980	6039923	955.000 LF	SEWER ABANDONMENT OF EXISTING SEWER PIPE- FLOWABLE BACKFILL, OR GROUT
1990	6039923	1538.000 LF	

## SEWER CONSTRUCTION STAKING

2000	6039923	60.000 LF	SEWER GRAVEL/LOG SOCK
2010	6039923	60.000 LF	SEWER INLET CHECK
2020	6039923	100.000 LF	SEWER P.C. CONCRETE CURB & GUTTER REMOVAL
2030	6039923	80.000 LF	SEWER ROCK DITCH CHECK
2040	6039923	75.000 LF	SEWER SANITARY SEWER 14-INCH STEEL CASING PIPE, OPEN CUT, RIGHT OF WAY (GRANULAR)
2050	6039923	846.000 LF	SEWER SANITARY SEWER 8- INCH PVC PIPE, OPEN CUT
2060	6039923	419.000 LF	SEWER SANITARY SEWER 8- INCH PVC PIPE, OPEN CUT, RIGHT OF WAY (GRANULAR BACKFILL)
2070	6039923	118.000 LF	SEWER SANITARY SEWER 8-INCH C900-DR21 RESTAINED JOINT PVC PIPE, OPEN CUT, RIGHT OF WAY (GRANULAR BACKFILL)
2080	6039923	40.000 LF	SEWER SANITARY SEWER BORE, HDD OR BORING AND JACKING, WITH 14 INCH C900-DR21 RESTAINED JOINT PVC PIPE, RIGHT OF WAY
2090	6039923	40.000 LF	SEWER SANITARY SEWER BORE, HDD OR BORING AND JACKING, WITH 8 INCH C900-DR21 RESTAINED JOINT PVC PIPE, RIGHT OF WAY
2100	6039923	115.000 LF	SEWER SANITARY SEWER CARRIER PIPE, 8-INCH C900-DR21 RESTAINED JOINT PVC PIPE
2110	6039923	340.000 LF	SEWER SILT FENCE AND/OR MULCH BERM
2120	6039923	240.000 LF	SEWER TEMPORARY CONSTRUCTION FENCE
2130	6039924	670.000 CUYD	SEWER ASPHALT STREET OR DRIVEWAY REMOVAL
2140	6039924	80.000 CUYD	SEWER HAULING (MATERIAL REMOVAL)
2150	6039924	230.000 CUYD	SEWER ROCK EXCAVATION
2160	6039925	135.000 SQYD	SEWER P.C. CONCRETE DRIVEWAY OR SIDEWALK REMOVAL
2170	6169904	27.000 SQFT	MISC. TEMPORARY TRAFFIC CONTROL SIGNS
2180	7319913	1.000 FT	MISC. ADDITIONAL DEPTH OF DOGHOUSE STRUCTURE
2190	7319913	30.000 FT	MISC. ADDITIONAL DEPTH OF STANDARD STRUCTURE

Section 0012 Total

## Section 0013

City of Columbia Waterline Items - J5P3433

2200	6039901	1.000 LS	WATER CLEANING, PRESSURE TESTING & LEAK TESTING
------	---------	----------	---

2210	6039902	22.000 EA	WATER 16 INCH DUCTILE IRON FITTINGS ( INCLUDING BUT NOT LIMITED TO TEES, BENDS, SOLID SLEEVES AND REDUCERS)
2220	6039902	4.000 EA	WATER 16 INCH GATE VALVE
2230	6039902	7.000 EA	WATER 24 IN. DUCTILE IRON FITTING (INCLUDING BUT NOT LIMITED TO TEES, BENDS, SOLID SLEEVE AND REDUCERS)
2240	6039902	4.000 EA	WATER CONNECT TO EXISTING 16 INCH WATER MAIN ( INCLUDES ALL LABOR & MATERIALS BEYOND PIPE AND FITTINGS INCLUDED IN OTHER BID ITEMS)
2250	6039902	2.000 EA	WATER CONNECT TO EXISTING 24 INCH WATER MAIN (INCLUDES ALL LABOR AND MATERIALS BEYOND THE PIPE BEYOND INCLUDED IN OTHER BID ITEMS)
2260	6039902	2.000 EA	WATER FIRE HYDRANT ASSEMBLY INSTALLATION (INCLUDING HYDRANT, TEE, VALVE, BLOCKING AND UP TO 8 FT OF PIPING)
2270	6039902	1.000 EA	WATER FIRE HYDRANT REMOVAL ( INCLUDING INSTALLATION OF CAP OR PLUG FOR CONNECTED PIPING)
2280	6039903	1609.000 LF	WATER 16 IN. PC 350 RESTRAINED DUCTILE IRON WATER MAIN
2290	6039903	963.000 LF	WATER 16" PC 350 PUSH JOINT DUCTILE IRON WATER MAIN
2300	6039903	259.000 LF	WATER 24 IN. PC 350 RESTRAINED JOINT DUCTILE IRON WATER MAIN
2310	6039903	18.000 LF	WATER 24 INCH STEEL CASING
2320	6039903	33.000 LF	WATER 30 INCH STEEL CASING
2330	6039907	110.000 CUYD	WATER CLASS 3 ROCK EXCAVATION

Section 0013 Total

Item Total

\$0.00




## DBE List Summary

Project: FAS-S402(44)

Bidder ID: 0033335

Bid Total: 0.00

Business Name: MoDOT

Goal: 6.00% (0.00)  **REVISED**

Total Entered: 0.00% (0.00)

---

ID	Name	Supp?/Dist?	Item Count	Amount Is Complete?
----	------	-------------	------------	---------------------

---

**DBE CERTIFICATION**

(6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 0 slots at 1000 hours per slot or 0 hours.

(7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

(A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 6.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, [www.modot.org](http://www.modot.org) on the Bid Opening Info page of the Contractor Resources site.

(B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

**CONTRACT PROVISIONS**

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

§

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

(10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.

(11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty and material misrepresentation or omission of fact within the bid submission.

(11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? **Yes**  **No**

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

**SUBCONTRACTOR DISCLOSURE**

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if requested by the Design Division or the engineer.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

**SIGNATURE AND IDENTITY OF BIDDER**

## (15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

\*\*\* AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. \*\*\*

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

Yes     No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.



**BID BOND**

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

\*\*Pay by:  Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

**ELECTRONIC BID BOND**

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

\*\*Bond ID:

\*\*Surety Registry Agency:

\*\*Bond Pct:

Surety State:

FIELDS WITH THE \*\* INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS