



**STATE OF MISSOURI  
HIGHWAYS and TRANSPORTATION COMMISSION**

JEFFERSON CITY, MISSOURI

**CONSTRUCTING OR IMPROVING**  
**Contract I.D.** 241018-F03

THIS JOB SHALL BE CONSTRUCTED UNDER  
FEDERAL PROJECT NUMBER(S): FAF 366-1(5)

Job J6S3582 Route 366 ST LOUIS County

BIDDER CHECKLIST  
FINAL CHECKLIST BEFORE SUBMITTING BID

1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at [www.bidx.com](http://www.bidx.com). Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.
4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid)at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

\*\*\*\*\*

Below is a list of common mistakes made by bidders leading to non-responsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision  
-only used if bidding more than one project and should be  
in only one bid proposal
- d) Not obtaining a digital ID in advance of the letting  
(obtaining a digital ID may take 5 business days)

\*\*\*\*\*

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

**TABLE OF CONTENTS**

Notice to Contractors

Proposed Work..... item (1)

Compliance With Contract Provisions..... item (2)

Period of Performance..... item (3)

Liquidated Damages..... item (4)

Itemized Bid..... item (5)

Trainees..... item (6)

DBE Certification\*..... item (7)

Acceptance of Provision for Price Adjustment for Fuel..... item (8a)

Acceptance of Provision for Asphalt Cement Price Index.... item (8b)

Max. Monetary Value of Awards Accepted this Bid Opening... item (9)

Combination Bids..... item (10)

Certification for Federal Jobs..... item (11a)

Certification for State Jobs..... item (11b)

Antidiscrimination..... item (12)

Preference to Missouri Firms in Awarding of Contracts..... item (13)

Subcontractor Disclosure Form\*.....item (14)

Signature and Identity of Bidder..... item (15)

Bid Guaranty\*..... item (16)

\*These forms are also available on MoDOT's Website, [www.modot.org](http://www.modot.org) under Information on the Bid Opening Info page of the Contractor Resources site.

**NOTICE TO CONTRACTORS**

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 10/18/2024.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

(1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:

\*\*\*\*(1): Job J6S3582 Route 366 ST LOUIS County. Resurface, bridge replacement, ADA improvements, and signal improvements west of Geyer Road to the Saint Louis City limit, the total length of improvement being 6.29 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

(2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876.

(3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.

(4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity	Unit	Unit Price	Extension Price
Section 0001					
ROADWAY ITEMS - J6S3582					
0010	2022010	1.000	LS		
					REMOVAL OF IMPROVEMENTS
0020	2031000	1135.000	CUYD		
<b>1</b>					CLASS A EXCAVATION
0030	2036000	317.000	CUYD		
					COMPACTING EMBANKMENT
0050	2063000	1625.000	CUYD		
<b>1</b>					CLASS 3 EXCAVATION
0070	2079909	474.200	STA		
<b>1</b>					MISC. LINEAR GRADING CLASS 2 - MODIFIED
0080	2142000	355.000	CUYD		
<b>1</b>					FURNISHING ROCK FILL
0090	2143000	355.000	CUYD		
<b>1</b>					PLACING ROCK FILL
0100	2159910	6.000	100F		
					MISC. SHAPING SLOPES CLASS III - MODIFIED MATERIAL REQUIREMENT
0110	3040183	44.000	SQYD		
					TYPE 1 AGGREGATE FOR BASE (8 IN. THICK)
0120	3040504	39064.000	SQYD		
<b>1</b>					TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)
0130	3040506	3465.000	SQYD		
					TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)
0140	4011209	7.100	TONS		
					BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)
0150	4030003	21144.800	TONS		
					ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095C MIX)
0160	4030011	20928.800	TONS		
					ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095CLP MIX)
0170	4079912	38838.000	GAL		
					MISC. Tack Coat - Low-Tracking or Non-Tracking
0180	5021310	1105.600	SQYD		
					CONCRETE PAVEMENT (10 IN. NON-REINFORCED 15 FT. JOINTS)
0190	5021332	1954.600	SQYD		
					CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)
0200	5021334	205.600	SQYD		
					CONCRETE PAVEMENT (10 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)
0210	5041000	290.500	SQYD		
					CONCRETE APPROACH PAVEMENT
0220	6039902	5.000	EA		
					WATER ADJUST TO GRADE WATER METER
0230	6039902	54.000	EA		
					WATER ADJUST TO GRADE WATER VALVE
0240	6042010	122.000	EA		
					ADJUSTING MANHOLE
0250	6042020	211.000	EA		
					ADJUSTING BASIN OR INLET
0260	6044013	4.000	EA		

## PIPE COLLAR, TYPE C

0270	6071011A	113.000	LF	CHAIN-LINK FENCE (48 IN.)
0280	6081012	2354.000	SQFT	TRUNCATED DOMES
0290	6083006	1025.000	SQYD	6 IN. CONCRETE MEDIAN STRIP
<b>1</b> REVISED				
0300	6084024	56.000	LF	SIDEWALK HAND-RAILING WITH BALUSTERS
0310	6085008	17674.900	SQYD	PAVED APPROACH, 8 IN.
0320	6086004	16157.300	SQYD	CONCRETE SIDEWALK, 4 IN.
0330	6086007	718.100	SQYD	CONCRETE SIDEWALK, 7 IN.
<b>1</b> REVISED				
0340	6089902	565.000	EA	MISC. ADA CURB RAMP
0350	6089905	213.000	SQYD	MISC. MOMENT SLAB SIDEWALK
0360	6089905	312.200	SQYD	MISC. PAVED APPROACH, 7 IN., HIGH EARLY STRENGTH
0370	6089905	70.800	SQYD	MISC. PAVED APPROACH, 8 IN., HIGH EARLY STRENGTH
0380	6091010	3798.000	LF	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S
0390	6091041	59.000	LF	CONCRETE GUTTER TYPE A
0400	6091052	10528.000	LF	CURB AND GUTTER TYPE B
0410	6092011	1313.000	LF	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A
0420	6092021	987.000	LF	INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE A
0430	6097000	5.000	CUYD	ROCK LINING
0440	6113020	803.000	CUYD	FURNISHING TYPE 2 ROCK BLANKET
0450	6113040	803.000	CUYD	PLACING TYPE 2 ROCK BLANKET
0460	6116010A	238.000	SQYD	SLOPE PROTECTION
0470	6131010	987.100	SQYD	FURNISHING AND PLACING CONCRETE MATERIAL FOR FULL DEPTH PAVEMENT REPAIR
0480	6131012	197.000	SQYD	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)
0490	6131013	197.000	SQYD	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)
0500	6131014	3944.000	LF	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS)
0510	6131015	1410.000	EA	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR

0520	6131017	185.000 EA	DOWEL BAR (FURNISHING AND INSTALLATION WITH BASKETS) FOR FULL DEPTH PAVEMENT REPAIR
0530	6131018	321.000 EA	TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR (TYPE L JOINTS)
0540	6141120	33.000 EA	CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MM X 600MM)
0550	6143012	22.000 EA	MANHOLE FRAME AND COVER, TYPE 2
0560	6149902	2.000 EA	MISC. CONVERT GRATE INLET TO CURB INLET
0570	6149902	16.000 EA	MISC. CONVERT INLET TO MANHOLE
0580	6149902	1.000 EA	MISC. SIDEWALK TRENCH DRAIN
0590	6161098A	4.000 EA	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED CMS?
0600	6169901	1.000 LS	MISC. LUMP SUM TEMPORARY TRAFFIC CONTROL
0610	6173000	399.000 LF	CONCRETE TRAFFIC BARRIER, TYPE C
0620	6173103	256.000 LF	CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB)
0630	6181000	1.000 LS	MOBILIZATION
0640	6191000	801.000 LF	PAVEMENT EDGE TREATMENT
0650	6200009	219.000 LF	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 6 IN. WHITE
0660	6200015	2795.000 LF	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE
0670	6200021	178.000 EA	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
0680	6200024	2.000 EA	PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW
0690	6200027	3.000 EA	PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT
0700	6200030	2.000 EA	PREFORMED THERMOPLASTIC PAVEMENT MARKING, WORD (ONLY)
0710	6200036	861.000 EA	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK
0720	6200042	157.000 EA	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES
0730	6205901A	73486.000 LF	4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0740	6205902A	120938.000 LF	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0750	6205903A	3121.000 LF	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0760	6206000C	3110.000 LF	



## 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS

0770	6207001	5655.000 LF	PAVEMENT MARKING REMOVAL
0780	6207002	10.000 EA	PAVEMENT MARKING REMOVAL (SYMBOLS)
0790	6208063	43.000 EA	TEMPORARY PAVEMENT MARKING
0800	6208076	19073.000 LF	4 IN TEMPORARY PAVEMENT MARKING PAINT
0810	6209901	1.000 LS	MISC. TEMPORARY PAVEMENT MARKING PAINT
0820	6209902	65.000 EA	MISC. 18 IN. WHITE ISLAND TUBULAR MARKER
<b>1</b> REVISED			
0830	6209902	28.000 EA	MISC. 18 IN. YELLOW ISLAND TUBULAR MARKER
<b>1</b> REVISED			
0835	6209902	591.000 EA	MISC. CURB REFLECTORS
<b>1</b> ADDED			
0840	6221001	258233.000 SQYD	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
0850	6221011	626.000 SQYD	COLDMILLING CONCRETE PAVEMENT FOR REMOVAL OF SURFACE
0860	6240103A	1058.000 SQYD	PERMANENT EROSION CONTROL GEOTEXTILE
0870	6274000	1.000 LS	CONTRACTOR FURNISHED SURVEYING AND STAKING
0880	7201000	308.000 SQFT	MECHANICALLY STABILIZED EARTH WALL SYSTEMS
<b>1</b> REVISED			
0890	7261012	361.000 LF	12 IN. PIPE GROUP A
0900	7261015	501.000 LF	15 IN. PIPE GROUP A
<b>1</b> REVISED			
0910	7261018	152.000 LF	18 IN. PIPE GROUP A
0920	7261024	169.000 LF	24 IN. PIPE GROUP A
0930	7261030	20.000 LF	30 IN. PIPE GROUP A
0940	7261036	129.000 LF	36 IN. PIPE GROUP A
0950	7310048	65.000 FT	PRECAST CONCRETE MANHOLE - 48 IN.
0960	7310060	8.000 FT	PRECAST CONCRETE MANHOLE - 60 IN.
0970	7310072	6.000 FT	PRECAST CONCRETE MANHOLE - 72 IN.
0980	7311022	116.000 FT	PRECAST CONCRETE DROP INLET 2 FT X 2 FT
0990	7319913	30.000 FT	MISC. SINGLE STREET INLET
1000	7319913	24.000 FT	MISC. SPECIAL STRUCTURE

1010	7320615A	3.000 EA	15 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
1020	7320624A	1.000 EA	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
1030	7320636A	1.000 EA	36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
1040	8031000A	24259.000 SQYD	TURF TYPE TALL FESCUE SODDING
1050	8039905A	52.000 SQYD	MISC. LANDSCAPING RESTORATION
1060	8061007A	293.000 EA	CURB INLET CHECK
1070	8061016	459.000 CUYD	SEDIMENT REMOVAL
<b>1</b> REVISED			
1080	8061019	12766.000 LF	SILT FENCE
<b>1</b> REVISED			
1090	8061050	338.000 LF	TYPE C BERM

Section 0001 Total

---

Section 0002

GUARDRAIL/GUARD CABLE ITEMS - J6S3582

1100	6061060	850.000 LF	MGS GUARDRAIL
1110	6061074	2.000 EA	MGS HEIGHT AND BLOCK TRANSITION
1120	6061080	1.000 EA	MGS END ANCHOR
1130	6063014	4.000 EA	TYPE A CRASHWORTHY END TERMINAL (MASH)
1140	6063020	3.000 EA	TYPE C CRASHWORTHY END TERMINAL (MASH)

Section 0002 Total

---

Section 0003

LIGHTING ITEMS - J6S3582

1150	9013004	333.000 LF	CONDUIT, 4 IN. RIGID, IN TRENCH
1160	9014004	358.000 LF	CONDUIT, 4 IN. RIGID, PUSHED
1170	9015010	70.000 LF	TRENCHING TYPE I
1180	9016110	5.000 EA	PULL BOX, PREFORMED CLASS 1
1190	9016112	1.000 EA	PULL BOX, PREFORMED CLASS 3
1200	9017110	380.000 LF	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
1210	9017407	610.000 LF	

## CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG

1220	9018230	5.000 EA
		POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)
1230	9018245	1.000 EA
		POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)
1240	9019902	4.000 EA
		MISC. 30 FT. TOP MOUNT LIGHT POLE
1250	9019902	1.000 EA
		MISC. 45 FT. TOP MOUNT LIGHT POLE
1260	9019902	5.000 EA
		MISC. TOP MOUNTED LED-A LUMINAIRE
1270	9019902	1.000 EA
		MISC. TOP MOUNTED LED-B LUMINAIRE

Section 0003 Total

## Section 0004

## SIGNALS ITEMS - J6S3582

1280	9020111	1.000 EA
		SIGNAL HEAD, TYPE 1T
1290	9020113	1.000 EA
		SIGNAL HEAD, TYPE 3T
1300	9020213	16.000 EA
		SIGNAL HEAD, TYPE 3S
1310	9020214	1.000 EA
		SIGNAL HEAD, TYPE 4S
1320	9020513	80.000 EA
		SIGNAL HEAD, TYPE 3B
1330	9020514	19.000 EA
		SIGNAL HEAD, TYPE 4B
1340	9020833	664.000 SQFT
		SH-FLAT SHEET - SIGNAL SIGN
1350	9020834	86.000 EA
		SIGNAL SIGN, MOUNTING HARDWARE
1360	9022651	20.000 EA
		LUMINAIRE LED-A, 120 VOLT COMPATIBLE
1370	9022708	42.000 EA
		POST, SIGNAL 8 FT.
1380	9022715	2.000 EA
		POST, SIGNAL 15 FT.
1390	9023120	1.000 EA
		POST, TYPE CL, 20 FT. ARM OR 6.1 M ARM
1400	9023125	1.000 EA
		POST, TYPE CL, 25 FT. ARM OR 7.6 M ARM
1410	9023130	3.000 EA
		POST, TYPE CL, 30 FT. ARM OR 9.1 M ARM
1420	9023135	4.000 EA
		POST, TYPE CL, 35 FT. ARM OR 10.7 M ARM
1430	9023145	2.000 EA
		POST, TYPE CL, 45 FT. ARM OR 13.7 M ARM
1440	9023150	4.000 EA

POST, TYPE CL, 50 FT. ARM OR 15.2 M ARM

1450	9023215	1.000 EA	POST, TYPE C, 15 FT. ARM OR 4.6 M ARM
1460	9023220	1.000 EA	POST, TYPE C, 20 FT. ARM OR 6.1 M ARM
1470	9023225	2.000 EA	POST, TYPE C, 25 FT. ARM OR 7.6 M ARM
1480	9023230	1.000 EA	POST, TYPE C, 30 FT. ARM OR 9.1 M ARM
1490	9023235	4.000 EA	POST, TYPE C, 35 FT. ARM OR 10.7 M ARM
1500	9023240	6.000 EA	POST, TYPE C, 40 FT. ARM OR 12.2 M ARM
1510	9023245	5.000 EA	POST, TYPE C, 45 FT. ARM OR 13.7 M ARM
1520	9023250	2.000 EA	POST, TYPE C, 50 FT. ARM OR 15.2 M ARM
1530	9023430	1.000 EA	POST, TYPE BL, LONGEST ARM 30 FT. OR 9.1 M
1540	9023440	1.000 EA	POST, TYPE BL, LONGEST ARM 40 FT. OR 12.2 M
1550	9024283	11.000 EA	CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER
1560	9025300	1992.000 LF	CONDUIT, 3 IN., TRENCH WITH TRACER WIRE
<b>1</b> REVISED			
1570	9027300	4293.000 LF	CONDUIT, 3 IN., PUSHED WITH TRACER WIRE
1580	9028100	2250.000 LF	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
1590	9028208	2080.000 LF	CABLE, 8 AWG 1 CONDUCTOR, POWER
<b>1</b> REVISED			
1600	9028302	3600.000 LF	CABLE, 12 AWG 2 CONDUCTOR
<b>1</b> REVISED			
1610	9028308	14550.000 LF	CABLE, 16 AWG 2 CONDUCTOR
1620	9028310	14660.000 LF	CABLE, 16 AWG 5 CONDUCTOR
1630	9028311	24650.000 LF	CABLE, 16 AWG 7 CONDUCTOR
1640	9028810	2.000 EA	PULL BOX, PREFORMED CLASS 1
1650	9028811	35.000 EA	PULL BOX, PREFORMED CLASS 2
1660	9028812	15.000 EA	PULL BOX, PREFORMED CLASS 3
1670	9029100	163.800 CUYD	BASE, CONCRETE
1680	9029401	1.000 LS	TEMPORARY TRAFFIC SIGNALS AND LIGHTING
1690	9029901	1.000 LS	MISC. TRAFFIC SIGNAL MAINTENANCE & PROGRAMMING

1700	9029902	80.000 EA	MISC. AUDIBLE PEDESTRIAN PUSHBUTTON AND SIGNING WITH VERBAL WALK MESSAGE
1710	9029902	11.000 EA	MISC. COMBINATION PAD MOUNTED 120V/240V POWER SUPPLY AND LIGHTING CONTROLLER WITH UPS
1720	9029902	75.000 EA	MISC. COUNTDOWN PEDESTRIAN SIGNAL HEAD, TYPE 1S
1730	9029902	14.000 EA	MISC. INSTALL MODOT FURNISHED TRAFFIC SIGNAL CONTROLLER
1740	9029902	14.000 EA	MISC. NETWORK CONNECTED SIGNAL MONITOR
1750	9029902	6.000 EA	MISC. PEDESTRIAN PUSH BUTTON EXTENSION
1760	9029902	6.000 EA	MISC. PEDESTRIAN PUSH BUTTON STANCHION, 4 FT.
1770	9029902	100.000 EA	MISC. POT HOLING UTILITY FACILITIES
1780	9029902	3.000 EA	MISC. POWERED R3-1 LED BLANK-OUT SIGN
1790	9029902	2.000 EA	MISC. RECTANGULAR RAPID FLASHING BEACON SYSTEM
1800	9029902	14.000 EA	MISC. SL DISTRICT TRAFFIC SIGNAL DETECTION SYSTEM

---

Section 0004 Total

---

Section 0005

SIGNING ITEMS - J6S3582

1810	9031010	1.000 CUYD	CONCRETE FOOTINGS, EMBEDDED
1820	9031020	0.300 CUYD	CONCRETE FOOTINGS, BOLT DOWN
1830	9031210	930.000 LB	STRUCTURAL STEEL POSTS
1840	9031220	350.000 LB	PIPE POSTS
1850	9031241	16.000 EA	BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)
1860	9031270A	1113.000 LF	2 IN. PSST POST - 12 GA.
1870	9031271A	65.000 EA	DRIVEN POST ANCHOR FOR 2 IN. PSST - 12 GA.
1880	9031274	38.000 EA	CONCRETE POST ANCHOR FOR 2 IN. PSST. - 7 GA.
1890	9031280	352.000 LF	2.5 IN. PSST POST - 12 GA.
1900	9031281A	23.000 EA	DRIVEN POST ANCHOR FOR 2.5 IN. PSST - 7 GA.
1910	9031285	3.000 EA	CONCRETE POST ANCHOR FOR 2.5 IN. PSST. - 7 GA.
1920	9035004A	317.000 SQFT	

## SH-FLAT SHEET

1930	9035011A	204.000 SQFT
	ST-STRUCTURAL	
1940	9035069A	215.000 SQFT
	SHF-FLAT SHEET FLUORESCENT	
1950	9039902	100.000 EA
	MISC. REMOVE AND RELOCATE EXISTING GROUND MOUNT SIGN	

Section 0005 Total

## Section 0006

## ITS ITEMS - J6S3582

1960	9109901	1.000 LS
	MISC. ITS ASSET MANAGEMENT TOOL	
1970	9109901	1.000 LS
	MISC. REMOVAL OF EXISTING FIBER OPTIC CABLE	
1980	9109902	39.000 EA
	MISC. ADJUST TO GRADE MODOT PULL BOX	
1990	9109902	3.000 EA
	MISC. CCTV CAMERA ASSEMBLY	
2000	9109902	4.000 EA
	MISC. CCTV EXTENSION POLE, 20' METALLIC FINISH	
2010	9109902	438.000 EA
	MISC. FIBER OPTIC FUSION SPLICE	
2020	9109902	72.000 EA
	MISC. FIBER OPTIC JUMPER	
2030	9109902	72.000 EA
	MISC. FIBER OPTIC PIGTAIL	
2040	9109902	3.000 EA
	MISC. INSTALL CCTV CAMERA ASSEMBLY	
2050	9109902	9.000 EA
	MISC. INSTALL CONDUIT INTO EXISTING BOX	
2060	9109902	11.000 EA
	MISC. INSTALL MODOT FURNISHED IP-ADDRESSABLE POWER STRIP	
2070	9109902	11.000 EA
	MISC. INSTALL OR RELOCATE EXISTING COMMUNICATION EQUIPMENT	
2080	9109902	1.000 EA
	MISC. INTERCEPT CONDUIT WITH PULL BOX	
2090	9109902	3.000 EA
	MISC. ITS PULL BOX WITH CONCRETE PAD, PREFORMED CLASS 2	
2100	9109902	4.000 EA
	MISC. ITS PULL BOX WITH CONCRETE PAD, PREFORMED CLASS 5	
2110	9109902	3.000 EA
	MISC. REMOVE AND RELOCATE EXISTING CCTV CAMERA	
2120	9109902	7.000 EA
	MISC. REMOVE IN-PAVEMENT WIRELESS DETECTION SYSTEM PER INTERSECTION	
2130	9109902	16.000 EA
	MISC. WALL-MOUNTED INTERCONNECT CENTER	
2140	9109903	1570.000 LF
	MISC. CCTV CAMERA CABLE	
2150	9109903	300.000 LF

## MISC. CONDUIT REPAIR

2160	9109903	657.000	LF	MISC. CONDUIT, HDPE, DRILL, 2"
2170	9109903	195.000	LF	MISC. CONDUIT, HDPE, TRENCH, 2"
2180	9109903	33053.000	LF	MISC. FIBER OPTIC CABLE, 24 STRAND SINGLE MODE
2190	9109903	1000.000	LF	MISC. MODOT ITS ASSETS RELOCATION

Section 0006 Total

## Section 0007

## CRESTWOOD SIGNALS ITEMS - J6S3582

2200	9029901	1.000	LS	MISC. PAINTING NB GLENWOOD SIGN MAST ARM AND POST
2210	9029901	1.000	LS	MISC. PAINTING NEW SAPPINGTON INTERSECTION SIGNAL EQUIPMENT
2220	9029902	2.000	EA	MISC. POWDER COATING SIGNAL EQUIPMENT, 15 FT POST
2230	9029902	3.000	EA	MISC. POWDER COATING SIGNAL EQUIPMENT, 4 FT POST
2240	9029902	21.000	EA	MISC. POWDER COATING SIGNAL EQUIPMENT, 8 FT POST
2250	9029902	1.000	EA	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE BL POST W/ 30' LONGEST MAST ARM
2260	9029902	1.000	EA	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE BL POST W/ 40' LONGEST MAST ARM
2270	9029902	1.000	EA	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE C POST W/ 20' MAST ARM
2280	9029902	2.000	EA	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE C POST W/ 25' MAST ARM
2290	9029902	1.000	EA	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE C POST W/ 30' MAST ARM
2300	9029902	3.000	EA	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE C POST W/ 40' MAST ARM
2310	9029902	2.000	EA	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE C POST W/ 45' MAST ARM
2320	9029902	1.000	EA	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE C POST W/ 50' MAST ARM
2330	9029902	1.000	EA	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE CL POST W/ 20' MAST ARM
2340	9029902	1.000	EA	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE CL POST W/ 30' MAST ARM
2350	9029902	1.000	EA	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE CL POST W/ 35' MAST ARM
2360	9029902	3.000	EA	MISC. POWDER COATING SIGNAL EQUIPMENT, TYPE CL POST W/ 50' MAST ARM

Section 0007 Total

## Section 0008

## BRIDGE A9260 ITEMS - J6S3582

2370	2061000	150.000	CUYD
	CLASS 1 EXCAVATION		
2380	2065500	1.000	LS
	TEMPORARY SHORING		
2390	2160500	1.000	LS
	REMOVAL OF BRIDGES		
2400	5031010A	377.000	SQYD
	BRIDGE APPROACH SLAB (MAJOR)		
2410	6073000	155.000	LF
	(30 IN.) DECORATIVE PEDESTRIAN FENCE (STRUCTURES)		
2420	7021212	330.000	LF
	GALVANIZED STRUCTURAL STEEL PILES (12 IN)		
2430	7025001	2.000	EA
	DYNAMIC PILE TESTING		
2440	7027000	22.000	EA
	PILE POINT REINFORCEMENT		
2450	7032003	74.800	CUYD
	CLASS B CONCRETE (SUBSTRUCTURE)		
2460	7034219A	186.000	LF
	TYPE D BARRIER		
2470	7034222	721.000	SQYD
	SLAB ON CONCRETE BEAM		
2480	7034420	1519.000	SQFT
	RAISED MEDIAN BARRIER		
2490	7034430	1451.000	SQFT
	SIDEWALK (BRIDGES)		
2500	7056050A	724.000	LF
	27 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM		
2510	7071000	1.000	LS
	CONDUIT SYSTEM ON STRUCTURE		
2520	7151001	2.000	EA
	VERTICAL DRAIN AT END BENTS		
2530	7161003	20.000	EA
	LAMINATED NEOPRENE BEARING PAD (TAPERED)		

Section 0008 Total

Item Total

\$0.00



## DBE List Summary

Project: FAF 366-1(5)

Bidder ID: 0011540

Bid Total: 0.00

Business Name: Company 1

Goal: 10.00% (0.00)

Total Entered: 0.00% (0.00)

<b>ID</b>	<b>Name</b>	<b>Supp?/Dist?</b>	<b>Item Count</b>	<b>Amount</b>	<b>Is Complete?</b>
-----------	-------------	--------------------	-------------------	---------------	---------------------

---

**DBE CERTIFICATION**

(6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 2 slots at 1000 hours per slot or 2000 hours.

(7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

(A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 10.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, [www.modot.org](http://www.modot.org) on the Bid Opening Info page of the Contractor Resources site.

(B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

**CONTRACT PROVISIONS**

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

§

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

(10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.

(11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty and material misrepresentation or omission of fact within the bid submission.

(11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? **Yes**  **No**

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

**SUBCONTRACTOR DISCLOSURE**

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if requested by the Design Division or the engineer.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

**SIGNATURE AND IDENTITY OF BIDDER**

## (15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

\*\*\* AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. \*\*\*

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

Yes     No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.



**BID BOND**

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

\*\*Pay by:  Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

**ELECTRONIC BID BOND**

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

\*\*Bond ID:

\*\*Surety Registry Agency:

\*\*Bond Pct:

Surety State:

FIELDS WITH THE \*\* INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS