# STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING Contract I.D. 241213-F02

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S): FAF-100-1 (89)

Job JSL0035 Route 100 FRANKLIN County

#### BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

- 1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
- 2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
- 3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.
- 4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
- 5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
- 6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
- 7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
- 8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
- 9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid) at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

Below is a list of common mistakes made by bidders leading to nonresponsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

#### TABLE OF CONTENTS

#### Notice to Contractors

Proposed Work	item	(1)
Compliance With Contract Provisions	item	(2)
Period of Performance	item	(3)
Liquidated Damages	item	(4)
Itemized Bid	item	(5)
Trainees	item	(6)
DBE Certification*	item	(7)
Acceptance of Provision for Price Adjustment for Fuel	item	(8a)
Acceptance of Provision for Asphalt Cement Price Index	item	(8b)
Max. Monetary Value of Awards Accepted this Bid Opening	item	(9)
Combination Bids	item	(10)
Certification for Federal Jobs	item	(11a)
Certification for State Jobs	item	(11b)
Antidiscrimination	item	(12)
Preference to Missouri Firms in Awarding of Contracts	item	(13)
Subcontractor Disclosure Form*	.item	(14)
Signature and Identity of Bidder	item	(15)
Bid Guaranty*	item	(16)

<sup>\*</sup>These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

#### NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 12/13/2024.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

- (1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:
- \*\*\*\*(1): Job JSL0035 Route 100 FRANKLIN County. Coldmill, resurface, bridge deck replacement and bridge deck rehabilitation from 0.1 mile east of Fifth Street to 0.2 miles west of Route 00, the total length of improvement being 15.716 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

- (2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office Design Division at (573) 751-2876.
- (3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.
- (4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.
- (5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and

completion of the work, as follows:

1.000   2013003   1.000 ACRE   2013003   1.000 ACRE   2013003   1.000 ACRE   2013003   1.000 ACRE   2013003   2033003   1094,000 CUYD   204800   2035003   2033003   2033003   1094,000 CUYD   204800   2035003   70.000 CUYD   204800   2035003   70.000 CUYD   204800   2035003   2035003   177,000 CUYD   204800   2035003   177,000 CUYD   204800   2058000   2058000   205800   205800   205800   2058000   2058000   2	Line Number	Item Number	Quantity	Unit	Unit Price	Extension Price
2013000   CLEARING AND GRUBSINS   1.000 16   REMOVAL OF IMPROVEMENTS   1.000 16   REMOVAL OF IMPROVEMENTS   1.000 16   REMOVAL OF IMPROVEMENTS   1.000 CUVD   CLASS A EXCAVATION   1.000 CUVD   CLASS A EXCAVATION   1.000 CUVD   COMPACTING EMBANDMENT   1.000 CUVD   COMPACTING EMBANDMENT   1.000 STA   COMPACTING EMBANDMENT   1.000 STA   COMPACTING EMBANDMENT   1.000 STA   COMPACTING IN CUT   1.000 STA   COMPACTING IN CUT   1.000 STA   1	Section 0001					
CLEARING AND GRUBELING   1.000 LS   REMOVAL OF IMPROVEMENTS   1.000 LS   REMOVAL OF IMPROVEMENTS   1.004 LDU CUYD   CLEAS A EXCAVATION   1.004 LDU CUYD   CLEAS A EXCAVATION   1.004 LDU CUYD   UNCLEASIFIED EXCAVATION   1.005 CYD   CLEAS A COMPACTING INCOME   1.005 CYD   CLEAS A CHAS A COMPACTING INCOME   1.005 CYD   CLEAS A CHAS A CHA	Roadway Item	s - JSL0035				
2022010   REMOVAL OF IMPROVEMENTS   1000 LS   REMOVAL OF IMPROVEMENTS   1000 CUYD   CLASS A EXCAVATION   1694,000 CUYD   CLASS A EXCAVATION   177,000 CUYD   CURLASSIFIED EXCAVATION   0000 CUYD   CCMPACTING PMANAMEMENT   10,500 STA   CCMPACTING PMANAMEMENT   CCMPACTING PMANAMEMENT   CCMPACTING PMANAMEMENT   CCMPACTING IN CUT   CCMPACTING IN COMPACTING IN CUT   CCMPACTING IN CUT   CC	0010			ACRE		
1.00		CLEARING AND	GRUBBING			
1990   CLASS A EXCAVATION	0020	2022010	1.000	LS		
CLASS A EXCAVATION  2035000 2035000 177,000 CUYD			MPROVEMENTS			
2035000	0030	2031000	1694.000	CUYD		
000		CLASS A EXCAV	/ATION			
177.000 CUYD   COMPACTING EMBANKMENT   10.500 STA   COMPACTING IN CUT   10.500 STA   COMPACTING IN CUT   4.100 STA   MISC. MODIFIED LINER GRAING   MISC. MODIFIED LINER GRAING   MISC. SHAPING SLOPES, CLASS III - MODIFIED MATERIAL REQUIREMENT   MISC. SHAPING SLOPES, CLASS III - MODIFIED MATERIAL REQUIREMENT   MISC. SHAPING SLOPES, CLASS III - MODIFIED MATERIAL REQUIREMENT   MISC. SHAPING SLOPES, CLASS III - MODIFIED MATERIAL REQUIREMENT   MISC. SHAPING SLOPES, CLASS III - MODIFIED MATERIAL REQUIREMENT   MISC. TYPE 5 AGGREGATE FOR BASE (VARIABLE THICKNESS)   MISC. TYPE 5 AGGREGATE FOR BASE (VARIABLE THICKNESS)   MISC. CONCRETE MIXTURE FG 64-22, (BP-1)   MISC. GOVERNMENT MIXTURE FG 64-22, (BP-1)   MISC. CONCRETE MIXTURE FG 76-22 (SP125CLP MIX)   MISC. CONCRETE MIXTURE SURFACE TYPE C   MISC. GOVERNMENT MODIFIED MATERIAL FOR FILE OF MISC. STAP   MISC. CONCRETE PAVEMENT (SURFACE TREATMENT - BAUXITE   MISC. CONCRETE FAVEMENT (SURFACE TREATMENT - BAUXITE   MISC. CONCRETE FAVEMENT (S 1/2 IN. NON-REINFORCED, 7.5 FT. TRANSVERSE CONTRACTION JOINTS)   MISC. CONCRETE PAVEMENT (B 1/2 IN. NON-REINFORCED, 6 FT. JOINTS)   MISC. CONCRETE PAVEMENT (B 1/2 IN. NON-REINFORCED, 6 FT. JOINTS)   MISC. CONCRETE PAVEMENT (B 1/2 IN. NON-REINFORCED, 6 FT. JOINTS)   MISC. CONCRETE PAVEMENT (ROSS DRAIN   MISC. CONCRETE GUTTER TYPE B   MISC. MISC. BUTTER GUTTER TYPE B   MISC. CONCRETE GUTTER TYPE B   MISC. CONCRETE GUTTER TYPE B   MISC. CONCRETE GUTTER TYPE B   MISC. MISC. BUTTER GUTTER TYPE B   MISC. CONCRETE GUTTER TYPE B   MISC. MISC. BUTTER GUTTER TYPE B   MISC. CONCRETE GUTTER TYPE B   MISC. MISC. BUTTER GUTTER TYPE B   MISC. MISC. BUTTER GUTTER TYPE	0040					
COMPACTING EMBANKMENT			EXCAVATION			
10.500 STA	0050					
10.500 STA		COMPACTING EN	MBANKMENT			
2079990	0060	2037075	10.500			
1070   2079909		COMPACTING IN	CUT			
2159910	0070					
1991		MISC. MODIFIE	ED LINEAR GRADI	NG		
MISC. TYPE 5 AGGREGATE FOR BASE (VARIABLE THICKNESS)   MISC. GONCRETE MIXTURE PG 76-22 (BP-1)   MORROLL   MORROLL   MORROLL   MORROLL   MORROLL	0080		77.000			
3049905   555.000 SQYD   MISC. TYPE 5 AGGREGATE FOR BASE (VARIABLE THICKNESS)		MISC. SHAPING	S SLOPES, CLASS	III - MOI	DIFIED MATERIAL REQUIREMENT	
100	0090	3049905	555.000	SQYD		
100   4011209   9123.300 TONS   BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)   110   4030111   17911.600 TONS   ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125CLP MIX)   120   4071007   24998.000 GAL   TACK COAT - NON-TRACKING   131687.000 SQYD   ULTRATHIN BONDED WEARING SURFACE, TYPE C   140   4138000   131687.000 SQYD   ECCP CRACK FILLING   12057.000 SQYD   MISC. HIGH FRICTION SURFACE TREATMENT - BAUXITE   160   5029905   387.600 SQYD   MISC. CONCRETE PAVEMENT (5 3/4 IN. NON-REINFORCED, 7.5 FT. TRANSVERSE CONTRACTION JOINTS)   160   5029905   162.000 SQYD   MISC. CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 6 FT. JOINTS)   170   5029905   162.000 SQYD   MISC. CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 6 FT. JOINTS)   180   5041000   150.000 SQYD   CONCRETE APPROACH PAVEMENT (80).000 LF   FIPE AGGREGATE PAVEMENT (ROSS DRAIN   190   6091042   519.000 LF   CONCRETE GUTTER TYPE B   180   6092011   143.000 LF   CONCRETE GUTTER TYPE B   180   6093015   95.000 LF   ASPHALT CURB (6 IN. HEIGHT AND UNDER) TYPE A   6096010A   2.000 CUYD   EURNISHING TYPE 1 BOCK DITCH LINER   180 KM TITCH LINER			AGGREGATE FOR			
110 4030111 17911.600 TONS	0100		9123.300			
110				PG64-22,	(BP-1)	
ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125CLP MIX)  120	0110					
120 4071007 24998.000 GAL					(SP125CLP MIX)	
TACK COAT - NON-TRACKING  130  4133200  131687.000 SQYD  ULTRATHIN BONDED WEARING SURFACE, TYPE C  140  4138000  446.000 LF  PCCP CRACK FILLING  150  4139905  12057.000 SQYD  MISC. HIGH FRICTION SURFACE TREATMENT - BAUXITE  160  5029905  387.600 SQYD  MISC. CONCRETE PAVEMENT (5 3/4 IN. NON-REINFORCED, 7.5 FT. TRANSVERSE CONTRACTION JOINTS)  170  5029905  MISC. CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 6 FT. JOINTS)  180  5041000  150.000 SQYD  CONCRETE APPROACH PAVEMENT  190  6051018A  69.000 LF  PIPE AGGREGATE PAVEMENT CROSS DRAIN  200  6091042  519.000 LF  CONCRETE GUTTER TYPE B  210  6092011  143.000 LF  INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A  220  6093015  ASPHALT CURB (4 INCH)  FURNISHING TYPE 1 ROCK DUTCH LINER	0120	4071007	24998 000			
1310 4133200 131687.000 SQYD  ULTRATHIN BONDED WEARING SURFACE, TYPE C  140 4138000 446.000 LF  PCCP CRACK FILLING  150 4139905 12057.000 SQYD  MISC. HIGH FRICTION SURFACE TREATMENT - BAUXITE  160 502905 387.600 SQYD  MISC. CONCRETE PAVEMENT (5 3/4 IN. NON-REINFORCED, 7.5 FT. TRANSVERSE CONTRACTION JOINTS)  170 5029905 162.000 SQYD  MISC. CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 6 FT. JOINTS)  180 5041000 150.000 SQYD  CONCRETE APPROACH PAVEMENT  190 6051018A 69.000 LF  PIPE AGGREGATE PAVEMENT CROSS DRAIN  1200 6091042 519.000 LF  CONCRETE GUTTER TYPE B  210 609201 143.000 LF  INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A  220 6093015 95.000 LF  EINNISHING TYPE 1 ROCK DITCH LINER	0120		ION-TRACKING			
ULTRATHIN BONDED WEARING SURFACE, TYPE C  140 4138000 446.000 LF PCCP CRACK FILLING  150 4139905 12057.000 SQYD MISC. HIGH FRICTION SURFACE TREATMENT - BAUXITE  160 5029905 387.600 SQYD MISC. CONCRETE PAVEMENT (5 3/4 IN. NON-REINFORCED, 7.5 FT. TRANSVERSE CONTRACTION JOINTS)  170 5029905 162.000 SQYD MISC. CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 6 FT. JOINTS)  180 5041000 150.000 SQYD CONCRETE APPROACH PAVEMENT  190 6051018A 69.000 LF PIPE AGGREGATE PAVEMENT CROSS DRAIN  200 6091042 519.000 LF CONCRETE GUTTER TYPE B  210 6092011 143.000 LF INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A  220 6093015 95.000 LF EURNISHING TYPE 1 ROCK DITCH LINER						
140 4138000 446.000 LF PCCP CRACK FILLING  150 4139905 12057.000 SQYD MISC. HIGH FRICTION SURFACE TREATMENT - BAUXITE  160 5029905 387.600 SQYD MISC. CONCRETE PAVEMENT (5 3/4 IN. NON-REINFORCED, 7.5 FT. TRANSVERSE CONTRACTION JOINTS)  170 5029905 162.000 SQYD MISC. CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 6 FT. JOINTS)  180 5041000 150.000 SQYD CONCRETE APPROACH PAVEMENT  190 6051018A 69.000 LF PIPE AGGREGATE PAVEMENT CROSS DRAIN  200 6091042 519.000 LF CONCRETE GUTTER TYPE B  210 6092011 143.000 LF INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A  220 6093015 95.000 LF ASPHALT CURB (4 INCH)  EURNISHING TYPE 1 ROCK DITCH LINER	0130			_	PE C	
PCCP CRACK FILLING  4139905 12057.000 SQYD MISC. HIGH FRICTION SURFACE TREATMENT - BAUXITE  160 5029905 387.600 SQYD MISC. CONCRETE PAVEMENT (5 3/4 IN. NON-REINFORCED, 7.5 FT. TRANSVERSE CONTRACTION JOINTS)  170 5029905 162.000 SQYD MISC. CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 6 FT. JOINTS)  180 5041000 150.000 SQYD CONCRETE APPROACH PAVEMENT  190 6051018A 69.000 LF PIPE AGGREGATE PAVEMENT CROSS DRAIN  200 6091042 519.000 LF CONCRETE GUTTER TYPE B  210 6092011 143.000 LF INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A  220 6093015 95.000 LF ASPHALT CURB (4 INCH)  1230 6096010A 2.000 CUYD FURNISHING TYPE 1 ROCK DITCH LINER						
150 4139905 12057.000 SQYD  MISC. HIGH FRICTION SURFACE TREATMENT - BAUXITE  160 5029905 387.600 SQYD  MISC. CONCRETE PAVEMENT (5 3/4 IN. NON-REINFORCED, 7.5 FT. TRANSVERSE CONTRACTION JOINTS)  170 5029905 162.000 SQYD  MISC. CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 6 FT. JOINTS)  180 5041000 150.000 SQYD  CONCRETE APPROACH PAVEMENT  190 6051018A 69.000 LF  PIPE AGGREGATE PAVEMENT CROSS DRAIN  200 6091042 519.000 LF  CONCRETE GUTTER TYPE B  210 6092011 143.000 LF  INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A  220 6093015 95.000 LF  ASPHALT CURB (4 INCH)  1230 6096010A 2.000 CUYD  FURNISHING TYPE 1 ROCK DITCH LINER	0140			ПЕ		
MISC. HIGH FRICTION SURFACE TREATMENT - BAUXITE  160 5029905 387.600 SQYD  MISC. CONCRETE PAVEMENT (5 3/4 IN. NON-REINFORCED, 7.5 FT. TRANSVERSE CONTRACTION JOINTS)  170 5029905 162.000 SQYD  MISC. CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 6 FT. JOINTS)  180 5041000 150.000 SQYD  CONCRETE APPROACH PAVEMENT  190 6051018A 69.000 LF  PIPE AGGREGATE PAVEMENT CROSS DRAIN  1200 6091042 519.000 LF  CONCRETE GUTTER TYPE B  1210 6092011 143.000 LF  INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A  1220 6093015 95.000 LF  ASPHALT CURB (4 INCH)  1230 6096010A 2.000 CUYD  FURNISHING TYPE 1 ROCK DITCH LINER						
160 5029905 387.600 SQYD  MISC. CONCRETE PAVEMENT (5 3/4 IN. NON-REINFORCED, 7.5 FT. TRANSVERSE CONTRACTION JOINTS)  170 5029905 162.000 SQYD  MISC. CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 6 FT. JOINTS)  180 5041000 150.000 SQYD  CONCRETE APPROACH PAVEMENT  190 6051018A 69.000 LF  PIPE AGGREGATE PAVEMENT CROSS DRAIN  200 6091042 519.000 LF  CONCRETE GUTTER TYPE B  210 6092011 143.000 LF  INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A  220 6093015 95.000 LF  ASPHALT CURB (4 INCH)  230 6096010A 2.000 CUYD  FURNISHING TYPE 1 ROCK DITCH LINER	0130				T - BAHXITE	
MISC. CONCRETE PAVEMENT (5 3/4 IN. NON-REINFORCED, 7.5 FT. TRANSVERSE CONTRACTION JOINTS)  170 5029905 162.000 SQYD	0160					
CONTRACTION JOINTS)  170 5029905 162.000 SQYD	0160			_	IN NON-DEINEODCED 7.5	
170 5029905 162.000 SQYD  MISC. CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 6 FT. JOINTS)  180 5041000 150.000 SQYD  CONCRETE APPROACH PAVEMENT  190 6051018A 69.000 LF  PIPE AGGREGATE PAVEMENT CROSS DRAIN  200 6091042 519.000 LF  CONCRETE GUTTER TYPE B  1210 6092011 143.000 LF  INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A  220 6093015 95.000 LF  ASPHALT CURB (4 INCH)  1230 6096010A 2.000 CUYD  FURNISHING TYPE 1 ROCK DITCH LINER						
MISC. CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 6 FT. JOINTS)  180 5041000 150.000 SQYD CONCRETE APPROACH PAVEMENT  190 6051018A 69.000 LF PIPE AGGREGATE PAVEMENT CROSS DRAIN  200 6091042 519.000 LF CONCRETE GUTTER TYPE B  210 6092011 143.000 LF INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A  220 6093015 95.000 LF ASPHALT CURB (4 INCH)  230 6096010A 2.000 CUYD FURNISHING TYPE 1 BOCK DITCH LINER	0170					
180 5041000 150.000 SQYD  CONCRETE APPROACH PAVEMENT  190 6051018A 69.000 LF  PIPE AGGREGATE PAVEMENT CROSS DRAIN  200 6091042 519.000 LF  CONCRETE GUTTER TYPE B  210 6092011 143.000 LF  INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A  220 6093015 95.000 LF  ASPHALT CURB (4 INCH)  230 6096010A 2.000 CUYD  FURNISHING TYPE 1 BOCK DITCH LINER	01.0				ON-REINFORCED, 6 FT. JOINTS	)
CONCRETE APPROACH PAVEMENT  190 6051018A 69.000 LF PIPE AGGREGATE PAVEMENT CROSS DRAIN  1200 6091042 519.000 LF CONCRETE GUTTER TYPE B  1210 6092011 143.000 LF INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A  1220 6093015 95.000 LF ASPHALT CURB (4 INCH)  1230 6096010A 2.000 CUYD FURNISHING TYPE 1 ROCK DITCH LINER	0180					
190 6051018A 69.000 LF PIPE AGGREGATE PAVEMENT CROSS DRAIN  200 6091042 519.000 LF CONCRETE GUTTER TYPE B  210 6092011 143.000 LF INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A  220 6093015 95.000 LF ASPHALT CURB (4 INCH)  230 6096010A 2.000 CUYD FURNISHING TYPE 1 BOCK DITCH LINER		CONCRETE APPR		~		
PIPE AGGREGATE PAVEMENT CROSS DRAIN  200 6091042 519.000 LF  CONCRETE GUTTER TYPE B  210 6092011 143.000 LF  INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A  220 6093015 95.000 LF  ASPHALT CURB (4 INCH)  230 6096010A 2.000 CUYD  FURNISHING TYPE 1 ROCK DITCH LINER	0100					
200 6091042 519.000 LF  CONCRETE GUTTER TYPE B  210 6092011 143.000 LF  INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A  220 6093015 95.000 LF  ASPHALT CURB (4 INCH)  230 6096010A 2.000 CUYD  FURNISHING TYPE 1 ROCK DITCH LINER	0190					
CONCRETE GUTTER TYPE B  210 6092011 143.000 LF						
210 6092011 143.000 LF	0200			ΤΕ		
INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A  220 6093015 95.000 LF  ASPHALT CURB (4 INCH)  230 6096010A 2.000 CUYD  FURNISHING TYPE 1 ROCK DITCH LINER						
ASPHALT CURB (4 INCH)  230  6096010A  2.000 CUYD  FURNISHING TYPE 1 ROCK DITCH LINER	UZIU	DUAZNTT CITE	143.000 R (6 TN DETCUM	TE.	O) TYPE A	
ASPHALT CURB (4 INCH)  230  6096010A  2.000 CUYD  FURNISHING TYPE 1 ROCK DITCH LINER		INIEGRAL CURI		 קקראות האיצי	// TIED W	
230 6096010A 2.000 CUYD  FURNISHING TYPE 1 ROCK DITCH LINER	0220	6093015	95.000	TŁ.		
FURNISHING TYPE 1 ROCK DITCH LINER						
FURNISHING TYPE I RUCK DITCH LINER	0230					
		FURNISHING TY	THE I ROCK DITC			

Contract 1	D: 241	213-F02
------------	--------	---------

0240	6096041 2.000 CUYD
	PLACING TYPE 1 ROCK DITCH LINER
0250	6099903 14.000 LF
	MISC. CONCRETE GUTTER TYPE A (SPECIAL)
0260	6113020 1090.000 CUYD
	FURNISHING TYPE 2 ROCK BLANKET
0270	6113040 1090.000 CUYD
	PLACING TYPE 2 ROCK BLANKET
0280	6116010A 2.000 SQYD
	SLOPE PROTECTION
0290	6122014 1.000 EA
0230	IMPACT ATTENUATOR 60 MPH (SAND BARREL ARRAY)
0300	6122020 8.000 EA
0300	REPLACEMENT SAND BARREL
0.21.0	
0310	6122030 1.000 EA IMPACT ATTENUATOR (RELOCATION)
0320	6122040 2.000 EA WORK ZONE CRASH CUSHION (NARROW)
0330	6122041 3.000 EA WORK ZONE CRASH CUSHION (NARROW) (RELOCATION)
0340	6123001 1.000 LS
	TRUCK MOUNTED ATTENUATOR (TMA)
0350	6131010 767.400 SQYD
0360	6131012 122.000 SQYD
0370	6131013 122.000 SQYD  TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)
0380	6131014 3420.000 LF
0390	6131015 1689.000 EA
	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR
0400	6131018 7.000 EA
0400	TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR
	(TYPE L JOINTS)
0410	6133020 15.400 TONS
	FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS C PARTIAL DEPTH PAVEMENT
	REPAIR
0420	6133021 94.500 SQYD
	REMOVAL FOR CLASS C PARTIAL DEPTH PAVEMENT REPAIR
0430	6161098A 6.000 EA
	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED,
	CONTRACTOR RETAINED
0440	6162002 4.000 EA
	TEMPORARY LONG-TERM RUMBLE STRIPS
0450	6169901 1.000 LS
0460	6173001 511.000 LF
	CONCRETE TRAFFIC BARRIER, TYPE C (RETAINING WALL)
0470	6173600D 499.000 LF
	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED

0480	6175010A 460.000 LF RELOCATING TEMPORARY TRAFFIC BARRIER
0490	6181000 1.000 LS MOBILIZATION
0500	6181020 2.000 EA \$600.00000 \$1,200.00 ADDITIONAL MOBILIZATION FOR SEEDING
0510	6191000 626.000 LF PAVEMENT EDGE TREATMENT
0520	6200015 1924.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE
0530	
0540	6200021 115.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
0550	6200024 3.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW
0560	
0570	
0580	6205301B 3223.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., WHITE
0590	6205303B 3222.000 LF TEMPORARY REMOVABLE MARKING TAPE 4 IN., YELLOW
0600	6205901A 129731.000 LF 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205902A 204786.000 LF
0620	6205902A 204780.000 EF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6205903A 63724.000 EF
0630	6203903A 63724.000 EF 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS 6207001 14418.000 EF
0640	PAVEMENT MARKING REMOVAL  6207002  97.000 EA
	PAVEMENT MARKING REMOVAL (SYMBOLS)
	MISC. TEMPORARY PAVEMENT MARKING PAINT 6214600A 3.000 CUYD
	FLOWABLE BACKFILL
	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
0690	MODIFIED COLDMILLING (DEPTH TRANSITIONS)
0700	PERMANENT EROSION CONTROL GEOTEXTILE 6261000A 905.400 STA
0710	BITUMINOUS SHOULDER RUMBLE STRIP 6261001 242.500 STA
0720	BITUMINOUS CENTERLINE RUMBLE STRIP 6262000A 115.000 STA
	PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6274000 1.000 LS

	CONTRACTOR FURNISHED SURVEYING AND STAKING
0740	8025006 0.300 ACRE MULCHING
0750	8051000A 0.300 ACRE SEEDING - COOL SEASON GRASSES
0760	8061006 20.000 LF ALTERNATE DITCH CHECK
0770	8061016 17.000 CUYD SEDIMENT REMOVAL
0780	8061019 1625.000 LF SILT FENCE
Section 0001 T	\$1,200.00
Section 0002	cond Coble Thomas TGT 0025
	pard Cable Items - JSL0035
0790	6061060 16085.000 LF MGS GUARDRAIL
0800	6061061 9263.000 LF MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING
0810	6061068 7.000 EA  MGS BRIDGE APPROACH TRANSITION SECTION (EXTENDED CURB)
0820	6061069 7.000 EA MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)
0830	6061070 4.000 EA MGS VERTICAL CONCRETE BARRIER TRANSITION
0840	6061074 40.000 EA MGS HEIGHT AND BLOCK TRANSITION
0850	6061075 1.000 EA MGS LONG SPAN GUARDRAIL SECTION
0860	6061080 36.000 EA MGS END ANCHOR
0870	6063014 49.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)
0880	6069902 1.000 EA MISC. TYPE A CRASHWORTHY END TERMINAL (MASH TL-2)
Section 0002 T	
Section 0003	ems - JSL0035
0890	9013004 30.000 LF CONDUIT, 4 IN. RIGID, IN TRENCH
0900	9014004 122.000 LF CONDUIT, 4 IN. RIGID, PUSHED
0910	9016110 1.000 EA PULL BOX, PREFORMED CLASS 1
0920	9016112 2.000 EA PULL BOX, PREFORMED CLASS 3
0930	9017407 560.000 LF CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG

Section 0004 Signal Items -	- JSL0035
0940	9020833 53.000 SQFT
	SH-FLAT SHEET - SIGNAL SIGN
0950	9020834 8.000 EA
	SIGNAL SIGN, MOUNTING HARDWARE
0960	9024283 2.000 EA
	CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER
0970	9025020 22.000 LF
	CONDUIT, 1 IN., LOOP DETECTOR WITH TRACER WIRE
0980	9025200 110.000 LF
	CONDUIT, 2 IN., TRENCH WITH TRACER WIRE
0990	9025300 216.000 LF
	CONDUIT, 3 IN., TRENCH WITH TRACER WIRE
1000	9028208 400.000 LF
	CABLE, 8 AWG 1 CONDUCTOR, POWER
1010	9028311 730.000 LF
	CABLE, 16 AWG 7 CONDUCTOR
1020	9028500 1930.000 LF
	CABLE, LOOP DETECTOR, IN DUCT
1030	9028510 260.000 LF
	CABLE, LOOP DETECTOR, LEAD-IN
1040	9028810 2.000 EA
	PULL BOX, PREFORMED CLASS 1
1050	9029100 4.300 CUYD
	BASE, CONCRETE
1060	9029901 1.000 LS
	MISC. TRAFFIC SIGNAL MAINTENANCE AND PROGRAMMING
1070	9029902 2.000 EA
	MISC. COMBINATION PAD MONUTED $120 \text{V}/240 \text{V}$ POWER SUPPLY AND LIGHTING CONTROLLER WITH UPS
1080	9029902 2.000 EA
	MISC. NETWORK CONNECTED SIGNAL MONITOR
1090	9029902 2.000 EA
	MISC. SL DISTRICT TRAFFIC SIGNAL DETECTION SYSTEM
Section 0004 Tota	
Section 0005 Signing Items	- JSL0035
1100	9031010 40.700 CUYD
1110	9031210 8080.000 LB
	STRUCTURAL STEEL POSTS
1120	9031220 18650.000 LB
	PIPE POSTS
1130	9031270A 1486.000 LF
	2 IN. PSST POST - 12 GA.

1140	9031271A 161.000 EA
	DRIVEN POST ANCHOR FOR 2 IN. PSST - 12 GA.
1150	9031280 391.000 LF
	2.5 IN. PSST POST - 12 GA.
1160	9031281A 32.000 EA
1100	DRIVEN POST ANCHOR FOR 2.5 IN. PSST - 7 GA.
1170	9035004A 3226.000 SQFT
	SH-FLAT SHEET
1180	9035011A 1518.000 SQFT
	ST-STRUCTURAL
1190	9035069A 1485.000 SQFT
	SHF-FLAT SHEET FLUORESCENT
1200	9039902 22.000 EA
1200	MISC. REMOVE AND RELOCATE GROUND MOUNT SIGN
	MIGC. MENOVE AND MEDOMIE GROUND MOUNT GION
Section 0005	Total
Section 0006	TGT 00.2 F
ITS Items -	
1210	9109901 1.000 LS
	MISC. ITS ASSETS MANAGEMENT TOOL
1220	9109902 2.000 EA
	MISC. CONTRACTOR FURNISHED AND INSTALLED IP-ADDRESSABLE POWER STRIP
1230	9109902 44.000 EA
	MISC. FIBER OPTIC FUSION SPLICE
1240	9109902 16.000 EA
1210	MISC. FIBER OPTIC JUMPER
1250	9109902 20.000 EA
	MISC. FIBER OPTIC PIGTAIL
1260	9109902 4.000 EA
	MISC. INSTALL CONDUIT INTO EXISTING PULL BOX
1270	9109902 2.000 EA
	MISC. INSTALL OR RELOCATE EXISTING COMMUNICATIONS EQUIPMENT
1280	9109902 2.000 EA
	MISC. WALL-MOUNTED INTERCONNECT CENTER
1200	
1290	9109903 98.000 LF
1300	9109903 1010.000 T.F
	MISC. FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE
1310	9109903 200.000 LF
	MISC. MODOT ITS ASSETS RELOCATION
Section 0006	Total Total
Section 0007	
	32 Items - JSL0035
1320	
1340	2024043 23.000 SQFT  REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE)
1330	2162000 237.000 LF
	REMOVAL AND STORAGE OF EXISTING BRIDGE RAIL
1340	2162500 5614.000 SQFT

	REMOVAL OF EXISTING BRIDGE DECK
1350	2169904 1790.000 SQFT
	MISC. REMOVAL OF EXISTING BRIDGE APPROACH SLAB
1360	5031010A 199.000 SQYD
	BRIDGE APPROACH SLAB (MAJOR)
1370	7034212 623.000 SQYD
	SLAB ON STEEL
1380	7034219A 277.000 LF
	TYPE D BARRIER
1390	7040102 20.000 SQFT
	SUBSTRUCTURE REPAIR (UNFORMED)
1400	7061070 473.000 EA
1100	MECHANICAL BAR SPLICE
1410	7110200 1.000 LS
1410	PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)
1420	7125200 4800.000 SQFT
1420	SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL
1430	
1430	7125209 4800.000 SQFT FIELD APPLICATION OF ORGANIC ZINC PRIMER
1440	
1440	7125365A 900.000 SQFT INTERMEDIATE FIELD COAT (SYSTEM G)
1.450	
1450	7125370A 900.000 SQFT
	FINISH FIELD COAT (SYSTEM G)
1460	7126000 56.000 LF NON-DESTRUCTIVE TESTING
1470	7151001 2.000 EA
1480	7172054 91.000 LF
	OPEN CELL FOAM JOINT SEAL
Section 0007	Total
Section 0008	
	1531 Items - JSL0035
1490	6233000 596.000 SQYD
	EPOXY POLYMER WEARING SURFACE
1500	7040104 50.000 SQFT
	HALF-SOLE REPAIR
1510	7040163 217.000 SQYD
	CONCRETE CRACK FILLER
1520	7049903 20.000 LF
-	MISC. BARRIER REPAIR (UNFORMED)
Section 0008	Total
Item Total	\$1,200.

# DBE List Summary

Project: FAF-100-1 (89)

Bidder ID: 0011540

Bid Total: 1,200.00

Business Name: Company1

Goal: 10.00% (120.00)

Total Entered: 0.00% (0.00)

ID Name Supp?/Dist? Item Count Amount Is Complete?

#### DBE CERTIFICATION

- (6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 0 slots at 1000 hours per slot or 0 hours.
- (7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

- (A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 10.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.
- (B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

#### CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

- (10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.
- (11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and misrepresentation or omission of fact within the bid submission.
- (11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes  $\bigcirc$  No  $\bigcirc$ 

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

#### SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if

requested by the Design Division or the engineer. SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK: SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK: SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

#### SIGNATURE AND IDENTITY OF BIDDER

#### (15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

\*\*\* AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. \*\*\*

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

### Yes No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

## BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

\*\*Pay by: Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

#### ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

\*\*Bond ID: Verify Clear

\*\*Surety Registry Agency:

\*\*Bond Pct:

Surety State:

FIELDS WITH THE \*\* INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS