# STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING Contract I.D. 241213-D4A

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S): FAF 50-3(118), FAF 54-3(218)

Job J5P3523 Route 50 COLE County

Job J5P3525 Route 54 COLE County

### BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

- 1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
- 2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
- 3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.
- 4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
- 5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
- 6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
- 7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
- 8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
- 9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid) at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

Below is a list of common mistakes made by bidders leading to nonresponsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

#### TABLE OF CONTENTS

#### Notice to Contractors

Proposed Work	item	(1)
Compliance With Contract Provisions	item	(2)
Period of Performance	item	(3)
Liquidated Damages	item	(4)
Itemized Bid	item	(5)
Trainees	item	(6)
DBE Certification*	item	(7)
Acceptance of Provision for Price Adjustment for Fuel	item	(8a)
Acceptance of Provision for Asphalt Cement Price Index	item	(8b)
Max. Monetary Value of Awards Accepted this Bid Opening	item	(9)
Combination Bids	item	(10)
Certification for Federal Jobs	item	(11a)
Certification for State Jobs	item	(11b)
Antidiscrimination	item	(12)
Preference to Missouri Firms in Awarding of Contracts	item	(13)
Subcontractor Disclosure Form*	.item	(14)
Signature and Identity of Bidder	item	(15)
Bid Guaranty*	item	(16)

<sup>\*</sup>These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

#### NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 12/13/2024.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

- (1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:
- \*\*\*\*(1): Job J5P3523 Route 54 COLE County. 3 Bridge rehabilitations along Route 50 in Jefferson City, the total length of improvement being 0.028 miles.\*\*\*\*(2): Job J5P3525 Route 54 COLE County. 8 Bridge rehabilitations along Route 54 in Jefferson City, the total length of improvement being 0.041 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

- (2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office Design Division at (573) 751-2876.
- (3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.
- (4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.
- (5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor,

materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity Unit	Unit Price Extension Price
Section 0001 Roadway Item	ns - J5P3523		
0010	2022010	1.000 LS	
	REMOVAL OF II		
0020	2072000	4.600 STA	
0030	TYPE 5 AGGRE	92.000 SQYD GATE FOR BASE (4 IN. THICK)	
0040		102.000 SQYD	
	ULTRATHIN BOI	NDED WEARING SURFACE, TYPE C	
0050	6081000	0.600 SQYD	
	CONCRETE MED	T A N	
0060	6086004	91.100 SQYD	
	CONCRETE SID	EWALK, 4 IN.	
0070	6091052	158.000 LF	
	CURB AND GUT	TER TYPE B	
0080	6122040	6.000 EA	
	WORK ZONE CRA	ASH CUSHION (NARROW)	
0090	6161005	4281.000 SQFT	
	CONSTRUCTION	SIGNS	
0100	6161008	15.000 EA	
	ADVANCED WAR	NING RAIL SYSTEM	
0110	6161010	1124.000 SQFT	
	RELOCATED SIG	GNS	
0120	6161025	250.000 EA	
	CHANNELIZER	(TRIM LINE)	
0130	6161030	59.000 EA	
	TYPE III MOV	EABLE BARRICADE	
0140	6161033	29.000 EA	
		INDICATOR BARRICADE	
0150	6161040	2.000 EA	
	FLASHING ARRO		
0160	6161055	29.000 EA	
	SEQUENTIAL F	LASHING WARNING LIGHT	
0170	6161070	48.000 EA	
	TUBULAR MARK		
0180	6161099	8.000 EA	
	CHANGEABLE N CONTRACTOR RI	ETAINED	ON INTERFACE, CONTRACTOR FURNISHED,
0190	6162002	8.000 EA	
	TEMPORARY LO	NG-TERM RUMBLE STRIPS	
0200	6169901	1.000 LS	
		ONE INTELLIGENT TRANSPORTATION	SYSTEM
0210	6173000	460.000 LF	
	CONCRETE TRA	FFIC BARRIER, TYPE C	
0220		112.000 LF	
		FFIC BARRIER, TYPE D	
0230	6181000	1.000 LS	
	MOBILIZATION		

		Missouri Department of Transportation	Contract ID: 241213-D4A
0240	6200022	1 000 EA	
0240		1.000 EA THERMOPLASTIC PAVEMENT MARKING, R/R CROSSING	G MARKER
0250	6205902A	8571.000 LF	
		E HIGH BUILD WATERBORNE PAVEMENT MARKING PA	INT, TYPE L BEADS
0260	6205903A	7601.000 LF	
		OW HIGH BUILD WATERBORNE PAVEMENT MARKING PA	AINT, TYPE L BEADS
0270	6206000C	863.000 LF	
		E STANDARD WATERBORNE PAVEMENT MARKING PAIN'	T, TYPE P BEADS
0280	6206001C	123.000 LF	
		OW STANDARD WATERBORNE PAVEMENT MARKING PAIR	
0290	6207001	40991.000 LF	
	PAVEMENT M	ARKING REMOVAL	
0300	6207002	1.000 EA	
	PAVEMENT M	ARKING REMOVAL (SYMBOLS)	
0310	6208064A	96.000 EA	
		RAISED PAVEMENT MARKER	
0320		17866.000 LF	
		RARY PAVEMENT MARKING PAINT	
0330	6221001	102.000 SQYD	
		G BITUMINOUS PAVEMENT FOR REMOVAL OF SURFAC	
0340	6274000	1.000 LS	
	CONTRACTOR	FURNISHED SURVEYING AND STAKING	
0350	8025006	0.400 ACRE	
	MULCHING		
0360	8051000A	0.400 ACRE	
		COOL SEASON GRASSES	
0370	8061016	5.000 CUYD	
	SEDIMENT R		
0380	8061017	0.400 ACRE	
	TEMPORARY	SEEDING	
0390	8061019	542.000 LF	
	SILT FENCE		
0.001 Fig.	1		
Section 0001 Tot	.dl		
0.000			
Section 0002 Signing Items	- J5P3523		
0400	9035011A	160.000 SQFT	
	ST-STRUCTU		
Section 0002 Tot	cal		
Section 0003 Bridge A14202	Items - J5P3523		
0410	2024043	28.000 SQFT	
		MISCELLANEOUS ACM (NON-FRIABLE)	

Bridge Al	14202 Items - J5P3523		
0410	2024043	28.000 SQFT	
	REMOVAL OF	MISCELLANEOUS ACM (NON-FRIABLE)	
0420	2161001	962.000 SQYD	
	TOTAL SURFA	CE HYDRO DEMOLITION	
0430	2161501	8655.000 SQFT	
	REMOVAL OF	ASPHALT WEARING SURFACE	
0440	2163000	2791.000 SQFT	

	PARTIAL REMOVAL OF EXISTING BRIDGE DECK		
0450	2163502 1.000 LS		
0 10 0	PARTIAL REMOVAL OF SUBSTRUCTURE CONCRETE		
0460	5031011A 150.000 SQYD		
0 100	BRIDGE APPROACH SLAB (MINOR ROAD)		
0470		\$1,000.00000	
0470	SUPPLEMENTARY WEARING SURFACE MATERIAL	\$1,000.00000	\$5,000.00
0.400			
0480	5052000 708.000 SQYD  LATEX MODIFIED CONCRETE WEARING SURFACE		
0490	6071068 329.000 LF		
0500	7031004 708.000 SQYD		
0510	7032003 2.500 CUYD		
	CLASS B CONCRETE (SUBSTRUCTURE)		
0520	7034219A 657.000 LF		
	TYPE D BARRIER		
0530	7034430 3395.000 SQFT		
	SIDEWALK (BRIDGES)		
0540	7040104 1700.000 SQFT		
	HALF-SOLE REPAIR		
0550	7040112 212.000 SOFT		
	DECK REPAIR WITH VOID TUBE REPLACEMENT		
0560	7040113 3807.000 SQFT		
0300	CLEANING AND EPOXY COATING		
0570	7121060 1.000 LS		
0370	FABRICATED SIGN SUPPORT BRACKETS		
Section 0003	Total		\$5,000.00
Section 0004 Bridge A07	7225 Items - J5P3523		
0580	2161001 474.000 SQYD		
	TOTAL SURFACE HYDRO DEMOLITION		
0590			
0.3.90	REMOVAL OF ASPHALT WEARING SURFACE		
0600	2161503 100.000 SQFT		
	REMOVAL OF EXISTING DECK REPAIR		
0610	5050004 3.000 CY	\$1,000.00000	\$3,000.00
	SUPPLEMENTARY WEARING SURFACE MATERIAL		
0620	5052000 474.000 SQYD		
	LATEX MODIFIED CONCRETE WEARING SURFACE		
0630	7031004 474.000 SQYD		
	DIAMOND GRINDING		
0640	7040104 100.000 SQFT		
	HALF-SOLE REPAIR		
0650	7040113 1130.000 SQFT		
	CLEANING AND EPOXY COATING		
0660	7172054 57.000 LF		
	OPEN CELL FOAM JOINT SEAL		

Section 0004 Total \$3,000.00

	7226 Items - J5P3523			
0670	2161001 TOTAL SURF	474.000 SQYD ACE HYDRO DEMOLITION		
 0680	2161501	4261.000 SQFT		
		ASPHALT WEARING SURFACE		
0690	2161503	100.000 SQFT		
		EXISTING DECK REPAIR		
0700	5050004	3.000 CY	\$1,000.00000	
	SUPPLEMENT	ARY WEARING SURFACE MATERIAL		
0710	5052000	474.000 SQYD		
	LATEX MODI	FIED CONCRETE WEARING SURFACE		
0720	7031004	474.000 SQYD		
	DIAMOND GR			
0730	7040104	100.000 SQFT		
	HALF-SOLE			
0740	7040113	1130.000 SQFT		
	CLEANING A	ND EPOXY COATING		
0750	7172054	57.000 LF		
	OPEN CELL	FOAM JOINT SEAL		
Section 0005	matal			\$3,000.0
Section 0006				
Section 0006 Roadway I	tems - J5P3525			
		1.000 LS		
Roadway I	tems - J5P3525 2022010	' IMPROVEMENTS		
Roadway I	tems - J5P3525 2022010 REMOVAL OF 4030003	IMPROVEMENTS 8.200 TONS		
Roadway I	tems - J5P3525 2022010 REMOVAL OF 4030003	IMPROVEMENTS		
Roadway I	tems - J5P3525  2022010  REMOVAL OF  4030003  ASPHALTIC  4071005	IMPROVEMENTS 8.200 TONS		
Roadway I 0760 	2022010 REMOVAL OF 4030003 ASPHALTIC 4071005 TACK COAT	1 IMPROVEMENTS 8.200 TONS CONCRETE MIXTURE PG 70-22 (SP095C		
Roadway I 0760 0770	2022010  REMOVAL OF  4030003  ASPHALTIC  4071005  TACK COAT  6113020	8.200 TONS CONCRETE MIXTURE PG 70-22 (SP095C 8.000 GAL 107.000 CUYD		
Roadway I 0760 0770 0780	2022010  REMOVAL OF  4030003  ASPHALTIC  4071005  TACK COAT  6113020	8.200 TONS CONCRETE MIXTURE PG 70-22 (SP095C 8.000 GAL  107.000 CUYD TYPE 2 ROCK BLANKET		
Roadway I 0760 0770 0780	2022010 REMOVAL OF 4030003 ASPHALTIC 4071005 TACK COAT 6113020 FURNISHING	8.200 TONS CONCRETE MIXTURE PG 70-22 (SP095C 8.000 GAL  107.000 CUYD TYPE 2 ROCK BLANKET  107.000 CUYD	MIX)	
Roadway I 0760 0770 0780 0790	tems - J5P3525  2022010  REMOVAL OF  4030003  ASPHALTIC  4071005  TACK COAT  6113020  FURNISHING  6113040  PLACING TY	8.200 TONS CONCRETE MIXTURE PG 70-22 (SP095C 8.000 GAL  107.000 CUYD TYPE 2 ROCK BLANKET  107.000 CUYD PE 2 ROCK BLANKET	MIX)	
Roadway I 0760 0770 0780 0790	2022010 REMOVAL OF 4030003 ASPHALTIC 4071005 TACK COAT 6113020 FURNISHING 6113040 PLACING TY	8.200 TONS CONCRETE MIXTURE PG 70-22 (SP095C 8.000 GAL  107.000 CUYD TYPE 2 ROCK BLANKET 107.000 CUYD PE 2 ROCK BLANKET 2.000 EA	MIX)	
Roadway I 0760 0770 0780 0790 0800	2022010 REMOVAL OF 4030003 ASPHALTIC 4071005 TACK COAT 6113020 FURNISHING 6113040 PLACING TY 6122014 IMPACT ATT	8.200 TONS CONCRETE MIXTURE PG 70-22 (SP095C 8.000 GAL  107.000 CUYD TYPE 2 ROCK BLANKET  107.000 CUYD PE 2 ROCK BLANKET  2.000 EA ENUATOR 60 MPH (SAND BARREL ARRAY)	MIX)	
Roadway I 0760 0770 0780 0790 0800	2022010 REMOVAL OF 4030003 ASPHALTIC 4071005 TACK COAT 6113020 FURNISHING 6113040 PLACING TY 6122014 IMPACT ATT	8.200 TONS CONCRETE MIXTURE PG 70-22 (SP095C 8.000 GAL  107.000 CUYD TYPE 2 ROCK BLANKET  107.000 CUYD PE 2 ROCK BLANKET  2.000 EA PENUATOR 60 MPH (SAND BARREL ARRAY) 1.000 EA	MIX)	
Roadway I 0760 0770 0780 0790 0800 0810	2022010 REMOVAL OF 4030003 ASPHALTIC 4071005 TACK COAT 6113020 FURNISHING 6113040 PLACING TY 6122014 IMPACT ATT 6122017 IMPACT ATT	8.200 TONS CONCRETE MIXTURE PG 70-22 (SP095C 8.000 GAL  107.000 CUYD TYPE 2 ROCK BLANKET  107.000 CUYD PE 2 ROCK BLANKET  2.000 EA PENUATOR 60 MPH (SAND BARREL ARRAY)  1.000 EA PENUATOR 65 MPH (SAND BARREL ARRAY)	MIX)	
Roadway I 0760 0770 0780 0790 0800 0810	2022010 REMOVAL OF 4030003 ASPHALTIC 4071005 TACK COAT 6113020 FURNISHING 6113040 PLACING TY 6122014 IMPACT ATT 6122017 IMPACT ATT	8.200 TONS CONCRETE MIXTURE PG 70-22 (SP095C 8.000 GAL  107.000 CUYD TYPE 2 ROCK BLANKET  107.000 CUYD PE 2 ROCK BLANKET  2.000 EA PENUATOR 60 MPH (SAND BARREL ARRAY)  1.000 EA PENUATOR 65 MPH (SAND BARREL ARRAY)  8.000 EA	MIX)	
Roadway I 0760 0770 0780 0790 0810 0820 0830	2022010 REMOVAL OF 4030003 ASPHALTIC 4071005 TACK COAT 6113020 FURNISHING 6113040 PLACING TY 6122014 IMPACT ATT 6122017 IMPACT ATT 6122020 REPLACEMEN	8.200 TONS CONCRETE MIXTURE PG 70-22 (SP095C 8.000 GAL  107.000 CUYD TYPE 2 ROCK BLANKET 107.000 CUYD PE 2 ROCK BLANKET 2.000 EA ENUATOR 60 MPH (SAND BARREL ARRAY) 1.000 EA ENUATOR 65 MPH (SAND BARREL ARRAY) 8.000 EA	MIX)	
Roadway I 0760 0770 0780 0790 0800 0810 0820	2022010 REMOVAL OF 4030003 ASPHALTIC 4071005 TACK COAT 6113020 FURNISHING 6113040 PLACING TY 6122014 IMPACT ATT 6122017 IMPACT ATT 6122020 REPLACEMEN 6122030	8.200 TONS CONCRETE MIXTURE PG 70-22 (SP095C 8.000 GAL  107.000 CUYD TYPE 2 ROCK BLANKET 107.000 CUYD PE 2 ROCK BLANKET 2.000 EA ENUATOR 60 MPH (SAND BARREL ARRAY) 1.000 EA ENUATOR 65 MPH (SAND BARREL ARRAY) 8.000 EA	MIX)	
Roadway I 0760 0770 0780 0790 0800 0810 0820 0830	2022010 REMOVAL OF 4030003 ASPHALTIC 4071005 TACK COAT 6113020 FURNISHING 6113040 PLACING TY 6122014 IMPACT ATT 6122017 IMPACT ATT 6122020 REPLACEMEN 6122030 IMPACT ATT	8.200 TONS CONCRETE MIXTURE PG 70-22 (SP095C 8.000 GAL  107.000 CUYD TYPE 2 ROCK BLANKET 107.000 CUYD PE 2 ROCK BLANKET 2.000 EA ENUATOR 60 MPH (SAND BARREL ARRAY) 1.000 EA ENUATOR 65 MPH (SAND BARREL ARRAY) 8.000 EA T SAND BARREL 8.000 EA	MIX)	
Roadway I 0760 0770 0780 0790 0800 0810 0820 0830	2022010 REMOVAL OF 4030003 ASPHALTIC 4071005 TACK COAT 6113020 FURNISHING 6113040 PLACING TY 6122014 IMPACT ATT 6122017 IMPACT ATT 6122020 REPLACEMEN 6122030 IMPACT ATT	8.200 TONS CONCRETE MIXTURE PG 70-22 (SP095C 8.000 GAL  107.000 CUYD TYPE 2 ROCK BLANKET 107.000 CUYD PE 2 ROCK BLANKET 2.000 EA ENUATOR 60 MPH (SAND BARREL ARRAY) 1.000 EA ENUATOR 65 MPH (SAND BARREL ARRAY) 8.000 EA ET SAND BARREL 8.000 EA ENUATOR (RELOCATION) 6.000 EA	MIX)	
Roadway I 0760 0770 0780 0790 0800 0810 0820 0830	2022010 REMOVAL OF 4030003 ASPHALTIC 4071005 TACK COAT 6113020 FURNISHING 6113040 PLACING TY 6122014 IMPACT ATT 6122017 IMPACT ATT 6122020 REPLACEMEN 6122030 IMPACT ATT 6122040 WORK ZONE	8.200 TONS CONCRETE MIXTURE PG 70-22 (SP095C 8.000 GAL  107.000 CUYD TYPE 2 ROCK BLANKET 107.000 EA ENUATOR 60 MPH (SAND BARREL ARRAY) 1.000 EA ENUATOR 65 MPH (SAND BARREL ARRAY) 8.000 EA T SAND BARREL 8.000 EA ENUATOR (RELOCATION) 6.000 EA CRASH CUSHION (NARROW)	MIX)	
Roadway I 0760  0770  0780  0790  0800  0810  0820  0830  0840	2022010 REMOVAL OF 4030003 ASPHALTIC 4071005 TACK COAT 6113020 FURNISHING 6113040 PLACING TY 6122014 IMPACT ATT 6122017 IMPACT ATT 6122020 REPLACEMEN 6122030 IMPACT ATT 6122040 WORK ZONE 6133018	8.200 TONS CONCRETE MIXTURE PG 70-22 (SP095C  8.000 GAL  107.000 CUYD TYPE 2 ROCK BLANKET  107.000 EA ENUATOR 60 MPH (SAND BARREL ARRAY)  1.000 EA ENUATOR 65 MPH (SAND BARREL ARRAY)  8.000 EA ENUATOR 65 MPH (SAND BARREL ARRAY)  8.000 EA ENUATOR (RELOCATION)  6.000 EA CRASH CUSHION (NARROW)	MIX)	

	Missouri Department of Transportation Contract ID: 241213-D4A
0870	6133019 35.600 SQYD
	REMOVAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR
0880	6161005 2629.000 SQFT CONSTRUCTION SIGNS
0890	6161008 14.000 EA
0030	ADVANCED WARNING RAIL SYSTEM
0900	6161010 2434.000 SQFT
0900	RELOCATED SIGNS
0910	6161025 253.000 EA
	CHANNELIZER (TRIM LINE)
0920	6161030 31.000 EA
	TYPE III MOVEABLE BARRICADE
0930	6161033 30.000 EA
	DIRECTIONAL INDICATOR BARRICADE
0940	6161040 2.000 EA
	FLASHING ARROW PANEL
0950	6161055 30.000 EA
	SEQUENTIAL FLASHING WARNING LIGHT
0960	6161070 73.000 EA
0 3 0 0	TUBULAR MARKER
0970	C1C1000 12 000 FB
0970	6161099 12.000 EA CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED,
	CONTRACTOR RETAINED
0980	6162002 20.000 EA
0 9 0 0	TEMPORARY LONG-TERM RUMBLE STRIPS
0990	6169901 1.000 LS  MISC. WORK ZONE INTELLIGENT TRANSPORTATION SYSTEM
1000	6173000 460.000 LF
	CONCRETE TRAFFIC BARRIER, TYPE C
1010	6173600D 688.000 LF
	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED
1020	6173700B 575.000 LF
	TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED
1030	6175010A 1775.000 LF
	RELOCATING TEMPORARY TRAFFIC BARRIER
1040	6175011B 663.000 LF
	RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED
1050	6181000 1.000 LS
	MOBILIZATION
1060	6205902A 25010.000 LF
1000	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
1070	6205903A 18502.000 LF
1070	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
1080	6207001 102340.000 LF
	PAVEMENT MARKING REMOVAL
1090	6208064A 146.000 EA
	TEMPORARY RAISED PAVEMENT MARKER
1100	
	4 IN TEMPORARY PAVEMENT MARKING PAINT
1110	6221001 102.000 SQYD
	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
1120	6240103A 160.000 SQYD

1130	6274000 1.000 LS		
	CONTRACTOR FURNISHED SURVEYING AND STAKING		
Section 0006	Total		
Section 0007 Bridge A130	052 Items - J5P3525		
1140	2161000 227.000 SQYD		
	SCARIFICATION OF BRIDGE DECK		
1150			
	TOTAL SURFACE HYDRO DEMOLITION		
1160	2161501 1744.000 SQFT		
1100	REMOVAL OF ASPHALT WEARING SURFACE		
 1170			
1170	REMOVAL OF CONCRETE WEARING SURFACE		
1100			
1180	2161503 50.000 SQFT REMOVAL OF EXISTING DECK REPAIR		
1190		\$1,000.00000	\$4,000.00
1200	5052000 909.000 SQYD		
	LATEX MODIFIED CONCRETE WEARING SURFACE		
1210	7031004 909.000 SQYD		
	DIAMOND GRINDING		
1220	7040102 5.000 SQFT		
	SUBSTRUCTURE REPAIR (UNFORMED)		
1230	7040103 15.000 SQFT		
	SUPERSTRUCTURE REPAIR (UNFORMED)		
1240	7040104 50.000 SQFT		
1210	HALF-SOLE REPAIR		
1250			
1200	CLEANING AND EPOXY COATING		
1000			
1260	7172054 99.000 LF		
	OPEN CELL FOAM JOINT SEAL		
Section 0007			\$4,000.00
Section 0008	DE2 Thomas TED2E2E		
Bridge A130	053 Items - J5P3525		
	2161000 227.000 SQYD		
Bridge A130	2161000 227.000 SQYD SCARIFICATION OF BRIDGE DECK		
Bridge A130	2161000 227.000 SQYD SCARIFICATION OF BRIDGE DECK 2161001 909.000 SQYD		
Bridge A130	2161000 227.000 SQYD  SCARIFICATION OF BRIDGE DECK  2161001 909.000 SQYD  TOTAL SURFACE HYDRO DEMOLITION		
Bridge A130	2161000 227.000 SQYD  SCARIFICATION OF BRIDGE DECK  2161001 909.000 SQYD  TOTAL SURFACE HYDRO DEMOLITION		
Bridge A130 1270  1280	2161000 227.000 SQYD SCARIFICATION OF BRIDGE DECK  2161001 909.000 SQYD TOTAL SURFACE HYDRO DEMOLITION  2161501 1744.000 SQFT REMOVAL OF ASPHALT WEARING SURFACE		
Bridge A130 1270  1280	2161000 227.000 SQYD SCARIFICATION OF BRIDGE DECK  2161001 909.000 SQYD TOTAL SURFACE HYDRO DEMOLITION  2161501 1744.000 SQFT REMOVAL OF ASPHALT WEARING SURFACE		
Bridge A130 1270 1280 1290	2161000 227.000 SQYD SCARIFICATION OF BRIDGE DECK  2161001 909.000 SQYD TOTAL SURFACE HYDRO DEMOLITION  2161501 1744.000 SQFT REMOVAL OF ASPHALT WEARING SURFACE  2161502 4392.000 SQFT REMOVAL OF CONCRETE WEARING SURFACE		
Bridge A130 1270 1280	2161000 227.000 SQYD SCARIFICATION OF BRIDGE DECK  2161001 909.000 SQYD TOTAL SURFACE HYDRO DEMOLITION  2161501 1744.000 SQFT REMOVAL OF ASPHALT WEARING SURFACE  2161502 4392.000 SQFT REMOVAL OF CONCRETE WEARING SURFACE		
Bridge A130 1270 1280 1290	2161000 227.000 SQYD SCARIFICATION OF BRIDGE DECK  2161001 909.000 SQYD TOTAL SURFACE HYDRO DEMOLITION  2161501 1744.000 SQFT REMOVAL OF ASPHALT WEARING SURFACE  2161502 4392.000 SQFT REMOVAL OF CONCRETE WEARING SURFACE		
Bridge A130 1270  1280  1290  1300	2161000 227.000 SQYD SCARIFICATION OF BRIDGE DECK  2161001 909.000 SQYD TOTAL SURFACE HYDRO DEMOLITION  2161501 1744.000 SQFT REMOVAL OF ASPHALT WEARING SURFACE  2161502 4392.000 SQFT REMOVAL OF CONCRETE WEARING SURFACE  2161503 50.000 SQFT REMOVAL OF EXISTING DECK REPAIR		

1330	5052000	909.000 SQYD		
	LATEX MODIFIED CON	ICRETE WEARING SURFACE		
1340	7031004	909.000 SQYD		
	DIAMOND GRINDING			
1350	7040103	15.000 SQFT		
	SUPERSTRUCTURE REF			
1360	7040104	50.000 SQFT		
1300	HALF-SOLE REPAIR	50.000 BQII		
1370		1859.000 SQFT		
1370	CLEANING AND EPOXY	=		
1380	7172054			
1300	0PEN CELL FOAM JOI			
	OTEN CEEE TOTAL OCI			
Section 0008	Total			\$4,000.00
				_
Section 0009				
Bridge A13	3074 Items - J5P3525			
1390		737.000 SQYD		
	TOTAL SURFACE HYDF	O DEMOLITION		
1400	2161501	6637.000 SQFT		
	REMOVAL OF ASPHALT			
1410	2161503	300.000 SQFT		
	REMOVAL OF EXISTIN	IG DECK REPAIR		
1420	5050004	4.000 CY	\$1,000.00000	\$4,000.00
	SUPPLEMENTARY WEAF			
1430	5052000	737.000 SQYD		
	LATEX MODIFIED CON			
1440	7031004	737.000 SOYD		
	DIAMOND GRINDING	2		
1450	7040104	50.000 SOFT		
1100	HALF-SOLE REPAIR	00.000 5211		
1460	7040113	1792.000 SQFT		
1100	CLEANING AND EPOXY			
		94.000 LF		
	OPEN CELL FOAM JOI			
Section 0009	Total			\$4,000.00
Section 0010	3075 Items - J5P3525			
	2161001	737 000 SOVD		
1400	TOTAL SURFACE HYDR			
1490	2161501 REMOVAL OF ASPHALT	6637.000 SQFT		
1500				
1500		200.000 SQFT		
	REMOVAL OF EXISTIN			
1510		4.000 CY	\$1,000.00000	\$4,000.00
	SUPPLEMENTARY WEAR			
	5052000	737.000 SQYD		
	LATEX MODIFIED CON	ICRETE WEARING SURFACE		
1530	7031004	737.000 SQYD		

	DIAMOND GRINDING		
1540	7040104 50.000 SQFT		
	HALF-SOLE REPAIR		
1550	7040113 1792.000 SQFT CLEANING AND EPOXY COATING		
1560	7172054 94.000 LF		
	OPEN CELL FOAM JOINT SEAL		
Section 0010	O Total		\$4,000.00
Section 0011 Bridge A1	1 .3092 Items - J5P3525		
1570	2161001 638.000 SQYD TOTAL SURFACE HYDRO DEMOLITION		
1500			
1580	2161501 5748.000 SQFT REMOVAL OF ASPHALT WEARING SURFACE		
1590	2161503 100.000 SQFT		
1600		\$1,000.00000	\$5,000.00
1610			
1620	7031004 638.000 SQYD DIAMOND GRINDING		
1630	7040104 100.000 SQFT		
1030	HALF-SOLE REPAIR		
1640	7040107 10.000 LF		
	SLAB EDGE REPAIR (BRIDGES)		
1650	7040113 700.000 SQFT		
1000	CLEANING AND EPOXY COATING		
1660	7172054 89.000 LF		
1000	OPEN CELL FOAM JOINT SEAL		
Section 0011	l Total		\$5,000.00
			. ,
Section 0012			
	.6724 Items - J5P3525		
1670	2161001 611.000 SQYD TOTAL SURFACE HYDRO DEMOLITION		
1.600			
1680	2161501 5502.000 SQFT REMOVAL OF ASPHALT WEARING SURFACE		
1690	2161503 250.000 SQFT REMOVAL OF EXISTING DECK REPAIR		
1700		61 000 00000	62.000.00
1700	5050004 3.000 CY SUPPLEMENTARY WEARING SURFACE MATERIAL	\$1,000.00000	\$3,000.00
1710			
1710	5052000 611.000 SQYD		
1720	7031004 611.000 SQYD DIAMOND GRINDING		
1730	7040104 50.000 SQFT  HALF-SOLE REPAIR		
	HADE OODE VERMIN		

Missouri Department of Transportation Contract ID: 241213-D4A 1740 7040113 500.000 SQFT CLEANING AND EPOXY COATING 7172054 71.000 LF OPEN CELL FOAM JOINT SEAL Section 0012 Total \$3,000.00 Section 0013 Bridge A16725 Items - J5P3525 2161001 803.000 SQYD TOTAL SURFACE HYDRO DEMOLITION 7227.000 SQFT 1770 2161501 REMOVAL OF ASPHALT WEARING SURFACE 1780 2161503 300.000 SQFT REMOVAL OF EXISTING DECK REPAIR \_\_\_\_\_ 1790 5050004 9.000 CY \$1,000.00000 \$9,000.00 SUPPLEMENTARY WEARING SURFACE MATERIAL 803.000 SQYD 1800 5052000 LATEX MODIFIED CONCRETE WEARING SURFACE 1810 7031004 803.000 SQYD DIAMOND GRINDING 1820 7040101 10.000 SQFT SUBSTRUCTURE REPAIR (FORMED) 7040104 500.000 SQFT HALF-SOLE REPAIR 1840 7040113 750.000 SQFT

CLEANING AND EPOXY COATING 1850 7172054 90.000 LF OPEN CELL FOAM JOINT SEAL

\$9,000.00

Section 0013 Total

1940

7040113

Section 0014 Bridge A14153 Items - J5P3525 1860 2061000 23.000 CUYD CLASS 1 EXCAVATION 684.000 SQYD 2161001 TOTAL SURFACE HYDRO DEMOLITION 1880 2161502 6160.000 SQFT REMOVAL OF CONCRETE WEARING SURFACE 1890 5050004 2.000 CY \$1,000.00000 \$2,000.00 SUPPLEMENTARY WEARING SURFACE MATERIAL 1900 5052000 684.000 SQYD LATEX MODIFIED CONCRETE WEARING SURFACE 1910 7031004 684.000 SOYD DIAMOND GRINDING 1920 7039907 11.000 CUYD MISC. SELF-CONSOLIDATING CONCRETE 1930 7040104 100.000 SQFT HALF-SOLE REPAIR

2600.000 SOFT

Missouri Department of Transportation

Contract ID: 241213-D4A

\$46,000.00

	CI FANINC A	AD EDOVY COMMING	
	CLEANING A	ND EPOXY COATING	
1950	7101000	1210.000 LB	
	REINFORCIN	G STEEL (EPOXY COATED)	
1960	7172054	92.000 LF	
	OPEN CELL	FOAM JOINT SEAL	
Section 001	4 Total		\$2,000.00

Item Total

## DBE List Summary

Project: FAF 50-3(118) Bidder ID: 0011540 Bid Total: 46,000.00 Business Name: Company 1

Goal: 5.00% (2,300.00)

Total Entered: 0.00% (0.00)

Name

Supp?/Dist? Item Count Amount Is Complete?

#### DBE CERTIFICATION

- (6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 0 slots at 1000 hours per slot or 0 hours.
- (7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

- (A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 5.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.
- (B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

#### CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

- (10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.
- (11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and misrepresentation or omission of fact within the bid submission.
- (11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes  $\bigcirc$  No  $\bigcirc$ 

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

#### SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, rtation, 105 W. 2-0270. Telefax 1 or emailed to ginal documents it available if

directly to the Design Division, Missouri Department of Transpo Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102 transmittal to MoDOT will be permitted at fax no. 573-522-2281 subcontractor.disclosure@modot.mo.gov. The complete signed original of the design of the design Division or the engineer.
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

#### SIGNATURE AND IDENTITY OF BIDDER

#### (15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

\*\*\* AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. \*\*\*

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

## Yes No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

## BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

\*\*Pay by: Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

#### ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

\*\*Bond ID: Verify Clear

\*\*Surety Registry Agency:

\*\*Bond Pct:

Surety State:

FIELDS WITH THE \*\* INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS