



# **STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION**

JEFFERSON CITY, MISSOURI

**CONSTRUCTING OR IMPROVING**  
**Contract I.D.** 250117-G03

THIS JOB SHALL BE CONSTRUCTED UNDER  
FEDERAL PROJECT NUMBER(S): FAF 60-2(117)

Job J7P3425C Route 60 Webster County

BIDDER CHECKLIST  
FINAL CHECKLIST BEFORE SUBMITTING BID

1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at [www.bidx.com](http://www.bidx.com). Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.
4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid)at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

\*\*\*\*\*

Below is a list of common mistakes made by bidders leading to non-responsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision
  - only used if bidding more than one project and should be in only one bid proposal
- d) Not obtaining a digital ID in advance of the letting
  - (obtaining a digital ID may take 5 business days)

\*\*\*\*\*

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

**TABLE OF CONTENTS**

## Notice to Contractors

Proposed Work.....	item (1)
Compliance With Contract Provisions.....	item (2)
Period of Performance.....	item (3)
Liquidated Damages.....	item (4)
Itemized Bid.....	item (5)
Trainees.....	item (6)
DBE Certification*.....	item (7)
Acceptance of Provision for Price Adjustment for Fuel.....	item (8a)
Acceptance of Provision for Asphalt Cement Price Index....	item (8b)
Max. Monetary Value of Awards Accepted this Bid Opening...	item (9)
Combination Bids.....	item (10)
Certification for Federal Jobs.....	item (11a)
Certification for State Jobs.....	item (11b)
Antidiscrimination.....	item (12)
Preference to Missouri Firms in Awarding of Contracts.....	item (13)
Subcontractor Disclosure Form*.....	item (14)
Signature and Identity of Bidder.....	item (15)
Bid Guaranty*.....	item (16)

\*These forms are also available on MoDOT's Website, [www.modot.org](http://www.modot.org) under Information on the Bid Opening Info page of the Contractor Resources site.

**NOTICE TO CONTRACTORS**

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 01/17/2025.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

(1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:

\*\*\*\*(1): Job J7P3425C Route 60 WEBSTER County. Interchange at Route A in Diggins, the total length of improvement being 9.78 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

(2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876.

(3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.

(4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity	Unit	Unit Price	Extension Price
Section 0001					
Roadway Items - J7P3425C					
0010	1081000	1.000	LS	\$1,000.00000	\$1,000.00
	SIGNET DBE REPORTING				
0020	2013000	31.000	ACRE		
	CLEARING AND GRUBBING				
0030	2022010	1.000	LS		
	REMOVAL OF IMPROVEMENTS				
0040	2035000	243714.000	CUYD		
	UNCLASSIFIED EXCAVATION				
0050	2035500	1035830.000	CUYD		
	EMBANKMENT IN PLACE				
0060	2036000	207157.000	CUYD		
	COMPACTING EMBANKMENT				
0065	2037075	205.300	STA		
<b>1</b> ADDED	COMPACTING IN CUT				
0070	2043010	4.000	EA		
	PORE PRESSURE MEASURING DEVICE				
0080	2063000	2331.000	CUYD		
	CLASS 3 EXCAVATION				
0090	2063100	259.000	CUYD		
	CLASS 3 EXCAVATION IN ROCK				
0100	2063300	190.000	CUYD		
	CLASS 4 EXCAVATION				
0110	2063500	3.000	EA		
	CULVERT CLEANOUT				
0113	2142000	3790.000	CUYD		
<b>1</b> ADDED	FURNISHING ROCK FILL				
0117	2143000	3790.000	CUYD		
<b>1</b> ADDED	PLACING ROCK FILL				
0120	3040504	72628.700	SQYD		
	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)				
0130	3040506	37891.600	SQYD		
	TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)				
0140	3049905	25837.900	SQYD		
	MISC. OPTIONAL BASE				
0150	3049905	11900.000	SQYD		
	MISC. RIGID GEOGRID TO ENHANCE AGGREGATE OR ROCK BASE				
0160	3105003	1969.000	SQYD		
	GRAVEL (A) OR CRUSHED STONE (B)				
0170	4010107	9529.900	SQYD		
	7 INCHES, BITUMINOUS PAVEMENT				
0180	5021305	91.000	SQYD		
	CONCRETE PAVEMENT (5 3/4 IN. NON-REINFORCED, 15 FT. JOINTS)				
0190	5021332	4158.000	SQYD		
	CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)				
0200	5029905	513.900	SQYD		
	MISC. 8 IN. TRUCK APRON (PIGMENTED & TEXTURED)				
0210	6044011	4.000	EA		

PIPE COLLAR, TYPE A			
0220	6071050	1322.000	LF
CHAIN-LINK FENCE (RETAINING WALLS)			
0230	6071102	1322.000	LF
MODIFIED CONCRETE GUTTER TYPE B			
0240	6079902	2.000	EA
MISC. 20' UTILITY GATE			
0250	6079903	142.000	LF
MISC. TEMP/PERMANENT FENCE			
0260	6081000	264.000	SQYD
CONCRETE MEDIAN			
0270	6083008	835.600	SQYD
8 IN. CONCRETE MEDIAN STRIP			
0280	6085007	2326.700	SQYD
PAVED APPROACH, 7 IN.			
0290	6091042	154.000	LF
CONCRETE GUTTER TYPE B			
0300	6091052	893.000	LF
CURB AND GUTTER TYPE B			
0310	6091060	218.800	SQYD
PAVED DITCH			
0320	6092011	176.000	LF
INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A			
0330	6092031	302.000	LF
CONCRETE CURB LOW PROFILE TYPE E			
0340	6096020	120.000	CUYD
FURNISHING TYPE 2 ROCK DITCH LINER			
0350	6096042	120.000	CUYD
PLACING TYPE 2 ROCK DITCH LINER			
0360	6113020	7413.000	CUYD
FURNISHING TYPE 2 ROCK BLANKET			
0370	6113040	7413.000	CUYD
PLACING TYPE 2 ROCK BLANKET			
0380	6122017	2.000	EA
IMPACT ATTENUATOR 65 MPH (SAND BARREL ARRAY)			
0390	6122030	1.000	EA
IMPACT ATTENUATOR (RELOCATION)			
0400	6141021	1.000	EA
GRATE AND BEARING PLATE (3 FT. X 2 FT. OR 914 MM X 610 MM)			
0410	6141022	6.000	EA
GRATE AND BEARING PLATE (3 FT. X 3 FT. OR 914 MM X 914 MM)			
0420	6141024	5.000	EA
GRATE AND BEARING PLATE (5 FT. X 3 FT. OR 1524 MM X 914 MM)			
0430	6161005	1369.000	SQFT
CONSTRUCTION SIGNS			
0440	6161025	134.000	EA
CHANNELIZER (TRIM LINE)			
0450	6161030	12.000	EA
TYPE III MOVEABLE BARRICADE			
0460	6161040	2.000	EA
FLASHING ARROW PANEL			

0470	6161099	4.000 EA		
		CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED		
0480	6162002	4.000 EA		
		TEMPORARY LONG-TERM RUMBLE STRIPS		
0490	6173100	649.000 LF		
		CONCRETE TRAFFIC BARRIER, TYPE D		
0500	6173102	153.000 LF		
		CONCRETE TRAFFIC BARRIER, TYPE D (RETAINING WALL)		
0510	6173103	241.000 LF		
		CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB)		
0520	6173600D	801.000 LF		
		TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED		
0530	6173700B	2034.000 LF		
		TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED		
0540	6175010A	1240.000 LF		
		RELOCATING TEMPORARY TRAFFIC BARRIER		
0550	6181000	1.000 LS		
		MOBILIZATION		
0560	6181015	1.000 LS		
		RAILROAD PLAN SUBMITTAL		
0570	6181020	8.000 EA	\$600.00000	\$4,800.00
		ADDITIONAL MOBILIZATION FOR SEEDING		
0580	6200015	199.000 LF		
		PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE		
0590	6200018	71.000 LF		
		PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW		
0600	6200042	27.000 EA		
		PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES		
0610	6205902A	14460.000 LF		
		6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS		
0620	6205903A	10107.000 LF		
		6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS		
0630	6205906A	2152.000 LF		
		12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS		
0640	6206000C	11225.000 LF		
		4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS		
0650	6206001C	57659.000 LF		
		4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS		
0660	6207001	16119.000 LF		
		PAVEMENT MARKING REMOVAL		
0670	6207002	2.000 EA		
		PAVEMENT MARKING REMOVAL (SYMBOLS)		
0680	6208076	12110.000 LF		
		4 IN TEMPORARY PAVEMENT MARKING PAINT		
0690	6209903	104.000 LF		
		MISC. 12 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS		
0700	6209903	1078.000 LF		
		MISC. 12 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS		
0710	6240104A	11900.000 SQYD		
		SEPARATION GEOTEXTILE		
0720	6274000	1.000 LS		



## CONTRACTOR FURNISHED SURVEYING AND STAKING

0730	7034041	79.000	CUYD
	CLASS B-1 CONCRETE (CULVERTS) 4' X 4' BOX CULVERT		
0740	7061030	10840.000	LB
	REINFORCING STEEL (CULVERTS)		
0750	7250315A	285.000	LF
	15 IN. PIPE GROUP B		
0760	7250318A	1049.000	LF
	18 IN. PIPE GROUP B		
0770	7261018	982.000	LF
	18 IN. PIPE GROUP A		
0780	7261024	2112.000	LF
	24 IN. PIPE GROUP A		
0790	7261030	1464.000	LF
	30 IN. PIPE GROUP A		
0800	7261036	226.000	LF
	36 IN. PIPE GROUP A		
0810	7261048	317.000	LF
	48 IN. PIPE GROUP A		
0820	7311032	6.000	FT
	PRECAST CONCRETE DROP INLET 3 FT X 2 FT		
0830	7311033	38.000	FT
	PRECAST CONCRETE DROP INLET 3 FT X 3 FT		
0840	7311053	33.000	FT
	PRECAST CONCRETE DROP INLET 5 FT X 3 FT		
0850	7319913	25.000	FT
	MISC. SPECIAL INLET NO. 1		
0860	7320018A	46.000	EA
	18 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION		
0870	7320618A	14.000	EA
	18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION		
0880	7320624A	27.000	EA
	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION		
0890	7320630A	10.000	EA
	30 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION		
0900	7320636A	5.000	EA
	36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION		
0910	7320648A	2.000	EA
	48 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION		
0920	8025006	117.900	ACRE
	MULCHING		
0930	8051000A	78.600	ACRE
	SEEDING - COOL SEASON GRASSES		
0940	8061003	132.700	CUYD
	SEDIMENT TRAP EXCAVATION		
0950	8061004	177.000	CUYD
	SEDIMENT TRAP ROCK		
0960	8061005	10052.000	LF
	ROCK DITCH CHECK		
0970	8061016	1278.000	CUYD
	SEDIMENT REMOVAL		

0980	8061017	39.300 ACRE
	TEMPORARY SEEDING	
-----		
0990	8061019	38114.000 LF
	SILT FENCE	
-----		
Section 0001 Total		\$5,800.00

Section 0002      AA1		
Alt Pvmnt A - Mainline 60 - Asphalt - J7P3425C		
-----		
1000	4019905	20316.000 SQYD
	MISC. 13.5 IN. BITUMINOUS PAVEMENT	
-----		
1010	6261000A	92.800 STA
	BITUMINOUS SHOULDER RUMBLE STRIP	
-----		
Section 0002 Total		

Section 0003      AA2		
Alt Pvmnt B - Mainline 60 - Concrete - J7P3425C		
-----		
1020	5021310	20316.000 SQYD
	CONCRETE PAVEMENT (10 IN. NON-REINFORCED 15 FT. JOINTS)	
-----		
1030	6262000A	92.800 STA
	PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP	
-----		
Section 0003 Total		

Section 0004      BB1		
Alt Pvmnt C - Mainline 60 - Type A2 Shoulders - Asphalt - J7P 3425C		
-----		
1040	4010150	5430.700 SQYD
	TYPE A2 SHOULDER	
-----		
1050	6091010	229.000 LF
	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S	
-----		
Section 0004 Total		

Section 0005      BB2		
Alt Pvmnt D - Mainline 60 - Type A2 Shoulders - - Concrete - J7P3425C		
-----		
1060	5021340	5430.700 SQYD
	TYPE A2 SHOULDER	
-----		
1070	6092011	229.000 LF
	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A	
-----		
Section 0005 Total		

Section 0006      CC1		
Alt Pvmnt E Route A/NN/Ramps - Asphalt - J7P3425C		
-----		
1080	4019905	21153.000 SQYD
	MISC. 11.5 IN. BITUMINOUS PAVEMENT	
-----		
1090	6261000A	23.500 STA
	BITUMINOUS SHOULDER RUMBLE STRIP	
-----		

## Section 0006 Total

---

Section 0007        CC2  
Alt Pvmt F Route A/NN/Ramps - Concrete - J7P3425C

---

1100	5021332	21153.000	SQYD
CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)			

---

1110	6262000A	23.500	STA
PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP			

---

## Section 0007 Total

---

Section 0008        DD1  
Alt Pvmt G - Route A/NN/Ramps - Type A2 Shoulders - Asphalt - J7P3425C

---

1120	4010150	9148.600	SQYD
TYPE A2 SHOULDER			

---

## Section 0008 Total

---

Section 0009        DD2  
Alt Pvmt H - Route A/NN/Ramps - Type A2 Shoulders -Concrete - J7P3425C

---

1130	5021340	9148.600	SQYD
TYPE A2 SHOULDER			

---

## Section 0009 Total

---

Section 0010        EE1  
Alt Pvmt I - Outer Roads - Asphalt - J7P3425C

---

1140	4019905	60892.000	SQYD
MISC. 8.5 IN. BITUMINOUS PAVEMENT			

---

## Section 0010 Total

---

Section 0011        EE2  
Alt Pvmt J - Outer Roads - Concrete - J7P3425C

---

1150	5021331	60892.000	SQYD
CONCRETE PAVEMENT (7 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)			

---

## Section 0011 Total

---

Section 0012  
Guardrail/Guard Cable Items - J7P3425C

---

1160	6061040	63.000	LF
GUARDRAIL TYPE D			

---

1170	6061060	5350.000	LF
MGS GUARDRAIL			

---

1180	6061069	10.000	EA
MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)			

---

1190	6061080	5.000	EA
MGS END ANCHOR			

---

1200	6063014	13.000 EA
	TYPE A CRASHWORTHY END TERMINAL (MASH)	

Section 0012 Total

Section 0013

Lighting Items - J7P3425C

1210	9011062	14.000 EA
	LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2	
1220	9011115	14.000 EA
	BRACKET ARM, 15 FT. OR 4.6 M	
1230	9011312	14.000 EA
	LUMINAIRE, LED-B	
1240	9012230	2.000 EA
	BASE MOUNTED CONTROL STATION 240 VOLT - 4 CIRCUIT	
1250	9013002	27.000 LF
	CONDUIT, 2 IN. RIGID, IN TRENCH	
1260	9013003	353.000 LF
	CONDUIT, 3 IN. RIGID, IN TRENCH	
1270	9014004	518.000 LF
	CONDUIT, 4 IN. RIGID, PUSHED	
1280	9015010	6423.000 LF
	TRENCHING TYPE I	
1290	9015030	749.000 LF
	TRENCHING TYPE III	
1300	9016120	20.000 EA
	PULL BOX, CONCRETE, STANDARD	
1310	9017002	2770.000 LF
	CABLE, 2 AWG 1 CONDUCTOR	
1320	9017110	1680.000 LF
	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	
1330	9017407	8330.000 LF
	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG	
1340	9018245	14.000 EA
	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)	
1350	9018612	2.000 EA
	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY	

Section 0013 Total

Section 0014

Signing Items - J7P3425C

1360	9031010	23.700 CUYD
	CONCRETE FOOTINGS, EMBEDDED	
1370	9031210	10140.000 LB
	STRUCTURAL STEEL POSTS	
1380	9031220	3580.000 LB
	PIPE POSTS	
1390	9031241	13.000 EA
	BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)	

1400	9031272A	7.000 EA
	2.25 IN. PSST POST INSERT (6 FT.) - 12 GA.	

---

1410	9031280	1280.000 LF
	2.5 IN. PSST POST - 12 GA.	

---

1420	9031281A	17.000 EA
	DRIVEN POST ANCHOR FOR 2.5 IN. PSST - 7 GA.	

---

1430	9031285	64.000 EA
	CONCRETE POST ANCHOR FOR 2.5 IN. PSST. - 7 GA.	

---

1440	9035004A	870.000 SQFT
	SH-FLAT SHEET	

---

1450	9035011A	1602.000 SQFT
	ST-STRUCTURAL	

---

1460	9035069A	98.000 SQFT
	SHF-FLAT SHEET FLUORESCENT	

---

Section 0014 Total

---

---

Section 0015

Ground Improvement Items - J7P3425C

---

1470	7029901	1.000 LS
	MISC. AGGREGATE PIERS MOBILIZATION AND TESTING	

---

1480	7029901	1.000 LS
	MISC. JET GROUTING MOBILIZATION AND TESTING	

---

1490	7029902	7100.000 EA
	MISC. CONCRTE GROUT	

---

1500	7029903	16300.000 LF
	MISC. AGGREGATE PIERS	

---

Section 0015 Total

---

---

Section 0016

Water and Sanitary Sewer Items - J7P3425C

---

1510	6039902	2.000 EA
	WATER RELOCATE FIRE HYDRANT	

---

1520	6039902	2.000 EA
	WATER RELOCATE WATER METER	

---

1530	6039903	438.000 LF
	WATER RELOCATE 4 IN. PVC FORCE MAIN	

---

1540	6039903	386.000 LF
	WATER RELOCATE 4 IN. PVC FORCE MAIN IN 10 IN. STEEL CASING	

---

1550	6039903	24.000 LF
	WATER RELOCATE 4 IN. PVC WATER MAIN	

---

1560	6039903	1179.000 LF
	WATER RELOCATE 6 IN. PVC WATER MAIN	

---

1570	6039903	105.000 LF
	WATER RELOCATE 6 IN. PVC WATER MAIN IN 12 IN. STEEL CASING	

---

1580	6042010	6.000 EA
	ADJUSTING MANHOLE	

---

Section 0016 Total

---

## Section 0017

## Bridge A9137 Items - J7P3425C

1590	2061000	130.000	CUYD
	CLASS 1 EXCAVATION		
1600	5031011A	217.000	SQYD
	BRIDGE APPROACH SLAB (MINOR ROAD)		
1610	6071060	324.000	LF
	PEDESTRIAN FENCE (STRUCTURES)		
1620	7021212	1850.000	LF
	GALVANIZED STRUCTURAL STEEL PILES (12 IN)		
1630	7026000	1417.000	LF
	PRE-BORE FOR PILING		
1640	7027000	34.000	EA
	PILE POINT REINFORCEMENT		
1650	7032003	154.100	CUYD
	CLASS B CONCRETE (SUBSTRUCTURE)		
1660	7034219A	363.000	LF
	TYPE D BARRIER		
1670	7034234	858.000	SQYD
	SLAB ON CONCRETE NU-GIRDER (WITH TRANSPARENT FORMS)		
1680	7056021	751.000	LF
	NU 35, PRESTRESSED CONCRETE NU-GIRDER		
1690	7061060	17300.000	LB
	REINFORCING STEEL (BRIDGES)		
1700	7071000	1.000	LS
	CONDUIT SYSTEM ON STRUCTURE		
1710	7151001	2.000	EA
	VERTICAL DRAIN AT END BENTS		
1720	7161003	20.000	EA
	LAMINATED NEOPRENE BEARING PAD (TAPERED)		
1730	7201300	14.000	EA
	PIPE PILE SPACERS		

Section 0017 Total

## Section 0018

## Bridge A9353 Items - J7P3425C

1740	5031011A	198.000	SQYD
	BRIDGE APPROACH SLAB (MINOR ROAD)		
1750	6071060	305.000	LF
	PEDESTRIAN FENCE (STRUCTURES)		
1760	7021214	900.000	LF
	GALVANIZED STRUCTURAL STEEL PILES (14 IN)		
1770	7026000	414.000	LF
	PRE-BORE FOR PILING		
1780	7027000	12.000	EA
	PILE POINT REINFORCEMENT		
1790	7032003	42.600	CUYD
	CLASS B CONCRETE (SUBSTRUCTURE)		

1800	7034212	683.000 SQYD
	SLAB ON STEEL	
1810	7034219A	334.000 LF
	TYPE D BARRIER	
1820	7110500	1.000 LS
	TEMPORARY COATING - CONCRETE BENTS AND PIERS (WEATHERING STEEL)	
1830	7121122	226420.000 LB
	FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE 50W	
1840	7151001	2.000 EA
	VERTICAL DRAIN AT END BENTS	
1850	7161000	10.000 EA
	PLAIN NEOPRENE BEARING PAD	
1860	7201300	12.000 EA
	PIPE PILE SPACERS	
Section 0018 Total		
Section 0019		
MSE Wall A9351 Items - J7P3425C		
1870	7201000	2304.000 SQFT
	MECHANICALLY STABILIZED EARTH WALL SYSTEMS	
Section 0019 Total		
Section 0020		
MSE Wall A9352 Items - J7P3425C		
1880	7201000	6408.000 SQFT
	MECHANICALLY STABILIZED EARTH WALL SYSTEMS	
Section 0020 Total		
Section 0021		
MSE Wall A9354 Items - J7P3425C		
1890	7201000	8028.000 SQFT
	MECHANICALLY STABILIZED EARTH WALL SYSTEMS	
Section 0021 Total		
Section 0022		
MSE Wall A9355 Items - J7P3425C		
1900	7201000	5740.000 SQFT
	MECHANICALLY STABILIZED EARTH WALL SYSTEMS	
Section 0022 Total		
Item Total		\$5,800.00

**DBE List Summary**

Project: FAF 60-2(117)

Bidder ID: 0011540

Bid Total: 5,800.00

Business Name: Company1

Goal: 6.00% (348.00)

Total Entered: 0.00% (0.00)

ID	Name	Supp?/Dist?	Item Count	Amount	Is Complete?
----	------	-------------	------------	--------	--------------



**DBE CERTIFICATION**

(6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 3 slots at 1000 hours per slot or 3000 hours.

(7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

(A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 6.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, [www.modot.org](http://www.modot.org) on the Bid Opening Info page of the Contractor Resources site.

(B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

**CONTRACT PROVISIONS**

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

\$

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

(10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.

(11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty and material misrepresentation or omission of fact within the bid submission.

(11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11(b)? **Yes** ☐ **No** ☐

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

**SUBCONTRACTOR DISCLOSURE**

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to [subcontractor.disclosure@modot.mo.gov](mailto:subcontractor.disclosure@modot.mo.gov). The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if requested by the Design Division or the engineer.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

**SIGNATURE AND IDENTITY OF BIDDER**

## (15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

\*\*\* AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. \*\*\*

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

☐ Yes ☐ No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

**BID BOND**

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

\*\*Pay by: ☐ Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

**ELECTRONIC BID BOND**

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

\*\*Bond ID:

\*\*Surety Registry Agency:

\*\*Bond Pct:

Surety State:

FIELDS WITH THE \*\* INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS