

**STATE OF MISSOURI
HIGHWAYS and TRANSPORTATION COMMISSION**

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING
Contract I.D. 250221-B02

THIS JOB SHALL BE CONSTRUCTED UNDER
FEDERAL PROJECT NUMBER(S): FAS S202(56), (57)

Job J2S3438 Route A Warren County
Job J2S3439 Route E Montgomery County

BIDDER CHECKLIST
FINAL CHECKLIST BEFORE SUBMITTING BID

1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.
4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid)at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to non-responsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision
-only used if bidding more than one project and should be
in only one bid proposal
- d) Not obtaining a digital ID in advance of the letting
(obtaining a digital ID may take 5 business days)

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

TABLE OF CONTENTS

Notice to Contractors

Proposed Work..... item (1)

Compliance With Contract Provisions..... item (2)

Period of Performance..... item (3)

Liquidated Damages..... item (4)

Itemized Bid..... item (5)

Trainees..... item (6)

DBE Certification*..... item (7)

Acceptance of Provision for Price Adjustment for Fuel..... item (8a)

Acceptance of Provision for Asphalt Cement Price Index.... item (8b)

Max. Monetary Value of Awards Accepted this Bid Opening... item (9)

Combination Bids..... item (10)

Certification for Federal Jobs..... item (11a)

Certification for State Jobs..... item (11b)

Antidiscrimination..... item (12)

Preference to Missouri Firms in Awarding of Contracts..... item (13)

Subcontractor Disclosure Form*.....item (14)

Signature and Identity of Bidder..... item (15)

Bid Guaranty*..... item (16)

*These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 02/21/2025.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

(1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:

****(1): Job J2S3438 Route A WARREN County. Bridge replacement over I-70 near Pendleton, the total length of improvement being 0.576 miles.****(2): Job J2S3439 Route E MONTGOMERY County. Bridge replacement over I-70 in Jonesburg, the total length of improvement being 0.262 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

(2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876.

(3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.

(4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor,

materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity	Unit	Unit Price	Extension Price
Section 0001					
Roadway Items - J2S3438					
0010	1081000	1.000	LS	\$1,000.00000	\$1,000.00
	SIGNET DBE REPORTING				
0020	2010000	104.800	ACRE		
	MOWING				
0030	2013000	0.500	ACRE		
	CLEARING AND GRUBBING				
0040	2022010	1.000	LS		
	REMOVAL OF IMPROVEMENTS				
0050	2031000	37460.000	CUYD		
	CLASS A EXCAVATION				
0060	2035500	22927.000	CUYD		
	EMBANKMENT IN PLACE				
0070	2036000	32575.000	CUYD		
	COMPACTING EMBANKMENT				
0080	2037075	23.800	STA		
	COMPACTING IN CUT				
0090	2063000	765.000	CUYD		
	CLASS 3 EXCAVATION				
0100	2142000	9361.000	CUYD		
	FURNISHING ROCK FILL				
0110	2143000	9361.000	CUYD		
	PLACING ROCK FILL				
0120	2153000	24.000	100F		
	SHAPING SLOPES, CLASS III				
0130	3030600	27769.000	SQYD		
	FURNISHING ROCK BASE MATERIAL				
0140	3030610A	27769.000	SQYD		
	PLACING ROCK BASE				
0150	3040506	49.000	SQYD		
	TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)				
0160	3105002	18.000	TONS		
	GRAVEL (A) OR CRUSHED STONE (B)				
0170	4019901	1.000	LS		
	MISC. TEMPORARY CONNECTION				
0180	4019905	2405.600	SQYD		
	MISC. OPTIONAL PAVEMENT				
0190	5021310	23636.900	SQYD		
	CONCRETE PAVEMENT (10 IN. NON-REINFORCED 15 FT. JOINTS)				
0200	5021340	711.800	SQYD		
	TYPE A2 SHOULDER				
0210	5041000	186.600	SQYD		
	CONCRETE APPROACH PAVEMENT				
0220	6042010	1.000	EA		
	ADJUSTING MANHOLE				
0230	6044011	3.000	EA		
	PIPE COLLAR, TYPE A				
0240	6083003	43.300	SQYD		

		3 IN. CONCRETE MEDIAN STRIP			
0250	6083006		136.700	SQYD	
		6 IN. CONCRETE MEDIAN STRIP			
0260	6085007		48.900	SQYD	
		PAVED APPROACH, 7 IN.			
0270	6096020		778.000	CUYD	
		FURNISHING TYPE 2 ROCK DITCH LINER			
0280	6096030A		442.000	CUYD	
		FURNISHING TYPE 3 ROCK DITCH LINER			
0290	6096042		778.000	CUYD	
		PLACING TYPE 2 ROCK DITCH LINER			
0300	6096043		442.000	CUYD	
		PLACING TYPE 3 ROCK DITCH LINER			
0310	6096050		161.000	CUYD	
		BEDDING MATERIAL FOR ROCK DITCH LINER			
0320	6097000		69.000	CUYD	
		ROCK LINING			
0330	6113020		1751.000	CUYD	
		FURNISHING TYPE 2 ROCK BLANKET			
0340	6113040		1751.000	CUYD	
		PLACING TYPE 2 ROCK BLANKET			
0350	6122019		4.000	EA	
		IMPACT ATTENUATOR 70 MPH (SAND BARREL ARRAY)			
0360	6122020		4.000	EA	
		REPLACEMENT SAND BARREL			
0370	6123001		1.000	LS	
		TRUCK MOUNTED ATTENUATOR (TMA)			
0380	6143014		2.000	EA	
		MANHOLE FRAME AND COVER, TYPE 4			
0390	6151000		12.000	MO	
		OFFICE FOR ENGINEER			
0400	6161070		9.000	EA	
		TUBULAR MARKER			
0410	6161098A		10.000	EA	
		CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED			
0420	6169901		1.000	LS	
		MISC. LUMP SUM TEMPORARY TRAFFIC CONTROL			
0430	6173600D		2288.000	LF	
		TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED			
0440	6181000		1.000	LS	
		MOBILIZATION			
0450	6181020		5.000	EA	
		ADDITIONAL MOBILIZATION FOR SEEDING			\$600.00000 \$3,000.00
0460	6200012		80.000	LF	
		PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE			
0470	6200015		244.000	LF	
		PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE			
0480	6200018		252.000	LF	
		PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW			
0490	6200021		10.000	EA	
		PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW			

0500	6200027	3.000 EA	PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT
0510	6200030	6.000 EA	PREFORMED THERMOPLASTIC PAVEMENT MARKING, WORD (ONLY)
0520	6200042	33.000 EA	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES
0530	6205901A	11138.000 LF	4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0540	6205902A	8588.000 LF	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0550	6205903A	1154.000 LF	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0560	6209903	3990.000 LF	MISC. 4 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0570	6240103A	8955.000 SQYD	PERMANENT EROSION CONTROL GEOTEXTILE
0580	6274000	1.000 LS	CONTRACTOR FURNISHED SURVEYING AND STAKING
0590	7250324A	64.000 LF	24 IN. PIPE GROUP B
0600	7250348A	68.000 LF	48 IN. PIPE GROUP B
0610	7250415	32.000 LF	15 IN. PIPE GROUP C
0620	7261018	62.000 LF	18 IN. PIPE GROUP A
0630	7261024	11.000 LF	24 IN. PIPE GROUP A
0640	7261030	85.000 LF	30 IN. PIPE GROUP A
0650	7261036	485.000 LF	36 IN. PIPE GROUP A
0660	7310048	5.000 FT	PRECAST CONCRETE MANHOLE - 48 IN.
0670	7310060	13.000 FT	PRECAST CONCRETE MANHOLE - 60 IN.
0680	7320024A	1.000 EA	24 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
0690	7320048A	2.000 EA	48 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
0700	7320618A	1.000 EA	18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0710	7320630A	2.000 EA	30 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0720	7320636A	3.000 EA	36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0730	7321013A	2.000 EA	15 IN. OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION
0740	7321016A	1.000 EA	24 IN. OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION
0750	8025006	9.900 ACRE	

MULCHING

0760	8051000A	9.900 ACRE
	SEEDING - COOL SEASON GRASSES	
0770	8061004	10.200 CUYD
	SEDIMENT TRAP ROCK	
0780	8061005	474.000 LF
	ROCK DITCH CHECK	
0790	8061011	129.000 LF
	SLOPE DRAINS	
0800	8061016	141.000 CUYD
	SEDIMENT REMOVAL	
0810	8061017	9.900 ACRE
	TEMPORARY SEEDING	
0820	8061019	5240.000 LF
	SILT FENCE	
0830	8064128	1823.000 SQYD
	TYPE 1 TURF REINFORCEMENT MAT	
Section 0001 Total		\$4,000.00

Section 0002

Guardrail/Guard Cable Items - J2S3438

0840	6061060	2338.000 LF
	MGS GUARDRAIL	
0850	6061069	4.000 EA
	MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)	
0860	6061080	6.000 EA
	MGS END ANCHOR	
0870	6063014	8.000 EA
	TYPE A CRASHWORTHY END TERMINAL (MASH)	
Section 0002 Total		

Section 0003

Lighting Items - J2S3438

0880	7032002	4.900 CUYD
	CLASS B CONCRETE (MISC)	
0890	9012230	1.000 EA
	BASE MOUNTED CONTROL STATION 240 VOLT - 4 CIRCUIT	
0900	9013002	623.000 LF
	CONDUIT, 2 IN. RIGID, IN TRENCH	
0910	9013003	196.000 LF
	CONDUIT, 3 IN. RIGID, IN TRENCH	
0920	9013004	37.000 LF
	CONDUIT, 4 IN. RIGID, IN TRENCH	
0930	9014004	1093.000 LF
	CONDUIT, 4 IN. RIGID, PUSHED	
0940	9015010	1194.000 LF
	TRENCHING TYPE I	
0950	9016110	15.000 EA
	PULL BOX, PREFORMED CLASS 1	

0960	9016111	1.000 EA	PULL BOX, PREFORMED CLASS 2
0970	9017002	2835.000 LF	CABLE, 2 AWG 1 CONDUCTOR
0980	9017008	4518.000 LF	CABLE, 8 AWG 1 CONDUCTOR
0990	9017110	1200.000 LF	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
1000	9017206	945.000 LF	WIRE, 6 AWG, BARE NEUTRAL
1010	9017208	1324.000 LF	WIRE, 8 AWG, BARE NEUTRAL
1020	9017407	1318.000 LF	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG
1030	9018245	8.000 EA	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)
1040	9018610	1.000 EA	POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, LIGHTING ONLY
1050	9019902	8.000 EA	MISC. TOP MOUNT LIGHT POLE, 45 FT.
1060	9019902	8.000 EA	MISC. TOP MOUNTED LED-C LUMINAIRE

Section 0003 Total

Section 0004

Signing Items - J2S3438

1070	9031010	8.300 CUYD	CONCRETE FOOTINGS, EMBEDDED
1080	9031210	3660.000 LB	STRUCTURAL STEEL POSTS
1090	9031220	1171.000 LB	PIPE POSTS
1100	9031241	2.000 EA	BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)
1110	9031252	16.000 EA	7 FT. CHANNEL POST DELINEATOR, DOUBLE STACKED WHITE
1120	9031256	22.000 EA	7 FT. CHANNEL POST DELINEATOR, WHITE
1130	9031257A	8.000 EA	7 FT. CHANNEL POST DELINEATOR, YELLOW
1140	9031258	20.000 EA	7 FT. CHANNEL POST DELINEATOR, WHITE/RED
1150	9031259A	8.000 EA	7 FT. CHANNEL POST DELINEATOR, YELLOW/RED
1160	9031270A	407.000 LF	2 IN. PSST POST - 12 GA.
1170	9031271A	21.000 EA	DRIVEN POST ANCHOR FOR 2 IN. PSST - 12 GA.
1180	9031272A	2.000 EA	2.25 IN. PSST POST INSERT (6 FT.) - 12 GA.

1190	9031274	20.000 EA	CONCRETE POST ANCHOR FOR 2 IN. PSST. - 7 GA.
1200	9031280	92.000 LF	2.5 IN. PSST POST - 12 GA.
1210	9031281A	4.000 EA	DRIVEN POST ANCHOR FOR 2.5 IN. PSST - 7 GA.
1220	9031285	4.000 EA	CONCRETE POST ANCHOR FOR 2.5 IN. PSST. - 7 GA.
1230	9035004A	443.000 SQFT	SH-FLAT SHEET
1240	9035011A	464.000 SQFT	ST-STRUCTURAL
1250	9035069A	109.000 SQFT	SHF-FLAT SHEET FLUORESCENT
Section 0004 Total			

Section 0005

Bridge A9374 Items - J2S3438

1260	2061000	115.000 CUYD	CLASS 1 EXCAVATION
1270	2160500	1.000 LS	REMOVAL OF BRIDGES
1280	5031010A	249.000 SQYD	BRIDGE APPROACH SLAB (MAJOR)
1290	7021212	1266.000 LF	GALVANIZED STRUCTURAL STEEL PILES (12 IN)
1300	7021316	2950.000 LF	GALVANIZED CAST-IN-PLACE CONCRETE PILES (16 IN)
1310	7025001	5.000 EA	DYNAMIC PILE TESTING
1320	7026000	216.000 LF	PRE-BORE FOR PILING
1330	7027000	42.000 EA	PILE POINT REINFORCEMENT
1340	7032003	366.300 CUYD	CLASS B CONCRETE (SUBSTRUCTURE)
1350	7034219A	498.000 LF	TYPE D BARRIER
1360	7034221	1512.000 SQYD	SLAB ON CONCRETE NU-GIRDER
1370	7056021	1143.000 LF	NU 35, PRESTRESSED CONCRETE NU-GIRDER
1380	7071000	1.000 LS	CONDUIT SYSTEM ON STRUCTURE
1390	7101000	20340.000 LB	REINFORCING STEEL (EPOXY COATED)
1400	7110200	1.000 LS	PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)
1410	7151001	2.000 EA	VERTICAL DRAIN AT END BENTS

1420 7161000 10.000 EA
PLAIN NEOPRENE BEARING PAD

1430 7161002 30.000 EA
LAMINATED NEOPRENE BEARING PAD

Section 0005 Total

Section 0006

Roadway Items - J2S3439

1440 2010000 25.800 ACRE
MOWING

1450 2022010 1.000 LS
REMOVAL OF IMPROVEMENTS

1460 2031000 6866.000 CUYD
CLASS A EXCAVATION

1470 2036000 4345.000 CUYD
COMPACTING EMBANKMENT

1480 2071000 2.600 STA
LINEAR GRADING CLASS 1

1490 2101006A 9.400 100F
SUBGRADE COMPACTION (6-INCH DEPTH)

1500 2142000 4494.000 CUYD
FURNISHING ROCK FILL

1510 2143000 4494.000 CUYD
PLACING ROCK FILL

1520 2153000 24.000 100F
SHAPING SLOPES, CLASS III

1530 3030600 6233.000 SQYD
FURNISHING ROCK BASE MATERIAL

1540 3030610A 6233.000 SQYD
PLACING ROCK BASE

1550 4019905 5106.000 SQYD
MISC. OPTIONAL PAVEMENT

1560 5021340 917.100 SQYD
TYPE A2 SHOULDER

1570 5041000 170.100 SQYD
CONCRETE APPROACH PAVEMENT

1580 6091060 140.000 SQYD
PAVED DITCH

1590 6113020 1107.000 CUYD
FURNISHING TYPE 2 ROCK BLANKET

1600 6113040 1107.000 CUYD
PLACING TYPE 2 ROCK BLANKET

1610 6122019 4.000 EA
IMPACT ATTENUATOR 70 MPH (SAND BARREL ARRAY)

1620 6122020 4.000 EA
REPLACEMENT SAND BARREL

1630 6123001 1.000 LS
TRUCK MOUNTED ATTENUATOR (TMA)

1640 6151000 7.000 MO
OFFICE FOR ENGINEER

1650	6161098A	4.000 EA	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED
1660	6169901	1.000 LS	MISC. LUMP SUM TEMPORARY TRAFFIC CONTROL
1670	6173600D	2288.000 LF	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED
1680	6181000	1.000 LS	MOBILIZATION
1690	6200015	66.000 LF	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE
1700	6205901A	1250.000 LF	4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
1710	6205902A	2529.000 LF	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
1720	6205903A	717.000 LF	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
1730	6240103A	4229.000 SQYD	PERMANENT EROSION CONTROL GEOTEXTILE
1740	6274000	1.000 LS	CONTRACTOR FURNISHED SURVEYING AND STAKING
1750	8025006	1.600 ACRE	MULCHING
1760	8051000A	1.600 ACRE	SEEDING - COOL SEASON GRASSES
1770	8061004	3.400 CUYD	SEDIMENT TRAP ROCK
1780	8061005	36.000 LF	ROCK DITCH CHECK
1790	8061016	30.000 CUYD	SEDIMENT REMOVAL
1800	8061017	1.600 ACRE	TEMPORARY SEEDING
1810	8061019	2201.000 LF	SILT FENCE
1820	8064128	547.000 SQYD	TYPE 1 TURF REINFORCEMENT MAT

Section 0006 Total

Section 0007

Guardrail/Guard Cable Items - J2S3439

1830	6061060	4638.000 LF	MGS GUARDRAIL
1840	6061069	4.000 EA	MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)
1850	6061080	6.000 EA	MGS END ANCHOR
1860	6063014	7.000 EA	TYPE A CRASHWORTHY END TERMINAL (MASH)
1870	6063016	2.000 EA	

TYPE B CRASHWORTHY END TERMINAL

Section 0007 Total

Section 0008

Lighting Items - J2S3439

1880	7032002	2.500	CUYD	CLASS B CONCRETE (MISC)
1890	9012230	1.000	EA	BASE MOUNTED CONTROL STATION 240 VOLT - 4 CIRCUIT
1900	9013002	128.000	LF	CONDUIT, 2 IN. RIGID, IN TRENCH
1910	9013003	144.000	LF	CONDUIT, 3 IN. RIGID, IN TRENCH
1920	9014004	442.000	LF	CONDUIT, 4 IN. RIGID, PUSHED
1930	9015010	621.000	LF	TRENCHING TYPE I
1940	9016110	7.000	EA	PULL BOX, PREFORMED CLASS 1
1950	9016111	1.000	EA	PULL BOX, PREFORMED CLASS 2
1960	9017002	384.000	LF	CABLE, 2 AWG 1 CONDUCTOR
1970	9017008	1924.000	LF	CABLE, 8 AWG 1 CONDUCTOR
1980	9017110	600.000	LF	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
1990	9017206	128.000	LF	WIRE, 6 AWG, BARE NEUTRAL
2000	9017208	924.000	LF	WIRE, 8 AWG, BARE NEUTRAL
2010	9017407	692.000	LF	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG
2020	9018245	4.000	EA	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)
2030	9018610	1.000	EA	POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, LIGHTING ONLY
2040	9019902	4.000	EA	MISC. TOP MOUNT LIGHT POLE, 45 FT.
2050	9019902	4.000	EA	MISC. TOP MOUNTED LED-C LUMINAIRE

Section 0008 Total

Section 0009

Signing Items - J2S3439

2060	9031010	6.000	CUYD	CONCRETE FOOTINGS, EMBEDDED
2070	9031210	3041.000	LB	STRUCTURAL STEEL POSTS

2080	9031220	652.000 LB	PIPE POSTS
2090	9031241	2.000 EA	BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)
2100	9031252	12.000 EA	7 FT. CHANNEL POST DELINEATOR, DOUBLE STACKED WHITE
2110	9031256	21.000 EA	7 FT. CHANNEL POST DELINEATOR, WHITE
2120	9031257A	8.000 EA	7 FT. CHANNEL POST DELINEATOR, YELLOW
2130	9031258	24.000 EA	7 FT. CHANNEL POST DELINEATOR, WHITE/RED
2140	9031259A	8.000 EA	7 FT. CHANNEL POST DELINEATOR, YELLOW/RED
2150	9031270A	137.000 LF	2 IN. PSST POST - 12 GA.
2160	9031271A	1.000 EA	DRIVEN POST ANCHOR FOR 2 IN. PSST - 12 GA.
2170	9031272A	2.000 EA	2.25 IN. PSST POST INSERT (6 FT.) - 12 GA.
2180	9031274	12.000 EA	CONCRETE POST ANCHOR FOR 2 IN. PSST. - 7 GA.
2190	9031280	51.000 LF	2.5 IN. PSST POST - 12 GA.
2200	9031285	4.000 EA	CONCRETE POST ANCHOR FOR 2.5 IN. PSST. - 7 GA.
2210	9035004A	266.000 SQFT	SH-FLAT SHEET
2220	9035011A	380.000 SQFT	ST-STRUCTURAL

Section 0009 Total

Section 0010

Bridge A9375 - J2S3439

2230	2061000	60.000 CUYD	CLASS 1 EXCAVATION
2240	2160500	1.000 LS	REMOVAL OF BRIDGES
2250	5031011A	196.000 SQYD	BRIDGE APPROACH SLAB (MINOR ROAD)
2260	7021212	540.000 LF	GALVANIZED STRUCTURAL STEEL PILES (12 IN)
2270	7021214	2115.000 LF	GALVANIZED STRUCTURAL STEEL PILES (14 IN)
2280	7025001	5.000 EA	DYNAMIC PILE TESTING
2290	7027000	37.000 EA	PILE POINT REINFORCEMENT
2300	7032003	283.700 CUYD	CLASS B CONCRETE (SUBSTRUCTURE)

2310	7034219A	498.000	LF	TYPE D BARRIER
2320	7034221	1203.000	SQYD	SLAB ON CONCRETE NU-GIRDER
2330	7056021	914.000	LF	NU 35, PRESTRESSED CONCRETE NU-GIRDER
2340	7071000	1.000	LS	CONDUIT SYSTEM ON STRUCTURE
2350	7101000	14720.000	LB	REINFORCING STEEL (EPOXY COATED)
2360	7110200	1.000	LS	PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)
2370	7151001	2.000	EA	VERTICAL DRAIN AT END BENTS
2380	7161000	8.000	EA	PLAIN NEOPRENE BEARING PAD
2390	7161002	24.000	EA	LAMINATED NEOPRENE BEARING PAD

Section 0010 Total

Item Total

\$4,000.00

DBE List Summary

Project: FAS S202(56)
Bid Total: 4,000.00
Goal: 9.00% (360.00)
Total Entered: 0.00% (0.00)

Bidder ID: 0011540
Business Name: Company1

ID	Name	Supp?/Dist?	Item Count	Amount	Is Complete?
-----------	-------------	--------------------	-------------------	---------------	---------------------

DBE CERTIFICATION

(6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 0 slots at 1000 hours per slot or 0 hours.

(7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

(A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 9.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.

(B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

§

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

(10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.

(11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty and material misrepresentation or omission of fact within the bid submission.

(11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? **Yes** **No**

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if requested by the Design Division or the engineer.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

*** AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. ***

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

Yes No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

**Pay by: Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

**Bond ID:

**Surety Registry Agency:

**Bond Pct:

Surety State:

FIELDS WITH THE ** INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS