


DESIGN DESIGNATION

A.A.D.T. - 2025 = 334  
 A.A.D.T. - 2035 = 351  
 D.H.V. = 10.2%  
 T = 5.44%  
 V = 55 M.P.H.

FUNCTIONAL CLASSIFICATION - LOCAL


NO NEW R/W

# MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION PLANS FOR PROPOSED STATE HIGHWAY BUTLER COUNTY



INDEX OF SHEETS

DESCRIPTION	SHEET NUMBER
TITLE SHEET .....	1
TYPICAL SECTIONS (TS) (1 SHEETS)---	2
QUANTITIES (QU) (3 SHEETS)-----	3
SPECIAL SHEETS (SS)-----	4-5



DATE PREPARED  
 12/5/2024

ROUTE STATE  
 OR 67 MO  
 DISTRICT SHEET NO.  
 SE 1

COUNTY  
 BUTLER  
 JOB NO.  
 JSE0092  
 CONTRACT ID.


PROJECT NO.  
 BRIDGE NO.

DESCRIPTION	DATE

CONVENTIONAL SYMBOLS  
 (USED IN PLANS)

	EXISTING	NEW
BUILDINGS AND STRUCTURES		
GUARD RAIL		
GUARD CABLE		
CONCRETE RIGHT-OF-WAY MARKER		
STEEL RIGHT-OF-WAY MARKER		
LOCATION SURVEY MARKER		
UTILITIES		
FIBER OPTICS	-FO-	FO
OVERHEAD CABLE TV	-OTV-	OTV
UNDERGROUND CABLE TV	-UTV-	UTV
OVERHEAD TELEPHONE	-OT-	OT
UNDERGROUND TELEPHONE	-UT-	UT
OVERHEAD POWER	-OE-	OE
UNDERGROUND POWER	-UE-	UE
SANITARY SEWER	-S-	S
STORM SEWER	-SS-	SS
GAS	-G-	G
WATER	-W-	W
MANHOLE		
FIRE HYDRANT		
WATER VALVE		
WATER METER		
DROP INLET		
DITCH BLOCK		
GROUND MOUNTED SIGN		
LIGHT POLE		
H-FRAME POWER POLE		
TELEPHONE PEDESTAL		
FENCE		
CHAIN LINK		
WOVEN WIRE		
GATE POST		
BENCHMARK		

NOTE: DASHED OR OPEN SYMBOLS INDICATE EXISTING FEATURES





LENGTH OF PROJECT

BEGINNING OF PROJECT	LOG MILE 0.007
END OF PROJECT	LOG MILE 1.409
APPARENT LENGTH	7402.56 FEET
EQUATIONS AND EXCEPTIONS:	
NORTH CONNECTION	+645.00 FEET

TOTAL CORRECTIONS	+645.00 FEET
NET LENGTH OF PROJECT	8047.56 FEET
STATE LENGTH	1.524 MILES
FOR INFORMATION ONLY ESTIMATED DISTURBED ACRES	0 ACRES

THE EXISTENCE AND APPROXIMATE LOCATION OF UTILITY FACILITIES KNOWN TO EXIST, AS SHOWN ON THE PLANS, ARE BASED ON THE BEST INFORMATION AVAILABLE TO THE COMMISSION AT THIS TIME. THIS INFORMATION IS PROVIDED BY THE COMMISSION "AS-IS" AND THE COMMISSION EXPRESSLY DISCLAIMS ANY REPRESENTATION OR WARRANTY AS TO THE COMPLETENESS, ACCURACY, OR SUITABILITY OF THE INFORMATION FOR ANY USE. RELIANCE UPON THIS INFORMATION IS DONE AT THE RISK AND PERIL OF THE USER, AND THE COMMISSION SHALL NOT BE LIABLE FOR ANY DAMAGES THAT MAY ARISE FROM ANY ERROR IN THE INFORMATION. IT IS, THEREFORE, THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE EXISTENCE, LOCATION AND STATUS OF ANY FACILITY. SUCH VERIFICATION INCLUDES DIRECT CONTACT WITH THE LISTED UTILITIES.





DATE PREPARED  
12/5/2024

ROUTE	STATE
OR 67	MO
DISTRICT	SHEET NO.
SE	2


COUNTY  
BUTLER

JOB NO.  
JSE0092

CONTRACT ID.

PROJECT NO.

BRIDGE NO.



TYPICAL SECTION  
LOG MILE 0.007 TO LOG MILE 1.409

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL  
JEFFERSON CITY, MO 65102  
1-888-ASK-MODOT (1-888-273-6636)

TYPICAL SECTION  
SHEET 1 OF 1

DRAWING NOT TO SCALE; FOLLOW DIMENSIONS.

**MOBILIZATION**  
LUMP SUM 1


REMOVAL OF IMPROVEMENTS				
LOG MI	LOG MI	LOC	DESCRIPTION	REMARKS
----	0.082	RT	415' GUARDRAIL	
0.122	0.217	RT	500' GUARDRAIL	
0.458	0.552	RT	500' GUARDRAIL	
0.513	0.552	LT	230' GUARDRAIL	
0.843	0.928	LT	455' GUARDRAIL	
			LUMP SUM 1	

COLDMILLING							
LOG MI	LOG MI	LOC	LENGTH FT	WIDTH FT	AREA SF	MODIFIED COLDMILLING DEPTH TRANSITIONS SY	REMARKS
0.007	0.022	CL	80.00	VAR	2790.00	310.0	RTE 67
1.093		CL	60.00	VAR	2550.00	283.3	RTE 67
0.007	1.409	CL	10.00	VAR		104.4	1 PAVED CRD/ST; AVG W = 94'
0.007	1.409	CL	2.00	VAR		12.0	2 PAVED ENTRANCES; AVG W = 27'
TOTAL						710	

LOG MILES ARE APPROXIMATE. EXACT LOCATIONS TO BE DETERMINED BY ENGINEER.

PAVEMENT										
LOG MI	LOG MI	LOC	LENGTH FT	WIDTH FT	AREA SF	THICK IN	SURFACE LEVELING PG64-22 2.061 TON/CY TONS	TACK 0.08 GAL/SY GAL	GRAVEL (A) OR CRUSHED STONE (B) TONS	REMARKS
0.007	0.022	CL	80.00	VAR	2790.00	1.00	17.75	24.8		
----	0.027	CL	645.00	20.00		1.00	82.06	114.7		NORTH CONNECTION
0.027	1.409	CL	7296.96	20.00		1.00	928.34	1297.2		
1.093			60.00	VAR	2550.00	1.00	16.22	22.7		RTE 67
0.007	1.409		10.00	VAR		3.00	24.81	11.6		2 NON PAVED CRD/ST; AVG W = 65'
0.007	1.409		10.00	VAR		1.00	5.98	8.4		1 PAVED CRD/ST; AVG W = 94'
0.007	1.409		2.00	VAR		1.00	0.69	1.0		2 PAVED ENTRANCES; AVG W = 27'
0.007	1.409		2.00	VAR		1.00			22.0	14 NON PAVED ENTRANCES WITHOUT APRON; AVG W = 39'
SUB-TOTAL							1075.85	1480.4	22.0	
0.007	1.409	CL		VAR		VAR	21.52			SAFETY EDGE *SEE STANDARD PLANS
0.007	1.409	CL		VAR		VAR	140.20			RUTTING & IRREGULARITIES - 100 TONS/MILE
TOTAL							1237.6	1481	22	

LOG MILES ARE APPROXIMATE. EXACT LOCATIONS TO BE DETERMINED BY ENGINEER.



DATE PREPARED  
**12/5/2024**

ROUTE	STATE
<b>OR 67</b>	<b>MO</b>
DISTRICT	SHEET NO.
<b>SE</b>	<b>3</b>

COUNTY  
**BUTLER**

JOB NO.  
**JSE0092**


CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION



105 WEST CAPITOL  
JEFFERSON CITY, MO 65102  
1-888-ASK-MODOT (1-888-273-6636)

SUMMARY OF QUANTITIES  
SHEET 1 OF 3

PERMANENT PAVEMENT MARKING					
LOG MI	LOG MI	LENGTH	STANDARD WATERBORNE PAVEMENT MARKING PAINT TYPE P BEADS 4" SOLID YELLOW LF		REMARKS
			LF	TONS	
----	0.027	645.00	645.0		
0.027	1.409	7296.96	14805.1		
		TOTAL	15450.1		
		USE	15450		


LOG MILES ARE APPROXIMATE.

AGGREGATE EDGE DROP OFF TREATMENT					
LOG MI	LOG MI	LOC	LENGTH FT	PERM AGG EDGE TREATMENT TONS	REMARKS
0.007	0.022	LT/RT	80.00	1.3	
----	0.027	LT/RT	645.00	10.3	
0.027	1.409	LT/RT	7296.96	116.1	
		TOTAL		127.7	

LOG MILES ARE APPROXIMATE. EXACT LOCATIONS TO BE DETERMINED BY ENGINEER.

GUARDRAIL						
LOG MI	LOG MI	LOC	MGS GUARDRAIL 8 FT POSTS FT	TYPE A CRASHWORTHY END TERMINAL (MASH) EA	MODIFIED SHAPING SLOPES CLASS III FT	REMARKS
----	0.082	RT	312.5	2	160.0	
0.122	0.217	RT	400.0	2	160.0	
0.458	0.552	RT	400.0	2	160.0	
0.513	0.552	LT	125.0	2	160.0	
0.843	0.928	LT	350.0	2	160.0	
		TOTAL	1588	10	800	

LOG MILES ARE APPROXIMATE. EXACT LOCATIONS TO BE DETERMINED BY ENGINEER.



DATE PREPARED  
**12/5/2024**

ROUTE STATE  
**OR 67 MO**

DISTRICT SHEET NO.  
**SE 3**

COUNTY  
**BUTLER**

JOB NO.  
**JSE0092**


CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION



105 WEST CAPITOL JEFFERSON CITY, MO 65102  
1-888-ASK-MODOT (1-888-273-6636)

SUMMARY OF QUANTITIES  
SHEET 2 OF 3

WARNING SIGNS								GUIDE SIGNS								EFFECTIVE: 07-01-2024				
SIGN	SIZE IN.	AREA SQ. FT.	QTY EACH	TOTAL AREA SQ. FT.	QTY RELOC EACH	TOTAL RELOC SQ. FT.	SIGN NUM.	DESCRIPTION	SIGN	SIZE IN.	AREA SQ. FT.	QTY EACH	TOTAL AREA SQ. FT.	QTY RELOC EACH	TOTAL RELOC SQ. FT.	SIGN NUM.	DESCRIPTION	ITEM NUMBER	TOTAL QTY	DESCRIPTION
WO1-1L	48X48	16.00						TURN (SYMBOL LEFT)	E05-1	36X48	12.00						GORE EXIT	6122008		IMPACT ATTENUATOR 40 MPH (SAND BARRELS)
WO1-1R	48X48	16.00						TURN (SYMBOL RIGHT)	E05-2	48X36	12.00						EXIT OPEN	6122009		IMPACT ATTENUATOR 45 MPH (SAND BARRELS)
WO1-2L	48X48	16.00						CURVE (SYMBOL LEFT)	E05-2a	48X36	12.00						EXIT CLOSED	6122010		IMPACT ATTENUATOR 50 MPH (SAND BARRELS)
WO1-2R	48X48	16.00						CURVE (SYMBOL RIGHT)	GO20-1	60X24	10.00	2	20.00				ROAD WORK NEXT XX MILES	6122012		IMPACT ATTENUATOR 55 MPH (SAND BARRELS)
WO1-3L	48X48	16.00						REVERSE TURN (SYMBOL LEFT)	GO20-2	48X24	8.00	2	16.00				END ROAD WORK	6122014		IMPACT ATTENUATOR 60 MPH (SAND BARRELS)
WO1-3R	48X48	16.00						REVERSE TURN (SYMBOL RIGHT)	GO20-4	36X18	4.50						PILOT CAR FOLLOW ME	6122017		IMPACT ATTENUATOR 65 MPH (SAND BARRELS)
WO1-4L	48X48	16.00						REVERSE CURVE (SYMBOL LEFT)	GO20-4a	42X30	8.75						PILOT CAR IN USE WAIT & FOLLOW	6122019		IMPACT ATTENUATOR 70 MPH (SAND BARRELS)
WO1-4R	48X48	16.00						REVERSE CURVE (SYMBOL RIGHT)	GO20-4a	18X12	1.50	3	4.50				PILOT CAR IN USE WAIT & FOLLOW	6122020		REPLACEMENT SAND BARREL
WO1-4bL	48X48	16.00						DOUBLE ARROW REVERSE CURVE (SYMBOL LEFT)	GO20-5aP	36X24	6.00						WORK ZONE (PLAQUE)	6122030		IMPACT ATTENUATOR (RELOCATION)
WO1-4bR	48X48	16.00						DOUBLE ARROW REVERSE CURVE (SYMBOL RIGHT)	MO4-8a	24X18	3.00						END DETOUR	6123001		TRUCK MOUNTED ATTENUATOR (TMA)
WO1-4cL	48X48	16.00						TRIPLE ARROW REVERSE CURVE (SYMBOL LEFT)	MO4-9L	48X36	12.00						DETOUR (LEFT)	6161008		ADVANCED WARNING RAIL SYSTEM
WO1-4cR	48X48	16.00						TRIPLE ARROW REVERSE CURVE (SYMBOL RIGHT)	MO4-9R	48X36	12.00						DETOUR (RIGHT)	6161012		BUOYS (BOATS KEEP OUT)
WO1-6	60X30	12.50						HORIZONTAL ARROW (SYMBOL)	MO4-9P	48X12	4.00						STREET NAME (PLAQUE)	6161013		BUOYS (NO WAKE)
WO1-6a	72X36	18.00						HORIZ. ARROW (SYMBOL ON PERMANENT BARRICADE)	MO4-10L	48X18	6.00						DETOUR ARROW (LEFT)	6161014	60	SPECIAL SIGN ASSEMBLY (BOATS KEEP OUT)
WO1-7	60X30	12.50						DOUBLE HEAD HORIZONTAL ARROW (SYMBOL)	MO4-10R	48X18	6.00						DETOUR ARROW (RIGHT)	6161025		CHANNELIZER (TRIM LINE)
WO1-7a	72X36	18.00						DOUBLE HEAD HORIZ. ARROW (SYMBOL ON PERM. BARR.)	REGULATORY SIGNS								6161030		TYPE III MOVEABLE BARRICADE	
WO1-8	18X24	3.00						CHEVRON (SYMBOL)	R1-1	48X48	13.25						STOP	6161033		DIRECTION INDICATOR BARRICADE
WO1-8a	30X36	7.50						CHEVRON (SYMBOL FOR DIVIDED HIGHWAYS)	R1-2	48TRI.	6.93						YIELD	6161040		FLASHING ARROW PANEL
WO3-1	48X48	16.00						STOP AHEAD (SYMBOL)	R1-2a	36X36	9.00						TO ONCOMING TRAFFIC (PLAQUE)	6161047		TYPE III OBJECT MARKER
WO3-2	48X48	16.00						YIELD AHEAD (SYMBOL)	R1-3P	30X12	2.50						ALL WAY (PLAQUE)	6161055		SEQUENTIAL FLASHING WARNING LIGHT
WO3-3	48X48	16.00						SIGNAL AHEAD (SYMBOL)	R2-1	36X48	12.00						SPEED LIMIT XX	6161070		TUBULAR MARKER
WO3-4	48X48	16.00	4	64.00				BE PREPARED TO STOP	R3-1	48X48	16.00						NO RIGHT TURN (SYMBOL)	6161095		RADAR SPEED ADVISORY SYSTEM
WO3-5	48X48	16.00						SPEED LIMIT AHEAD	R3-2	48X48	16.00						NO LEFT TURN (SYMBOL)	6161096		CHANGEABLE MESSAGE SIGN, COMMISSION FURNISHED/RETAINED
WO4-1L	48X48	16.00						MERGE (SYMBOL FROM LEFT)	R3-3	36X36	9.00						NO TURNS	6161098A		CHANGEABLE MESSAGE SIGN WITHOUT COMM. INTERFACE- CONTRACTOR FURNISHED/RETAINED
WO4-1R	48X48	16.00						MERGE (SYMBOL FROM RIGHT)	R3-4	48X48	16.00						NO U-TURN (SYMBOL)	6161099		CHANGEABLE MESSAGE SIGN WITH COMM. INTERFACE- CONTRACTOR FURNISHED/RETAINED
WO4-1aL	48X48	16.00						MERGE (LEFT)	R3-7L	30X30	6.25						LEFT LANE MUST TURN LEFT	6162000A		WORK ZONE TRAFFIC SIGNAL SYSTEM
WO4-1aR	48X48	16.00						MERGE (RIGHT)	R3-7R	30X30	6.25						RIGHT LANE MUST TURN RIGHT	6162002		TEMPORARY LONG-TERM RUMBLE STRIPS
WO5-1	48X48	16.00						ROAD/BRIDGE/RAMP NARROWS	R4-1	36X48	12.00						DO NOT PASS	6173600D		TEMPORARY TRAFFIC BARRIER CONTRACTOR FURNISHED/COMMISSION RETAINED
WO5-3	48X48	16.00						ONE LANE BRIDGE	R4-2	36X48	12.00						PASS WITH CARE	6174000A		TEMP. TRAFFIC BARRIER HEIGHT TRANSITION
WO5-5	48X48	16.00						NARROW LANES	R4-7a	36X48	12.00						KEEP RIGHT (HORIZONTAL ARROW)	6175010A		RELOCATING TEMPORARY TRAFFIC BARRIER
WO6-1	48X48	16.00						DIVIDED HIGHWAY (SYMBOL)	R4-8a	36X48	12.00						KEEP LEFT (HORIZONTAL ARROW)	6177000B		TEMPORARY RAISED PAVEMENT MARKER
WO6-2	48X48	16.00						DIVIDED HIGHWAY END (SYMBOL)	R5-1	30X30	6.25						DO NOT ENTER	9029400		TEMPORARY TRAFFIC SIGNALS
WO6-3	48X48	16.00						TWO WAY TRAFFIC (SYMBOL)	R5-1a	36X24	6.00						WRONG WAY	9029401		TEMPORARY TRAFFIC SIGNALS AND LIGHTING
WO7-3a	30X24	5.00						NEXT XX MILES (PLAQUE)	R6-1L	54X18	6.75						ONE WAY ARROW (LEFT)			
WO8-1	48X48	16.00						BUMP	R6-1R	54X18	6.75						ONE WAY ARROW (RIGHT)			
WO8-2	48X48	16.00						DIP	R6-2L	24X30	5.00						ONE WAY (LEFT)			
WO8-3	48X48	16.00						PAVEMENT ENDS	R6-2R	24X30	5.00						ONE WAY (RIGHT)			
WO8-4	48X48	16.00						SOFT SHOULDER	R9-9	24X12	2.00						SIDEWALK CLOSED			
WO8-5	48X48	16.00						SLIPPERY WHEN WET (SYMBOL)	R9-11L	24X18	3.00						SIDEWALK CLOSED AHEAD, (ARROW LEFT) CROSS HERE			
WO8-6	48X48	16.00						TRUCK CROSSING	R9-11R	24X18	3.00						SIDEWALK CLOSED AHEAD, (ARROW RIGHT) CROSS HERE			
WO8-6c	48X48	16.00						TRUCK ENTRANCE	R10-6	24X36	6.00						STOP HERE ON RED (45° ARROW)			
WO8-7	36X36	9.00						LOOSE GRAVEL	R11-2	48X30	10.00						ROAD CLOSED			
WO8-7a	36X36	9.00						FRESH OIL / LOOSE GRAVEL	R11-3a	60X30	12.50						ROAD CLOSED XX MILES AHEAD			
WO8-9	48X48	16.00						LOW SHOULDER	R11-4	60X30	12.50						LOCAL TRAFFIC ONLY			
WO8-11	48X48	16.00	2	32.00				UNEVEN LANES	CONST-3A	60X48	20.00						ROAD CLOSED TO THRU TRAFFIC			
WO8-12	48X48	16.00	2	32.00				NO CENTER LINE	CONST-3X	56X12	4.67						FINE SIGN			
WO8-15	48X48	16.00						GROOVED PAVEMENT	MISCELLANEOUS SIGNS											
WO8-15P	30X24	5.00						MOTORCYCLE (PLAQUE)	CONST-5	48X36	12.00						POINT OF PRESENCE			
WO8-17L	48X48	16.00						SHOULDER DROP-OFF (SYMBOL LEFT)	CONST-5	96X48	32.00						POINT OF PRESENCE			
WO8-17R	48X48	16.00						SHOULDER DROP-OFF (SYMBOL RIGHT)	CONST-8	48X36	12.00	2	24.00				WORK ZONE NO PHONE ZONE			
WO10-1	42RND.	9.62						RAILROAD CROSSING	GO20-4a	24X18	2.00	10	20.00				PILOT CAR IN USE WAIT & FOLLOW			
WO12-1	24X24	4.00						DOUBLE DOWN ARROW (SYMBOL)												
WO12-2	48X48	16.00						LOW CLEARANCE (SYMBOL)												
WO12-2x	24X18	3.00						LOW CLEARANCE (PLAQUE)												
WO12-2a	84X24	14.00						OVERHEAD LOW CLEARANCE (FEET AND INCHES)												
WO12-4	120X60	50.00						LOW CLEARANCE XX FT XX IN XX MILES AHEAD												
WO12-5	120X60	50.00						WIDTH RESTRICTION XX FT XX IN XX MILES AHEAD												
WO13-1	30X30	6.25						ADVISORY SPEED (PLAQUE)												
WO16-2	30X24	5.00						XXX FEET (PLAQUE)												
WO16-3	30X24	5.00						X MILE (PLAQUE)												
WO20-1	48X48	16.00	8	128.00				ROAD/BRIDGE/RAMP WORK AHEAD												
WO20-2	48X48	16.00						DETOUR AHEAD												
WO20-3	48X48	16.00						ROAD CLOSED AHEAD	616-10.05								TOTAL			
WO20-4	48X48	16.00	4	64.00				ONE LANE ROAD AHEAD	CONSTRUCTION SIGNS								542			
WO20-5a	48X48	16.00						RIGHT/CENTER/LEFT LANE CLOSED AHEAD	616-10.10								TOTAL			
WO20-5a	48X48	16.00						2 RIGHT/CENTER/LEFT LANES CLOSED AHEAD	RELOCATED SIGNS								*			
WO20-6a	48X48	16.00						RIGHT/CENTER/LEFT LANE CLOSED												
WO20-7a	48X48	16.00	8	128.00				FLAGGER (SYMBOL)												
WO21-2	36X36	9.00						FRESH OIL												
WO21-5	48X48	16.00						SHOULDER WORK / SHOULDER WORK AHEAD												
WO22-1	48X48	16.00						BLASTING ZONE AHEAD												
WO22-2	42X36	10.50						TURN OFF 2-WAY RADIO AND PHONE												
WO22-3	42X36	10.50						END BLASTING ZONE												
GO22-1	21X15	2.19	4	8.76				WET PAINT (ARROW PIVOTS)												

STATE OF MISSOURI  
CURTIS DEWAYNE WOOLSEY  
NUMBER PE-2001018834  
PROFESSIONAL ENGINEER

Curtis DeWayne Woolsey  
12/12/2024 2:18:16 PM  
CURTIS DEWAYNE WOOLSEY - CIVIL  
MO-PE-2001018834

DATE PREPARED  
12/5/2024

ROUTE OR 67	STATE MO
DISTRICT SE	SHEET NO. 3
COUNTY BUTLER	
JOB NO. JSE0092	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

DATE

DESCRIPTION


105 WEST CAPITOL JEFFERSON CITY, MO 65102  
1-888-ASK-MODOT (1-888-275-6636)

**SUMMARY OF QUANTITIES**  
SHEET 3 OF 3

\*NO DIRECT PAY FOR RELOCATION

FOR TRAFFIC CONTROL PLANS FOR THIS PROJECT  
USE STANDARD PLANS 616.20 FOR SHEET 1 THROUGH 5

# BEGIN PROJECT



DATE PREPARED  
12/5/2024

ROUTE OR 67 STATE MO

DISTRICT SE SHEET NO. 4

COUNTY BUTLER

JOB NO. JSE0092

CONTRACT ID.

PROJECT NO.

BRIDGE NO.




DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION


MoDOT

105 WEST CAPITOL  
JEFFERSON CITY, MO 65102  
1-888-ASK-MODOT (1-888-275-6636)

SPECIAL SHEET  
SHEET 1 OF 2




TYPICAL  
RTE 67/OUTER ROAD 67




TYPICAL  
NORTH CONNECTION

# END PROJECT



PLAN VIEW AT OUTER ROAD 67





TYPICAL  
OUTER ROAD 67

MILL/FILL

MODIFIED  
COLDMILLING

RTE 67  
LM 1.093



TYPICAL  
RTE 67/OUTER ROAD 67

