

DESIGN DESIGNATION


A.A.D.T. - 2025 = 8700
A.A.D.T. - 2045 = 10,200

T = 8.5 %
V = 55 M.P.H.

FUNCTIONAL CLASSIFICATION- PRINCIPAL ARTERIAL

**NO RIGHT OF WAY
ACQUIRED**

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION PLANS FOR PROPOSED STATE HIGHWAY CLAY COUNTY




KEY MAP
LOCATION OF CLAY COUNTY

NOT TO SCALE

INDEX OF SHEETS

DESCRIPTION	SHEET NUMBER
TITLE SHEET	1
TYPICAL SECTIONS (TS) (1 SHEET)	2
QUANTITIES (QU) (2 SHEETS)	3
PLAN (PP)	4
REFERENCE POINTS (RP)	5
COORDINATE POINTS (CP)	6
TRAFFIC CONTROL SHEETS (TC)	7-13
EROSION CONTROL (EC)	14
CROSS SECTIONS (XS)	1-4



Craig Skorseth
DATE PREPARED

1/24/2025
ROUTE 92 STATE MO
DISTRICT KC SHEET NO. 1
COUNTY CLAY
JOB NO. JKU0454
CONTRACT ID.


PROJECT NO.
BRIDGE NO.

DATE	DESCRIPTION

**CONVENTIONAL SYMBOLS
(USED IN PLANS)**

	EXISTING	NEW
BUILDINGS AND STRUCTURES		
GUARD RAIL		
GUARD CABLE		
CONCRETE RIGHT-OF-WAY MARKER		
STEEL RIGHT-OF-WAY MARKER		
LOCATION SURVEY MARKER		
UTILITIES		
FIBER OPTICS	-FO-	-FO-
OVERHEAD CABLE TV	-OTV-	-OTV-
UNDERGROUND CABLE TV	-UTV-	-UTV-
OVERHEAD TELEPHONE	-OT-	-OT-
UNDERGROUND TELEPHONE	-UT-	-UT-
OVERHEAD POWER	-OE-	-OE-
UNDERGROUND POWER	-UE-	-UE-
SANITARY SEWER	-S-	-S-
STORM SEWER	-SS-	-SS-
GAS	-G-	-G-
WATER	-W-	-W-
MANHOLE		
FIRE HYDRANT		
WATER VALVE		
WATER METER		
DROP INLET		
DITCH BLOCK		
GROUND MOUNTED SIGN		
LIGHT POLE		
H-FRAME POWER POLE		
TELEPHONE PEDESTAL		
FENCE		
CHAIN LINK		
WOVEN WIRE		
GATE POST		
BENCHMARK		

NOTE: DASHED OR OPEN SYMBOLS INDICATE EXISTING FEATURES



**PROJECT LOCATION:
SLIDE REPAIR ON MO-92 EASTBOUND
NEAR TRYST FALLS STATE PARK
STATION LIMITS 902+61.00 TO 905+86.00**

THE EXISTENCE AND APPROXIMATE LOCATION OF UTILITY FACILITIES KNOWN TO EXIST, AS SHOWN ON THE PLANS, ARE BASED ON THE BEST INFORMATION AVAILABLE TO THE COMMISSION AT THIS TIME. THIS INFORMATION IS PROVIDED BY THE COMMISSION "AS-IS" AND THE COMMISSION EXPRESSLY DISCLAIMS ANY REPRESENTATION OR WARRANTY AS TO THE COMPLETENESS, ACCURACY, OR SUITABILITY OF THE INFORMATION FOR ANY USE. RELIANCE UPON THIS INFORMATION IS DONE AT THE RISK AND PERIL OF THE USER, AND THE COMMISSION SHALL NOT BE LIABLE FOR ANY DAMAGES THAT MAY ARISE FROM ANY ERROR IN THE INFORMATION. IT IS, THEREFORE, THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE EXISTENCE, LOCATION AND STATUS OF ANY FACILITY. SUCH VERIFICATION INCLUDES DIRECT CONTACT WITH THE LISTED UTILITIES.


LENGTH OF PROJECT

BEGINNING OF PROJECT	STA. 902+61.00
END OF PROJECT	STA. 905+86.00
APPARENT LENGTH	325 FEET (0.0615 MILES)
EQUATIONS & EXCEPTIONS:	NO EXCEPTIONS
TOTAL CORRECTIONS	0 FEET
NET LENGTH OF PROJECT	325 FEET
STATE LENGTH	0.062 MILES
FOR INFORMATION ONLY ESTIMATED DISTURBED ACRES	0.35 ACRES

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

TYPICAL SECTION OF SLIDE REPAIR




- ① - 2" SP125C W/ PG 70-22
OVER 2" SP125C W/ PG 70-22
OVER 5" SP190C W/ PG 64-22
- ② - 24" ROCK FILL BASE
- ③ - ROCK FILL

ASPHALT CONVERSION FACTORS	
SP125C	1.999 TON/YD ³
SP190C	2.018 TON/YD ³
TACK	0.05 GAL/YD ²

ROUTE 92
STATIONS 902+61.00 - 905+86.00
 (NOT TO SCALE)

TYPICAL SECTION
 SHEET 1 OF 1



DATE PREPARED 1/24/2025	
ROUTE 92	STATE MO
DISTRICT KC	SHEET NO. 2
COUNTY CLAY	
JOB NO. JKU0454	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
 105 WEST CAPITOL JEFFERSON CITY, MO 65102
 1-888-ASK-MODOT (1-888-275-6636)

REMOVAL OF IMPROVEMENTS								
LOCATION	STATION FROM	STATION TO	OFFSET FROM	OFFSET TO	ITEM DESCRIPTION	QUANTITY	UNIT	NOTE / REMARKS
EB Route 92	901+51.09		20.1926' RT		SIGN & POST FOOTING	1	EA	PAST SHOULDER
EB Route 92	903+08.31		21.4624' RT		SIGN & POST FOOTING	1	EA	PAST SHOULDER
EB Route 92	904+63.35		20.6297' RT		SIGN & POST FOOTING	1	EA	PAST SHOULDER
EB Route 92	902+61.00	905+86.00	00.0000'	13.5000' RT	SAW CUTS	360	LF	INCLUDES SHOULDERS TO 6" PAST CENTERLINE
EB Route 92	902+61.00	905+86.00	00.0000'	13.5000' RT	PAVEMENT REMOVAL	615	SY	INCLUDES SHOULDERS TO 6" PAST CENTERLINE
TOTALS						LUMP SUM	1.00	

PAVEMENT QUANTITIES											
HIGHWAY LOCATION	STATION FROM	STATION TO	DIMENSION		SUBGRADE COMPACTION	FURNISHING ROCK BASE	PLACING ROCK BASE	ASPHALT CONC. MIX PG 70-22 SP125C (TONS)	ASPHALT CONC. MIX PG 64-22 SP190C (TONS)	TACK COAT (GAL)	NOTES / REMARKS
			FT x FT		6" (100FT)	(CY)	(CY)				
MO-92	902+61.00	905+86.00	325	13.5	3.25	476.09	476.09	113.11	219.37	78.27	Eastbound Lane & Shoulder
SUBTOTAL					3	477	477	114	220	79	
AT DISCRETION OF ENGINEER											

EARTHWORK QUANTITIES							
LOCATION	STATION FROM	STATION TO	CLASS A EXCAVATION (CY)	FURNISHING ROCK FILL (CY)	PLACING ROCK FILL (CY)	PERMANENT EROSION SEPARATION GEOTEXTILE (SY)	NOTE / REMARKS
SOUTHSIDE OF ROUTE 92 (TRYST FALLS PARK SIDE)	902+61.00	905+86.00	1864.96	1181.72	1181.72	15356.49	
SUBTOTALS			1865	1182	1182	15357	
PAY TOTALS			1865	1190	1190	15357	

EROSION CONTROL							
LOCATION	STATION FROM	STATION TO	OFFSET FROM	OFFSET TO	LENGTH	SILT FENCE (LF)	NOTE / REMARKS
MO-92	902+61.00	905+85.42	43.0466'	65.0232'	338.018	339	SOUTHSIDE SLOPE LINE 5 FT AWAY FROM ROW
PAY TOTALS						339	


RELOCATION OF SIGNS					
LOCATION	STATION	OFFSET	ITEM DESCRIPTION	RELOCATE SIGN (EA)	NOTE / REMARKS
EB Route 92	901+51.09	20.1926' RT	SIGN & POST FOOTING	1	PAST SHOULDER
EB Route 92	903+08.31	21.4624' RT	SIGN & POST FOOTING	1	PAST SHOULDER
EB Route 92	904+63.35	20.6297' RT	SIGN & POST FOOTING	1	PAST SHOULDER
PAY TOTALS				3.00	

CULVERT CLEANOUT							
LOCATION	STATION FROM	STATION TO	OFFSET FROM	OFFSET TO	CULVERT CLEANOUT (EA)	PIPE LINER FOR EXISTING CULVERT (LF)	NOTE / REMARKS
EB Route 92	902+13.95	902+41.28	35.5896' LT	39.6057' RT	1	80	EXIST. 21" RCP
PAY TOTALS					1	80	

MAINLINE PERMANENT PAVEMENT MARKING					
STATION START	STATION END	TOTAL LENGTH (FT)	6" WHITE HIGH BUILD WATERBORNE (TYPE L BEADS) (LF)	4" YELLOW HIGH BUILD WATERBORNE (TYPE L BEADS) (LF)	REMARKS
902+61.00	905+86.00	325.0	325	650	
SUB TOTAL			325	650	
MAINLINE SUB TOTAL			325	650	

- MOBILIZATION
1 LUMP SUM
- BIT CENTERLINE
RUMBLE STRIP
3.2 STA.
- BIT SHOULDER LINE
RUMBLE STRIP
3.2 STA.
- PAVEMENT EDGE
TREATMENT
325 LF
- CONTRACTOR FURNISHED
SURVEY & STAKING
1 LUMP SUM
- CLEARING &
GRUBBING
1.0 ACRE

SUMMARY OF QUANTITIES
SHEET 1 OF 2



DATE PREPARED
2/27/2025

ROUTE **92** STATE **MO**

DISTRICT **KC** SHEET NO. **3**

COUNTY
CLAY

JOB NO.
JKU0454

CONTRACT ID.


PROJECT NO.

BRIDGE NO.


DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION



105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



Craig Skorseth
CRAIG SKORSETH - CIVIL
MO-PE-2018000273

DATE PREPARED
1/24/2025

ROUTE 92 STATE MO

DISTRICT KC SHEET NO. 4

COUNTY CLAY

JOB NO. JKU0454

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE



DATE


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION




105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

PI 903+28.55
PC 896+36.00
PT 909+64.78
Δ 39°51'31.7" (LT)
D 2°59'58.8"
L 1,328.78' (ARC)
T 692.55'
R 1,910.08'

 ASPHALT PAVEMENT (SP125C)
 ROCK WEDGE (SLIDE REPAIR)




*NOTE: REMOVE & RELOCATE CHEVRON SIGNS,
DENOTED AS SIGN ABOVE
(REFER TO SHEET 3 FOR EXACT LOCATIONS)




PLAN SHEET
1 OF 1

CL-46 "COTTON SPINDLE" IN NE SIDE
LIGHT POLE 90' RT OF RTE. 92 ☺




MOD. STATE PLANE
N:1167393.35
E:2853349.03
ELEV:857.08

CP #2 SET 1/4 IB & CAP 85' RT OF RTE. 92 ☺
(EAST OF TRYST FALLS ENTRANCE)



MOD. STATE PLANE
N:1167202.78
E:2853637.95
ELEV:834.02

COORDINATES ARE IN MODIFIED
MISSOURI STATE PLANE, WEST ZONE (NAD83/2011)
PROJECTION FACOTOR: 1.00009000
GRID FACTOR: 0.9999100



Craig Skorseth
DATE PREPARED

1/24/2025

ROUTE	STATE
92	MO

DISTRICT	SHEET NO.
KC	5

COUNTY
CLAY

JOB NO.
KU0454


CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION
COMMISSION



105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-273-6636)

ALL PROJECT COORDINATES HAVE BEEN PROJECTED FROM THE MISSOURI STATE PLANE COORDINATE (SPC) SYSTEM OF 1983 USING AN AVERAGE PROJECT PROJECTION (GRID TO GROUND) FACTOR. TO GET BACK TO STATE PLANE COORDINATES MULTIPLY THE PROJECT COORDINATES BY THE AVERAGE GRID FACTOR AS SHOWN IN THE "REFERENCE CONTROL INFORMATION" PORTION OF THIS TABLE.

PROJECT COORDINATE INFORMATION

COORDINATE SYSTEM	MODIFIED STATE PLANE (GROUND)
HORIZONTAL DATUM	NAD83
VERTICAL DATUM	NAVD88
GEOID MODEL	GEOID18
ELEVATIONS DETERMINED BY	GPS OBSERVATION
PROJECT PROJECTION FACTOR	1.00009000

REFERENCE CONTROL INFORMATION

COORDINATE SYSTEM	MO COORDINATE SYSTEM OF 1983
CONTROL STATION	MO GEOGRAPHIC REFERENCE SYSTEM
DESIGNATION	CL - 46
CORS_ID	NONE
PID	47049
LATITUDE	39°22'19.82691"
LONGITUDE	94°16'20.09883
NORTHING (M)	355790.1170
EASTING (M)	869624.2740
ZONE	WEST
PROJECT AVERAGE GRID FACTOR	0.99991000

EXAMPLE OF PROJECT COORDINATE TO S.P.C.

PROJECT NORTHING X AVERAGE GRID FACTOR
= STATE PLANE NORTHING
PROJECT EASTING X AVERAGE GRID FACTOR
= STATE PLANE EASTING


EXAMPLE: CONTROL POINT # ___
N _____ X _____ = N _____
E _____ X _____ = E _____

LINEAR UNIT CONVERSION

1 METER = 3.280833333 US SURVEY FEET (USFT)

COORDINATE POINT LISTING

SHEET NO	STATION	LOCATION	OFFSET (USFT)	MODIFIED STATE PLANE (GROUND)			DESCRIPTION
				NORTHING (US SURVEY FT)	EASTING (US SURVEY FT)	ELEVATION (US SURVEY FT)	
PROJECT CONTROL POINTS							
	898+67.44	EB SHLDR	60.0996'	1,167,393.35	2,853,349.03	857.08	CL-46
	902+00.50	"	84.6695'	1,167,202.78	2,853,637.95	834.02	CP-2
ALIGNMENTS							
4	896+36.00	☉ 92	0 Ft	1,167,584.78	2,853,200.21		Back Bearing (PC) = S48° 42' 41.170" E
4	903+28.55	☉ 92	0 Ft	1,167,127.80	2,853,720.59		PI
4	909+64.78	☉ 92	0 Ft	1,167,110.52	2,854,412.92		Ahead Bearing (PT) = S88° 34' 12.630" E



DATE PREPARED
1/24/2025

ROUTE	STATE
92	MO
DISTRICT	SHEET NO.
KC	6
COUNTY	
CLAY	
JOB NO.	
KU0454	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Sign Spacing, Device Spacing and Channelizing Taper Lengths

SPEED MPH	UNDIVIDED HIGHWAYS	DIVIDED HIGHWAYS
0-35	200	200
40-45	350	500
50-55	500	1000
60-70	1000	SA-1000 SB-1500 SC-2640

SPEED MPH	BUFFER SPACE
0-35	250
40-45	360
50-55	495
60-70	730

SPEED MPH	MINIMUM TAPER LENGTHS (L) FOR LANE WIDTHS (W)			MAXIMUM CHANNELIZER SPACING	
	10 FT	11 FT	12 FT	THROUGH TAPER	THROUGH WORK AREA
	0-35	205	225	245	35
40-45	450	495	540	40	80
50-55	550	605	660	50	80
60-70	700	770	840	60	120

TAPER LENGTH (L):
 $L = WS$ FOR 40 MPH OR MORE
 $L = \frac{WS^2}{60}$ FOR 35 MPH OR LESS
 FOR SHOULDER TAPER USE L/3

WHERE:
 L = TAPER LENGTH IN FEET
 W = LATERAL SHIFT IN FEET
 S = POSTED SPEED IN MPH

NOTES:

- DIMENSIONS IN FEET UNLESS OTHERWISE NOTED.
- (1) SPACING BETWEEN SIGNS AND SPACING BETWEEN LAST SIGN AND FLAGGER, BEGINNING OF TAPER, OR SIGNED CONDITION
 - (2) SPACINGS MAY BE ADJUSTED AS NECESSARY TO MEET FIELD CONDITIONS


TRAFFIC CONTROL DEVICES

GENERAL NOTES:

1. SEE STANDARD PLAN 616.10 FOR DETAILS AND ITEMS NOT SHOWN
2. EXISTING SIGNS SHALL BE COVERED DURING WORKING HOURS ONLY IF IN CONFLICT WITH TRAFFIC CONTROL PLANS.
3. NO DIRECT PAYMENT WILL BE MADE FOR RELOCATING, COVERING, UNCOVERING OR REMOVING SIGNS.
4. CONES ALLOWABLE FOR DAYTIME OPERATIONS ONLY.
6. LOCATE FLASHING ARROW PANEL AT BEGINNING OF TAPER WHEN FEASIBLE, ARROW PANELS ARE ALWAYS LOCATED BEHIND CHANNELIZERS OR CONES.

TRAFFIC CONTROL LEGEND

- SIGN (SINGLE SIDED)
- ◻ SIGN (DOUBLE SIDED)
- ◁ FLAGGER
- ▲ CONE
- CHANNELIZER
- ⌌ BARRICADE
- ▤ CHANGEABLE MESSAGE BOARD
- ⚡ TMA (TRUCK MOUNTED ATTENUATOR) WITH FLASHING ARROW PANEL




STATE OF MISSOURI
 CRAIG SKORSETH
 NUMBER
 PE-2018000273
 PROFESSIONAL ENGINEER

Craig Skorseth


CRAIG SKORSETH - CIVIL
 MO-PE-2018000273

DATE PREPARED 1/24/2025	
ROUTE 92	STATE MO
DISTRICT KC	SHEET NO. 7
COUNTY CLAY	
JOB NO. JKU0454	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	
DATE	DESCRIPTION



MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION


105 WEST CAPITOL
 JEFFERSON CITY, MO 65102
 1-888-ASK-MODOT (1-888-275-6636)



DATE PREPARED
1/24/2025

ROUTE 92	STATE MO
DISTRICT KC	SHEET NO. 8
COUNTY CLAY	
JOB NO. JKU0454	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

- 1 - (SE CORNER) EASTBOUND ROUTE 92 JUST AFTER ROUTE 33
- 2 - (SE CORNER) EASTBOUND ROUTE 92 JUST BEFORE TRENTON RR SUB CROSSING
- 3 - (NW CORNER) WESTBOUND ROUTE 92 JUST AFTER RA HIGHWAY
- 4 - (NW CORNER) WESTBOUND ROUTE 92 JUST AFTER SOUTHBOUND HIGHWAY 69



DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SCALE
1:16000

CHANGEABLE MESSAGE
BOARD LOCATIONS
TRAFFIC CONTROL
SHEETS 2 OF 7


GENERAL NOTES:
 MAXIMUM CLOSURE FOR
 ROUTE 92 SHALL BE
 THREE WEEKS.



* SPACING IS NOT TO SCALE
 PLEASE FOLLOW DIMENSION


TRAFFIC CONTROL LEGEND

- SIGN (SINGLE SIDED)
- ◻ SIGN (DOUBLE SIDED)
- ◊ FLAGGER
- ▲ CONE
- CHANNELIZER
- E BARRICADE
- ▨ CHANGEABLE MESSAGE BOARD




R11-2

1



R11-4

2



WO20-3

3



WO20-3

4




CONST-8

5





WO20-1

6



GO20-2

7





DATE PREPARED
1/24/2025

ROUTE 92	STATE MO
DISTRICT KC	SHEET NO. 9
COUNTY CLAY	
JOB NO. JKU0454	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	


DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION
 COMMISSION

105 WEST CAPITOL
 JEFFERSON CITY, MO 65102
 1-888-ASK-MODOT (1-888-275-6636)



TRAFFIC SEPARATOR CURB WITH DELINEATORS
 TRAFFIC CONTROL
 SHEET 4 OF 7




DATE PREPARED
 1/24/2025
 ROUTE 92 STATE MO
 DISTRICT KC SHEET NO. 10
 COUNTY CLAY
 JOB NO. KU0454
 CONTRACT ID.
 PROJECT NO.
 BRIDGE NO.

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
 MoDOT
 105 WEST CAPITOL
 JEFFERSON CITY, MO 65102
 1-888-ASK-MODOT (1-888-275-6636)

NOT TO SCALE



WO21 - 5

21

WORK BEYOND THE SHOULDER
(UNDIVIDED OR DIVIDED HIGHWAY)

TEMPORARY TRAFFIC CONTROL

SHEET 5 OF 7



DATE PREPARED
1/24/2025


ROUTE 92	STATE MO
DISTRICT KC	SHEET NO. 11
COUNTY CLAY	
JOB NO. JKU0454	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-273-6636)

NOT TO SCALE



LANE CLOSURE
ON TWO-LANE ROAD
USING FLAGGERS



WO20-1

2




WO20-4

7



WO20-7a

8



DATE PREPARED
1/24/2025

ROUTE 92 STATE MO

DISTRICT KC SHEET NO. 12

COUNTY CLAY

JOB NO. JKU0454

CONTRACT ID.

PROJECT NO.

BRIDGE NO.


DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-273-6636)

TEMPORARY TRAFFIC CONTROL

NOT TO SCALE



STRIPING ON TWO-LANE HIGHWAY

NOTES:

UPON APPROVAL OF THE ENGINEER, THE CONTRACTOR MAY PROVIDE ADDITIONAL PROTECTIVE TRUCKS EQUIPPED WITH PROPER WARNING DEVICES.

PROTECTIVE TRUCKS AND WORK VEHICLES SHALL DISPLAY HIGH-INTENSITY ROTATING, FLASHING, OSCILLATING, OR STROBE LIGHTS.

VEHICLE HAZARD WARNING SIGNALS SHALL NOT BE USED INSTEAD OF THE VEHICLE'S HIGH-INTENSITY ROTATING, FLASHING, OSCILLATING, OR STROBE LIGHTS.

VEHICLE-MOUNTED SIGNS SHALL BE MOUNTED IN A MANNER SUCH THAT THEY ARE NOT OBSCURED BY EQUIPMENT OR SUPPLIES. SIGN LEGENDS ON VEHICLE-MOUNTED SIGNS SHALL BE COVERED OR TURNED FROM VIEW WHEN WORK IS NOT IN PROGRESS.

FLASHING ARROW PANELS SHALL BE INCIDENTAL TO TRUCK MOUNTED ATTENUATORS, WHEREVER USED. NO ADDITIONAL PAYMENT WILL BE MADE.


(1) TRUCK IS OPTIONAL ON TWO-LANE UNDIVIDED HIGHWAYS IF SIGNING AND ARROW BOARD ARE MOUNTED ON THE PAVEMENT MARKING EQUIPMENT.

(2) WET PAINT SIGNS ARE INSTALLED TO INDICATE THE SIDE IN WHICH THE PAVEMENT MARKING MATERIAL IS BEING APPLIED. AT THE CONTRACTOR'S OPTION, A FRONT FACING WET PAINT SIGN MAY BE INSTALLED ON THE LEFT SIDE OF THE PAVEMENT MARKING EQUIPMENT.

(3) REAR WARNING TRUCK IS POSITIONED AT THE NO TRACK POINT OF THE PAVEMENT MARKING MATERIAL, OR VERTICAL OR HORIZONTAL CURVES THAT RESTRICT SIGHT DISTANCE, OR SPACING SHOWN, WHICHEVER IS GREATER.

TEMPORARY TRAFFIC CONTROL

SHEET 7 OF 7



DATE PREPARED 1/24/2025	
ROUTE 92	STATE MO
DISTRICT KC	SHEET NO. 13
COUNTY CLAY	
JOB NO. JKU0454	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

NOTE: THE SILT FENCE IS TO BE
 PLACE 5' ALONG THE NORTH SIDE OF ROW.
 START AND END POINTS ARE DESCRIBED IN QUANTITY SHEET 1 OF 2




905











36" RCP,
 USE IN PLACE


21" RCP, L=80'

SLIDE REPAIR
 AREA




TEMPORARY EROSION CONTROL LEGEND

-  ALTERNATE DITCH CHECK
-  CURB INLET CHECK
-  ROCK DITCH CHECK
-  SEDIMENT TRAP
-  ENERGY DISSIPATOR
-  TEMPORARY BERM TYPE B
-  TEMPORARY BERM TYPE C
-  SILT FENCE
-  TEMPORARY SEDIMENT BASIN
-  PERMANENT SEDIMENT BASIN



EROSION CONTROL
 SHEET 1 OF 1



Craig Skorseth
 CRAIG SKORSETH - CIVIL
 MO-PE-2018000273

DATE PREPARED
 1/24/2025

ROUTE 92	STATE MO
-------------	-------------

DISTRICT KC	SHEET NO. 14
----------------	-----------------

COUNTY
CLAY

JOB NO.
KU0454


CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION



105 WEST CAPITOL
 JEFFERSON CITY, MO 65102
 1-888-ASK-MODOT (1-888-275-6636)