# STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING Contract I.D. 250516-F01

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S): FAF-100-1(74), FAF 100-1(87)

Job J6P3274 Route 100 St. Louis County Job J6P3274B Route 100 St. Louis County

## BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.

2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.

3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.

4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.

5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.

6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.

7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.

8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.

9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check Bid)at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to nonresponsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

### TABLE OF CONTENTS

Notice to Contractors

Proposed Work	item	(1)
Compliance With Contract Provisions	item	(2)
Period of Performance	item	(3)
Liquidated Damages	item	(4)
Itemized Bid	item	(5)
Trainees	item	(6)
DBE Certification*	item	(7)
Acceptance of Provision for Price Adjustment for Fuel	item	(8a)
Acceptance of Provision for Asphalt Cement Price Index	item	(8b)
Max. Monetary Value of Awards Accepted this Bid Opening	item	(9)
Combination Bids	item	(10)
Certification for Federal Jobs	item	(11a)
Certification for State Jobs	item	(11b)
Antidiscrimination	item	(12)
Preference to Missouri Firms in Awarding of Contracts	item	(13)
Subcontractor Disclosure Form*	.item	(14)
Signature and Identity of Bidder	item	(15)
Bid Guaranty*	item	(16)

\*These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

#### NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 05/16/2025.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

(1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:

\*\*\*\*(1): Job J6P3274 Route 100 ST LOUIS County. Coldmill, resurface, ADA improvements, signals, 2 bridge replacements, and 2 bridge rehabilitations from Route 141 to New Ballas Road near Des Peres, the total length of improvement being 3.46 miles.\*\*\*\*(2): Job J6P3274B Route 100 ST LOUIS County. Bridge rehabilitation over Des Peres Rd. and I-270 in Des Peres, the total length of improvement being 0.32 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

(2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876.

(3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.

(4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity	Unit	Unit Price	Extension Price
Section 0001 Roadway Items	- J6P3274				
	SIGNET DBE	1.000 REPORTING		\$1,000.00000	
0020	2022010 REMOVAL OF	1.000 IMPROVEMENTS	LS		
0030	2031000 CLASS A EX	655.000	CUYD		
0040	2063000 CLASS 3 EX	CAVATION	CUYD		
0050	2072000 LINEAR GRA	177.900 DING CLASS 2	STA		
0060	2159910 MISC. MODI	27.000	100F		
0070	3040504	13772.000 REGATE FOR BASE (4	SQYD 4 IN. THICK)		
0080	3040506 TYPE 5 AGG	1506.000 REGATE FOR BASE (	SQYD 6 IN. THICK)		
0090	3105003 GRAVEL (A)	73.000 OR CRUSHED STONE	SQYD (B)		
0100	4010150 TYPE A2 SH	1305.500 OULDER	SQYD		
0110	BITUMINOUS	4332.100 PAVEMENT MIXTURE	TONS		
0120		1034.800 ONAL PAVEMENT	SQYD		
0130	4030012 ASPHALTIC	2783.100	TONS	SCLP MIX)	
0140	4030111 ASPHALTIC	13852.100 CONCRETE MIXTURE 1	TONS		
0150	4030208	20363.400 CONCRETE MIXTURE 1	TONS		
0160	4071005 TACK COAT	25772.000	GAL		
0170	4136000 PCCP JOINT	2200.000			
0180	5021334	1505.700	SQYD	CED, 15 FT. JOINTS)	
0190	6039902 WATER ADJU	2.000	EA		
0200	6039902	11.000 ST TO GRADE WATER	EA		
0210	6042010 ADJUSTING	11.000 MANHOLE	EA		
	6042020 ADJUSTING	6.000 BASIN OR INLET	EA		
		1.000			
0240	6081012	-			

	TRUNCATED DOMES
0250	6083006 478.000 SQYD 6 IN. CONCRETE MEDIAN STRIP
0260	6084024 107.000 LF SIDEWALK HAND-RAILING WITH BALUSTERS
0270	6085008 3937.000 SQYD PAVED APPROACH, 8 IN.
0280	6086004 8515.500 SQYD
	CONCRETE SIDEWALK, 4 IN.
0290	6086007 269.300 SQYD
	CONCRETE SIDEWALK 7 IN
0300	6089902 187.000 EA
	MISC. Concrete Curb Ramp
0310	6089905 503.600 SQYD
0310	MISC. 4 IN. STAMPED CONCRETE
0220	6091010 6250.000 LF
0320	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S
0330	6091011 62.000 LF CONCRETE CURB (OVER 6 IN. HEIGHT) TYPE S
	6091052 773.000 LF
	CURB AND GUTTER TYPE B
0350	6092011 120.000 LF
	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A
0360	6092021 62.000 LF
	INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE A
0370	6099903 319.000 LF
	MISC. MODIFIED CURB AND GUTTER
0380	6113020 577.000 CUYD
	FURNISHING TYPE 2 ROCK BLANKET
0390	6113040 577.000 CUYD
	PLACING TYPE 2 ROCK BLANKET
0400	
	IMPACT ATTENUATOR 45 MPH (SAND BARREL ARRAY)
0410	6122020 5.000 EA
	REPLACEMENT SAND BARREL
0420	6122030 5.000 EA
	IMPACT ATTENUATOR (RELOCATION)
0430	6122040 5.000 EA
	WORK ZONE CRASH CUSHION (NARROW)
0440	6122041 6.000 EA
	WORK ZONE CRASH CUSHION (NARROW) (RELOCATION)
	6131010 3869.000 SQYD
	FURNISHING AND PLACING CONCRETE MATERIAL FOR FULL DEPTH PAVEMENT REPAIR
0460	6131012 369.000 SQYD
	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)
	6131013 369.000 SQYD
	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)
	6131014 14772.000 LF
	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS)
	6131015 9232.000 EA DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR

0500	6131018 259.000 EA TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR (TYDE L JOINTS)
0510	6141021 2.000 EA
	grate and bearing plate (3 Ft. x 2 Ft. or 914 mm x 610 mm)
0520	6141120 5.000 EA
	CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MM X 600MM)
0530	6141121 9.000 EA
	CURVED VANE GRATE AND FRAME (4 FT. X 2 FT. OR 1200MM X 600MM)
0540	6143010 6.000 EA
	MANHOLE FRAME AND COVER, TYPE 1-A
0550	6149902 1.000 EA
	MISC. CONVERT INLET TO MANHOLE
0560	6161098A 1.000 EA
	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED,
0570	6169901 1.000 LS
	MISC. TEMPORARY TRAFFIC CONTROL
0580	6173001 84.000 LF
	CONCRETE TRAFFIC BARRIER, TYPE C (RETAINING WALL)
0590	6173100 70.000 LF
	CONCRETE TRAFFIC BARRIER, TYPE D
0600	6173600D 513.000 LF
	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED
0610	6175010A 1325.000 LF
	RELOCATING TEMPORARY TRAFFIC BARRIER
0620	6181000 1.000 LS
	MOBILIZATION
0630	6200009 1461.000 LF
0000	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 6 IN. WHITE
0640	6200015 2714.000 LF
0040	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE
0650	6200021 127.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
0660	6200024 28.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW
0670	6200027 3.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT
0680	6200030 6.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, WORD (ONLY)
0690	6200036 426.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK
0700	6200042 12.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES
0710	6205301B 16000.000 LF
	TEMPORARY REMOVABLE MARKING TAPE 4 IN., WHITE
0720	6205303B 7812.000 LF
	TEMPORARY REMOVABLE MARKING TAPE 4 IN., YELLOW
0730	
0750	4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0740	6205902A 67857.000 LF 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
	U IN. WHITE HIGH DUILD WAIERDORNE FAVEMENT MARKING FAINT, HIFE L BEADS

0750	6205903A 16979.000 LF
	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0760	6205906A 838.000 LF
	12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0770	6206000C 4302.000 LF
	4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0780	6206124A 258.000 LF
	24 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0790	6206125A 334.000 LF
	24 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS
0800	6209902 2.000 EA
	MISC. MERGE ARROW
0810	6209902 11.000 EA
	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, SYMBOL (BIKE)
0820	6214600A 15.000 CUYD
	FLOWABLE BACKFILL
0830	6221001 51355.000 SQYD
	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
0840	6221003 124220.000 SQYD
	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATER THAN 3 IN. THICK)
0850	6240103A 1174.000 SQYD
	PERMANENT EROSION CONTROL GEOTEXTILE
0860	6252003 8400.000 LB
	SLAB JACKING MATERIAL HIGH DENSITY POLYURETHANE
0870	6274000 1.000 LS
	CONTRACTOR FURNISHED SURVEYING AND STAKING
0880	7201000 357.000 SQFT
	MECHANICALLY STABILIZED EARTH WALL SYSTEMS
0890	7250312A 89.000 LF
	12 IN. PIPE GROUP B
0900	7250315A 34.000 LF
	15 IN. PIPE GROUP B
0910	7261012 609.000 LF
	12 IN. PIPE GROUP A
0920	7261015 71.000 LF
	15 IN. PIPE GROUP A
0930	7261018 114.000 LF
	18 IN. PIPE GROUP A
0940	7261024 129.000 LF
	24 IN. PIPE GROUP A
0950	7310048 16.000 FT
	precast concrete manhole - 48 in.
0960	7310060 12.000 FT
	PRECAST CONCRETE MANHOLE - 60 IN.
0970	7311022 17.000 FT
	PRECAST CONCRETE DROP INLET 2 FT X 2 FT
0980	7311032 7.000 FT
	PRECAST CONCRETE DROP INLET 3 FT X 2 FT
0990	7311042 41.000 FT
	PRECAST CONCRETE DROP INLET 4 FT X 2 FT
1000	7319902 3.000 EA

	MISC. SHALLOW INLET 2 FR X 2 FT W/PIPE AND SPLASH PAD
	7319902 7.000 EA MISC. SHALLOW INLET 4 FT X 2 FT W/PIPE AND SPLASH PAD
1020	7320012A 2.000 EA 12 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
1030	7320015A 6.000 EA 15 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
	8031000A 15165.000 SQYD TURF TYPE TALL FESCUE SODDING
	8039905A 736.000 SQYD MISC. LANDSCAPING RESTORATION
	8061005 12.000 LF ROCK DITCH CHECK
	8061006 62.000 LF ALTERNATE DITCH CHECK
1080	8061007A 123.000 EA CURB INLET CHECK
	8061016 345.000 CUYD SEDIMENT REMOVAL
	8061019 14800.000 LF SILT FENCE
Section 0001 Tota	

1110	6061060	752.000 LF
	MGS GUARDRAI	_
1120	6061069	10.000 EA
	MGS BRIDGE A	PPROACH TRANSITION SECTION (REGULAR/NO CURB)
1130	6061080	4.000 EA
	MGS END ANCH	DR
1140	6063014	12.000 EA
	TYPE A CRASH	NORTHY END TERMINAL (MASH)
1150	6063020	1.000 EA
	TYPE C CRASH	NORTHY END TERMINAL (MASH)

Section 0003 Signal Items -	J6P3274	
1160		4.000 EA OLE, 20 FT METALLIC FINISH
1170	9020113 SIGNAL HEAD, TYPE 3T	2.000 EA
1180	9020213 SIGNAL HEAD, TYPE 3S	3.000 EA
1190	9020513 2: SIGNAL HEAD, TYPE 3B	8.000 EA
1200	9020514 SIGNAL HEAD, TYPE 4B	6.000 EA

	9020515 1.000 EA SIGNAL HEAD, TYPE 5B
1220	9020833 182.000 SQFT
1220	SH-FLAT SHEET - SIGNAL SIGN
1230	9020834 19.000 EA SIGNAL SIGN, MOUNTING HARDWARE
1240	9022651 6.000 EA
	LUMINAIRE LED-A, 120 VOLT COMPATIBLE
	9022708 31.000 EA
	POST, SIGNAL 8 FT.
1260	9023120 1.000 EA
	POST, TYPE CL, 20 FT. ARM OR 6.1 M ARM
1270	9023140 2.000 EA
1270	POST, TYPE CL, 40 FT. ARM OR 12.2 M ARM
1280	9023145 1.000 EA
	POST, TYPE CL, 45 FT. ARM OR 13.7 M ARM
	9023155 2.000 EA
	POST, TYPE CL, 55 FT. ARM
1300	9023230 2.000 EA
1 2 1 0	
	9024283 2.000 EA CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER
1320	9025300 856.000 LF
	CONDUIT, 3 IN., TRENCH WITH TRACER WIRE
1330	9027300 2680.000 LF
	CONDUIT, 3 IN., PUSHED WITH TRACER WIRE
1340	9028100 710.000 LF
	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
1350	9028208 170.000 LF
	CABLE, 8 AWG 1 CONDUCTOR, POWER
1360	9028302 970.000 LF
	CABLE, 12 AWG 2 CONDUCTOR
	9028308 13310.000 LF
	CABLE, 16 AWG 2 CONDUCTOR
1380	9028310 13310.000 LF
	CABLE, 16 AWG 5 CONDUCTOR
1390	9028311 6690.000 LF
2000	CABLE, 16 AWG 7 CONDUCTOR
1 4 0 0	
	9028810 3.000 EA
	PULL BOX, PREFORMED CLASS 1
1410	9028811 12.000 EA
	PULL BOX, PREFORMED CLASS 2
	9028812 4.000 EA
	PULL BOX, PREFORMED CLASS 3
1430	9029100 42.900 CUYD
	BASE, CONCRETE
1440	9029901 1.000 LS
1450	9029902 56.000 EA
	MISC. ACCESIBLE PEDESTRIAN PUSHBUTTON AND SIGNING
	9029902 29.000 EA

	MISC. ADJUST TO GRADE MODOT PULL BOX
1470	9029902 2.000 EA
	MISC. ATC TRAFFIC SIGNAL CONTROLLER
1480	
	MISC. COMBINATION PAD MOUNTED $120V/240V$ POWER SUPPLY AND LIGHTING CONTROLLER WITH UPS
1490	9029902 56.000 EA
	MISC. COUNTDOWN PEDESTRIAN SIGNAL HEAD, TYPE 1S
1500	9029902 2.000 EA
	MISC. NETWORK CONNECTED SIGNAL MONITOR
1510	
	MISC. PEDESTRIAN PUSH BUTTON STANCHION, 4 FT.
1520	9029902 7.000 EA
	MISC. PUSH BUTTON EXTENDER
1530	
	MISC. SL DISTRICT TRAFFIC SIGNAL DETECTION SYSTEM
Section 0003 Tota	L

Section 0004 Signing Items	s - J6P3274
1540	
	CONCRETE FOOTINGS, EMBEDDED
1550	9031210 1530.000 LB
	STRUCTURAL STEEL POSTS
1560	9031241 9.000 EA
	BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)
1570	9031270A 1009.000 LF
	2 IN. PSST POST - 12 GA.
1580	9031271A 87.000 EA
	DRIVEN POST ANCHOR FOR 2 IN. PSST - 12 GA.
1590	9031272A 1.000 EA
	2.25 IN. PSST POST INSERT (6 FT.) - 12 GA.
1600	9031274 14.000 EA
	CONCRETE POST ANCHOR FOR 2 IN. PSST 7 GA.
1610	9031280 616.000 LF
	2.5 IN. PSST POST - 12 GA.
1620	9031281A 52.000 EA
1630	9035004A 123.000 SQFT
	SH-FLAT SHEET
1640	9035011A 480.000 SQFT
	ST-STRUCTURAL
1650	9035069A 328.000 SQFT
	SHF-FLAT SHEET FLUORESCENT
1660	9035071A 90.000 SQFT
	STF-STRUCTURAL FLUORESCENT
1670	9036042 2.000 EA
1680	9039902 69.000 EA
	MISC. REMOVE AND RELOCATING EXISTING GROUND MOUNT SIGN

Section 0004 Total

1 6 0 0	0100001	1 000 20
1690	9109901	1.000 LS ITS ASSET MANAGEMENT TOOL
	9109901	
1700		1.000 LS REMOVAL OF EXISTING FIBER OPTIC CABLE
1710	9109902	3.000 EA
1/10		CCTV CAMERA ASSEMBLY
1720		104.000 EA
		FIBER OPTIC FUSION SPLICE
1730	9109902	16.000 EA
	MISC.	FIBER OPTIC PIGTAIL
1740	9109902	3.000 EA
	MISC.	INSTALL CCTV CAMERA ASSEMBLY
1750	9109902	
		INSTALL IP ADDRESSABLE POWER STRIP
1760	9109902	8.000 EA
		INSTALL OR RELOCATE EXISTING AND NEW COMMUNICATION EQUIPMENT
1770	9109902	1.000 EA
		RELOCATE EXISTING CCTV CAMERA
1780	9109902	
		REMOVE-IN-PAVEMENT WIRELESS DETECTION SYSTEM PER INTERSECTION
1790	9109902	4.000 EA WALL MOUNTED INTERCONNECT CENTER
1800	9109903 MISC	540.000 LF CCTV CAMERA CABLE
1810	9109903	3002.000 LF
1010		FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE
1820		1000.000 LF
1020		MODOT ITS ASSETS RELOCATION

Section 0006 Bridge A9276 Items - J6P3274			
1830	2063300 CLASS 4 EXC.	664.000 CUYD AVATION	
1840	2065500 Temporary S.	1.000 LS HORING	
1850	2069901 MISC. Dewate	1.000 LS ering	
1860	2160500 REMOVAL OF :	1.000 LS BRIDGES	
1870	6071065 (60 IN.) PE	195.000 LF DESTRIAN FENCE (STRUCTURES)	
1880	7034040 Class B-1 C	580.800 CUYD ONCRETE (CULVERTS-BRIDGE)	
1890	7061020	82750.000 LB	

	REINFORCING	G STEEL (CULVERTS-BRIDGE)	
1900	7061070	141.000 EA	
	MECHANICAL	BAR SPLICE	
Section 0006 Total			

1910	2063300	1681.000	CUYD
	CLASS 4 EX	CAVATION	
	2065500	1.000	
	TEMPORARY		
1930	2069901	1.000	
	MISC. Dewa	tering	
1940	2160500	1.000	
	REMOVAL OF		
1950	6071065		
	(60 IN.) F	PEDESTRIAN FENCE (S	TRUCTURES)
1960	7034040	755.200	
	CLASS B-1	CONCRETE (CULVERTS	-BRIDGE)
1970	7061020	116430.000	
	REINFORCIN	IG STEEL (CULVERTS-	BRIDGE)
1980	7061070	252.000	
	MECHANICAL	BAR SPLICE	
1990	7133000	52.000	
	BRIDGE GUA	RDRAIL (W-BEAM)	

2000	5059905	3227.000 SQYD	
	MISC. EPOXY URE	ETHANE POLYMER WEARING SURFACE WITH HEALER/SEALER	
2010	7040102	150.000 SQFT	
	SUBSTRUCTURE RE	EPAIR (UNFORMED)	
2020	7040163		
	CONCRETE CRACK	FILLER	
2030	7049903		
	MISC. MEDIAN CU	URB REPAIR (FORMED)	
2040	7110200	1.000 LS	
	PROTECTIVE COAT	TING - CONCRETE BENTS AND PIERS (EPOXY)	
2050	7119904	5.000 SQFT	
	MISC. CLEANING	AND PROTECTIVE COATING (EPOXY)	
2060	7129902	37.000 EA	
	MISC. SLAB DRAI	IN EXTENSION 8" X 4"	

2070	REMOVAL OF EXISTING	78.000 LF G EXPANSION JOINT SEAL OR SEALANT
2080	5059905	980.000 SQYD IE POLYMER WEARING SURFACE WITH HEALER/SEALER
2090	7040102 SUBSTRUCTURE REPAIR	~
2100	7040104 HALF-SOLE REPAIR	
2110	7040163 CONCRETE CRACK FILL	434.000 SQYD Jer
2120		1.000 LS - CONCRETE BENTS AND PIERS (EPOXY)
2130	7119904 MISC. CLEANING AND	870.000 SQFT PROTECTIVE COATING (EPOXY)
2140	7172054 OPEN CELL FOAM JOIN	
Section 0009 Tota	al	

0 +	0010
Section	UUTU

Roadway It	zems - J6P3274B
2150	2022010 1.000 LS REMOVAL OF IMPROVEMENTS
2160	2159910 4.000 100F MISC. SHAPING SLOPES CLASS III (MODIFIED)
	6091041 15.000 LF CONCRETE GUTTER TYPE A
	6113010 11.000 CUYD FURNISHING TYPE 1 ROCK BLANKET
2190	6113040 11.000 CUYD PLACING TYPE 2 ROCK BLANKET
	6161098A 2.000 EA CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED CONTRACTOR RETAINED
2210	6169901 1.000 LS MISC. TEMPORARY TRAFFIC CONTROL
2220	6181000 1.000 LS MOBILIZATION
2230	6214600A 10.000 CUYD FLOWABLE BACKFILL
2240	6240103A 5.000 SQYD PERMANENT EROSION CONTROL GEOTEXTILE
2250	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING
Section 0010	

Section 0011			
Guardrail/Guard	Cable	Items	- J6P3274B

6061069

2260

2270

6063014

### 3.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)

Section 0011 Total		

Section 001 Lighting	12 g Items - J6P3274B		
2280	9019301	1.000 LS	
	BRIDGE LIG	HTING	
2290	9019902	29.000 EA	
	MISC. LED-	A Wall Pack (Including Housing)	
Section 001	l2 Total		

Section 001	
2300	2069902 3.000 EA
2300	MISC. Temporary Falsework
2310	2164500 30.000 LF
2310	REMOVAL OF EXISTING EXPANSION JOINT & ADJACENT CONCRETE
2320	2165000 66.000 LF
2320	REMOVAL OF EXISTING EXPANSION JOINT SEAL OR SEALANT
2330	2169903 8.000 LF
	MISC. Remove and Replace Barrier Curb
2340	5059905 12370.000 SQYD
	MISC. Epoxy Urethane Polymer Wearing Surface with Healer/Sealer
2350	7034214 5.000 CUYD
	CLASS B-2 CONCRETE
2360	7040101 75.000 SQFT
	SUBSTRUCTURE REPAIR (FORMED)
2370	7040102 520.000 SQFT
	SUBSTRUCTURE REPAIR (UNFORMED)
2380	7040104 180.000 SQFT
	HALF-SOLE REPAIR
2390	7040113 480.000 SQFT
	CLEANING AND EPOXY COATING
2400	7040163 487.000 SQYD
	CONCRETE CRACK FILLER
2410	7049903 10.000 LF
	MISC. Barrier Curb Repair
2420	7101000 430.000 LB
	REINFORCING STEEL (EPOXY COATED)
2430	7110100 1.000 LS
	PROTECTIVE COATING - CONCRETE BENTS AND PIERS (URETHANE)
2440	7129901 1.000 LS
	MISC. Drainage System Repair
2450	7129901 1.000 LS
	MISC. Flush Drainage System and Expansion Joints
2460	7129902 5.000 EA
	MISC. Slab Drain Extension 6" Dia.
2470	7129902 10.000 EA

	MISC. Slab Drain Extension 8" Dia.
2480	7129902 10.000 EA
	MISC. Slab Drain Extension 8" x 4"
2490	7172001 30.000 LF
	STRIP SEAL EXPANSION JOINT SYSTEM
2500	7172054 66.000 LF
	OPEN CELL FOAM JOINT SEAL
Section 0013 Tota	al

Item Total

\$1,000.00

## DBE List Summary

Project: FAF-100-1(74)
Bid Total: 1,000.00
Goal: 9.00% (90.00)
Total Entered: 0.00% (0.00)

Name

Bidder ID: 0011540 Business Name: Companyl

ID

Supp?/Dist? Item Count

Amount Is Complete?

### DBE CERTIFICATION

(6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 1 slots at 1000 hours per slot or 1000 hours.

(7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

(A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 9.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.

(B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

## Bidder's List Quote Summary Attachment

Attach the form as required by Sec. 102.7.9.

Attachment:

□ Verify

## CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/ or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

(10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.

(11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and material misrepresentation or omission of fact within the bid submission.

(11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes  $\bigcirc$  No  $\bigcirc$ 

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

\$

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

## SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if requested by the Design Division or the engineer.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

## SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

\*\*\* AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. \*\*\*

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

#### () Yes () No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

## BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

### ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

\*\*Bond ID: Verify Clear

\*\*Surety Registry Agency:

\*\*Bond Pct:

Surety State:

FIELDS WITH THE \*\* INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS