A.A.D.T. - DESIGN = VARIOUS
A.A.D.T. - CONSTRUCTION = VARIOUS

T = VARIOUS

V = VARIOUS M.P.H.

FUNCTIONAL CLASSIFICATION- VARIOUS

NO NEW RIGHT OF WAY REQUIRED FOR THIS PROJECT

#### CONVENTIONAL SYMBOLS


(USED IN FEA	1113)	
	EXISTING	NEW
BUILDINGS AND STRUCTURES GUARD RAIL CONCRETE RIGHT-OF-WAY MARKE STEEL RIGHT-OF-WAY MARKER LOCATION SURVEY MARKER UTILITIES	00000 ER [7]	•••••• • •
FIBER OPTICS OVERHEAD TELEPHONE UNDERGROUND TELEPHONE OVERHEAD POWER UNDERGROUND POWER GAS WATER	- FO - - O - - T - - D - - P - - G - - W - SAN	—F0— — T— — P— — G— — W—
MANHOLE	HYD	)
FIRE HYDRANT	w <sub>w</sub> C	)
WATER VALVE		)
WATER METER	w14 ⊕	)
DROP INLET	'[	
DITCH BLOCK	=	<b>⊨</b>
GROUND MOUNTED SIGN	SIGN	-
LIGHT POLE		
H-FRAME POWER POLE		
TELEPHONE PEDESTAL FENCE	PED	
CHAIN LINK WOVEN WIRE GATE POST	v x	
BENCHMARK	BM ⊗	)

NOTE: DASHED OR OPEN SYMBOLS INDICATE EXISTING FEATURES

## MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

# PLANS FOR PROPOSED STATE HIGHWAY


VARIOUS COUNTIES



JOB ORDER CONTRACTING

#### INDEX OF SHEETS

DESCRIPTION	SHEET NUMBER
TITLE SHEET	1
TRAFFIC CONTROL SHEETS (TC)	2 - 11



PROJECT DESCRIPTION:

JOB ORDER CONTRACT FOR
BRIDGE REPAIR
AT VARIOUS LOCATIONS
IN THE ST. LOUIS DISTRICT



## Sign Spacing, Device Spacing and Channelizing Taper Lengths

TAPER LENGTHS AND SPACING OF CHANNELIZING DEVICES					
SPEED	MINIMUM TAPER LENGTHS (L) FOR LANE WIDTHS (W)			HANNELIZER IG (FT)	
MPH			· ` ′	THROUGH THROUGH	
	10 FT	11 FT	12 FT	TAPER	WORK AREA
0-35	205	225	245	35	40
40-45	450	495	540	40	80
50-55	550	605	660	50	80
60-70	700	770	840	60	120

LONGITUDINA	AL BUFFER SPACE (B)
SPEED MPH	BUFFER SPACE (FEET)
0-35	250
40-45	360
50-55	495
60-70	730

SIGN SPACING (S) FOR ADVANCE SIGN SERIES (1) (2)			
SPEED MPH	UNDIVIDED HIGHWAYS (FT)	DIVIDED HIGHWAYS (FT)	
0 - 35	200	200	
40 - 45	350	500	
50-55	500	1000	
60-70	1000	SA-1000 SB-1500 SC-2640	

#### TAPER LENGTH (L):

L = WS FOR 40 MPH OR MORE

 $L = \frac{WS}{60}^2 FOR 35 MPH OR LESS$ 

FOR SHOULDER TAPER USE L/3

#### WHERE:

L = TAPER LENGTH IN FEET

W = LATERAL SHIFT IN FEET

S = POSTED SPEED IN MPH

#### NOTES:

DIMENSIONS IN FEET UNLESS OTHERWISE NOTED.

- (1) SPACING BETWEEN SIGNS AND SPACING BETWEEN LAST SIGN AND FLAGGER, BEGINNING OF TAPER, OR SIGNED CONDITION
- (2) SPACINGS MAY BE ADJUSTED AS NECESSARY TO MEET FIELD CONDITIONS

#### TRAFFIC CONTROL DEVICES

#### GENERAL NOTES:

- 1. SEE STANDARD PLAN 616.10 FOR DETAILS AND ITEMS NOT SHOWN
- EXISTING SIGNS SHALL BE COVERED DURING WORKING HOURS ONLY IF IN CONFLICT WITH TRAFFIC CONTROL PLANS.
- NO DIRECT PAYMENT WILL BE MADE FOR RELOCATING, COVERING, UNCOVERING OR REMOVING SIGNS.
- 4. CONES ALLOWABLE FOR DAYTIME OPERATIONS ONLY.
- 6. LOCATE FLASHING ARROW PANEL AT BEGINNING OF
  TAPER WHEN FEASIBLE, ARROW PANELS ARE ALWAYS
  LOCATED BEHIND CHANNELIZERS OR CONES.

#### TRAFFIC CONTROL LEGEND

- SIGN (SINGLE SIDED)
- SIGN (DOUBLE SIDED)
- FLAGGER
- ▲ DIRECTIONAL INDICATOR BARRICADE
- CHANNELIZER
- E BARRICADE
- CHANGEABLE MESSAGE BOARD
- TRUCK MOUNTED ATTENUATOR

  W/ FLASHING ARROW

#### DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.




TION DATE DESCRIPTION

PITOL

65102

TRAFFIC CONTROL SHEET 2 OF 11




### WORK BEYOND SHOULDER - UNDIVIDED OR DIVIDED ROADWAYS

USED FOR WORK THAT OCCURS OFF THE ROADWAY SHOULDER BUT WITHIN THE CLEAR ZONE. NOT TO BE USED WHEN WORK VEHICLES ARE PARKED ALONG THE SHOULDER EVEN WHEN THE WORK IS BEING PERFORMED OFF THE SHOULDER.

#### NOTES:

SEE TCP SHEET 1 FOR SIGN SPACING AND TAPER LENGTHS.



## SHOULDER WORK - UNDIVIDED ROADWAYS

USED FOR WORK ON SHOULDER OR FOR WORK OFF SHOULDER WITH WORK VEHICLES PARKED ON THE SHOULDER.

#### NOTES:

SEE TCP SHEET 1 FOR SIGN SPACING AND TAPER LENGTHS.

ANASTASIA M. NUMBER PE-2014017016 ISSIONAL E

2/28/2025 VAR MO


SL 3 VAR I OUS


J6P3447 CONTRACT ID.

PROJECT NO

BRIDGE NO.

CONTROL 3 OF 11 RAFFIC SHEET 3






## LEFT SHOULDER WORK - HIGH SPEED DIVIDED ROADWAYS

USED FOR WORK ON SHOULDER OR FOR WORK OFF SHOULDER WITH WORK VEHICLES PARKED ON THE SHOULDER OF A HIGH SPEED ROADWAY.

SEE TCP SHEET 1 FOR SIGN SPACING AND TAPER LENGTHS.



## ONE-LANE TWO-WAY OPERATION WITH FLAGGERS

A MINIMUM OF TWO FLAGGERS WILL BE REQUIRED TO DIRECT TRAFFIC. ADDITIONAL FLAGGERS MAY BE REQUIRED WHEN WORKING AT INTERSECTING STREETS OR RAMPS AS DIRECTED BY THE ENGINEER. NO DIRECT PAYMENT WILL BE MADE FOR FLAGGERS

#### NOTES:

NOTES:

SEE TCP SHEET 1 FOR SIGN SPACING AND TAPER LENGTHS.



ANASTASIA M.

PE-2014017016

2/28/2025

VARIOUS
JOB NO.
J6P3447
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

MO

5


VAR

 $\mathsf{SL}$ 

RAFFIC CONTROL SHEET 5 OF 11


SEAL APPEAR HEREON ASSUMES RESPONSIBILITY

ONLY FOR WHAT APPEARS ON THIS PAGE. AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.



SINGLE LANE CLOSURE

SEE TCP SHEET 1 FOR SIGN SPACING AND TAPER LENGTHS.



PARTIAL RAMP CLOSURE

ANASTASIA M. SMITH NUMBER PE-2014017016

ISSONAL E

2/28/2025

VAR I OUS J6P3447 CONTRACT ID. PROJECT NO

MO

6

VAR


SL

CONTROL 6 OF 11 TRAFFIC SHEET 6


DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL
SEAL APPEAR HEREON ASSUMES RESPONSIBILITY
ONLY FOR WHAT APPEARS ON THIS PAGE, AND
DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO)
SPECIFICATION, ESTIMATES, REPORTS, OR OTHER
DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE
UNDERSIGNED PROFESSIONAL RELATING TO OR
INTENDED TO BE USED FOR ANY PART OR PARTS OF
THE PROJECT TO WHICH THIS PAGE REFERS.

NOTES:

SEE TCP SHEET 1 FOR SIGN SPACING AND TAPER LENGTHS.



## ENTRANCE RAMP AREA MAINLINE WORK



ANASTASIA M SMITH

2/28/2025

**VARIOUS** 

J6P3447

CONTRACT ID.

MO

7

VAR

SL

#### NOTES:


SEE TCP SHEET 1 FOR SIGN SPACING AND TAPER LENGTHS.

- (1) SIGN ONLY REQUIRED WHEN RAMP WIDTH IS REDUCED.
- (2) THE LOCATION OF THE SIGN SEQUENCE AND MERGE TAPER SHOULD BE ADJUCSTED SO THAT THE ARROW PANEL LOCATION IS NOT CONFUSING TO MOTORIST ON THE RAMP.

#### NOTES:

SEE TCP SHEET 1 FOR SIGN SPACING AND TAPER LENGTHS.

- (1) SIGN ONLY REQUIRED WHEN RAMP WIDTH IS REDUCED.
- (2) SIGN SHOULD BE PLACED ON THE RAMP TO PROVIDE ADEQUATE VISIBILITY OF MAINLINE TRAFFIC.
- (3) THE LOCATION OF THE SIGN SEQUENCE AND MERGE TAPER SHOULD BE ADJUCSTED SO THAT THE ARROW PANEL LOCATION IS NOT CONFUSING TO MOTORIST ON THE RAMP.
- (4) CHANNELIZER SPACING AT 30'.




#### NOTES:

SEE TCP SHEET 1 FOR SIGN SPACING AND TAPER LENGTHS.

- (1) SIGN ONLY REQUIRED WHEN RAMP WIDTH IS REDUCED.
- (2) CHANNELIZER SPACING AT 50'.

## EXIT RAMP AREA MAINLINE WORK



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL
SEAL APPEAR HEREON ASSUMES RESPONSIBILITY
ONLY FOR WHAT APPEARS ON THIS PAGE, AND
DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO)
SPECIFICATION, ESTIMATES, REPORTS, OR OTHER
DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE
UNDERSIGNED PROFESSIONAL RELATING TO OR
INTENDED TO BE USED FOR ANY PART OR PARTS OF
THE PROJECT TO WHICH THIS PAGE REFERS.

#### NOTES:

SEE TCP SHEET 1 FOR SIGN SPACING AND TAPER LENGTHS.

- (1) SIGN ONLY REQUIRED WHEN RAMP WIDTH IS REDUCED.
- (2) CHANNELIZER SPACING AT 50'.

## EXIT RAMP AREA DECELERATION LANE WORK


DATE PREPARED
2/28/2025
ROUTE STATE
VAR MO
DISTRICT SHEET NO.
SL 8
COUNTY
VAR I OUS
JOB NO.
J 6 P 3 4 4 7
CONTRACT ID.

PROJECT NO.

BRIDGE NO.

MISSOURI HIGHWAYS AND TRANSPORTATION DATE OF THE COMMISSION TO THE TOTAL OF THE COMMISSION TO THE TOTAL OF THE COMMISSION CITY, MO 65102 THE COMMISSION CITY, MO 65102 THE COMMISSION CITY, MO 65102 THE COMMISSION CITY OF THE COMMI

TRAFFIC CONTROL SHEET 8 OF 11




NOTES:

SEE TCP SHEET 1 FOR SIGN SPACING AND TAPER LENGTHS.

(1) CHANNELIZER SPACING AT 50'.

### RAMP CLOSURE



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL
SEAL APPEAR HEREON ASSUMES RESPONSIBILITY
ONLY FOR WHAT APPEARS ON THIS PAGE. AND
DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO)
SPECIFICATION, ESTIMATES, REPORTS, OR OTHER
DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE
UNDERSIGNED PROFESSIONAL RELATING TO OR
INTENDED TO BE USED FOR ANY PART OR PARTS OF
THE PROJECT TO WHICH THIS PAGE REFERS.

NOTES:

SEE TCP SHEET 1 FOR SIGN SPACING AND TAPER LENGTHS.

(1) CHANNELIZER SPACING AT 50'.

RAMP CLOSURE

MISSOURI HIGHWAYS AND TRANSPORTATION DAT
COMMISSION

MADOT

105 WEST CAPITOL

JEFFERSON CITY, MO 65102

ANASTASIA M.
SMITH
NUMBER
PE-2014017016

2/28/2025

JOB NO.
J6P3447
CONTRACT ID.

PROJECT NO


MO

9

VAR

SL


TRAFFIC CONTROL SHEET 9 OF 11



NOTES:

SEE TCP SHEET 1 FOR SIGN SPACING AND TAPER LENGTHS.

### DOUBLE LANE CLOSURE



NOTES:

SEE TCP SHEET 1 FOR SIGN SPACING AND TAPER LENGTHS.

## INTERIOR LANE CLOSURE

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL
SEAL APPEAR HEREON ASSUMES RESPONSIBILITY
ONLY FOR WHAT APPEARS ON THIS PAGE. AND
DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO)
SPECIFICATION. ESTIMATES, REPORTS. OR OTHER
DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE
UNDERSIGNED PROFESSIONAL RELATING TO OR
INTENDED TO BE USED FOR ANY PART OR PARTS OF
THE PROJECT TO WHICH THIS PAGE REFERS.

ANASTASIA M. SMITH

S/ONAL F

2/28/2025

JOB NO.
J6P3447
CONTRACT ID.

PROJECT NO

TRAFFIC CONTROL SHEET 10 OF 11

MO

10

VAR

SL

