STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING Contract I.D. 250516-C01

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S): FAF 291-1(91)

Job J4P3196 Route 50, 291 JACKSON County

BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.

2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.

3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.

4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.

5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.

6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.

7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.

8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.

9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check Bid)at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to nonresponsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

TABLE OF CONTENTS

Notice to Contractors

Proposed Work	item	(1)
Compliance With Contract Provisions	item	(2)
Period of Performance	item	(3)
Liquidated Damages	item	(4)
Itemized Bid	item	(5)
Trainees	item	(6)
DBE Certification*	item	(7)
Acceptance of Provision for Price Adjustment for Fuel	item	(8a)
Acceptance of Provision for Asphalt Cement Price Index	item	(8b)
Max. Monetary Value of Awards Accepted this Bid Opening	item	(9)
Combination Bids	item	(10)
Certification for Federal Jobs	item	(11a)
Certification for State Jobs	item	(11b)
Antidiscrimination	item	(12)
Preference to Missouri Firms in Awarding of Contracts	item	(13)
Subcontractor Disclosure Form*	.item	(14)
Signature and Identity of Bidder	item	(15)
Bid Guaranty*	item	(16)

*These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 05/16/2025.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

(1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:

****(1): Job J4P3196 Route 50, 291 JACKSON County. Bridge replacement, road realignment, and ADA improvements from SE 7th Terrace to SE Oldham Parkway in Lee's Summit, the total length of improvement being 0.57 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

(2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876.

(3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.

(4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity	Unit	Unit Price	Extension Price
Section 0001 ROADWAY ITEMS	5 - J4P3196				
0010	SIGNET DBE R			\$1,000.00000	
0020	2022010 REMOVAL OF I	1.000	LS		
0030	2031000 CLASS A EXCA	124182.000 VATION	CUYD		
0040	2036000 COMPACTING E	22606.000			
0050	2037075 COMPACTING I	35.700			
0060		28936.000	CUYD		
0070	2063000 CLASS 3 EXCA	6070.000			
0080		3.900	STA		
0090	3040143 TYPE 1 AGGRE	5671.000	SQYD		
0100	3040504 TYPE 5 AGGRE	13517.000 GATE FOR BASE (4	SQYD 4 IN. THICK)		
0110		59975.000	SQYD 5 in Thick)		
0120		46489.000	SQYD	OCK BASE	
0130	3049910 MISC. PERMAN	2391.400	TONS		
0140	4011209 BITUMINOUS P	28.200	TONS		
0150	4013000	104.600 AVEMENT MIXTURE	TONS		
0160	4019905 MISC. TEMPOR	3234.000	SOYD	AV AND CITY STDEFT	
0170	4019905	10280.800			
0180	4030101 ASPHALTIC CC	1432.300	TONS PG 64-22 (SP125C	MIX) TEMPORARY C	PTIONAL PAVEMENT
0190	4071005 TACK COAT	897.000			
0200	4081018 PRIME-LIQUID		GAL		
0210		345.100			
0220	6044011 PIPE COLLAR,	2.000			
0230	6051018A PIPE AGGREGA	324.000	LF		

0240	6071102 544.000 LF
	MODIFIED CONCRETE GUTTER TYPE B
0250	6079903 727.400 LF
	MISC. 48 IN. DECORATIVE PEDESTRIAN FENCE (STRUCTURES)
0260	6081010 235.800 SQYD
0200	CONCRETE CURB RAMP
0270	6081012 615.300 SQFT
	TRUNCATED DOMES
0280	6083008 2307.300 SQYD
	8 IN. CONCRETE MEDIAN STRIP
0290	6085008 610.400 SOYD
	PAVED APPROACH, 8 IN.
0300	6086004 7.100 SQYD
0300	
0310	6089905 605.700 SQYD
	MISC. CONCRETE TRAIL, 6 IN.
0320	6089905 334.600 SQYD
	MISC. LS CONCRETE CURB RAMP
0330	6089905 1739.300 SQYD
	MISC. LS CONCRETE SIDEWALK, 4 IN.
0340	
0340	~
0350	6089905 2210.100 SQYD
	MISC. LS PAVED APPROACH, 8 IN.
0360	6089905 234.800 SQYD
	MISC. TINTED STAMPED CONCRETE MEDIAN STRIP, 8 IN.
0370	6091041 94.500 LF
	CONCRETE GUTTER TYPE A
0380	6091052 1167.600 LF
	CURB AND GUTTER TYPE B
0390	6091060 811.100 SQYD
	PAVED DITCH
0400	6094010 3.000 EA
	DRAIN BASIN
0410	6097000 57.800 CUYD
	ROCK LINING
0420	6099903 5771.100 LF
	MISC. LEE'S SUMMIT TYPE CG-1 CURB & GUTTER
0430	
0450	MISC. MODIFIED TYPE S CURB
0440	6116010A 104.400 SQYD
	SLOPE PROTECTION
0450	6122017 4.000 EA
	IMPACT ATTENUATOR 65 MPH (SAND BARREL ARRAY)
0460	6122020 6.000 EA
	REPLACEMENT SAND BARREL
0470	6122030 4.000 EA
01/0	IMPACT ATTENUATOR (RELOCATION)
0480	6123001 1.000 LS
	TRUCK MOUNTED ATTENUATOR (TMA)
	6141022 2.000 EA

	GRATE AND BEARING PLATE (3 FT. X 3 FT. OR 914 MM X 914 MM)
0500	6141024 3.000 EA GRATE AND BEARING PLATE (5 FT. X 3 FT. OR 1524 MM X 914 MM)
0510	
0510	6141028 9.000 EA GRATE AND BEARING PLATE (5 FT. 1 IN. X 3 FT. 1 IN. OR 1549 MM X 940 MM)
0520	6143013 11.000 EA
	MANHOLE FRAME AND COVER, TYPE 3
0530	6143014 8.000 EA
	MANHOLE FRAME AND COVER, TYPE 4
0540	6161005 2945.000 SQFT
	CONSTRUCTION SIGNS
0550	6161008 10.000 EA
	ADVANCED WARNING RAIL SYSTEM
0560	6161025 400.000 EA
	CHANNELIZER (TRIM LINE)
0570	6161030 48.000 EA
	TYPE III MOVEABLE BARRICADE
0580	6161040 2.000 EA
	FLASHING ARROW PANEL
0590	6161099 4.000 EA
	CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED,
	CONTRACTOR RETAINED
0600	6162002 4.000 EA
	TEMPORARY LONG-TERM RUMBLE STRIPS
0610	6173000 2449.500 LF
	CONCRETE TRAFFIC BARRIER, TYPE C
0620	6173600D 6200.000 LF
	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED
0630	6174000A 4.000 EA
	TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION PARAPET WALL
0640	6175010A 5600.000 LF
	RELOCATING TEMPORARY TRAFFIC BARRIER TYPE H BARRIER
0650	6179903 43.900 LF
	MISC. PARAPET WALL
0660	6179903 165.100 LF
	MISC. TYPE H BARRIER
0670	6181000 1.000 LS
	MOBILIZATION
0680	6181020 6.000 EA \$600.00000 \$3,600.00
	ADDITIONAL MOBILIZATION FOR SEEDING
0690	6200015 453.000 LF
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE
0700	6200018 132.000 LF
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW
0710	6200021 71.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
0720	6200036 68.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK
0730	6205425 144.000 LF
	TEMPORARY NON-REMOVABLE MARKING TAPE 24 IN., WHITE
0740	6205440A 29.000 EA
	TEMPORARY NON-REMOVABLE MARKING TAPE LEFT/RIGHT ARROW
· · • • • • • • •	

0750	6205902A 23103.000 LF
	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0760	6205903A 11432.000 LF
	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0770	6205906A 1666.000 LF
	12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0780	6206150A 68095.000 LF
	4 IN. WHITE ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT
0790	6206151A 42065.000 LF
	4 IN. YELLOW ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT
0800	6207001 24895.000 LF
	PAVEMENT MARKING REMOVAL
0810	6209903 1030.000 LF
	MISC. 12 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS
0820	6209903 1339.000 LF
	MISC. 4 IN. WHITE HIGH BUILD PAINT
0830	6209903 5352.000 LF
	MISC. 4 IN. YELLOW HIGH BUILD PAINT
0840	6221001 8707.700 SQYD
	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
0850	6240104A 46489.000 SQYD
	SEPARATION GEOTEXTILE
0860	6274000 1.000 LS
	CONTRACTOR FURNISHED SURVEYING AND STAKING
0870	7261015 1366.000 LF
	15 IN. PIPE GROUP A
0880	7261018 1850.000 LF
	18 IN. PIPE GROUP A
0890	18 IN. PIPE GROUP A
0890	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A
	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A
0890	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A
0890	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A 7261036 180.000 LF
0890	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A 7261036 180.000 LF
0890	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A
0890 0900 0910 0920	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A 7261036 180.000 LF 36 IN. PIPE GROUP A 7310048 30.000 FT PRECAST CONCRETE MANHOLE - 48 IN.
0890 0900 0910 0920	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A 7261036 180.000 LF 36 IN. PIPE GROUP A 7310048 30.000 FT PRECAST CONCRETE MANHOLE - 48 IN.
0890 0900 0910 0920 0930	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A 7261036 180.000 LF 36 IN. PIPE GROUP A 7310048 30.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310072 18.000 FT PRECAST CONCRETE MANHOLE - 72 IN.
0890 0900 0910 0920 0930	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A 7261036 180.000 LF 36 IN. PIPE GROUP A 7310048 30.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310072 18.000 FT
0890 0900 0910 0920 0930 0940	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A 7261036 180.000 LF 36 IN. PIPE GROUP A 7310048 30.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310072 18.000 FT PRECAST CONCRETE MANHOLE - 72 IN. 7311033 8.000 FT PRECAST CONCRETE DROP INLET 3 FT X 3 FT
0890 0900 0910 0920 0930	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A 7261036 180.000 LF 36 IN. PIPE GROUP A 7310048 30.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310072 18.000 FT PRECAST CONCRETE MANHOLE - 72 IN. 7311033 8.000 FT PRECAST CONCRETE DROP INLET 3 FT X 3 FT
0890 0900 0910 0920 0930 0940 0950	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A 7261036 180.000 LF 36 IN. PIPE GROUP A 7310048 30.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310072 18.000 FT PRECAST CONCRETE MANHOLE - 72 IN. 7311033 8.000 FT PRECAST CONCRETE DROP INLET 3 FT X 3 FT 7311053 105.000 FT PRECAST CONCRETE DROP INLET 5 FT X 3 FT
0890 0900 0910 0920 0930 0940 0950	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A 7261036 180.000 LF 36 IN. PIPE GROUP A 7310048 30.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310072 18.000 FT PRECAST CONCRETE MANHOLE - 72 IN. 7311033 8.000 FT PRECAST CONCRETE DROP INLET 3 FT X 3 FT 7311053 105.000 FT
0890 0900 0910 0920 0930 0940 0950 0960	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A 7261036 180.000 LF 36 IN. PIPE GROUP A 7310048 30.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310072 18.000 FT PRECAST CONCRETE MANHOLE - 72 IN. 7311033 8.000 FT PRECAST CONCRETE DROP INLET 3 FT X 3 FT 7311053 105.000 FT PRECAST CONCRETE DROP INLET 5 FT X 3 FT 7319902 1.000 EA
0890 0900 0910 0920 0930 0940 0950 0960	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A 7261036 180.000 LF 36 IN. PIPE GROUP A 7310048 30.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310072 18.000 FT PRECAST CONCRETE MANHOLE - 72 IN. 7311033 8.000 FT PRECAST CONCRETE DROP INLET 3 FT X 3 FT 7311053 105.000 FT PRECAST CONCRETE DROP INLET 5 FT X 3 FT
0890 0900 0910 0920 0930 0940 0950 0960 0970	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A 7261036 180.000 LF 36 IN. PIPE GROUP A 7310048 30.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310072 18.000 FT PRECAST CONCRETE MANHOLE - 72 IN. 7311033 8.000 FT PRECAST CONCRETE DROP INLET 3 FT X 3 FT 7311053 105.000 FT PRECAST CONCRETE DROP INLET 5 FT X 3 FT 7319902 1.000 EA MISC. 2 FT. X 10 FT. TRENCH DRAIN 7319902 1.000 EA MISC. 2 FT. X 12 FT. TRENCH DRAIN
0890 0900 0910 0920 0930 0940 0950 0960	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A 7261036 180.000 LF 36 IN. PIPE GROUP A 7310048 30.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310072 18.000 FT PRECAST CONCRETE MANHOLE - 72 IN. 7311033 8.000 FT PRECAST CONCRETE DROP INLET 3 FT X 3 FT 7311053 105.000 FT PRECAST CONCRETE DROP INLET 5 FT X 3 FT 7319902 1.000 EA MISC. 2 FT. X 10 FT. TRENCH DRAIN 7319902 1.000 EA MISC. 2 FT. X 12 FT. TRENCH DRAIN
0890 0900 0910 0920 0930 0940 0950 0960 0970 0980	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A 7261036 180.000 LF 36 IN. PIPE GROUP A 7310048 30.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310072 18.000 FT PRECAST CONCRETE MANHOLE - 72 IN. 7311033 8.000 FT PRECAST CONCRETE DROP INLET 3 FT X 3 FT 7311053 105.000 FT PRECAST CONCRETE DROP INLET 3 FT X 3 FT 7319902 1.000 EA MISC. 2 FT. X 10 FT. TRENCH DRAIN 7319902 1.000 EA MISC. 2 FT. X 12 FT. TRENCH DRAIN 7319902 7.000 EA MISC. 4 FT. X 4 FT. LS CURE INLET
0890 0900 0910 0920 0930 0940 0950 0960 0970 0980	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A 7261036 180.000 LF 36 IN. PIPE GROUP A 7310048 30.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310072 18.000 FT PRECAST CONCRETE MANHOLE - 72 IN. 7311033 8.000 FT PRECAST CONCRETE DROP INLET 3 FT X 3 FT 7311053 105.000 FT PRECAST CONCRETE DROP INLET 5 FT X 3 FT 7319902 1.000 EA MISC. 2 FT. X 10 FT. TRENCH DRAIN 7319902 1.000 EA MISC. 2 FT. X 12 FT. TRENCH DRAIN 7319902 7.000 EA MISC. 2 FT. X 12 FT. TRENCH DRAIN 7319902 7.000 EA
0890 0900 0910 0920 0930 0940 0950 0960 0970 0980 0990	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A 7261036 180.000 LF 36 IN. PIPE GROUP A 7310048 30.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310072 18.000 FT PRECAST CONCRETE MANHOLE - 72 IN. 7311033 8.000 FT PRECAST CONCRETE DROP INLET 3 FT X 3 FT 7311053 105.000 FT PRECAST CONCRETE DROP INLET 3 FT X 3 FT 7311053 105.000 FT PRECAST CONCRETE DROP INLET 5 FT X 3 FT 7319902 1.000 EA MISC. 2 FT. X 10 FT. TRENCH DRAIN 7319902 1.000 EA MISC. 2 FT. X 12 FT. TRENCH DRAIN 7319902 7.000 EA MISC. 4 FT. X 4 FT. LS CURB INLET 7319902 1.000 EA MISC. 4 FT. X 5 FT. LS FIELD INLET
0890 0900 0910 0920 0930 0940 0950 0960 0970 0980 0990	18 IN. PIPE GROUP A 7261024 2932.000 LF 24 IN. PIPE GROUP A 7261030 213.000 LF 30 IN. PIPE GROUP A 7261036 180.000 LF 36 IN. PIPE GROUP A 7310048 30.000 FT PRECAST CONCRETE MANHOLE - 48 IN. 7310072 18.000 FT PRECAST CONCRETE MANHOLE - 72 IN. 7311033 8.000 FT PRECAST CONCRETE DROP INLET 3 FT X 3 FT 7311053 105.000 FT PRECAST CONCRETE DROP INLET 3 FT X 3 FT 7319902 1.000 EA MISC. 2 FT. X 10 FT. TRENCH DRAIN 7319902 1.000 EA MISC. 2 FT. X 12 FT. TRENCH DRAIN 7319902 7.000 EA MISC. 4 FT. X 4 FT. LS CURB INLET 7319902 1.000 EA

	MISC. 6 FT. X 4 FT. LS CURB INLET
1010	7319902 6.000 EA
	MISC. 8 FT. X 4 FT. LS CURB INLET
1020	7319902 1.000 EA
	MISC. 8 FT. X 5 FT. LS CURB INLET
1030	7320615A 4.000 EA
	15 IN OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
1040	7320618A 3.000 EA
	18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
1050	7320624A 4.000 EA
	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
1060	7320630A 1.000 EA
	30 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
1070	7320636A 3.000 EA
	36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
1080	8025006 13.400 ACRE
	MULCHING
1090	8031000A 16874.300 SQYD
	TURF TYPE TALL FESCUE SODDING
1100	8051000A 10.700 ACRE
	SEEDING - COOL SEASON GRASSES
1110	8061003 55.000 CUYD
	SEDIMENT TRAP EXCAVATION
1120	8061004 55.000 CUYD
	SEDIMENT TRAP ROCK
1130	8061005 1340.000 LF
	ROCK DITCH CHECK
1140	8061006 450.000 LF
	ALTERNATE DITCH CHECK
1150	8061007A 42.000 EA
	CURB INLET CHECK
1160	8061016 233.000 CUYD
	SEDIMENT REMOVAL
1170	8061017 2.700 ACRE
	TEMPORARY SEEDING
1180	8061019 5020.000 LF
	SILT FENCE
1190	8064130 7243.200 SQYD
	TYPE 3 TURF REINFORCEMENT MAT
1200	8064140 56459.300 SQYD
	TYPE 3B EROSION CONTROL BLANKET
Section 0001 T	otal \$4,600.00
	. ,

Section 0002 AA1 ALT PVMT A - MAINLINE 50 - ASPHALT - J4P3196 1210 4039905 28400.900 SQYD MISC. ALTERNATE A PAVEMENT (ASPHALT ALTERNATE) Section 0002 Total

1220	- MAINLINE 50 - CONCRETE - J4P3196
⊥∠∠V	5029905 28400.900 SQYD
	MISC. ALTERNATE B PAVEMENT (CONCRETE ALTERNATE)
Section 0003 I	'otal
Section 0004	
	- ROUTE 291 AND RAMPS 1 & 2 - ASPHALT - J4P3196 4039905 5290.100 SQYD
	4039905 14925.600 SQYD MISC. ALTERNATE C PAVEMENT (ROUTE 291 ASPHALT ALTERNATE)
Section 0004 I	Cotal
Section 0005	BB2 - ROUTE 291 AND RAMPS 1 & 2 - CONCRETE - J4P3196
	5029905 5290.100 SQYD
	MISC. ALTERNATE D PAVEMENT (RAMPS 1&2 CONCRETE PAVEMENT)
1260	5029905 14925.600 SQYD MISC. ALTERNATE D PAVEMENT (ROUTE 291 CONCRETE ALTERNATE)
Section 0005 I	
Section 0006 ALT PVMT E	CC1 - RAMPS 3 & 4 - ASPHALT - J4P3196
1270	4039905 7126.200 SQYD
	MISC. ALTERNATE E PAVEMENT (ASPHALT ALTERNATE)
Section 0006 I	
	CC2
ALT PVMT F	CC2 - RAMPS 3 & 4 - CONCRETE - J4P3196
ALT PVMT F	CC2
Section 0007 ALT PVMT F 1280 Section 0007 T	CC2 - RAMPS 3 & 4 - CONCRETE - J4P3196 5029905 7126.200 SQYD MISC. ALTERNATE F PAVEMENT (CONCRETE ALTERNATE)
ALT PVMT F 1280 Section 0007 T Section 0008	CC2 - RAMPS 3 & 4 - CONCRETE - J4P3196 5029905 7126.200 SQYD MISC. ALTERNATE F PAVEMENT (CONCRETE ALTERNATE) Cotal
ALT PVMT F 1280 Section 0007 T Section 0008 ALT PVMT G	CC2 - RAMPS 3 & 4 - CONCRETE - J4P3196 5029905 7126.200 SQYD MISC. ALTERNATE F PAVEMENT (CONCRETE ALTERNATE) Cotal
ALT PVMT F 1280 Section 0007 T Section 0008	CC2 - RAMPS 3 & 4 - CONCRETE - J4P3196 5029905 7126.200 SQYD MISC. ALTERNATE F PAVEMENT (CONCRETE ALTERNATE) Total DD1 - BLUE PKWY - ASPHALT - J4P3196 4039905 18087.300 SQYD MISC. ALTERNATE G PAVEMENT (ASPHALT ALTERNATE INCLUDES BASE & GEOGRID GEOTEXTILE)
ALT PVMT F 1280 Section 0007 T Section 0008 ALT PVMT G 1290 Section 0008 T Section 0008 T	CC2 - RAMPS 3 & 4 - CONCRETE - J4P3196 5029905 7126.200 SQYD MISC. ALTERNATE F PAVEMENT (CONCRETE ALTERNATE) Potal DD1 - BLUE PKWY - ASPHALT - J4P3196 4039905 18087.300 SQYD MISC. ALTERNATE G PAVEMENT (ASPHALT ALTERNATE INCLUDES BASE & GEOGRID GEOTEXTILE) Potal

MISC. ALTERNATE H PAVEMENT (CONCRETE ALTERNATE INCLUDES BASE & GEOGRID/

GEOTEXTILE)

Section 0009 Total

1010	I - A2 SHOULDER - ASPHALT - J4P3196
1310	4010150 2558.400 SQYD TYPE A2 SHOULDER
Section 0010	Total
Section 0011 ALT PVMT	EE2 J - A2 SHOULDER - CONCRETE - J4P3196
1320	5021340 2558.400 SQYD
	TYPE A2 SHOULDER
Section 0011	Total
Section 0012 GUARDRAIL	/GUARD CABLE ITEMS - J4P3196
1330	6061060 837.500 LF
	MGS GUARDRAIL
	6061061 1037.500 LF
	MGS GUARDRAIL, 8 FT. POSTS, 6 FT 3 IN. SPACING
1350	6061080 4.000 EA
	MGS END ANCHOR
1360	6063014 6.000 EA
1360	
1360 Section 0012	6063014 6.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)
	6063014 6.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)
Section 0012	6063014 6.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total
Section 0012 Section 0013	6063014 6.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total
Section 0012 Section 0013	6063014 6.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total
Section 0012 Section 0013 LIGHTING	6063014 6.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total
Section 0012 Section 0013 LIGHTING 1370	6063014 6.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total ITEMS - J4P3196 9011062 17.000 EA LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2 9011115 17.000 EA
Section 0012 Section 0013 LIGHTING 1370	6063014 6.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total ITEMS - J4P3196 9011062 17.000 EA LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2 9011115 17.000 EA
Section 0012 Section 0013 LIGHTING 1370	6063014 6.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total ITEMS - J4P3196 9011062 17.000 EA LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2 9011115 17.000 EA BRACKET ARM, 15 FT. OR 4.6 M 9011312 13.000 EA
Section 0012 Section 0013 LIGHTING 1370 1380	6063014 6.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total ITEMS - J4P3196 9011062 17.000 EA LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2 9011115 17.000 EA BRACKET ARM, 15 FT. OR 4.6 M 9011312 13.000 EA LUMINAIRE, LED-B
Section 0012 Section 0013 LIGHTING 1370 1380	6063014 6.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total ITEMS - J4P3196 9011062 17.000 EA LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2 9011115 17.000 EA BRACKET ARM, 15 FT. OR 4.6 M 9011312 13.000 EA LUMINAIRE, LED-B
Section 0012 Section 0013 LIGHTING 1370 1380 1390	6063014 6.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total ITEMS - J4P3196 9011062 17.000 EA LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2 9011115 17.000 EA BRACKET ARM, 15 FT. OR 4.6 M 9011312 13.000 EA LUMINAIRE, LED-B 9011313 4.000 EA LUMINAIRE, LED-C
Section 0012 Section 0013 LIGHTING 1370 1380 1390	6063014 6.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total ITEMS - J4P3196 9011062 17.000 EA LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2 9011115 17.000 EA BRACKET ARM, 15 FT. OR 4.6 M 9011312 13.000 EA LUMINAIRE, LED-B 9011313 4.000 EA LUMINAIRE, LED-C
Section 0012 Section 0013 LIGHTING 1370 1380 1390	6063014 6.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total ITEMS - J4P3196 9011062 17.000 EA LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2 9011115 17.000 EA BRACKET ARM, 15 FT. OR 4.6 M 9011312 13.000 EA LUMINAIRE, LED-B 9011313 4.000 EA LUMINAIRE, LED-C
Section 0012 Section 0013 LIGHTING 1370 1380 1390	6063014 6.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total ITEMS - J4P3196 9011062 17.000 EA LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2 9011115 17.000 EA BRACKET ARM, 15 FT. OR 4.6 M 9011312 13.000 EA LUMINAIRE, LED-B 9011313 4.000 EA LUMINAIRE, LED-C 9012230 2.000 EA BASE MOUNTED CONTROL STATION 240 VOLT - 4 CIRCUIT 9013002 84.000 LF
Section 0012 Section 0013 LIGHTING 1370 1380 1390 1400 1410	6063014 6.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total ITEMS - J4P3196 9011062 17.000 EA LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2 9011115 17.000 EA BRACKET ARM, 15 FT. OR 4.6 M 9011312 13.000 EA LUMINAIRE, LED-B 9011313 4.000 EA LUMINAIRE, LED-C 9012230 2.000 EA BASE MOUNTED CONTROL STATION 240 VOLT - 4 CIRCUIT 9013002 84.000 LF CONDUIT, 2 IN, RIGID, IN TERNCH
Section 0012 Section 0013 LIGHTING 1370 1380 1390 1400 1410	6063014 6.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total ITEMS - J4P3196 9011062 17.000 EA LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2 9011115 17.000 EA BRACKET ARM, 15 FT. OR 4.6 M 9011312 13.000 EA LUMINAIRE, LED-B 9011313 4.000 EA LUMINAIRE, LED-C 9012230 2.000 EA BASE MOUNTED CONTROL STATION 240 VOLT - 4 CIRCUIT 9013002 84.000 LF
Section 0012 Section 0013 LIGHTING 1370 1380 1390 1400 1410 1420	6063014 6.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total ITEMS - J4P3196 9011062 17.000 EA LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2 9011115 17.000 EA BRACKET ARM, 15 FT. OR 4.6 M 9011312 13.000 EA LUMINAIRE, LED-B 9012230 2.000 EA BASE MOUNTED CONTROL STATION 240 VOLT - 4 CIRCUIT 9013002 84.000 LF CONDUIT, 2 IN. RIGID, IN TRENCH 9014004 1309.000 LF CONDUIT, 4 IN, RIGID, PUBHED
Section 0012 Section 0013 LIGHTING 1370 1380 1390 1400 1410 1420 1430	6063014 6.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Total ITEMS - J4P3196 9011062 17.000 EA LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2 9011115 17.000 EA BRACKET ARM, 15 FT. OR 4.6 M 9011312 13.000 EA LUMINAIRE, LED-B 9011313 4.000 EA LUMINAIRE, LED-C 9012230 2.000 EA BASE MOUNTED CONTROL STATION 240 VOLT - 4 CIRCUIT 9013002 84.000 LF CONDUIT, 2 IN. RIGID, IN TRENCH 9014004 1309.000 LF

1450	9015010 6223.000 LF
	TRENCHING TYPE I
1460	9016120 14.000 EA
1100	PULL BOX, CONCRETE, STANDARD
1470	9016121 2.000 EA
	PULL BOX, CONCRETE, DOUBLE, TYPE A
1480	9017002 909.000 LF
	CABLE, 2 AWG 1 CONDUCTOR
1490	9017110 2040.000 LF
1190	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
1500	9017407 9520.000 LF
	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG
1510	9018245 17.000 EA
	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)
1520	9018612 2.000 EA
1520	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY
	FOWER SUFFLI ASSEMBLI, IIFE 2, 240/120 VOLI SERVICE, LIGHIING ONLI
1530	9019901 1.000 LS
	MISC. SCHOOL LIGHTING SYSTEMS
1540	9019902 19.000 EA
	MISC. 10 FT. BRACKET ARM
1550	9019902 2.000 EA
1000	MISC. 4-CIRCUIT POWER SUPPLY ASSEMBLY
1560	9019902 19.000 EA
	MISC. B30 SCREW-IN FOUNDATION
1570	9019902 38.000 EA
	MISC. BREAK-AWAY FUSED CONNECTOR KIT
1580	9019902 19.000 EA
	MISC. BREAK-AWAY NON-FUSED CONNECTOR KIT
1590	9019902 19.000 EA
1390	9019902 19.000 EA MISC. COBRA-HEAD LUMINAIRE (250W HPS EQ LED)
1600	9019902 16.000 EA
	MISC. CONDUIT MARKER
1610	9019902 2.000 EA
	MISC. FOUNDATION FOR POWER SUPPLY
1620	9019902 57.000 EA
1020	MISC. MULTI-TAP CONNECTOR KIT
1630	9019902 19.000 EA
	MISC. STREET LIGHT POLE (P30S)
1640	9019902 4.000 EA
	MISC. TYPE 1 JUNCTION BOX
1650	9019902 4.000 EA
	MISC. TYPE 2 JUNCTION BOX
1660	9019902 4.000 EA
	MISC. WALLPACK 150W HPS EQ LED FIXTURE
1670	9019903 2926.000 LF
	MISC. 1c NO. 10 POLE AND BRACKET CABLE
1680	9019903 3100.000 LF
-	MISC. 2 IN. HDPE CONDUIT (GRAY)
1 (0 0	
1690	9019903 300.000 LF
	MISC. 3 IN. SCHEDULE 40 PVC CONDUIT
1700	9019903 420.000 LF

		MISC.	3c N(). 2	DISTRIBUTION	CABLE
1710	9	019903			3300.000	LF
		MISC.	3c N(). 4	DISTRIBUTION	CABLE
Sectio	on 0013 Total					

Section 0014 SIGNAL ITEMS	5 - J4P3196
1720	9020113 1.000 EA
	SIGNAL HEAD, TYPE 3T
1730	9020211 14.000 EA
	SIGNAL HEAD, TYPE 1S
1740	9020213 9.000 EA
	SIGNAL HEAD, TYPE 3S
1750	9020513 27.000 EA
	STGNAL HEAD TYPE 3B
1760	9020514 5.000 EA
1,00	SIGNAL HEAD, TYPE 4B
1770	
1770	SH-FLAT SHEET - SIGNAL SIGN
1780	9020834 16.000 EA
1700	SIGNAL SIGN, MOUNTING HARDWARE
1790	9022708 9.000 EA
1/90	POST, SIGNAL 8 FT.
1800	9023225 1.000 EA
1800	POST, TYPE C, 25 FT. ARM OR 7.6 M ARM
1 0 1 0	
1810	9023230 1.000 EA POST, TYPE C, 30 FT. ARM OR 9.1 M ARM
1 0 0 0	
1820	9023235 1.000 EA POST, TYPE C, 35 FT. ARM OR 10.7 M ARM
1000	
1830	9023240 1.000 EA POST, TYPE C, 40 FT. ARM OR 12.2 M ARM
1840	9023255 3.000 EA
1850	9023350 1.000 EA
1860	9024920 13.000 EA
	DETECTOR, PUSHBUTTON
1870	9025200 340.000 LF
1880	9025300 420.000 LF
	CONDUIT, 3 IN., TRENCH WITH TRACER WIRE
1890	9027200 70.000 LF
	CONDUIT, 2 IN., PUSHED WITH TRACER WIRE
1900	9027300 1330.000 LF
	CONDUIT, 3 IN., PUSHED WITH TRACER WIRE
1910	9027504 310.000 LF
	CONDUIT, 3 IN., EXTERNAL ON STRUCTURE
1920	9028202 490.000 LF
	CABLE, 2 AWG 1 CONDUCTOR, POWER
1930	9028206 1750.000 LF

	CABLE, 6 AWG 1 CONDUCTOR, POWER
1940	9028308 3780.000 LF
	CABLE, 16 AWG 2 CONDUCTOR
1950	9028310 4410.000 LF
	CABLE, 16 AWG 5 CONDUCTOR
1960	9028311 10530.000 LF
	CABLE, 16 AWG 7 CONDUCTOR
1970	9028620 2.000 EA
	POWER SUPPLY ASSEMBLY, TYPE 2
1980	9028810 2.000 EA
	PULL BOX, PREFORMED CLASS 1
1990	9028811 11.000 EA
	PULL BOX, PREFORMED CLASS 2
2000	9028812 3.000 EA
	PULL BOX, PREFORMED CLASS 3
2010	9028821 2.000 EA
	PULL BOX, CONCRETE, DOUBLE, TYPE A
2020	9029400 1.000 LS
	TEMPORARY TRAFFIC SIGNALS
2030	9029901 1.000 LS
	MISC. ADAPTIVE TRAFFIC SIGNAL CONTROL
2040	9029902 1.000 EA
	MISC. POST, TYPE CL, 60 FT. ARM
2050	9029902 1.000 EA
	MISC. POST, TYPE CL, 66 FT. ARM
2060	9029902 2.000 EA
	MISC. TRAFFIC SIGNAL CONTROLLER ASSEMBLY, NEMA
2070	9029902 2.000 EA
	MISC. UNINTERRUPTIBLE POWER SUPPLY
2080	9029902 1.000 EA
	MISC. VIDEO DETECTION SYSTEM
Section 0014 T	
Section 0014 T	

Castian 0015	
Section 0015 SIGNING ITEMS	- J4P3196
	9031010 3.700 CUYD
	CONCRETE FOOTINGS, EMBEDDED
2100	9031026 86.900 CUYD
	OPTIONAL OVERHEAD SIGN TRUSS SUBSTRUCTURES
2110	9031210 3360.000 LB
	STRUCTURAL STEEL POSTS
2120	9031220 720.000 LB
	PIPE POSTS
2130	9031252 25.000 EA
	7 FT. CHANNEL POST DELINEATOR, DOUBLE STACKED WHITE
2140	9031256 31.000 EA
	7 FT. CHANNEL POST DELINEATOR, WHITE
2150	9031257A 8.000 EA
	7 FT. CHANNEL POST DELINEATOR, YELLOW
2160	9031258 10.000 EA

	7 FT. CHANNEL POST DELINEATOR, WHITE/RED
2170	9031259A 8.000 EA
	7 FT. CHANNEL POST DELINEATOR, YELLOW/RED
2180	9031270A 320.000 LF
	2 IN. PSST POST - 12 GA.
2190	9031271A 13.000 EA
	DRIVEN POST ANCHOR FOR 2 IN. PSST - 12 GA.
2200	9031274 7.000 EA
	CONCRETE POST ANCHOR FOR 2 IN. PSST 7 GA.
2210	9031280 832.000 LF
	2.5 IN. PSST POST - 12 GA.
2220	9031281A 6.000 EA
	DRIVEN POST ANCHOR FOR 2.5 IN. PSST - 7 GA.
2230	9031285 46.000 EA
	CONCRETE POST ANCHOR FOR 2.5 IN. PSST 7 GA.
2240	9035004A 160.000 SQFT
	SH-FLAT SHEET
2250	9035011A 1365.000 SQFT
	ST-STRUCTURAL
2260	9035069A 75.000 SQFT
	SHF-FLAT SHEET FLUORESCENT
2270	9035071A 51.000 SQFT
	STF-STRUCTURAL FLUORESCENT
2280	9036035 1.000 EA
	TUBULAR SUPPORT, TYPE C-2315-16
2290	9036040 1.000 EA
	TUBULAR SUPPORT, TYPE C-2318-26
2300	9039901 1.000 LS
	MISC. SIGN, OVERHEAD TRUSS TYPE, 71 FT 6 IN.
2310	9039901 1.000 LS
	MISC. SIGN, OVERHEAD TRUSS TYPE, CANTILEVER, 36 FT 0 IN.
2320	9039901 1.000 LS
	MISC. TYPE S TUBULAR ONE TUBE, 75 FT 0 IN.
2330	9039902 1.000 EA
	MISC. SIGN, OVERHEAD TRUSS TYPE, 75 FT 0 IN.
2340	9039902 1.000 EA
	MISC. TYPE S TUBULAR ONE TUBE, 81 FT 3 IN.
Soction 0015 m	
Section 0015 To	

Section 001 ITS ITEM	6 S - J4P3196
2350	9011030 1.000 EA LIGHTING POLE, 30 FT. OR 9.0 M, TYPE AT
2360	9017206 255.000 LF WIRE, 6 AWG, BARE NEUTRAL
2370	9018230 1.000 EA POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)
2380	9027200 1519.000 LF CONDUIT, 2 IN., PUSHED WITH TRACER WIRE
2390	9028816 3.000 EA

	PULL BOX, PREFORMED CLASS 5
2400	9029100 1.900 CUYD
	BASE, CONCRETE
2410	9105200 5216.000 LF
	CONDUIT, 2 IN., RIGID, IN TRENCH
2420	9108206 510.000 LF
	CABLE, 6 AWG, 1 CONDUCTOR, POWER
2430	9109902 1.000 EA
	MISC. CCTV FOUNDATION BASE
2440	9109902 6.000 EA
	MISC. KC SCOUT FIBER OPTIC PULLBOX
2450	9109902 3.000 EA
	MISC. KC SCOUT FIBER OPTIC SPLICE VAULT
2460	9109902 3.000 EA
	MISC. KC SCOUT FIBER PREFORMED PULL BOX, TYPE 2
2470	9109902 3.000 EA
	MISC. REMOVE AND RESET 48 PORT FIBER DISTRIBUTION UNIT
2480	9109902 3.000 EA
2490	9109903 7206.000 LF MISC. #14 TRACER WIRE
2500	9109903 2298.000 LF MISC. FIBER OPTIC CABLE, 24-STRAND, 24 SINGLE MODE
0510	
2510	9109903 4739.000 LF MISC. FIBER OPTIC CABLE, 48-STRAND, 48 SINGLE MODE
2520	9109903 216.000 LF
2520	MISC. RADAR CABLE
Section 0016 Tota	al

Section 001 WATERLINE	EXTENSION ITEMS - J4P3196
2530	6039902 3.000 EA
	WATER 12 IN. GATE VALVE
2540	6039902 1.000 EA
	WATER 6 IN. GATE VALVE
2550	6039902 15.000 EA
	WATER 8 IN. GATE VALVE
	6039902 11.000 EA
	WATER FIRE HYDRANT ASSEMBLY
2570	6039902 8.000 EA
	WATER SERVICE CONNECTIONS
2580	6039903 960.000 LF
	WATER 12 IN. WATER MAIN (INCLUDING FITTINGS)
2590	6039903 295.000 LF
	WATER 20 IN. STEEL CASING
2600	6039903 8.000 LF
	WATER 6 IN. WATER MAIN (INCLUDING FITTINGS)
2610	6039903 3702.000 LF
	WATER 8 IN. WATER MAIN (INCLUDING FITTINGS)

Section 0017 Total

Section 0018	
2620 6039923 216.000 LF	
SEWER 20 IN. STEEL CASING	
2630 6039923 826.000 LF SEWER 8 IN. PVC SEWER PIPE	
2640 6143011 1.000 EA	
2650 6143014 3.000 EA	
2660 7310048 54.000 FT	
PRECAST CONCRETE MANHOLE - 48 IN. Section 0018 Total	
Section 0019 BRIDGE A9328 ITEMS - J4P3196	
2670 2024043 15.000 SQFT REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE)	
2680 2061000 125.000 CUYD CLASS 1 EXCAVATION	
2690 2160500 1.000 LS REMOVAL OF BRIDGES	
2700 5031010A 512.000 SQYD BRIDGE APPROACH SLAB (MAJOR)	
2710 6073001 172.000 LF (48 IN.) DECORATIVE PEDESTRIAN FENCE(STRUCTURES)	
2730 7021212 1162.000 LF	
GALVANIZED STRUCTURAL STEEL PILES (12 IN) 2740 7021214 576.000 LF	
GALVANIZED STRUCTURAL STEEL PILES (14 IN) 2750 7025002 1.000 EA PILE WAVE ANALYSIS	
2760 7026000 604.000 LF PRE-BORE FOR PILING	
2770 7027000 52 000 EB	
PILE POINT REINFORCEMENT 2780 7032003 239.900 CUYD CLASS B CONCRETE (SUBSTRUCTURE)	
2800 7034222 1711.000 SQYD	
2810 7034420 586.000 SQFT	
RAISED MEDIAN BARRIER 2820 7034620 150.000 SQYD	

	FORM LINERS
	7039903 173.000 LF
	MISC. 32 IN. PARAPET WALL
2840	
	MISC. 24 IN. PRESTRESSED CONCRETE SPREAD BOX BEAM
2850	7061060 4030.000 LB
	REINFORCING STEEL (BRIDGES) 24 IN. PRESTRESSED CONCRETE SPREAD BOX BEAM
2860	7071000 1.000 LS
	CONDUIT SYSTEM ON STRUCTURE
2870	7101000 24180.000 LB
	REINFORCING STEEL (EPOXY COATED)
2880	7123610 4.000 EA
	SLAB DRAIN
2890	7151001 2.000 EA
	VERTICAL DRAIN AT END BENTS
	7161000 20.000 EA
	PLAIN NEOPRENE BEARING PAD
2910	7161002 20.000 EA
	LAMINATED NEOPRENE BEARING PAD
2920	7201300 28.000 EA
	PIPE PILE SPACERS
Section 0019 Tota	al

Section 0020 MSE WALL A932	29 ITEMS - J4P3196		
2930	2065500 TEMPORARY	1.000 LS SHORING	
2940	3049907 MISC. TYPI	1634.000 CUYD 5 AGGREGATE	
2950	7110300 CONCRETE 2	1.000 LS AND MASONRY PROTECTION SYSTEM TYPE 5 AGG	REGATE
2960	7110400 SACRIFICIZ	1.000 LS AL GRAFFITI PROTECTION SYSTEM	
2970	7201000 MECHANICA	5314.000 SQFT LY STABILIZED EARTH WALL SYSTEMS	
Section 0020 To			

Section 0021 MSE WALL A9330	ITEMS - J4P3196	
2980	2065500 TEMPORARY SHORING	1.000 LS
2990	3049907 MISC. TYPE 5 AGGRE	2158.000 CUYD GATE
3000	7110300 CONCRETE AND MASON	1.000 LS RY PROTECTION SYSTEM TYPE 5 AGGREGATE
3010	7110400 SACRIFICIAL GRAFFI	1.000 LS TI PROTECTION SYSTEM
3020	7201000 MECHANICALLY STABI	5196.000 SQFT LIZED EARTH WALL SYSTEMS

Section 0021 Total

3030	7110300	1.000 LS	
	CONCRETE AND	MASONRY PROTECTION SYSTEM	
3040	7110400 SACRIFICIAL G	1.000 LS RAFFITI PROTECTION SYSTEM	
3050	7201000 MECHANICALLY	743.000 SQFT STABILIZED EARTH WALL SYSTEMS	

3060	7032009	58.600 CUYD	
	CLASS B CON	CRETE (RETAINING WALLS)	
3070	7110300	1.000 LS	
	CONCRETE AN	D MASONRY PROTECTION SYSTEM	
3080	7110400	1.000 LS	
	SACRIFICIAI	GRAFFITI PROTECTION SYSTEM	

Item Total

\$4,600.00

DBE List Summary

Project: FAF 291-1(91)
Bid Total: 4,600.00
Goal: 5.00% (230.00)
Total Entered: 0.00% (0.00)

Name

Bidder ID: 0011540 Business Name: Company 1

ID

Supp?/Dist? Item Count

Amount Is Complete?

DBE CERTIFICATION

(6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 1 slots at 1000 hours per slot or 1000 hours.

(7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

(A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 5.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.

(B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

Bidder's List Quote Summary Attachment

Attach the form as required by Sec. 102.7.9.

Attachment:

□ Verify

CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/ or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

(10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.

(11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and material misrepresentation or omission of fact within the bid submission.

(11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes \bigcirc No \bigcirc

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

\$

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if requested by the Design Division or the engineer.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

*** AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. ***

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

() Yes () No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

**Bond ID: Verify Clear

**Surety Registry Agency:

**Bond Pct:

Surety State:

FIELDS WITH THE ** INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS