# STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING Contract I.D. 250620-F01

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S): FAF-61-5(33)

Job J6S3289 Route 61/67 Jefferson County Job J6S3391 Route 61/67 Jefferson County

## BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.

2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.

3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.

4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.

5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.

6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.

7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.

8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.

9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check Bid)at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to nonresponsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

#### TABLE OF CONTENTS

Notice to Contractors

| Proposed Work   | item  | (1)   |
|---|-------|-------|
| Compliance With Contract Provisions                     | item  | (2)   |
| Period of Performance                                   | item  | (3)   |
| Liquidated Damages                                      | item  | (4)   |
| Itemized Bid  | item  | (5)   |
| Trainees  | item  | (6)   |
| DBE Certification*                                      | item  | (7)   |
| Acceptance of Provision for Price Adjustment for Fuel   | item  | (8a)  |
| Acceptance of Provision for Asphalt Cement Price Index  | item  | (8b)  |
| Max. Monetary Value of Awards Accepted this Bid Opening | item  | (9)   |
| Combination Bids  | item  | (10)  |
| Certification for Federal Jobs                          | item  | (11a) |
| Certification for State Jobs                            | item  | (11b) |
| Antidiscrimination                                      | item  | (12)  |
| Preference to Missouri Firms in Awarding of Contracts   | item  | (13)  |
| Subcontractor Disclosure Form*                          | .item | (14)  |
| Signature and Identity of Bidder                        | item  | (15)  |
| Bid Guaranty*   | item  | (16)  |

\*These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

#### NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 06/20/2025.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

(1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:

\*\*\*\*(1): Job J6S3289 Route 61/67 JEFFERSON County. Pavement, grading, slide repair, and bridges over Joachim Creek near Pevely, the total length of improvement being 0.759 miles.\*\*\*\*(2): Job J6S3391 Route 61/67 JEFFERSON County. Lane widening, coldmill, and resurface from Brandon Wallace Way to 6th Street, the total length of improvement being 0.82 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

(2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876.

(3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.

(4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in

accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

| Line Number                   | Item Number           | Quantity                       | Unit                    | Unit Price  | Extension Price |
|-------------------------------|-----------------------|--------------------------------|-------------------------|-------------|-----------------|
| Section 0001<br>Roadway Items | - J6S3289             |                                |                         |             |                 |
|                               | SIGNET DBE            | 1.000<br>REPORTING             |                         |             | \$1,000.00      |
| 0020                          | 2013000<br>CLEARING A | 9.000<br>ND GRUBBING           | ACRE                    |             |                 |
| 0030                          | 2022010<br>REMOVAL OF | 1.000<br>IMPROVEMENTS          | LS                      |             |                 |
| 0040                          |                       | 38290.000                      | CUYD                    |             |                 |
| 0050                          | 2035500<br>EMBANKMENT |                                | CUYD                    |             |                 |
| 0060                          | 2036000               | 31660.000<br>EMBANKMENT        | CUYD                    |             |                 |
| 0070                          | 2042010<br>SETTLEMENT | 6.000                          | EA                      |             |                 |
| 0080                          | 2063000<br>CLASS 3 EX | 155.000<br>CAVATION            | CUYD                    |             |                 |
| 0090                          | 2065500<br>TEMPORARY  | 1.000                          |                         |             |                 |
| 0100                          | 2072000               | 35.300<br>DING CLASS 2         | STA                     |             |                 |
| 0110                          | 3040506               | 18310.000<br>REGATE FOR BASE ( | SQYD                    |             |                 |
| 0120                          |                       | 3732.200<br>OULDER             | SQYD                    |             |                 |
| 0130                          | 4039905               | 12544.900<br>ONAL PAVEMENT     | SQYD                    |             |                 |
| 0140                          | 5021308<br>CONCRETE P | 1925.300<br>AVEMENT (8 IN. NO  | SQYD                    | FT. JOINTS) |                 |
| 0150                          | 6052010A              |                                |                         |             |                 |
| 0160                          | 6054020<br>OUTLET PIP | 2.000<br>ES AND SPLASH PAD     |                         |             |                 |
| 0170                          | 6059901               | 1.000<br>DRAIN SYSTEM          |                         |             |                 |
| 0180                          | 6091010<br>CONCRETE C | 96.000<br>URB (6 IN. HEIGHT    | LF<br>AND UNDER) TYPE : | <br>S       |                 |
| 0190                          | 6091051<br>CURB AND G | 276.000                        |                         |             |                 |
| 0200                          | 6096030A              | 87.000<br>TYPE 3 ROCK DITC     | CUYD                    |             |                 |
| 0210                          | 6096043<br>PLACING TY | 87.000<br>PE 3 ROCK DITCH L    | CUYD                    |             |                 |
| 0220                          | 6096050<br>BEDDING MA | 29.000<br>TERIAL FOR ROCK D    | CUYD<br>ITCH LINER      |             |                 |
| 0230                          | 6113020<br>FURNISHING | 10400.000<br>TYPE 2 ROCK BLAN  | CUYD<br>KET             |             |                 |
| 0240                          | 6113040               | 10400.000                      |                         |             |                 |

|      | PLACING TYPE 2 ROCK BLANKET  |
|------|--|
| 0250 | 6122009 3.000 EA   |
|      | IMPACT ATTENUATOR 45 MPH (SAND BARREL ARRAY)   |
| 0260 | 6122020 3.000 EA<br>REPLACEMENT SAND BARREL  |
| 0270 | 6141121 2.000 EA   |
|      | CURVED VANE GRATE AND FRAME (4 FT. X 2 FT. OR 1200MM X 600MM)                                      |
| 0280 | 6143013 2.000 EA   |
|      | MANHOLE FRAME AND COVER, TYPE 3  |
| 0290 | 6143020 2.000 EA   |
|      | CURB INLET   |
| 0300 | 6161098A 4.000 EA  |
|      | CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED |
| 0310 | 6169901 1.000 LS   |
|      | MISC. TEMPORARY TRAFFIC CONTROL  |
| 0320 | 6173103 649.000 LF   |
|      | CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB)   |
| 0330 | 6173600D 3213.000 LF   |
|      | TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED   |
| 0340 | 6181000 1.000 LS   |
|      | MOBILIZATION   |
| 0350 | 6181020 2.000 EA \$600.00000 \$1,200.00  |
|      | ADDITIONAL MOBILIZATION FOR SEEDING  |
| 0360 | 6200015 40.000 LF  |
|      | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE   |
| 0370 | 6205901A 6462.000 LF   |
|      | 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS                            |
| 0380 | 6205902A 8223.000 LF   |
|      | 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS                             |
| 0390 | 6208076 18748.000 LF   |
|      | 4 IN TEMPORARY PAVEMENT MARKING PAINT  |
| 0400 | 6240103A 17241.000 SQYD<br>PERMANENT EROSION CONTROL GEOTEXTILE                                    |
|      |  |
|      | 6261000A 40.300 STA<br>BITUMINOUS SHOULDER RUMBLE STRIP  |
| 0420 | 6262000A 9.100 STA   |
| 0420 | PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP   |
| 0430 |  |
|      | CONTRACTOR FURNISHED SURVEYING AND STAKING   |
| 0440 | 7033009 1.000 LS   |
|      | AESTHETIC CONCRETE STAIN   |
| 0450 | 7201000 1007.000 SQFT  |
|      | MECHANICALLY STABILIZED EARTH WALL SYSTEMS   |
| 0460 | 7201000 3600.000 SQFT  |
|      | MECHANICALLY STABILIZED EARTH WALL SYSTEMS   |
| 0470 | 7250312A 26.000 LF   |
|      | 12 IN. PIPE GROUP B  |
|      | 7250315A 66.000 LF   |
|      | 15 IN. PIPE GROUP B  |
| 0400 | 7261012 27.000 LF  |
|      | 12 IN. PIPE GROUP A  |
|      |  |

| 0500            | 7261060 87.000 LF<br>60 IN. PIPE GROUP A                                     |
|-----------------|--|
| 0510            | 7311042 14.000 FT<br>PRECAST CONCRETE DROP INLET 4 FT X 2 FT                 |
| 0520            | 7320015A 1.000 EA<br>15 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION |
| 0530            | 7320612A 2.000 EA<br>12 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION |
| 0540            | 7320660A 2.000 EA<br>60 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION |
| 0550            | 8051000A 2.100 ACRE<br>SEEDING - COOL SEASON GRASSES                         |
| 0560            | 8061005 294.000 LF<br>ROCK DITCH CHECK                                       |
| 0570            | 8061007A 4.000 EA<br>CURB INLET CHECK  |
| 0580            | 8061016 226.000 CUYD<br>SEDIMENT REMOVAL                                     |
| 0590            | 8061017 9.000 ACRE<br>TEMPORARY SEEDING                                      |
| 0600            | 8061019 9249.000 LF<br>SILT FENCE  |
| 0610            | 8061050 729.000 LF<br>TYPE C BERM  |
| 0620            | 8064141 19755.000 SQYD<br>TYPE 4 EROSION CONTROL BLANKET                     |
| Section 0001 To |  |

|      | /Guard Cable Items - J6S |                                    |  |
|------|--------------------------|------------------------------------|--|
| 0630 | 6061060                  | 1977.000 LF                        |  |
|      | MGS GUARDRAI             | L                                  |  |
| 0640 | 6061061                  | 551.000 LF                         |  |
|      | MGS GUARDRAI             | L, 8 FT. POSTS, 6 FT 3 IN. SPACING |  |
| 0650 | 6061070                  | 5.000 EA                           |  |
|      | MGS VERTICAI             | CONCRETE BARRIER TRANSITION        |  |
| 0660 | 6061074                  | 7.000 EA                           |  |
|      | MGS HEIGHT A             | ND BLOCK TRANSITION                |  |
| 0670 | 6063014                  | 4.000 EA                           |  |
|      | TYPE A CRASH             | WORTHY END TERMINAL (MASH)         |  |
| 0680 | 6063017                  | 1.000 EA                           |  |
|      | TYPE C CRASH             | WORTHY END TERMINAL                |  |

| Section 0003<br>Lighting Items | a - J6S3289           |                   |
|--------------------------------|-----------------------|-------------------|
| 0690                           | 9011030               | 2.000 EA          |
|                                | LIGHTING POLE, 30 FT. | OR 9.0 M, TYPE AT |
| 0700                           | 9011313               | 2.000 EA          |

\_

|                   | LUMINAIRE, LED-C    |   |
|-------------------|---------------------|---|
| 0710              | 9015020             | 400.000 LF                                |
|                   | TRENCHING TYPE II   |   |
| 0720              | 9017110             | 120.000 LF                                |
|                   | CABLE, 10 AWG 1 CON | DUCTOR, POLE AND BRACKET                  |
| 0730              | 9017404             | 440.000 LF                                |
|                   | CABLE-CONDUIT, 1 IN | ., 2 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG |
| 0740              | 9018230             | 2.000 EA                                  |
|                   | POLE FOUNDATION (30 | FT. OR 9.0 M MOUNTING HEIGHT)             |
| Section 0003 Tota | al                  |   |

| 0750 | 9031241     | 5.000 EA                               |  |
|------|-------------|--|--|
|      | BREAKAWAY A | SSEMBLY (PERFORATED SQUARE STEEL TUBE) |  |
| 0760 | 9031270A    | 68.000 LF                              |  |
|      | 2 IN. PSST  | POST - 12 GA.                          |  |
| 0770 | 9031271A    | 5.000 EA                               |  |
|      | DRIVEN POST | ANCHOR FOR 2 IN. PSST - 12 GA.         |  |
| 0780 | 9031272A    |  |  |
|      |             | ST POST INSERT (6 FT.) - 12 GA.        |  |
| 0790 | 9031280     | 77.000 LF                              |  |
|      | 2.5 IN. PSS | I POST - 12 GA.                        |  |
| 0800 | 9031281A    | 5.000 EA                               |  |
|      | DRIVEN POST | ANCHOR FOR 2.5 IN. PSST - 7 GA.        |  |
| 0810 | 9035004A    |  |  |
|      | SH-FLAT SHE | ЕТ                                     |  |

| Section 000<br>Interim : | 5<br>Slide Repair (3 locations | ;) Items - J6S3289      |  |
|--------------------------|--------------------------------|-------------------------|--|
| 0820                     | 2035000                        | 584.000 CUYD            |  |
|                          | UNCLASSIFIE                    | D EXCAVATION            |  |
| 0830                     | 2063500                        | 3.000 EA                |  |
|                          | CULVERT CLEA                   | ANOUT                   |  |
| 0840                     | 6096020                        | 478.000 CUYD            |  |
|                          | FURNISHING                     | TYPE 2 ROCK DITCH LINER |  |
| 0850                     | 6096042                        | 478.000 CUYD            |  |
|                          | PLACING TYP                    | E 2 ROCK DITCH LINER    |  |
| 0860                     | 7011300                        | 1.000 EA                |  |
|                          | VIDEO CAMERA                   | A INSPECTION            |  |

| Section 000<br>Bridge A | 6<br>8737 Items - J6S3289 |              |  |
|-------------------------|---------------------------|--------------|--|
| 0870                    | 2061000                   | 350.000 CUYD |  |
|                         | CLASS 1 EXC               | AVATION      |  |

| 0880            | 2062000 80.000 CUYD<br>CLASS 2 EXCAVATION                              |
|-----------------|--|
| 0890            | 2160500 1.000 LS<br>REMOVAL OF BRIDGES                                 |
| 0900            | 5031010A 290.000 SQYD<br>BRIDGE APPROACH SLAB (MAJOR)                  |
| 0910            | 7021212 2755.000 LF<br>GALVANIZED STRUCTURAL STEEL PILES (12 IN)       |
| 0920            | 7021324 5535.000 LF<br>GALVANIZED CAST-IN-PLACE CONCRETE PILES (24 IN) |
| 0930            | 7026000 452.000 LF<br>PRE-BORE FOR PILING                              |
| 0940            | 7027000 89.000 EA<br>PILE POINT REINFORCEMENT                          |
| 0950            | 7032003 919.000 CUYD<br>CLASS B CONCRETE (SUBSTRUCTURE)                |
| 0960            | 7034219A 950.000 LF<br>TYPE D BARRIER                                  |
| 0970            | 7034221 3359.000 SQYD<br>SLAB ON CONCRETE NU-GIRDER                    |
| 0980            | 7056021 3588.000 LF<br>NU 35, PRESTRESSED CONCRETE NU-GIRDER           |
| 0990            | 7061060 62660.000 LB<br>REINFORCING STEEL (BRIDGES)                    |
| 1000            | 7123610 45.000 EA<br>SLAB DRAIN  |
| 1010            | 7151001 2.000 EA<br>VERTICAL DRAIN AT END BENTS                        |
| 1020            | 7161000 16.000 EA<br>PLAIN NEOPRENE BEARING PAD                        |
| 1030            | 7161002 64.000 EA<br>LAMINATED NEOPRENE BEARING PAD                    |
| Section 0006 To |  |

| 1040 | 2022010      | 1.000             | LS         |
|------|--------------|-------------------|------------|
|      | REMOVAL OF   | IMPROVEMENTS      |            |
| .050 | 2063000      | 1719.000 (        | CUYD       |
|      | CLASS 3 EXC. | AVATION           |            |
| L060 | 2065500      | 1.000             | LS         |
|      | TEMPORARY S  |                   |            |
| L070 | 2071000      | 44.000 \$         |            |
|      | LINEAR GRAD  | ING CLASS 1       |            |
| 080  | 3040504      | 5557.000 \$       | SQYD       |
|      | TYPE 5 AGGR  | EGATE FOR BASE (4 | IN. THICK) |
| .090 | 3040506      | 5642.000          | SQYD       |
|      | TYPE 5 AGGR  | EGATE FOR BASE (6 | IN. THICK) |
| .100 | 4019905      | 5642.000          | SQYD       |
|      | MISC. OPTIO  | NAL PAVEMENT      |            |

| 1110 | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125CLP MIX)   |
|------|--|
| 1120 | 4071005 2236.000 GAL<br>TACK COAT  |
| 1130 | 5021106 250.000 SQYD<br>CONCRETE PAVEMENT ( 6 IN. NON-REINF)   |
|      | 6042010 7.000 EA<br>ADJUSTING MANHOLE  |
| 1150 | 6042020 9.000 EA<br>ADJUSTING BASIN OR INLET   |
| 1160 | 6044011 2.000 EA<br>PIPE COLLAR, TYPE A  |
|      | 6049902 3.000 EA<br>MISC. ADJUST GAS VALVE   |
|      | 6049902 22.000 EA<br>MISC ADJUST WATER VALVE   |
| 1190 | 6049902 4.000 EA<br>MISC. ADJUSTING PULLBOX  |
| 1200 | 6049902 1.000 EA<br>MISC. MODIFIED 72" TYPE C PIPE COLLAR  |
|      | 6049902 1.000 EA<br>MISC. PRECAST 36"/72" WYE JOINT  |
| 1220 | 6049902 2.000 EA<br>MISC. PRECAST 45 DEG. BEND, 72" PIPE   |
| 1230 | 6085007 35.000 SQYD<br>PAVED APPROACH, 7 IN.   |
|      | 6085008 4300.000 SQYD<br>PAVED APPROACH, 8 IN.   |
| 1250 | 6091010 56.000 LF<br>CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S   |
| 1260 | 6091041 29.000 LF<br>CONCRETE GUTTER TYPE A  |
| 1270 | 6091051 184.000 LF<br>CURB AND GUTTER TYPE A   |
| 1280 | CURB AND GUTTER TYPE B   |
|      | 6131010 264.000 SQYD<br>FURNISHING AND PLACING CONCRETE MATERIAL FOR FULL DEPTH PAVEMENT REPAIR                        |
| 1300 | 6131012 264.000 SQYD<br>SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)  |
| 1310 | 6131013 264.000 SQYD<br>TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)                                 |
| 1320 | 6131014 1597.000 LF<br>FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS)                        |
| 1330 | 6131015 784.000 EA<br>DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT                        |
|      | REPAIR<br>6131017 392.000 EA<br>DOWEL BAR (FURNISHING AND INSTALLATION WITH BASKETS) FOR FULL DEPTH PAVEMENT<br>REPAIR |
|      | 6141120 16.000 EA<br>CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MM X 600MM)                                      |
|      |  |

| 1360   | 6141121 2.000 EA<br>CURVED VANE GRATE AND FRAME (4 FT. X 2 FT. OR 1200MM X 600MM)  |
|--|--|
| 1050   |  |
| 1370   | 6143010 3.000 EA<br>MANHOLE FRAME AND COVER, TYPE 1-A  |
| 1 2 2 2  |  |
| 1380   | 6143013 12.000 EA<br>MANHOLE FRAME AND COVER, TYPE 3   |
|  | ······   |
| 1390   | 6143020 12.000 EA  |
|  | CURB INLET   |
| 1400   | 6161099 4.000 EA   |
|  | CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED,<br>CONTRACTOR RETAINED CMS   |
| 1410   | 6169901 1.000 LS   |
|  | MISC. TEMPORARY TRAFFIC CONTROL  |
| 1420   | 6181000 1.000 LS   |
|  | MOBILIZATION   |
| 1430   | 6191000 10607.000 LF   |
|  | PAVEMENT EDGE TREATMENT  |
| 1440   | 6200015 215.000 LF   |
|  | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE   |
| 1450   | 6200021 24.000 EA  |
|  | PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW   |
| 1460   | 6200024 3.000 EA   |
|  | PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW   |
| 1470   | 6205901A 11059.000 LF  |
|  | 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS  |
| 1480   | 6205902A 11131.000 LF  |
| 1100   | 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS   |
| 1490   | 6207001 10981.000 LF   |
| 1 190  | PAVEMENT MARKING REMOVAL   |
| 1500   | 6208076 19476.000 LF   |
| 1000   | 4 IN TEMPORARY PAVEMENT MARKING PAINT  |
| 1510   | 6214600A 88.000 CUYD   |
| 1510   | FLOWABLE BACKFILL  |
| 1.500  |  |
| 1520   |  |
|  | 6221001 22358.000 SQYD   |
| 1500   | 6221001 22358.000 SQYD<br>COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)   |
| 1530   | 6221001 22358.000 SQYD<br>COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)<br>6274000 1.000 LS   |
|  | 6221001 22358.000 SQYD<br>COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)<br>6274000 1.000 LS<br>CONTRACTOR FURNISHED SURVEYING AND STAKING   |
|  | 6221001 22358.000 SQYD   COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)   6274000 1.000 LS   CONTRACTOR FURNISHED SURVEYING AND STAKING   7250372A 124.000 LF  |
| 1540   | 6221001 22358.000 SQYD<br>COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)<br>6274000 1.000 LS<br>CONTRACTOR FURNISHED SURVEYING AND STAKING<br>7250372A 124.000 LF<br>72 IN. PIPE GROUP B   |
| 1540   | 6221001 22358.000 SQYD   COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)   6274000 1.000 LS   CONTRACTOR FURNISHED SURVEYING AND STAKING   7250372A 124.000 LF   7261012 10.000 LF  |
| 1540   | 6221001 22358.000 SQYD   COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)   6274000 1.000 LS   CONTRACTOR FURNISHED SURVEYING AND STAKING   7250372A 124.000 LF   7261012 10.000 LF  |
| 1540<br>1550<br>1560                                 | 6221001 22358.000 SQYD   COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)   6274000 1.000 LS   CONTRACTOR FURNISHED SURVEYING AND STAKING   7250372A 124.000 LF   72 IN. PIPE GROUP B   7261012 10.000 LF   12 IN. PIPE GROUP A   7261015 61.000 LF  |
| 1540<br>1550<br>1560                                 | 6221001 22358.000 SQYD   COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)   6274000 1.000 LS   CONTRACTOR FURNISHED SURVEYING AND STAKING   7250372A 124.000 LF   72 IN. PIPE GROUP B   7261012 10.000 LF   12 IN. PIPE GROUP A   7261015 61.000 LF  |
| 1540<br>1550<br>1560                                 | 6221001 22358.000 SQYD   COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)   6274000 1.000 LS   CONTRACTOR FURNISHED SURVEYING AND STAKING   7250372A 124.000 LF   72 IN. PIPE GROUP B   7261012 10.000 LF   12 IN. PIPE GROUP A   7261015 61.000 LF   15 IN. PIPE GROUP A   7261018 126.000 LF   |
| 1540<br>1550<br>1560<br>1570                         | 6221001 22358.000 SQYD   COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)   6274000 1.000 LS   CONTRACTOR FURNISHED SURVEYING AND STAKING   7250372A 124.000 LF   72 IN. PIPE GROUP B   7261012 10.000 LF   12 IN. PIPE GROUP A   7261015 61.000 LF   15 IN. PIPE GROUP A   7261018 126.000 LF   18 IN. PIPE GROUP A   |
| 1540<br>1550<br>1560<br>1570<br>1580                 | 6221001 22358.000 SQYD   COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)   6274000 1.000 LS   CONTRACTOR FURNISHED SURVEYING AND STAKING   7250372A 124.000 LF   72 IN. PIPE GROUP B   7261012 10.000 LF   12 IN. PIPE GROUP A   7261015 61.000 LF   15 IN. PIPE GROUP A   7261018 126.000 LF   18 IN. PIPE GROUP A   7261024 704.000 LF  |
| 1540<br>1550<br>1560<br>1570<br>1580                 | 6221001 22358.000 SQYD   COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)   6274000 1.000 LS   CONTRACTOR FURNISHED SURVEYING AND STAKING   7250372A 124.000 LF   72 IN. PIPE GROUP B   7261012 10.000 LF   12 IN. PIPE GROUP A   7261015 61.000 LF   15 IN. PIPE GROUP A   7261018 126.000 LF   18 IN. PIPE GROUP A   7261024 704.000 LF   24 IN PIPE GROUP A   |
| 1540<br>1550<br>1560<br>1570<br>1580                 | 6221001 22358.000 SQYD   COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)   6274000 1.000 LS   CONTRACTOR FURNISHED SURVEYING AND STAKING   7250372A 124.000 LF   72 IN. PIPE GROUP B   7261012 10.000 LF   12 IN. PIPE GROUP A   7261015 61.000 LF   15 IN. PIPE GROUP A   7261018 126.000 LF   18 IN. PIPE GROUP A   7261024 704.000 LF   24 IN PIPE GROUP A   |
| 1540<br>1550<br>1560<br>1570<br>1580<br>1590         | 6221001 22358.000 SQYD   COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)   6274000 1.000 LS   CONTRACTOR FURNISHED SURVEYING AND STAKING   7250372A 124.000 LF   72 IN. PIPE GROUP B   7261012 10.000 LF   12 IN. PIPE GROUP A   7261015 61.000 LF   15 IN. PIPE GROUP A   7261018 126.000 LF   18 IN. PIPE GROUP A   7261024 704.000 LF   24 IN. PIPE GROUP A   7261036 371.000 LF   36 IN. PIPE GROUP A   |
| 1540<br>1550<br>1560<br>1570<br>1580<br>1590         | 6221001 22358.000 SQYD   COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)   6274000 1.000 LS   CONTRACTOR FURNISHED SURVEYING AND STAKING   7250372A 124.000 LF   72 IN. PIPE GROUP B   7261012 10.000 LF   12 IN. PIPE GROUP A   7261015 61.000 LF   15 IN. PIPE GROUP A   7261018 126.000 LF   18 IN. PIPE GROUP A   7261024 704.000 LF   24 IN. PIPE GROUP A   7261036 371.000 LF   |
| 1540<br>1550<br>1560<br>1570<br>1580<br>1590<br>1600 | 6221001   22358.000 SQYD     COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)     6274000   1.000 LS     CONTRACTOR FURNISHED SURVEYING AND STAKING     7250372A   124.000 LF     72 IN. PIPE GROUP B     7261012   10.000 LF     12 IN. PIPE GROUP A     7261015   61.000 LF     15 IN. PIPE GROUP A     7261018   126.000 LF     18 IN. PIPE GROUP A     7261024   704.000 LF     24 IN. PIPE GROUP A     7261036   371.000 LF     36 IN. PIPE GROUP A     7261036   7.000 FT     7310048   7.000 FT     PRECAST CONCRETE MANHOLE - 48 IN. |
| 1540<br>1550<br>1560<br>1570<br>1580<br>1590<br>1600 | 6221001 22358.000 SQYD   COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)   6274000 1.000 LS   CONTRACTOR FURNISHED SURVEYING AND STAKING   7250372A 124.000 LF   72 IN. PIPE GROUP B   7261012 10.000 LF   12 IN. PIPE GROUP A   7261015 61.000 LF   15 IN. PIPE GROUP A   7261018 126.000 LF   18 IN. PIPE GROUP A   7261024 704.000 LF   24 IN. PIPE GROUP A   7261036 371.000 LF   36 IN. PIPE GROUP A   7310048 7.000 FT  |

|                  | PRECAST CONCRETE MANHOLE - 60 IN.                       |
|------------------|---|
| 1620             | 7311033 30.000 FT                                       |
|                  | PRECAST CONCRETE DROP INLET 3 FT X 3 FT                 |
| 1630             | 7320072A 1.000 EA                                       |
|                  | 72 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION |
| 1640             | 8031000A 2057.000 SQYD                                  |
|                  | TURF TYPE TALL FESCUE SODDING                           |
|                  | 8061006 12.000 LF                                       |
|                  | ALTERNATE DITCH CHECK                                   |
|                  | 8061007A 38.000 EA                                      |
|                  | CURB INLET CHECK  |
| 1670             | 8061016 50.000 CUYD                                     |
|                  | SEDIMENT REMOVAL  |
| 1680             | 8061019 211.000 LF                                      |
|                  | SILT FENCE  |
| Section 0007 Tot |   |
|                  |   |
|                  |   |
| Section 0008     |   |
| Signals Items    | - J6S3391   |
| 1690             | 9029902 14.000 EA                                       |
|                  | MISC. POT HOLING FOR UTILITY FACILITIES                 |
| Section 0008 Tot |   |
|                  |   |
|                  |   |
| Section 0009     |   |
| Signing Items    | - J6S3391   |
| 1700             | 9031010 1.500 CUYD                                      |
|                  | CONCRETE FOOTINGS, EMBEDDED                             |
| 1710             | 9031220 830.000 LB                                      |
|                  | PIPE POSTS  |
| 1720             | 9035004A 83.000 SQFT                                    |
|                  | SH-FLAT SHEET   |
| Section 0009 Tot | al  |
| 101              |   |
|                  |   |
| Item Total       | \$2,200.00  |
|                  | 42,200,00   |

# DBE List Summary

Project: FAS S502(7) Bid Total: 2,200.00 Goal: 6.00% (132.00) Total Entered: 0.00% (0.00)

Name

Bidder ID: 0011540 Business Name: Companyl

ID

Supp?/Dist? Item Count

Amount Is Complete?

#### DBE CERTIFICATION

(6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 2 slots at 1000 hours per slot or 2000 hours.

(7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

(A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 6.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.

(B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

# Bidder's List Quote Summary Attachment

Attach the form as required by Sec. 102.7.9.

Attachment:

□ Verify

# CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/ or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

(10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.

(11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and material misrepresentation or omission of fact within the bid submission.

(11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes  $\bigcirc$  No  $\bigcirc$ 

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

\$

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

# SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if requested by the Design Division or the engineer.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

# SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

\*\*\* AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. \*\*\*

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

#### () Yes () No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

# BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

#### ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

\*\*Bond ID: Verify Clear

\*\*Surety Registry Agency:

\*\*Bond Pct:

Surety State:

FIELDS WITH THE \*\* INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS