STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING Contract I.D. 250815-F01

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S): FAS-S503 (073)

BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

- 1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
- 2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
- 3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.
- 4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
- 5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
- 6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
- 7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
- 8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
- 9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid) at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to nonresponsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

TABLE OF CONTENTS

Notice to Contractors

Proposed Work	item	(1)
Compliance With Contract Provisions	item	(2)
Period of Performance	item	(3)
Liquidated Damages	item	(4)
Itemized Bid	item	(5)
Trainees	item	(6)
DBE Certification*	item	(7)
Acceptance of Provision for Price Adjustment for Fuel	item	(8a)
Acceptance of Provision for Asphalt Cement Price Index	item	(8b)
Max. Monetary Value of Awards Accepted this Bid Opening	item	(9)
Combination Bids	item	(10)
Certification for Federal Jobs	item	(11a)
Certification for State Jobs	item	(11b)
Antidiscrimination	item	(12)
Preference to Missouri Firms in Awarding of Contracts	item	(13)
Subcontractor Disclosure Form*	.item	(14)
Signature and Identity of Bidder	item	(15)
Bid Guaranty*	item	(16)

^{*}These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 08/15/2025.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

- (1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:
- ****(1): Job J6S3215B Route D ST LOUIS County. Resurface, signals, ADA improvements, and bridge rehabilitation from Pennsylvania Ave. to Skinker Ave., the total length of improvement being 1.49 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

- (2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office Design Division at (573) 751-2876.
- (3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.
- (4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.
- (5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity	Unit	Unit Price	Extension Price
Section 0001 Roadway Item	ns - J6S3215B				
0010		1.000	LS	\$1,000.00000	\$1,000.00
0020	SIGNET DBE R 2022010 REMOVAL OF I	1.000			
0030	2063000 CLASS 3 EXCA	5865.000 VATION	CUYD		
0040	2079909 MISC. LINEAR	117.500	STA 2, MODIFIED		
0050	TYPE 1 AGGRE	1656.000	SQYD 8 IN. THICK)		
0060		14472.000 GATE FOR BASE (SQYD 4 IN. THICK)		
0070	3105003 GRAVEL (A) O	67.000 R CRUSHED STONE	SQYD (B)		
0800	4011209 BITUMINOUS P	358.100 AVEMENT MIXTURE	TONS PG64-22, (BP-1)		
0090	4030105 ASPHALTIC CO	4087.000	TONS PG 76-22 (SP125C	MIX)	
0100	4030111 ASPHALTIC CO	4087.000 NCRETE MIXTURE	TONS PG 76-22 (SP125CL	.P MIX)	
0110	4071007 TACK COAT -		GAL		
0120	5021308 CONCRETE PAV	1417.800	SQYD N-REINFORCED, 15	FT. JOINTS)	
0130	CONCRETE PAV	803.800 EMENT (12 IN. NO	SQYD	FT. JOINTS)	
0140	5041000 CONCRETE APP				
0150	6039902 WATER ADJUST	2.000	EA		
0160	6039902 WATER ADJUST	24.000 TO GRADE WATER	VALVE		
0170	6042010 ADJUSTING MA	33.000 NHOLE	EA		
0180	6042020 ADJUSTING BA	5.000	EA		
0190	6044013 PIPE COLLAR,	2.000 TYPE C			
0200	6046012A 12 IN. SLOTT	30.000 ED DRAIN	LF		
0210	6049902 MISC. SIDEWA	1.000	EA		
0220	6071013A CHAIN-LINK F	754.000	LF		
0230		790.000	SQFT		
0240	6083006	461.500			

	6 IN. CONCRETE MEDIAN STRIP
0250	6085008 4109.400 SQYD
	PAVED APPROACH, 8 IN.
0260	6086004 4721.500 SQYD
	CONCRETE SIDEWALK, 4 IN.
0270	6086007 1046.600 SQYD
	CONCRETE SIDEWALK, 7 IN.
0280	6089902 169.000 EA
	MISC. ADA CURB RAMP
0290	6089905 14.400 SQYD
	MISC. PLOWABLE MEDIAN END
0300	6091010 3439.000 LF
0310	6091041 25.000 LF
	CONCRETE GUTTER TYPE A
0320	6091051 198.000 LF
	CURB AND GUTTER TYPE A
0330	6091052 4564.000 LF CURB AND GUTTER TYPE B
0340	6116010A 720.000 SQYD
0340	SLOPE PROTECTION
0350	6131010 328.000 SQYD
0330	FURNISHING AND PLACING CONCRETE MATERIAL FOR FULL DEPTH PAVEMENT REPAIR
0360	6131012 66.000 SQYD
0000	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)
0370	6131013 66.000 SQYD
	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)
0380	6131014 1326.000 LF
	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS)
0390	6131015 580.000 EA
0390	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT
	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR
0400	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR 6141021 1.000 EA
0400	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR 6141021 1.000 EA GRATE AND BEARING PLATE (3 FT. X 2 FT. OR 914 MM X 610 MM)
0400	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR 6141021
0400	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR 6141021 1.000 EA GRATE AND BEARING PLATE (3 FT. X 2 FT. OR 914 MM X 610 MM) 6141120 22.000 EA CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MM X 600MM)
0400 0410 0420	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR 6141021
0400 0410 0420	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR 6141021
0400 0410 0420	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR 6141021
0400 0410 0420 0430	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR 6141021
0400 0410 0420 0430	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR 6141021
0400 	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR 6141021 1.000 EA GRATE AND BEARING PLATE (3 FT. X 2 FT. OR 914 MM X 610 MM) 6141120 22.000 EA CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MM X 600MM) 6141121 4.000 EA CURVED VANE GRATE AND FRAME (4 FT. X 2 FT. OR 1200MM X 600MM) 6143013 27.000 EA MANHOLE FRAME AND COVER, TYPE 3 6143014 10.000 EA MANHOLE FRAME AND COVER, TYPE 4
0400 0410 0420 0430 0440	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR 6141021 1.000 EA GRATE AND BEARING PLATE (3 FT. X 2 FT. OR 914 MM X 610 MM) 6141120 22.000 EA CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MM X 600MM) 6141121 4.000 EA CURVED VANE GRATE AND FRAME (4 FT. X 2 FT. OR 1200MM X 600MM) 6143013 27.000 EA MANHOLE FRAME AND COVER, TYPE 3 6143014 10.000 EA MANHOLE FRAME AND COVER, TYPE 4
0400 0410 0420 0430 0440	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR 6141021 1.000 EA GRATE AND BEARING PLATE (3 FT. X 2 FT. OR 914 MM X 610 MM) 6141120 22.000 EA CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MM X 600MM) 6141121 4.000 EA CURVED VANE GRATE AND FRAME (4 FT. X 2 FT. OR 1200MM X 600MM) 6143013 27.000 EA MANHOLE FRAME AND COVER, TYPE 3 6143014 10.000 EA MANHOLE FRAME AND COVER, TYPE 4
0400 0410 0420 0430 0440 0450 0460	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR 6141021
0400 0410 0420 0430 0440 0450 0460	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR 6141021
0400 0410 0420 0430 0440 0450 0460	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR 6141021
0400 0410 0420 0430 0440 0450 0460	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR 6141021
0400 0410 0420 0430 0440 0450 0470	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR 6141021
0400 0410 0420 0430 0440 0450 0470	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR 6141021 1.000 EA GRATE AND BEARING PLATE (3 FT. X 2 FT. OR 914 MM X 610 MM) 6141120 22.000 EA CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MM X 600MM) 6141121 4.000 EA CURVED VANE GRATE AND FRAME (4 FT. X 2 FT. OR 1200MM X 600MM) 6143013 27.000 EA MANHOLE FRAME AND COVER, TYPE 3 6143014 10.000 EA MANHOLE FRAME AND COVER, TYPE 4 6149902 4.000 EA MISC. CONVERT INLET TO MANHOLE 6161040 4.000 EA FLASHING ARROW PANEL 6161098A 4.000 EA CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED / RETAINED 6169901 1.000 LS

	MISC. REMOVE AND REPLACE BARRIER CURB
0500	
0300	MOBILIZATION
0510	6200015 1698.000 LF
0310	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE
0520	6200018 316.000 LF
0320	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW
0530	
0330	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
0540	6200024 2.000 EA
0310	PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW
0550	
0330	PREFORMED THERMOPLASTIC PAVEMENT MARKING, WORD (ONLY)
0560	6200042A 46.000 EA
0300	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. X 36 IN., YIELD LINE TRIANGLE
0570	6200054 2.000 EA
0370	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LANE REDUCTION ARROW
0580	6205901B 19190.000 LF
0380	4 IN. YELLOW CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)
0590	6205902B 17886.000 LF
0.390	6 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)
0600	6206000D 176.000 LF
0600	4 IN. WHITE CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS)
0610	
0.010	6206001D 221.000 LF 4 IN. YELLOW CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS)
0620	6207001 5030.000 LF
0020	PAVEMENT MARKING REMOVAL
0630	
0630	PAVEMENT MARKING REMOVAL (SYMBOLS)
0640	6208063 30.000 EA
0040	TEMPORARY PAVEMENT MARKING
0650	6208076 15200.000 LF
0030	4 IN TEMPORARY PAVEMENT MARKING PAINT
0660	6209902 84.000 EA
0000	MISC. 18 IN. WHITE ISLAND TUBULAR MARKER
0670	
0070	MISC. 18 IN. YELLOW ISLAND TUBULAR MARKER
0680	6209902 13.000 EA
0000	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, BIKE LANE ARROW
0690	
	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, HELMETED BICYCLIST SYMBOL
0700	6209902 30.000 EA
	MISC. WHITE CURB REFLECTORS
0710	6209902 30.000 EA
0710	MISC. YELLOW CURB REFLECTORS
0720	
0720	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATER THAN 3 IN.
	THICK)
0730	6274000 1.000 LS
	CONTRACTOR FURNISHED SURVEYING AND STAKING
0740	7261012 2451.000 LF
	12 IN. PIPE GROUP A

0750	7261015 222.000 LF
	15 IN. PIPE GROUP A
0760	7261018 1582.000 LF
	18 IN. PIPE GROUP A
0770	7261021 8.000 LF 21 IN. PIPE GROUP A
0780	7261024 827.000 LF
0700	24 IN. PIPE GROUP A
0790	7261030 66.000 LF
	30 IN. PIPE GROUP A
0800	7261036 787.000 LF
	36 IN. PIPE GROUP A
0810	7310048 192.000 FT PRECAST CONCRETE MANHOLE - 48 IN.
0020	7310060 39.000 FT
0820	PRECAST CONCRETE MANHOLE - 60 IN.
0830	7310072 19.000 FT
	PRECAST CONCRETE MANHOLE - 72 IN.
0840	7311022 96.000 FT
	PRECAST CONCRETE DROP INLET 2 FT X 2 FT
0850	7311030 87.000 FT
	PRECAST CONCRETE DROP INLET 3 FT X 2 FT-6 IN.
0860	7311032 6.000 FT PRECAST CONCRETE DROP INLET 3 FT X 2 FT
0870	7311042 18.000 FT
	PRECAST CONCRETE DROP INLET 4 FT X 2 FT
0880	7311053 87.000 FT
	PRECAST CONCRETE DROP INLET 5 FT X 3 FT
0890	7319913 48.000 FT
0000	
0900	7319913 8.000 FT MISC. 4-WAY AREA INLET
0910	7319913 11.000 FT
	MISC. DOUBLE STREET INLET
0920	7319913 7.000 FT
	MISC. PRECAST CONCRETE MANHOLE - 84 IN.
0930	7319913 48.000 FT MISC. SINGLE STREET INLET
0940	
0940	TURF TYPE TALL FESCUE SODDING
0950	8039905A 77.000 SQYD
	MISC. LANDSCAPING RESTORATION
0960	8061007A 104.000 EA
0970	8061016 134.000 CUYD SEDIMENT REMOVAL
0980	8061019 3048.000 LF
	SILT FENCE
	£1 000 00
Section 0001 Tot	\$1,000.00

Section 000: Lighting	Items - J6S3215B
0990	9013004 628.000 LF
	CONDUIT, 4 IN. RIGID, IN TRENCH
1000	9014004 188.000 LF
	CONDUIT, 4 IN. RIGID, PUSHED
1010	9015010 749.000 LF
	TRENCHING TYPE I
1020	9016110 4.000 EA
	PULL BOX, PREFORMED CLASS 1
1030	9016112 4.000 EA
	PULL BOX, PREFORMED CLASS 3
1040	9017110 460.000 LF
	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
1050	9017407 1780.000 LF
	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG
1060	9018230 7.000 EA
	POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)
1070	9019902 7.000 EA
	MISC. 30 FT. TOP MOUNT LIGHT POLE
1080	9019902 2.000 EA
1000	MISC. PAD MOUNTED 240V/480V POWER SUPPLY AND LIGHTING CONTROLLER
1090	9019902 7.000 EA
1000	7.000 EA
Section 000:	MISC. TOP MOUNTED LED-A LUMINAIRE 2 Total
Section 000	2 Total
Section 000 Signal It	2 Total 3 2 tems - J6S3215B
Section 000. Signal It	2 Total 2 Total 3
Section 000. Signal It 1100	2 Total 3
Section 000. Signal It 1100	2 Total 3
Section 000. Signal It 1100	2 Total 3
Section 000. Signal It 1100 1110	2 Total 3
Section 000. Signal It 1100 1110	2 Total 3
Section 000. Signal It 1100 1110	2 Total 3
Section 000: Signal It 1100 1110 1120	2 Total 3
Section 000: Signal It 1100 1110	2 Total 2 Total 3
Section 000: Signal It 1100 1110 1120 1130	2 Total 3
Section 0000 Signal It 1100 1110 1120 1130	2 Total 3
11100 11110 1120 1130 1140	2 Total 3
Section 0000 Signal It 1100 1110 1120 1130	2 Total 3
Section 0000 Signal It 1100 1110 1120 1130 1140	2 Total 3
Section 000: Signal It 1100 1110 1120 1130 1140 1150	2 Total 3
Section 000: Signal It 1100 1110 1120 1130 1140 1150 1170	2 Total 3
Section 0000: Signal It 1100 1110 1120 1130 1140 1150 1170	2 Total 3
Section 0000 Signal It 1100 1110 1120 1130 1140 1150	2 Total 3
Section 000: Signal It 1100 1110 1120 1130 1140 1150 1160 1170 1180	2 Total 3
Section 000: Signal It 1100 1110 1120 1130 1140 1150 1160 1170 1180	Post, Type CL, 35 FT. ARM OR 12.2 M ARM Post, Type CL, 40 FT. ARM OR 12.2 M ARM Post, Type CL, 40 FT. ARM OR 12.2 M ARM Post, Type C, 20 FT. ARM OR 6.1 M ARM Post, Type C, 20 FT. ARM OR 6.1 M ARM
Section 000: Signal It 1100 1110 1120 1130 1140 1150 1160 1170 1180	2 Total 3

Cont.ract	TD:	250815-F01
COLLCIACE	__	200010 101

1210	9023230 3.000 EA
	POST, TYPE C, 30 FT. ARM OR 9.1 M ARM
1220	9023235 1.000 EA
	POST, TYPE C, 35 FT. ARM OR 10.7 M ARM
1230	9023240 2.000 EA
	POST, TYPE C, 40 FT. ARM OR 12.2 M ARM
1240	9024283 3.000 EA
1250	9025300 654.000 LF
1260	9027300 864.000 LF
1070	
1270	9028100 100.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
1280	
1200	CABLE, 8 AWG 1 CONDUCTOR, POWER
1290	9028302 190.000 LF
	CABLE, 12 AWG 2 CONDUCTOR
1300	9028308 2650.000 LF
	CABLE, 16 AWG 2 CONDUCTOR
1310	9028310 2670.000 LF
	CABLE, 16 AWG 5 CONDUCTOR
1320	9028311 5360.000 LF
	CABLE, 16 AWG 7 CONDUCTOR
1330	9028811 7.000 EA
	PULL BOX, PREFORMED CLASS 2
1340	
1350	9029100 45.800 CUYD BASE, CONCRETE
1360	9029901 1.000 LS
1300	MISC. TRAFFIC SIGNAL MAINTENANCE & PROGRAMMING
1370	9029902 18.000 EA
	MISC. ACCESSIBLE PEDESTRIAN PUSHBUTTON AND SIGNING
1380	9029902 3.000 EA
	MISC. ATC TRAFFIC SIGNAL CONTROLLER
1390	9029902 3.000 EA
	MISC. COMBINATION PAD MOUNTED 120V/240V POWER SUPPLY AND LIGHTING CONTROLLER
	9029902 18.000 EA MISC. COUNTDOWN PEDESTRIAN SIGNAL HEAD, TYPE 1S
1410	9029902 3.000 EA
1410	MISC. NETWORK CONNECTED SIGNAL MONITOR
1420	9029902 1.000 EA
	MISC PEDESTRIAN PUSH RUTTON STANCHION. 4 FT
1430	9029902 60.000 EA
	MISC. POT HOLING UTILITY FACILITIES
1440	9029902 20.000 EA
	MISC. RECTANGULAR RAPID FLASHING BEACON ASSEMBLY
1450	
	9029902 2.000 EA
	MISC. RELOCATE EXISTING LICENSE PLATE READER
1460	MISC. RELOCATE EXISTING LICENSE PLATE READER

	MISC. RETROREFLECTIVE BACKPLATE
1 470	
1470	9029902 3.000 EA MISC. SL DISTRICT TRAFFIC SIGNAL DETECTION SYSTEM
	MIDE. DE DISTRICT TRAFFIC DIGNAL DELECTION SISTEM
Section 0003 Tot	al
Section 0004	
Signing Items	- J6S3215B
1480	9031010 1.600 CUYD
	CONCRETE FOOTINGS, EMBEDDED
1490	9031220 960.000 LB
	PIPE POSTS
1500	9031241 2.000 EA
	BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)
1510	9031270A 628.000 LF
	2 IN. PSST POST - 12 GA.
1520	9031271A 62.000 EA
	DRIVEN POST ANCHOR FOR 2 IN. PSST - 12 GA.
1530	9031280 206.000 LF
1000	2.5 IN. PSST POST - 12 GA.
1540	9031281A 17.000 EA
1340	DRIVEN POST ANCHOR FOR 2.5 IN. PSST - 7 GA.
1550	
1550	9035004A 423.000 SQFT SH-FLAT SHEET
1560	9035069A 194.000 SQFT SHF-FLAT SHEET FLUORESCENT
1570	9039902 15.000 EA MISC. REMOVE AND RELOCATE EXISTING GROUND MOUNT SIGN
	MISC. REMOVE AND RELOCATE EXISTING GROUND MOUNT SIGN
Section 0004 Tot	al
Section 0005	
ITS Items - J	5S3215B
1580	9109901 1.000 LS
	MISC. ITS ASSET MANAGEMENT TOOL
1590	9109901 1.000 LS
	MISC. REMOVAL OF EXISTING FIBER OPTIC CABLE
1600	9109902 6.000 EA
	MISC. ADJUST TO GRADE MODOT PULL BOX
1610	9109902 3.000 EA
	MISC. CCTV CAMERA ASSEMBLY
1620	9109902 14.000 EA
1020	MISC. FIBER OPTIC FUSION SPLICE
1620	
1630	9109902 12.000 EA MISC. FIBER OPTIC JUMPER
1.640	
1640	9109902 12.000 EA
	MISC. FIBER OPTIC PIGTAIL
1650	9109902 3.000 EA
	MISC. INSTALL CCTV CAMERA ASSEMBLY
1660	9109902 3.000 EA
1000	******

1670	9109902	3.000 EA
		INSTALL MODOT FURNISHED IP-ADDRESSABLE POWER STRIP
1680	9109902	1.000 EA
		INTERCEPT CONDUIT WITH PULL BOX
1690	9109902	2.000 EA
		ITS PULL BOX WITH CONCRETE PAD, PREFORMED CLASS 5
1700	9109902	3.000 EA
		RELOCATE COMMUNICATION EQUIPMENT
1710	9109902	1.000 EA
1710		REMOVE AND RELOCATE EXISTING CCTV CAMERA
1700		3.000 EA
1720	9109902 MISC	WALL MOUNTED INTERCONNECT CENTER
1730		990.000 LF
	MISC.	CCTV CAMERA CABLE
1740	9109903	100.000 LF
	MISC.	CONDUIT REPAIR
1750	9109903	134.000 LF
	MISC.	CONDUIT SYSTEM ON STRUCTURE
1760	9109903	211.000 LF
	MISC.	CONDUIT, HDPE, DRILL, 2"
1770	9109903	42.000 LF
1770		CONDUIT, HDPE, TRENCH, 2"
1780		2010.000 LF
1700		FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE
1790	9109903	500.000 LF
		MODOT ITS ASSETS RELOCATION
	MISC.	MODOT ITS ASSETS RELOCATION
Section 0005		
Section 0005		
	Fotal	
Section 0005 Section 0006 GRG Items	Total - J6S3215B	
Section 0005	- J6S3215B 2022010	1.000 LS
Section 0005 Section 0006 GRG Items -	Fotal - J6S3215B 2022010 REMOV	1.000 LS AL OF IMPROVEMENTS
Section 0005 Section 0006 GRG Items -	- J6S3215B 2022010 REMOV	1.000 LS AL OF IMPROVEMENTS 5.200 STA
Section 0005 Section 0006 GRG Items -	- J6S3215B 2022010 REMOV 2079909 MISC.	1.000 LS AL OF IMPROVEMENTS 5.200 STA LINEAR GRADING CLASS 2, MODIFIED
Section 0005 Section 0006 GRG Items -	- J6S3215B 2022010 REMOVA 2079909 MISC. 3040504	1.000 LS AL OF IMPROVEMENTS 5.200 STA LINEAR GRADING CLASS 2, MODIFIED 535.000 SQYD
Section 0005 Section 0006 GRG Items -	- J6S3215B 2022010 REMOVA 2079909 MISC. 3040504 TYPE	1.000 LS AL OF IMPROVEMENTS 5.200 STA LINEAR GRADING CLASS 2, MODIFIED 535.000 SQYD 5 AGGREGATE FOR BASE (4 IN. THICK)
Section 0005 Section 0006 GRG Items - 1800 1810	- J6S3215B 2022010 REMOV 2079909 MISC. 3040504 TYPE	1.000 LS AL OF IMPROVEMENTS 5.200 STA LINEAR GRADING CLASS 2, MODIFIED 535.000 SQYD 5 AGGREGATE FOR BASE (4 IN. THICK)
Section 0005 Section 0006 GRG Items - 1800 1810 1820	Total - J6S3215B 2022010 REMOVE 2079909 MISC. 3040504 TYPE 5	1.000 LS AL OF IMPROVEMENTS 5.200 STA LINEAR GRADING CLASS 2, MODIFIED 535.000 SQYD 5 AGGREGATE FOR BASE (4 IN. THICK) 1.000 LS GRG IRRIGATION SYSTEM
Section 0005 Section 0006 GRG Items - 1800 1810 1820 1830	- J6S3215B 2022010 REMOVE 2079909 MISC. 3040504 TYPE 5	1.000 LS AL OF IMPROVEMENTS 5.200 STA LINEAR GRADING CLASS 2, MODIFIED 535.000 SQYD 5 AGGREGATE FOR BASE (4 IN. THICK) 1.000 LS GRG IRRIGATION SYSTEM 57.300 SOYD
Section 0005 Section 0006 GRG Items - 1800 1810 1820 1830	- J6S3215B 2022010 REMOVE 2079909 MISC. 3040504 TYPE 5	1.000 LS AL OF IMPROVEMENTS 5.200 STA LINEAR GRADING CLASS 2, MODIFIED 535.000 SQYD 5 AGGREGATE FOR BASE (4 IN. THICK) 1.000 LS GRG IRRIGATION SYSTEM 57.300 SOYD
Section 0005 Section 0006 GRG Items - 1800 1810 1820 1830 1840	- J6S3215B 2022010 REMOVE 2079909 MISC. 3040504 TYPE 9 6039901 WATER 6085008 PAVED	1.000 LS AL OF IMPROVEMENTS 5.200 STA LINEAR GRADING CLASS 2, MODIFIED 535.000 SQYD 5 AGGREGATE FOR BASE (4 IN. THICK) 1.000 LS GRG IRRIGATION SYSTEM
Section 0005 Section 0006 GRG Items 1800 1810 1820 1830 1840	- J6S3215B 2022010 REMOVE 2079909 MISC. 3040504 TYPE 9 6039901 WATER 6085008 PAVED 6086007 CONCRE	1.000 LS AL OF IMPROVEMENTS 5.200 STA LINEAR GRADING CLASS 2, MODIFIED 535.000 SQYD 5 AGGREGATE FOR BASE (4 IN. THICK) 1.000 LS GRG IRRIGATION SYSTEM 57.300 SQYD APPROACH, 8 IN. 477.600 SQYD ETE SIDEWALK, 7 IN.
Section 0005 Section 0006 GRG Items 1800 1810 1820 1830 1840	- J6S3215B 2022010 REMOVE 2079909 MISC. 3040504 TYPE 6039901 WATER 6085008 PAVED 6086007 CONCRE	1.000 LS AL OF IMPROVEMENTS 5.200 STA LINEAR GRADING CLASS 2, MODIFIED 535.000 SQYD 5 AGGREGATE FOR BASE (4 IN. THICK) 1.000 LS GRG IRRIGATION SYSTEM 57.300 SQYD APPROACH, 8 IN. 477.600 SQYD ETE SIDEWALK, 7 IN.
Section 0005 Section 0006 GRG Items 1800 1810 1820 1830 1840	- J6S3215B 2022010 REMOVE 2079909 MISC. 3040504 TYPE 6039901 WATER 6085008 PAVED 6086007 CONCRE	1.000 LS AL OF IMPROVEMENTS 5.200 STA LINEAR GRADING CLASS 2, MODIFIED 535.000 SQYD 5 AGGREGATE FOR BASE (4 IN. THICK) 1.000 LS GRG IRRIGATION SYSTEM 57.300 SQYD APPROACH, 8 IN. 477.600 SQYD ETE SIDEWALK, 7 IN. 3.000 EA
Section 0005 Section 0006 GRG Items 1800 1810 1820 1830 1840 1850	- J6S3215B 2022010 REMOVE 2079909 MISC. 3040504 TYPE 6039901 WATER 6085008 PAVED 6086007 CONCRI	1.000 LS AL OF IMPROVEMENTS 5.200 STA LINEAR GRADING CLASS 2, MODIFIED 535.000 SQYD 5 AGGREGATE FOR BASE (4 IN. THICK) 1.000 LS GRG IRRIGATION SYSTEM 57.300 SQYD APPROACH, 8 IN. 477.600 SQYD ETE SIDEWALK, 7 IN. 3.000 EA ADA CURB RAMP
Section 0005 Section 0006 GRG Items 1800 1810 1820 1830 1840 1850	- J6S3215B 2022010 REMOVE 2079909 MISC. 3040504 TYPE 6039901 WATER 6085008 PAVED 6086007 CONCRI 6089902 MISC. 6091010	1.000 LS AL OF IMPROVEMENTS 5.200 STA LINEAR GRADING CLASS 2, MODIFIED 535.000 SQYD 5 AGGREGATE FOR BASE (4 IN. THICK) 1.000 LS GRG IRRIGATION SYSTEM 57.300 SQYD APPROACH, 8 IN. 477.600 SQYD ETE SIDEWALK, 7 IN. 3.000 EA ADA CURB RAMP 306.000 LF
Section 0005 Section 0006 GRG Items - 1800 1810 1820 1830 1840 1850 1860	- J6S3215B 2022010 REMOVE 2079909 MISC. 3040504 TYPE 6039901 WATER 6085008 PAVED 6086007 CONCRI 6089902 MISC. 6091010 CONCRI	1.000 LS AL OF IMPROVEMENTS 5.200 STA LINEAR GRADING CLASS 2, MODIFIED 535.000 SQYD 5 AGGREGATE FOR BASE (4 IN. THICK) 1.000 LS GRG IRRIGATION SYSTEM 57.300 SQYD APPROACH, 8 IN. 477.600 SQYD ETE SIDEWALK, 7 IN. 3.000 EA ADA CURB RAMP 306.000 LF ETE CURB (6 IN. HEIGHT AND UNDER) TYPE S
Section 0005 Section 0006 GRG Items 1800 1810 1820 1830 1840 1850 1870	- J6S3215B 2022010 REMOVE 2079909 MISC. 3040504 TYPE 6039901 WATER 6085008 PAVED 6086007 CONCRE 6089902 MISC. 6091010 CONCRE 8031000A	1.000 LS AL OF IMPROVEMENTS 5.200 STA LINEAR GRADING CLASS 2, MODIFIED 535.000 SQYD 5 AGGREGATE FOR BASE (4 IN. THICK) 1.000 LS GRG IRRIGATION SYSTEM 57.300 SQYD APPROACH, 8 IN. 477.600 SQYD ETE SIDEWALK, 7 IN. 3.000 EA ADA CURB RAMP 306.000 LF ETE CURB (6 IN. HEIGHT AND UNDER) TYPE S 630.000 SQYD
Section 0005 Section 0006 GRG Items - 1800 1810 1820 1830 1840 1850 1860	- J6S3215B 2022010 REMOVE 2079909 MISC. 3040504 TYPE 6039901 WATER 6085008 PAVED 6086007 CONCRI 6089902 MISC. 6091010 CONCRI 8031000A TURF	1.000 LS AL OF IMPROVEMENTS 5.200 STA LINEAR GRADING CLASS 2, MODIFIED 535.000 SQYD 5 AGGREGATE FOR BASE (4 IN. THICK) 1.000 LS GRG IRRIGATION SYSTEM 57.300 SQYD APPROACH, 8 IN. 477.600 SQYD ETE SIDEWALK, 7 IN. 3.000 EA ADA CURB RAMP 306.000 LF ETE CURB (6 IN. HEIGHT AND UNDER) TYPE S 630.000 SQYD FYPE TALL FESCUE SODDING
Section 0005 Section 0006 GRG Items - 1800 1810 1820 1830 1840 1850 1860 1870	- J6S3215B 2022010 REMOVE 2079909 MISC. 3040504 TYPE 6039901 WATER 6085008 PAVED 6086007 CONCRE 6089902 MISC. 6091010 CONCRE 8031000A TURF 9	1.000 LS AL OF IMPROVEMENTS 5.200 STA LINEAR GRADING CLASS 2, MODIFIED 535.000 SQYD 5 AGGREGATE FOR BASE (4 IN. THICK) 1.000 LS GRG IRRIGATION SYSTEM 57.300 SQYD APPROACH, 8 IN. 477.600 SQYD ETE SIDEWALK, 7 IN. 3.000 EA ADA CURB RAMP 306.000 LF ETE CURB (6 IN. HEIGHT AND UNDER) TYPE S 630.000 SQYD TYPE TALL FESCUE SODDING 127.000 LF
Section 0005 Section 0006 GRG Items 1800 1810 1820 1830 1840 1850 1860 1870 1880	- J6S3215B 2022010 REMOVE 2079909 MISC. 3040504 TYPE 6039901 WATER 6085008 PAVED 6086007 CONCRE 6089902 MISC. 6091010 CONCRE 8031000A TURF 9013004 CONDU	1.000 LS AL OF IMPROVEMENTS 5.200 STA LINEAR GRADING CLASS 2, MODIFIED 535.000 SQYD 5 AGGREGATE FOR BASE (4 IN. THICK) 1.000 LS GRG IRRIGATION SYSTEM 57.300 SQYD APPROACH, 8 IN. 477.600 SQYD ETE SIDEWALK, 7 IN. 3.000 EA ADA CURB RAMP 306.000 LF ETE CURB (6 IN. HEIGHT AND UNDER) TYPE S 630.000 SQYD FYPE TALL FESCUE SODDING

	Missouri Departm	ent of Transportation	Contract ID: 250815-F01
1900	9015010 442.00		
1900	TRENCHING TYPE I		
1910	9016110 1.00	 00 EA	
	PULL BOX, PREFORMED CLASS	1	
1920	9017110 400.00		
	CABLE, 10 AWG 1 CONDUCTOR,		
1930	9017407 700.00	00 LF	
		ONDUCTORS AND 1 BARE NEUTRAL, 8 AWG	G
1940	9019902 11.00		
1950	9019902 11.00 MISC. GRG PEDESTRIAN LED		
1000			
1960	9019902 11.00 MISC. GRG POLE FOUNDATION		
Section 0006 Total	al		
Section 0007 Bridge A53282	Items - J6S3215B		
1970	2169903 112.00	00 LF	
	MISC. REMOVAL OF PEDESTRIA	AN FENCE	
1980	2169904 2522.00		
	MISC. REMOVAL OF SIDEWALK		
1990	6071066 406.00		
	(72 IN.) PEDESTRIAN FENCE	(STRUCTURES)	
2000	6079903 220.00		
	MISC. (87 IN.) CURVED TOP	PEDESTRIAN FENCE (STRUCTURES)	
2010	7034420 1512.00	00 SQFT	
	DYLCEU WEULYM BYDDLED		

Item Total \$1,000.00

230.000 SQFT

RAISED MEDIAN BARRIER

2030 7049902 24.000 EA

CLEANING AND EPOXY COATING

MISC. GROUT EXISTING BARRIER DRAIN SLOTS

7040113

Section 0007 Total

DBE List Summary

Project: FAS-S503 (073) Bid Total: 1,000.00

Goal: 8.00% (80.00)

Total Entered: 0.00% (0.00)

Bidder ID: 0011540 Business Name: Company1 Contract ID: 250815-F01

ID Name Supp?/Dist? Item Count Amount Is Complete?

DBE CERTIFICATION

- (6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 2 slots at 1000 hours per slot or 2000 hours.
- (7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

- (A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 8.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.
- (B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

Bidder's List Quote Summary Attachment

Attach	the	form	as	required	by	Sec.	102.7.9.
Attachr	nent:	•					Verify

CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

- (10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.
- (11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and misrepresentation or omission of fact within the bid submission.
- (11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes \bigcirc No \bigcirc

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, rtation, 105 W. 2-0270. Telefax 1 or emailed to ginal documents it available if

directly to the Design Division, Missouri Department of Transpo Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102 transmittal to MoDOT will be permitted at fax no. 573-522-2281 subcontractor.disclosure@modot.mo.gov. The complete signed original original contractor of the mailed to MoDOT, but the bidder shall have requested by the Design Division or the engineer.
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:
SUBCONTRACTOR NAME:
DOLLAR VALUE: \$
CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$	
CATEGORY OF WORK:	
SUBCONTRACTOR NAME:	
DOLLAR VALUE: \$	
CATEGORY OF WORK:	
SUBCONTRACTOR NAME:	
DOLLAR VALUE: \$	
CATEGORY OF WORK:	
SUBCONTRACTOR NAME:	
DOLLAR VALUE: \$	
CATEGORY OF WORK:	
SUBCONTRACTOR NAME:	
DOLLAR VALUE: \$	
CATEGORY OF WORK:	
SUBCONTRACTOR NAME:	
DOLLAR VALUE: \$	
CATEGORY OF WORK:	
Submitted:	

SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

*** AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. ***

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

Yes No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

**Pay by: Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

**Bond ID: Verify Clear

**Surety Registry Agency:

**Bond Pct:

Surety State:

FIELDS WITH THE ** INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS