STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING Contract I.D. 251017-F04

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S): FAS S502(7), FAF-61-5(33)

Job J6S3289 Route 61/67 Jefferson County Job J6S3391 Route 61/67 Jefferson County

BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

- 1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
- 2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
- 3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.
- 4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
- 5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
- 6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
- 7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
- 8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
- 9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid) at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to nonresponsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

TABLE OF CONTENTS

Notice to Contractors

Proposed Work	item	(1)
Compliance With Contract Provisions	item	(2)
Period of Performance	item	(3)
Liquidated Damages	item	(4)
Itemized Bid	item	(5)
Trainees	item	(6)
DBE Certification*	item	(7)
Acceptance of Provision for Price Adjustment for Fuel	item	(8a)
Acceptance of Provision for Asphalt Cement Price Index	item	(8b)
Max. Monetary Value of Awards Accepted this Bid Opening	item	(9)
Combination Bids	item	(10)
Certification for Federal Jobs	item	(11a)
Certification for State Jobs	item	(11b)
Antidiscrimination	item	(12)
Preference to Missouri Firms in Awarding of Contracts	item	(13)
Subcontractor Disclosure Form*	.item	(14)
Signature and Identity of Bidder	item	(15)
Bid Guaranty*	item	(16)

^{*}These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 10/17/2025.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

- (1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:
- ****(1): Job J6S3289 Route 61/67 JEFFERSON County. Bridge replacement and slide repairs over Joachim Creek near Pevely, the total length of improvement being 0.759 miles.****(2): Job J6S3391 Route 61/67 JEFFERSON County. Resurface and widening from Brandon Wallace Way to 6th Street in Pevely, the total length of improvement being 0.759 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

- (2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office Design Division at (573) 751-2876.
- (3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.
- (4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.
- (5) ITEMIZED BID: The bidder should complete the following section in

accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity	Unit	Unit Price	Extension Price
Section 0001 Roadway Item	ıs - J6S3289				
0010		1.000	LS	\$1,000.00000	\$1,000.00
	SIGNET DBE				
0020	2013000 CLEARING AN	9.000 D GRUBBING			
0030	2022010	1.000			
	REMOVAL OF				
0040		38290.000			
	UNCLASSIFIE	D EXCAVATION			
0050	2035500	80691.000	CUYD		
	EMBANKMENT				
0060		31660.000	CUYD		
0070	2042010 SETTLEMENT	6.000	EA		
0080		155.000	CIIVD		
0080	CLASS 3 EXC		COID		
0090	2065500	1.000			
	TEMPORARY S	HORING			
0100	2072000	35.300			
	LINEAR GRAD	ING CLASS 2			
0110		18310.000			
	TYPE 5 AGGR	EGATE FOR BASE (6	IN. THICK)		
0120	4010150	3732.200			
0130		12544.900			
0140					
0140	5021308 CONCRETE PA	1925.300 VEMENT (8 IN NON-		FT JOINTS)	
0150			-		
0130		UNDERDRAIN	111		
0160	6054020	2.000			
		S AND SPLASH PADS			
0170	6059901	1.000			
	MISC. WICK				
0180	6091010	96.000	LF		
	CONCRETE CU	RB (6 IN. HEIGHT A	AND UNDER) TYPE	S	
0190	6091051		LF		
	CURB AND GU				
0200	6096030A	87.000 TYPE 3 ROCK DITCH			
0210					
0210	6096043 PLACING TYP	87.000 E 3 ROCK DITCH LIN			
0220	6096050				
0220		ERIAL FOR ROCK DIT	TCH LINER		
0230	6113020	10400.000			
	FURNISHING				
0240	6113040	10400.000	CUYD		

	PLACING TYPE 2 ROCK BLANKET
0250	6122009 3.000 EA
	IMPACT ATTENUATOR 45 MPH (SAND BARREL ARRAY)
0260	6122020 3.000 EA
	REPLACEMENT SAND BARREL
0270	6141121 2.000 EA
	CURVED VANE GRATE AND FRAME (4 FT. X 2 FT. OR 1200MM X 600MM)
0280	6143013 2.000 EA
	MANHOLE FRAME AND COVER, TYPE 3
0290	6143020 2.000 EA
	CURB INLET
0300	6161098A 4.000 EA
	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED /
	RETAINED
0310	6169901 1.000 LS
	MISC. TEMPORARY TRAFFIC CONTROL
0320	6173103 649.000 LF
	CONCRETE TRAFFIC BARRIER, TYPE D (MOMENT SLAB)
0330	6173600D 3213.000 LF
	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED
0340	6181000 1.000 LS
	MOBILIZATION
0350	6181020 2.000 EA \$600.00000 \$1,200.00
	ADDITIONAL MOBILIZATION FOR SEEDING
0360	6200015 40.000 LF
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE
0370	6205901B 6462.000 LF
0380	6205902B 8223.000 LF
	6 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)
0390	6208076 18748.000 LF
	A TH TEMPODARY DAVIENCHE MADUTHO DATHE
0400	4 IN TEMPORARY PAVEMENT MARKING PAINT
0 10 0	6240103A 17241.000 SQYD
	6240103A 17241.000 SQYD PERMANENT EROSION CONTROL GEOTEXTILE
	6240103A 17241.000 SQYD PERMANENT EROSION CONTROL GEOTEXTILE 6261000A 40.300 STA
0410	6240103A 17241.000 SQYD PERMANENT EROSION CONTROL GEOTEXTILE 6261000A 40.300 STA BITUMINOUS SHOULDER RUMBLE STRIP
0410	6240103A 17241.000 SQYD PERMANENT EROSION CONTROL GEOTEXTILE 6261000A 40.300 STA BITUMINOUS SHOULDER RUMBLE STRIP 6262000A 9.100 STA PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP
0410	6240103A 17241.000 SQYD PERMANENT EROSION CONTROL GEOTEXTILE 6261000A 40.300 STA BITUMINOUS SHOULDER RUMBLE STRIP 6262000A 9.100 STA PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP
0410	6240103A 17241.000 SQYD PERMANENT EROSION CONTROL GEOTEXTILE 6261000A 40.300 STA BITUMINOUS SHOULDER RUMBLE STRIP 6262000A 9.100 STA PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6274000 1.000 LS
0410 0420 0430	6240103A 17241.000 SQYD PERMANENT EROSION CONTROL GEOTEXTILE 6261000A 40.300 STA BITUMINOUS SHOULDER RUMBLE STRIP 6262000A 9.100 STA PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING
0410 0420 0430	6240103A 17241.000 SQYD PERMANENT EROSION CONTROL GEOTEXTILE 6261000A 40.300 STA BITUMINOUS SHOULDER RUMBLE STRIP 6262000A 9.100 STA PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7033009 1.000 LS AESTHETIC CONCRETE STAIN
0410 0420 0430 0440	6240103A 17241.000 SQYD PERMANENT EROSION CONTROL GEOTEXTILE 6261000A 40.300 STA BITUMINOUS SHOULDER RUMBLE STRIP 6262000A 9.100 STA PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7033009 1.000 LS AESTHETIC CONCRETE STAIN
0410 0420 0430 0440	6240103A 17241.000 SQYD PERMANENT EROSION CONTROL GEOTEXTILE 6261000A 40.300 STA BITUMINOUS SHOULDER RUMBLE STRIP 6262000A 9.100 STA PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7033009 1.000 LS AESTHETIC CONCRETE STAIN 7201000 1007.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS
0410 0420 0430 0440	6240103A 17241.000 SQYD PERMANENT EROSION CONTROL GEOTEXTILE 6261000A 40.300 STA BITUMINOUS SHOULDER RUMBLE STRIP 6262000A 9.100 STA PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7033009 1.000 LS AESTHETIC CONCRETE STAIN 7201000 1007.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS
0410 0420 0430 0440 0450 0460	6240103A 17241.000 SQYD PERMANENT EROSION CONTROL GEOTEXTILE 6261000A 40.300 STA BITUMINOUS SHOULDER RUMBLE STRIP 6262000A 9.100 STA PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7033009 1.000 LS AESTHETIC CONCRETE STAIN 7201000 1007.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7201000 3600.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS
0410 0420 0430 0440 0450	6240103A 17241.000 SQYD PERMANENT EROSION CONTROL GEOTEXTILE 6261000A 40.300 STA BITUMINOUS SHOULDER RUMBLE STRIP 6262000A 9.100 STA PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7033009 1.000 LS AESTHETIC CONCRETE STAIN 7201000 1007.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7201000 3600.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS
0410 0420 0430 0440 0450 0460	6240103A 17241.000 SQYD PERMANENT EROSION CONTROL GEOTEXTILE 6261000A 40.300 STA BITUMINOUS SHOULDER RUMBLE STRIP 6262000A 9.100 STA PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7033009 1.000 LS AESTHETIC CONCRETE STAIN 7201000 1007.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7250312A 26.000 LF 12 IN. PIPE GROUP B
0410 0420 0430 0440 0450 0470 0480	6240103A 17241.000 SQYD PERMANENT EROSION CONTROL GEOTEXTILE 6261000A 40.300 STA BITUMINOUS SHOULDER RUMBLE STRIP 6262000A 9.100 STA PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7033009 1.000 LS AESTHETIC CONCRETE STAIN 7201000 1007.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7201000 3600.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7250312A 26.000 LF 12 IN. PIPE GROUP B
0410 0420 0430 0440 0450 0470 0480	6240103A 17241.000 SQYD PERMANENT EROSION CONTROL GEOTEXTILE 6261000A 40.300 STA BITUMINOUS SHOULDER RUMBLE STRIP 6262000A 9.100 STA PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7033009 1.000 LS AESTHETIC CONCRETE STAIN 7201000 1007.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7201000 3600.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7250312A 26.000 LF 12 IN. PIPE GROUP B
0410 0420 0430 0440 0450 0470 0480	PERMANENT EROSION CONTROL GEOTEXTILE 6261000A
0410 0420 0430 0440 0450 0460 0470 0480	6240103A 17241.000 SQYD PERMANENT EROSION CONTROL GEOTEXTILE 6261000A 40.300 STA BITUMINOUS SHOULDER RUMBLE STRIP 6262000A 9.100 STA PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP 6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING 7033009 1.000 LS AESTHETIC CONCRETE STAIN 7201000 1007.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7201000 3600.000 SQFT MECHANICALLY STABILIZED EARTH WALL SYSTEMS 7250312A 26.000 LF 12 IN. PIPE GROUP B 7250315A 66.000 LF 15 IN. PIPE GROUP B

Contract ID: 251017-F04

0500	7261060	87.000	LF
	60 IN. PIPE	GROUP A	
0510	7311042	14.000	
	PRECAST CONC	RETE DROP INLET	4 FT X 2 FT
0520	7320015A	1.000	
			E GROUP B FLARED END SECTION
0530	7320612A	2.000	EA
		LOWED SUBSTITUTE	E GROUP A FLARED END SECTION
0540	7320660A	2.000	
0010			E GROUP A FLARED END SECTION
0550		2.100	
0330	SEEDING - CO		
05.60			
0560		294.000	TF.
0570	8061007A	4.000	EA
	CURB INLET C		
0580	8061016	226.000	CUYD
	SEDIMENT REM		
0590	8061017	9.000	
	TEMPORARY SE	EDING	
0600		9249.000	
	SILT FENCE		
0610	8061050	729.000	
	TYPE C BERM		
0620		19755.000	SOYD
0020	TYPE 4 EROSI		
Section 0001 T	otal		\$2,200.0
Section 0002	beautiful Thomas TCGG	1200	
	uard Cable Items - J6S3		
0630	6061060	1977.000	LF
	MGS GUARDRAI	Ь	
0640			
	6061061	551.000	LF
	MGS GUARDRAI	551.000	
0650	MGS GUARDRAI	551.000	LF 6 FT 3 IN. SPACING
	MGS GUARDRAI: 6061070 MGS VERTICAL	551.000 L, 8 FT. POSTS, 5.000 CONCRETE BARRIE	LF 6 FT 3 IN. SPACING EA ER TRANSITION
	MGS GUARDRAI: 6061070 MGS VERTICAL	551.000 L, 8 FT. POSTS, 5.000	LF 6 FT 3 IN. SPACING EA ER TRANSITION
0650	MGS GUARDRAI: 6061070 MGS VERTICAL 6061074 MGS HEIGHT A	551.000 L, 8 FT. POSTS, 5.000 CONCRETE BARRIE 7.000 ND BLOCK TRANSIT	LF 6 FT 3 IN. SPACING EA ER TRANSITION EA TION
0650	MGS GUARDRAI 6061070 MGS VERTICAL 6061074 MGS HEIGHT A	551.000 L, 8 FT. POSTS, 5.000 CONCRETE BARRIE 7.000 ND BLOCK TRANSIT	LF 6 FT 3 IN. SPACING EA ER TRANSITION EA TION
0650	MGS GUARDRAI: 6061070 MGS VERTICAL 6061074 MGS HEIGHT AI	551.000 L, 8 FT. POSTS, 5.000 CONCRETE BARRIE 7.000 ND BLOCK TRANSIT	LF 6 FT 3 IN. SPACING EA ER TRANSITION EA TION EA
0650 0660 0670	MGS GUARDRAI 6061070 MGS VERTICAL 6061074 MGS HEIGHT AI 6063014 TYPE A CRASH	551.000 L, 8 FT. POSTS, 5.000 CONCRETE BARRIE 7.000 ND BLOCK TRANSIT 4.000 WORTHY END TERMI	LF 6 FT 3 IN. SPACING EA ER TRANSITION EA TION EA (INAL (MASH)
0650 	MGS GUARDRAI: 6061070 MGS VERTICAL 6061074 MGS HEIGHT AI 6063014 TYPE A CRASH	551.000 L, 8 FT. POSTS, 5.000 CONCRETE BARRIE 7.000 ND BLOCK TRANSIT 4.000 WORTHY END TERMI	LF 6 FT 3 IN. SPACING EA ER TRANSITION EA TION EA INAL (MASH)
0650 0660 	MGS GUARDRAI: 6061070 MGS VERTICAL 6061074 MGS HEIGHT AI 6063014 TYPE A CRASH	551.000 L, 8 FT. POSTS, 5.000 CONCRETE BARRIE 7.000 ND BLOCK TRANSIT 4.000 WORTHY END TERMI 1.000 WORTHY END TERMI	LF 6 FT 3 IN. SPACING EA ER TRANSITION EA TION EA INAL (MASH)
0650 0660 	MGS GUARDRAI: 6061070 MGS VERTICAL 6061074 MGS HEIGHT AI 6063014 TYPE A CRASHI 6063017 TYPE C CRASHI	551.000 L, 8 FT. POSTS, 5.000 CONCRETE BARRIE 7.000 ND BLOCK TRANSIT 4.000 WORTHY END TERMI 1.000 WORTHY END TERMI	LF 6 FT 3 IN. SPACING EA ER TRANSITION EA TION EA (INAL (MASH)) EA
0650 0660 0670	MGS GUARDRAI: 6061070 MGS VERTICAL 6061074 MGS HEIGHT AI 6063014 TYPE A CRASHI 6063017 TYPE C CRASHI	551.000 L, 8 FT. POSTS, 5.000 CONCRETE BARRIE 7.000 ND BLOCK TRANSIT 4.000 WORTHY END TERMI 1.000 WORTHY END TERMI	LF 6 FT 3 IN. SPACING EA ER TRANSITION EA TION EA (INAL (MASH)) EA
0650 0660 0670	MGS GUARDRAI: 6061070 MGS VERTICAL 6061074 MGS HEIGHT AI 6063014 TYPE A CRASHI 6063017 TYPE C CRASHI	551.000 L, 8 FT. POSTS, 5.000 CONCRETE BARRIE 7.000 ND BLOCK TRANSIT 4.000 WORTHY END TERMI 1.000 WORTHY END TERMI	LF 6 FT 3 IN. SPACING EA ER TRANSITION EA TION EA (INAL (MASH)) EA
0650 0660 0670 0680 Section 0002 T	MGS GUARDRAI: 6061070 MGS VERTICAL 6061074 MGS HEIGHT AI 6063014 TYPE A CRASHI 6063017 TYPE C CRASHI	551.000 L, 8 FT. POSTS, 5.000 CONCRETE BARRIE 7.000 ND BLOCK TRANSIT 4.000 WORTHY END TERMI 1.000 WORTHY END TERMI	LF 6 FT 3 IN. SPACING EA ER TRANSITION EA TION EA (INAL (MASH)) EA
0650 0660 0670 0680 Section 0002 T	MGS GUARDRAI: 6061070 MGS VERTICAL 6061074 MGS HEIGHT AI 6063014 TYPE A CRASHI 6063017 TYPE C CRASHI	551.000 L, 8 FT. POSTS, 5.000 CONCRETE BARRIE 7.000 ND BLOCK TRANSIT 4.000 WORTHY END TERMI 1.000 WORTHY END TERMI	LF 6 FT 3 IN. SPACING EA ER TRANSITION EA TION EA (INAL (MASH)) EA
0650 0660 0670 0680 Section 0002 T	MGS GUARDRAI: 6061070 MGS VERTICAL 6061074 MGS HEIGHT AI 6063014 TYPE A CRASHI 6063017 TYPE C CRASHI	551.000 L, 8 FT. POSTS, 5.000 CONCRETE BARRIE 7.000 ND BLOCK TRANSIT 4.000 WORTHY END TERMI 1.000 WORTHY END TERMI	LF 6 FT 3 IN. SPACING EA ER TRANSITION EA TION EA (INAL (MASH)) EA
0650 0660 0670 0680 Section 0002 T Section 0003 Lighting It 0690	MGS GUARDRAI: 6061070 MGS VERTICAL 6061074 MGS HEIGHT AI 6063014 TYPE A CRASHI 6063017 TYPE C CRASHI Cotal ems - J6S3289 9011030 LIGHTING POLI	551.000 L, 8 FT. POSTS, 5.000 CONCRETE BARRIE 7.000 ND BLOCK TRANSIT 4.000 WORTHY END TERMI 1.000 WORTHY END TERMI 2.000 E, 30 FT. OR 9.0	LF 6 FT 3 IN. SPACING EA ER TRANSITION EA TION EA INAL (MASH) EA INAL O M, TYPE AT
0650 0660 0670 0680 Section 0002 T Section 0003 Lighting It 0690	MGS GUARDRAI: 6061070	551.000 L, 8 FT. POSTS, 5.000 CONCRETE BARRIE 7.000 ND BLOCK TRANSIT 4.000 WORTHY END TERMI 1.000 WORTHY END TERMI 2.000 E, 30 FT. OR 9.0	LF 6 FT 3 IN. SPACING EA ER TRANSITION EA TION EA INAL (MASH) EA INAL EA O M, TYPE AT

	LUMINAIRE, LED-C
0710	9015020 400.000 LF TRENCHING TYPE II
0720	9017110 120.000 LF
	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
0730	9017404 440.000 LF
	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG
0740	9018230 2.000 EA
	POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)
Section 0003 T	
Section 0004	
	ms - J6S3289
0750	
	BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)
0760	9031270A 68.000 LF
	2 IN. PSST POST - 12 GA.
0770	9031271A 5.000 EA
	DRIVEN POST ANCHOR FOR 2 IN. PSST - 12 GA.
0780	9031272A 5.000 EA
0790	9031280 77.000 LF 2.5 IN. PSST POST - 12 GA.
0800	9031281A 5.000 EA DRIVEN POST ANCHOR FOR 2.5 IN. PSST - 7 GA.
0810	9035004A 60.000 SQFT SH-FLAT SHEET
Section 0004 T	otal
Section 0005	de Repair (3 locations) Items - J6S3289
0820	2035000 584.000 CUYD
0020	UNCLASSIFIED EXCAVATION
0830	2063500 3.000 EA
0030	CULVERT CLEANOUT
0840	
0010	MISC. VIDEO INSPECTION OF SEWERS
0850	6096020 478.000 CUYD
	FURNISHING TYPE 2 ROCK DITCH LINER
0860	
	PLACING TYPE 2 ROCK DITCH LINER
Section 0005 T	otal
Section 0006 Bridge A873	7 Items - J6S3289
0870	2061000 350.000 CUYD
	CLASS 1 EXCAVATION

		Missouri Departmen	t of Transportation	Contract ID: 251017-F04
0880		80.000	CUYD	
	CLASS 2 EXC			
0890	2160500 REMOVAL OF 1	1.000 BRIDGES		
0900	5031010A	290.000		
	BRIDGE APPRO	DACH SLAB (MAJOR)		
0910	7021212	2755.000		
	GALVANIZED :		PILES (12 IN)	
0920	7021324	5535.000		
	GALVANIZED (CAST-IN-PLACE CON	NCRETE PILES (24 IN)	
0930	7026000	452.000		
	PRE-BORE FO			
0940	7027000	89.000		
0310	PILE POINT			
0950				
0950		919.000 CRETE (SUBSTRUCT)		
0960	7034219A		LF	
	TYPE D BARR			
0970	7034221	3359.000		
	SLAB ON CON	CRETE NU-GIRDER		
0980	7056021	3588.000		
	NU 35, PRES	TRESSED CONCRETE	NU-GIRDER	
0990	7061060	62660.000	LB	
		STEEL (BRIDGES)		
1000	7123610	45.000		
1000	SLAB DRAIN		EA.	
1010				
1010	7151001	2.000 AIN AT END BENTS	EA	
1020	7161000	16.000	EA	
	PLAIN NEOPRI	ENE BEARING PAD		
1030	7161002	64.000	EA	
		EOPRENE BEARING I		
Section 0006 Total				
section 0006 Total	d⊥			
Section 0007	TCQ2221			
Roadway Items				
1040		1.000	LS	
	REMOVAL OF			
1050	2063000	1719.000	CUYD	
	CLASS 3 EXC			
1060	2065500	1.000		
	TEMPORARY SI			
1070	2071000	44.000		
	LINEAR GRAD			
1080				
T000		5557.000 EGATE FOR BASE (4	-	
1000				
1090	3040506	5642.000	=	

TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)

1100 4019905 5642.000 SQYD

MISC. OPTIONAL PAVEMENT

1110	
	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125CLP MIX)
1120	4071007 2236.000 GAL
	TACK COAT - NON-TRACKING
1130	5021106 250.000 SQYD
	CONCRETE PAVEMENT (6 IN. NON-REINF)
1140	6042010 7.000 EA
	ADJUSTING MANHOLE
1150	6042020 9.000 EA
1130	ADJUSTING BASIN OR INLET
1160	
1160	6044011 2.000 EA
	PIPE COLLAR, TYPE A
1170	6049902 3.000 EA
	MISC. ADJUST GAS VALVE
1180	6049902 4.000 EA
	MISC. ADJUST PULLBOX
1190	6049902 22.000 EA
	MISC. ADJUST WATER VALVE
1200	6049902 1.000 EA
	MISC. MODIFIED 72" TYPE C PIPE COLLAR
1210	6049902 1.000 EA
1210	MISC. PRECAST 36"/72" WYE JOINT
1220	
1220	6049902 2.000 EA MISC. PRECAST 45 DEG. BEND, 72" PIPE
1230	6085007 35.000 SQYD
	PAVED APPROACH, 7 IN.
1240	6085008 4300.000 SQYD
	PAVED APPROACH, 8 IN.
1250	6091010 56.000 LF
	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S
1260	6091041 29.000 LF
	CONCRETE GUTTER TYPE A
1270	6091051 184.000 LF
	CURB AND GUTTER TYPE A
1280	6091052 2697.000 LF
	CURB AND GUTTER TYPE B
1290	6131010 264.000 SQYD
1230	FURNISHING AND PLACING CONCRETE MATERIAL FOR FULL DEPTH PAVEMENT REPAIR
1 2 0 0	
1300	6131012 264.000 SQYD
	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)
1310	6131013 264.000 SQYD
	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)
1320	6131014 1597.000 LF
	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS)
1330	6131015 784.000 EA
	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT
	REPAIR
1340	6131017 392.000 EA
	DOWEL BAR (FURNISHING AND INSTALLATION WITH BASKETS) FOR FULL DEPTH PAVEMENT
	REPAIR
1350	6141120 16.000 EA
	CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MM X 600MM)
	

	Missouri Department of Transportation Contract ID: 251017-F04
1060	
1360	6141121 2.000 EA CURVED VANE GRATE AND FRAME (4 FT. X 2 FT. OR 1200MM X 600MM)
1270	
1370	6143010 3.000 EA MANHOLE FRAME AND COVER, TYPE 1-A
1380	6143013 12.000 EA
1380	MANHOLE FRAME AND COVER, TYPE 3
1390	6143020 12.000 EA
1390	CURB INLET
1400	
1100	CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED /
	RETAINED CMS
1410	6169901 1.000 LS
	MISC. TEMPORARY TRAFFIC CONTROL
1420	6181000 1.000 LS
	MOBILIZATION
1430	6191000 10607.000 LF
	PAVEMENT EDGE TREATMENT
1440	
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE
1450	6200021 24.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
1460	6200024 3.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW
1470	6205901B 11059.000 LF
	4 IN. YELLOW CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)
1480	6205902B 11131.000 LF
	6 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)
1490	6207001 10981.000 LF
1500	6208076 19476.000 LF
	4 IN TEMPORARY PAVEMENT MARKING PAINT
1510	6214600A 88.000 CUYD
	FLOWABLE BACKFILL
1520	6221001 22358.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
1530	
1330	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING
1540	7250372A 124.000 LF
1340	72 IN. PIPE GROUP B
1550	7261012 10.000 LF
	12 IN. PIPE GROUP A
1560	7261015 61.000 LF
	15 IN. PIPE GROUP A
1570	7261018 126.000 LF
	18 IN. PIPE GROUP A
1580	7261024 704.000 LF
	24 IN. PIPE GROUP A
1590	7261036 371.000 LF
	36 IN. PIPE GROUP A
1600	7310048 7.000 FT
	PRECAST CONCRETE MANHOLE - 48 IN.

PRECAST CONCRETE MANHOLE - 48 IN.
1610 7310060 7.000 FT

Contract ID: 251017-F04

\$2,200.00

	PRECAST CONCRETE MANHOLE - 60 IN.
1620	7311033 30.000 FT
	PRECAST CONCRETE DROP INLET 3 FT X 3 FT
1630	7320072A 1.000 EA
	72 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION
1640	8031000A 2057.000 SQYD
	TURF TYPE TALL FESCUE SODDING
1650	8061006 90.000 LF
	ALTERNATE DITCH CHECK
1660	8061007A 38.000 EA
	CURB INLET CHECK
1670	8061016 50.000 CUYD
1070	SEDIMENT REMOVAL
1680	
1000	SILT FENCE
Section 000	
	Items - J6S3391
1690	9029902 14.000 EA
	MISC. POT HOLING FOR UTILITY FACILITIES
Section 000	8 Total
Section 000	
	Items - J6S3391
	9031010 1.500 CUYD
	CONCRETE FOOTINGS, EMBEDDED
1710	9031220 830.000 LB
	PIPE POSTS
1720	9035004A 83.000 SQFT
	SH-FLAT SHEET
Section 000	9 Total
_	
	40.000.0

Item Total

DBE List Summary

Project: FAS S502(7)

Bidder ID: 0011540

Business Name: Company1

Goal: 6.00% (132.00)

Name

Total Entered: 0.00% (0.00)

Supp?/Dist? Item Count Amount Is Complete?

Contract ID: 251017-F04

DBE CERTIFICATION

- (6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 0 slots at 1000 hours per slot or 0 hours.
- (7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

- (A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 6.00 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.
- (B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

Contract ID: 251017-F04

Bidder's List Quote Summary Attachment

Attach	the	form	as	required	bу	Sec.	102.7.9.
Attachr	nent:	:				□ 7	<i>J</i> erify

CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

- (10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.
- (11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and misrepresentation or omission of fact within the bid submission.
- (11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes \bigcirc No \bigcirc

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if

requested by the Design Division or the engineer. SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK: SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK: SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

*** AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. ***

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

Yes No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

**Pay by: Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

**Bond ID: Verify Clear

**Surety Registry Agency:

**Bond Pct:

Surety State:

FIELDS WITH THE ** INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS