


Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene,  
Polk

**JOB SPECIAL PROVISIONS TABLE OF CONTENTS**

(Job Special Provisions shall prevail over General Provisions whenever in conflict therewith.)

|    |                                                                                  |    |
|----|----------------------------------------------------------------------------------|----|
| A. | General - State JSP-09-03L                                                       | 1  |
| B. | Contract Liquidated Damages JSP-13-01D                                           | 1  |
| C. | Work Zone Traffic Management JSP-02-06N                                          | 2  |
| D. | Emergency Provisions and Incident Management                                     | 4  |
| E. | Project Contact for Contractor/Bidder Questions JSP-96-05A                       | 5  |
| F. | Project Details and Quantities – Route CC                                        | 6  |
| G. | Project Details and Quantities – Route JJ                                        | 14 |
| H. | Project Details and Quantities – Route Y                                         | 20 |
| I. | Supplemental Revisions JSP-18-01JJ                                               | 26 |
| J. | Contractor Quality Control for Plant Mix Bituminous Surface Leveling NJSP-15-21A | 32 |
| K. | Lump Sum Temporary Traffic Control JSP-22-01B                                    | 34 |
| L. | Pavement Marking Log                                                             | 36 |
| M. | Paving Sequence                                                                  | 37 |
| N. | Pilot Car                                                                        | 37 |
| O. | Gravel A or Crushed Stone B                                                      | 37 |
| P. | Permanent Aggregate Edge Treatment - SW                                          | 38 |
| Q. | SENSITIVE STREAMS OR WATERBODIES NEAR PROJECT AREA                               | 39 |
| R. | CULVERT LOCATION                                                                 | 40 |
| S. | Bridge End Transitions                                                           | 40 |
| T. | Damage to Existing Pavement, Shoulders, Side Roads, and Entrances                | 40 |

**1 REVISED**  
**1 REVISED**  
**1 REVISED**

|                                                                                                      |                                                                                                                                   |
|------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
|                   | <b>MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION</b><br>105 W. CAPITOL AVE.<br>JEFFERSON CITY, MO 65102<br>Phone 1-888-275-6636 |
|                                                                                                      | If a seal is present on this sheet, JSP's have been electronically sealed and dated.                                              |
|                                                                                                      | JOB NUMBER: JST0165<br>GREENE, POLK COUNTIES, MO<br>DATE PREPARED: 08/25/2025                                                     |
|                                                                                                      | ADDENDUM DATE:<br><b>R001_October 3, 2025</b>                                                                                     |
| Only the following items of the Job Special Provisions (Roadway) are authenticated by this seal: ALL |                                                                                                                                   |

Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk

JOB  
SPECIAL PROVISION

A. General - State JSP-09-03L

**1.0 Description.** The Federal Government is not participating in the cost of construction of this project.

**1.1** This contract requires payment of the prevailing hourly rate of wages for each craft or type of worker required to execute the contract as determined by the Missouri Department of Labor and Industrial Relations. The current State Wage Rates can be found on the Missouri Department of Transportation web page at [www.modot.org](http://www.modot.org) under "Doing Business with MoDOT", "Contractor Resources" for the applicable bid opening. This supplemental bidding document has important legal consequences. It shall be conclusively presumed that they are in the bidder's possession, and they have been reviewed and used by the bidder in the preparation of any bid submitted on this project.

State Wage Rates

**1.2** The following documents are available on the Missouri Department of Transportation web page at [www.modot.org](http://www.modot.org) under "Doing Business with MoDOT"; "Standards and Specifications". The effective version shall be determined by the letting date of the project.

General Provisions & Supplemental Specifications  
Supplemental Plans to July 2025 Missouri Standard Plans  
For Highway Construction

These supplemental bidding documents contain all current revisions to the published versions and have important legal consequences. It shall be conclusively presumed that they are in the bidder's possession, and they have been reviewed and used by the bidder in the preparation of any bid submitted on this project.

B. Contract Liquidated Damages JSP-13-01D

**1.0 Description.** Liquidated Damages for failure or delay in completing the work on time for this contract shall be in accordance with Sec 108.8. The liquidated damages include separate amounts for road user costs and contract administrative costs incurred by the Commission.

**2.0 Period of Performance.** Prosecution of work is expected to begin on the date specified below in accordance with Sec 108.2. Regardless of when the work is begun on this contract, all work on all projects shall be completed on or before the date specified below. Completion by this date shall be in accordance with the requirements of Sec 108.7.1.

Notice to Proceed: December 8, 2025  
Contract Completion Date: November 1, 2026

Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk

**2.1 Calendar Days and Completion Dates.** Completion of the project is required as specified herein. The count of calendar days will begin on the date the contractor starts any construction operations on the project.

|                |               |                      |
|----------------|---------------|----------------------|
| Project        | Calendar Days | Daily Road User Cost |
| <b>JST0165</b> | <b>102</b>    | <b>\$1800</b>        |

**3.0 Liquidated Damages for Contract Administrative Costs.** Should the contractor fail to complete the work on or before the contract completion date specified in Section 2.0, or within the number of calendar days specified in Section 2.1, whichever occurs first, the contractor will be charged contract administrative liquidated damages in accordance with Sec 108.8 in the amount of **\$750** per calendar day for each calendar day, or partial day thereof, that the work is not fully completed. For projects in combination, these damages will be charged in full for failure to complete one or more projects within the specified contract completion date or calendar days.

**4.0 Liquidated Damages for Road User Costs.** Should the contractor fail to complete the work on or before the contract completion date specified in Section 2.0, or within the number of calendar days specified in Section 2.1, whichever occurs first, the contractor will be charged road user costs in accordance with Sec 108.8 in the amount specified in Section 2.1 for each calendar day, or partial day thereof, that the work is not fully completed. These damages are in addition to the contract administrative damages and any other damages as specified elsewhere in this contract.

C. Work Zone Traffic Management JSP-02-06N

**1.0 Description.** Work zone traffic management shall be in accordance with applicable portions of Division 100 and Division 600 of the Standard Specifications, and specifically as follows.

**1.1 Maintaining Work Zones and Work Zone Reviews.** The Work Zone Specialist (WZS) shall maintain work zones in accordance with Sec 616.3.3 and as further stated herein. The WZS shall coordinate and implement any changes approved by the engineer. The WZS shall ensure all traffic control devices are maintained in accordance with Sec 616, the work zone is operated within the hours specified by the engineer, and will not deviate from the specified hours without prior approval of the engineer. The WZS is responsible to manage work zone delay in accordance with these project provisions. When requested by the engineer, the WZS shall submit a weekly report that includes a review of work zone operations for the week. The report shall identify any problems encountered and corrective actions taken. Work zones are subject to unannounced inspections by the engineer and other departmental staff to corroborate the validity of the WZS's review and may require immediate corrective measures and/or additional work zone monitoring.

**1.2 Work Zone Deficiencies.** Failure to make corrections on time may result in the engineer suspending work. The suspension will be non-excusable and non-compensable regardless if road user costs are being charged for closures.

**2.0 Traffic Management Schedule.**

**2.1** Traffic management schedules shall be submitted to the engineer for review prior to the start of work and prior to any revisions to the traffic management schedule. The traffic management schedule shall include the proposed traffic control measures, the hours traffic control will be in place, and work hours.

**2.2** The traffic management schedule shall conform to the limitations specified in Sec 616 regarding lane closures, traffic shifts, road closures and other width, height and weight restrictions.

**2.3** The engineer shall be notified as soon as practical of any postponement due to weather, material or other circumstances.

**2.4** In order to ensure minimal traffic interference, the contractor shall schedule lane closures for the absolute minimum amount of time required to complete the work. Lanes shall not be closed until material is available for continuous construction and the contractor is prepared to diligently pursue the work until the closed lane is opened to traffic.

**2.5 Traffic Congestion.** The contractor shall, upon approval of the engineer, take proactive measures to reduce traffic congestion in the work zone. The contractor shall immediately implement appropriate mitigation strategies whenever traffic congestion reaches an excess of 10 minutes to prevent congestion from escalating to 15 minute or above threshold. If disruption of the traffic flow occurs and traffic is backed up in queues of 15 minute delays or longer, then the contractor shall immediately review the construction operations which contributed directly to disruption of the traffic flow and make adjustments to the operations to prevent the queues from reoccurring. Traffic delays may be monitored by physical presence on site or by utilizing real-time travel data through the work zone that generate text and/or email notifications where available. The engineer monitoring the work zone may also notify the contractor of delays that require prompt mitigation. The contractor may work with the engineer to determine what other alternative solutions or time periods would be acceptable.

#### **2.5.1 Traffic Safety.**

**2.5.1.1 Recurring Congestion.** Where traffic queues routinely extend to within 1000 feet of the ROAD WORK AHEAD, or similar, sign on a divided highway or to within 500 feet of the ROAD WORK AHEAD, or similar, sign on an undivided highway, the contractor shall extend the advance warning area, as approved by the engineer.

**2.5.1.2 Non-Recurring Congestion.** When traffic queues extend to within 1000 feet of the ROAD WORK AHEAD, or similar, sign on a divided highway or to within 500 feet of the ROAD WORK AHEAD, or similar, sign on an undivided highway infrequently, the contractor shall deploy a means of providing advance warning of the traffic congestion, as approved by the engineer. The warning location shall be no less than 1000 feet and no more than 0.5 mile in advance of the end of the traffic queue on divided highways and no less than 500 feet and no more than 0.5 mile in advance of the end of the traffic queue on undivided highways.

#### **3.0 Work Hour Restrictions.**

**3.1** Except for emergency work, as determined by the engineer, and long term lane closures required by project phasing, all lanes shall be scheduled to be open to traffic during the five major holiday periods shown below, from 12:00 noon on the last working day preceding the holiday until 6:00 a.m. on the first working day subsequent to the holiday unless otherwise approved by the engineer.

Memorial Day  
Labor Day  
Thanksgiving  
Christmas  
New Year's Day

**3.1.1 Independence Day.** The lane restrictions specified in Section 3.1 shall also apply to Independence Day, except that the restricted periods shall be as follows:

| When Independence Day falls on: | The Holiday is Observed on: | Halt Lane Closures beginning at: | Allow Lane Closures to resume at: |
|---------------------------------|-----------------------------|----------------------------------|-----------------------------------|
| Sunday                          | Monday                      | Noon on Friday                   | 6:00 a.m. on Tuesday              |
| Monday                          | Monday                      | Noon on Friday                   | 6:00 a.m. on Tuesday              |
| Tuesday                         | Tuesday                     | Noon on Monday                   | 6:00 a.m. on Wednesday            |
| Wednesday                       | Wednesday                   | Noon on Tuesday                  | 6:00 a.m. on Thursday             |
| Thursday                        | Thursday                    | Noon on Wednesday                | 6:00 a.m. on Friday               |
| Friday                          | Friday                      | Noon on Thursday                 | 6:00 a.m. on Monday               |
| Saturday                        | Friday                      | Noon on Thursday                 | 6:00 a.m. on Monday               |

**4.1** When a changeable message sign (CMS) is provided, the contractor shall use the CMS to notify motorists of future traffic disruption and possible traffic delays one week before traffic is shifted to a detour or prior to lane closures. The CMS shall be installed at a location as approved or directed by the engineer. If a CMS with Communication Interface is required, then the CMS shall be capable of communication prior to installation on right of way. All messages planned for use in the work zone shall be approved and authorized by the engineer or its designee prior to deployment. When permanent dynamic message signs (DMS) owned and operated by MoDOT are located near the project, they may also be used to provide warning and information for the work zone. Permanent DMS shall be operated by the TMC, and any messages planned for use on DMS shall be approved and authorized by the TMC at least 72 hours in advance of the work.

**4.2** At least one lane of traffic in each direction shall be maintained at all times except for brief intervals of time required when the movement of the contractor's equipment will seriously hinder the safe movement of traffic. Periods during which the contractor will be allowed to interrupt traffic will be designated by the engineer.

**5.0 Basis of Payment.** No direct payment will be made to the contractor to recover the cost of equipment, labor, materials, or time required to fulfill the above provisions, unless specified elsewhere in the contract document. All authorized changes in the traffic control plan shall be provided for as specified in Sec 616.

**D. Emergency Provisions and Incident Management**

**1.0** The contractor shall have communication equipment on the construction site or immediate access to other communication systems to request assistance from law enforcement or other emergency agencies for incident management. In case of traffic accidents or the need for law enforcement to direct or restore traffic flow through the job site, the contractor shall notify law enforcement or other emergency agencies immediately as needed. The area engineer's office shall also be notified when the contractor requests emergency assistance.

**2.0** In addition to the 911 emergency telephone number for ambulance, fire or law enforcement services, the following agencies may also be notified for accident or emergency situation within the project limits.

Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk

|                                                 |              |
|-------------------------------------------------|--------------|
| Missouri Highway Patrol – Troop D: 417-895-6868 |              |
| MoDOT Customer Service: 417-895-7600            |              |
| Greene County Sheriff                           | 417-868-4040 |
| Polk County Sheriff                             | 417-777-9020 |
| Fair Grove Police                               | 417-759-6482 |
| Fair Grove Fire                                 | 417-759-7908 |
| Walnut Grove Fire                               | 417-788-2670 |
| Bolivar Police                                  | 417-777-3911 |
| Bolivar Fire                                    | 417-777-3911 |

|                                                      |
|------------------------------------------------------|
| Emergency Only Numbers                               |
| 911                                                  |
| *55 cell phone – Missouri Highway Patrol             |
| 417-864-1160 – MoDOT Incident Management Coordinator |

**2.1** This list is not all inclusive. Notification of the need for wrecker or tow truck services will remain the responsibility of the appropriate law enforcement agency.

**2.2** The contractor shall notify law enforcement and emergency agencies before the start of construction to request their cooperation and to provide coordination of services when emergencies arise during the construction at the project site. When the contractor completes this notification with enforcement and emergency agencies, a report shall be furnished to the engineer on the status of incident management.

**3.0** No direct pay will be made to the contractor to recover the cost of the communication equipment, labor, materials or time required to fulfill the above provisions.

**E. Project Contact for Contractor/Bidder Questions JSP-96-05A**

**1.0** All questions concerning this project during the bidding process shall be forwarded to the project contact listed below.

Kara Richart, Project Contact  
Southwest District  
3025 East Kearney St.  
Springfield, MO 65803

Telephone Number: 417-408-4657  
Email: [kara.richart@modot.mo.gov](mailto:kara.richart@modot.mo.gov)

**1.1** All questions concerning the bid document preparation can be directed to the Central Office – Design as listed below.

Telephone Number: (573) 751-2876  
Email: [BCS@modot.mo.gov](mailto:BCS@modot.mo.gov)

Job No.: JST0165  
 Route: CC, JJ, Y  
 County: Greene, Polk

**2.0** Upon award and execution of the contract, the successful bidder/contractor shall forward all questions and coordinate the work with the engineer listed below:

Brad Gripka, Resident Engineer  
 Southwest District  
 3025 E Kearney St.  
 Springfield, MO 65803

Telephone Number: 417-908-6686  
 Email: [Donald.Gripka@modot.mo.gov](mailto:Donald.Gripka@modot.mo.gov)

**1** REVISED F. **Project Details and Quantities – Route CC**

**1.0 Description.** This project consists of applying a plant mix bituminous pavement (surface leveling) as described here in. The project limits are from Log Mile 0.106 to 10.844. The total length of pavement limits are 10.738 miles with a total average width of 25 feet. Pavement will not be placed at the following exception locations listed below:




| EXCEPTIONS       |       |                |                            |
|------------------|-------|----------------|----------------------------|
| APPROX. LOG MILE |       | LENGTH<br>(FT) | COMMENTS/BRIDGE<br>NUMBERS |
| FROM             | TO    |                |                            |
| 2.219            | 2.246 | 143            | CULVERT L0370              |
| 4.730            | 4.737 | 37             | ROUTE H MAINLINE           |
|                  | TOTAL | 143            |                            |

**2.0 Mix and Pavement Transitions.**


**2.1** 1" Plant Mix Bituminous Surface PG 64-22 pavement shall be placed the entire width of the lanes, one pass per lane with no superelevation correction. Tack coat shall be applied at the rate of 0.08 gal/yd<sup>2</sup> the entire width of the traveled way for the length of the pavement limits.

**2.2** Depth transitions when beginning and ending at a state route shall be coldmilled at the rate of 1" in 50'. When beginning or ending mid-route, including exceptions, shall be coldmilled at the rate of 1" in 50'.

Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk



MAINLINE, BRIDGE, AND RAILROAD PLAN




SECTION A-A

TRANSVERSE JOINT TRANSITION FOR SINGLE LIFT  
PROJECT BEGINNING, END, BRIDGE, OR RAILROAD


NOTE: MILL EXISTING CONCRETE 1" MAXIMUM.

**2.3** Coldmilling and pavement tapers at intersecting state routes will vary. See quantities for the approximate paved approach and coldmilling areas (see transition area details below).



**2.4** The bituminous pavement shall be tapered at entrances and non-state routes (see pavement taper details below).

Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk



### 3.0 Pavement and Coldmilling Quantities.

3.1 Pavement quantities are as follows:

| BITUMINOUS PAVEMENT MIXTURE PG64-22 SURFACE LEVELING |       |             |            |               |        |       |                                       |
|------------------------------------------------------|-------|-------------|------------|---------------|--------|-------|---------------------------------------|
| APPROX. LOG MILE                                     |       | LENGTH (MI) | AVERAGE    | 1.975         | TACK   |       | REMARKS                               |
| FROM                                                 | TO    |             | WIDTH (FT) | TON/CY (TONS) | GAL/SY |       |                                       |
|                                                      |       |             |            |               | 0.08   | 0.10  |                                       |
| 0.106                                                | 0.115 | 0.009       | 25         | 7.24          |        | 13.20 | START OF PROJECT 50' DEPTH TRANSITION |
| 0.115                                                | 0.502 | 0.387       | 25         | 311.39        | 454.08 |       |                                       |
| 0.502                                                | 0.511 | 0.009       | 25         | 7.24          |        | 13.20 | 50' DEPTH TRANSITION                  |

Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk

|        |        |        |     |         |         |          |                                           |
|--------|--------|--------|-----|---------|---------|----------|-------------------------------------------|
| 0.511  | 0.549  | 0.038  | VAR | 79.88   |         | 145.60   | MILL FILL INTERSECTION AE<br>(1456 SY)    |
| 0.549  | 0.558  | 0.009  | 25  | 7.24    |         | 13.20    | 50' DEPTH TRANSITION                      |
| 0.558  | 1.675  | 1.117  | 25  | 898.77  | 1310.61 |          |                                           |
| 1.675  | 1.684  | 0.009  | 24  | 6.95    |         | 12.67    | 50' DEPTH TRANSITION                      |
| 1.684  | 1.696  | 0.012  | 24  | 9.27    |         | 16.90    | MILL FILL L0369                           |
| 1.696  | 1.705  | 0.009  | 24  | 6.95    |         | 12.67    | 50' DEPTH TRANSITION                      |
| 1.705  | 2.210  | 0.505  | 25  | 406.34  | 592.53  |          |                                           |
| 2.210  | 2.219  | 0.009  | 24  | 6.95    |         | 12.67    | 50' DEPTH TRANSITION                      |
| 2.219  | 2.246  | 0.027  | -   | -       | -       | -        | BRIDGE L0370 - EXCEPT OUT                 |
| 2.246  | 2.255  | 0.009  | 24  | 6.95    |         | 12.67    | 50' DEPTH TRANSITION                      |
| 2.255  | 4.694  | 2.439  | 25  | 1962.49 | 2861.76 |          |                                           |
| 4.694  | 4.703  | 0.009  | 26  | 7.53    |         | 13.73    | 50' DEPTH TRANSITION                      |
| 4.703  | 4.730  | 0.027  | VAR | 41.64   |         | 75.90    | MILL FILL EAST INTERSECTION H<br>(759 SY) |
| 4.730  | 4.737  | 0.007  | -   | -       | -       | -        | EXCEPT ROUTE H MAINLINE                   |
| 4.737  | 4.759  | 0.022  | VAR | 34.29   |         | 62.50    | MILL FILL WEST INTERSECTION<br>H (625 SY) |
| 4.759  | 4.768  | 0.009  | 25  | 7.24    |         | 13.20    | 50' DEPTH TRANSITION                      |
| 4.768  | 9.729  | 4.961  | 24  | 3832.10 | 5588.07 |          |                                           |
| 9.729  | 9.738  | 0.009  | 22  | 6.37    |         | 11.62    | 50' DEPTH TRANSITION                      |
| 9.738  | 9.768  | 0.030  | 22  | 21.24   |         | 38.72    | MILL FILL X0560                           |
| 9.768  | 9.777  | 0.009  | 22  | 6.37    |         | 11.62    | 50' DEPTH TRANSITION                      |
| 9.777  | 10.825 | 1.048  | 24  | 809.52  | 1180.47 | 1475.58  |                                           |
| 10.825 | 10.834 | 0.009  | 25  | 7.24    |         | 13.20    | 50' DEPTH TRANSITION                      |
| 10.834 | 10.844 | 0.010  | 25  | 8.05    |         | 14.67    | MILL FILL END OF PROJECT                  |
|        |        | 0.259  | 2   | 16.57   | 24.27   |          | MAILBOXES                                 |
|        |        | 0.159  | 2   | 10.20   | 14.93   |          | SIDE COUNTY ROADS                         |
|        |        | 0.136  | 2   | 8.74    | 12.80   |          | ENTRANCES                                 |
|        |        | 25.000 | 2   | 3.66    | 66.67   |          | EDGE TREATMENT AT<br>CULVERTS             |
| 0.106  | 10.84  |        |     | 805.35  |         |          | 75 TONS/MI IRREGULARITIES                 |
|        |        |        |     | TOTALS  | 9343.77 | 12106.19 | 1983.52                                   |
|        |        |        |     | USE     | 9343.8  | 14090    |                                           |

| PERMANENT AGGREGATE EDGE TREATMENT |        |               |               |
|------------------------------------|--------|---------------|---------------|
| APPROX. LOG<br>MILE                |        | -             | -             |
|                                    |        | AGGREGATE     | PRIME MC-800  |
| FROM                               | TO     | 200 TON/MILE* | 590 GAL/MILE* |
| 0.106                              | 10.844 | 21.476        | 63.3542       |
| 1.679                              | 1.684  | -0.01         | -0.0295       |
| 1.696                              | 1.701  | -0.01         | -0.0295       |
| 2.214                              | 2.219  | -0.01         | -0.0295       |
| 2.246                              | 2.251  | -0.01         | -0.0295       |
| 9.733                              | 9.738  | -0.01         | -0.0295       |

Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk

|       |        |        |         |
|-------|--------|--------|---------|
| 9.768 | 9.773  | -0.01  | -0.0295 |
|       | TOTALS | 21.416 | 63.1772 |
| -     | USE    | 24     | 63      |

| PERMANENT AGGREGATE EDGE TREATMENT |        |               |               |
|------------------------------------|--------|---------------|---------------|
| APPROX. LOG MILE                   |        | AGGREGATE     | PRIME MC 800  |
| FROM                               | TO     | 200 TON/MILE* | 590 GAL/MILE* |
| 0.106                              | 10.844 | 2147.6        | 6335.4        |
| 1.679                              | 1.684  | -1.0          | -2.95         |
| 1.696                              | 1.701  | -1.0          | -2.95         |
| 2.214                              | 2.219  | -1.0          | -2.95         |
| 2.246                              | 2.251  | -1.0          | -2.95         |
| 9.733                              | 9.738  | -1.0          | -2.95         |
| 9.768                              | 9.773  | -1.0          | -2.95         |
|                                    | TOTALS | 2141.6        | 6317.7        |
|                                    | USE    | 2142          | 6318          |

Note: Permanent aggregate edge treatment will not be used 25' before and after culverts. Pavement will be used to build up the edge in these sections.

### 3.2 Coldmilling Quantities are as follows:

| MODIFIED COLDMILLING (DEPTH TRANSITIONS) |        |             |                    |               |                    |
|------------------------------------------|--------|-------------|--------------------|---------------|--------------------|
| APPROX. LOG MILE                         |        | LENGTH (FT) | AVERAGE WIDTH (FT) | QUANTITY (SY) | REMARKS            |
| FROM                                     | TO     |             |                    |               |                    |
| 0.106                                    | 0.115  | 50          | 25                 | 138.89        | START OF PROJECT   |
| 0.502                                    | 0.511  | 50          | 25                 | 138.89        | TO ROUTE AE        |
| 0.549                                    | 0.558  | 50          | 25                 | 138.89        | FROM ROUTE AE      |
| 1.675                                    | 1.684  | 50          | 24                 | 133.33        | TO CULVERT L0369   |
| 1.696                                    | 1.705  | 50          | 24                 | 133.33        | FROM CULVERT L0369 |
| 2.210                                    | 2.219  | 50          | 24                 | 133.33        | TO CULVERT L0370   |
| 2.246                                    | 2.255  | 50          | 24                 | 133.33        | FROM CULVERT L0370 |
| 4.694                                    | 4.703  | 50          | 26                 | 144.44        | TO ROUTE H         |
| 4.759                                    | 4.768  | 50          | 25                 | 138.89        | FROM ROUTE H       |
| 9.729                                    | 9.738  | 50          | 22                 | 122.22        | TO CULVERT X0560   |
| 9.768                                    | 9.777  | 50          | 22                 | 122.22        | FROM CULVERT X0560 |
| 10.825                                   | 10.834 | 50          | 25                 | 138.89        | END OF PROJECT     |
|                                          |        |             | TOTALS             | 1616.65       |                    |
|                                          |        |             | USE                | 1617          |                    |

Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk

| COLDMILLING (3 IN. OR LESS) |        |                |               |                  |                                           |
|-----------------------------|--------|----------------|---------------|------------------|-------------------------------------------|
| APPROX. LOG MILE            |        | LENGTH<br>(FT) | AVERAGE       |                  | REMARKS                                   |
| FROM                        | TO     |                | WIDTH<br>(FT) | QUANTITY<br>(SY) |                                           |
| 0.511                       | 0.549  | 201            | VAR           | 1456.00          | MILL THROUGH ROUTE AE                     |
| 1.684                       | 1.696  | 63             | 24            | 168.00           | MILL FILL OVER CULVERT L0369              |
| 4.703                       | 4.730  | 143            | VAR           | 759.00           | TO ROUTE H                                |
| 4.737                       | 4.759  | 116            | VAR           | 625.00           | FROM ROUTE H                              |
| 9.738                       | 9.768  | 158            | 22            | 386.22           | MILL FILL OVER CULVERT X0560              |
| 10.834                      | 10.844 | 53             | 25            | 147.22           | MILL FILL NEAR ENTRANCE AT END OF PROJECT |
|                             |        |                | TOTALS        | 3541.44          |                                           |
|                             |        |                | USE           | 3541             |                                           |

**4.0 Temporary Traffic Control Plans.** See [Standard Plans 616.20](#) for standard temporary traffic control requirements.

**4.1** Construction signs and channelizers are as follows:

Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk

| CONSTRUCTION SIGNING AND CHANNELIZERS                                                                     |         |            |             |      |                                |                                    |
|-----------------------------------------------------------------------------------------------------------|---------|------------|-------------|------|--------------------------------|------------------------------------|
| SIGN NO.                                                                                                  | SIGN    | SIZE (in.) | AREA (FT.2) | QTY. | TOTAL AREA (FT. <sup>2</sup> ) | DESCRIPTION                        |
| 1*                                                                                                        | GO20-1  | 60 X 24    | 10          | 2    | 20                             | ROAD WORK NEXT XX MILES & XX MILES |
| 2**                                                                                                       | WO20-1  | 48 X 48    | 16          | 38   | 608                            | ROAD WORK AHEAD                    |
| 7                                                                                                         | WO20-4  | 48 X 48    | 16          | 4    | 64                             | ONE LANE ROAD AHEAD                |
| 8                                                                                                         | WO20-7a | 48 X 48    | 16          | 11   | 176                            | FLAGGER (SYMBOL)                   |
| 26                                                                                                        | GO20-2  | 48 X 24    | 8           | 2    | 16                             | END ROAD WORK                      |
| 35                                                                                                        | WO8-12  | 48 X 48    | 16          | 12   | 192                            | NO CENTER LINE                     |
| 36                                                                                                        | WO8-11  | 48 X 48    | 16          | 24   | 386                            | UNEVEN LANES                       |
| 53                                                                                                        | GO20-4  | 36 X 18    | 4.5         | 2    | 9                              | PILOT CAR FOLLOW ME                |
| 58                                                                                                        | GO20-4a | 42 X 30    | 8.75        | 2    | 17.5                           | PILOT CAR IN USE WAIT & FOLLOW     |
| 58                                                                                                        | GO20-4a | 18 X 12    | 1.5         | 5    | 7.5                            | PILOT CAR IN USE WAIT & FOLLOW     |
| 59                                                                                                        | CONST-8 | 48 X 36    | 12          | 2    | 24                             | WORK ZONE NO PHONE ZONE            |
|                                                                                                           | GO22-1  | 21 X 15    | 2.19        | 2    | 4.38                           | WET PAINT (ARROW PIVOTS)           |
|                                                                                                           |         |            |             |      | 1524.38                        | CONSTRUCTION SIGNS SUBTOTAL        |
| ITEM NO. 616-10.05                                                                                        |         |            |             |      | 1525                           | USE                                |
| ITEM NO. 616-10.25                                                                                        |         |            |             |      | 10                             | CHANNELIZERS (TRIM-LINE)           |
|                                                                                                           |         |            |             |      |                                |                                    |
| TOTAL ROUTE CC                                                                                            |         |            |             |      |                                |                                    |
| 616-99.01                                                                                                 |         |            |             |      | 1                              | LS                                 |
| * - IF LESS THAN TWO (2) MILES, DELETE SIGN NO. 1.                                                        |         |            |             |      |                                |                                    |
| ** - ADDITIONAL SIGN NO. 2 USED AS SHOWN ON TRAFFIC CONTROL SHEET 3 OF 5 AND AS DIRECTED BY THE ENGINEER. |         |            |             |      |                                |                                    |
| REFER TO STANDARD PLANS 616.10 AND 903.03 FOR SIGN AND SIGN MOUNTING REQUIREMENTS.                        |         |            |             |      |                                |                                    |

**4.2 Other Traffic Control Devices, Contractor Furnished Surveying and Staking, and Mobilization is as follows:**

| ITEM NO.   | QTY.     | DESCRIPTION                                          |
|------------|----------|------------------------------------------------------|
| 616-10.98A | 2        | CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION        |
|            |          | INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED |
| 618-10.00  | LUMP SUM | MOBILIZATION                                         |
| 627-40.00  | LUMP SUM | CONTRACTOR FURNISHED SURVEYING AND STAKING           |

**5.0 Pavement Marking.** Pavement marking quantities are as follows:

| CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS) |        |             |                      |                     |                             |
|-------------------------------------------------------|--------|-------------|----------------------|---------------------|-----------------------------|
| APPROX. LOG MILE                                      |        | LENGTH (FT) | 4" SOLID YELLOW (LF) | 4" SOLID WHITE (LF) | REMARKS                     |
| FROM                                                  | TO     |             |                      |                     |                             |
| 0.106                                                 | 10.844 | 56696.64    | 113393.28            | 113393.28           |                             |
|                                                       |        | TOTALS      | 113393.28            | 113393.28           | ASSUMES SOLID DOUBLE YELLOW |
|                                                       |        | USE         | 113393               | 113393              | ADJUST PAINT TO EXISTING    |
|                                                       |        |             |                      |                     | CONDITIONS                  |

Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk

| PREFORMED THERMOPLASTIC PAVEMENT MARKING |        |                |                       |
|------------------------------------------|--------|----------------|-----------------------|
| APPROX. LOG MILE                         |        | 24" WHITE (LF) | REMARKS               |
| FROM                                     | TO     |                |                       |
| 4.820                                    | 4.820  | 24             | ROUTE H INTERSECTION  |
| 0.529                                    | 0.529  | 48             | ROUTE AE INTERSECTION |
|                                          | TOTALS | 72             |                       |
|                                          | USE    | 72             |                       |

**6.0 Gravel(A) or Crushed Stone(B).** Gravel(A) or Crushed Stone(B) quantities as follows:

| GRAVEL (A) OR CRUSHED STONE (B) |               |               |
|---------------------------------|---------------|---------------|
|                                 | # OF AGGR     | # OF AGGR     |
|                                 | ENTRANCES     | COUNTY ROADS  |
|                                 | (4 TONS EACH) | (6 TONS EACH) |
|                                 | 69            | 25            |
| TOTAL                           | 276           | 150           |
| USE                             | 426           |               |

**1** REVISED G. **Project Details and Quantities – Route JJ**

**1.0 Description.** This project consists of applying a plant mix bituminous pavement (surface leveling) as described here in. The project limits are from Log Mile 0.000 to 5.005. The total length of pavement limits are 5.005 miles with a total average width of 20 feet. Pavement will not be placed at the following exception locations listed below:




**2.0 Mix and Pavement Transitions.**


**2.1** 1" Plant Mix Bituminous Surface PG 64-22 pavement shall be placed the entire width of the lanes, one pass per lane with no superelevation correction. Tack coat shall be applied at the rate of 0.08 gal/yd<sup>2</sup> the entire width of the traveled way for the length of the pavement limits.

**2.2** Depth transitions when beginning and ending at a state route shall be coldmilled at the rate of 1" in 50'. When beginning or ending mid-route, including exceptions, shall be coldmilled at the rate of 1" in 50'.

**2.3** Coldmilling and pavement tapers at intersecting state routes will vary. See quantities for the approximate paved approach and coldmilling areas (see transition area details below).



MAINLINE, BRIDGE, AND RAILROAD PLAN





SECTION A-A

TRANSVERSE JOINT TRANSITION FOR SINGLE LIFT  
PROJECT BEGINNING, END, BRIDGE, OR RAILROAD


NOTE: MILL EXISTING CONCRETE 1" MAXIMUM.

Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk





SECTION A-A  
TYPICAL STATE ROUTE JUNCTION  
(COLDMILLED TRANSITION)

**2.4** The bituminous pavement shall be tapered at entrances and non-state routes (see pavement taper details below).



Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk



SECTION B-B  
TYPICAL ENTRANCE  
(FIELD, PRIVATE OR COUNTY ROAD)  
\* TAPER AT 1:1 FOR FIELD ENTRANCE

### 3.0 Pavement and Coldmilling Quantities.

3.1 Pavement quantities are as follows:

| BITUMINOUS PAVEMENT MIXTURE PG64-22 SURFACE LEVELING |       |                    |               |                  |         |       |                                          |
|------------------------------------------------------|-------|--------------------|---------------|------------------|---------|-------|------------------------------------------|
| APPROX.<br>LOG MILE                                  |       | LENGTH<br><br>(MI) | AVERAGE       | 1.975            | TACK    |       |                                          |
|                                                      |       |                    | WIDTH<br>(FT) | TON/CY<br>(TONS) | GAL/SY  |       |                                          |
| FROM                                                 | TO    |                    |               |                  | 0.08    | 0.10  | REMARKS                                  |
| 0.000                                                | 0.011 | 0.011              | 20            | 7.08             |         | 12.91 | START OF PROJECT MIL/FILL                |
| 0.011                                                | 0.020 | 0.009              | 20            | 5.79             |         | 10.56 | START OF PROJECT 50' DEPTH<br>TRANSITION |
| 0.020                                                | 4.408 | 4.388              | 20            | 2824.57          | 4118.87 |       |                                          |
| 4.408                                                | 4.417 | 0.009              | 20            | 5.79             |         | 10.56 | 50' DEPTH TRANSITION                     |
| 4.417                                                | 4.437 | 0.020              | 20            | 12.87            |         | 23.47 | MILL FILL P0308                          |
| 4.437                                                | 4.446 | 0.009              | 20            | 5.79             |         | 10.56 | 50' DEPTH TRANSITION                     |
| 4.446                                                | 4.983 | 0.537              | 22            | 380.24           | 554.47  |       |                                          |
| 4.983                                                | 4.992 | 0.009              | 22            | 6.37             |         | 11.62 | END OF PROJECT 50' DEPTH<br>TRANSITION   |
| 4.992                                                | 5.005 | 0.013              | 22            | 9.20             |         | 16.78 | END OF PROJECT MILL FILL                 |
|                                                      |       | 0.136              | 2             | 8.74             | 12.80   |       | MAILBOXES                                |
|                                                      |       | 0.006              | 2             | 0.36             | 0.53    |       | SIDE COUNTY ROADS                        |
|                                                      |       | 0.000              | 2             | 0.00             | 0.00    |       | ENTRANCES                                |
|                                                      |       | 25.000             | 2             | 1.22             | 22.22   |       | EDGE TREATMENT AT CULVERTS               |
| 0.000                                                | 5.005 |                    |               | 375.38           |         |       | 75 TONS/MI IRREGULARITIES                |

Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk

|  |        |         |         |       |  |
|--|--------|---------|---------|-------|--|
|  | TOTALS | 3643.40 | 4708.89 | 96.46 |  |
|  | USE    | 3643.4  | 4805    |       |  |

| PERMANENT AGGREGATE EDGE TREATMENT |       |               |               |         |  |
|------------------------------------|-------|---------------|---------------|---------|--|
| APPROX. LOG MILE                   |       | -             | -             |         |  |
|                                    |       | AGGREGATE     | PRIME MC 800  |         |  |
| FROM                               | TO    | 200 TON/MILE* | 590 GAL/MILE* |         |  |
| 0.000                              | 5.005 | 10.01         | 29.5295       |         |  |
| 0.566                              | 0.571 | -0.01         | -0.0295       |         |  |
| 0.580                              | 0.585 | -0.01         | -0.0295       |         |  |
|                                    |       | TOTALS        | 9.99          | 29.4705 |  |
|                                    |       | USE           | 10            | 29      |  |

| PERMANENT AGGREGATE EDGE TREATMENT |       |               |               |         |  |
|------------------------------------|-------|---------------|---------------|---------|--|
| APPROX. LOG MILE                   |       |               |               |         |  |
|                                    |       | AGGREGATE     | PRIME MC 800  |         |  |
| FROM                               | TO    | 200 TON/MILE* | 590 GAL/MILE* |         |  |
| 0.000                              | 5.005 | 1001          | 2952.95       |         |  |
| 0.566                              | 0.571 | -1.0          | -2.95         |         |  |
| 0.580                              | 0.585 | -1.0          | -2.95         |         |  |
|                                    |       | TOTALS        | 999.0         | 2947.05 |  |
|                                    |       | USE           | 999           | 2948    |  |

Note: Permanent aggregate edge treatment will not be used 25' before and after culverts. Pavement will be used to build up the edge in these sections.

### 3.2 Coldmilling Quantities are as follows:

| MODIFIED COLDMILLING (DEPTH TRANSITIONS) |       |             |            |               |                     |
|------------------------------------------|-------|-------------|------------|---------------|---------------------|
| APPROX. LOG MILE                         |       | LENGTH (FT) | AVERAGE    | QUANTITY (SY) | REMARKS             |
|                                          |       |             | WIDTH (FT) |               |                     |
| 0.011                                    | 0.020 | 50          | 20         | 111.11        | START OF PROJECT    |
| 4.408                                    | 4.417 | 50          | 20         | 111.11        | TO CULVERT P0308    |
| 4.437                                    | 4.446 | 50          | 20         | 111.11        | AFTER CULVERT P0308 |
| 4.983                                    | 4.992 | 50          | 22         | 122.22        | END OF PROJECT      |
|                                          |       |             | TOTALS     | 455.55        |                     |
|                                          |       |             | USE        | 456           |                     |

| COLDMILLING (3 IN. OR LESS) |        |         |  |         |
|-----------------------------|--------|---------|--|---------|
|                             | LENGTH | AVERAGE |  | REMARKS |

Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk

| APPROX. LOG MILE |       | (FT)  | WIDTH (FT) | QUANTITY (SY) |                              |
|------------------|-------|-------|------------|---------------|------------------------------|
| FROM             | TO    |       |            |               |                              |
| 0.000            | 0.011 | 58.1  | 20         | 129.11        | START OF PROJECT MIL/FILL    |
| 4.417            | 4.437 | 105.6 | 20         | 234.67        | MILL FILL OVER CULVERT P0308 |
| 4.992            | 5.005 | 68.6  | 22         | 167.69        | END OF PROJECT MILL FILL     |
|                  |       |       | TOTALS     | 531.47        |                              |
|                  |       |       | USE        | 531           |                              |

**4.0 Temporary Traffic Control Plans.** See [Standard Plans 616.20](#) for standard temporary traffic control requirements.

**4.1** Construction signs and channelizers are as follows:

| CONSTRUCTION SIGNING AND CHANNELIZERS                                                                     |         |            |                          |      |                                |                                    |
|-----------------------------------------------------------------------------------------------------------|---------|------------|--------------------------|------|--------------------------------|------------------------------------|
| SIGN NO.                                                                                                  | SIGN    | SIZE (in.) | AREA (FT. <sup>2</sup> ) | QTY. | TOTAL AREA (FT. <sup>2</sup> ) | DESCRIPTION                        |
| 1*                                                                                                        | GO20-1  | 60 X 24    | 10                       | 2    | 20                             | ROAD WORK NEXT XX MILES & XX MILES |
| 2**                                                                                                       | WO20-1  | 48 X 48    | 16                       | 7    | 112                            | ROAD WORK AHEAD                    |
| 7                                                                                                         | WO20-4  | 48 X 48    | 16                       | 4    | 64                             | ONE LANE ROAD AHEAD                |
| 8                                                                                                         | WO20-7a | 48 X 48    | 16                       | 5    | 80                             | FLAGGER (SYMBOL)                   |
| 26                                                                                                        | GO20-2  | 48 X 24    | 8                        | 2    | 16                             | END ROAD WORK                      |
| 35                                                                                                        | WO8-12  | 48 X 48    | 16                       | 6    | 96                             | NO CENTER LINE                     |
| 36                                                                                                        | WO8-11  | 48 X 48    | 16                       | 12   | 192                            | UNEVEN LANES                       |
| 53                                                                                                        | GO20-4  | 36 X 18    | 4.5                      | 2    | 9                              | PILOT CAR FOLLOW ME                |
| 58                                                                                                        | GO20-4a | 42 X 30    | 8.75                     | 0    | 0                              | PILOT CAR IN USE WAIT & FOLLOW     |
| 58                                                                                                        | GO20-4a | 18 X 12    | 1.5                      | 1    | 1.5                            | PILOT CAR IN USE WAIT & FOLLOW     |
| 59                                                                                                        | CONST-8 | 48 X 36    | 12                       | 2    | 24                             | WORK ZONE NO PHONE ZONE            |
|                                                                                                           | GO22-1  | 21 X 15    | 2.19                     | 2    | 4.38                           | WET PAINT (ARROW PIVOTS)           |
|                                                                                                           |         |            |                          |      | 618.88                         | CONSTRUCTION SIGNS SUBTOTAL        |
| ITEM NO. 616-10.05                                                                                        |         |            |                          |      | 619                            | USE                                |
| ITEM NO. 616-10.25                                                                                        |         |            |                          |      | 10                             | CHANNELIZERS (TRIM-LINE)           |
|                                                                                                           |         |            |                          |      |                                |                                    |
| TOTAL ROUTE JJ                                                                                            |         |            |                          |      |                                |                                    |
| 616-99.01                                                                                                 |         |            |                          |      | 1                              | LS                                 |
| * - IF LESS THAN TWO (2) MILES, DELETE SIGN NO. 1.                                                        |         |            |                          |      |                                |                                    |
| ** - ADDITIONAL SIGN NO. 2 USED AS SHOWN ON TRAFFIC CONTROL SHEET 3 OF 5 AND AS DIRECTED BY THE ENGINEER. |         |            |                          |      |                                |                                    |
| REFER TO STANDARD PLANS 616.10 AND 903.03 FOR SIGN AND SIGN MOUNTING REQUIREMENTS.                        |         |            |                          |      |                                |                                    |

**4.2** Other Traffic Control Devices, Contractor Furnished Surveying and Staking, and Mobilization is as follows:

Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk

| ITEM NO.   | QTY.     | DESCRIPTION                                          |
|------------|----------|------------------------------------------------------|
| 616-10.98A | 2        | CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION        |
|            |          | INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED |
| 618-10.00  | LUMP SUM | MOBILIZATION                                         |
| 627-40.00  | LUMP SUM | CONTRACTOR FURNISHED SURVEYING AND STAKING           |

**5.0 Pavement Marking.** Pavement marking quantities are as follows:

| CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS) |       |                |                            |                           |                             |
|-------------------------------------------------------|-------|----------------|----------------------------|---------------------------|-----------------------------|
| APPROX. LOG MILE                                      |       | LENGTH<br>(FT) | 4" SOLID<br>YELLOW<br>(LF) | 4" SOLID<br>WHITE<br>(LF) | REMARKS                     |
| FROM                                                  | TO    |                |                            |                           |                             |
| 0                                                     | 5.005 | 26426.4        | 52852.80                   | 52852.80                  |                             |
|                                                       |       |                |                            |                           | ASSUMES SOLID DOUBLE YELLOW |
|                                                       |       | TOTALS         | 52852.80                   | 52852.80                  | ADJUST PAINT TO EXISTING    |
|                                                       |       | USE            | 52853                      | 52853                     | CONDITIONS                  |

**6.0 Gravel(A) or Crushed Stone(B).** Gravel(A) or Crushed Stone(B) quantities as follows:

| GRAVEL (A) OR CRUSHED STONE (B) |                                         |                                            |
|---------------------------------|-----------------------------------------|--------------------------------------------|
|                                 | # OF AGGR<br>ENTRANCES<br>(4 TONS EACH) | # OF AGGR<br>COUNTY ROADS<br>(6 TONS EACH) |
|                                 | 35                                      | 7                                          |
|                                 | TOTAL 140                               | 42                                         |
| USE                             | 182                                     |                                            |

**1** REVISED H. **Project Details and Quantities – Route Y**

**1.0 Description.** This project consists of applying a plant mix bituminous pavement (surface leveling) as described here in. The project limits are from Log Mile 0.040 to 3.519. The total length of pavement limits are 3.479 miles with a total average width of 22 feet. Pavement will not be placed at the following exception locations listed below:




**2.0 Mix and Pavement Transitions.**


**2.1** 1" Plant Mix Bituminous Surface PG 64-22 pavement shall be placed the entire width of the lanes, one pass per lane with no superelevation correction. Tack coat shall be applied at the rate of 0.08 gal/yd<sup>2</sup> the entire width of the traveled way for the length of the pavement limits.

**2.2** Depth transitions when beginning and ending at a state route shall be coldmilled at the rate of 1" in 50'. When beginning or ending mid-route, including exceptions, shall be coldmilled at the rate of 1" in 50'.

**2.3** Coldmilling and pavement tapers at intersecting state routes will vary. See quantities for the approximate paved approach and coldmilling areas (see transition area details below).



MAINLINE, BRIDGE, AND RAILROAD PLAN





SECTION A-A

TRANSVERSE JOINT TRANSITION FOR SINGLE LIFT  
PROJECT BEGINNING, END, BRIDGE, OR RAILROAD


NOTE: MILL EXISTING CONCRETE 1" MAXIMUM.

Job No.: JST0165  
 Route: CC, JJ, Y  
 County: Greene, Polk





SECTION A-A  
 TYPICAL STATE ROUTE JUNCTION  
 (COLDMILLED TRANSITION)

**2.4** The bituminous pavement shall be tapered at entrances and non-state routes (see pavement taper details below).



Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk



SECTION B-B  
TYPICAL ENTRANCE  
(FIELD, PRIVATE OR COUNTY ROAD)  
\* TAPER AT 1:1 FOR FIELD ENTRANCE

### 3.0 Pavement and Coldmilling Quantities.

3.1 Pavement quantities are as follows:

Polk County Route Y

San Joaquin County Roads

| BITUMINOUS PAVEMENT MIXTURE PG64-22 SURFACE LEVELING |       |             |            |               |         |       |                                        |
|------------------------------------------------------|-------|-------------|------------|---------------|---------|-------|----------------------------------------|
| APPROX. LOG MILE                                     |       | LENGTH (MI) | AVERAGE    | 1.975         | TACK    |       | REMARKS                                |
| FROM                                                 | TO    |             | WIDTH (FT) | TON/CY (TONS) | GAL/SY  |       |                                        |
|                                                      |       |             |            |               | 0.08    | 0.10  |                                        |
| 0.040                                                | 0.076 | 0.036       | VAR        | 31.27         |         | 57.00 | MILL FILL START AND SCENIC AVE(570 SY) |
| 0.076                                                | 0.085 | 0.009       | 22         | 6.37          |         | 11.62 | 50' DEPTH TRANSITION                   |
| 0.085                                                | 3.510 | 3.425       | 22         | 2425.15       | 3536.43 |       |                                        |
| 3.498                                                | 3.507 | 0.009       | 22         | 6.37          |         | 11.62 | 50' DEPTH TRANSITION                   |
| 3.507                                                | 3.519 | 0.009       | 22         | 6.37          |         | 11.62 | END PROJECT MILL FILL (148 SY)         |
|                                                      |       | 0.020       | 2          | 1.27          | 1.87    |       | MAILBOXES                              |
|                                                      |       | 0.023       | 2          | 1.46          | 2.13    |       | SIDE COUNTY ROADS                      |
|                                                      |       | 0.017       | 2          | 1.09          | 1.60    |       | ENTRANCES                              |
| 0.040                                                | 3.519 |             |            | 260.93        |         |       | 75 TONS/MI IRREGULARITIES              |
|                                                      |       |             | TOTALS     | 2740.28       | 3542.03 | 91.86 |                                        |
|                                                      |       |             | USE        | 2740.3        | 3634    |       |                                        |

Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk

| PERMANENT AGGREGATE EDGE TREATMENT |       |               |               |
|------------------------------------|-------|---------------|---------------|
| APPROX. LOG MILE                   |       | -             | -             |
|                                    |       | AGGREGATE     | PRIME MC 800  |
| FROM                               | TO    | 200 TON/MILE* | 590 GAL/MILE* |
| 0.040                              | 3.519 | 6.958         | 20.5264       |
|                                    |       | TOTALS        | 20.5264       |
|                                    |       | USE           | 24            |

| PERMANENT AGGREGATE EDGE TREATMENT |       |               |               |
|------------------------------------|-------|---------------|---------------|
| APPROX. LOG MILE                   |       | -             | -             |
|                                    |       | AGGREGATE     | PRIME MC 800  |
| FROM                               | TO    | 200 TON/MILE* | 590 GAL/MILE* |
| 0.040                              | 3.519 | 695.8         | 2052.6        |
|                                    |       | TOTALS        | 2052.6        |
|                                    |       | USE           | 2053          |

Note: Permanent aggregate edge treatment will not be used 25' before and after culverts. Pavement will be used to build up the edge in these sections.

### 3.2 Coldmilling Quantities are as follows:

#### Polk County Route Y

| MODIFIED COLDMILLING (DEPTH TRANSITIONS) |       |        |               |          |                  |
|------------------------------------------|-------|--------|---------------|----------|------------------|
| APPROX. LOG MILE                         |       | LENGTH | AVERAGE WIDTH | QUANTITY | REMARKS          |
| FROM                                     | TO    | (FT)   | (FT)          | (SY)     |                  |
| 0.076                                    | 0.085 | 50     | 22            | 122.22   | START OF PROJECT |
| 3.498                                    | 3.507 | 50     | 22            | 122.22   | END OF PROJECT   |
|                                          |       |        | TOTALS        | 244.44   |                  |
|                                          |       |        | USE           | 244      |                  |

| COLDMILLING (3 IN. OR LESS) |       |        |               |          |                      |
|-----------------------------|-------|--------|---------------|----------|----------------------|
| APPROX. LOG MILE            |       | LENGTH | AVERAGE WIDTH | QUANTITY | REMARKS              |
| FROM                        | TO    | (FT)   | (FT)          | (SY)     |                      |
| 0.040                       | 0.076 | 190.1  | VAR           | 570.00   | START AND SCENIC AVE |
| 3.507                       | 3.519 | 63.4   | 22            | 154.98   | END MILL FILL        |
|                             |       |        | TOTALS        | 724.98   |                      |
|                             |       |        | USE           | 725      |                      |

**4.0 Temporary Traffic Control Plans.** See [Standard Plans 616.20](#) for standard temporary traffic control requirements.

Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk

**4.1 Construction signs and channelizers are as follows:**

| CONSTRUCTION SIGNING AND CHANNELIZERS                                                                     |         |            |                          |      |                                |                                    |
|-----------------------------------------------------------------------------------------------------------|---------|------------|--------------------------|------|--------------------------------|------------------------------------|
| SIGN NO.                                                                                                  | SIGN    | SIZE (in.) | AREA (FT. <sup>2</sup> ) | QTY. | TOTAL AREA (FT. <sup>2</sup> ) | DESCRIPTION                        |
| 1*                                                                                                        | GO20-1  | 60 X 24    | 10                       | 2    | 20                             | ROAD WORK NEXT XX MILES & XX MILES |
| 2**                                                                                                       | WO20-1  | 48 X 48    | 16                       | 13   | 208                            | ROAD WORK AHEAD                    |
| 7                                                                                                         | WO20-4  | 48 X 48    | 16                       | 4    | 64                             | ONE LANE ROAD AHEAD                |
| 8                                                                                                         | WO20-7a | 48 X 48    | 16                       | 8    | 128                            | FLAGGER (SYMBOL) WITH FLAGS        |
| 26                                                                                                        | GO20-2  | 48 X 24    | 8                        | 2    | 16                             | END ROAD WORK                      |
| 35                                                                                                        | WO8-12  | 48 X 48    | 16                       | 4    | 64                             | NO CENTER LINE                     |
| 36                                                                                                        | WO8-11  | 48 X 48    | 16                       | 8    | 128                            | UNEVEN LANES                       |
| 53                                                                                                        | GO20-4  | 36 X 18    | 4.5                      | 2    | 9                              | PILOT CAR FOLLOW ME                |
| 58                                                                                                        | GO20-4a | 42 X 30    | 8.75                     | 0    | 0                              | PILOT CAR IN USE WAIT & FOLLOW     |
| 58                                                                                                        | GO20-4a | 18 X 12    | 1.5                      | 4    | 6                              | PILOT CAR IN USE WAIT & FOLLOW     |
| 59                                                                                                        | CONST-8 | 48 X 36    | 12                       | 2    | 24                             | WORK ZONE NO PHONE ZONE            |
|                                                                                                           | GO22-1  | 21 X 15    | 2.19                     | 2    | 4.38                           | WET PAINT (ARROW PIVOTS)           |
|                                                                                                           |         |            |                          |      | 671.38                         | CONSTRUCTION SIGNS SUBTOTAL        |
| ITEM NO. 616-10.05                                                                                        |         |            |                          |      | 672                            | USE                                |
| ITEM NO. 616-10.25                                                                                        |         |            |                          |      | 10                             | CHANNELIZERS (TRIM-LINE)           |
|                                                                                                           |         |            |                          |      |                                |                                    |
| TOTAL ROUTE Y                                                                                             |         |            |                          |      |                                |                                    |
| 616-99.01                                                                                                 |         |            |                          |      | 1                              | LS                                 |
| * - IF LESS THAN TWO (2) MILES, DELETE SIGN NO. 1.                                                        |         |            |                          |      |                                |                                    |
| ** - ADDITIONAL SIGN NO. 2 USED AS SHOWN ON TRAFFIC CONTROL SHEET 3 OF 5 AND AS DIRECTED BY THE ENGINEER. |         |            |                          |      |                                |                                    |
| REFER TO STANDARD PLANS 616.10 AND 903.03 FOR SIGN AND SIGN MOUNTING REQUIREMENTS.                        |         |            |                          |      |                                |                                    |

**4.2 Other Traffic Control Devices, Contractor Furnished Surveying and Staking, and Mobilization is as follows:**

| ITEM NO.   | QTY.     | DESCRIPTION                                          |
|------------|----------|------------------------------------------------------|
| 616-10.98A | 2        | CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION        |
|            |          | INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED |
| 618-10.00  | LUMP SUM | MOBILIZATION                                         |
| 627-40.00  | LUMP SUM | CONTRACTOR FURNISHED SURVEYING AND STAKING           |

**5.0 Pavement Marking.** Pavement marking quantities are as follows:

| CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS) |       |             |                      |                     |                             |
|-------------------------------------------------------|-------|-------------|----------------------|---------------------|-----------------------------|
| APPROX. LOG MILE                                      |       | LENGTH (FT) | 4" SOLID YELLOW (LF) | 4" SOLID WHITE (LF) | REMARKS                     |
| FROM                                                  | TO    |             |                      |                     |                             |
| 0.040                                                 | 3.519 | 18369.12    | 36738.24             | 36738.24            |                             |
|                                                       |       |             |                      |                     | ASSUMES SOLID DOUBLE YELLOW |

Job No.: JST0165  
 Route: CC, JJ, Y  
 County: Greene, Polk

|  |        |          |          |                          |
|--|--------|----------|----------|--------------------------|
|  | TOTALS | 36738.24 | 36738.24 | ADJUST PAINT TO EXISTING |
|  | USE    | 36738    | 36738    | CONDITIONS               |

**6.0 Gravel(A) or Crushed Stone(B).** Gravel(A) or Crushed Stone(B) quantities as follows:

| GRAVEL (A) OR CRUSHED STONE (B) |               |               |
|---------------------------------|---------------|---------------|
|                                 | # OF AGGR     | # OF AGGR     |
|                                 | ENTRANCES     | COUNTY ROADS  |
|                                 | (4 TONS EACH) | (6 TONS EACH) |
|                                 | 17            | 6             |
| TOTAL                           | 68            | 36            |
| USE                             | 104           |               |

I. Supplemental Revisions JSP-18-01JJ

- Compliance with [2 CFR 200.216 – Prohibition on Certain Telecommunications and Video Surveillance Services or Equipment](#).

The Missouri Highways and Transportation Commission shall not enter into a contract (or extend or renew a contract) using federal funds to procure or obtain equipment, services, or systems that uses covered telecommunications equipment or services as substantial or as critical technology as part of any system where the video surveillance and telecommunications equipment was produced by Huawei Technologies Company, ZTE Corporation, Hytera Communications Corporation, Hangzhou Hikvision Digital Technology Company, or Dahua Technology Company (or any subsidiary or affiliate of such entities).

- Stormwater Compliance Requirements

**1.0 Description.** This provision requires the contractor to provide a Water Pollution Control Manager (WPCM) for any project that includes land disturbance on the project site and the total area of land disturbance, both on the project site, and all Off-site support areas, is one (1) acre or more. Regardless of the area of Off-site disturbance, if no land disturbance occurs on the project site, these provisions do not apply. When a WPCM is required, all sections within this provision shall be applicable, including assessment of specified Liquidated Damages for failure to correct Stormwater Deficiencies, as specified herein. This provision is in addition to any other stormwater, environmental, and land disturbance requirements specified elsewhere in the contract.

**1.1 Definitions.** The project site is defined as all areas designated on the plans, including temporary and permanent easements. The project site is equivalent to the “permitted site”, as defined in MoDOT’s State Operating Permit. An Off-site area is defined as any location off the project site the contractor utilizes for a dedicated project support function, such as, but not limited to, staging area, plant site, borrow area, or waste area.

**1.2 Reporting of Off-Site Land Disturbance.** If the project includes any planned land disturbance on the project site, prior to the start of work, the contractor shall submit a written report to the engineer that discloses all Off-site support areas where land disturbance is planned, the total acreage of anticipated land disturbance on those sites, and the land disturbance permit number(s). Upon request by the engineer, the contractor shall submit a copy of its land disturbance permit(s) for Off-site locations. Based on the total acreage of land disturbance, both on and Off-site, the engineer shall determine if these

Stormwater Compliance Requirements shall apply. The Contractor shall immediately report any changes to the planned area of Off-site land disturbance. The Contractor is responsible for obtaining its own separate land disturbance permit for Off-site areas.

**2.0 Water Pollution Control Manager (WPCM).** The Contractor shall designate a competent person to serve as the Water Pollution Control Manager (WPCM) for projects meeting the description in Section 1.0. The Contractor shall ensure the WPCM completes all duties listed in Section 2.1.

**2.1 Duties of the WPCM:**

- (a) Be familiar with the stormwater requirements including the current MoDOT State Operating Permit for construction stormwater discharges/land disturbance activities; MoDOT's statewide Stormwater Pollution Prevention Plan (SWPPP); the Corps of Engineers Section 404 Permit, when applicable; the project specific SWPPP, the Project's Erosion & Sediment Control Plan; all applicable special provisions, specifications, and standard drawings; and this provision;
- (b) Successfully complete the MoDOT Stormwater Training Course within the last 4 years. The MoDOT Stormwater Training is a free online course available at [MoDOT.org](http://MoDOT.org);
- (c) Attend the Pre-Activity Meeting for Grading and Land Disturbance and all subsequent Weekly Meetings in which grading activities are discussed;
- (d) Oversee and ensure all work is performed in accordance with the Project-specific SWPPP and all updates thereto, or as designated by the engineer;
- (e) Review the project site for compliance with the Project SWPPP, as needed, from the start of any grading operations until final stabilization is achieved, and take necessary actions to correct any known deficiencies to prevent pollution of the waters of the state or adjacent property owners prior to the engineer's weekly inspections;
- (f) Review and acknowledge receipt of each MoDOT Inspection Report (Land Disturbance Inspection Record) for the Project within forty eight (48) hours of receiving the report and ensure that all Stormwater Deficiencies noted on the report are corrected as soon as possible, but no later than stated in Section 5.0.

**3.0 Pre-Activity Meeting for Grading/Land Disturbance and Required Hold Point.** A Pre-Activity meeting for grading/land disturbance shall be held prior to the start of any land disturbance operations. No land disturbance operations shall commence prior to the Pre-Activity meeting except work necessary to install perimeter controls and entrances. Discussion items at the pre-activity meeting shall include a review of the Project SWPPP, the planned order of grading operations, proposed areas of initial disturbance, identification of all necessary BMPs that shall be installed prior to commencement of grading operations, and any issues relating to compliance with the Stormwater requirements that could arise in the course of construction activity at the project.

**3.1 Hold Point.** Following the pre-activity meeting for grading/land disturbance and subsequent installation of the initial BMPs identified at the pre-activity meeting, a Hold Point shall occur prior to the start of any land disturbance operations to allow the engineer and WPCM the time needed to perform an on-site review of the installation of the BMPs to ensure compliance with the SWPPP is met. Land disturbance operations shall not begin until authorization is given by the engineer.

**4.0 Inspection Reports.** Weekly and post run-off inspections will be performed by the engineer and each Inspection Report (Land Disturbance Inspection Record) will be entered into a web-based Stormwater Compliance database. The WPCM will be granted access to this database and shall promptly review all reports, including any noted deficiencies, and shall acknowledge receipt of the report as required in Section 2.1 (f.).

**5.0 Stormwater Deficiency Corrections.** All stormwater deficiencies identified in the Inspection Report shall be corrected by the contractor within 7 days of the inspection date or any extended period granted by the engineer when weather or field conditions prohibit the corrective work. If the contractor does not initiate corrective measures within 5 calendar days of the inspection date or any extended period granted by the engineer, all work shall cease on the project except for work to correct these deficiencies, unless otherwise allowed by the engineer. All impact costs related to this halting of work, including, but not limited to stand-by time for equipment, shall be borne by the Contractor. Work shall not resume until the engineer approves the corrective work.

**5.1 Liquidated Damages.** If the Contractor fails to complete the correction of all Stormwater Deficiencies listed on the MoDOT Inspection Report within the specified time limit, the Commission will be damaged in various ways, including but not limited to, potential liability, required mitigation, environmental clean-up, fines, and penalties. These damages are not reasonably capable of being computed or quantified. Therefore, the contractor will be charged with liquidated damages specified in the amount of \$2,000 per day for failure to correct one or more of the Stormwater Deficiencies listed on the Inspection Report within the specified time limit. In addition to the stipulated damages, the stoppage of work shall remain in effect until all corrections are complete.

**6.0 Basis of Payment.** No direct payment will be made for compliance with this provision.

• ***Delete Sec 106.9 in its entirety and substitute the following:***

**106.9 Buy America Requirements.**

Buy America Requirements are waived if the total amount of Federal financial assistance applied to the project, through awards or subawards, is below \$500,000.

**106.9.1 Buy America Requirements for Iron and Steel.**

On all federal-aid projects, the contractor's attention is directed to Title 23 CFR 635.410 *Buy America Requirements*. Where steel or iron products are to be permanently incorporated into the contract work, steel and iron material shall be manufactured, from the initial melting stage through the application of coatings, in the USA except for "minimal use" as described herein. Furthermore, any coating process of the steel or iron shall be performed in the USA. Under a general waiver from FHWA the use of pig iron and processed, pelletized, and reduced iron ore manufactured outside of the USA will be permitted in the domestic manufacturing process for steel or iron material.

**106.9.1.1 Buy America Requirements for Iron and Steel for Manufactured items.**

A manufactured item will be considered iron and steel if it is "predominantly" iron or steel. Predominantly iron or steel means that the cost of iron or steel content of a product is more than 50 percent of the total cost of all its components.

**106.9.2** Any sources other than the USA as defined will be considered foreign. The required domestic manufacturing process shall include formation of ingots and any subsequent process. Coatings shall include any surface finish that protects or adds value to the product.

Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk

**106.9.3** “Minimal use” of foreign steel, iron or coating processes will be permitted, provided the cost of such products does not exceed 1/10 of one percent (0.1 percent) of the total contract cost or \$2,500.00, whichever is greater. If foreign steel, iron, or coating processes are used, invoices to document the cost of the foreign portion, as delivered to the project, shall be provided and the engineer’s written approval obtained prior to placing the material in any work.

**106.9.4** Buy America requirements include a step certification for all fabrication processes of all steel or iron materials that are accepted per Sec 1000. The AASHTO Product Evaluation and Audit Solutions compliance program verifies that all steel and iron products fabrication processes conform to 23 CFR 635.410 Buy America Requirements and is an acceptable standard per 23 CFR 635.410(d). AASHTO Product Evaluation and Audit Solutions compliant suppliers will not be required to submit step certification documentation with the shipment for some selected steel and iron materials. The AASHTO Product Evaluation and Audit Solutions compliant supplier shall maintain the step certification documentation on file and shall provide this documentation to the engineer upon request.

**106.9.4.1** Items designated as Category 1 will consist of steel girders, piling, and reinforcing steel installed on site. Category 1 items require supporting documentation prior to incorporation into the project showing all steps of manufacturing, including coating, as being completed in the United States and in accordance with CFR Title 23 Section 635.410 Buy America Requirements. This includes the Mill Test Report from the original producing steel mill and certifications documenting the manufacturing process for all subsequent fabrication, including coatings. The certification shall include language that certifies the following. That all steel and iron materials permanently incorporated in this project was procured and processed domestically and all manufacturing processes, including coating, as being completed in the United States and in accordance with CFR Title 23 Section 635.410.

**106.9.4.2** Items designated as Category 2 will include all other steel or iron products not in Category 1 and permanently incorporated in the project. Category 2 items shall consist of, but not be limited to items such as fencing, guardrail, signing, lighting and signal supports. The prime contractor is required to submit a material of origin form certification prior to incorporation into the project from the fabricator for each item that the product is domestic. The Certificate of Materials Origin form ([link to certificate form](#)) from the fabricator must show all steps of manufacturing, including coating, as being completed in the United States and in accordance with CFR Title 23 Section 635.410 Buy America Requirements and be signed by a fabricator representative. The engineer reserves the right to request additional information and documentation to verify that all Buy America requirements have been satisfied. These documents shall be submitted upon request by the engineer and retained for a period of 3 years after the last reimbursement of the material.

**106.9.4.3** Any minor miscellaneous steel or iron items that are not included in the materials specifications shall be certified by the prime contractor as being procured domestically. Examples of these items would be bolts for sign posts, anchorage inserts, etc. The certification shall read “I certify that all steel and iron materials permanently incorporated in this project during all manufacturing processes, including coating, as being completed in the United States and in accordance with CFR Title 23 Section 635.410 Buy America Requirements procured and processed domestically in accordance with CFR Title 23 Section 635.410 Buy America Requirements. Any foreign steel used was submitted and accepted under minor usage”. The certification shall be signed by an authorized representative of the prime contractor.

**106.9.5** When permitted in the contract, alternate bids may be submitted for foreign steel and iron products. The award of the contract when alternate bids are permitted will be based on the lowest total bid of the contract based on furnishing domestic steel or iron products or 125 percent of the lowest total bid based on furnishing foreign steel or iron products. If foreign steel or iron products are awarded in the

contract, domestic steel or iron products may be used; however, payment will be at the contract unit price for foreign steel or iron products.

**106.9.6 Buy America Requirements for Construction Materials other than iron and steel materials.**

Construction materials means articles, materials, or supplies that consist of only one of the items listed. Minor additions of articles, materials, supplies, or binding agents to a construction material do not change the categorization of the construction material. Upon request by the engineer, the contractor shall submit a domestic certification for all construction materials listed that are incorporated into the project.

- (a) Non-ferrous metals
- (b) Plastic and Polymer-based products (including polyvinylchloride, composite building materials, and polymers used in fiber optic cables)
- (c) Glass (including optic glass)
- (d) Fiber optic cable (including drop cable)
- (e) Optical fiber
- (f) Lumber
- (g) Engineered wood
- (h) Drywall

**106.9.6.1 Minimal Use allowance for Construction Materials other than iron or steel.**

"The total value of the non-compliant products is no more than the lesser of \$1,000,000 or 5% of total applicable costs for the project." The contractor shall submit to the engineer any non-domestic materials and their total material cost to the engineer. The contractor and the engineer will both track these totals to assure that the minimal usage allowance is not exceeded.

**106.9.7 Buy America Requirements for Manufactured Products.**

Manufactured products means:

- (a) Articles, materials, or supplies that have been:
  - (i) Processed into a specific form and shape; or
  - (ii) Combined with other articles, materials, or supplies to create a product with different properties than the individual articles, materials, or supplies.
- (b) If an item is classified as an iron or steel product, a construction material, or a section 70917(c) material under § 184.4(e) and the definitions set forth in this section, then it is not a manufactured product. However, an article, material, or supply classified as a manufactured product under § 184.4(e) and paragraph (1) of this definition may include components that are construction materials, iron or steel products, or section 70917(c) materials.

**106.9.7.1** Manufactured products are exempt from Buy America requirements. To qualify as a manufactured product, items that consist of two or more of the listed construction materials that have been combined together through a manufacturing process, and items that include at least one of the listed materials combined with a material that is not listed through a manufacturing process, should be treated as manufactured products, rather than as construction materials.

**106.9.7.2** Manufactured items are covered under a general waiver to exclude them from Buy America Requirements. To qualify for the exemption the components must comprise of 55% of the value of materials in the item. The final assembly must also be performed domestically.

- **Third-Party Test Waiver for Concrete Aggregate**

**1.0 Description.** Third party tests may be allowed for determining the durability factor for concrete pavement and concrete masonry aggregate.

**2.0 Material.** All aggregate for concrete shall be in accordance with Sec 1005.

**2.1** MoDOT personnel shall be present at the time of sampling at the quarry. The aggregate sample shall be placed in an approved tamper-evident container (provided by the quarry) for shipment to the third-party testing facility.

**2.2** AASHTO T 161 Method B Resistance of Concrete to Rapid Freezing and Thawing, shall be used to determine the aggregate durability factor. All concrete beams for testing shall be 3-inch wide by 4-inch deep by 16-inch long or 3.5-inch wide by 4.5-inch deep by 16-inch long. All beams for testing shall receive a 35-day wet cure fully immersed in saturated lime water prior to initiating the testing process.

**2.3** Concrete test beams shall be made using a MoDOT approved concrete pavement mix design.

**3.0 Testing Facility Requirements.** All third-party test facilities shall meet the requirements outlined in this provision.

**3.1** The testing facility shall be AASHTO accredited.

**3.1.1** For tests ran after January 1, 2025, accreditation documentation shall be on file with the Construction and Materials Division prior to any tests being performed.

**3.1.2** Construction and Materials Division may consider tests completed prior to January 1, 2025, to be acceptable if all sections of this provision are met, with the exception of 3.1.1. Accreditation documentation shall be provided with the test results for tests completed prior to January 1, 2025. No tests completed prior to September 1, 2024, will be accepted.

**3.2** The testing facility shall provide their testing process, list of equipment, equipment calibration documentation, and testing certifications or qualifications of technicians performing the AASHTO T 161 Procedure B tests. The testing facility shall provide details on their freezing and thawing apparatus including the time and temperature profile of their freeze-thaw chamber. The profile shall include the temperature set points throughout the entirety of the freeze-thaw cycle. The profile shall show the cycle time at which the apparatus drains/fills with water and the cycle time at which the apparatus begins cooling the specimens.

**3.3** Results, no more than five years old, from the third-party test facility shall compare within  $\pm 2.0$  percent of an independent test from another AASHTO accredited test facility or with MoDOT test records, in order to be approved for use (e.g. test facility results in a durability factor of 79, MoDOT's recent durability test factor is 81; this compared within +2 percent). The independent testing facility shall be in accordance with this provision. The comparison test can be from a different sample of the same ledge combination.

**3.4** When there is a dispute between the third party durability test results and MoDOT durability test results, the MoDOT durability test result shall govern.

**3.5** Test results shall be submitted to MoDOT's Construction and Materials division electronically for final approval. Test results shall include raw data for all measurements of relative dynamic modulus of elasticity and percent length change for each individual concrete specimen. Raw data shall include initial

measurements made at zero cycles and every subsequent measurement of concrete specimens. Raw data shall include the cycle count and date each measurement was taken. Test results shall also include properties of the concrete mixture as required by AASHTO T 161. This shall include the gradation of the coarse aggregate sample. If AASHTO T 152 is used to measure fresh air content, then the aggregate correction factor for the mix determined in accordance with AASHTO T 152 shall also be included.

**4.0 Method of Measurement.** There is no method of measurement for this provision. The testing requirements and number of specimens shall be in accordance with AASHTO T 161 Procedure B.

**5.0 Basis of Payment.** No direct payment will be made to the contractor or quarry to recover the cost of aggregate samples, sample shipments, testing equipment, labor to prepare samples or test samples, or developing the durability report.

- **Delete paragraph 15.0 of the General Provision Disadvantaged Business Enterprise (DBE) Program Requirements and substitute the following:**

**15.0 Bidder's List Quote Summary.** MoDOT is a recipient of federal funds and is required by 49 CFR 26.11 to provide data about its DBE program. All bidders who seek to work on federally assisted contracts must submit data about all DBE and non-DBEs in accordance with Sec 102.7.9. MoDOT will not compare the submitted Bidder's List Quote Summary to any other documents or submittals, pre or post award. All information will be used by MoDOT in accordance with 49 CFR 26.11 for reporting to USDOT and to aid in overall DBE goal setting.

- **Add Sec 102.7.9 to include the following:**

**102.7.9 Bidder's List Quote Summary.** Each bidder shall submit with each bid a summary of all subcontractors, material suppliers, and service providers (e.g. hauling) considered on federally funded projects pursuant to 49 CFR 26.11. The bidder will provide the firm's name, the corresponding North American Industry Classification System (NAICS) code(s) the firm(s) were considered for, and whether or not they were used in the bid. The information submitted should be the most complete information available at the time of bid. The information shall be disclosed on the Bidder's List Quote Summary form provided in the bidding documents and submitted in accordance with Sec 102.10. Failure to disclose this information may result in a bid being declared irregular.

J. Contractor Quality Control for Plant Mix Bituminous Surface Leveling NJSP-15-21A

**1.0 Description.** The contractor shall provide Quality Control (QC) testing and shall perform verification procedures associated with the production and placement of Plant Mix Bituminous Surface Leveling Mixture in accordance with this provision.

**2.0 Asphalt Plant Requirements.** The contractor shall perform quality control testing in the production of the Surface Leveling Mixture and report the results electronically on MoDOT-provided forms. All reports shall include the Contract ID, Project Number, Route, County, and Job Mix number.

**2.1** Calibration of the asphalt plant shall be in accordance with Sec 403.17.2.2. Record retention for verification of test reports shall be in accordance with Sec 403.17.3.2.

**2.2** At a minimum, the contractor shall perform one QC sieve analysis test for each day of production of Surface Level mixture in excess of 100 tons to verify the aggregate is within the required gradation range. Results of the QC sieve analysis test shall be reported to the engineer daily. A split of each sample shall be clearly labeled and stored by the contractor in a manner that prevents contamination. The engineer will collect a minimum of one random QC split sample, and one full sample from plant production, for testing per each 10,000 tons of production. Uncollected QC split samples shall be retained by the contractor until the engineer authorizes disposal or until the Final Inspection, whichever occurs earlier.

**2.3** The contractor shall monitor the quantity of asphalt binder used in the production of the mix, including any commercial mix, and report that quantity to the engineer. Original asphalt binder delivery tickets shall accompany the report submitted to the engineer. The engineer will perform a minimum of one asphalt binder content test per each 10,000 tons of production for any project that exceeds a total of 5,000 tons of production.

**2.4** The contractor shall take a daily QC sample of the asphalt binder per instructions in Section 460.3.13 of the EPG. The engineer will collect the QC samples and ship to the MoDOT Central lab for random testing. In addition, the engineer will take a minimum of one random Quality Assurance sample per project from the binder line. The engineer sample will be shipped to the Central Lab along with the daily samples and will be designated for testing.

**2.5** The contractor shall perform one moisture content test for each day of production of Surface Level mixture in excess of 100 tons. The frequency of the moisture test may be reduced if approved by the engineer.

**3.0 Roadway Requirements.** The contractor shall perform quality control verification of the Surface Leveling Mixture on the roadway and shall monitor the asphalt tonnage placed in relation to plan quantity.

**3.1 Irregularities.** Additional tons of Surface Leveling mix will be provided for irregularities in the existing roadway surface. The tonnage specified for irregularities is an estimated quantity and shall only be placed at locations where it is necessary to fill ruts and other low points. Prior to placing the mix, the contractor and engineer shall evaluate the entire route and develop a plan that best utilizes the tonnage needed for irregularities. Any excess quantity of irregularities shall not be placed.

**3.2 Tack.** On the first day of production, the contractor shall demonstrate proper application of tack coat in the presence of the engineer. Thereafter, when the engineer is not present to witness the application of the tack coat, the contractor shall document the tack application by taking a minimum of two high-resolution date/time stamped photographs of the tacked surface per one-mile segment. Pictures should be taken just in front of the paver in order to account for loss of tack from truck tires. The contractor shall also monitor and document the application rate. The contractor shall take distributor readings at the beginning and ending of each shift and document the quantity used.

**3.3 Spreading and Rolling.** On the first day of production, the contractor shall demonstrate successful spreading and compaction of the mixture, including proper rolling patterns, in the presence of the engineer. Thereafter, the contractor shall monitor all roadway production procedures and document daily. Use of approved Intelligent Compaction technology is an allowable substitute for daily documentation.

**3.4 Monitoring of Quantity.** The contractor shall monitor the quantity of Surface Level mix placed and report that information to the engineer and production staff as specified herein.

**3.4.1** The contractor shall verify that the quantity of Surface Leveling mix in the contract for each route is sufficient to cover the roadway as shown on the typical sections, including any surface irregularities. Any discrepancies shall be brought to the engineer's attention in writing prior to the pre-construction conference. Plan quantity shall be defined as the total tons computed to cover the surface area according to the typical section, plus any amount pre-approved by the engineer for pavement irregularities.

**3.4.2** The contractor shall provide temporary log mile reference points at no less than ½ mile intervals along each route to monitor the tons of Surface Leveling mix laid in relation to plan quantity. Entrances, shoulders, or other irregular areas will be monitored as directed by the engineer.

**3.4.3** During production, the contractor shall document the total tons placed in each one-mile segment, along with the plan quantity and the percent over/under for that segment. The cumulative quantity and percent over/under for the route should also be documented. After each one-mile segment, the contractor shall provide a status report to the production manager and the engineer. When the engineer is not present on the project, the contractor shall send an electronic status report to the engineer.

**3.4.4** The goal is to keep the placed quantity within 2% of plan quantity for the project. The engineer will monitor the status reports and will advise the contractor on how to proceed when there is an excessive variance from plan quantity. The engineer may decrease the frequency of the electronic status reports when the variances are consistently low.

**3.4.5** The contractor shall collect asphalt tickets from the delivery trucks and group them per each one-mile segment. The contractor shall submit to the engineer a daily summary report that includes all of the information specified in Section 3.4.3. The contractor shall sign the summary report confirming that the information is accurate and that the attached tickets represent the asphalt material placed.

**3.4.6** The contractor shall be equipped with a contractor-furnished cellular device capable of providing and maintaining a reliable means of immediate communication with the engineer when the engineer is not present on the project.

**4.0 Excessive Quantity.** If the contractor places Surface Level mix on any one-mile segment, or any other isolated areas, in excess of plan quantity by 5% or more, without prior approval from the engineer, further investigation may be required to determine if the excess was warranted. If directed by the engineer, the contractor shall core the pavement at locations established by the engineer to determine the amount that was excessive, if any. No payment will be made for the cost to core the pavement or for the tons of Surface Level mix that the engineer determines to be excessive. If the amount of Surface Level mix is determined to be justified, payment will be made for the mix, and for the cost of coring at the fixed price established in Sec 109. Placement of asphalt in excess of plan quantity for two consecutive segments without prior approval from the engineer may result in issuance of an Order Record to stop work.

**5.0 Basis of Payment.** No direct payment will be made for compliance with this provision. All costs shall be considered completely covered under the pay items provided in the contract.

K. Lump Sum Temporary Traffic Control JSP-22-01B

**1.0 Delete Sec 616.11 and insert the following:**

**616.11 Method of Measurement.** Measurement for relocation of post-mounted signs will be made to the nearest square foot of sign area only for the signs designated for payment on the plans. All other sign

relocations shall be incidental. Measurement for construction signs will be made to the nearest square foot of sign area. Measurement will be made per each for each of the temporary traffic control items provided in the contract.

**616.11.1 Lump Sum Temporary Traffic Control.** No measurement will be made for temporary traffic control items grouped and designated to be paid per lump sum. The list of lump sum items provided in the plans or contract is considered an approximation and may be subject to change based on field conditions. This is not a complete list and may exclude quantities for duplicate work zone packages used in simultaneous operations. The contractor shall provide all traffic control devices required to execute the provided traffic control plans for each applicable operation, stage, or phase. No measurement will be made for any additional signs or devices needed except for changes in the traffic control plan directed by the engineer.

## **2.0 Delete Sec 616.12 and insert the following:**

**616.12 Basis of Payment.** All temporary traffic control devices authorized for installation by the engineer will be paid for at the contract unit price for each of the pay items included in the contract. Whether the devices are paid individually, or per lump sum, no direct payment will be made for the following:

- (a) Incidental items necessary to complete the work, unless specifically provided as a pay item in the contract.
- (b) Installing, operating, maintaining, cleaning, repairing, removing, or replacing traffic control devices.
- (c) Covering and uncovering existing signs and other traffic control devices.
- (d) Relocating temporary traffic control devices, including permanent traffic control devices temporarily relocated, unless specifically included as a pay item in the contract.
- (e) Worker apparel.
- (f) Flaggers, AFADs, PFDs, pilot vehicles, and appurtenances at flagging stations.
- (g) Furnishing, installing, operating, maintaining, and removing construction-related vehicle and equipment lighting.
- (h) Construction and removal of temporary equipment crossovers, including restoring pre-existing crossovers.
- (i) Provide and maintaining work zone lighting and work area lighting.

**616.12.1 Lump Sum Temporary Traffic Control.** Traffic control items grouped together in the contract or plans for lump sum payment shall be paid incrementally per Sec 616.12.1.1. Alternately, upon request from the contractor, the engineer will consider a modified payment schedule that more accurately reflects completion of traffic control work. No payment will be made for any additional signs or devices needed except for changes in the traffic control plan directed by the engineer. Additional items directed by the engineer will be paid for in accordance with Sec 109.4. No adjustment to the price will be made for overruns or underruns of other work or for added work that is completed within existing work zones.

**616.12.1.1 Partial payments.** For purposes of determining partial payments, the original contract amount will be the total dollar value of all original contract line items less the price for Lump Sum Temporary Traffic Control (LSTTC). If the contract includes multiple projects, this determination will be made for each project. Partial payments will be made as follows:

- (a) The first payment will be made when five percent of the original contract amount is earned. The payment will be 50 percent of the price for LSTTC, or five percent of the original contract amount, whichever is less.
- (b) The second payment will be made when 50 percent of the original contract amount is earned. The payment will be 25 percent of the price for LSTTC, or 2.5 percent of the original contract amount, whichever is less.
- (c) The third payment will be made when 75 percent of the original contract amount is earned. The payment will be 20 percent of the price for LSTTC, or two percent of the original contract amount, whichever is less.
- (d) Payment for the remaining balance due for LSTTC will be made when the contract has been accepted for maintenance or earlier as approved by the engineer.

**616.12.1.2** Temporary traffic control will be paid for at the contract lump sum price for Item:

| Item No.  | Unit     | Description                              |
|-----------|----------|------------------------------------------|
| 616-99.01 | Lump Sum | Misc. Lump Sum Temporary Traffic Control |

List of items included in lump sum traffic control:

616-10.05 – Construction Signs  
616-10.25 – Channelizer (Trim-Line)  
616-10.40 – Flashing Arrow Panel

L. Pavement Marking Log

**1.0 Description.** This work shall consist of the Contractor documenting the location of all existing pavement markings prior to coldmilling or resurfacing and installing new pavement markings to match the scheme that was in place prior to the project.

**2.0 Construction Requirements.** Prior to the start of resurfacing work, the Contractor shall document the color, type, and location of the existing pavement markings, including any change in pavement marking (e.g., solid yellow to intermittent yellow on the centerline) and no passing zones. The Contractor shall submit the method of documentation to the Engineer for approval prior to recording the existing pavement marking information.

**2.1** The existing pavement marking documentation provided by the Contractor shall include the location of existing pavement markings by either station or log mile. The Engineer shall reserve the right to make adjustments to the final pavement marking locations. The Engineer will provide **the Contractor with any** adjusted locations. Under no circumstances shall the Contractor make adjustments to the location of permanent pavement markings without the Engineer's approval.

**2.2** All permanent pavement markings shall be installed in accordance with Sec 620.

**3.0. Temporary Pavement Marking.** The Contractor shall provide temporary pavement marking in accordance with Sec 620 and Standard Plan 620.10. No compensation will be made to the Contractor for temporary pavement marking.

**4.0 Method of Measurement.** Measurement will be made in accordance with Sec 620.

**5.0 Basis of Payment.** No direct compensation will be made to the Contractor for compliance with this provision. All costs associated with the equipment, labor, materials, and time necessary to fulfill the requirements of this provision shall be considered completely covered by the pavement marking (Sec 620) line items in the contract.

M. Paving Sequence

**1.0 Description.** The pavement shall be laid in lanes approximately one half the full width of the completed pavement, and the full width shall be completed as soon as practical. Unless otherwise permitted, a single lane shall not be constructed to a length that cannot be completed to full width of the pavement the succeeding operating day.

**2.0 Basis of Payment.** No additional payment will be made for compliance with this provision.

N. Pilot Car

**1.0** The contractor will provide a pilot car during construction, as directed by the engineer. Signs for cross roads including state routes, county roads and city streets, and the pilot car shall be provided as shown on the plans and as directed by the engineer.

**1.1** For construction operations between dusk and dawn, the contractor shall provide a reflective flag assembly on all "PLEASE WAIT FOR PILOT CAR" signs regardless of location.

**2.0 Basis of Payment.** There will be no direct pay for all labor and equipment necessary to provide the pilot car.

O. Gravel A or Crushed Stone B

**1.0 Description.** This work shall consist of furnishing and placing gravel or crushed stone surfacing for transitions at aggregate side roads and entrances upon completion of overlay and shoulder work. This work and material shall be in accordance with Section 310 except as follows.

**2.0 Construction Requirements.** The contractor shall furnish, haul and spread gravel or crushed stone surfacing to smooth up the transitions and eliminate any edge drop offs created at aggregate side roads and entrances created from the construction of shoulders as approved by the engineer.

**3.0 Method of Measurement.** Measurement of material furnished for gravel or crushed stone will be made in accordance with Section 310.5.3, excluding any deductions for moisture.

**4.0 Basis of Payment.** The accepted quantities of gravel or crushed stone will be paid for at the contract unit price, including all labor, equipment, and material costs required to fulfill the requirements of the special provision.

P. Permanent Aggregate Edge Treatment - SW

**1.0 Description.** This work shall consist of furnishing and placing an aggregate material on the shoulders of the resurfaced route in areas indicated in the plans or as directed by the engineer. This work and material shall be in accordance with Section 310 except as follows. The edge treatment shall be at least 2' wide.

**2.0 Material**

**2.1** Aggregate Material utilized for permanent aggregate edge treatment shall be either commercial base or coldmillings. Any material shall be approved by the engineer prior to use.

**2.1.1** Coldmilling material shall be an asphaltic material created by the equipment and operations as defined in Standard Specification 622.10.

**2.1.2** Aggregate material shall be a 1" commercial base.

**3.0 Construction Requirements.** The contractor shall furnish, haul and spread aggregate material or coldmillings to bring the shoulders up to match the overlaid pavement elevation as shown in the typical sections.

**3.1** Aggregate or coldmillings shall be simultaneously deposited and spread on the subgrade and shall not be deposited on the pavement or shoulder and bladed into place without prior approval from the engineer. Aggregate material or coldmillings shall be shaped according to the typical section and compacted until there is no visible evidence of further consolidation.

**3.2** Density shall be obtained from reasonable compactive efforts consisting of no less than three passes with a roller until no further visible compaction can be achieved, or by other methods approved by the engineer.

**3.3** After all placing, shaping, and compactive effort operations are completed, the permanent aggregate edge treatment shall match the overlaid pavement elevation as shown in the typical sections.

**3.4** A prime coat (MC 800) in accordance with Section 408, shall be placed on top of all permanent aggregate edge treatment, regardless of material used, at a target rate of 0.25 Gal/SY.

**4.0 Method of Measurement.** Measurement of material furnished for shoulder aggregate shall be dependent upon the material the contractor chooses to use for this work. If the contractor chooses to use a 1" commercial base, measurement will be made per ton and in accordance with Section 310.5.3. If the contractor chooses to use coldmillings, measurement will be made per linear foot. In regards to utilizing coldmillings, the Contractor is hereby being informed that it shall be their responsibility to review the existing slopes on the project and ensure there is sufficient material to install new slopes in accordance with the specifications and plans. Measurement for all prime (MC 800) will be in accordance with Section 408.5

**5.0 Basis of Payment.**

**5.1** The bid item for the shoulder material is for the 1" commercial base option. The accepted quantities of permanent aggregate edge treatment will be paid for at the contract unit price for PERMANENT AGGREGATE EDGE TREATMENT, pay item 304-99.10 per ton, including all labor, equipment, and material costs required to fulfill the requirements of the special provision

**5.1.1** Should the contractor choose to construct the permanent aggregate edge treatment with coldmillings, notification must be given to the engineer in advance of the work so that a change order can be issued to facilitate payment of the permanent aggregate edge treatment with a contingent item as specified herein.

**5.1.2** For the coldmilling option, a zero-cost change order will be issued to zero out the tonnage of permanent aggregate edge treatment so that it can be converted to a linear foot quantity pay item. A contingent item for the permanent aggregate edge treatment paid by the linear foot will be added to the change order. The linear footage added to the contract shall be double the centerline miles of the project. A unit price for the permanent aggregate edge treatment, coldmilling option, will be determined by multiplying the original permanent aggregate edge treatment unit bid price and the tonnage included in the contract, then dividing by double the centerline miles of the project.

**5.2** The prime coat (MC 800) shall be paid for at the contract unit price for PRIME-LIQUID ASPHALT MC 800, pay item 408-10.18 per gallon, regardless of the material used to construct the edge treatment.

**Q. SENSITIVE STREAMS OR WATERBODIES NEAR PROJECT AREA**

**1.0 Description.** The project crosses, or is in the vicinity of, a sensitive stream or watershed. Waterbodies within and near the project area may serve as habitat for federal and state listed sensitive species. To avoid any negative impacts to these species and their habitats, water quality shall be protected from construction impacts.

**1.1** The contractor shall prevent any debris and materials from construction activities from entering streams and other waterbodies. If debris or materials do enter waterbodies, and if deemed necessary by the engineer or MoDOT's environmental personnel, it shall be removed as directed by the engineer at the contractor's expense.

**2.0 Basis of Payment.** No direct payment will be made for any expense incurred by the contractor by reason of compliance with the specific requirements of the provision, including any delay, inconvenience, or extra work except for those items for which payment is included in the contract.

**CULVERT LOCATION**

**1.0 Description.** This work shall consist of the Contractor documenting the location of all existing crossroad culverts prior to conducting grading operations or placement of permanent aggregate edge treatment.

**2.0 Construction Requirements.** Prior to the start of grading or edge treatment work, the Contractor shall document the location of the existing crossroad culverts. The Contractor shall submit the method of documentation to the Engineer for approval prior to recording the existing culvert location.

**2.1** The documentation provided by the Contractor shall include the location of existing crossroad culverts by either station or log mile. Under no circumstances shall the Contractor begin grading or edge treatment work without the Engineer's approval.

**2.2** The location of each crossroad culvert shall be indicated with a lathe or other identifier that can be seen during contractor operations.

2.3 The contractor shall exercise reasonable care in the locations of the crossroad culverts and all driveway culverts to ensure that grading or edge treatment operations do not result in the blockage of the culvert.

2.4 The contractor as directed by the engineer shall remove any material from all culverts that was placed by grading or edge treatment operations.

3.0 Basis of Payment. No direct compensation will be made to the Contractor for compliance with this provision. All costs associated with the equipment, labor, materials, and time necessary to fulfill the requirements of this provision shall be considered completely covered by line items in the contract.

R. CULVERT LOCATION

**1.0 Description.** This work shall consist of the Contractor documenting the location of all existing crossroad culverts prior to conducting grading operations or placement of permanent aggregate edge treatment.

**2.0 Construction Requirements.** Prior to the start of grading or edge treatment work, the Contractor shall document the location of the existing crossroad culverts. The Contractor shall submit the method of documentation to the Engineer for approval prior to recording the existing culvert location.

**2.1** The documentation provided by the Contractor shall include the location of existing crossroad culverts by either station or log mile. Under no circumstances shall the Contractor begin grading or edge treatment work without the Engineer's approval.

**2.2** The location of each crossroad culvert shall be indicated with a lathe or other identifier that can be seen during contractor operations.

**2.3** The contractor shall exercise reasonable care in the locations of the crossroad culverts and all driveway culverts to ensure that grading or edge treatment operations do not result in the blockage of the culvert.

**2.4** The contractor as directed by the engineer shall remove any material from all culverts that was placed by grading or edge treatment operations.

**3.0 Basis of Payment.** No direct compensation will be made to the Contractor for compliance with this provision. All costs associated with the equipment, labor, materials, and time necessary to fulfill the requirements of this provision shall be considered completely covered by line items in the contract.

S. Bridge End Transitions

**1.0 Description.** At all bridge exceptions, the engineer will determine in the field the ending point of the transition. This point will not necessarily be at the bridge end but will be located at a point which provides a smooth transition and approach to the bridge. The limits of all bridge end transitions shall be approved by the engineer before any milling proceeds on these transitions. Where bridges are to be resurfaced, the surfacing shall be from curb to curb.

T. Damage to Existing Pavement, Shoulders, Side Roads, and Entrances

Job No.: JST0165  
Route: CC, JJ, Y  
County: Greene, Polk

**1.0 Description.** This work shall consist of repairing any damage to existing pavement, shoulders, side roads and entrances caused by contractor operations. This shall include, but is not limited to, damage caused by the traffic during contractor operations within the project limits including the work zone signing.

**2.0 Construction Requirements.** Any cracking gouging, or other damage to the existing pavement, shoulders, side roads, or entrances from general construction shall be repaired within twenty-four (24) hours of the time of damage at the contractor's expense. Repair of the damaged pavement, shoulders, side roads, or entrances shall be as determined by the engineer.

**3.0 Method of Measurement.** No measurement of damaged pavement or shoulder areas or damaged side roads or entrances as described above shall be made.

**4.0 Basis of Payment.** No payment will be made for repairs to existing pavement, shoulders, side roads or entrances damaged by contractor expenses.