STATE OF MISSOURI HIGHWAYS and TRANSPORTATION COMMISSION

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING Contract I.D. 251114-C02

THIS JOB SHALL BE CONSTRUCTED UNDER FEDERAL PROJECT NUMBER(S): FAF-7-3 (31), FAF 7-3(32)

Job JKU0010 Route 7 Jackson County Job JKU0415 Route 7 Jackson County

BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

- 1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
- 2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
- 3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.
- 4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
- 5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
- 6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
- 7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
- 8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
- 9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid) at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to nonresponsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision -only used if bidding more than one project and should be in only one bid proposal

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

TABLE OF CONTENTS

Notice to Contractors

Proposed Work	item	(1)
Compliance With Contract Provisions	item	(2)
Period of Performance	item	(3)
Liquidated Damages	item	(4)
Itemized Bid	item	(5)
Trainees	item	(6)
DBE Certification*	item	(7)
Acceptance of Provision for Price Adjustment for Fuel	item	(8a)
Acceptance of Provision for Asphalt Cement Price Index	item	(8b)
Max. Monetary Value of Awards Accepted this Bid Opening	item	(9)
Combination Bids	item	(10)
Certification for Federal Jobs	item	(11a)
Certification for State Jobs	item	(11b)
Antidiscrimination	item	(12)
Preference to Missouri Firms in Awarding of Contracts	item	(13)
Subcontractor Disclosure Form*	.item	(14)
Signature and Identity of Bidder	item	(15)
Bid Guaranty*	item	(16)

^{*}These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 11/14/2025.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

- (1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:
- ****(1): Job JKU0010 Route 7 JACKSON County. ADA improvements from Shaw Pkwy to Route 40 in Blue Springs, the total length of improvement being 1.564 miles.****(2): Job JKU0415 Route 7 JACKSON County. Add turn lanes at the I-70 interchange, the total length of improvement being 0.1998 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

- (2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office Design Division at (573) 751-2876.
- (3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.
- (4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.
- (5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor,

materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity Unit	Unit Price Extension Price
Section 0001 Roadway Iter	ns - JKU0010		
0010	2022010	1.000 LS	
	REMOVAL OF	IMPROVEMENTS	
0020	2035000 UNCLASSIFIE	974.000 CUYD	
0030	2036000 COMPACTING	780.000 CUYD	
0040	2037075 COMPACTING	9.100 STA	
0050			
0030	2061000 CLASS 1 EXC		
0060			
0000	CLASS 3 EXC	AVATION	
0070	2063300	25.000 CUYD	
	CLASS 4 EXC	AVATION	
0080	2079903	7686.000 LF	
	MISC. LINEA	R GRADING FOR ADA FACILIT	
0090	3040143	5070.000 SQYD	
	TYPE 1 AGGR	EGATE FOR BASE (4 IN. THIC	CK)
0100	3040506	2752.000 SQYD	
	TYPE 5 AGGR	EGATE FOR BASE (6 IN. THIC	CK)
0110	4011209	198.200 TONS	
	BITUMINOUS	PAVEMENT MIXTURE PG64-22,	(BP-1)
0120	4039905	850.000 SQYD	
	MISC. OPTIO	NAL PAVEMENT - ROUTE 7	
0130	4039905	764.000 SQYD	
	MISC. OPTION	NAL PAVEMENT - SOUTH OUTER	ROAD
0140	4071005	183.000 GAL	
	TACK COAT		
0150	5021310	641.700 SQYD	
		JEMENT (10 IN. NON-REINFOR	RCED 15 FT. JOINTS)
0160	6044011	3.000 EA	
0170	6049902	1.000 EA	
0180	6049904 MISC. STEEL	13.000 SQFT	
0100			
0190	6071012A CHAIN-LINK	56.000 LF	
0200			
0200	CHAIN-ITNK	87.000 LF FENCE (RETAINING WALLS)	
0210	6071101	5.000 LF	
0210		NCRETE GUTTER TYPE A	
0220	6071102		
0220		NCRETE GUTTER TYPE B	
0230			
	CONCRETE CU	RB RAMP	
0240	6081012	552.000 SQFT	
-			

	TRUNCATED DOMES
0250	6083003 10.400 SOYD
0230	3 IN. CONCRETE MEDIAN STRIP
0260	6083008 416.000 SQYD
	8 IN. CONCRETE MEDIAN STRIP
0270	6085008 2047.600 SQYD
	PAVED APPROACH, 8 IN.
0280	6086004 2694.000 SQYD
	CONCRETE SIDEWALK, 4 IN.
0290	6091010 277.000 LF
	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S
0300	6091041 20.000 LF
	CONCRETE GUTTER TYPE A
0310	6091052 195.000 LF
	CURB AND GUTTER TYPE B
0320	6092011 822.000 LF
	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A
0330	6097000 42.000 CUYD
	ROCK LINING
0340	6099902 30.000 EA
	MISC. WATER VALVE AND MANHOLE HEIGHT ADJUSTMENTS
0350	6099903 361.000 LF
	MISC. APWA 2 FT CURB AND GUTTER
0360	6099903 1078.000 LF
	MISC. MODIFIED TYPE S CURB
0370	6116010A 127.000 SQYD
	SLOPE PROTECTION
0380	6123001 1.000 LS
	TRUCK MOUNTED ATTENUATOR (TMA)
0390	6141024 2.000 EA
	GRATE AND BEARING PLATE (5 FT. X 3 FT. OR 1524 MM X 914 MM)
0400	6141121 2.000 EA CURVED VANE GRATE AND FRAME (4 FT. X 2 FT. OR 1200MM X 600MM)
0410	6143011 1.000 EA MANHOLE FRAME AND COVER, TYPE 1-B
0420	6143013 8.000 EA MANHOLE FRAME AND COVER, TYPE 3
0.4.2.0	
0430	6161005 575.000 SQFT CONSTRUCTION SIGNS
0440	6161025 150.000 EA
0440	CHANNELIZER (TRIM-LINE)
0450	6161030 10.000 EA
0430	TYPE 3 MOVEABLE BARRICADE
0460	
2.00	FLASHING ARROW PANEL
0470	6161099 4.000 EA
- - · -	CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED /
	RETAINED
0480	6179903 264.000 LF
	MISC. TYPE H BARRIER WITH FOOTING
0490	6181000 1.000 LS
	MOBILIZATION

	2	251114-C0	ID:	Contract
--	---	-----------	-----	----------

0500	6181020 4.000 EA \$600.00000 ADDITIONAL MOBILIZATION FOR SEEDING	
0510	6200015 1434.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE	
0520	6200018 10.000 LF PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW	
0530	6200021 14.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW	
0540	6200024 3.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW	
0550		
0560	6200057 3.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, BICYCLE SYMBOL	
0570	6200060 3.000 EA PREFORMED THERMOPLASTIC PAVEMENT MARKING, WORDS (BIKE LANE)	
0580	6205902B 1299.000 LF 6 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS	
0590	6205906B 35.000 LF 12 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEAD	S)
0600	6206000D 1142.000 LF 4 IN. WHITE CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS	
0610	6206001D 1611.000 LF 4 IN. YELLOW CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEAD	S)
0620	6206108B 62.000 LF 8 IN. WHITE CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS)
0630	6207001 2310.000 LF PAVEMENT MARKING REMOVAL	
0640	6207002 3.000 EA PAVEMENT MARKING REMOVAL (SYMBOLS)	
0650	6221001 1831.000 SQYD COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN.	THICK OR LESS)
0660	6274000 1.000 LS CONTRACTOR FURNISHED SURVEYING AND STAKING	
0670	7069903 14.000 LF MISC. 8X4 REINFORCED CONCRETE BOX WITH WINGWALLS	
0680	7261015 171.000 LF 15 IN. PIPE GROUP A	
0690	7261018 220.000 LF 18 IN. PIPE GROUP A	
0700	7261024 72.000 LF 24 IN. PIPE GROUP A	
0710	7310048 4.000 FT PRECAST CONCRETE MANHOLE - 48 IN.	
0720	7311030 14.000 FT PRECAST CONCRETE DROP INLET 3 FT X 2 FT-6 IN.	
0730	7311042 6.000 FT PRECAST CONCRETE DROP INLET 4 FT X 2 FT	
0740	7311053 33.000 FT PRECAST CONCRETE DROP INLET 5 FT X 3 FT	
0750	7320615A 1.000 EA	

	15 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0760	
0760	7320618A 1.000 EA 18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0770	7320624A 1.000 EA
	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0780	8025006 0.300 ACRE
	MULCHING
0790	8031000A 2501.000 SQYD
	TURF TYPE TALL FESCUE SODDING
0800	8051000A 0.200 ACRE
	SEEDING - COOL SEASON GRASSES
0810	8061003 10.000 CUYD
	SEDIMENT TRAP EXCAVATION
0820	8061004 10.000 CUYD
	SEDIMENT TRAP ROCK
0830	8061005 80.000 LF
	ROCK DITCH CHECK
0840	8061007A 10.000 EA
	CURB INLET CHECK
0850	8061016 45.000 CUYD
	SEDIMENT REMOVAL
0860	8061017 0.100 ACRE
	TEMPORARY SEEDING
0870	8061019 1868.000 LF
	SILT FENCE
0880	8064130 100.000 SQYD
	TYPE 3 TURF REINFORCEMENT MAT
0890	8064140 640.000 SQYD
	TYPE 3B EROSION CONTROL BLANKET
0900	9029400 1.000 LS
	TEMPORARY TRAFFIC SIGNALS
Section 0001 To	tal \$2,400.00
Section 0002 Lighting Iter	nsIKIINN1N
0910	9011010 2.000 EA
0910	RELOCATED POLE
0000	
0920	9014004 63.000 LF
	CONDUIT, 4 IN. RIGID, PUSHED
0930	9015010 272.000 LF TRENCHING TYPE I
0940	9016110 2.000 EA
	PULL BOX, PREFORMED CLASS 1
0950	9017110 180.000 LF
	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
0960	9017402 380.000 LF
0970	9018245 2.000 EA
	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)

Section 0003	
Signal Items	
0980	9020213 6.000 EA SIGNAL HEAD, TYPE 3S
0990	9020513 24.000 EA
0990	SIGNAL HEAD, TYPE 3B
1000	9020514 5.000 EA
	SIGNAL HEAD. TYPE 4B
1010	9020811 28.000 EA
	SIGNAL HEAD, TYPE 1S, PEDESTRIAN
1020	9020833 67.500 SQFT
	SH-FLAT SHEET - SIGNAL SIGN
1030	9020834 8.000 EA
	SIGNAL SIGN, MOUNTING HARDWARE
1040	9022651 2.000 EA
	LUMINAIRE LED-A, 120 VOLT COMPATIBLE
1050	9022704 1.000 EA
	POST, SIGNAL 4 FT.
1060	9022708 14.000 EA
1070	POST, SIGNAL 8 FT.
1070	9022715 4.000 EA POST, SIGNAL 15 FT.
1080	
1000	POST, TYPE CL, 30 FT. ARM OR 9.1 M ARM
1090	
	POST, TYPE CL, 55 FT. ARM
1100	9023230 1.000 EA
	POST, TYPE C, 30 FT. ARM OR 9.1 M ARM
1110	9023255 1.000 EA
	POST, TYPE C, 55 FT. ARM
1120	9023340 1.000 EA
	POST, TYPE B, LONGEST ARM 40 FT. OR 12.2 M
1130	9023355 1.000 EA
1140	9023455 1.000 EA
1150	9024283 3.000 EA
11.60	
1160	9024921 28.000 EA ACCESSIBLE PEDESTRIAN SIGNAL
1170	
II / U	VIDEO DETECTION SYSTEM
1180	9025200 699.000 LF
1100	CONDUIT, 2 IN., TRENCH WITH TRACER WIRE
1190	
	CONDUIT, 3 IN., TRENCH WITH TRACER WIRE
1200	9027300 1031.000 LF
	CONDUIT, 3 IN., PUSHED WITH TRACER WIRE

		Missouri Departmen	t of Transportation	Contract ID: 251114-C02
1210	9028204 CABLE, 4 AW			
1220	9028219	70.000	LF POWER	
	9028302 CABLE, 12 A		LF	
1240	9028308 CABLE, 16 A	WG 2 CONDUCTOR	LF	
1250	9028310 CABLE, 16 A	4260.000	LF	
1260	CABLE, 16 A			
1270	9028811 PULL BOX, F	REFORMED CLASS 2	EA	
1280	9028812 PULL BOX, F	3.000 PREFORMED CLASS 3	EA	
1290	9029100 BASE, CONCR	39.500 ETE	CUYD	
1300	9029901 MISC. OGL S	1.000 SIGNAL COORDINATION	LS ON	
1310	MISC. APS P	28.000	EA	
1320	9029902 MISC. CCTV	1.000	EA	
1330		1.000 TYPE C, 70 FT. 2	EA ARM	
1340	9029902 MISC. UNINT	2.000 ERRUPTIBLE POWER	EA SUPPLY	
1350	9029903 MISC. EVP C	1890.000		
Section 0003 Tota	1			
Section 0004				
Signing Items 1360	9031280	576.000 T POST - 12 GA.	LF	
1370	9031281A	36.000 ANCHOR FOR 2.5	EA IN. PSST - 7 GA.	
1380	9035004A SH-FLAT SHE	254.000 EET	SQFT	
1390	9035011A ST-STRUCTUR		SQFT	
Section 0004 Tota				

ITS Item	s - JKU0010		
1400	9105201	320.000 LF	
	CONDUIT,	3 IN., RIGID, IN TRENCH	
1410	9107201	87.000 LF	

CONDUIT, 3 IN., RIGID, PUSHED 1420 254.000 LF FIBER OPTIC CABLE, 24-STRAND, 18 SINGLE MODE, 6 MULTIMODE 9108820 24.000 EA 1430 PULL BOX, CONCRETE, STANDARD Section 0005 Total Section 0006 Drainage System for Bridge L09835 - JKU0010 7121060 FABRICATED SIGN SUPPORT BRACKETS 50 7123620 1.000 LS 1450 DRAINAGE SYSTEM (ON STRUCTURE) Section 0006 Total Section 0007 Drainage System for Bridge L09836 - JKU0010 7123620 1460 DRAINAGE SYSTEM (ON STRUCTURE) Section 0007 Total Section 0008 MSE Retraining Wall - JKU0010 1470 7209904 105.000 SQFT MISC. REBUILD EXISTNG MCDONALDS SMALL BLOCK WALL Section 0008 Total Section 0009 Soil Nail Wall A9505 - JKU0010 1480 7039904 2561.000 SQFT MISC. SOIL NAIL WALL SYSTEM 1490 7110300 1.000 LS CONCRETE AND MASONRY PROTECTION SYSTEM 7110400 1.000 LS SACRIFICIAL GRAFFITI PROTECTION SYSTEM Section 0009 Total Section 0010 Roadway Items - JKU0415 2013000 1.000 ACRE CLEARING AND GRUBBING 1520 2022010 1.000 LS REMOVAL OF IMPROVEMENTS 530 2035000 3046.000 CUYD 1530 UNCLASSIFIED EXCAVATION

1540	2036000 2437.000 CUYD
	COMPACTING EMBANKMENT
1550	2037075 12.800 STA
	COMPACTING IN CUT
1560	2063000 19.000 CUYD
	CLASS 3 EXCAVATION
1570	2153000 2.000 100F
	SHAPING SLOPES, CLASS III
1580	3040506 2835.000 SQYD
	TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)
1590	3049910 246.700 TONS
	MISC. PERMANENT AGGREGATE EDGE TREATMENT
1600	4039905 2835.000 SQYD
	MISC. OPTIONAL PAVEMENT - I-70 RAMP
1610	6044011 1.000 EA
1620	6091010 29.000 LF
	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S
1630	6097000 4.000 CUYD
1.640	
1640	6123001 1.000 LS TRUCK MOUNTED ATTENUATOR (TMA)
1030	6161005 304.000 SQFT CONSTRUCTION SIGNS
1660	6161025 125.000 EA
	CHANNELIZER (TRIM-LINE)
1670	6161030 5.000 EA
	TYPE 3 MOVEABLE BARRICADE
1680	6161040 2.000 EA
	FLASHING ARROW PANEL
	6161099 2.000 EA
	CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED / RETAINED
1700	
1700	6181000 1.000 LS MOBILIZATION
1710	
1/10	ADDITIONAL MOBILIZATION FOR SEEDING
1720	
1720	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE
1730	6200021 12.000 EA
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
1740	6205902B 2715.000 LF
	6 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)
1750	6205903B 2625 000 T.F
	6 IN. YELLOW CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)
1760	6205906B 60.000 LF
	12 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)
	6274000 1.000 LS
	CONTRACTOR FURNISHED SURVEYING AND STAKING
1780	7261015 28.000 LF
1790	7319902 1.000 EA

	MISC. 3'X3' SPECIAL S-1 INLET
1800	7320615A 2.000 EA
1000	15 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
1810	8025006 1.400 ACRE
1010	MULCHING
1820	8051000A 1.100 ACRE
1020	SEEDING - COOL SEASON GRASSES
1020	
1830	8061003 15.000 CUYD SEDIMENT TRAP EXCAVATION
1840	8061004 15.000 CUYD
	SEDIMENT TRAP ROCK
1850	8061005 32.000 LF
	ROCK DITCH CHECK
1860	8061006 350.000 LF
	ALTERNATE DITCH CHECK
1870	8061016 31.000 CUYD
	SEDIMENT REMOVAL
1880	8061017 0.300 ACRE
	TEMPORARY SEEDING
1890	8064130 1032.000 SQYD
	TYPE 3 TURF REINFORCEMENT MAT
1900	8064140 4233.000 SQYD
1500	TYPE 3B EROSION CONTROL BLANKET
Section 0010 To	\$2,400.00
Section 0011	
Guardrail/Gu	ard Cable Items - JKU0415
Guardrail/Gu	6061060 25.000 LF
Guardrail/Gu	6061060 25.000 LF MGS GUARDRAIL
Guardrail/Gu	6061060 25.000 LF MGS GUARDRAIL
Guardrail/Gu 1910	6061060 25.000 LF MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR
Guardrail/Gu 1910	6061060 25.000 LF MGS GUARDRAIL 6061080 2.000 EA
Guardrail/Gu 1910 1920 1930	6061060 25.000 LF MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)
Guardrail/Gu 1910 1920	6061060 25.000 LF MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)
Guardrail/Gu 1910 1920 1930	6061060 25.000 LF MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)
Guardrail/Gu 1910 1920	6061060 25.000 LF MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)
Guardrail/Gu 1910 1920	6061060 25.000 LF MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)
Guardrail/Gu 1910 1920 1930 Section 0011 To	6061060 25.000 LF MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)
Guardrail/Gu 1910 1920 1930 Section 0011 To	6061060 25.000 LF MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)
Guardrail/Gu 1910 1920 1930 Section 0011 To	6061060 25.000 LF MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH)
Guardrail/Gu 1910 1920 1930 Section 0011 To Section 0012 Lighting Ite: 1940	6061060 25.000 LF MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) otal ms - JKU0415 9011010 2.000 EA RELOCATED POLE
Guardrail/Gu 1910 1920 1930 Section 0011 To Section 0012 Lighting Ite: 1940	6061060 25.000 LF MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) otal ms - JKU0415 9011010 2.000 EA
Guardrail/Gu 1910 1920 1930 Section 0011 To Section 0012 Lighting Ite: 1940	MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) btal ms - JKU0415 9011010 2.000 EA RELOCATED POLE 9014004 101.000 LF CONDUIT, 4 IN. RIGID, PUSHED
Guardrail/Gu 1910 1920 1930 Section 0011 To Section 0012 Lighting Ite: 1940	MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) btal ms - JKU0415 9011010 2.000 EA RELOCATED POLE 9014004 101.000 LF CONDUIT, 4 IN. RIGID, PUSHED
Guardrail/Gu 1910 1920 1930 Section 0011 To Section 0012 Lighting Ite: 1940 1950	6061060 25.000 LF MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Dtal ms - JKU0415 9011010 2.000 EA RELOCATED POLE 9014004 101.000 LF CONDUIT, 4 IN. RIGID, PUSHED 9015020 820.000 LF TRENCHING TYPE II
Guardrail/Gu 1910 1920 1930 Section 0011 To Section 0012 Lighting Ite: 1940 1950 1960	MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) Otal ms - JKU0415 9011010 2.000 EA RELOCATED POLE 9014004 101.000 LF CONDUIT, 4 IN. RIGID, PUSHED 9015020 820.000 LF TRENCHING TYPE II
Guardrail/Gu 1910 1920 1930 Section 0011 To Section 0012 Lighting Ite: 1940 1950 1970	MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) tal ms - JKU0415 9011010 2.000 EA RELOCATED POLE 9014004 101.000 LF CONDUIT, 4 IN. RIGID, PUSHED 9015020 820.000 LF TRENCHING TYPE II 9016120 2.000 EA PULL BOX. CONCRETE, STANDARD
Guardrail/Gu 1910 1920 1930 Section 0011 To Section 0012 Lighting Ite: 1940 1950 1970	MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) otal ms - JKU0415 9011010 2.000 EA RELOCATED POLE 9014004 101.000 LF CONDUIT, 4 IN. RIGID, PUSHED 9015020 820.000 LF TRENCHING TYPE II 9016120 2.000 EA PULL BOX, CONCRETE, STANDARD
Guardrail/Gu 1910 1920 1930 Section 0011 To Section 0012 Lighting Ite: 1940 1950 1970	MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) ptal ms - JKU0415 9011010 2.000 EA RELOCATED POLE 9014004 101.000 LF CONDUIT, 4 IN. RIGID, PUSHED 9015020 820.000 LF TRENCHING TYPE II 9016120 2.000 EA PULL BOX, CONCRETE, STANDARD 9017110 180.000 LF
Guardrail/Gu 1910 1920 1930 Section 0011 To Section 0012 Lighting Ite: 1940 1950 1960 1970 1980	MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) btal ms - JKU0415 9011010 2.000 EA RELOCATED POLE 9014004 101.000 LF CONDUIT, 4 IN. RIGID, PUSHED 9015020 820.000 LF TRENCHING TYPE II 9016120 2.000 EA PULL BOX, CONCRETE, STANDARD 9017110 180.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
Guardrail/Gu 1910 1920 1930 Section 0011 To Section 0012 Lighting Ite: 1940 1950 1960 1970	MGS GUARDRAIL 6061080 2.000 EA MGS END ANCHOR 6063014 2.000 EA TYPE A CRASHWORTHY END TERMINAL (MASH) otal ms - JKU0415 9011010 2.000 EA RELOCATED POLE 9014004 101.000 LF CONDUIT, 4 IN. RIGID, PUSHED 9015020 820.000 LF TRENCHING TYPE II 9016120 2.000 EA PULL BOX, CONCRETE, STANDARD 9017110 180.000 LF CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET

2.000 EA

POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)

2000

9018245

Missouri Department of Transportation Contract ID: 251114-C02

Section 0012 Total	al
Section 0013	
Signal Items -	- JKU0415
2010	9020213 5.000 EA
	SIGNAL HEAD, TYPE 3S
2020	9020513 11.000 EA
	SIGNAL HEAD, TYPE 3B
2030	9020514 6.000 EA
2040	STONAL HEAD TYPE 5R
2050	
2030	SH-FLAT SHEET - SIGNAL SIGN
2060	
	SIGNAL SIGN, MOUNTING HARDWARE
2070	9022651 2.000 EA
	LUMINAIRE LED-A, 120 VOLT COMPATIBLE
2080	9022708 2.000 EA
	POST, SIGNAL 8 FT.
2090	9023120 1.000 EA
	POST, TYPE CL, 20 FT. ARM OR 6.1 M ARM
2100	9023225 1.000 EA
	POST, TYPE C, 25 FT. ARM OR 7.6 M ARM
2110	9023255 3.000 EA
	POST, TYPE C, 55 FT. ARM
2120	9024283 2.000 EA
2130	9025200 119.000 LF
2140	9025300 85.000 LF
	CONDUIT, 3 IN., TRENCH WITH TRACER WIRE
2150	9027300 900.000 LF
01.60	
2160	9028204 93.000 LF CABLE, 4 AWG 1 CONDUCTOR, POWER
2170	
2170	9028219 140.000 LF CABLE, 10 AWG 1 CONDUCTOR, POWER
2180	9028302 320.000 LF
2100	CABLE, 12 AWG 2 CONDUCTOR
2190	
2190	CABLE, 16 AWG 7 CONDUCTOR
2200	
	PULL BOX, PREFORMED CLASS 2
2210	9028812 1.000 EA
	PULL BOX, PREFORMED CLASS 3
2220	9029100 20.000 CUYD
	BASE, CONCRETE

Contract ID: 251114-C02 Missouri Department of Transportation 2230 9029902 6.000 EA MISC. CCTV CAMERA ASSEMBLY 9029902 4.000 EA MISC. UNINTERRUPTIBLE POWER SUPPLY Section 0013 Total Section 0014 Signing Items - JKU0415 9031020 3.400 CUYD CONCRETE FOOTINGS, BOLT DOWN 2260 9031258 12.000 EA 7 FT. CHANNEL POST DELINEATOR, WHITE/RED 48.000 LF 9031280 2.5 IN. PSST POST - 12 GA. 2280 9031285 3.000 EA CONCRETE POST ANCHOR FOR 2.5 IN. PSST. - 7 GA. 39.000 SQFT 9035004A SH-FLAT SHEET 2300 9036043 1.000 EA TUBULAR SUPPORT, TYPE C-2018-34 2310 9039901 1.000 LS MISC. TYPE S TUBULAR ONE TUBE, 75 FT - 1 _____ Section 0014 Total Section 0015 ITS Items - JKU0415 9104980 2.000 EA DETECTOR ASSEMBLY, INSTALLED 2330 9105200 520.000 LF CONDUIT, 2 IN., RIGID, IN TRENCH 9105201 2340 930.000 LF CONDUIT, 3 IN., RIGID, IN TRENCH 2350 9107201 330.000 LF CONDUIT, 3 IN., RIGID, PUSHED 9108352 1740.000 LF 2360 FIBER OPTIC CABLE, 24-STRAND, 18 SINGLE MODE, 6 MULTIMODE 9108510 670.000 LF CABLE, LOOP DETECTOR, LEAD IN 2.000 EA 2380 9108820 PULL BOX, CONCRETE, STANDARD

Item Total \$4,800.00

3.000 EA

MISC. KC SCOUT FIBER OPTIC SPICLE VAULT

9109902

2390

Section 0015 Total

DBE CERTIFICATION

- (6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 0 slots at 1000 hours per slot or 0 hours.
- (7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

- (A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 0 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.
- (B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

Bidder's List Quote Summary Attachment

Attach	the	form	as	required	bу	Sec.	102.7.9.
Attachment:						□ 7	Verify

CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

- (10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.
- (11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which limited to fraud, includes but is not dishonesty and misrepresentation or omission of fact within the bid submission.
- (11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? Yes \bigcirc No \bigcirc

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if

requested by the Design Division or the engineer. SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK: SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK: SUBCONTRACTOR NAME: DOLLAR VALUE: \$ CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

*** AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. ***

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

Yes No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

**Pay by: Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

**Bond ID: Verify Clear

**Surety Registry Agency:

**Bond Pct:

Surety State:

FIELDS WITH THE ** INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS