DESIGN DESIGNATION

ROUTE WW - WINDSOR
A.A.D.T. - 2026 = 1287
V = 30 M.P.H.
FUNCTIONAL CLASSIFICATION- MAJOR COLLECTOR

ROUTE 2 - WINDSOR
A.A.D.T. - 2026 = 2246
V = 20-40 M.P.H.
FUNCTIONAL CLASSIFICATION- MAJOR COLLECTOR

ROUTE 52 - WINDSOR
A.A.D.T. - 2026 = 4700
V = 20-30 M.P.H.
FUNCTIONAL CLASSIFICATION- MINOR ARTERIAL

ROUTE 52 - MONTROSE
A.A.D.T. - 2026 = 1200
V = 40 M.P.H.
FUNCTIONAL CLASSIFICATION- MINOR ARTERIAL

ROUTE 18 - CLINTON
A.A.D.T. - 2026 = 10490
V = 25-35 M.P.H.
FUNCTIONAL CLASSIFICATION- PRINCIPAL ARTERIAL

BUSINESS 13 - CLINTON
A.A.D.T. - 2026 = 2301
V = 35 M.P.H.
FUNCTIONAL CLASSIFICATION- MINOR ARTERIAL

TEMPORARY EASEMENTS
(WINDSOR & CLINTON)
NEW R/W REQUIRED
PERMANENT EASEMENTS
(CLINTON)
NO R/W ACQUISITION
(MONTROSE)

CONVENTIONAL SYMBOLS
(USED IN PLANS)

	EXISTING	NEW
BUILDINGS AND STRUCTURES		
GUARD RAIL		
GUARD CABLE		
CONCRETE RIGHT-OF-WAY MARKER		
STEEL RIGHT-OF-WAY MARKER		
LOCATION SURVEY MARKER		
UTILITIES		
FIBER OPTICS	FO	FO
OVERHEAD CABLE TV	OTV	OTV
UNDERGROUND CABLE TV	UTV	UTV
OVERHEAD TELEPHONE	OT	OT
UNDERGROUND TELEPHONE	UT	UT
OVERHEAD POWER	OE	OE
UNDERGROUND POWER	UE	UE
SANITARY SEWER	S	S
STORM SEWER	SS	SS
GAS	G	G
WATER	W	W
MANHOLE	SAN	
FIRE HYDRANT	HYD	
WATER VALVE	WV	
WATER METER	WM	
DROP INLET		
DITCH BLOCK		
GROUND MOUNTED SIGN	SIGN	
LIGHT POLE		
H-FRAME POWER POLE		
TELEPHONE PEDESTAL	PED	
FENCE		
CHAIN LINK	V	
WOVEN WIRE	X	
GATE POST		
BENCHMARK	BM	

NOTE: DASHED OR OPEN SYMBOLS INDICATE EXISTING FEATURES

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

KEY MAP
LOCATION OF HENRY COUNTY

PLANS FOR PROPOSED STATE HIGHWAY

HENRY COUNTY

ADA TRANSITION PLAN IMPROVEMENTS



ROUTE 52
MONTROSE



ROUTE WW, 2, AND 52
WINDSOR



ROUTE 18 & BUSINESS 13
CLINTON

NOT TO SCALE

THE EXISTENCE AND APPROXIMATE LOCATION OF UTILITY FACILITIES KNOWN TO EXIST, AS SHOWN ON THE PLANS, ARE BASED ON THE BEST INFORMATION AVAILABLE TO THE COMMISSION AT THIS TIME. THIS INFORMATION IS PROVIDED BY THE COMMISSION "AS-IS" AND THE COMMISSION EXPRESSLY DISCLAIMS ANY REPRESENTATION OR WARRANTY AS TO THE COMPLETENESS, ACCURACY, OR SUITABILITY OF THE INFORMATION FOR ANY USE. RELIANCE UPON THIS INFORMATION IS DONE AT THE RISK AND PERIL OF THE USER, AND THE COMMISSION SHALL NOT BE LIABLE FOR ANY DAMAGES THAT MAY ARISE FROM ANY ERROR IN THE INFORMATION. IT IS, THEREFORE, THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE EXISTENCE, LOCATION AND STATUS OF ANY FACILITY. SUCH VERIFICATION INCLUDES DIRECT CONTACT WITH THE LISTED UTILITIES.

INDEX OF SHEETS

DESCRIPTION	SHEET NUMBER
TITLE SHEET	1
TYPICAL SECTIONS (TS) (8 SHEETS)	2
QUANTITIES (QU)(5 SHEETS)	3
PLAN-PROFILE (PP)	4-34
COORDINATE POINTS (CP)	35
SPECIAL SHEETS (CP)	36
TRAFFIC CONTROL SHEETS (TC)	37-40
EROSION CONTROL SHEETS (EC)	41-43
SIGNALS (SG)	44-49
SIGNING (SN)	50-51
PAVEMENT MARKING (PM)	52

LENGTH OF PROJECT

ROUTE WW - WINDSOR
BEGINNING OF PROJECT STA. 47+89.00
END OF PROJECT STA. 58+33.70
APPARENT LENGTH 1044.70 FEET

ROUTE 2 - WINDSOR
BEGINNING OF PROJECT STA. 665+19.89
END OF PROJECT STA. 675+33.80
APPARENT LENGTH 1013.91 FEET

ROUTE 52 - WINDSOR
BEGINNING OF PROJECT STA. 35+74.76
END OF PROJECT STA. 68+76.84
APPARENT LENGTH 3302.08 FEET

ROUTE 52 - MONTROSE
BEGINNING OF PROJECT LOG MILE 44.014
END OF PROJECT LOG MILE 44.460
APPARENT LENGTH 2354.88 FEET

ROUTE 18 - CLINTON
BEGINNING OF PROJECT STA. 208+50.16
END OF PROJECT STA. 33+86.89
APPARENT LENGTH -17463.27 FEET
EQUATIONS:
STA. 229+16.56 BK. = STA. 0+00.00 AH. (+22,916.560 FEET)
STA. 9+08.50 BK. = STA. 0+00.00 AH. (+908.500 FEET)

BUSINESS 13 - CLINTON
BEGINNING OF PROJECT STA. 80+58.49
END OF PROJECT STA. 81+80.14
APPARENT LENGTH 121.65 FEET

TOTAL CORRECTIONS 23,825.060 FEET
NET LENGTH OF PROJECT 14,199.01 FEET
STATE LENGTH 2.690 MILES

FOR INFORMATION ONLY
ESTIMATED DISTURBED ACRES <1 ACRES

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy 2026.02.26 10:22:06-06'00'
02-26-2026 10:22:41
CAMERON SOOY - CIVIL
MO-PE-202101971S

DATE PREPARED
2/10/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	1

COUNTY
HENRY
JOB NO.
JSR0338
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

1. CONCRETE SIDEWALK, CURB RAMP AND DETECTABLE WARNING DEVICE (TRUNCATED DOMES) DETAILS SHALL CONFORM TO ADA REQUIREMENTS UNLESS NOTED OTHERWISE IN THESE PLANS. FOR SIDEWALK JOINT AND CURB DETAILS, SEE STANDARD PLAN 609.00.
2. TINTED CONCRETE SHALL NOT BE USED. TRUNCATED DOMES SHALL BE OF A COLOR CONTRASTING WITH UNTINTED CONCRETE AND APPROVED BY THE ENGINEER. TRUNCATED DOMES ARE REQ'D. AT STREET INTERSECTIONS AND COMMERCIAL ENTRANCES WITH TRAFFIC CONTROL ONLY. (STOP/YIELD SIGNS OR SIGNALS)
3. CONCRETE SHALL BE IN ACCORDANCE WITH SEC. 608 & SEC. 609. CURING COMPOUND SHALL BE TRANSPARENT.
4. ALL CONCRETE SIDEWALK AND CURB RAMP/TRANSITION/LANDING AREAS SHALL BE 4" THICK, WITH THE EXCEPTION OF THE BOTTOM TRANSITION WHICH TIES INTO THE EXISTING PAVED APPROACH AND ROADWAY. THIS TRANSITION, OR LANDING AREA, MUST BE 8" THICK IF IT FALLS WITHIN THE RADIUS OF THE APPROACH AND SITS AT THE BACK OF CURB OF THE ROADWAY. ALL CONCRETE SIDEWALK AND CURB RAMP/TRANSITION/LANDING AREAS SHALL BE ON 4" TYPE 1 AGGREGATE BASE.
5. AGGREGATE BASE DENSITY - CONTRACTOR SHALL EXERCISE GOOD COMPACTIVE EFFORT AS APPROVED BY THE ENGINEER. DENSITY REQUIREMENTS BY NUCLEAR METHOD WILL NOT BE REQUIRED DUE TO WORK AREA CONSTRAINTS.
6. CONCRETE CURB RAMP - WIDTH = 5' MIN. LENGTH = 5' MIN. TO 15' PREFERRED MAX. (16' MAX.)
   RUNNING SLOPE = >5% (MIN.) TO 8.33% (MAX.) UNIFORMLY DOWN THE LENGTH OF THE RAMP.

   CONCRETE LANDING - WIDTH = TO MATCH PROPOSED CURB RAMP AND SIDEWALK WIDTH LENGTH = 5' MIN.
   SLOPE IN ALL DIRECTIONS = 1% PREFERRED (2% MAX.) UNLESS TIED TO ROADWAY EXCEPTION.
7. ALL EXISTING UTILITIES SHALL BE USED IN PLACE UNLESS OTHERWISE NOTED. ALL MANHOLE OR VALVE COVER, ETC. ELEVATIONS SHALL BE ADJUSTED AS REQUIRED IF THEY ARE LOCATED WITHIN THE IMPROVEMENT AREA.
8. "PREFORMED FIBER JOINT" SHALL BE IN ACCORDANCE WITH SEC. 1057 FOR PREFORMED FIBER JOINT EXPANSION JOINT FILLER.
9. REINFORCING STEEL TIE BARS SHALL BE IN ACCORDANCE WITH SECTION 706. ALL REINFORCING STEEL SHALL BE EPOXY COATED AND USED AS APPROVED BY THE ENGINEER. WHERE TIE BARS ARE USED, THE CONCRETE SHALL BE 8" THICK (NO DIRECT PAY).
10. CONSTRUCTION AND LENGTH OF EACH CURB RAMP INCLUDING LANDINGS AND TRANSITION AREAS SHALL BE AS SHOWN ON THE PLANS UNLESS DIFFERING FIELD CONDITIONS ARE FOUND OR AS APPROVED BY THE ENGINEER. CURB RAMP CROSS SLOPES SHALL BE 1% PREFERRED (2% MAX.) TOWARD THE STREET. CURB RAMPS ARE TO BE FORMED UP AND HAVE A TRUE AND STRAIGHT LINE.
11. SIDEWALK AND CONCRETE CURB SHALL BE POURED MONOLITHICALLY. THE CONTRACTOR SHALL MATCH EXISTING GROUND SLOPES ADJACENT TO THE CURB RAMPS OR USE AN ALTERNATE METHOD APPROVED BY THE ENGINEER.
12. S-CURB 12"-30" HIGH (MODIFIED S-CURB) WILL REQUIRE #4 REINFORC. BARS ON MAX. 12" CENTERS - SEE DETAIL (NO DIRECT PAY)
13. SODDED SLOPES AT EDGES OF SIDEWALK OR S-CURB SHOULD BE GRADED TO BE 6:1 MIN.
14. IF THERE IS NO EXISTING CURB & GUTTER, OFFSET THE EOP 2.5' BEFORE CONSTRUCTING ANY CURBING, RAMP OR SIDEWALK.

NOT TO SCALE



UTILITIES OR VARIOUS OBSTACLES

NO UTILITY POLES ARE ALLOWED IN THE RAMP LIMITS, BUT ARE PERMITTED IN THE LANDING AREAS AND SIDEWALK WITH A MINIMUM OF 4' CLEARANCE AROUND THE POLE

NOT TO SCALE

REVISED: 2025-06-24



△ MATCH EXIST CURB

* FILL IN WHERE EXIST. RAMP WAS. SIZE WILL VARY. (SEE TYPICAL SHEET)

** VAR. HEIGHT CURB ALONG ROADSIDE MAY BE CONSTRUCTED MONOLITHIC OR SEPERATE DEPENDING ON CONST. OPERATIONS.

*** TRANSITION PANEL(S) TO BLEND CROSS SLOPE DISCREPENCY WARP RATE NOT TO EXCEED 0.5% PER FT

HANDRAIL 2' OFF E.O.P (SEE HANDRAIL STANDARDS)

CURB RAMP - IN EXISTING 9.5'+ WIDE SW

PAY LIMITS

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
-10'22.06-05'00'
02-26-2026 10:22:06
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED	2/6/2026
ROUTE	VAR
STATE	MO
DISTRICT	SW
SHEET NO.	2
COUNTY	HENRY
JOB NO.	JSR0338
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



△ MATCH EXIST CURB HEIGHT, OPTIONAL 1' TIE-IN TO EXIST CURB

* VAR. HEIGHT CURB ALONG ROADSIDE MAY BE CONST. MONOLITHIC OR SEP. DEPENDING ON CONST. OPERATIONS.

** NO UTILITY POLES ARE ALLOWED IN THE RAMP LIMITS, BUT ARE PERMITTED IN THE LANDING AND TRANSITION AREAS.

*** TYPE OF CURB WILL DEPEND ON FIELD CONDITIONS.

*** TRANSITION PANEL(S) TO BLEND CROSS SLOPE DISCREPENCY WARP RATE NOT TO EXCEED 0.5% PER FT

CURB RAMP

PAY LIMITS

WHEN RAMP AREA IS LONGER THAN 5'AND BETW. 5%-8.33% GRADE, IT IS CONSIDERED A CURB RAMP

NOT TO SCALE



△ MATCH EXIST CURB HEIGHT (1' TAPER FROM SIDEWALK UP TO EXIST CURB HEIGHT)

* VAR. HEIGHT CURB ALONG ROADSIDE MAY BE CONSTRUCTED MONOLITHIC OR SEPERATE DEPENDING ON CONST. OPERATIONS. DOWEL TO EXIST. GUTTER/PAVEMENT (NO DIRECT PAY).

** TRANSITION PANEL(S) TO BLEND CROSS SLOPE DISCREPENCY WARP RATE NOT TO EXCEED 0.5% PER FT

SIDEWALK

PAY LIMITS

WHEN RAMP AREA IS LESS THAN 5% GRADE, IT IS CONSIDERED SIDEWALK

NOT TO SCALE



OVER 3/4" REPLACE PANEL(S)

JOINT GRINDING

TRIP HAZARDS 622-99.03

NOT TO SCALE



SECTION A-A



SIDEWALK WITH CONCRETE SLOPE PROTECTION

PAY LIMITS

INTEGRAL CURB RADIUS



SECTION A-A
INTEGRAL CURB WITH RADIUS

NOT TO SCALE



SECTION A-A
S-CURB



SECTION A-A
INTEGRAL CURB





ADA LIBRARY TYPICAL

SIDEWALK & RAMP WITH CURB

PAY LIMITS

TYPICAL SHEET
SHEET 1 OF 8

REVISED: 2025-05-30

TYPE 1-A

LENGTH (LF)	8			12			16			REMARKS
WIDTH (LF)	4	5	6	4	5	6	4	5	6	
TRUNCATED DOMES SF	–	22.0	24.0	–	22.0	24.0	–	22.0	24.0	
CURB RAMP SY	–	10.9	13.1	–	13.6	16.3	–	16.2	19.3	
CONC. SIDEWALK SY	–	5.6	6.3	–	5.6	6.4	–	4.9	5.7	
TYPE 1 AGGREGATE SY	–	16.5	19.4	–	19.2	22.7	–	21.1	25.0	
ADA LINEAR GRADING LF	–	28.0	28.0	–	34.5	34.5	–	38.0	38.0	
SODDING SY	–	7.4	7.8	–	8.4	8.7	–	9.1	9.5	

TYPE 1-B

LENGTH (LF)	8			12			16			REMARKS
WIDTH (LF)	4	5	6	4	5	6	4	5	6	
TRUNCATED DOMES SF	–	10.0	12.0	–	10.0	12.0	–	10.0	12.0	
CURB RAMP SY	–	8.8	10.3	–	11.5	13.4	–	14.1	16.5	
CONC. SIDEWALK SY	–	5.6	6.4	–	5.6	6.4	–	4.9	5.7	
TYPE 1 AGGREGATE SY	–	14.4	16.7	–	17.1	19.8	–	19.0	22.1	
ADA LINEAR GRADING LF	–	22.0	22.0	–	26.5	26.5	–	30.0	30.0	
SODDING SY	–	11.5	11.7	–	13.5	13.5	–	15.0	15.2	

TYPE 1-C

LENGTH (LF)	8			12			16			REMARKS
WIDTH (LF)	4	5	6	4	5	6	4	5	6	
TRUNCATED DOMES SF	–	18.0	24.0	–	18.0	24.0	–	18.0	24.0	
CURB RAMP SY	–	18.6	22.8	–	24.0	29.0	–	29.3	35.3	
CONC. SIDEWALK SY	–	11.2	12.8	–	11.2	12.8	–	9.8	11.4	
TYPE 1 AGGREGATE SY	–	29.8	35.6	–	35.2	41.8	–	39.1	46.7	
ADA LINEAR GRADING LF	–	42.0	50.0	–	57.0	61.0	–	67.0	72.0	
SODDING SY	–	11.0	11.3	–	13.0	13.3	–	14.5	14.9	

TYPE 1-D

LENGTH (LF)	8			12			16			REMARKS
WIDTH (LF)	4	5	6	4	5	6	4	5	6	
TRUNCATED DOMES SF	–	18.0	24.0	–	18.0	24.0	–	18.0	24.0	
CURB RAMP SY	–	14.8	19.0	–	20.1	25.2	–	25.5	31.4	
CONC. SIDEWALK SY	–	11.2	12.8	–	11.2	12.8	–	9.8	11.4	
TYPE 1 AGGREGATE SY	–	26.0	31.8	–	31.3	38.0	–	35.3	42.8	
ADA LINEAR GRADING LF	–	43.0	46.0	–	52.0	55.0	–	59.0	62.0	
SODDING SY	–	13.3	13.6	–	16.0	16.9	–	18.6	19.3	

TYPE 1-E

LENGTH (LF)	8			12			16			REMARKS
WIDTH (LF)	4	5	6	4	5	6	4	5	6	
TRUNCATED DOMES SF	–	14.0	16.0	–	14.0	16.0	–	14.0	16.0	
CURB RAMP SY	–	15.5	19.0	–	20.8	25.2	–	26.2	31.4	
CONC. SIDEWALK SY	–	11.2	12.8	–	11.2	12.8	–	9.8	11.4	
TYPE 1 AGGREGATE SY	–	26.7	31.8	–	32.0	38.0	–	36.0	42.8	
ADA LINEAR GRADING LF	–	43.0	46.0	–	52.0	55.0	–	59.0	62.0	
SODDING SY	–	18.4	18.8	–	22.4	22.8	–	25.6	25.9	



ISOMETRIC VIEW
TYPE 1-A

T′- IS TO BE 8" THICK AT ALL PAVED APPROACHES AND STREETS IF WITHIN THE RADIUS. PAID FOR AS CONCRETE CURB RAMP

T - TRANSITION TO EXISTING SW OR PAVED APPROACH (LANDING PREFERED AT PAVED APPROACH IF CONDITIONS ALLOW)

* - T IS STILL NEEDED EVEN IF THE EXISTING SIDEWALK IS THE SAME WIDTH AS THE NEW SIDEWALK.(IT WILL BLEND THE EXIST XSLOPE INTO THE NEW LANDING XSLOPE)

L - LANDING

R - RAMP

- CURB RAMP PAY LIMITS

- SOD SLOPE 6:1 MIN.

- TRUNCATED DOME LOCATION IF DIST. IS <5′ OR >5′

TRUNCATED DOMES ARE USED ONLY AT STREETS & ENTRANCES UTILIZING YIELD / STOP SIGNS OR SIGNALS

NOTE:
QUANTITIES ARE CALCULATED BY AREA AND MAY NOT MATCH EXACT FIELD CONDITIONS.



TYPE 1-A



TYPE 1-B



TYPE 1-C



TYPE 1-D



TYPE 1-E

ADA LIBRARY TYPICAL

TYPE 1

PERPENDICULAR CURB RAMPS

TYPICAL SHEET 2 OF 8

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2026022606
Cameron Sooy
2026.02.26 10:22:06-06'00'
PROFESSIONAL ENGINEER

02-26-2026 SHEET 06
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	2

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

PARALLEL – TYPE 2

TYPE 2-A

LENGTH (LF)		8			12			16			REMARKS
WIDTH (LF)		4	5	6	4	5	6	4	5	6	
TRUNCATED DOMES	SF	–	10.0	10.0	–	10.0	10.0	–	10.0	10.0	
CURB RAMP	SY	–	9.1	10.6	–	11.8	13.7	–	14.4	16.8	
CONC. SIDEWALK	SY	–	5.6	6.4	–	4.9	5.7	–	4.9	5.7	
TYPE 1 AGGREGATE	SY	–	14.7	17.0	–	16.7	19.4	–	19.3	22.5	
ADA LINEAR GRADING	LF	–	26.0	26.0	–	29.0	29.0	–	33.0	33.0	
SODDING	SY	–	8.0	8.3	–	8.6	8.8	–	9.6	9.8	

TYPE 2-B

LENGTH (LF)		8			12			16			REMARKS
WIDTH (LF)		4	5	6	4	5	6	4	5	6	
TRUNCATED DOMES	SF	–	10.0	10.0	–	10.0	10.0	–	10.0	10.0	
CURB RAMP	SY	–	11.8	13.3	–	14.5	16.4	–	17.2	19.5	
CONC. SIDEWALK	SY	–	5.6	6.4	–	4.9	5.7	–	4.9	5.7	
TYPE 1 AGGREGATE	SY	–	17.4	19.7	–	19.4	22.1	–	22.1	25.2	
ADA LINEAR GRADING	LF	–	26.0	26.0	–	29.0	29.0	–	33.0	33.0	
SODDING	SY	–	13.8	14.1	–	15.1	15.5	–	17.1	17.5	

TYPE 2-C

LENGTH (LF)		8			12			16			REMARKS
WIDTH (LF)		4	5	6	4	5	6	4	5	6	
TRUNCATED DOMES	SF	–	10.0	10.0	–	10.0	10.0	–	10.0	10.0	
CURB RAMP	SY	–	16.4	18.7	–	21.7	24.9	–	27.0	31.2	
CONC. SIDEWALK	SY	–	11.2	12.8	–	9.8	11.4	–	9.8	11.4	
TYPE 1 AGGREGATE	SY	–	27.6	31.5	–	31.5	36.3	–	36.8	42.6	
ADA LINEAR GRADING	LF	–	41.0	41.0	–	47.0	47.0	–	55.0	55.0	
SODDING	SY	–	12.3	12.5	–	13.6	13.9	–	15.6	15.9	

TYPE 2-D

LENGTH (LF)		8			12			16			REMARKS
WIDTH (LF)		4	5	6	4	5	6	4	5	6	
TRUNCATED DOMES	SF	–	10.0	10.0	–	10.0	10.0	–	10.0	10.0	
CURB RAMP	SY	–	16.8	19.2	–	22.2	25.4	–	27.5	31.6	
CONC. SIDEWALK	SY	–	11.2	12.8	–	9.8	11.4	–	9.8	11.4	
TYPE 1 AGGREGATE	SY	–	28.0	32.0	–	32.0	36.8	–	37.3	43.0	
ADA LINEAR GRADING	LF	–	41.0	41.0	–	47.0	47.0	–	55.0	55.0	
SODDING	SY	–	20.2	20.3	–	22.4	23.2	–	26.4	27.2	

TYPE 2-E

LENGTH (LF)		8			12			16			REMARKS
WIDTH (LF)		4	5	6	4	5	6	4	5	6	
TRUNCATED DOMES	SF	–	10.0	10.0	–	10.0	10.0	–	10.0	10.0	
CURB RAMP	SY	–	10.8	11.5	–	13.2	14.4	–	15.7	17.3	
CONC. SIDEWALK	SY	–	5.6	6.7	–	5.0	6.0	–	5.0	6.0	
TYPE 1 AGGREGATE	SY	–	16.4	18.2	–	18.2	20.4	–	20.7	23.3	
ADA LINEAR GRADING	LF	–	22.5	22.5	–	26.5	26.5	–	30.5	30.5	
SODDING	SY	–	–	–	–	–	–	–	–	–	
HANDRAIL	LF	–	–	–	–	–	–	–	–	–	SEE STANDARDS FOR LENGTH

TYPE 2-F

LENGTH (LF)		8			12			16			REMARKS
WIDTH (LF)		4	5	6	4	5	6	4	5	6	
TRUNCATED DOMES	SF	–	10.0	10.0	–	10.0	10.0	–	10.0	10.0	
CURB RAMP	SY	–	15.5	17.1	–	20.4	23.1	–	25.5	28.9	
CONC. SIDEWALK	SY	–	11.2	13.4	–	10.0	12.0	–	10.0	12.0	
TYPE 1 AGGREGATE	SY	–	26.7	30.5	–	30.4	35.1	–	35.5	40.9	
ADA LINEAR GRADING	LF	–	39.0	39.0	–	47.0	47.0	–	55.0	55.0	
SODDING	SY	–	–	–	–	–	–	–	–	–	
HANDRAIL	LF	–	–	–	–	–	–	–	–	–	SEE STANDARDS FOR LENGTH

NOTE:
QUANTITIES ARE CALCULATED BY AREA AND MAY NOT MATCH EXACT FIELD CONDITIONS.



TYPE 2-A



TYPE 2-B

** 3.5' LANDING EXTENSION REQ'D. FOR INSTALLATION OF FUTURE OR NEW PED. PUSH BUTTON

NOTE: SEE STANDARDS FOR ALL PED. PUSH BUTTON LOCATIONS

– TRUNCATED DOME

TRUNCATED DOMES ARE USED ONLY AT STREETS & ENTRANCES UTILIZING YIELD / STOP SIGNS OR SIGNALS

T – TRANSITION TO EXISTING SW

* – T IS STILL NEEDED EVEN IF THE EXISTING SIDEWALK IS THE SAME WIDTH AS THE NEW SIDEWALK.(IT WILL BLEND THE EXIST XSLOPE INTO THE NEW LANDING XSLOPE)

L – LANDING

R – RAMP

– SOD SLOPE 6:1 MIN.

– CURB RAMP PAY LIMITS



ISOMETRIC VIEW
TYPE 2-C



TYPE 2-C



ISOMETRIC VIEW
TYPE 2-E



ISOMETRIC VIEW
TYPE 2-F



TYPE 2-D



TYPE 2-E

USE ONLY WHEN TYPE 2-F IS UNABLE TO BE CONSTRUCTED DUE TO AN EXIST. D.I. OR OTHER OBSTACLE

SEE STANDARDS FOR HANDRAIL SPECS



ADA LIBRARY TYPICAL

TYPE 2-F

SEE STANDARDS FOR HANDRAIL SPECS

REVISED: 2025-05-30

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2006012026
2026.02.26 10:22:07-06'00'
PROFESSIONAL ENGINEER

02-26-2026 SHEET 06
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	2

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

TYPE 2
PARALLEL
CURB RAMPS

TYPICAL SHEET
3 OF 8

REVISED: 2025-05-30

PARALLEL – TYPE 2 (cont'd.)

TYPE 2-G

LENGTH (LF)	8			12			16			REMARKS
WIDTH (LF)	4	5	6	4	5	6	4	5	6	
TRUNCATED DOMES SF	–	12.0	12.0	–	10.0	10.0	–	10.0	10.0	
CURB RAMP SY	–	15.7	18.0	–	20.8	23.7	–	25.8	30.2	
CONC. SIDEWALK SY	–	21.4	25.0	–	17.6	20.3	–	15.2	17.5	
TYPE 1 AGGREGATE SY	–	37.1	43.0	–	38.4	44.0	–	41.0	47.7	
ADA LINEAR GRADING LF	–	52.0	52.0	–	54.0	54.0	–	58.0	58.0	
SODDING SY	–	13.6	13.6	–	13.7	13.5	–	14.5	14.9	

TYPE 2-H

LENGTH (LF)	8			12			16			REMARKS
WIDTH (LF)	4	5	6	4	5	6	4	5	6	
TRUNCATED DOMES SF	–	12.0	12.0	–	10.0	10.0	–	10.0	10.0	
CURB RAMP SY	–	15.7	18.0	–	21.0	24.5	–	26.9	31.4	
CONC. SIDEWALK SY	–	13.2	16.0	–	12.0	14.2	–	12.0	14.4	
TYPE 1 AGGREGATE SY	–	28.9	34.0	–	33.0	38.6	–	38.9	45.8	
ADA LINEAR GRADING LF	–	42.0	42.0	–	49.0	49.0	–	55.0	55.0	
SODDING SY	–	11.1	11.2	–	12.5	12.5	–	14.5	14.9	

T* – IS STILL NEEDED EVEN IF THE EXISTING SIDEWALK IS THE SAME WIDTH AS THE NEW SIDEWALK.(IT WILL BLEND THE EXIST XSLOPE INTO THE NEW LANDING XSLOPE)

T – TRANSITION TO EXISTING SW

L – LANDING

R – RAMP

– SOD SLOPE 6:1 MIN.

– TRUNCATED DOME LOCATION, IF DIST. IS <5' OR > 5'

TRUNCATED DOMES ARE USED ONLY AT STREETS & ENTRANCES UTILIZING YIELD / STOP SIGNS OR SIGNALS

– CURB RAMP PAY LIMITS

– INCLUDED IN 4" CONC. SIDEWALK PAY LIMIT

NOTE:
QUANTITIES ARE CALCULATED BY AREA AND MAY NOT MATCH EXACT FIELD CONDITIONS.



ISOMETRIC VIEW
TYPE 2-G



ISOMETRIC VIEW
TYPE 2-H



TYPE 2-G



TYPE 2-H

ADA LIBRARY TYPICAL

TYPE 2

PARALLEL CURB RAMPS

TYPICAL SHEET 4 OF 8

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy 2026.02.26 10:22:07-06'00'
02-26-2026 SHEET 07
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	2

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

DIAGONAL – TYPE 3

TYPE 3-A

LENGTH (LF) / WIDTH (LF)	8			12			16			REMARKS
	4	5	6	4	5	6	4	5	6	
TRUNCATED DOMES SF	–	24.0	28.0	–	20.6	25.0	–	20.6	25.0	
CURB RAMP SY	–	24.4	27.0	–	26.9	31.2	–	32.2	37.4	
CONC. SIDEWALK SY	–	11.2	12.8	–	9.8	11.4	–	9.8	11.4	
TYPE 1 AGGREGATE SY	–	35.6	39.8	–	36.7	42.6	–	42.0	48.8	
ADA LINEAR GRADING LF	–	51.0	51.0	–	59.0	59.0	–	67.0	67.0	
SODDING SY	–	11.6	11.4	–	12.9	12.9	–	14.9	14.9	
4"SW OR MED STRIP SY	–	3.0	2.2	–	3.0	2.2	–	3.0	2.2	

TYPE 3-B

LENGTH (LF) / WIDTH (LF)	8			12			16			REMARKS
	4	5	6	4	5	6	4	5	6	
TRUNCATED DOMES SF	–	24.0	28.0	–	20.6	25.0	–	20.6	25.0	
CURB RAMP SY	–	22.0	26.3	–	25.9	31.2	–	31.2	37.4	
CONC. SIDEWALK SY	–	11.2	12.8	–	9.8	11.4	–	9.8	11.4	
TYPE 1 AGGREGATE SY	–	33.2	39.1	–	35.7	42.6	–	41.0	48.8	
ADA LINEAR GRADING LF	–	51.0	51.0	–	59.0	59.0	–	67.0	67.0	
SODDING SY	–	15.2	15.3	–	17.1	17.5	–	20.1	20.5	
4"SW OR MED STRIP SY	–	1.5	1.5	–	1.5	1.5	–	1.5	1.5	

TYPE 3-C

LENGTH (LF) / WIDTH (LF)	8			12			16			REMARKS
	4	5	6	4	5	6	4	5	6	
TRUNCATED DOMES SF	–	20.0	24.0	–	20.0	24.0	–	20.0	24.0	
CURB RAMP SY	–	20.7	26.8	–	25.1	31.5	–	30.4	37.7	
CONC. SIDEWALK SY	–	11.2	12.8	–	9.8	11.4	–	9.8	11.4	
TYPE 1 AGGREGATE SY	–	31.9	39.6	–	34.9	42.9	–	40.2	49.1	
ADA LINEAR GRADING LF	–	51.0	51.0	–	58.0	58.0	–	67.0	67.0	
SODDING SY	–	18.8	19.3	–	21.3	22.1	–	25.3	26.1	
4"SW OR MED STRIP SY	–	1.0	1.6	–	1.0	1.6	–	1.0	1.6	

TYPE 3-D

LENGTH (LF) / WIDTH (LF)	8			12			16			REMARKS
	4	5	6	4	5	6	4	5	6	
TRUNCATED DOMES SF	–	24.0	28.0	–	22.4	26.5	–	22.4	26.5	
CURB RAMP SY	–	15.9	19.1	–	17.7	21.4	–	20.4	24.5	
CONC. SIDEWALK SY	–	5.6	6.4	–	4.9	5.7	–	4.9	5.7	
TYPE 1 AGGREGATE SY	–	21.5	25.5	–	22.6	27.1	–	25.3	30.2	
ADA LINEAR GRADING LF	–	31.0	31.0	–	34.0	34.0	–	38.0	38.0	
SODDING SY	–	12.6	12.9	–	13.5	14.0	–	15.5	16.0	
4"SW OR MED STRIP SY	–	1.0	0.8	–	1.0	0.8	–	1.0	0.8	

TYPE 3-E

LENGTH (LF) / WIDTH (LF)	8			12			16			REMARKS
	4	5	6	4	5	6	4	5	6	
TRUNCATED DOMES SF	–	20.0	24.0	–	20.0	24.0	–	20.0	24.0	
CURB RAMP SY	–	17.2	19.8	–	17.7	21.4	–	20.4	24.5	
CONC. SIDEWALK SY	–	8.4	10.7	–	7.3	9.4	–	7.3	9.4	
TYPE 1 AGGREGATE SY	–	25.6	30.5	–	25.0	30.8	–	27.7	33.9	
ADA LINEAR GRADING LF	–	30.0	30.0	–	35.5	35.5	–	39.5	39.5	
SODDING SY	–	12.4	12.4	–	12.9	13.3	–	14.9	15.3	
4"SW OR MED STRIP SY	–	1.6	1.6	–	1.6	1.6	–	1.6	1.6	

– DETAIL – 4" SIDEWALK OR 4" MEDIAN STRIP



T′- IS TO BE 8" THICK AT ALL PAVED APPROACHES AND STREETS IF WITHIN THE RADIUS. PAID FOR AS CONCRETE CURB RAMP

NOTE:
QUANTITIES ARE CALCULATED BY AREA AND MAY NOT MATCH EXACT FIELD CONDITIONS.



TYPE 3-A

T – TRANSITION TO EXISTING SW OR PAVED APPROACH (LANDING PREFERED IF CONDITIONS ALLOW)

T* – IS STILL NEEDED EVEN IF THE EXISTING SIDEWALK IS THE SAME WIDTH AS THE NEW SIDEWALK.(IT WILL BLEND THE EXIST XSLOPE WITH THE NEW LANDING XSLOPE)

L – LANDING

R – RAMP

– CURB RAMP PAY LIMITS

– SOD SLOPE 6:1 MIN.

– TRUNCATED DOME LOCATION, IF DIST. IS <5′ OR >5′

TRUNCATED DOMES ARE USED ONLY AT STREETS & ENTRANCES UTILIZING YIELD / STOP SIGNS OR SIGNALS



TYPE 3-B



TYPE 3-C

* – FULL CURB HEIGHT



ISOMETRIC VIEW
TYPE 3-D



TYPE 3-D



TYPE 3-E

ADA LIBRARY TYPICAL

TYPE 3
DIAGONAL CURB RAMPS

TYPICAL SHEET 5 OF 8

REVISED: 2025-06-09

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
02-20-2026 10:22:07
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	2

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

REVISED: 2022-05-16

NOTES FOR MODIFIED SIDEWALK:

1. REMOVE EXIST. CURB & RAISED ISLAND WITHIN LIMITS SHOWN.
2. AREA INSIDE FINAL CURB TO BE REPAIRED OR REPLACED WITH EXISTING SURFACE MATERIAL. GRADE TO DRAIN.
3. CONSTRUCT 8" THICK CONC. SIDEWALK FLUSH WITH EXIST. CONC. PAVED APPROACH.
4. CONSTRUCT CURB ADJACENT TO MODIFIED SIDEWALK.
5. MODIFIED SIDEWALK PAID FOR AS 8" SIDEWALK.
6. 6' MINIMUM WIDTH.
7. NO DIRECT PAY FOR SAW CUTS AND TIE BARS (ON 12" CENTERS MAX.)
8. TRUNCATED DOMES ARE USED ONLY AT STREETS & ENTRANCES UTILIZING STOP SIGNS OR SIGNALS.
9. X-SLOPE 1% PREFERRED (2% MAX.)
10. USE S-CURB IF CONSTRUCTING CURB ON R/W LINE.

✱ INTEGRAL CURB IS PAID FOR WITH THE 8" CONC. SIDEWALK PAY ITEM.
INTEGRAL CURB IS PAID AS 1' ADDITIONAL SIDEWALK WIDTH (EX. 6'SIDEWALK PAID AS 7')
(0.11 SY/LF OF CURB)

SECTION A-A
WITH S-CURB OR MODIFIED S-CURB



SECTION A-A
WITH INTEGRAL CURB



NOT TO SCALE

TYPICAL MODIFIED SIDEWALK
8" THICK

✱✱ TRUNCATED DOMES ARE USED ONLY AT STREETS & ENTRANCES UTILIZING STOP/YIELD SIGNS OR SIGNALS.



NOTES FOR CUT-THRU SIDEWALK:

1. REMOVE EXIST. CURB & RAISED ISLAND WITHIN LIMITS SHOWN.
2. AREA INSIDE FINAL CURB TO BE REPAIRED OR REPLACED WITH EXISTING SURFACE MATERIAL. GRADE TO DRAIN.
3. CONSTRUCT 4" THICK CONC. SIDEWALK FLUSH WITH EXIST. CONC. PAVED APPROACH.
4. CONSTRUCT CURB ON BOTH SIDES ADJACENT TO SIDEWALK.
5. CUT-THRU SIDEWALK PAID FOR AS 4" SIDEWALK.
6. 6' PREFERRED WIDTH (5' MIN.)
7. SAW CUTS (NO DIRECT PAY).
8. TRUNCATED DOMES ARE USED ONLY AT STREETS & ENTRANCES UTILIZING STOP SIGNS OR SIGNALS.
9. X-SLOPE 1% PREFERRED (2% MAX.)
10. USE S-CURB IF CONSTRUCTING CURB ON R/W LINE.

TYPICAL CUT-THRU SIDEWALK

✱ INTEGRAL CURB IS PAID FOR AS 4" CONC. SIDEWALK PAY ITEM. S-CURB IS PAID FOR AS ITS OWN PAY ITEM.
(ALWAYS USE S-CURB IF AT R/W LINE.)
INTEGRAL CURB IS PAID AS 1' ADDITIONAL SIDEWALK WIDTH (EX. 6'SIDEWALK PAID AS 7')
(0.11 SY/LF OF CURB)



SECTION C-C
WITH S-CURB OR INTEGRAL



NOT TO SCALE

NOT TO SCALE

TYPICAL ISLAND CUT-THRU SIDEWALK
X-SLOPE 2% MAX. CONSTRUCT TO DRAIN



SECTION B-B
ISLAND CUT-THRU SIDEWALK FOR EXISTING 'PINNED-ON' ISLAND



■ SMALL QTY. HAS BEEN INCLUDED FOR 8" THICK SIDEWALK TO ADDRESS ANY UNFORSEEN PVMNT. REPAIRS OR DIFFERENCES IN ELEVATION. (UNDERRUN IF FIELD CONDITIONS DO NOT WARRANT)

✱✱ NO INTEGRAL CURB, AGGR. OR LIN. GRADING REQUIRED IF THE ISLAND IS 'PINNED-ON'

SECTION B-B
ISLAND CUT-THRU SIDEWALK



✱ INTEGRAL CURB IS PAID FOR WITH THE 4" CONC. SIDEWALK PAY ITEM.
INTEGRAL CURB IS PAID AS 1' ADDITIONAL SIDEWALK WIDTH (EX. 6'SIDEWALK PAID AS 7')
(0.11 SY/LF OF CURB)

ADA LIBRARY TYPICAL

MODIFIED SIDEWALK AND SIDEWALK CUT-THRUs

TYPICAL SHEET 6 OF 8

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy 2026.02.26 10:22:07-06'00'
02-26-2026 10:22:07
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED: 2/6/2026
ROUTE: VAR | STATE: MO
DISTRICT: SW | SHEET NO.: 2
COUNTY: HENRY
JOB NO.: JSR0338
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

REVISED: 2024-01-18

NOTES:

1. PASSING AREA REQUIRED EVERY 200' ON SIDEWALK THAT IS LESS THAN 5' WIDE.
2. * CURB MAY OR MAY NOT BE NEEDED DEPENDING ON FIELD CONDITIONS. IF CURB IS NEEDED, THE CURB HEIGHT WILL VARY DEPENDING ON FIELD CONDITIONS. (INTEGRAL CURB, S-CURB OR MOD. S-CURB).
3. S-CURB OVER 12" TALL IS PAID FOR AS 'MODIFIED S-CURB' AND REQUIRES REINFORCEMENT (NO DIRECT PAY). SEE DETAIL THIS SHEET.
4. ** INTEGRAL CURB IS PAID FOR IN THE 4" CONC. SIDEWALK PAY ITEM. PAID AS 1' ADDITIONAL SIDEWALK WIDTH. (EX. 6' SW PAID AS 7') (0.11 SY/LF OF CURB)



5'X5' PASSING AREA

NOT TO SCALE

QUANTITIES FOR PASSING AREAS				
EXISTING SW WIDTH			4'	4.5'
4" CONC. SIDEWALK (TAPER)		SY	1.3	0.7
TYPE 1 AGGREGATE		SY	1.3	0.7
4" CONC. SIDEWALK		SY	10.4	11.7
TYPE 1 AGGREGATE		SY	10.4	11.7
INTEGRAL CURB	**	SY	2.0	2.0
TYPE 1 AGGREGATE		SY	1.0	1.0
S-CURB		LF	17.2	16.0
MODIFIFED S-CURB		LF	17.2	16.0
SODDING		SY	53.0	53.0
LINEAR GRADING		LF	25.0	25.0



BUS STOP WITH BENCH



NOTES:

* 1. THE REPOSITIONED BENCH SHALL NOT BE PLACED ON THE 5'X8' BUS STOP BOARDING AREA. PLACE THE BACK OF THE BENCH AT THE BACK EDGE OF THE CONC. PAD TO PROVIDE MAX.CLEARANCE.

** 2. CURB USAGE DEPENDS ON FIELD CONDITIONS. IF CURB IS NEEDED DUE TO CUT, THE CURB HEIGHT WILL VARY DEPENDING ON FIELD CONDITIONS. (INTEGRAL CURB, S-CURB OR MOD. S-CURB).

3. S-CURB OVER 12" TALL IS PAID FOR AS 'MODIFIED S-CURB' AND REQUIRES REINFORCEMENT (NO DIRECT PAY). SEE DETAIL THIS SHEET.

*** 4. INTEGRAL CURB IS PAID FOR IN THE 4" CONC. SIDEWALK PAY ITEM.
INTEGRAL CURB PAID AS 1' ADDITIONAL SIDEWALK WIDTH.
(EX. 6'SW PAID AS 7') (0.11 SY/LF OF CURB)

BUS STOP WITHOUT BENCH





QUANTITIES FOR BUS STOPS WITH BENCH					
EXISTING SW WIDTH			4'	5'	6'	7'
4" CONC. SIDEWALK (TAPER)		SY	9.3	5.8	3.9	1.9
TYPE 1 AGGREGATE		SY	9.3	5.8	3.9	1.9
4" CONC. SIDEWALK		SY	16.5	20.4	24.3	28.2
TYPE 1 AGGREGATE		SY	16.5	20.4	24.3	28.2
INTEGRAL CURB	***	SY	5.4	3.4	3.2	2.9
TYPE 1 AGGREGATE		SY	2.7	1.7	1.6	1.5
S-CURB		LF	43.5	27.0	25.0	23.0
MODIFIFED S-CURB		LF	43.5	27.0	25.0	23.0
SODDING		SY	10.6	10.4	9.8	9.4
LINEAR GRADING		LF	37.0	37.0	37.0	37.0

NOT TO SCALE



QUANTITIES FOR BUS STOPS – NO BENCH					
EXISTING SW WIDTH			4'	5'	6'	7'
4" CONC. SIDEWALK (TAPER)		SY	3.9	1.8	1.3	0.7
TYPE 1 AGGREGATE		SY	3.9	1.8	1.3	0.7
4" CONC. SIDEWALK		SY	10.4	12.9	15.5	18.0
TYPE 1 AGGREGATE		SY	10.4	12.9	15.5	18.0
INTEGRAL CURB	***	SY	3.8	2.0	1.8	1.6
TYPE 1 AGGREGATE		SY	1.9	1.0	0.9	0.8
S-CURB		LF	31.0	15.0	13.0	11.0
MODIFIFED S-CURB		LF	31.0	15.0	13.0	11.0
SODDING		SY	7.6	7.4	6.8	6.4
LINEAR GRADING		LF	25.0	25.0	25.0	25.0

ADA LIBRARY TYPICAL

PASSING AREAS AND BUS STOPS

TYPICAL SHEET 7 OF 8

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:07-06'00'
02-26-2026 10:22:07
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	2

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

CREATED: 2023-11-16
REVISED: 2024-02-13

✳ ROUND TO 3/4" RADIUS
✳✳ ROUND TO 1/4" RADIUS
H = 2'-6" MAX. (30")
D = BURY DEPTH (FORMING NOT REQUIRED)
THIS SHALL BE 18 INCHES OR "H" WHICHEVER IS GREATER.
VERTICAL REINFORCING LENGTHS VARY AS NEEDED.
DEPTH MAY BE REDUCED IF KEYED 6" IN ROCK

MODIFIED S-CURB
> 12" TALL (2'-6" MAX.)





NOT TO SCALE



MODIFIED S-CURB
> 12" TALL (3'-0" MAX.)
POURED CONCRETE SIDEWALK WALL

NOT TO SCALE

ADA LIBRARY TYPICAL

MODIFIED S-CURB

TYPICAL SHEET
8 OF 8

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:07-06'00'
02-26-2026 10:22:07
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	2

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

REMOVAL OF IMPROVEMENTS

STA. OR LOG MI	ROUTE	OFFSET	UNITS	TOTAL	REMARKS
MONTROSE					
43.9925	RTE. 52	15.13' RT.	EA	1	REMOVE EXIST. SCHOOL X-ING SIGN
17.2159	RTE. K	16.77' RT.	EA	1	REMOVE EXIST. SCHOOL X-ING SIGN
44.2511	RTE. 52	16.00' RT.	EA	1	REMOVE EXIST. SCHOOL X-ING SIGN
44.2534	RTE. 52	15.60' LT.	EA	1	REMOVE EXIST. SCHOOL X-ING SIGN
44.3713	RTE. 52	20.00' LT.	EA	1	REMOVE EXIST. SCHOOL X-ING SIGN
CLINTON					
18+64.07	RTE. 18	24.94' RT.	EA	1	REMOVE EXIST. SCHOOL X-ING SIGN
18+81.56	RTE. 18	24.89' LT.	EA	1	REMOVE EXIST. SCHOOL X-ING SIGN
80+83.38	BUS. 13	20.58' RT.	SY	3	REMOVE 5x5 SIDEWALK PIECE BETWEEN EOP AND SIDEWALK
1 LUMP SUM					

PAVEMENT MARKING

SHEET	ROUTE	CENTER STATION/LOG MI	PREFORMED THERMOPLASTIC PAVEMENT MARKING 24" WHITE LF	REMARKS
WINDSOR				
4	RTE. WW	52+93.1	36.0	SCHOOL CROSSING S/O INDUSTRIAL DR
5	RTE. WW	58+25.7	36.0	SCHOOL CROSSING N/O WALLACE AVE
6	RTE. 52	665+69.32	48.0	E/W CROSSWALK, RTE.WW/RTE.2 INTERSECTION
8	RTE. 52	35+74.76	78.0	N/S CROSSWALK, E/O RTE. 2/RTE. 52 INTERSECTION
8	RTE. 52	36+18.56	78.0	E/W CROSSWALK, N/O OF RTE. 2/RTE. 52 INTERSECTION
8	RTE. 52	36+17.93	78.0	E/W CROSSWALK, S/O RTE. 2/RTE. 52 INTERSECTION
8	RTE. 52	36+56.47	78.0	N/S CROSSWALK, W/O RTE. 2/RTE. 52 INTERSECTION
9	RTE. 52	43+55.56	36.0	E/O COLT ST
10	RTE. 52	48+15.25	42.0	W/O CENTER ST/PHELPS ST
11	RTE. 52	51+52.49	58.0	E/O GRANT ST, WINDSOR ELEMENTARY
13	RTE. 52	60+99.60	30.0	W/O JEFFERSON ST
		SUBTOTAL	598.0	
MONTROSE				
17	RTE. 52	44.253	40.0	8'W BLOCKS AT NON-INTERSECTION (SPEED LIMIT 40)
		SUBTOTAL	40.0	
CLINTON				
22	RTE. 18	217+70.71	42.0	W/O ORCHARD ST
23	RTE. 18	227+03.69	42.0	W/O WASHINGTON ST
23	RTE. 18	227+56.24	48.0	E/O WASHINGTON ST
24	RTE. 18	2+63.00	42.0	W/O MAIN ST
24	RTE. 18	3+20.24	42.0	E/O MAIN ST
25	RTE. 18	8+74.34	49.7	W/O 2ND ST
25	RTE. 18	9+04.42	55.4	N 2ND ST
25	RTE. 18	9+05.86	58.6	S 2ND ST
25	RTE. 18	0+31.00	60.0	E/O 2ND ST
26	RTE. 18	4+50.56	54.0	W/O 3RD ST
26	RTE. 18	5+06.37	54.0	E/O 3RD ST
30	RTE. 18	18+74.48	54.0	W/O 6TH ST
32	RTE. 18	26+70.75	54.0	W/O PEYTON ST
33	RTE. 18	31+34.43	60.0	W/O 8TH ST
		SUBTOTAL	715.7	
		TOTAL	1353.7	
		USE	1354	

CULVERT (EXTENSION)

SHEET	CENTER STA.	OFFSET FT	LOCATION RT/LT	15" GROUP B FES EACH	15" GROUP B PIPE LF	PIPE COLLAR TYPE A EACH	ROCK LINING CY	REMARKS
WINDSOR - ROUTE 2								
7	675+25.77	-37.44	LT	1	4.0	1	2.0	PIPE EXTENSION E/O N FRANKLIN ST
			TOTALS	1	4.0	1	2.0	
			USE	1	4	1	2	

PAVEMENT MARKING REMOVAL

SHEET	(CENTER) STATION OR LOG MILE	PAVEMENT MARKING REMOVAL LF	REMARKS
WINDSOR - ROUTE 52			
8	36+19.83	560.0	ROUTE 2/52 6" WHITE CROSSWALKS (x4)
10	47+66.14	16.0	STOP BAR E/O PHELPS/CENTER ST
10	48+27.72	16.0	STOP BAR W/O PHELPS/CENTER ST
10	48+15.25	72.0	6" WHITE CROSSWALK - CENTER/PHELPS ST
11	51+45.55	16.0	STOP BAR E/O GRANT ST
11	52+15.88	16.0	STOP BAR W/O GRANT ST
11	51+52.49	70.0	6" WHITE CROSSWALK - WINDSOR ELEMENTARY
	SUBTOTAL	766.0	
MONTROSE - ROUTE 52			
17	44.253	40.0	5'x8' MIDBLOCKS @ MONTROSE ELEMENTARY
	SUBTOTAL	40.0	
CLINTON - ROUTE 18			
25	9+08.50	200.0	ROUTE 18/2ND ST 6" WHITE CROSSWALKS (x4)
30	18+66.08	14.0	STOP BAR W/O 6TH ST
30	19+40.57	11.0	STOP BAR E/O 6TH ST
30	18+83.00	94.0	6" CROSSWALK - 6TH ST
	SUBTOTAL	319.0	
	TOTAL	1125.0	
	USE	1125	

SIDEWALK MANICURE

SHEET	STA.	STA.	LOCATION RT/LT	SIDEWALK MANICURE LF	REMARKS
WINDSOR - ROUTE 52					
10	48+16.18	48+21.18	LT	15.0	EXIST. CURB RAMP W/O PHELPS ST
			SUBTOTAL	15.0	
CLINTON - ROUTE 18					
20	208+85.24	209+86.38	RT	101.1	W/O MCLANE ST
26-32	3+41.94	26+93.54	RT	2351.6	W/O 3RD ST TO W/O PEYTON ST
22	216+76.05	217+76.05	LT	100.0	W/O ORCHARD ST
25-27	0+56.13	6+94.07	LT	637.9	E/O 2ND ST TO E/O 3RD ST
28-30	12+73.86	18+62.28	LT	588.4	E/O 5TH ST TO W/O 6TH ST
32-33	27+83.51	32+50.36	LT	466.9	E/O PEYTON ST TO E/O 8TH ST
			SUBTOTAL	4245.9	
			TOTAL	4260.9	
			USE	4261	

CULVERT CLEANOUT

SHEET	STA.	LOCATION RT/LT	CULVERT CLEANOUT EACH	REMARKS
CLINTON - ROUTE 18				
20	209+90.00	RT	1	W/O MCLANE ST
		TOTAL	1	
		USE	1	

CONTRACTOR FURNISHED SURVEYING & STAKING
1 LUMP SUM

MOBILIZATION
1 LUMP SUM

SUMMARY OF QUANTITIES
SHEET 1 OF 5

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:07-06'00'
02-26-2026 SHEET
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/10/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	3

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

PAVED APPROACHES

SHEET	CENTER STATION	LOCATION	8" PAVED APPROACH SY	TYPE 1 AGGREGATE FOR BASE 4" THICK SY	ADA LINEAR GRADING LF	REMARKS
WINDSOR - ROUTE 2						
6	666+00.13	13.6' LT.	395.2	395.2	118.2	ROUTE WW RADIUS (ENTRANCE 1)
		SUBTOTALS	395.2	395.2	118.2	
CLINTON - ROUTE 18						
20	208+74.39	13.6' RT	48.4	48.4	41.7	W/O MCLANE ST (ENTRANCE 2)
21	215+62.79	18.4' RT	62.7	62.7	64.8	E/O CARTER STREET, W/O ORCHARD ST (ENTRANCE 3)
21	216+26.59	18.0' RT	62.0	62.0	46.6	E/O CARTER STREET, W/O ORCHARD ST (ENTRANCE 4)
26	5+89.48	19.3' RT	7.5	7.5	4.8	REMOVE GRASS AREA BETWEEN DRIVEWAYS (ENTRANCE 5)
29	16+85.24	19.7' RT	10.1	10.1	12.8	REMOVE GRASS AREA BETWEEN DRIVEWAYS (ENTRANCE 6)
30	18+95.32	19.1' RT	68.3	68.3	59.8	S 6TH ST (ENTRANCE 7)
30	19+12.84	19.3' LT	70.9	70.9	65.0	N 6TH ST (ENTRANCE 8)
		SUBTOTALS	329.9	329.9	295.5	
		TOTALS	725.1	725.1	413.7	
		USE	725.1	SEE ADA QTY TABLE	SEE ADA QTY TABLE	

CURB AND GUTTER

SHEET	ROUTE	STATION	TO	STATION	LOCATION	CURB AND GUTTER TYPE B LF	TYPE 1 AGGREGATE FOR BASE 4" THICK SY	REMARKS
WINDSOR								
4	RTE. WW	52+76.98	-	53+03.40	RT	33.48	14.88	S/O INDUSTRIAL DR
5	RTE. WW	58+11.85	-	58+33.70	RT	31.72	14.10	N/O WALLACE AVE
					SUBTOTALS	65.20	28.98	
CLINTON								
21	RTE. 18	215+83.83	-	216+05.52	RT	21.7	9.6	IN BETWEEN TWO PAVED APPROACHES E OF CARTER ST
25	BUS. 13	80+58.49	-	81+23.36	RT	64.9	28.8	SW BUS. 13/2ND ST
25	RTE. 18	0+19.81	-	0+40.10	RT	28.7	12.8	SE QUAD RTE 18 & 2ND ST
					SUBTOTALS	115.3	51.2	
					TOTALS	180.5	80.2	
					USE	181	SEE ADA QTY TABLE	

SIDEWALK JOINT GRINDING

SHEET	STA.	LOCATION RT/LT	SIDEWALK JOINT GRINDING LF	REMARKS
CLINTON - ROUTE 18				
28	15+18.49	RT	5.0	E/O DRIVEWAY - HOUSE #510
31	22+12.82	RT	5.0	W/O CEML LAW OFFICE ENTRANCE
31	22+70.15	RT	5.0	E/O CEML LAW OFFICE ENTRANCE
27	7+20.57	LT	5.0	E/O HOUSE #305, BEHIND STORM DRAIN
27	7+40.57	LT	5.0	
27	9+07.67	LT	5.0	W/O STAIRS, HOUSE #313
28	15+22.89	LT	5.0	JUST E/O 2ND DRIVEWAY E/O 5TH ST
29	15+94.98	LT	5.0	W/O STAIRS, HOUSE #511
31	21+28.84	LT	5.0	W/O EQUITY BANK
		TOTAL	45.0	
		USE	45	

4 IN. CONCRETE MEDIAN (RAISED ISLAND)

SHEET	ROUTE	LT/RT LOCATION	STA.	STA.	4 IN. CONCRETE. MEDIAN SY	REMARKS
WINDSOR						
4	RTE. WW	RT	52+83.05	52+87.74	0.88	BETWEEN C&G AND SIDEWALK S/O INDUSTRIAL DR
				SUBTOTAL	0.88	
CLINTON						
30	RTE. 18	LT	18+86.17	18+91.30	1.01	CURB RAMP W/O 6TH ST
				SUBTOTAL	1.01	
				TOTAL	1.89	
				USE	1.9	

MODIFIED TYPE A GUTTER, STEEL PLATE, AND TUBULAR MARKERS

SHEET	STA.	STA.	LOCATION RT/LT	MODIFIED TYPE A GUTTER LF	STEEL PLATE SF	TUBULAR MARKER EACH	REMARKS
WINDSOR - ROUTE 52							
9	43+68.03	43+77.03	LT	9.0	18.0	2.0	BULB-OUT E OF COLT ST (NORTH SIDE OF RTE. 52)
9	43+68.03	43+77.03	RT	9.0	18.0	2.0	BULB-OUT E OF COLT ST (SOUTH SIDE OF RTE. 52)
			TOTAL	18.0	36.0	4.0	
			USE	18	36	4	

SUMMARY OF QUANTITIES
SHEET 2 OF 5

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
Cameron Sooy
2026.02.26 10:22:08-06'00'
PROFESSIONAL ENGINEER

02-26-2026 10:22:07
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/10/2026

ROUTE	STATE
VAR	MO

DISTRICT	SHEET NO.
SW	3

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

EROSION CONTROL

STATION OR LOG MI	STATION OR LOG MI	ROUTE	SILT FENCE LOCATION	LENGTH	# OF DITCH CHECKS EACH STRUCTURE (EA)	SILT FENCE (LF)	ALTERNATE DITCH CHECK (LF)	CURB INLET CHECK (EA)	SEDIMENT REMOVAL (CY)	REMARKS
WINDSOR										
52+81.85	52+97.88	WW	LT	16.03	2	46.0	20		2.5	S/O INDUSTRIAL ST
665+31.08	666+19.11	2	LT	88.03	2	66.4	20		2.7	ROUTE WW/ROUTE 2
675+19.08	675+24.09	2	LT	5.01	1	30.0	10		1.3	FRANKLIN ST
43+37.93	43+84.94	52	LT	47.01		78.7			0.8	COLT ST
43+47.84	43+55.91	52	RT	8.07		11.1			0.1	COLT ST
48+16.18	48+21.18	52	LT	5.00		30.0			0.3	CENTER/PHELPS ST
60+97.20	61+05.15	52	LT	7.95		26.0			0.3	JEFFERSON ST
68+53.53	68+76.84	52	RT	23.31		46.6			0.5	INDIANA ST/ROUTE Y
					SUBTOTALS	334.8	50		8.5	
MONTROSE										
44.253	44.253	52	LT	0.00		16.0			0.2	
					SUBTOTALS	16.0			0.2	
CLINTON										
208+56.40	209+40.43	18	RT	84.03	1	61.5	10		1.6	W/O MCLANE ST
215+40.76	216+52.11	18	RT	111.35		22.0			0.2	PAVED APPROACHES E/O CARTER ST
8+58.83	8+78.72	18	RT	19.89		44.0		1	1.4	RTE 18/2ND ST SW QUAD
0+28.67	0+61.62	18	RT	32.95		61.5		1	1.6	RTE 18/2ND ST SE QUAD
3+63.68	3+83.69	18	RT	20.01		40.0			0.4	W/O 3RD ST
8+03.14	8+28.14	18	RT	25.00		46.0			0.5	W/O 5TH ST
8+41.82	8+51.82	18	RT	10.00		20.0			0.2	W/O 5TH ST
9+29.02	9+39.02	18	RT	10.00		20.0			0.2	W/O 5TH ST
13+96.36	14+21.36	18	RT	25.00		50.0			0.5	E/O 5TH ST
18+64.00	19+28.96	18	RT	64.96		25.0		1	1.3	6TH ST - PAVED APPROACH
19+70.89	20+79.82	18	RT	108.93		148.3		1	2.5	E/O 6TH ST
21+07.95	21+35.99	18	RT	28.04		56.1			0.6	E/O 6TH ST
23+81.63	23+96.63	18	RT	15.00		30.0			0.3	S/O 7TH ST
8+58.66	8+84.74	18	LT	26.08		44.4		1	1.4	RTE 18/2ND ST NW QUAD
0+29.01	0+56.13	18	LT	27.12		55.5		1	1.6	RTE 18/2ND ST NE QUAD
8+61.66	8+71.66	18	LT	10.00		20.0			0.2	E/O 3RD ST
16+27.29	16+72.59	18	LT	45.30		90.6			0.9	E/O 5TH ST
18+62.28	19+52.83	18	LT	90.55		75.9		1	1.8	N 6TH ST
					SUBTOTALS	910.8	10	7	17.2	
					TOTALS	1261.6	60	7	25.9	
					USE	1262	60	7	26	

RELOCATE EXISTING SIGNS

SHEET	STA. (EXIST. SIGN)	LOCATION	RELOCATED SIGNS EA	REMARKS
WINDSOR - ROUTE 52				
5	58+26.23	RTE. WW RT	1	RELOCATE STREET SIGN (WALLACE/NORTH) TO ACCOMMODATE NEW SIDEWALK
9	43+83.41	RTE. 52 RT	1	RELOCATE STOP SIGN AS NEEDED TO ACCOMMODATE NEW SIDEWALK
		SUBTOTAL	2	
CLINTON				
30	18+94.81	RTE. 18 LT	1	RELOCATE STOP SIGN NE AS NEEDED TO ACCOMMODATE NEW SIDEWALK
32	26+66.75	RTE. 18 LT	1	RELOCATE SPEED LIMIT (35 MPH) APPROX. 100' TO THE WEST
		SUBTOTAL	2	SEE SW JSP - RELOCATE EXISTING SIGN
		USE	4	

SUMMARY OF QUANTITIES
SHEET 3 OF 5

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26 10:22:08-06'00'
02/26/2026
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	3

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

TRUNCATED DOMES, CURB RAMP, SIDEWALK, TYPE 1 AGGREGATE, ADA LINEAR GRADING, TURF TYPE TALL FESCUE SODDING, CURBS

SHEET	STATION OR LOG MI	STATION OR LOG MI	LOCATION	LT RT	TRUNC. DOMES	CURB RAMP				SIDEWALK					4" TYPE 1 AGGR.	ADA LINEAR GRADING	SOD	S-CURB		REMARKS
										S.W. WIDTH	* PAY WIDTH	4" SDWLK.	8" SDWLK.	INTEGRAL CURB				LESS/EQ 6" (1"-6")	OVER 6" (6"-12")	
					SF	LENGTH	WIDTH	TYPE	SY	LF	LF	SY	SY	* LF	SY	LF	SY	LF	LF	
WINDSOR																				
4	52+81.85	52+97.88	RTE. WW	LT	10.0					5	5	10.2	2.8		25.0	23.3	7.8		36.6	SIDEWALK E/O INDUSTRIAL DR
6	665+31.08	665+43.08	RTE. 2	LT	10.0					5	5	2.5	4.2		6.7	12.0	4.0			SIDEWALK W/O RTE.WW
6	665+93.00	666+13.84	RTE. 2	LT	10.0					5	5	4.6	3.7		8.3	20.9	7.0			SIDEWALK E/O RTE. WW
7	675+19.08	675+24.09	RTE. 2	LT	10.0					5	5	5.1	3.1		8.2	15.0	5.0			SIDEWALK E/O FRANKLIN ST
9	43+37.93	43+55.93	RTE. 52	LT		8	7		7.5	7	8	8.2			15.7	31.0	28.1			E. CURB RAMP E/O COLT ST (BY CHURCH)
9	43+52.62	43+50.93	RTE. 52	LT	10.0	8	5	1-B	10.2	5	5	20.3			30.5	20.0				BULB-OUT CURB RAMP E/O COLT ST (NORTH)
9	43+55.93	43+84.94	RTE. 52	LT	14.6	8	5	1-B	18.4	5	6	23.0			41.4	42.1	19.9	26.0		W CURB RAMP E/O COLT ST (NORTH) - QTY FOR EXTRA SOD
10	48+16.18	48+21.18	RTE. 52	LT	10.0	5	5	1-B	7.1	5	6	2.0			9.1	15.0	11.6			CURB RAMP W/O CENTER ST
12	60+97.20	61+05.15	RTE. 52	LT	10.0					5	5	7.2			7.2	13.0	4.4	4.3		SIDEWALK W/O JEFFERSON ST
4	52+79.90	53+03.40	RTE. WW	RT	20.0					5	5	3.6	5.9		9.5	14.0	4.8			SIDEWALK S/O INDUSTRIAL DR.
5	58+11.85	58+33.70	RTE. WW	RT	24.1					5	5	3.2	3.5		6.7	21.9	7.4			SIDEWALK N/O WALLACE AVE
9	43+37.83	43+55.91	RTE. 52	RT	0.0	8	5		5.4	5	6	5.7			11.1	31.1	14.9	5.0		EAST CURB RAMP E/O COLT ST (ADJACENT PARCEL 1A)
9	43+50.85	43+52.60	RTE. 52	RT	10.0	8	5	1-B	10.2	5	5	22.7			32.9	20.0				BULB-OUT CURB RAMP E/O COLT ST (SOUTH)
9	43+55.91	43+88.78	RTE. 52	RT	10.0	8	5	3-D	8.9	5	6	12.7			21.6	45.9	18.6	43.3		WEST CURB RAMP E/O COLT ST (SOUTH SIDE)
13	68+53.53	68+76.84	RTE. 52	RT	10.0					5	5	8.0			8.0	23.4	7.8			SIDEWALK E/O INDIANA ST/RTE. Y
															424.2	118.2				AGGR. AND LIN. GRAD. QTY FOR C&G + PAVED APPR.
				SUBTOTALS	158.7				67.7			139.0	23.2		666.1	466.8	141.3	78.6	36.6	
MONTROSE																				
17	44.252	44.253	RTE. 52	LT	10.4					5	5		4.5		4.5	8.0	2.8			SIDEWALK FOR SCHOOL CROSSING, NORTH SIDE
				SUBTOTALS	10.4								4.5		4.5	8.0	2.8			
CLINTON																				
20	209+25.03	209+40.43	RTE. 18	RT						4	4	6.2			6.2	31.0	5.2			SIDEWALK W/O MCLANE ST - INCL. QTY FOR EXTRA SOD
25	8+58.83	8+78.72	RTE. 18	RT	24.7	6	5	3-A	17.9	5	6	18.2		19.3	36.1	48.9	15.5			CURB RAMP SW QUAD RTE. 18/2ND ST INTERSECTION
25	0+28.67	0+61.62	RTE. 18	RT	30.0	10	5	3-A	29.5	5	6	11.5			41.0	61.1	18.6			CURB RAMP SE QUAD RTE. 18/2ND ST INTERSECTION
25	80+58.49	81+23.36	BUS. 13	RT						6	6	37.9			37.9	64.9	21.8			SIDEWALK SW BUS.13/2ND ST
25	80+75.05	81+80.14	BUS. 13	LT						5	5	61.5			61.5	105.1	35.2			SIDEWALK SE BUS.13/2ND ST
26	3+63.68	3+83.69	RTE. 18	RT						4	4	8.8			8.8	20.1	6.8			SIDEWALK W/O 3RD ST
27	8+03.14	8+28.14	RTE. 18	RT						4	4	11.2			11.2	25.0	8.4			SIDEWALK E/O 3RD ST, W/O 5TH ST; W/O DRIVEWAY
27	8+41.82	8+51.82	RTE. 18	RT						4	4	4.4			4.4	10.0	3.4			SIDEWALK E/O 3RD ST, E/O 5TH ST; E/O DRIVEWAY
27	9+29.06	9+39.02	RTE. 18	RT						4	4	4.6			4.6	10.0	3.4			SIDEWALK E/O 3RD ST, W/O 5TH ST
28	13+96.36	14+21.36	RTE. 18	RT						4	4	11.1			11.1	25.0	8.4			SIDEWALK E/O 5TH ST
30	19+70.89	20+79.82	RTE. 18	RT						4	4	48.4			48.4	109.0	16.4			SIDEWALK E/O 6TH ST
30-31	21+07.95	21+35.99	RTE. 18	RT						4	4	12.4			12.4	28.1	9.4			SIDEWALK E/O 6TH ST
31	23+81.63	23+96.63	RTE. 18	RT						4	4	6.4			6.4	15.0	5.0			SIDEWALK S/O 7TH ST
25	8+58.66	8+84.74	RTE. 18	LT	30.5	10	5	3-A	20.6	5	6	17.8		20.3	38.4	52.4	12.0			CURB RAMP NW QUAD RTE. 18/2ND ST INTERSECTION
25	0+29.01	0+56.13	RTE. 18	LT	26.9	10	4	3-A	22.3	4	5	17.0		7.5	39.3	59.4	13.2			CURB RAMP NE QUAD RTE. 18/2ND ST INTERSECTION
27	8+61.66	8+71.66	RTE. 18	LT						4	4	4.4			4.4	10.0	3.4			SIDEWALK W/O 5TH ST
29	16+27.29	16+72.59	RTE. 18	LT						4	4	18.9			18.9	45.3	15.2			SIDEWALK W/O 6TH ST
30	18+62.28	19+28.96	RTE. 18	LT	26.0	8	5	3-D	16.2	5	6	5.6			21.8	79.7	27.8			CURB RAMP W/O 6TH ST
30	19+26.84	19+52.83	RTE. 18	LT	10.0	8	5	1-A	7.9	5	6	5.2			13.1	39.0	18.0			CURB RAMP E/O 6TH ST
															381.1	295.5				AGGR. AND LIN. GRAD. QTY FOR C&G + PAVED APPR.
				SUBTOTALS	148.1				114.4			311.5			807.0	1134.5	247.1			
				TOTALS	317.1	--	--	--	182.1	--	--	450.5	27.7	*	1477.6	1609.3	391.2	78.6	36.6	
				USE	318	--	--	--	182.1	--	--	450.5	27.7	*	1478	1610	392	79	37	

QTY IS INCLUDED IN 8" SW FOR PINNED-ON ISLANDS, IF NEED PVMNT REPAIR UNDERNEATH.

* PAY WIDTH INCLUDES INTEGRAL CURB CONC. WIDTH/HEIGHT. SEE TYPICAL SHEET 1 FOR ALL PAY ITEM LIMITS.

SOD IS ESTIMATED AT 2.25' FOR CURB RAMP AREAS AND AT 1.5' FOR LONG SIDEWALK RUNS.

SUMMARY OF QUANTITIES
SHEET 4 OF 5

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
Cameron Sooy
2026.02.26 10:22:08-06'00'
PROFESSIONAL ENGINEER
02-26-2026 10:22:08
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/10/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	3

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SIGN	SIZE IN.	AREA SQ.FT.	QTY EACH	TOTAL AREA SQ.FT.	QTY RELOC EACH	TOTAL RELOC SQ.FT.	SIGN NO.	DESCRIPTION
WARNING SIGNS								
WO1-1L	48X48	16.00						TURN (SYMBOL LEFT)
WO1-1R	48X48	16.00						TURN (SYMBOL RIGHT)
WO1-2L	48X48	16.00						CURVE (SYMBOL LEFT)
WO1-2R	48X48	16.00						CURVE (SYMBOL RIGHT)
WO1-3L	48X48	16.00						REVERSE TURN (SYMBOL LEFT)
WO1-3R	48X48	16.00						REVERSE TURN (SYMBOL RIGHT)
WO1-4L	48X48	16.00						REVERSE CURVE (SYMBOL LEFT)
WO1-4R	48X48	16.00						REVERSE CURVE (SYMBOL RIGHT)
WO1-4bL	48X48	16.00						DOUBLE ARROW REVERSE CURVE (SYMBOL LEFT)
WO1-4bR	48X48	16.00						DOUBLE ARROW REVERSE CURVE (SYMBOL RIGHT)
WO1-4cL	48X48	16.00						TRIPLE ARROW REVERSE CURVE (SYMBOL LEFT)
WO1-4cR	48X48	16.00						TRIPLE ARROW REVERSE CURVE (SYMBOL RIGHT)
WO1-6	60X30	12.50						HORIZONTAL ARROW (SYMBOL)
WO1-6a	72X36	18.00						HORIZ. ARROW (SYMBOL ON PERMANENT BARRICADE)
WO1-7	60X30	12.50						DOUBLE HEAD HORIZONTAL ARROW (SYMBOL)
WO1-7a	72X36	18.00						DOUBLE HEAD HORIZ. ARROW (SYMBOL ON PERM. BARR.)
WO1-8	18X24	3.00						CHEVRON (SYMBOL)
WO1-8a	30X36	7.50						CHEVRON (SYMBOL FOR DIVIDED HIGHWAYS)
WO3-1	48X48	16.00						STOP AHEAD (SYMBOL)
WO3-2	48X48	16.00						YIELD AHEAD (SYMBOL)
WO3-3	48X48	16.00						SIGNAL AHEAD (SYMBOL)
WO3-4	48X48	16.00						BE PREPARED TO STOP
WO3-5	48X48	16.00	4	64.00				SPEED LIMIT AHEAD
WO4-1L	48X48	16.00						MERGE (SYMBOL FROM LEFT)
WO4-1R	48X48	16.00						MERGE (SYMBOL FROM RIGHT)
WO4-1aL	48X48	16.00						MERGE (LEFT)
WO4-1aR	48X48	16.00						MERGE (RIGHT)
WO5-1	48X48	16.00						ROAD/BRIDGE/RAMP NARROWS
WO5-3	48X48	16.00						ONE LANE BRIDGE
WO5-5	48X48	16.00						NARROW LANES
WO6-1	48X48	16.00						DIVIDED HIGHWAY (SYMBOL)
WO6-2	48X48	16.00						DIVIDED HIGHWAY END (SYMBOL)
WO6-3	48X48	16.00						TWO WAY TRAFFIC (SYMBOL)
WO7-3a	30X24	5.00						NEXT XX MILES (PLAQUE)
WO8-1	48X48	16.00						BUMP
WO8-2	48X48	16.00						DIP
WO8-3	48X48	16.00						PAVEMENT ENDS
WO8-4	48X48	16.00						SOFT SHOULDER
WO8-5	48X48	16.00						SLIPPERY WHEN WET (SYMBOL)
WO8-6	48X48	16.00						TRUCK CROSSING
WO8-6c	48X48	16.00						TRUCK ENTRANCE
WO8-7	36X36	9.00						LOOSE GRAVEL
WO8-7a	36X36	9.00						FRESH OIL / LOOSE GRAVEL
WO8-9	48X48	16.00						LOW SHOULDER
WO8-11	48X48	16.00						UNEVEN LANES
WO8-12	48X48	16.00						NO CENTER LINE
WO8-15	48X48	16.00						GROOVED PAVEMENT
WO8-15P	30X24	5.00						MOTORCYCLE (PLAQUE)
WO8-17L	48X48	16.00						SHOULDER DROP-OFF (SYMBOL LEFT)
WO8-17R	48X48	16.00						SHOULDER DROP-OFF (SYMBOL RIGHT)
WO8-17P	30X24	5.00						SHOULDER DROP-OFF (PLAQUE)
W10-1	42RND.	9.62						RAILROAD CROSSING
WO12-1	24X24	4.00						DOUBLE DOWN ARROW (SYMBOL)
WO12-2	48X48	16.00						LOW CLEARANCE (SYMBOL)
WO12-2x	24X18	3.00						LOW CLEARANCE (PLAQUE)
WO12-2a	84X24	14.00						OVERHEAD LOW CLEARANCE (FEET AND INCHES)
WO12-4	120X60	50.00						LOW CLEARANCE XX FT XX IN XX MILES AHEAD
WO12-5	120X60	50.00						WIDTH RESTRICTION XX FT XX IN XX MILES AHEAD
WO13-1	30X30	6.25						ADVISORY SPEED (PLAQUE)
WO16-2	30X24	5.00						XXX FEET (PLAQUE)
WO16-3	30X24	5.00						X MILE (PLAQUE)
WO20-1	48X48	16.00	7	112.00				ROAD/BRIDGE/RAMP WORK AHEAD
WO20-2	48X48	16.00						DETOUR AHEAD
WO20-3	48X48	16.00						ROAD CLOSED AHEAD
WO20-4	48X48	16.00	5	80.00				ONE LANE ROAD AHEAD
WO20-5	48X48	16.00						RIGHT/CENTER/LEFT LANE CLOSED AHEAD
WO20-5a	48X48	16.00						2 RIGHT/CENTER/LEFT LANES CLOSED AHEAD
WO20-6a	48X48	16.00	2	32.00				RIGHT/CENTER/LEFT LANE CLOSED
WO20-7a	48X48	16.00	2	32.00				FLAGGER (SYMBOL)
WO21-2	36X36	9.00						FRESH OIL
WO21-5	48X48	16.00						SHOULDER WORK / SHOULDER WORK AHEAD
WO22-1	48X48	16.00						BLASTING ZONE AHEAD
WO22-2	42X36	10.50						TURN OFF 2-WAY RADIO AND PHONE
WO22-3	42X36	10.50						END BLASTING ZONE
GO22-1	21X15	2.19						WET PAINT (ARROW PIVOTS)

SIGN	SIZE IN.	AREA SQ.FT.	QTY EACH	TOTAL SQ.FT.	QTY RELOC EACH	TOTAL RELOC SQ.FT.	SIGN NO.	DESCRIPTION
GUIDE SIGNS								
E05-1	36X48	12.00						GORE EXIT
E05-2	48X36	12.00						EXIT OPEN
E05-2a	48X36	12.00						EXIT CLOSED
GO20-1	60X24	10.00						ROAD WORK NEXT XX MILES
GO20-2	48X24	8.00	2	16.00				END ROAD WORK
GO20-4	36X18	4.50						PILOT CAR FOLLOW ME
GO20-4a	42X30	8.75						PILOT CAR IN USE WAIT & FOLLOW
GO20-4a	18X12	1.50						PILOT CAR IN USE WAIT & FOLLOW
GO20-5aP	36X24	6.00	4	24.00				WORK ZONE (PLAQUE)
MO4-8a	24X18	3.00						END DETOUR
MO4-9L	48X36	12.00						DETOUR (LEFT)
MO4-9R	48X36	12.00						DETOUR (RIGHT)
MO4-9P	48X12	4.00						STREET NAME (PLAQUE)
MO4-10L	48X18	6.00						DETOUR ARROW (LEFT)
MO4-10R	48X18	6.00						DETOUR ARROW (RIGHT)
REGULATORY SIGNS								
R1-1	48X48	13.25						STOP
R1-2	48TRI.	6.93						YIELD
R1-2a	36X36	9.00						TO ONCOMING TRAFFIC (PLAQUE)
R1-3P	30X12	2.50						ALL WAY (PLAQUE)
R2-1	36X48	12.00	8	96.00				SPEED LIMIT (2-35 & 2-40)
R3-1	48X48	16.00						NO RIGHT TURN (SYMBOL)
R3-2	48X48	16.00						NO LEFT TURN (SYMBOL)
R3-3	36X36	9.00						NO TURNS
R3-4	48X48	16.00						NO U-TURN (SYMBOL)
R3-7L	30X30	6.25						LEFT LANE MUST TURN LEFT
R3-7R	30X30	6.25						RIGHT LANE MUST TURN RIGHT
R4-1	36X48	12.00						DO NOT PASS
R4-2	36X48	12.00						PASS WITH CARE
R4-7a	36X48	12.00	2	24.00				KEEP RIGHT (HORIZONTAL ARROW)
R4-8a	36X48	12.00						KEEP LEFT (HORIZONTAL ARROW)
R5-1	30X30	6.25						DO NOT ENTER
R5-1a	36X24	6.00						WRONG WAY
R6-1L	54X18	6.75						ONE WAY ARROW (LEFT)
R6-1R	54X18	6.75						ONE WAY ARROW (RIGHT)
R6-2L	24X30	5.00						ONE WAY (LEFT)
R6-2R	24X30	5.00						ONE WAY (RIGHT)
R9-9	24X12	2.00	10	20.00				SIDEWALK CLOSED
R9-11L	24X18	3.00						SIDEWALK CLOSED AHEAD, (ARROW LEFT) CROSS HERE
R9-11R	24X18	3.00						SIDEWALK CLOSED AHEAD, (ARROW RIGHT) CROSS HERE
R10-6	24X36	6.00						STOP HERE ON RED (45^ ARROW)
R11-2	48X30	10.00						ROAD CLOSED
R11-3a	60X30	12.50						ROAD CLOSED XX MILES AHEAD LOCAL TRAFFIC ONLY
R11-4	60X30	12.50						ROAD CLOSED TO THRU TRAFFIC
CONST-3A	60X48	20.00						FINE SIGN
CONST-3X	56X12	4.67						SPEEDING/PASSING (PLATE)
MISCELLANEOUS SIGNS								
CONST-5	48X36	12.00						POINT OF PRESENCE
CONST-5	96X48	32.00						POINT OF PRESENCE
CONST-8	48X36	12.00						WORK ZONE NO PHONE ZONE

616-10.05 CONSTRUCTION SIGNS	TOTAL
	500

616-10.10 RELOCATED SIGNS	TOTAL

EFFECTIVE: 07-01-2025

ITEM NUMBER	TOTAL QTY	DESCRIPTION
6122008		IMPACT ATTENUATOR 40 MPH (SAND BARRELS)
6122009		IMPACT ATTENUATOR 45 MPH (SAND BARRELS)
6122010		IMPACT ATTENUATOR 50 MPH (SAND BARRELS)
6122012		IMPACT ATTENUATOR 55 MPH (SAND BARRELS)
6122014		IMPACT ATTENUATOR 60 MPH (SAND BARRELS)
6122017		IMPACT ATTENUATOR 65 MPH (SAND BARRELS)
6122019		IMPACT ATTENUATOR 70 MPH (SAND BARRELS)
6122020		REPLACEMENT SAND BARREL
6122030		IMPACT ATTENUATOR (RELOCATION)
6122040		WORK ZONE CRASH CUSHION (NARROW)
6122041		WORK ZONE CRASH CUSHION (RELOCATION)
6123001		TRUCK MOUNTED ATTENUATOR (TMA)
6161012		BUOYS (BOATS KEEP OUT)
6161013		BUOYS (NO WAKE)
6161014		SPECIAL SIGN ASSEMBLY (BOATS KEEP OUT)
6161020		CHANNELIZER (DRUM-LIKE)
6161022		CHANNELIZER (CONE)
6161025	171	CHANNELIZER (TRIM-LINE)
6161026		CHANNELIZER (VERTICAL PANEL)
6161030		TYPE 3 MOVEABLE BARRICADE
6161033		DIRECTION INDICATOR BARRICADE
6161040		FLASHING ARROW PANEL
6161047		TYPE 3 OBJECT MARKER
6161055		SEQUENTIAL FLASHING WARNING LIGHT
6161070		TUBULAR MARKER
6161095		RADAR SPEED ADVISORY SYSTEM
6161096		CHANGEABLE MESSAGE SIGN, COMMISSION FURNISHED/RETAINED
6161098A		CHANGEABLE MESSAGE SIGN WITHOUT COMM. INTERFACE, CONTRACTOR FURNISHED/RETAINED
6161099	9	CHANGEABLE MESSAGE SIGN WITH COMM. INTERFACE, CONTRACTOR FURNISHED/RETAINED
6162000A		WORK ZONE TRAFFIC SIGNAL SYSTEM
6162002		TEMPORARY LONG-TERM RUMBLE STRIPS
6173600D		TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED/RETAINED
6173700B		TEMP. TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED/RETAINED
6173706		TEMP. TRAFFIC BARRIER STIFFNESS TRANSITION CONTRACTOR FURNISHED/RETAINED
6174000A		TEMP. TRAFFIC BARRIER HEIGHT TRANSITION, CONTRACTOR FURNISHED/RETAINED
6175010A		RELOCATING TEMPORARY TRAFFIC BARRIER
6175011B		RELOCATING TEMP. TRAFFIC BARRIER ANCHORED
6175013		RELOCATING TEMP. TRAFFIC BARRIER STIFFNESS
6175020A		RELOCATING TEMP. TRAFFIC BARRIER HEIGHT
6208064A		TEMPORARY RAISED PAVEMENT MARKER
9029400		TEMPORARY TRAFFIC SIGNALS
9029401		TEMPORARY TRAFFIC SIGNALS AND LIGHTING
6169902	10	ADA COMPLIANT MOVEABLE BARRICADES

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy 2026.02.26 10:22:08-06'00'
02-26-2026 DATE
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	3

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SUMMARY OF QUANTITIES
SHEET 5 OF 5

SW^{4}SW^{4}36
T44N R24W

SCALE
0 10 20 30

EXIST. CITY R/W

INDUSTRIAL DR

¼-¼SECTION LINE

EXIST. R/W

℄ ROUTE WW
S00°46'32"W

BEGIN PROJECT
℄ ROUTE WW
STA. 47+89.00

SE^{4}SW^{4}36
T44N R24W

STA. 52+95

W11-2

W16-7P

2A

STA. 52+93.11
MIDBLOCK CROSSWALK

NEW SIDEWALK
(5' WIDE WITH 5'
TRANSITION TO
EXIST. WIDTH)
AND ADA
LINEAR GRADING
23'

STA. 52+76.98

STA. 52+79.90

NEW SIDEWALK
5' WIDE

CURB AND GUTTER
TYPE B
AND ADA
LINEAR GRADING

STA. 52+92.79

STA. 53+03.40

(DND)

(UIP)

TEMP. CONST.
ESM'T

18'

NEW MODIFIED
S-CURB (> 6")
LT. AND RT.

STA. 47+89

W11-2

AHEAD

W16-9P

①

495'

SECTION LINE

STA. 52+84

W11-2

W16-7P

②

LARSEN, ALLAN P.
NO TAKING

NW^{4}NW^{4}1
T43N R24W

+17.60
29.97' RT.

+19.00
35.00' LT.

NE^{4}NW^{4}1
T43N R24W

LEGEND

- 4" SIDEWALK
- 4" SIDEWALK
- 4" MEDIAN STRIP (RAISED ISLAND)

① WINDSOR REORGANIZED SCHOOL

35.50 ACRES EXIST.
160 SF TEMP. ESM'T (CONST.)
35.50 ACRES REMAINING

TEMPORARY EASEMENT (CONSTRUCTION)		
1	52+81.85	34.80' LT.
2	52+81.85	44.80' LT.
3	52+97.88	44.80' LT.
4	52+97.88	34.80' LT.

ANY WORK INDICATED ON THE PLANS THAT EXTENDS BEYOND THE PROJECT LIMITS IS CONSIDERED INCIDENTAL TO AND A PART OFTHE CONSTRUCTION OF THIS PROJECT.

SIGN PLACEMENTS ARE APPROXIMATE. SEE STANDARD PLAN 903.03BS AND THE ENGINEERING POLICY GUIDE 642.8.2.

MIDBLOCKS SHOULD BE PLACED IN THE CENTER OF LANES AND AT LANE LINES TO REMAIN OUT OF THE WHEEL PATH. SEE STANDARD PLANS 620.00N FOR SPACING REQUIREMENTS.

MIDBLOCK SPACING DOES NOT HAVE TO BE EQUAL THROUGHOUT THE CROSSWALK RUN. SPACING CAN VARY TO ELIMINATE MIDBLOCKS BEING IN THE WHEEL PATH. MIDBLOCKS SHOULD EXTEND FROM CURB TO CURB AND CAN BE PLACED IN THE GUTTER. HALF BLOCKS MAY BE USED AT CURBS WHERE FULL BLOCKS WILL NOT FIT.

THE APPROXIMATE LOCATION OF PROPERTY LINES AS SHOWN ON THE PLANS ARE BASED ON THE BEST INFORMATION AVAILABLE TO THE COMMISSION AT THIS TIME. THIS INFORMATION IS PROVIDED BY THE COMMISSION "AS-IS" AND THE COMMISSION EXPRESSLY DISCLAIMS ANY REPRESENTATION OR WARRANTY AS TO THE COMPLETENESS, ACCURACY, OR SUITABILITY OF THE INFORMATION FOR ANY USE

ALL BEARINGS BASED ON STATE PLANE BEARINGS WESTERN ZONE

THE EXISTENCE AND APPROXIMATE LOCATION OF UTILITY FACILITIES KNOWN TO EXIST, AS SHOWN ON THE PLANS, ARE BASED ON THE BEST INFORMATION AVAILABLE TO THE COMMISSION AT THIS TIME. THIS INFORMATION IS PROVIDED BY THE COMMISSION "AS-IS" AND THE COMMISSION EXPRESSLY DISCLAIMS ANY REPRESENTATION OR WARRANTY AS TO THE COMPLETENESS, ACCURACY, OR SUITABILITY OF THE INFORMATION FOR ANY USE. RELIANCE UPON THIS INFORMATION IS DONE AT THE RISK AND PERIL OF THE USER, AND THE COMMISSION SHALL NOT BE LIABLE FOR ANY DAMAGES THAT MAY ARISE FROM ANY ERROR IN THE INFORMATION. IT IS, THEREFORE, THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE EXISTENCE, LOCATION AND STATUS OF ANY FACILITY. SUCH VERIFICATION INCLUDES DIRECT CONTACT WITH THE LISTED UTILITIES.

PLAN SHEET
1 OF 31
ROUTE WW
WINDSOR

STATE OF MISSOURI
CAMERON SOOY
NUMBER
2021019715
Cameron Sooy
2026.03.11
09:52:27-05'00'
PROFESSIONAL ENGINEER

03-11-26 09:52
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
3/11/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	4

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)
MoDOT

SCALE

0 10 20 30

EXIST. R/W

¼-¼SECTION LINE

℄ ROUTE WW

EXIST. R/W

STA. 58+19

W11-2

W16-7P

3

STA. 58+11.85

(DND)

CURB AND GUTTER TYPE B AND ADA LINEAR GRADING

EXIST. CITY R/W

NEW SIDEWALK 4.5' WIDE

STA. 58+23.91

STA. 58+31.16

STA. 58+33.70

STA. 58+26.23
REMOVE & RESET STREET SIGN

STA. 58+25.70
MIDBLOCK CROSSWALK

END PROJECT
℄ ROUTE WW
STA. 58+33.70

STA. 58+31

W11-2

W16-7P

3A

100'

SPACING MAY BE GREATER DUE TO VARYING FIELD CONDITIONS, BUT NO LESS THAN 100'

WALLACE AVE

EXIST. CITY R/W

STA. 59+31

W11-2

AHEAD

W16-9P

3B

EXIST. R/W

℄ ROUTE WW

¼-¼SECTION LINE

EXIST. R/W

PLAN SHEET
2 OF 31
ROUTE WW
WINDSOR

STATE OF MISSOURI
CAMERON SOOY
NUMBER -2021019715
Cameron Sooy
2026.03.11
09:52:27-05'00'
PROFESSIONAL ENGINEER

03-11-2026 9:52:27
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
3/11/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	5

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)



STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:08-06'00'

02-26-2026 10:22:08
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	6

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SCALE
0 10 20 30

NE^{4}SW^{4}1
T43N R24W

RYTHER, LARRY G
& MARLENE E
NO TAKING

EXIST. CITY R/W

FRANKLIN ST

NE^{4}SW^{4}1
T43N R24W

INDEPENDENT ORDER
OF ODD FELLOWS
NO TAKING

LEGEND
4" SIDEWALK
8" SIDEWALK

STA. 673+42.10

EXIST. CITY R/W

MAYFIELD, WILLIAM
NO TAKING

+59.80
51.17' LT.

+19.81
51.09' LT.

STA. 675+23.75 TO
STA. 675+27.80
4' EXTENSION OF
15" GROUP B PIPE
ADD 1-15" F.E.S.

EXIST. CITY R/W

(DND)

675

NEW SIDEWALK (5' WIDE)
15' LINEAR GRADING
FOR ADA FACILITIES

ROCK
LINING

PIPE COLLAR
TYPE A

APPROX. EXIST. R/W

APPROX. EXIST. R/W

STA. 675+19.08

STA. 675+24.09

WINDSOR HISTORICAL SOCIETY
NO TAKING

END PROJECT
℄ ROUTE 2
STA. 675+33.80

STA. 676+18.87

℄ ROUTE 2/BENTON ST.
S43°16'33"E

APPROX. EXIST. R/W

APPROX. EXIST. R/W

EXIST. CITY R/W

EXIST. CITY R/W

VAN KLEECK, PAYTON
NO TAKING

NE^{4}SW^{4}1
T43N R24W

FRANKLIN ST

NE^{4}SW^{4}1
T43N R24W

FIRST CHRISTIAN
CHURCH OF WINDSOR
NO TAKING

PLAN SHEET
4 OF 31
ROUTE 2
WINDSOR

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:08-06'00'
02-26-2026 10:22:08
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	7

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SCALE
0 10 20 30

UNITED STATES POST OFFICE
NO TAKING

NE^4 SW^4 1 T43N R24W

ROBERTS, RICHARD L & CATHERINE L
NO TAKING

EXIST. CITY R/W

EXIST. CITY R/W

HEANY LAW LLC
NO TAKING

STOCKING, DOREEN M
NO TAKING

TEMPLETON, TAMMY J
NO TAKING

BURTCHETT, ROBIN
NO TAKING

NE^4 SW^4 1 T43N R24W

EXIST. CITY R/W

35

+69.58
54.42' RT.

+69.12
53.74' RT.

STA. 36+17.93
24" PREFORMED THERMOPLASTIC, WHITE (R) EXIST. 6" WHITE CROSSWALK

EXIST. R/W

EXIST. R/W

STA. 35+74.76
24" PREFORMED THERMOPLASTIC, WHITE (R) EXIST. 6" WHITE CROSSWALK

STA. 36+56.47
24" PREFORMED THERMOPLASTIC, WHITE (R) EXIST. 6" WHITE CROSSWALK

℄ ROUTE 52/MAIN ST
S47°07'12"W

BEGIN PROJECT
℄ ROUTE 52
STA. 35+74.76

+07.91
9.84' LT.
℄ RTE. 52

+31.81
9.68' LT.
℄ RTE. 52

EXIST. R/W

EXIST. R/W

STA. 36+18.56
24" PREFORMED THERMOPLASTIC,WHITE (R) EXIST. 6" WHITE CROSSWALK

ALL BEARINGS BASED ON STATE PLANE BEARINGS WESTERN ZONE

ANY WORK INDICATED ON THE PLANS THAT EXTENDS BEYOND THE PROJECT LIMITS IS CONSIDERED INCIDENTAL TO AND A PART OF THE CONSTRUCTION OF THIS PROJECT.

NE^4 SW^4 1 T43N R24W

EXIST. CITY R/W

EXIST. CITY R/W

+70.35
45.65' LT.

+68.89
45.30' LT.

29TH & BROOKLYN PROPERTIES LLC
NO TAKING

WINDSOR FURNITURE CO., INC.
NO TAKING

MOSER, MARK D & AMY N
NO TAKING

FREEDOM EQUITY LLC
NO TAKING

+31.69
50.00' LT.
℄ RTE. 2

+31.71
12.50' LT.
℄ RTE. 2

+31.73
11.50' RT.
℄ RTE. 2

+31.75
49.00' RT.
℄ RTE. 2

JEWELL ENTERPRISES, LLC
NO TAKING

PICKLED POSSUM, LLC
NO TAKING

HENRY CO. LIBRARY BUILDING CORP, INC
NO TAKING

NE^4 SW^4 1 T43N R24W

EXIST. CITY R/W

EXIST. R/W

BENTON ST/ROUTE 2

EXIST. R/W

EXIST. CITY R/W

STA. 681+09.34

STA. 37+67.07

PLAN SHEET
5 OF 31
ROUTE 52
WINDSOR

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy 2026.02.26 10:22:09-06'00'
02-26-2026 10:22:09
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	8

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SCALE
0 10 20 30

1A
LANDSBERG, DOUG
RELOCATE SIGN

BEEM, LEE ANN
NO TAKING

EXIST. CITY R/W

NE^{4}SW^{4}1
T43N R24W

1/4 - 1/4 SECTION LINE

LINEAR GRADING
FOR ADA FACILITIES

S-CURB (≤ 6")
NEW CURB RAMP
SIDEWALK 5' WIDE AND S-CURB (≤ 6")
NEW CURB RAMP TYPE 1-B

STA. 43+37.83
STA. 43+42.84
STA. 43+47.84
STA. 43+55.91
STA. 43+70.07
STA. 43+88.78

EXIST. CITY R/W
COLT ST

(DND) EXIST. DRIVEWAY

+78.97
51.53' RT.

SIGN TO BE MOVED BY OTHERS
(DND)
STA. 43+50.85
REMOVE AND REPLACE EXIST. SIGN FACE

STA. 43+55.92
20' LINEAR GRADING FOR ADA FACILITIES
NEW CURB RAMP MODIFIED TYPE 1-B
STA. 43+52.60
24' S-CURB (≤ 6")
TUBULAR MARKERS
10% MAX FLARE
2.5'

24" PREFORMED THERMOPLASTIC, WHITE
STA. 43+55.56

EXIST. R/W
℄ ROUTE 52/MAIN ST
S46°32'12"W

STA. 42+23.02

STA. 43+52.62
NEW CURB RAMP MODIFIED TYPE 1-B
20' LINEAR GRADING FOR ADA FACILITIES
STA. 43+55.97
STA. 43+50.93
26' S-CURB (≤6")
(DND) SIGN & POLE
COLT ST

STA. 43+65
W11-2
W16-7P
⑥

+34.96
41.36' RT.
+34.94
20.58' RT.
+34.94
14.73' RT.
+35.72
12.30' LT.
+35.86
17.30' LT.
+35.90
38.46' LT.

EXIST. CITY R/W
EXIST. R/W

WINDSOR PROPERTY RA, LLC
NO TAKING

SE^{4}SW^{4}1
T43N R24W

45

STA. 45+01.50

LEGEND
(L) LANDING
(T) TRANSITION
(R) RAMP
4" SIDEWALK
SOD
MODIFIED TYPE A GUTTER WITH STEEL PLATE

NE^{4}SW^{4}1
T43N R24W

STA. 42+53
STA. 43+53
SPACING MAY BE GREATER DUE TO VARYING FIELD CONDITIONS, BUT NO LESS THAN 100'
100'
W11-2
AHEAD
W16-9P
④
W11-2
W16-7P
⑤

EXIST. CITY R/W
STA. 43+37.93 BEGIN LINEAR GRADING FOR ADA FACILITIES
STA. 43+47.93
STA. 43+55.93
STA. 43+73.77
CURB RAMP
SIDEWALK 7' WIDE

STA. 43+88.11
+79.94
47.24' LT.
NEW CURB RAMP MODIFIED TYPE 3-B
STA. 43+88.28
(DND)
STA. 43+84.94
END LINEAR GRADING FOR ADA FACILITIES

WINDSOR METHODIST CHURCH
NO TAKING

29TH & BROOKLYN PROPERTIES LLC
NO TAKING

1/4 - 1/4 SECTION LINE

PLAN SHEET
6 OF 31
ROUTE 52
WINDSOR

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:09-05'00'
02-26-2026 JSR0338
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	9

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)
MoDOT

SCALE
0 10 20 30

LEGEND
T TRANSITION
R RAMP
4" SIDEWALK

SE^4 SW^4 1
T43N R24W

KNIGHT, MARK & SANDRA
NO TAKING

EXIST. CITY R/W

+65.48
39.76' RT.

EXIST. CITY R/W

PHELPS ST

EXIST. CITY R/W

+21.47
39.50' RT.

① WINDSOR REORGANIZED SCHOOL
TEMP. ESM'T
SEE SHEET 4

SE^4 SW^4 1
T43N R24W

STA. 48+24

W11-2

W16-7P
⑨

EXIST. CITY R/W

STA. 48+16.18 TO
STA. 48+21.18
15 LF SIDEWALK MANICURE -
EXIST. CURB RAMP

EXIST. R/W
EOS
EOP
℄ ROUTE 52/MAIN ST
S46°32'12"W

STA. 46+12.01

STA. 48+15.25
24" PREFORMED
THERMOPLASTIC, WHITE
(R) EXIST. 6" WHITE
CROSSWALK

STA. 48+27.72
REMOVE STOP BAR

EXIST. R/W
EOS
EOP

STA. 48+90.25

STA. 47+66.14
REMOVE STOP BAR

STA. 48+16.18
STA. 48+21.18

EOP
EOS
EXIST. R/W

REPLACE IN
EXIST. LOCATION

NEW CURB RAMP
TYPE 1-B

15' LINEAR GRADING
FOR ADA FACILITIES

+65.90
36.64' LT.

EXIST. CITY R/W

+21.89
37.80' LT.

EXIST. CITY R/W

LANNAN,
ROBERT J JR
& JULIE D
NO TAKING

MASCHKE, SARA M
NO TAKING

STA. 46+37

S1-1

AHEAD

W16-9P
⑦

CRAWFORD, IRENE (TRUST)
NO TAKING

STA. 48+15

W11-2

W16-7P
⑧

CENTER ST

BANNING, DEBBIE
NO TAKING

SE^4 SW^4 1
T43N R24W

SE^4 SW^4 1
T43N R24W

EXIST. CITY R/W

EXIST. CITY R/W

PLAN SHEET
7 OF 31
ROUTE 52
WINDSOR

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:09-06'00'
02-26-2026 10:22:09
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	10

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)
MoDOT

SCALE
0 10 20 30

① WINDSOR REORGANIZED SCHOOL
TEMP. ESM'T
SEE SHEET 4

SE¼SW¼1
T43N R24W

¼-¼SECTION LINE

STA. 52+06

S1-1

W16-7P

11

SW¼SW¼1
T43N R24W

+94.91
50.82' RT.

APPROX. CITY R/W

APPROX. CITY R/W

+85.64
41.20' RT.

(UIP)
EXIST. POST

EXIST. R/W

EXIST. R/W

STA. 50+39.70

STA. 53+20.92

24" PREFORMED
THERMOPLASTIC, WHITE
STA. 51+52.49
(R) EXIST. 6" WHITE
CROSSWALK

STA. 52+15.88
REMOVE STOP BAR

℄ ROUTE 52/MAIN ST
S46°32'12"W

STA. 51+45.55
REMOVE STOP BAR

EXIST. R/W

EXIST. R/W

(UIP)
EXIST. POST

APPROX.
CITY R/W

+52.30
30.09' LT.

+02.32
48.18' LT.

APPROX. CITY R/W

STA. 51+50

S1-1

W16-7P

10

JETER, COLT
NO TAKING

GRANT ST

EVANS DQ, LLC
NO TAKING

NICHOLAS
SUPERMARKETS, INC
NO TAKING

SE¼SW¼1
T43N R24W

¼-¼SECTION LINE

HOUGHAM, SONJA BURTON
NO TAKING

APPROX. CITY R/W

APPROX. CITY R/W

SW¼SW¼1
T43N R24W

PLAN SHEET
8 OF 31
ROUTE 52
WINDSOR

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:09-06'00'

02-26-2026 10:22:09
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	11

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

APPROX. CITY R/W

SCALE

0 10 20 30

WASHINGTON ST

APPROX. CITY R/W

SW¼ SW¼ 1
T43N R24W

KINNER, MALLORY J
NO TAKING

STA. 56+90

S1-1

AHEAD

W16-9P

12

SW¼ SW¼ 1
T43N R24W

TARASOV, TIMOFEY
NO TAKING

+96.50
46.38' RT.

APPROX. CITY R/W

+48.77
49.56' RT.

APPROX. CITY R/W

EXIST. R/W

EXIST. R/W

REPLACE IN
EXIST. LOCATION

STA. 55+47.40

STA. 58+27.76

℄ ROUTE 52/MAIN ST

S47°09'20"W

EXIST. R/W

EXIST. R/W

SW¼ SW¼ 1
T43N R24W

SW¼ SW¼ 1
T43N R24W

+45.32
49.11' LT.

+97.21
52.38' LT.

APPROX. CITY R/W

APPROX. CITY R/W

APPROX. CITY R/W

WASHINGTON ST

APPROX. CITY R/W

MILLINGTON,
BRIAN K. & CHOM S.
NO TAKING

ROXCO PROPERTIES, LLC
NO TAKING

HARRIS, CHEYENNE
NO TAKING

PLAN SHEET
9 OF 31
ROUTE 52
WINDSOR

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:09-06'00'

02-26-2026 10:22:09
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	12

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SCALE
0 10 20 30

LEGEND
4" SIDEWALK

EXIST. CITY R/W

JEFFERSON ST

DUNKIN, DEBORAH D
& GERKE, RENEE D
NO TAKING

+56.53
49.23' RT.

SW4 SW4 1
T43N R24W

60

STA. 59+51.79

EXIST. R/W

+61.61
28.63' RT.

℄ ROUTE 52/MAIN ST
S47°09'20"W

EXIST. R/W

+56.93
9.51' LT.

SECTION LINE

+12.62
49.58' RT.

EXIST. CITY R/W

W11-2

W16-7P

14

STA. 61+07

+05.25
13.76' RT.

24" PREFORMED
THERMOPLASTIC, WHITE
STA. 60+99.60

+04.09
14.61' LT.

(DND)

LINEAR GRADING
FOR ADA FACILITIES
13'

SAW CUT
(NO DIRECT PAY)

100'

SPACING MAY BE GREATER
DUE TO VARYING FIELD CONDITIONS,
BUT NO LESS THAN 100'

CLUBINE, STEPHEN E.
& JOAN F.
NO TAKING

W11-2

AHEAD

W16-9P

15

NW4 NW4 12
T43N R24W

STA. 62+08

EXIST. R/W

STA. 62+31.68

SECTION LINE

EXIST. R/W

STA. 60+97.20

STA. 61+00.15

STA. 61+05.15

+57.08
50.07' LT.

+02.70
49.85' LT.

EXIST. CITY R/W

NEW S-CURB
6" OR LESS

NEW SIDEWALK
(5' WIDE)

EXIST. CITY R/W

MEDLOCK, CLAUDALE
& TAMMY (GOLDEN)
NO TAKING

ASH, RACHAEL ELIZABETH
NO TAKING

STA. 60+97

W11-2

W16-7P

13

SW4 SW4 1
T43N R24W

JEFFERSON ST

EXIST. CITY R/W

EXIST. CITY R/W

SW4 SW4 1
T43N R24W

PLAN SHEET
10 OF 31
ROUTE 52
WINDSOR

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:09-06'00'
02-26-2026 10:22:09
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	13

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SCALE
0 10 20 30

NW^{4}NW^{4}12
T43N R24W

EXIST. CITY R/W

INDIANA ST/ROUTE Y

EXIST. CITY R/W

HUGHES, LOUIS DEAN
& CONNIE
NO TAKING

LEGEND
4" SIDEWALK
8" SIDEWALK

SECTION LINE

NE^{4}NE^{4}11
T43N R24W

ANDERS, TERRY
& TRUDY
NO TAKING

NEW SIDEWALK
(5' WIDE WITH TRANSITIONS)
AND LINEAR GRADING
FOR ADA FACILITIES

+64.70
43.10' LT.

STA. 68+53.53

STA. 68+76.84

+76.20
39.19' RT.

+19.59
57.35' RT.

+03.94
65.22' RT.

EXIST. CITY R/W

+08.62
48.63' RT.

EXIST. R/W

+50.07
60.18' RT.

EXIST. CITY R/W

(DND)

+64.99
37.70' RT.

+73.94
33.42' RT.

WALL ST

EXIST. R/W

+62.16
21.64' RT

STA. 67+83.54

℄ ROUTE 52/MAIN ST
S55°05'20"W

END PROJECT
℄ ROUTE 52
STA. 68+76.84

70

EXIST. R/W

+50.41
12.68' LT.

APPROX. CITY R/W

+50.75
23.73' LT.

COLE DG
WINDSOR MO, LLC
NO TAKING

NW^{4}NW^{4}12
T43N R24W

NE^{4}NE^{4}11
T43N R24W

SECTION LINE

PLAN SHEET
11 OF 31
ROUTE 52
WINDSOR

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:09-06'00'

02-26-2026 10:22:09
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	14

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

LOG MILE 44.032

SCALE
0 10 20 30

NE^{4}NE^{4}23
T40N R28W

APPROX. EXIST. R/W

SECTION LINE

APPROX. EXIST. R/W

1260' TO SCHOOL CROSSING

NW^{4}NW^{4}24
T40N R28W

R & M PROPERTIES, LLC
NO TAKING

BEGIN PROJECT
℄ ROUTE 52
LOG MILE 44.014

L.M. 44.0130

S1-1

AHEAD

W16-9P

16

R & M MEREDITH PROPERTIES, LLC
NO TAKING

ANY WORK INDICATED ON THE PLANS THAT EXTENDS BEYOND THE PROJECT LIMITS IS CONSIDERED INCIDENTAL TO AND A PART OF THE CONSTRUCTION OF THIS PROJECT.

ALL BEARINGS BASED ON STATE PLANE BEARINGS WESTERN ZONE

THE APPROXIMATE LOCATION OF PROPERTY LINES AS SHOWN ON THE PLANS ARE BASED ON THE BEST INFORMATION AVAILABLE TO THE COMMISSION AT THIS TIME. THIS INFORMATION IS PROVIDED BY THE COMMISSION "AS-IS" AND THE COMMISSION EXPRESSLY DISCLAIMS ANY REPRESENTATION OR WARRANTY AS TO THE COMPLETENESS, ACCURACY, OR SUITABILITY OF THE INFORMATION FOR ANY USE

℄

RYBERG, MARTIN A
NO TAKING

NE^{4}NE^{4}23
T40N R28W

APPROX. EXIST. R/W

SECTION LINE

℄ ROUTE 52 (APPROX.)
N01°30'23"E

APPROX. EXIST. R/W

NW^{4}NW^{4}24
T40N R28W

PLAN SHEET
12 OF 31
ROUTE 52
MONTROSE

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:16-06'00'
02-26-2026 SHEET 09
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	15

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SW^{4}SW^{4}13
T40N R28W

SCALE
0 10 20 30

MTA AUTO, LLC
NO TAKING

SW^{4}SW^{4}13
T40N R28W

APPROX. EXIST. R/W

HEARTING, RICK & LINDA
NO TAKING

APPROX. EXIST. R/W

℄ ROUTE K (APPROX.)
S88°22'06"E

SECTION LINE

SECTION LINE

L.M. 44.0964

830' TO SCHOOL
CROSSING

S1-1

AHEAD

W16-9P

17

LOG MILE 44.119

APPROX. EXIST. R/W

R & M MEREDITH
PROPERTIES, LLC
NO TAKING

NW^{4}NW^{4}24
T40N R28W

LOG MILE 44.086

℄ ROUTE 52 (APPROX.)

APPROX. EXIST. R/W

NW^{4}NW^{4}24
T40N R28W

R & M MEREDITH
PROPERTIES, LLC
NO TAKING

PLAN SHEET
13 OF 31
ROUTE 52
MONTROSE

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:16-06'00'

02-26-2026 10:22:10
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	16

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SCALE
0 10 20 30

SW^{4}SW^{4}13
T40N R28W

MONTROSE BAPTIST
MISSION INC.
NO TAKING

L.M. 44.2534

S1-1

W16-7P

19

SW^{4}SW^{4}13
T40N R28W

HARRIS, FRANKIE N (ETAL)
NO TAKING

LEGEND
8" SIDEWALK

CROWDER, WILLIE
& JANETTE
NO TAKING

LOG MILE 44.226

APPROX. EXIST. R/W

8' NEW SIDEWALK
(5' WIDE)
AND LINEAR
GRADING FOR
ADA FACILITIES

APPROX. EXIST. R/W

℄ ROUTE 52 (APPROX.)
S88°22'06"E

RAISE EXISTING SIDEWALK GRADE
TO MATCH GRADE OF ROADWAY

24" PREFORMED
THERMOPLASTIC, WHITE
LOG MILE 44.253

SECTION LINE

SECTION LINE

LOG MILE 44.279

APPROX. EXIST. R/W

APPROX. EXIST. R/W

L.M. 44.2511

S1-1

W16-7P

18

MONTROSE R-XIV SCHOOL
NO TAKING

NW^{4}NW^{4}24
T40N R28W

NW^{4}NW^{4}24
T40N R28W

PLAN SHEET
14 OF 31
ROUTE 52
MONTROSE

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:16-06'00'

02-26-2026 10:22:10
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	17

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SCALE

0 10 20 30

SE^{4}SW^{4}13
T40N R28W

SE^{4}SW^{4}13
T40N R28W

MCHENRY, JAMES BRIAN
NO TAKING

S1-1

625' FROM SCHOOL
CROSSING

L.M. 44.3713
REMOVE EXIST. SIGN

S1051

APPROX. EXIST. R/W

APPROX. EXIST. R/W

LOG MILE 44.357

℄ ROUTE 52 (APPROX.)
S88°22'06"E

SECTION LINE

SECTION LINE

APPROX. EXIST. R/W

APPROX. EXIST. R/W

MITCHELL, JOHN W.
& OLIVE A. (TRUST)
NO TAKING

NE^{4}NW^{4}24
T40N R28W

NE^{4}NW^{4}24
T40N R28W

PLAN SHEET
15 OF 31
ROUTE 52
MONTROSE

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:16-06'00'

02-26-2026 10:44:10
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	18

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SE^{4}SW^{4}13
T40N R28W

MCHENRY, JAMES BRIAN
NO TAKING

SE^{4}SW^{4}13
T40N R28W

SCALE
0 10 20 30

225'

L.M. 44.4599

S1-1

AHEAD

W16-9P

20

(UIP)
SCHOOL ZONE
FLASHER

SIGN

APPROX. EXIST. R/W

APPROX. EXIST. R/W

℄ ROUTE 52 (APPROX.)
S88°22'06"E

END PROJECT
℄ ROUTE 52
LOG MILE 44.460

SECTION LINE

SECTION LINE

APPROX. EXIST. R/W

APPROX. EXIST. R/W

MITCHELL, JOHN W.
& OLIVE A. (TRUST)
NO TAKING

NE^{4}NW^{4}24
T40N R28W

NE^{4}NW^{4}24
T40N R28W

PLAN SHEET
16 OF 31
ROUTE 52
MONTROSE

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:16-06'00'
02-26-2026 10:22:10
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	19

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

MoDOT

SE^{4}SW^{4}3
T41N R26W

SCALE
0 10 20 30

ANY WORK INDICATED ON THE PLANS THAT EXTENDS BEYOND THE PROJECT LIMITS IS CONSIDERED INCIDENTAL TO AND A PART OF THE CONSTRUCTION OF THIS PROJECT.

ALL BEARINGS BASED ON STATE PLANE BEARINGS WESTERN ZONE

THE APPROXIMATE LOCATION OF PROPERTY LINES AS SHOWN ON THE PLANS ARE BASED ON THE BEST INFORMATION AVAILABLE TO THE COMMISSION AT THIS TIME. THIS INFORMATION IS PROVIDED BY THE COMMISSION "AS-IS" AND THE COMMISSION EXPRESSLY DISCLAIMS ANY REPRESENTATION OR WARRANTY AS TO THE COMPLETENESS, ACCURACY, OR SUITABILITY OF THE INFORMATION FOR ANY USE

HICKS, JOSEPH
& TERRY, KAYLA
NO TAKING

LADD, ISABELLA
NO TAKING

¼ SECTION LINE

SW^{4}SE^{4}3
T41N R26W

CEM - OAK GROVE
CEMETERY
NO TAKING

LEGEND
- 8" PAVED APPROACH
- 4" SIDEWALK
- SOD

APRROX. EXIST. R/W

MCLANE ST

210

APRROX. EXIST. R/W

BEGIN PROJECT
℄ ROUTE 18
STA. 208+50.16

LINEAR GRADING
FOR ADA FACILITIES

℄ ROUTE 18/OHIO ST

STA. 208+50.16

STA. 208+91.87

SECTION LINE

R 7'

R 13'

(UIP)

REMOVE EXIST.
SIDEWALK
SOD AREA

STA. 209+90.00
CULVERT CLEANOUT

S80°02'09"E

SECTION LINE

STA. 210+93.99

+99.20
35.00' RT.

+80.50
35.00' RT.

SIGN

EXIST. R/W

STA. 208+74.39
PAVED APPROACH
ENTRANCE 2
GRADE = -13.0%, -1.00
WIDTH = 20'

STA. 208+85.24

STA. 209+25.03

STA. 209+40.43

REPLACE SIDEWALK
(MATCH EXIST. WIDTH 4')
AND LINEAR GRADING
FOR ADA FACILITIES

STA. 209+86.38

SIDEWALK MANICURE

EXIST. R/W

+80.50
50.00' RT.

MCLANE ST

RITTER,
DAVID & STACEY
NO TAKING

NE^{4}NW^{4}10
T41N R26W

ZUMWALT, JAMES W (TRUST)
NO TAKING

FORGED BY CHRIST
MINISTIES, LLC
NO TAKING

NW^{4}NE^{4}10
T41N R26W

¼ SECTION LINE

PLAN SHEET
17 OF 31
ROUTE 18
CLINTON

STATE OF MISSOURI
CAMERON SOOY
NUMBER
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:16-06'00'
02-26-2026 10:22:10
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	20

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SCALE
0 10 20 30

SW4SE43
T41N R26W

SW4SE43
T41N R26W

LEGEND
8" PAVED APPROACH

MANSFIELD, WANDA
NO TAKING

BREGG, JEFF
NO TAKING

MITCHELL, CARY
NO TAKING

ROGERS, BEVERLY ANN
NO TAKING

CARTER ST

215

EXIST. R/W

+55.00
30.00' LT.

+07.00
35.00' LT.

EXIST. R/W

PTCL

T&C

STA. 213+79.17

℄ ROUTE 18/OHIO ST
S87°58'53"E

SECTION LINE

LINEAR GRADING
FOR ADA FACILITIES

CURB AND GUTTER
TYPE B

STA. 215+40.76

STA. 215+83.83

STA. 216+05.52

STA. 216+52.11

WILLIAMS
PHILIP &
TERESA
3,450 SF EXIST.
174 SF TEMP. ESM'T
(CONST.)
3,450 SF REMAINING

+92.00
30.00' RT.

SIGN

EXIST. R/W

+92.32
34.79' RT.

SIGN

R 17'

R 15'

R 15'

R 17'

EXIST. R/W

REMOVE
EXIST. CURB
(INCL. IN ADA
LINEAR GRADING)

(DND)
RETAINING
WALL & LANDSCAPING

5 6 7 8 9 10 11

TEMP. CONST. ESM'T

SMART, BRADLEY W
NO TAKING

TEMPORARY EASEMENT (CONSTRUCTION)		
5	215+46.01	30.00' RT.
6	215+46.01	40.00' RT.
7	215+51.83	40.00' RT.
8	215+68.71	40.00' RT.
9	216+19.33	40.00' RT.
10	216+36.64	40.00' RT.
11	216+36.64	30.00' RT.

② WALDEN, MATTHEW R.
7,950 SF EXIST.
58 SF TEMP. ESM'T
(CONST.)
7,950 SF REMAINING

STA. 215+62.79
PAVED APPROACH
ENTRANCE 3
GRADE = 13.0%, 1.0%
WIDTH = 20'

③ THE BLUE INN, LLC
3,750 SF EXIST.
506 SF TEMP. ESM'T
(CONST.)
3,750 SF REMAINING

STA. 216+26.59
PAVED APPROACH
ENTRANCE 4
GRADE = 17.0%, 1.0%
WIDTH = 20'

④ NW4NE410
T41N R26W

NW4NE410
T41N R26W

CARTER ST

PLAN SHEET
18 OF 31
ROUTE 18
CLINTON

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:10-06'00'

02-26-2026 10:22:10
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	21

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

MoDOT

SW^{4}SE^{4}3
T41N R26W

EXIST. CITY R/W

MANSFIELD, WANDA
NO TAKING

SCALE
0 10 20 30

℄

ROGERS, BEVERLY ANN
NO TAKING

SEDIMENT REMOVAL - PAID FOR AS SIDEWALK MANICURING

STA. 216+76.05

STA. 217+76.05

EXIST. R/W

+09.00
35.00' LT.

+09.00
30.00' LT.

+69.53
30.02' LT.

SIGN (DND)

T&C (DND)

IR

SIGN

STA. 217+77

W11-2

W16-7P

22

ORCHARD ST

WV

+29.53
30.05' LT.

EXIST. R/W

T&C

WM WM WM

24" PREFORMED
THERMOPLASTIC, WHITE
STA. 217+70.71

℄ ROUTE 18/OHIO ST
S87°58'53"E

SECTION LINE

STA. 219+48.96

SIGN

GV

EXIST. R/W

M

WV HYD

STA. 217+68

W11-2

W16-7P

21

BEEBE, ROBERT
& EVELYN (TRUST)
NO TAKING

NW^{4}NE^{4}10
T41N R26W

ORCHARD ST

SUBLETTE, DANIEL J.
& JANICE L.
NO TAKING

SCHMEDDING, JASON MARION
& ANDREA FAYE
NO TAKING

NW^{4}NE^{4}10
T41N R26W

SW^{4}SE^{4}3
T41N R26W

GV HISTORIC PROPERTIES, LLC
NO TAKING

PLAN SHEET
19 OF 31
ROUTE 18
CLINTON

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:11-06'00'

02-26-2026 10:22:10
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	22

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

MoDOT

SE^{4}SE^{4}3
T41N R26W

SCALE
0 10 20 30

MATTESON
AUTO REPAIR, LLC
NO TAKING

EXIST. CITY R/W

WASHINGTON ST

STA. 227+64

W11-2

W16-7P

24

W & S LEASING, LLC
NO TAKING

SE^{4}SE^{4}3
T41N R26W

EXIST. CITY R/W

WM

SIGN

EXIST. R/W

+06.41
29.80' LT.

+66.41
30.13' LT.

WV

PED

EXIST. R/W

STA. 226+03.24

℄ ROUTE 18/OHIO ST
S87°58'53"E

24" PREFORMED
THERMOPLASTIC, WHITE
STA. 227+03.69

24" PREFORMED
THERMOPLASTIC, WHITE
STA. 227+56.24

SECTION LINE

SECTION LINE

STA. 226+03.24

SIGN

SIGN

SIGN

SIGN

EXIST. R/W

EXIST. R/W

GLASSCOCK, TIMOTHY R.
& CYNTHIA E.
NO TAKING

STA. 226+86

W11-2

W16-7P

23

NE^{4}NE^{4}10
T41N R26W

APPROX. EXIST. CITY R/W

WASHINGTON ST

NE^{4}NE^{4}10
T41N R26W

PLAN SHEET
20 OF 31
ROUTE 18
CLINTON

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:11-06'00'

02-26-2026 10:22:11
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	23

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

MoDOT

SE^{4}SE^{4}3
T41N R26W

SCALE
0 10 20 30

CITY OF CLINTON
NO TAKING

SE^{4}SE^{4}3
T41N R26W

EXIST. CITY R/W

MAIN ST

EXIST. CITY R/W

STA. 3+34

W11-2

W16-7P

26

ANGULSKI, BOBBY J
NO TAKING

+67.98
30.00' LT.

+27.98
28.49' LT.

EXIST. R/W

EXIST. R/W

STA. 2+00.56

STA. 4+79.56

24" PREFORMED
THERMOPLASTIC, WHITE
STA. 2+63.00

24" PREFORMED
THERMOPLASTIC, WHITE
STA. 3+20.24

℄ ROUTE 18/OHIO ST

S88°29'52"E

SECTION LINE

SECTION LINE

EXIST. R/W

EXIST. R/W

+68.02
30.00' RT.

+28.01
16.51' RT.

STA. 2+63

W11-2

W16-7P

25

MAIN ST

VEST, DONNA M
NO TAKING

NE^{4}NE^{4}10
T41N R26W

NE^{4}NE^{4}10
T41N R26W

BELSKE, CLINTON A
& HANSEN, LEENA M
NO TAKING

EXIST. CITY R/W

EXIST. CITY R/W

PLAN SHEET
21 OF 31
ROUTE 18
CLINTON

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:11-06'00'

02-26-2026 10:22:11
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	24

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

MoDOT

SW^{4}SW^{4}2
T41N R26W

SCALE
0 10 20 30

RIGHT OF WAY (TAKING)		
14	0+31.38	38.54' RT.
15	0+40.00	34.71' RT.

RIGHT OF WAY (TAKING)		
14 - 15	N67°32'48"E	9.44'

PERMANENT EASEMENT (SIDEWALK)		
12	8+58.83	17.44' RT.
13	8+78.48	34.58' RT.
16	8+62.35	27.63' RT.
17	8+78.48	41.25' LT.
18	0+30.00	44.41' LT.
19	0+42.15	35.00' LT.

⑦
SPIRITS HOLDING, LLC
30,244 SF EXIST.
72 SF PERM. ESM'T
(SIDEWALK)
30,244 SF REMAINING

⑧
MOARK PARTNERS LLC
36,105 SF EXIST.
50 SF PERM. ESM'T
(SIDEWALK)
36,105 SF REMAINING

LEGEND
L LANDING
T TRANSITION
R RAMP
4" SIDEWALK

SW^{4}SW^{4}2
T41N R26W

EXIST. CITY R/W
EXIST. R/W
2ND ST/BUS. 13
S01°32'33"E
ROUTE 18/OHIO ST
S88°29'52"E
SECTION LINE
STA. 8+00.00
STA. 1+00.00
EXIST. 80

STA. 8+58.66 BEGIN LINEAR GRADING FOR ADA FACILITIES
STA. 8+66.63 BEGIN CURB RAMP MODIFIED TYPE 3-A
STA. 8+84.74 END LINEAR GRADING FOR ADA FACILITIES
STA. 8+88.65 END CURB RAMP MODIFIED TYPE 3-A
STA. 0+21.40 BEGIN CURB RAMP MODIFIED TYPE 3-A
STA. 0+29.01 BEGIN LINEAR GRADING FOR ADA FACILITIES
STA. 0+48.18 END CURB RAMP MODIFIED TYPE 3-A
STA. 0+56.13 END LINEAR GRADING FOR ADA FACILITIES & BEGIN SIDEWALK MANICURE LT. TO STA. 6+94.07

(DND) EXIST. UTILITY POLE
RELOCATE EXIST. RISER
RELOCATED RISER
NEW PULL BOX
(DND) EXIST. LIGHT POLE
NEW RADAR DETECTOR
(UIP) EXIST. SIGNAL BASE AND ARM
REMOVE EXIST. PULL BOX
INSTALL NEW PED. POST WITH APS PUSHBUTTON
PERM. ESM'T (SIDEWALK)
+30.00 39.00' LT.
+34.00 35.00' LT.
+78.48 35.54' LT.
+65.93 27.54' LT.
+58.83 17.44' RT.
+78.48 27.94' RT.
+31.38 38.54' RT.
+36.65 34.71' RT.
(R) EXIST. TUBULAR MARKER
INSTALL 2 NEW PED. POSTS WITH PED. SIGNAL HEADS AND APS PUSHBUTTONS
24" PREFORMED THERMOPLASTIC, WHITE
STA. 8+74.34 (R) EXIST. 6" WHITE CROSSWALK
STA. 9+04.42 (R) EXIST. 6" WHITE CROSSWALK
STA. 0+31.00 (R) EXIST. 6" WHITE CROSSWALK
STA. 8+58.83 BEGIN LINEAR GRADING FOR ADA FACILITIES
STA. 8+67.44 BEGIN CURB RAMP MODIFIED TYPE 3-A
STA. 8+81.47 END CURB RAMP MODIFIED TYPE 3-A
STA. 9+05.86 (R) EXIST. 6" WHITE CROSSWALK
STA. 9+08.50 BK. = STA. 0+00.00 AH. END CITY R/W BEGIN MODOT R/W
STA. 0+40.10
STA. 0+19.81
STA. 0+51.62 END CURB RAMP MODIFIED TYPE 3-A
STA. 0+61.62 END LINEAR GRADING FOR ADA FACILITIES
(UIP) EXIST. SIGNAL BASE AND ARM
NEW RADAR DETECTOR
(UIP) EXIST. SIGNAL CABINET
NEW PULL BOX
REMOVE EXIST. PULL BOX
(UIP) EXIST. PED. POST
(UIP) 2 EXIST PED. SIGNAL HEADS
REMOVE 2 EXIST PED. PUSHBUTTONS
INSTALL 1 NEW APS PUSHBUTTON
CONTINUE SIDEWALK MANICURE, LT.
(UIP) EXIST POST
(UIP) 2 EXIST PED. SIGNAL HEADS
REMOVE 2 EXIST PED. PUSHBUTTONS
INSTALL 2 NEW APS PUSHBUTTONS
PROPOSED R/W
(DND) EXIST. LIGHT POLE
ADJUST TO GRADE EXIST. PULL BOX
(DND) FENCE
(DND) EXIST. RISER
(R) EXIST. PULL BOX
(R) EXIST. CONCRETE PAD
(DND) LANDSCAPING
(DND) EXIST. UTILITY POLE
(DND) EXIST. SIGN
(DND) EXIST. MAILBOX
(DND) EXIST. PTCL
(DND) EXIST. P RISER
(DND) EXIST. TELEPHONE RISER
(DND) EXIST. TELEPHONE PEDESTAL
(DND) EXIST. TELEPHONE MANHOLE
(DND) EXIST. TELEPHONE PEDESTAL
(DND) EXIST. TELEPHONE MANHOLE
(DND) EXIST. TELEPHONE RISER

SCALE
0 10 20 30

SW^{4}SW^{4}2
T41N R26W

APRROX. EXIST. CITY R/W

3RD ST

APRROX. EXIST. CITY R/W

SW^{4}SW^{4}2
T41N R26W

LEGEND
4" SIDEWALK
8" PAVED APPROACH

BIEKER, TERESSA A
NO TAKING

WOMBLES, GERAD A
NO TAKING

STA. 5+13

W11-2

W16-7P

28

TREE TRIMMING
(INCL. IN SIDEWALK MANICURE)

EXIST. R/W

TREE TRIMMING
(INCL. IN SIDEWALK MANICURE)

EXIST. R/W

STA. 3+40.11

STA. 3+41.94
BEGIN SIDEWALK MANICURE, RT.
TO STA. 26+93.54

℄ ROUTE 18/OHIO ST
S88°29'52"E

24" PREFORMED
THERMOPLASTIC, WHITE
STA. 4+50.56

24" PREFORMED
THERMOPLASTIC, WHITE
STA. 5+06.37

CONTINUE SIDEWALK
MANICURE, LT. AND RT.

STA. 6+20.17

STA. 3+63.68

STA. 3+83.69

REPLACE SIDEWALK
(MATCH EXIST. WIDTH 4')
AND LINEAR GRADING
FOR ADA FACILITIES

SECTION LINE

SAW CUTS
(NO DIRECT PAY)

SECTION LINE

EXIST. R/W

TREE TRIMMING
(INCL. IN SIDEWALK MANICURE)

STA. 4+47

W11-2

W16-7P

27

JACKSON, CHARLES KEITH
& JENNIFER
NO TAKING

NW^{4}NW^{4}11
T41N R26W

REPLACE GRASS AREA WITH
PAVED APPROACH
ENTRANCE 5
GRADE = 10.0%, 1.0%
WIDTH = 5'

STA. 5+87.10

STA. 5+91.87

EXIST. R/W

CORWIN, TIM
& STORMIE
NO TAKING

HARLEY CUMMINS
NO TAKING

NW^{4}NW^{4}11
T41N R26W

PLAN SHEET
23 OF 31
ROUTE 18
CLINTON

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
Cameron Sooy
2026.02.26
10:22:11-06'00'
PROFESSIONAL ENGINEER

02-26-2026 10:22:11
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	26

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

MoDOT

SW^{4}SW^{4}2
T41N R26W

SCALE
0 10 20 30

LEGEND
4" SIDEWALK

SW^{4}SW^{4}2
T41N R26W

WILLIAMS, BRENDA K
NO TAKING

EDWARDS FAMILY TRUST
NO TAKING

PRICE, REBECCA
NO TAKING

CARTER, PAMLYNNE D
NO TAKING

VAKA, OFA
NO TAKING

BREWER, CODY G
NO TAKING

STA. 6+89.94

STA. 6+94.07
END SIDEWALK
MANICURE, LT.

EXIST. R/W

STA. 7+20.57
GRIND JOINT

STA. 7+40.57
GRIND JOINT

STORM

STA. 8+61.66

STA. 8+71.66

REPLACE SIDEWALK
(MATCH EXIST. WIDTH 4')
AND LINEAR GRADING
FOR ADA FACILITIES

EXIST. R/W

(DND)

STA. 9+07.67
GRIND JOINT

STA. 9+70.48

℄ ROUTE 18/OHIO ST

S88°29'52"E

CONTINUE SIDEWALK
MANICURE, RT.

REPLACE SIDEWALK
(MATCH EXIST. WIDTH 4')
AND LINEAR GRADING
FOR ADA FACILITIES

STA. 8+03.14

STA. 8+28.14

REPLACE SIDEWALK
(MATCH EXIST. WIDTH 4')
AND LINEAR GRADING
FOR ADA FACILITIES

STA. 8+41.82

STA. 8+51.82

REPLACE SIDEWALK
(MATCH EXIST. WIDTH 4')
AND LINEAR GRADING
FOR ADA FACILITIES

STA. 9+29.02

STA. 9+39.02

SECTION LINE

STORM

EXIST. R/W

SECTION LINE

EXIST. R/W

MILLER, BILL G., JR. & ANNA M
NO TAKING

HANNAH, EDWARD & DIANE (TRUST)
NO TAKING

SHINN, JOHN W & RUBY M TRUST
NO TAKING

SUMMERS, JUSTIN & SAFERITE CHEYENNE
NO TAKING

NW^{4}NW^{4}11
T41N R26W

NW^{4}NW^{4}11
T41N R26W

PLAN SHEET
24 OF 31
ROUTE 18
CLINTON

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:11-06'00'

02-26-2026 10:22:11
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	27

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

MoDOT

SCALE
0 10 20 30

APPROX. EXIST. CITY R/W

SE^{4}SW^{4}2
T41N R26W

HUNT, HOWARD E (TRUST)
NO TAKING

BOURLAND PROPERTIES, LLC
NO TAKING

HERSCHBERGER, ROMAN & ANNA
NO TAKING

SE^{4}SW^{4}2
T41N R26W

HENDRICKS FAMILY TRUST
NO TAKING

LEGEND
4" SIDEWALK

5TH ST

STA. 12+73.86
BEGIN SIDEWALK MANICURE, LT.
TO STA. 18+62.28

EXIST. R/W

STA. 12+47.51

℄ ROUTE 18/OHIO ST
S88°29'52"E

SECTION LINE

STA. 13+96.36

STA. 14+21.36

REPLACE SIDEWALK
(MATCH EXIST. WIDTH 4')
AND LINEAR GRADING
FOR ADA FACILITIES

(DND)

STA. 15+22.89
GRIND JOINT

STA. 15+18.49
GRIND JOINT

SEDIMENT REMOVAL
(INCL. IN SIDEWALK MANICURE)

EXIST. R/W

KNIGHT, RONNIE MONROE
NO TAKING

NE^{4}NW^{4}11
T41N R26W

COCHRAN, KEVIN S & DIRENDA K
NO TAKING

PARK PLACE ESTATES, LLC
NO TAKING

NE^{4}NW^{4}11
T41N R26W

PLAN SHEET
25 OF 31
ROUTE 18
CLINTON

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:11-06'00'

02-26-2026 10:22:11
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	28

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SE^{4}SW^{4}2
T41N R26W

SE^{4}SW^{4}2
T41N R26W

LEGEND

4" SIDEWALK

8" PAVED APPROACH

SCALE

0 10 20 30

HENDRICKS
FAMILY TRUST
NO TAKING

WILLIAMS,
PHILLIP & TERESA
NO TAKING

SPOONER,
NICHOLAS ROBERT
NO TAKING

HANNAH, EDWARD & DIANE (TRUST)
NO TAKING

MOTHERSBAUGH,
MATTHEW BRYANT
NO TAKING

NEWBY-
SISCO,
CHRIS
NO TAKING

EXIST. R/W

STA. 15+94.98
GRIND JOINT

(DND)

EXIST. R/W

STA. 16+27.29

STA. 16+72.59

REPLACE SIDEWALK
(MATCH EXIST. WIDTH 4')
AND LINEAR GRADING
FOR ADA FACILITIES

℄ ROUTE 18/OHIO ST
S88°06'52"E

SECTION LINE

SAW CUTS
(NO DIRECT PAY)

MEYER, LORETTA
NO TAKING

SECTION LINE

EXIST. R/W

EXIST. R/W

STA. 16+78.83

STA. 16+91.64

REPLACE GRASS AREA WITH
PAVED APPROACH
ENTRANCE 6
GRADE = 13.00%
W = 14'

PARK PLACE ESTATES, LLC
NO TAKING

VEST, STEWART D & CATHLINE T
NO TAKING

WALKER, DOUGLAS COLSTON JR
NO TAKING

PADGETT, SARA R
NO TAKING

NE^{4}NW^{4}11
T41N R26W

NE^{4}NW^{4}11
T41N R26W

PLAN SHEET
26 OF 31
ROUTE 18
CLINTON

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
Cameron Sooy
2026.02.26
10:22:12-06'00'
PROFESSIONAL ENGINEER

02-26-2026 10:22:11
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	29

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SE^{4}SW^{4}2
T41N R26W

SCALE
0 10 20 30

APPROX. EXIST. CITY R/W

STA. 18+91

S1-1

W16-7P

30

6TH ST

APPROX. EXIST. CITY R/W

LINEAR GRADING FOR ADA FACILITIES

NEWBY-SISCO, CHRIS
NO TAKING

STA. 18+62.28
END SIDEWALK MANICURE, LT.

NEW CURB RAMP TYPE 3-D

STA. 18+72.28

+89.22
34.78' LT.

STA. 18+98.96

STA. 19+12.84
PAVED APPROACH
GRADE = 5.0%, 2.0%,
9.08%
W = 24'

NEW CURB RAMP TYPE 1-A

STA. 19+26.84

+38.57
34.80' LT.

STA. 19+42.79

STA. 19+52.83

EQUITY BANK
NO TAKING

SE^{4}SW^{4}2
T41N R26W

LEGEND
- (L) LANDING
- (T) TRANSITION
- (R) RAMP
- 8" PAVED APPROACH
- 4" SIDEWALK
- 4" MEDIAN STRIP (RAISED ISLAND)

EXIST. R/W

(DND)

R 18'

R 19'

20

EXIST. R/W

(R) EXIST. SIGN

STA. 18+92.66
REMOVE & RELOCATE
STOP SIGN

(DND)

STA. 19+40.57
REMOVE STOP BAR

24" PREFORMED THERMOPLASTIC, WHITE
STA. 18+74.48

℄ ROUTE 18/OHIO ST
S88°06'52"E

STA. 18+66.08
REMOVE STOP BAR

20+78.64

SECTION LINE

EXIST. R/W

R 20'

R 25'

(R) EXIST. SIGN

+68.68
34.99' RT.

+21.44
34.99' RT.

(DND)

(DND)

(DND)

STA. 18+67

S1-1

W16-7P

29

STA. 18+64.00

STA. 18+95.32
PAVED APPROACH
ENTRANCE 7
GRADE = 1.00%
W = 24'

STA. 19+28.96

STA. 19+70.89

REPLACE SIDEWALK
(MATCH EXIST. WIDTH 4')
AND LINEAR GRADING
FOR ADA FACILITIES

STA. 20+79.82

STA. 21+07.95

LINEAR GRADING FOR ADA FACILITIES

MEYER, LORETTA
NO TAKING

APPROX. EXIST. CITY R/W

NE^{4}NW^{4}11
T41N R26W

6TH ST

APPROX. EXIST. CITY R/W

ANSTINE, LORA D. (TRUST)
NO TAKING

EDGETT & MAHAN BUILDING CORP.
NO TAKING

NE^{4}NW^{4}11
T41N R26W

PLAN SHEET
27 OF 31
ROUTE 18
CLINTON

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
Cameron Sooy
2026.02.26
10:22:12-06'00'
PROFESSIONAL ENGINEER

02-26-2026 10:22:12
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	30

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SCALE
0 10 20 30

SE^{4}SW^{4}2
T41N R26W

SE^{4}SW^{4}2
T41N R26W

APRROX. EXIST. CITY R/W

LEGEND
4" SIDEWALK

EQUITY BANK
NO TAKING

EXIST. R/W

STA. 21+28.84
GRIND JOINT

7TH ST

+76.20
35.00' LT

EXIST R/W

+76.20
35.00' LT.

STA. 24+06.37

℄ ROUTE 18/OHIO ST
S88°06'52"E

CONTINUE SIDEWALK
MANICURE, RT.

SECTION LINE

STA. 22+12.82
GRIND JOINT

STA. 22+70.15
GRIND JOINT

SECTION LINE

EXIST. R/W

STA. 21+35.99

REPLACE SIDEWALK
(MATCH EXIST. WIDTH 4')
AND LINEAR GRADING
FOR ADA FACILITIES

EDGETT & MAHAN
BUILDING CORP.
NO TAKING

WOMBLES,
GERAD ALLEN
NO TAKING

EXIST. R/W

STA. 23+81.63

STA. 23+96.63

REPLACE SIDEWALK
(MATCH EXIST. WIDTH 4')
AND LINEAR GRADING
FOR ADA FACILITIES

NE^{4}NW^{4}11
T41N R26W

NE^{4}NW^{4}11
T41N R26W

PLAN SHEET
28 OF 31
ROUTE 18
CLINTON

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:12-06'00'

02-26-2026 10:22:12
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	31

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SCALE
0 10 20 30

SW^{4}SE^{4}2
T41N R26W

SW^{4}SE^{4}2
T41N R26W

SPEED LIMIT 35
R2-1
31

SPEED LIMIT 35
R2-1

W11-2
W16-7P
33

CASEY'S MARKETING CO.
NO TAKING

CARTER, MICHAEL JAMES
NO TAKING

KALWEI CAPITAL, LLC
NO TAKING

STA. 25+65.71

100'
SPACING MAY BE GREATER
DUE TO VARYING FIELD CONDITIONS,
BUT NO LESS THAN 100'

STA. 26+80.98

STA. 27+83.51
BEGIN SIDEWALK
MANICURE, LT.
TO STA. 32+50.36

EXIST. R/W

RELOCATE EXIST.
SPEED LIMIT SIGN

STA 26+66.75
OFF 24.94'

24" PREFORMED
THERMOPLASTIC, WHITE
STA. 26+70.75

EXIST. R/W

STA. 25+35.97

℄ ROUTE 18/OHIO ST
S88°06'52"E

SECTION LINE

CONTINUE SIDEWALK
MANICURE, LT.

STA. 28+16.34

SECTION LINE

STA. 26+93.54
END SIDEWALK
MANICURE, RT.

EXIST. R/W

EXIST. R/W

STA. 26+68

W11-2
W16-7P
32

NW^{4}NE^{4}11
T41N R26W

JP HOLDINGS OF MISSOURI, LLC
NO TAKING

APRROX. EXIST. CITY R/W

PEYTON ST

APRROX. EXIST. CITY R/W

CAMERON, ROGER
NO TAKING

NW^{4}NE^{4}11
T41N R26W

PLAN SHEET
29 OF 31
ROUTE 18
CLINTON

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:12-06'00'

02-26-2026 10:22:12
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	32

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SW^{4}SE^{4}2
T41N R26W

SCALE
0 10 20 30

FRISBIE, KEVIN (TRUST)
NO TAKING

SW^{4}SE^{4}2
T41N R26W

100'

W11-2
W16-7P
35

W11-2
AHEAD
W16-9P
36

B.F.P. LLC
NO TAKING

STA. 31+50

STA. 32+50.36
END SIDEWALK
MANICURE, LT.

+24.00
35.00' LT.

+49.00
37.50' LT.

EXIST. R/W

EXIST. R/W

STA. 30+03.66

℄ ROUTE 18/OHIO ST
S88°06'52"E

24" PREFORMED
THERMOPLASTIC, WHITE
STA. 31+34.43

SECTION LINE

SECTION LINE

SIGN

SIGN

STORM

GV

SIGN

EXIST. R/W

+14.39
34.96' RT.

+35.00
37.50' RT.

ATCHISON GRANITE
PROPERTIES, LLC
NO TAKING

STA. 31+43

W11-2

W16-7P

34

8TH ST

APPROX. EXIST. CITY R/W

STORM

+81.59
34.94' RT.

CRV

EXIST. R/W

+84.00
48.00' RT.

FLLC, INC.
NO TAKING

APPROX. EXIST.
CITY R/W

NW^{4}NE^{4}11
T41N R26W

NW^{4}NE^{4}11
T41N R26W

PLAN SHEET
30 OF 31
ROUTE 18
CLINTON

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:12-06'00'

02-26-2026 10:22:12
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	33

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SCALE
0 10 20 30

SW^{4}SE^{4}2
T41N R26W

APRROX. EXIST. CITY R/W

APRROX. EXIST. CITY R/W

SW^{4}SE^{4}2
T41N R26W

B.F.P. LLC
NO TAKING

HUANG, JIANWU
NO TAKING

MARDEV, LLC
NO TAKING

9TH ST

EXIST. R/W

+24.00
37.67' LT.

EXIST. R/W

+24.00
35.00' LT.

STA. 33+86.89
GRIND JOINT

EXIST. R/W

35

℄ ROUTE 18/OHIO ST
S88°06'52"E

END PROJECT
℄ ROUTE 18
STA. 33+86.89

SECTION LINE

SECTION LINE

EXIST. R/W

EXIST. R/W

FLLC, INC.
NO TAKING

NW^{4}NE^{4}11
T41N R26W

NW^{4}NE^{4}11
T41N R26W

PLAN SHEET
31 OF 31
ROUTE 18
CLINTON

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:12-06'00'

02-26-2026 10:22:12
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	34

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

ALL PROJECT COORDINATES HAVE BEEN PROJECTED FROM THE MISSOURI MODIFIED STATE PLANE COORDINATE SYSTEM OF 1983 USING AN AVERAGE PROJECT PROJECTION(GRID TO GROUND) FACTOR. TO GET BACK TO STATE PLANE COORDINATES MULTIPLY THE PROJECT COORDINATES BY THE AVERAGE GRID FACTOR AS SHOWN IN THE "REFERENCE CONTROL INFORMATION PORTION" OF THIS TABLE.

PROJECT COORDINATE INFORMATION	
COORDINATE SYSTEM	MODIFIED STATE PLANE
HORIZONTAL DATUM	NAD 1983
VERTICAL DATUM	NAVD88
GEOID MODEL	18
ELEVATIONS DETERMINED BY	MODOT GNSS
PROJECT PROJECTION FACTOR	1.00000660

REFERENCE CONTROL INFORMATION	
COORDINATE SYSTEM	MODIFIED STATE PLANE
CONTROL STATION	MODOT CLINTON CORPS
DESIGNATION	MODOT CLINTON CORPS ARP
CORS_ID	MOCL
PID	DM4670
LATITUDE	382319.74343
LONGITUDE	934521.33535
NORTHING (M)	246868.357
EASTING (M)	915003.842
ZONE	2403 (MO- West)
PROJECT AVERAGE GRID FACTOR	0.99996055

ALL PROJECT COORDINATES HAVE BEEN PROJECTED FROM THE MISSOURI MODIFIED STATE PLANE COORDINATE SYSTEM OF 1983 USING AN AVERAGE PROJECT PROJECTION(GRID TO GROUND) FACTOR. TO GET BACK TO STATE PLANE COORDINATES MULTIPLY THE PROJECT COORDINATES BY THE AVERAGE GRID FACTOR AS SHOWN IN THE "REFERENCE CONTROL INFORMATION PORTION" OF THIS TABLE.

PROJECT COORDINATE INFORMATION	
COORDINATE SYSTEM	MODIFIED STATE PLANE
HORIZONTAL DATUM	NAD 1983
VERTICAL DATUM	NAVD88
GEOID MODEL	18
ELEVATIONS DETERMINED BY	MODOT GNSS
PROJECT PROJECTION FACTOR	1.00004320

REFERENCE CONTROL INFORMATION	
COORDINATE SYSTEM	MODIFIED STATE PLANE
CONTROL STATION	MODOT CLINTON CORPS
DESIGNATION	MODOT CLINTON CORPS ARP
CORS_ID	MOCL
PID	DM4670
LATITUDE	382319.74343
LONGITUDE	934521.33535
NORTHING (M)	246868.357
EASTING (M)	915003.842
ZONE	2403 (MO-West)
PROJECT AVERAGE GRID FACTOR	0.99996055

EXAMPLE OF PROJECT COORDINATE TO S.P.C.

PROJECT NORTHING X AVERAGE GRID FACTOR
= STATE PLANE NORTHING
PROJECT EASTING X AVERAGE GRID FACTOR
= STATE PLANE EASTING

EXAMPLE: CONTROL POINT #3
N 236909.2026 X 1.00000 = N 236909.2026
E 2958344.2319 X 1.00000 = E 2958344.2319

LINEAR UNIT CONVERSION

1 METER = 3.280833333 US SURVEY FEET (USFT)

COORDINATE POINT LISTING

STATION	LOCATION	OFFSET (USFT)	MODIFIED STATE PLANE (GROUND) NORTHING (US SURVEY FT)	EASTING (US SURVEY FT)	ELEVATION (US SURVEY FT)	DESCRIPTION
PROJECT CONTROL POINTS (WINDSOR HWY WW)						
53+21.94	℄ HWY WW	-3,940.31	866,261.68	3,071,435.67	911.89	LAND CORNER MARKER
55+31.89	℄ HWY WW	27.44	866,106.94	3,067,460.23	894.35	1/2" IRON ROD
PROJECT CONTROL POINTS (WINDSOR RTE 2 & 52)						
666+52.26	℄ RTE 2	49.91	863,908.56	3,067,386.06	887.66	FOUND IRON PIN
677+15.10	℄ RTE 2	-4,511.54	866,261.68	3,071,435.67	911.89	LAND CORNER MARKER
PROJECT CONTROL POINTS (CLINTON)						
7+28.70	℄ RTE 18	-27.85	801,940.19	2,996,757.54	800.74	LAND CORNER 3/8" IRON PIN IN CONCRETE CORNER
33+84.47	℄ RTE 18	-21.81	801,864.53	2,999,412.24	772.51	LAND CORNER 3" ALUMINUM MONUMENT
ALIGNMENTS						
HIGHWAY WW (HWYWW) (WINDSOR)						
51+00.00	℄ HWY WW		866,536.94	3,067,498.72		BEGINNING OF CHAIN
54+19.00	℄ HWY WW		866,217.97	3,067,494.40		PT
63+67.60	℄ HWY WW		865,271.08	3,067,437.44		PT
68+34.00	℄ HWY WW		864,805.05	3,067,419.06		PT
70+00.00	℄ HWY WW		864,639.09	3,067,415.23		END OF CHAIN
ROUTE 2 (Rte2) (WINDSOR)						
662+50.00	℄ RTE 2		864,235.65	3,067,146.65		BEGINNING OF CHAIN
682+02.00	℄ RTE 2		862,814.47	3,068,484.76		END OF CHAIN
ROUTE 52 (Rte52) (WINDSOR)						
4+00.00	℄ RTE 52		864,722.17	3,071,063.47		BEGINNING OF CHAIN
13+00.00	℄ RTE 52		864,234.45	3,070,307.08		HPI
19+47.50	℄ RTE 52		863,903.91	3,069,750.30		PC
20+00.00	℄ RTE 52		863,877.11	3,069,705.16		HPI
20+52.15	℄ RTE 52		863,841.87	3,069,666.25		PT
25+75.85	℄ RTE 52		863,490.34	3,069,278.06		PC
26+33.65	℄ RTE 52		863,451.54	3,069,235.22		HPI
26+91.29	℄ RTE 52		863,418.53	3,069,187.77		PT
28+95.69	℄ RTE 52		863,301.78	3,069,019.99		PC
29+46.49	℄ RTE 52		863,272.77	3,068,978.29		HPI
29+97.12	℄ RTE 52		863,238.20	3,068,941.07		PT
36+31.32	℄ RTE 52		862,806.65	3,068,476.34		HPI
48+99.32	℄ RTE 52		861,934.40	3,067,556.01		HPI
66+31.99	℄ RTE 52		860,756.17	3,066,285.61		PC
68+96.89	℄ RTE 52		860,576.04	3,066,091.38		HPI
71+60.95	℄ RTE 52		860,424.43	3,065,874.16		PT
72+48.26	℄ RTE 52		860,374.46	3,065,802.56		END OF CHAIN
ROUTE 18 (Rte18) (CLINTON)						
295+00.00	℄ RTE 18		802,130.30	2,991,845.70		BEGINNING OF CHAIN
295+08.47	℄ RTE 18		802,129.39	2,991,854.12		PC
299+60.24	℄ RTE 18		802,080.71	2,992,303.26		HPI
196+38.90	℄ RTE 18		802,066.27	2,992,754.80		PT
208+99.20	℄ RTE 18		802,026.01	2,994,014.46		PC
209+39.92	℄ RTE 18		802,024.71	2,994,055.16		HPI
209+80.50	℄ RTE 18		802,017.66	2,994,095.26		PT
210+70.31	℄ RTE 18		802,002.12	2,994,183.71		PC
211+11.23	℄ RTE 18		801,995.04	2,994,224.01		HPI
211+52.01	℄ RTE 18		801,993.60	2,994,264.91		PT
0+00.00	℄ RTE 18		801,931.45	2,996,028.36		HPI
9+08.50	℄ RTE 18		801,907.63	2,996,936.55		END OF CHAIN
9+08.50	℄ RTE 18		801,907.63	2,996,936.55		BEGINNING OF CHAIN
15+20.90	℄ RTE 18		801,867.77	2,998,456.93		HPI
41+57.24	℄ RTE 18		801,781.03	3,001,091.84		END OF CHAIN

COORDINATE POINT SHEET
SHEET 1 OF 1

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy 2021019715
2026.02.26 10:22:12-06'00'
02-26-2026 10:22:12
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	35

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

















SPECIAL SHEET
ENTRANCE PROFILES
SHEET 1 OF 1

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:13-06'00'
02-26-2026 10:22:13
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	36

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

NOT TO SCALE

BEGIN/END OF PROJECT SIGNING

DUAL-LANE

EFFECTIVE: 06-08-2016
REVISED (ADA): 09-26-2025



(3)
CHANGEABLE MESSAGE SIGN



SIGN SPACING FOR ADVANCE SIGN SERIES

SPACING BETWEEN SIGNS AND SPACING BETWEEN LAST SIGN AND FLAGGER, BEGINNING OF TAPER, OR SIGNED CONDITION.

SPACINGS MAY BE ADJUSTED AS NECESSARY TO MEET FIELD CONDITIONS.

SPEED MPH (S)	NON-DIVIDED HIGHWAYS	DIVIDED HIGHWAYS
0-35	200 FT	200 FT
40-45	350 FT	500 FT
50-55	500 FT	1000 FT
60-70	1000 FT	1000 FT

GENERAL NOTES:

1. ANY EXISTING SIGNING THAT CONFLICTS WITH THE TRAFFIC CONTROL SIGNING SHALL BE COMPLETELY COVERED OR REMOVED.
2. ALTERNATE TRAFFIC CONTROL MAY BE USED AS NEEDED AT THE APPROVAL OF THE ENGINEER.
3. SEE STANDARD DRAWING 616.10 AND 620.10 FOR ADDITIONAL DETAILS, AND 903.03 FOR SIGN AND SIGN MOUNTING REQUIREMENTS.
4. SPEED LIMIT SIGNS INDICATING THE NORMAL SPEED LIMIT SHALL BE INSTALLED AT THE END OF THE WORK ZONE, PROVIDED NO FURTHER WORK ZONES WILL BE ENCOUNTERED WITHIN THE NEXT 1/2 MILE.
5. TEMPORARY SPEED LIMIT SIGNS SHALL BE COVERED OR REMOVED WHEN THE CONDITIONS REQUIRING REDUCED SPEEDS DO NOT EXIST.
6. NO DIRECT PAYMENT WILL BE MADE FOR THE RELOCATION OF CHANNELIZERS, CONST. SIGNS OR FLASHING ARROW PANEL.
7. NO DIRECT PAYMENT WILL BE MADE FOR TEMPORARY STOP OR YIELD SIGNS AS NEEDED TO MAINTAIN EXISTING STOP/YIELD CONDITIONS AS APPROVED BY THE ENGINEER.
8. ALL SIGNS SHALL BE PORTABLE MOUNT AND ARE TO BE MOVED AS WORK PROGRESSES, UNLESS OTHERWISE NOTED. ALL TRAFFIC CONTROL ITEMS SHALL BE REMOVED FROM THE ROADWAY DURING NON-WORKING HOURS.
9. THE CONTRACTOR SHALL BE RESPONSIBLE FOR IMPLEMENTING AND MAINTAINING PROPER TRAFFIC CONTROL SETUPS THROUGHOUT CONSTRUCTION AS DESCRIBED IN THESE PLANS OR AS APPROVED BY THE ENGINEER. ALL TRAFFIC CONTROL SHALL CONFORM TO THE LATEST EDITION OF THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD).
10. WHERE MINIMUM LANE WIDTHS CANNOT BE ACHIEVED ON THE SIDE STREETS, THE CONTRACTOR SHALL CLOSE HALF OF THE APPROACH AND POSITION A FLAGGER AT EACH END OF THE WORK AREA. LOCATION TO BE DETERMINED BY THE ENGINEER. ADVANCE FLAGGER SIGNING SHALL BE INSTALLED AS OUTLINED IN THE MUTCD.
11. THE CONTRACTOR SHALL MAINTAIN PUBLIC ACCESS TO ALL BUSINESSES AND STREETS. NO STREET OR ENTRANCE SHALL BE COMPLETELY BLOCKED.
12. ALL PEDESTRIAN TRAFFIC CONTROL DEVICES SHALL REMAIN IN PLACE UNTIL THE CURB RAMP & SIDEWALK IS OPENED FOR PEDESTRIAN TRAVEL.
13. PEDESTRIAN TRAFFIC CONTROL SIGNS MAY BE MOUNTED ON PORTABLE MOUNTS AT 1 FT. PROVIDED THEY DO NOT INTERFERE WITH PEDESTRIAN MOVEMENT OR BE OBSTRUCTED BY PARKING. OTHERWISE, SIGNS SHALL BE MOUNTED AT 7 FT.
14. SPACING & DISTANCES OF TRAFFIC CONTROL DEVICES ARE APPROXIMATE. THE EXACT LOCATIONS SHALL BE DETERMINED IN THE FIELD & APPROVED BY THE ENGINEER.

(1) DISTANCE MAY BE ADJUSTED ACCORDING TO FIELD CONDITIONS. WHERE TRAFFIC BACKUPS ARE EXPECTED BEYOND THE ADVANCE WARNING AREA, ADDITIONAL SIGNING MAY BE NEEDED.

(2) THE "WORK ZONE NO PHONE ZONE" SIGN IS PLACED A MINIMUM OF 500 FEET BEFORE THE ROAD WORK AHEAD SIGN.

(3) CMS PLACEMENT SHALL BE APPROVED BY THE ENGINEER.

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:13-06'00'
02-26-2026 10:22:13
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	37

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

EFFECTIVE: 06-08-2016
REVISED (ADA): 12-16-2025



DUAL-LANE
LANE CLOSURE - DAY OR NIGHT

NOT TO SCALE

SIGNING REFLECTS DAY OR NIGHT TIME WORKING HOURS

NIGHT TIME WORK HOURS
X PM - X AM



SPEED	SIGN SPACING (1) (FT)		TAPER LENGTH (3) (FT)		OPTIONAL	CHANNELIZER SPACING (4) (FT)	
PERMANENT POSTED (MPH)	UNDIVIDED HIGHWAYS (S)	DIVIDED HIGHWAYS (S)	SHOULDER (5) (T1)	LANE (6) (T2)	BUFFER LENGTH (FT) (B)	TAPERS	BUFFER/ WORK AREAS
0-35	200 (2)	200 (2)	70	245	250	35 (7)	40 (7)
40-45	350	500	150	540	360	40 (7)	80 (7)
50-55	500	1000	185	660	495	50 (8)	80 (8)
60-70	1000	SA - 1000 SB - 1500 SC - 2640	235	840	730	60 (8)	120 (8)

NOTES:

(1) SIGN SPACING MAY BE ADJUSTED, NORMALLY BY INCREASING IT, TO ACCOMMODATE FIELD CONDITIONS AND VISIBILITY.

(2) FOR URBAN LOW SPEED, MINIMUM RECOMMENDED SPACING IN MUTCD IS 100 FT.

(3) TAPER LENGTHS MAY BE ADJUSTED TO ACCOMMODATE CROSSROADS, CURVES, INTERSECTIONS, RAMPS, OR OTHER GEOMETRIC FEATURES.

(4) CHANNELIZER SPACING MAY BE REDUCED TO DISCOURAGE TRAFFIC ENCROACHMENT.

(5) SHOULDER TAPER LENGTH BASED ON 10 FT. (STANDARD SHOULDER WIDTH) OFFSET.

(6) LANE TAPER LENGTH BASED ON 12 FT. (STANDARD LANE WIDTH) OFFSET.

(7) SPACING REDUCED TO 1/2 AT INTERSECTIONS.

(8) SPACING MAY BE REDUCED TO 1/2 AT INTERSECTIONS.

NOTES:

SEE BEGIN/END OF PROJECT SIGNING SHEET FOR ADDITIONAL SIGNS.

▲ IN TAPER SECTIONS: QUANTITY OF TRIMLINE CHANNELIZERS IS DOUBLED WHEN COMPARED TO MAX. CHANNELIZER SPACING IN THE CHART.

TEMPORARY PAVEMENT MARKING REQUIRED WITH LONG TERM LANE CLOSURES (NO DIRECT PAY)

NO DIRECT PAYMENT WILL BE MADE FOR THE RELOCATION OF CHANNELIZERS, CONST. SIGNS, OR FLASHING ARROW PANEL.

NO DIRECT PAYMENT WILL BE MADE FOR TEMPORARY STOP OR YIELD SIGNS AS NEEDED TO MAINTAIN EXISTING STOP/YIELD CONDITIONS AS APPROVED BY THE ENGINEER.

FOR SHORT TERM OPERATIONS WHERE IT IS NOT FEASIBLE TO MODIFY PAVEMENT MARKING, DEVICE SPACING ARE ONE-HALF OF THE SPACING SHOWN IN TABLE.

SPEED LIMIT SIGNS INDICATING THE NORMAL SPEED LIMIT SHALL BE INSTALLED AT THE END OF THE WORK ZONE, PROVIDED NO FURTHER WORK ZONES WILL BE ENCOUNTERED WITHIN THE NEXT 1/2 MILE.

ALL SIGNS SHALL BE PORTABLE MOUNT AND ARE TO BE MOVED AS WORK PROGRESSES, UNLESS OTHERWISE NOTED. ALL TRAFFIC CONTROL ITEMS SHALL BE REMOVED FROM THE ROADWAY DURING NON-WORKING HOURS.

WORK WILL REQUIRE LANE CLOSURES UNLESS OTHERWISE APPROVED BY ENGINEER.

LAYOUT IS TYPICAL FOR EITHER DIRECTION. ALTERNATE TRAFFIC CONTROL MAY BE USED AS NEEDED AT THE APPROVAL OF THE ENGINEER. SEE STANDARD DRAWING 616.10 FOR ADDITIONAL DETAILS.

THE MAX. CHANNELIZER SPACING WITHIN THE WORK ZONE AREA MAY BE REDUCED BASED ON CONSTRUCTION CONDITIONS, AS APPROVED BY ENGINEER.

SIDE STREET FLAGGING DETAIL



NOT TO SCALE

DUAL-LANE (DAY OR NIGHT)

TRAFFIC CONTROL
SHEET 2 OF 3

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
Cameron Sooy 2026.02.26 10:22:13-06'00'
PROFESSIONAL ENGINEER

02-26-2026 10:22:13
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	38

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

REVISED: 11-19-2018

NOTES:

1. NO DIRECT PAYMENT WILL BE MADE FOR ORANGE SAFETY FENCE AS REQUIRED AROUND EXCAVATION OF SIDEWALK & CURB RAMP AREAS.
2. SEE JSP's FOR PEDESTRIAN TRAFFIC DEVICES.
3. WORKING AREAS SHALL BE GUARDED FROM PEDESTRIAN ACCESS BY BARRICADE FENCING 36" TO 48" IN HEIGHT WITH A GAP NO GREATER THAN 6" FROM THE GROUND AND HOLES NO GREATER THAN 4" IN ANY DIRECTION.
4. PEDESTRIAN ACCESS ON SIDEWALK SHALL BE PROVIDED WITH A WIDTH NOT LESS THAN 4' OF SMOOTH STABLE SURFACING ADJACENT TO BARRICADE FENCING FOR ACCESS TO THE MAIN BUILDING.
5. SIDEWALK RAMP CLOSURES FOR RECONSTRUCTION SHALL BE PERFORMED WITH ADA COMPLIANT MOVEABLE BARRICADES. TWO BARRICADES PER PEDESTRIAN APPROACH. ONE SIDEWALK CLOSED SIGN WILL BE PLACED UPON ONE BARRICADE FOR EACH APPROACH, NO MORE THAN ONE 5' SECTION OF SIDEWALK RAMP SHALL BE CLOSED LEADING TO THE MAIN BUILDING AT ANY TIME ADJACENT TO THE WORK AREA.

ORANGE PLASTIC SAFETY FENCE



NO DIRECT PAY.
PLASTIC SAFETY NETTING USED FOR BARRICADE FENCING SHALL BE SUPPORTED WITH T-POST. ADEQUATE FOUNDATIONS, AND BALLAST SO THAT THE FENCE REMAINS TAUT AND IN AN UP-RIGHT POSITION.

DUAL-LANE TYPICAL SIDEWALK CLOSURE

NOT TO SCALE



ADA COMPLIANT MOVEABLE BARRICADE



1. WARNING LIGHTS SHALL NOT BE ATTACHED TO ADA COMPLIANT BARRICADES.
2. CHEVRON RAILS ON THE ADA COMPLIANT BARRICADES MUST BE 8" WIDE MIN. AND MEET TYPE 3 RETRO-REFLECTIVE SHEETING AND COLOR CONTRAST BARRICADE RAILS AS SHOWN. THE TOP RAIL MUST PROVIDE A SMOOTH CONTINUOUS RAIL SURFACE SUITABLE FOR HAND TRAILING WITH NO SPLINTERS, BURRS, OR SHARP EDGES. A MINIMUM OF TWO 8" WIDE RAILS IS REQUIRED.
3. NO TRIPPING HAZARDS FROM THE BARRICADES ARE ALLOWED WITHIN THE PEDESTRIAN SPACE. THIS MEANS NO FEET OR BARS USED TO HOLD THE RAILS OR SUPPORT THE DEVICE ARE ALLOWED WITHIN THE WALKWAY. ALL FEET AND BALLASTS WILL NEED TO BE BEHIND THE DEVICE.
4. THE BARRICADE MUST BE THE FULL WIDTH OF THE CLOSED SIDEWALK.



TRAFFIC CONTROL
SHEET 3 OF 4

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy 2026.02.26 10:22:13-06'00'

02-26-2026 10:22:13
CAMERON SOOY - CIVIL
MO-PE-202101971S

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	39

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

W020-1

(2)



W020-6a

(6)

G020-5aP

(54)

R2-1

(4)

R4-7a

(42)

R2-1

(25)

LANE CLOSURE USING CENTER TURN LANE



NOTE:

ALL LOCATIONS, DISTANCES, AND SPACING OF TRAFFIC CONTROL DEVICES ARE APPROXIMATE AND MAY BE ADJUSTED TO MEET FIELD CONDITIONS AS DIRECTED BE THE ENGINEER.

ANY EXISTING SIGNING OR PAVEMENT MARKING THAT CONFLICTS WITH THE TRAFFIC CONTROL SHALL BE COMPLETELY COVERED OR REMOVED AT NO DIRECT PAY.

TEMPORARY PAVEMENT MARKING REQUIRED WITH LONG TERM CLOSURES. NO DIRECT PAY.

FOR SHORT TERM OPERATIONS WHERE IT IS NOT FEASIBLE TO MODIFY PAVMENT MARKING, CHANNELIZER SPACINGS SHALL BE ONE-HALF OF THE SPACINGS SHOWN IN THE TABLE.

CHANNELIZER SPACINGS SHALL BE REDUCED TO ONE-HALF OF THE SPACINGS SHOWN IN THE TABLE AT INTERSECTIONS.

NO DIRECT PAYMENT WILL BE MADE FOR THE RELOCATION OF CHANNELIZERS, CONSTRUCTION SIGNS OR FLASHING ARROW PANEL.

REDUCED SPEED LIMIT SIGNING SHALL BE REMOVED, COVERED OR TURNED FROM TRAFFIC WHEN CONDITIONS REQUIRING THE REDUCED SPEED NO LONGER EXIST.

SPEED LIMIT SIGNS INDICATING THE NORMAL SPEED LIMIT SHALL BE INSTALLED AT THE END OF THE WORK ZONE, PROVIDING NO FURTHER WORK ZONES WILL BE ENCOUNTERED WITHIN THE NEXT ½ MILE.

SEE STANDARD PLAN 616.10 FOR ADDITIONAL DETAILS.

(1) SPACING BETWEEN SIGNS, BETWEEN LAST SIGN AND FLAGGER, BEGINNING OF TAPER OR SIGNED CONDITION.

(2) SEE TABLE FOR CHANNELIZER SPACING AND TAPER AND BUFFER LENGTHS.

(3) OMIT SPEED LIMIT SIGNS IN AREAS WHERE THE POSTED SPEED LIMIT IS LESS THAN 45 MPH.

(4) 10′ MINIMUM

SPEED	SIGN SPACING (FT) (1)		CHANNELIZER SPACING (FT)		BUFFER LENGTH (FT) (B)	TAPER LENGTH (FT)		LONGITUDINAL TRANSITION (FT) (X)
PERMANENT POSTED (MPH)	UNDIVIDED HIGHWAYS (S)	DIVIDED HIGHWAYS (S)	TAPERS	BUFFER/ WORK AREAS		SHOULDER[1] (T1)	LANE[2] (T2)	
0-35	200	200	35	40	280	70	245	490
40-45	350	500	40	80	400	150	540	1080
50-55	500	1000	50	80	560	185	660	1320
60-70	1000	SA - 1000 SB - 1500 SC - 2640	60	120	840	235	840	1680

[1]BASED ON 10′ SHOULDER WIDTH
[2]BASED ON 12′ LANE WIDTH

TRAFFIC CONTROL LEGEND

- SIGN (SINGLE SIDED)
- CHANNELIZER
- CHANGEABLE MESSAGE BOARD

NOT TO SCALE

TRAFFIC CONTROL
SHEET 4 OF 4

STATE OF MISSOURI
CAMERON SOOY
NUMBER
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:13-06'00'
02-26-2026 10:22:13
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	40

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

REVISED: 11-18-2021

NOTES:

(1) SILT FENCE SHALL BE PLACED IN ALL GRASSY OR OTHER AREAS AS APPROVED BY THE ENGINEER. THE SILT FENCE SHALL BE LOCATED WITHIN THE R.O.W., EXCEPT AS NEEDED WHERE RIGHT-OF-ENTRY HAS BEEN ACQUIRED, OR AT LOCATIONS APPROVED BY THE ENGINEER.

(2) ALTERNATIVES TO SILT FENCE MAY BE USED ONLY WITH APPROVAL OF THE ENGINEER.

(3) FOR DETAILS OF TEMPORARY EROSION CONTROL, SEE STANDARD PLAN 806.10.

TEMPORARY EROSION CONTROL LEGEND

- (C) CURB INLET CHECK
- (A) ALTERNATE CHECK
- (R) ROCK DITCH CHECK
- TEMPORARY BERM
- SILT FENCE





TYPICAL EROSION CONTROL AROUND DROP INLET IN SHOULDER (PAID AS 1 CURB INLET CHECK PER DROP INLET)



NOT TO SCALE

TYPICAL EROSION CONTROL APPLICATIONS FOR NEW CURB RAMP & SIDEWALK CONSTRUCTION

EROSION CONTROL SHEET
SHEET 1 OF 3

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy 2026.02.26 10:22:13-06'00'
02-26-2026 10:22:13
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED: 2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	41

COUNTY: HENRY
JOB NO.: JSR0338
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

NO.	DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

REVISED: 11-18-2021

NOTES:

(1) SILT FENCE SHALL BE PLACED IN ALL GRASSY OR OTHER AREAS AS APPROVED BY THE ENGINEER. THE SILT FENCE SHALL BE LOCATED WITHIN THE R.O.W., EXCEPT AS NEEDED WHERE RIGHT-OF-ENTRY HAS BEEN ACQUIRED, OR AT LOCATIONS APPROVED BY THE ENGINEER.

(2) ALTERNATIVES TO SILT FENCE MAY BE USED ONLY WITH APPROVAL OF THE ENGINEER.

(3) FOR DETAILS OF TEMPORARY EROSION CONTROL, SEE STANDARD PLAN 806.10.

TEMPORARY EROSION CONTROL LEGEND

- (C) CURB INLET CHECK
- (A) ALTERNATE CHECK
- (R) ROCK DITCH CHECK
- TEMPORARY BERM
- SILT FENCE







NOT TO SCALE

TYPICAL EROSION CONTROL APPLICATIONS FOR NEW CURB RAMP CONSTRUCTION

EROSION CONTROL SHEET
SHEET 2 OF 3

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy 2026.02.26 10:22:13-06'00'
02-26-2026 10:22:13
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED	2/6/2026
ROUTE	VAR
STATE	MO
DISTRICT	SW
SHEET NO.	42
COUNTY	HENRY
JOB NO.	JSR0338
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

REVISED: 11-18-2021

NOTES:

(1) SILT FENCE SHALL BE PLACED IN ALL GRASSY OR OTHER AREAS AS APPROVED BY THE ENGINEER. THE SILT FENCE SHALL BE LOCATED WITHIN THE R.O.W., EXCEPT AS NEEDED WHERE RIGHT-OF-ENTRY HAS BEEN ACQUIRED, OR AT LOCATIONS APPROVED BY THE ENGINEER.

(2) ALTERNATIVES TO SILT FENCE MAY BE USED ONLY WITH APPROVAL OF THE ENGINEER.

(3) FOR DETAILS OF TEMPORARY EROSION CONTROL, SEE STANDARD PLAN 806.10.

TEMPORARY EROSION CONTROL LEGEND

- (C) CURB INLET CHECK
- (A) ALTERNATE CHECK
- (R) ROCK DITCH CHECK
- TEMPORARY BERM
- SILT FENCE





TYPICAL EROSION CONTROL AROUND DROP INLET IN SHOULDER (PAID AS 1 CURB INLET CHECK PER DROP INLET)



NOT TO SCALE

TYPICAL EROSION CONTROL APPLICATIONS FOR NEW SIDEWALK CONSTRUCTION

EROSION CONTROL SHEET
SHEET 3 OF 3

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy 2026.02.26 10:22:14-06'00'
02-26-2026 10:22:14
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED	
2/6/2026	
ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	43
COUNTY	
HENRY	
JOB NO.	
JSR0338	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

R	RED BALL
Y	YELLOW BALL
G	GREEN BALL
RL	RED LEFT ARROW
YL	YELLOW LEFT ARROW
GL	GREEN LEFT ARROW
YRt	YELLOW RIGHT ARROW
S	GREEN STRAIGHT ARROW
*	ARROW MOUNTED AT 45° ANGLE

ALL 12" LENSES WITH TUNNEL VISOR

W	PEDESTRIAN INDICATIONS SHALL BE LED
DW	COUNTDOWN TYPE.

Δ SIGNS ARE ALSO SHOWN ON SIGNING SHEETS D-30 & D-31.

NOTE:

PROPOSED RADAR DETECTION SYSTEM PROVIDED AND PAID FOR BY THE COMMISSION.

(1) REMOVE EXISTING VIDEO DETECTORS.

TRAFFIC SIGNALS LEGEND

- CONTROLLER
- CONTROLLER (EXISTING)
- JUNCTION BOX
- POWER SUPPLY
- WOOD POST
- SIGNAL HEAD (OPT LIM CONV)
- SIGNAL HEAD (OPT LIM)
- SIGNAL HEAD (PEDESTRIAN)
- SIGNAL HEAD (STANDARD)
- CCTV CAMERA
- VIDEO DETECTOR
- PUSH BUTTON DETECTOR
- PREFORMED PULL BOX TYPE 1
- PREFORMED PULL BOX TYPE 2
- CONCRETE PULL BOX TYPE 1
- CONCRETE PULL BOX TYPE 2
- ITS PULL BOX TYPE 2
- ITS PULL BOX TYPE 5
- RADAR DETECTOR
- 6 X 6 LOOP DETECTOR
- 6 X 15 LOOP DETECTOR
- 30 X 6 LOOP DETECTOR
- CONDUIT MEDIAN
- CONDUIT PUSHED
- CONDUIT BRIDGE
- CONDUIT EXISTING
- CONDUIT TRENCHED
- SPAN WIRE
- MAST ARM - TYPE A BASE
- MAST ARM - TYPE C BASE
- MAST ARM - TYPE F BASE

START STA 79+00.00

EXIST R/W

S01°28'38"W

EXIST R/W

EXIST R/W

STA 8+80.24
OFF 51.12'

RELOCATE RISER
(BY OTHERS)

STA 8+78.48
OFF 38.89'

STA 8+70.40
OFF 31.44'

EXIST CITY R/W

STA 8+80.22
OFF 36.00'

STA 0+21.32
OFF 55.78'

STA 0+30.92
OFF 39.47'

STA 0+41.82
OFF 33.79'

EXIST R/W

STA 0+32.32
OFF 34.56'

START STA 8+00.00

S88°29'52"E

EQUATION:
9+08.50 BK =
0+00.00 AH

80

END CITY R/W
BEGIN MODOT R/W

POT STA 80+13.25

END STA 1+00.00

S88°29'52"E

EXIST CITY R/W

STA 8+71.70
OFF 24.02'

STA 8+75.02
OFF 27.02'

STA 8+77.97
OFF 30.53'

EXIST R/W

S01°32'33"W

EXIST R/W

STA 0+43.24
OFF 33.14'

EXIST R/W

SCALE

0 10 20 30

SIGNAL SHEET
ROUTE 18 & 2ND ST
CLINTON
SHEET 1 OF 6

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:14-06'00'
02-26-2026 10:22:14
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED	2/6/2026
ROUTE	VAR
STATE	MO
DISTRICT	SW
SHEET NO.	44
COUNTY	HENRY
JOB NO.	JSR0338
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

EFFECTIVE: 07-01-2018

| POST NUMBER | PULL BOX NUMBER | LOCATION APPROACH | LOCATION STATION | LOCATION OFFSET | BASE A 9 | BASE A 9.5 | BASE A 10 | BASE A 10.5 | BASE A 11 | BASE A 12 | BASE F 9 | BASE F 9.5 | BASE F 10 | BASE F 10.5 | BASE F 11 | BASE F 12 | BASE C | BASE CONCRETE** (CU. YDS.) | PULL BOX PREFORMED CLASS 1 | PREFORMED CLASS 2 | PREFORMED CLASS 3 | PREFORMED CLASS 5 | CONCRETE STANDARD | CONCRETE DOUBLE, TYPE A | CONCRETE DOUBLE, TYPE B | DRAIN TYPE* I | DRAIN TYPE* II A | DRAIN TYPE* II B | DRAIN TYPE* II C | TOP MOUNT POST 4 FT. | TOP MOUNT POST 8 FT. | TOP MOUNT POST 15 FT. | TYPE C & CL ARM LENGTH A | TYPE C & CL ARM LENGTH A | TYPE C & CL ARM LENGTH A | TYPE C & CL ARM LENGTH A | TYPE C & CL SIGNAL SPACING B | TYPE C & CL SIGNAL SPACING C | TYPE C & CL SIGNAL SPACING D | TYPE C & CL SIGNAL SPACING D' | TYPE C & CL SIGN SPACING B | TYPE C & CL SIGN SPACING C | TYPE C & CL SIGN SPACING D | TYPE C & CL SIGN SPACING D' | TYPE B & BL ARM LENGTH E | TYPE B & BL ARM LENGTH K | TYPE B & BL ARM LENGTH E | TYPE B & BL ARM LENGTH K | TYPE B & BL ARM LENGTH E | TYPE B & BL ARM LENGTH K | TYPE B & BL LEFT ARM E SIGNAL SPACING F | TYPE B & BL LEFT ARM E SIGNAL SPACING G | TYPE B & BL LEFT ARM E SIGNAL SPACING H | TYPE B & BL LEFT ARM E SIGNAL SPACING H' | TYPE B & BL LEFT ARM E SIGN SPACING F | TYPE B & BL LEFT ARM E SIGN SPACING G | TYPE B & BL LEFT ARM E SIGN SPACING H | TYPE B & BL LEFT ARM E SIGN SPACING H' | TYPE B & BL RIGHT ARM K SIGNAL SPACING L | TYPE B & BL RIGHT ARM K SIGNAL SPACING M | TYPE B & BL RIGHT ARM K SIGNAL SPACING N | TYPE B & BL RIGHT ARM K SIGNAL SPACING N' | TYPE B & BL RIGHT ARM K SIGN SPACING L | TYPE B & BL RIGHT ARM K SIGN SPACING M | TYPE B & BL RIGHT ARM K SIGN SPACING N | TYPE B & BL RIGHT ARM K SIGN SPACING N' | INCLUDED ANGLE | LUMINAIRE BRACKET ARM* 4 FT. | LUMINAIRE BRACKET ARM* 6 FT. | LUMINAIRE BRACKET ARM* 8 FT. | LUMINAIRE BRACKET ARM* 10 FT. | LUMINAIRE BRACKET ARM* 12 FT. | LUMINAIRE BRACKET ARM* 15 FT. |
|---|---|---

EFFECTIVE: 10-01-2015

CONDUIT (WITH #14 TRACER WIRE)

CABLE

FROM	TO	CENTER TO CENTER DISTANCE	LOOP DET.	TRENCH				PUSHED			MEDIAN			ON STRUCTURE			REMARKS
			1"	2"	3"	4"		2"	3"	4"	2"	3"	4"	2"	3"		
7	5																
7	1	10				26											2 CONDUITS
1	2	67				19				46							
2	1	6				9											
1	7	10				8											
7	10	5				6											
7	9	5				6											
7	6	24				22											
6	2	12				15											
6	5	48				7				40							
5	4	15				13											
4	8	3				4											
4	3	5				8											
4	7	11				12											
4	3	63				13				48							
3	5	4				5											
3	6	5				6											
3	5	14				17											
SUBTOTALS						183				134							
TOTALS						190				140							

FROM	TO	CENTER TO CENTER DISTANCE	POWER		CONTROL				CLOSED LOOP INTERCONNECT	LUMINAIRE		DETECTOR		FIBER		REMARKS
					2c #16	5c #16	7c #16	3c #16	3 PAIR #16	CONTROL 2c #12	POLE & BRACKET 1c #10	RADAR CABLE	2c #14 LEAD-IN CABLE	SINGLE-MODE	MULTI-MODE	
	85	83					113									EXIST PED SIGNAL HEAD
	80	83					116									EXIST TRAFFIC SIGNAL HEAD
	24	83					113									EXIST PED SIGNAL HEAD
	81	102					144									EXIST TRAFFIC SIGNAL HEAD
	30	117					159									EXIST TRAFFIC SIGNAL HEAD
	65	83			112											PED PUSHBUTTON DETECTOR
	66	83			112											PED PUSHBUTTON DETECTOR
	25	24					54									EXIST PED SIGNAL HEAD
	44	24					54									EXIST PED SIGNAL HEAD
	67	25			54											PED PUSHBUTTON DETECTOR
	68	25			54											PED PUSHBUTTON DETECTOR
	20	55					94									EXIST TRAFFIC SIGNAL HEAD
	21	70					118									EXIST TRAFFIC SIGNAL HEAD
	50	85					133									EXIST TRAFFIC SIGNAL HEAD
	45	112					160									PED SIGNAL HEAD
	69	112			159											PED PUSHBUTTON DETECTOR
	65	119					167									PED SIGNAL HEAD
	70	119			166											PED PUSHBUTTON DETECTOR
	40	113					164									EXIST TRAFFIC SIGNAL HEAD
	41	133					193									EXIST TRAFFIC SIGNAL HEAD
	70	148					208									EXIST TRAFFIC SIGNAL HEAD
	64	176					220									PED SIGNAL HEAD
	63	176			220											PED PUSHBUTTON DETECTOR
	84	177					221									PED SIGNAL HEAD
	64	177			221		273									PED PUSHBUTTON DETECTOR
	60	186					230									EXIST TRAFFIC SIGNAL HEAD
	61	201					245									EXIST TRAFFIC SIGNAL HEAD
	10	216					260									EXIST TRAFFIC SIGNAL HEAD
	4	83										103				RADAR DETECTOR
	3	186										230				RADAR DETECTOR
	4	55										81				RADAR DETECTOR
	3	113										151				RADAR DETECTOR
SUBTOTALS					1098		3166					565				
TOTALS					1100		3170					570 Δ				

Δ FOR INFORMATION ONLY. RADAR DETECTION SYSTEM PROVIDED AND PAID FOR BY THE COMMISSION.

SIGNAL SHEET
ROUTE 18 & 2ND ST
CLINTON
SHEET 3 OF 6

D-37B

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:14-06'00'
02-26-2026 10:22:14
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	46

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

EFFECTIVE: 04-01-2018

COMMISSION FURNISHED, CONTRACTOR INSTALLED RADAR DETECTION SYSTEM

PAID FOR BY THE COMMISSION

DETECTOR SCHEDULE

DETECTOR NUMBER	APPROACH	TYPE				
		APS PUSH BUTTON	INDUCTION LOOP (2)			RADAR
			STANDARD	DELAY/ EXTEND *	CALL UNIT *	
60	SE QUADRANT	1				
65	SE QUADRANT	1				
67	NE QUADRANT	1				
68	NE QUADRANT	1				
69	NW QUADRANT	1				
70	NW QUADRANT	1				
63	SW QUADRANT	1				
64	SW QUADRANT	1				
Ø4/Ø7	WB ON POST 1					1
Ø2/Ø5	NB ON POST 2					1
Ø3/Ø8	EB ON POST 6					1
Ø1/Ø6	SB ON POST 8					1
	TOTAL	8				4Δ

* ITEMS FOR WHICH SEPARATE PAYMENT WILL NOT BE MADE.

*** USE D3-1 FOR ONE LINE. USE D3-1B FOR TWO LINE.

(1) MoDOT "D" PLUG SHALL BE WIRED INTO ALL NEMA CONTROLLERS WITH 7C HARDWIRE INTERCONNECT.

(2) PAYMENT IS MADE FOR THE NUMBER OF 2-CHANNEL DETECTOR CARDS AS SHOWN BELOW THE ASSIGNMENT CHART.

Δ FOR INFORMATION ONLY. RADAR DETECTION SYSTEM PROVIDED AND PAID FOR BY THE COMMISSION.

SIGNAL SIGNS

QUANTITY	MUTCD SIGN NUMBER	SIZE	AREA	SIGN TOTAL AREA ITEM NO. 90208.33	SIGNAL SIGN MOUNTING HARDWARE ITEM NO. 90208.34
		INCHES	SQ.FT.	SQ.FT.	EA.
	R10-10L	24 X 30	5.0		
	R10-10R	24 X 30	5.0		
	R3-5L	30 X 36	7.5		
	R3-5R	30 X 36	7.5		
	R3-5A	30 X 36	7.5		
	R3-6L	30 X 36	7.5		
	R3-6R	30 X 36	7.5		
	R3-2	24 X 24	4.0		
	R3-1	24 X 24	4.0		
	R3-3	24 X 24	4.0		
	D3-1 ***	VAR. X 18			
	D3-1B ***	VAR. X 18			
4	R10-3EL	9 X 15	0.9	3.6	
4	R10-3ER	9 X 15	0.9	3.6	
	R10-11A	24 X 30	5.0		
	R10-13	36 X 24	6.0		
	R10-27A	30 X 36	7.5		
			SUBTOTAL	7.2	
			TOTAL	8	

SIGNAL SHEET
ROUTE 18 & 2ND ST
CLINTON
SHEET 4 OF 6

D-37C

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26 10:22:14-06'00'
02-26-2026 10:22:14
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	47

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

EFFECTIVE: 12-01-2017

WIRING DIAGRAM



DRAWING NOT TO SCALE

LEGEND

- 3" — CONDUIT CONTAINING CABLE WITH SIZE
- CABLE
- X-Xc — MULTI-CONDUCTOR CABLE #16 AWG (UNLESS OTHERWISE INDICATED)
- LIC — #14 AWG DETECTOR LEAD-IN CABLE (2C TWISTED SHIELDED)
- X — PULL BOX WITH NUMBER
- X — POST WITH NUMBER
- X — POST WITH MAST ARM
- X — POST WITH MAST ARM AND LUMINAIRE
- X — DETECTOR WITH NUMBER
- X — SIGNAL HEAD WITH NUMBER
- SIGNAL CONTROLLER
- POWER SUPPLY
- LIGHTING CONTROLLER
- PUSH BUTTON DETECTOR
- VIDEO DETECTOR
- RADAR DETECTOR

STATE OF MISSOURI
CAMERON SOOY
NUMBER PE-2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26 10:22:14-06'00'
02-26-2026 10:22:14
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED: 2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	48

COUNTY: HENRY
JOB NO.: JSR0338
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SIGNAL SHEET
ROUTE 18 & 2ND ST
CLINTON
SHEET 5 OF 6

D-37D

EFFECTIVE: 12-01-2017

TRAFFIC PHASING AND COLOR SEQUENCE - ACTUATED CONTROLLERS

		PHASE 1	PHASE 2	PHASE 3	PHASE 4	PHASE 5	PHASE 6	PHASE 7	PHASE 8	PED Ø 2 OVERLAP	PED Ø 4 OVERLAP	PED Ø 6 OVERLAP	PED Ø 8 OVERLAP	
FACE NUMBERS		10	21	30	41	50	61	70	81	25	45	65	85	FACE NUMBERS
			20		40		60		80	24	44	64	84	
SIGNAL INDICATIONS	R	R	R	R	R	R	R	R	R	W	W	W	W	R
	Y	YL		YL		YL		YL						Y
		Y	Y	Y	Y	Y	Y	Y	Y					
	G	L		L		L		L						G
		G	G	G	G	G	G	G	G	DW	DW	DW	DW	SIGNAL INDICATIONS
DETECTOR ASSIGNMENTS		10	50	30	70	50	10	70	30					DETECTOR ASSIGNMENTS
DETECTOR ASSIGNMENTS (PEDS. ONLY)										25 24	45 44	65 64	85 84	
OVERLAP PARENT PHASES														



RING STRUCTURE

SIGNAL FACE LOCATION



IF CALLED, ALL NON-CONFLICTING PHASES SHALL COMBINE AND TIME CONCURRENTLY. TIME TO BE DETERMINED BY THE ENGINEER AT SIGNAL TURN ON AND SET IN THE CONTROLLER BY THE CONTRACTOR.

LEGEND

- ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED ACTUATED VEHICULAR MOVEMENT
- NON-ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED NON-ACTUATED VEHICULAR MOVEMENT
- ACTUATED PEDESTRIAN MOVEMENT
- NON-ACTUATED PEDESTRIAN MOVEMENT
- VEHICLE STOPPED

FDW	FLASHING DON'T WALK
W	WALK
DW	DON'T WALK
R/W	RIGHT OF WAY INTERVAL
YRt	YELLOW RIGHT ARROW
RT.	GREEN RIGHT ARROW
LY -YL	YELLOW LEFT ARROW
L	GREEN LEFT ARROW
S	GREEN STRAIGHT AHEAD ARROW
G	CIRCULAR GREEN
Y	CIRCULAR YELLOW
R	CIRCULAR RED
RL	RED LEFT ARROW
Ø	TRAFFIC PHASE
AO	ALL OTHERS
FR	FLASHING RED
FY	FLASHING CIRCULAR YELLOW
FYL	FLASHING YELLOW LEFT ARROW

FLASHING OPERATION	
ALL DIRECTIONS	FR
	FY

CONTROLLER TYPE	NEMA

TRAFFIC SIGNAL CONTROL OPERATION

INTERSECTION OF ROUTE 18

WITH 2ND STREET

SIGNAL SHEET
ROUTE 18 & 2ND ST
CLINTON
SHEET 6 OF 6

D-38A

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:14-06'00'

02-26-2026 10:22:14
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	49

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

SIGNS						CONCRETE FOOTINGS EMBEDDED	STRUCTURAL STEEL POSTS *						PIPE POSTS *					BACKING BARS * *				U CHANNEL POST	PERFORATED SQUARE STEEL TUBE													
902 SIGNAL SIGNS TABULATED ON D-37A SHEET																							2 INCH POST								2.5 INCH POST				
SIGN NO.	SIGN SIZE	LOG MILE or STATION	HORIZ CLEAR IF NOT STD	LOCATION	SIGN DTL. SHT NO.	ITEM NO. 9031010	POST DES NO.	POST NO.1	POST NO.2	POST NO.3	LBS PER FT	TOTAL ITEM NO. 9031210	PIPE SIZE	POST NO.1	POST NO.2	LBS PER FT	TOTAL ITEM NO. 9031220	2" X 3/8" BARS AT 2.55 LBS PER FT NO.	LGTH	TOTAL	TOTAL	TOTAL ITEM NO. 9031250A	POST NO.1	POST NO.2	POST NO.3	TOTAL ITEM NO. 9031270A	ANCHORS DRIVEN 12 GA. ITEM NO. 9031271A	ANCHORS DRIVEN 7 GA. ITEM NO. 9031273A	ANCHORS CONCRETE 7 GA. ITEM NO. 9031274	POST NO.1	POST NO.2	POST NO.3	TOTAL ITEM NO. 9031280	2.25" INSERT (6 FT) ITEM NO. 9031272A	ANCHORS DRIVEN 7 GA. ITEM NO. 9031281A	ANCHORS CONCRETE 7 GA. ITEM NO. 9031285	BREAK-AWAY ASSEMBLY ITEM NO. 9031241
						CY		LF	LF	LF		LBS	IN	LF	LF		LBS	EACH	IN	LF	LBS	LF	LF	LF	LF	LF	EACH	EACH	EACH	LF	LF	LF	LF	EACH	EACH	EACH	EACH
1	ASSEMBLY	47+89		RT, RTE. WW, WINDSOR																										16			16			1	1
2	ASSEMBLY	52+84		RT, RTE. WW, WINDSOR																										16			16			1	1
2A	ASSEMBLY	52+95		LT, RTE. WW, WINDSOR																										16			16			1	1
3	ASSEMBLY	58+19		RT, RTE. WW, WINDSOR																										16			16			1	1
3A	ASSEMBLY	58+31		LT, RTE. WW, WINDSOR																										16			16			1	1
3B	ASSEMBLY	59+31		LT, RTE. WW, WINDSOR																										16			16			1	1
4	ASSEMBLY	42+53		LT, RTE. 52, WINDSOR																										16			16			1	1
5	ASSEMBLY	43+53		LT, RTE. 52, WINDSOR																										16			16			1	1
6	ASSEMBLY	43+65		RT, RTE. 52, WINDSOR																										16			16			1	1
7	ASSEMBLY	46+37		LT, RTE. 52, WINDSOR																										16			16			1	1
8	ASSEMBLY	48+15		LT, RTE. 52, WINDSOR																										16			16			1	1
9	ASSEMBLY	48+24		LT, RTE. 52, WINDSOR																										16			16			1	1
10	ASSEMBLY	51+50		LT, RTE. 52, WINDSOR																										16			16			1	1
11	ASSEMBLY	52+06		RT, RTE. 52, WINDSOR																										16			16			1	1
12	ASSEMBLY	56+90		RT, RTE. 52, WINDSOR																										16			16			1	1
13	ASSEMBLY	60+97		LT, RTE. 52, WINDSOR																										16			16			1	1
14	ASSEMBLY	61+07		RT, RTE. 52, WINDSOR																										16			16			1	1
15	ASSEMBLY	62+08		RT, RTE. 52, WINDSOR																										16			16			1	1
16	ASSEMBLY	LM 44.0130		RT, RTE. 52 MONTROSE																										16			16			1	1
17	ASSEMBLY	LM 44.0964		RT, RTE. 52, MONTROSE																										16			16			1	1
18	ASSEMBLY	LM 44.2511		RT, RTE. 52, MONTROSE																										16			16			1	1
19	ASSEMBLY	LM 44.2534		LT, RTE. 52, MONTROSE																										16			16			1	1
20	ASSEMBLY	LM 44.4599		LT, RTE. 52, MONTROSE																										16			16			1	1
21	ASSEMBLY	217+68		RT, RTE. 18, CLINTON																										16			16			1	1
22	ASSEMBLY	217+77		LT, RTE. 18, CLINTON																										16			16			1	1
23	ASSEMBLY	226+86		RT, RTE. 18, CLINTON																										16			16			1	1
24	ASSEMBLY	227+64		LT, RTE. 18, CLINTON																										16			16			1	1
25	ASSEMBLY	2+63		RT, RTE. 18, CLINTON																										16			16			1	1
26	ASSEMBLY	3+34		LT, RTE. 18, CLINTON																										16			16			1	1
27	ASSEMBLY	4+47		RT, RTE. 18, CLINTON																										16			16			1	1
28	ASSEMBLY	5+13		LT, RTE. 18, CLINTON																										16			16			1	1
29	ASSEMBLY	18+67		RT, RTE. 18, CLINTON																										16			16			1	1
30	ASSEMBLY	18+91		LT, RTE. 18, CLINTON																										16			16			1	1
31	36X48	25+66		LT, RTE. 18, CLINTON																										16			16			1	1
32	ASSEMBLY	26+68		RT, RTE. 18, CLINTON																										16			16			1	1
33	ASSEMBLY	26+81		LT, RTE. 18, CLINTON																										16			16			1	1
34	ASSEMBLY	31+43		RT, RTE. 18, CLINTON																										16			16			1	1
35	ASSEMBLY	31+50		LT, RTE. 18, CLINTON																										16			16			1	1
36	ASSEMBLY	32+50		LT, RTE. 18, CLINTON																										16			16			1	1
				SUBTOTAL		0						0.00					0				0	0			0	0	0	0				624	0	0	39	39
				TOTAL		0						0					0				**	0			0	0	0	0				624	0	0	39	39

SIGNING SHEET
1 OF 2

D-29

STATE OF MISSOURI
CAMERON SOOY
NUMBER -2021019715
Cameron Sooy
2026.03.11
09:52:27-05'00'
PROFESSIONAL ENGINEER

03-11-26v0 9:2c:27
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
3/11/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	50

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

STANDARD SIGN ASSEMBLIES

SIGN NO.	LOG MILE OR STATION	LOCATION	STANDARD SIGN TYPE & NUMBER OF EACH				
			W11-2	W16-7P	S1-1	R2-1	W16-9P
1	47+89	RT, RTE. WW, WINDSOR	1				1
2	52+84	RT, RTE. WW, WINDSOR	1	1			
2A	52+95	LT, RTE. WW, WINDSOR	1	1			
3	58+19	RT, RTE. WW, WINDSOR	1	1			
3A	58+31	LT, RTE. WW, WINDSOR	1	1			
3B	59+31	LT, RTE. WW, WINDSOR	1				1
4	42+53	LT, RTE. 52, WINDSOR	1				1
5	43+53	LT, RTE. 52, WINDSOR	1	1			
6	43+65	RT, RTE. 52, WINDSOR	1	1			
7	46+37	LT, RTE. 52, WINDSOR			1		1
8	48+15	LT, RTE. 52, WINDSOR	1	1			
9	48+24	LT, RTE. 52, WINDSOR	1	1			
10	51+50	LT, RTE. 52, WINDSOR		1	1		
11	52+06	RT, RTE. 52, WINDSOR		1	1		
12	56+90	RT, RTE. 52, WINDSOR			1		1
13	60+97	LT, RTE. 52, WINDSOR	1	1			
14	61+07	RT, RTE. 52, WINDSOR	1	1			
15	62+08	RT, RTE. 52, WINDSOR	1				1
16	LM 44.0130	RT, RTE. 52 MONTROSE			1		1
17	LM 44.0964	RT, RTE. 52, MONTROSE			1		1
18	LM 44.2511	RT, RTE. 52, MONTROSE		1	1		
19	LM 44.2534	LT, RTE. 52, MONTROSE		1	1		
20	LM 44.4599	LT, RTE. 52, MONTROSE			1		1
21	217+68	RT, RTE. 18, CLINTON	1	1			
22	217+77	LT, RTE. 18, CLINTON	1	1			
23	226+86	RT, RTE. 18, CLINTON	1	1			
24	227+64	LT, RTE. 18, CLINTON	1	1			
25	2+63	RT, RTE. 18, CLINTON	1	1			
26	3+34	LT, RTE. 18, CLINTON	1	1			
27	4+47	RT, RTE. 18, CLINTON	1	1			
28	5+13	LT, RTE. 18, CLINTON	1	1			
29	18+67	RT, RTE. 18, CLINTON		1	1		
30	18+91	LT, RTE. 18, CLINTON		1	1		
31	25+66	LT, RTE. 18, CLINTON				1	
32	26+68	RT, RTE. 18, CLINTON	1	1			
33	26+81	LT, RTE. 18, CLINTON	1	1			
34	31+43	RT, RTE. 18, CLINTON	1	1			
35	31+50	LT, RTE. 18, CLINTON	1	1			
36	32+50	LT, RTE. 18, CLINTON	1				1
		NO. OF STD SIGNS	27	28	11	1	10

SIGN SUMMARY

STANDARD SIGN OR SPECIAL SIGN	SIGN DETAIL SHEET NO.	NO. EACH	SIGN SIZE & TYPE & SQUARE FEET				
			SIGN SIZE INCHES	FLAT SHEET SH ITEM NO. 9035004A	FLAT SHEET FLUORESCENT SHF * ITEM NO. 9035069A	STRUCTURAL ST ITEM NO. 9035011A	STRUCTURAL FLUORESCENT STF * ITEM NO. 9035071A
PEDESTRAIN CROSSING	W11-2	27	36 " X 36"		243		
DOWN ARROW	W16-7P	28	30" X 18"		105		
SCHOOL ADVANCE	S1-1	11	36" X 36"		99		
SPEED LIMIT 35	R2-1	1	36" X 48"	12			
AHEAD	W16-9P	10	36" X 12"		30		
			TOTALS	12	477	0	0
			USE	12	477	0	0

*ORANGE, YELLOW AND YELLOW-GREEN

SIGNING SHEET
2 OF 2

D-30

STATE OF MISSOURI
CAMERON SOOY
NUMBER -2021019715
Cameron Sooy
2026.03.11 09:52:27-05'00'
PROFESSIONAL ENGINEER
03-11-26v0 9.0c.27
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
3/11/2026

ROUTE	STATE
VAR	MO

DISTRICT	SHEET NO.
SW	51

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

PEDESTRIAN CROSSING EXAMPLE



NOTES:
SEE STANDARD PLANS 620.00 FOR SPACING REQUIREMENTS.
MIDBLOCK SPACING DOES NOT HAVE TO BE EQUAL THROUGHOUT THE CROSSWALK RUN.
SPACING CAN VARY TO ELIMINATE MIDBLOCKS BEING IN THE WHEEL PATH.
MIDBLOCKS SHOULD EXTEND FROM CURB TO CURB AND CAN BE PLACED IN THE GUTTER
HALF BLOCKS MAY BE USED AT CURBS WHERE FULL BLOCKS WILL NOT FIT.



"S" SPACING TO AVOID WHEEL PATHS BUT SHALL NOT EXCEED 48". IF SHOULDERS EXIST, THE PATTERN SHALL EXTEND TO THE CURB ADDING BARS AS NEEDED.

LONGITUDINAL BAR CROSSWALK	
NUMBER OF 10'-12' LANES	NUMBER OF 24" WHITE BARS
1	3
2	5
3	7
4	9
5	11

NOT TO SCALE

PAVEMENT MARKING
SHEET 1 OF 1

STATE OF MISSOURI
CAMERON SOOY
NUMBER 2021019715
PROFESSIONAL ENGINEER
Cameron Sooy
2026.02.26
10:22:15-06'00'

02-26-2026 10:22:15
CAMERON SOOY - CIVIL
MO-PE-2021019715

DATE PREPARED
2/6/2026

ROUTE	STATE
VAR	MO
DISTRICT	SHEET NO.
SW	52

COUNTY
HENRY

JOB NO.
JSR0338

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)