

NO NEW R/W REQUIRED

DESIGN DESIGNATION

A.A.D.T. - 2026 = US 60 - 20,644
 US 63 - 14,106
 US 67 - 45,523

FUNCTIONAL CLASSIFICATION-FREEWAY


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION PLANS FOR PROPOSED STATE HIGHWAY VARIOUS COUNTIES SOUTHEAST DISTRICT



PROJECT LIMITS
 RT 63S LM 291.638
 TO LM 303.908
 RT 63N LM 33.294
 TO LM 45.599



KEY MAP
 LOCATION OF SOUTHEAST DISTRICT



PROJECT LIMITS
 RT 67S LM 75.767 TO LM 185.783
 RT 67N LM 11.124 TO LM 121.919

PROJECT LIMITS
 RT 60E LM 121.230 TO LM 316.676
 RT 60W LM 24.622 TO LM 219.404

PERMANENT PAVEMENT MARKING

THE EXISTENCE AND APPROXIMATE LOCATION OF UTILITY FACILITIES KNOWN TO EXIST, AS SHOWN ON THE PLANS, ARE BASED ON THE BEST INFORMATION AVAILABLE TO THE COMMISSION AT THIS TIME. THIS INFORMATION IS PROVIDED BY THE COMMISSION "AS-IS" AND THE COMMISSION EXPRESSLY DISCLAIMS ANY REPRESENTATION OR WARRANTY AS TO THE COMPLETENESS, ACCURACY, OR SUITABILITY OF THE INFORMATION FOR ANY USE. RELIANCE UPON THIS INFORMATION IS DONE AT THE RISK AND PERIL OF THE USER, AND THE COMMISSION SHALL NOT BE LIABLE FOR ANY DAMAGES THAT MAY ARISE FROM ANY ERROR IN THE INFORMATION. IT IS, THEREFORE, THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE EXISTENCE, LOCATION AND STATUS OF ANY FACILITY. SUCH VERIFICATION INCLUDES DIRECT CONTACT WITH THE LISTED UTILITIES.

CONVENTIONAL SYMBOLS (USED IN PLANS)

	EXISTING	NEW
BUILDINGS AND STRUCTURES		
GUARD RAIL		
GUARD CABLE		
CONCRETE RIGHT-OF-WAY MARKER		
STEEL RIGHT-OF-WAY MARKER		
LOCATION SURVEY MARKER		
UTILITIES		
FIBER OPTICS	-FO-	-FO-
OVERHEAD CABLE TV	-OTV-	-OTV-
UNDERGROUND CABLE TV	-UTV-	-UTV-
OVERHEAD TELEPHONE	-OT-	-OT-
UNDERGROUND TELEPHONE	-UT-	-UT-
OVERHEAD POWER	-OE-	-OE-
UNDERGROUND POWER	-UE-	-UE-
SANITARY SEWER	-S-	-S-
STORM SEWER	-SS-	-SS-
GAS	-G-	-G-
WATER	-W-	-W-
MANHOLE		
FIRE HYDRANT		
WATER VALVE		
WATER METER		
DROP INLET		
DITCH BLOCK		
GROUND MOUNTED SIGN		
LIGHT POLE		
H-FRAME POWER POLE		
TELEPHONE PEDESTAL		
FENCE		
CHAIN LINK		
WOVEN WIRE		
GATE POST		
BENCHMARK		

NOTE: DASHED OR OPEN SYMBOLS INDICATE EXISTING FEATURES

INDEX OF SHEETS	
DESCRIPTION	SHEET NUMBER
TITLE SHEET	1
QUANTITIES (QU) (5 SHEETS)	2
TRAFFIC CONTROL (TC)	3

LENGTH OF PROJECT	
ROUTE 63S	
BEGINNING OF PROJECT	LOG MILE 291.638
END OF PROJECT	LOG MILE 303.908
APPARENT LENGTH	12.270 MILES
EQUATIONS AND EXCEPTIONS:	NONE

ROUTE 63N	
BEGINNING OF PROJECT	LOG MILE 33.294
END OF PROJECT	LOG MILE 45.599
APPARENT LENGTH	12.305 MILES
EQUATIONS AND EXCEPTIONS:	NONE

ROUTE 60E	
BEGINNING OF PROJECT	LOG MILE 121.230
END OF PROJECT	LOG MILE 316.676
APPARENT LENGTH	195.446 MILES
EQUATIONS AND EXCEPTIONS:	

CITY OF MTN. VIEW 60E	
LOG MILE 180.438 TO LOG MILE 185.218	
CITY OF POPLAR BLUFF 60E	
LOG MILE 260.229 TO LOG MILE 265.405	
TOTAL CORRECTIONS	9.956 MILES
NET LENGTH OF PROJECT	185.490 MILES


ROUTE 60W	
BEGINNING OF PROJECT	LOG MILE 24.622
END OF PROJECT	LOG MILE 219.404
APPARENT LENGTH	194.782 MILES
EQUATIONS AND EXCEPTIONS:	

CITY OF POPLAR BLUFF 60W	
LOG MILE 75.959 TO LOG MILE 80.086	
CITY OF MTN. VIEW 60W	
LOG MILE 155.440 TO LOG MILE 160.223	
TOTAL CORRECTIONS	8.910 MILES
NET LENGTH OF PROJECT	185.872 MILES

ROUTE 67S	
BEGINNING OF PROJECT	LOG MILE 75.767
END OF PROJECT	LOG MILE 185.783
APPARENT LENGTH	110.016 MILES
EQUATIONS AND EXCEPTIONS:	NONE
TOTAL CORRECTIONS	0.000 MILES
NET LENGTH OF PROJECT	110.016 MILES

ROUTE 67N	
BEGINNING OF PROJECT	LOG MILE 11.124
END OF PROJECT	LOG MILE 121.919
APPARENT LENGTH	110.795 MILES
EQUATIONS AND EXCEPTIONS:	NONE
TOTAL CORRECTIONS	0.000 MILES
NET LENGTH OF PROJECT	110.795 MILES

TOTAL APPARENT LENGTH OF PROJECT	635.614 MILES
TOTAL CORRECTIONS	18.866 MILES
TOTAL NET LENGTH OF PROJECT	616.748 MILES
FOR INFORMATION ONLY	
ESTIMATED DISTURBED ACRES	0 ACRES



DATE PREPARED
 2/2/2026

ROUTE STATE
 VAR MO
 DISTRICT SHEET NO.
 SE 1

COUNTY
 VARIOUS
 JOB NO.
 JSEM0117
 CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION



105 WEST CAPITOL
 JEFFERSON CITY, MO 65102
 1-888-ASK-MODOT (1-888-275-6636)

WARNING SIGNS										GUIDE SIGNS										REGULATORY SIGNS										MISCELLANEOUS SIGNS									
SIGN	SIZE	AREA	QTY	TOTAL	QTY	TOTAL	SIGN	DESCRIPTION		SIGN	SIZE	AREA	QTY	TOTAL	QTY	TOTAL	SIGN	DESCRIPTION		SIGN	SIZE	AREA	QTY	TOTAL	QTY	TOTAL	SIGN	DESCRIPTION		SIGN	SIZE	AREA	QTY	TOTAL	QTY	TOTAL	SIGN	DESCRIPTION	
IN.	SQ.FT.	EACH	SQ.FT.	EACH	SQ.FT.	NO.				IN.	SQ.FT.	EACH	SQ.FT.	EACH	SQ.FT.	NO.				IN.	SQ.FT.	EACH	SQ.FT.	EACH	SQ.FT.	NO.				IN.	SQ.FT.	EACH	SQ.FT.	EACH	SQ.FT.	NO.			
WO1-1L	48X48	16.00						TURN (SYMBOL LEFT)		E05-1	36X48	12.00						GORE EXIT		R1-1	48X48	13.25						STOP		CONST-5	48X36	12.00						POINT OF PRESENCE	
WO1-1R	48X48	16.00						TURN (SYMBOL RIGHT)		E05-2	48X36	12.00						EXIT OPEN		R1-2	48TRI.	6.93						YIELD		CONST-5	96X48	32.00						POINT OF PRESENCE	
WO1-2L	48X48	16.00						CURVE (SYMBOL LEFT)		E05-2a	48X36	12.00						EXIT CLOSED		R1-2a	36X36	9.00						TO ONCOMING TRAFFIC (PLAQUE)		CONST-8	48X36	12.00						WORK ZONE NO PHONE ZONE	
WO1-2R	48X48	16.00						CURVE (SYMBOL RIGHT)		GO20-1	60X24	10.00						ROAD WORK NEXT XX MILES		R1-3P	30X12	2.50						ALL WAY (PLAQUE)											
WO1-3L	48X48	16.00						REVERSE TURN (SYMBOL LEFT)		GO20-2	48X24	8.00						END ROAD WORK		R2-1	36X48	12.00						SPEED LIMIT XX											
WO1-3R	48X48	16.00						REVERSE TURN (SYMBOL RIGHT)		GO20-4	36X18	4.50						PILOT CAR FOLLOW ME		R3-1	48X48	16.00						NO RIGHT TURN (SYMBOL)											
WO1-4L	48X48	16.00						REVERSE CURVE (SYMBOL LEFT)		GO20-4a	42X30	8.75						PILOT CAR IN USE WAIT & FOLLOW		R3-2	48X48	16.00						NO LEFT TURN (SYMBOL)											
WO1-4R	48X48	16.00						REVERSE CURVE (SYMBOL RIGHT)		GO20-4aP	18X12	1.50						PILOT CAR IN USE WAIT & FOLLOW		R3-3	36X36	9.00						NO TURNS											
WO1-4bL	48X48	16.00						DOUBLE ARROW REVERSE CURVE (SYMBOL LEFT)		GO20-5aP	36X24	6.00						WORK ZONE (PLAQUE)		R3-4	48X48	16.00						NO U-TURN (SYMBOL)											
WO1-4bR	48X48	16.00						DOUBLE ARROW REVERSE CURVE (SYMBOL RIGHT)		MO4-8a	24X18	3.00						END DETOUR		R3-7L	30X30	6.25						LEFT LANE MUST TURN LEFT											
WO1-4cL	48X48	16.00						TRIPLE ARROW REVERSE CURVE (SYMBOL LEFT)		MO4-9L	48X36	12.00						DETOUR (LEFT)		R3-7R	30X30	6.25						RIGHT LANE MUST TURN RIGHT											
WO1-4cR	48X48	16.00						TRIPLE ARROW REVERSE CURVE (SYMBOL RIGHT)		MO4-9R	48X36	12.00						DETOUR (RIGHT)		R4-1	36X48	12.00						DO NOT PASS											
WO1-6	60X30	12.50						HORIZONTAL ARROW (SYMBOL)		MO4-9P	48X12	4.00						STREET NAME (PLAQUE)		R4-2	36X48	12.00						PASS WITH CARE											
WO1-6a	72X36	18.00						HORIZ. ARROW (SYMBOL ON PERMANENT BARRICADE)		MO4-10L	48X18	6.00						DETOUR ARROW (LEFT)		R4-7a	36X48	12.00						KEEP RIGHT (HORIZONTAL ARROW)											
WO1-7	60X30	12.50						DOUBLE HEAD HORIZONTAL ARROW (SYMBOL)		MO4-10R	48X18	6.00						DETOUR ARROW (RIGHT)		R4-8a	36X48	12.00						KEEP LEFT (HORIZONTAL ARROW)											
WO1-7a	72X36	18.00						DOUBLE HEAD HORIZ. ARROW (SYMBOL ON PERM. BARR.)												R5-1	30X30	6.25						DO NOT ENTER											
WO1-8	18X24	3.00						CHEVRON (SYMBOL)												R5-1a	36X24	6.00						WRONG WAY											
WO1-8a	30X36	7.50						CHEVRON (SYMBOL FOR DIVIDED HIGHWAYS)												R6-1L	54X18	6.75						ONE WAY ARROW (LEFT)											
WO3-1	48X48	16.00						STOP AHEAD (SYMBOL)												R6-1R	54X18	6.75						ONE WAY ARROW (RIGHT)											
WO3-2	48X48	16.00						YIELD AHEAD (SYMBOL)												R6-2L	24X30	5.00						ONE WAY (LEFT)											
WO3-3	48X48	16.00						SIGNAL AHEAD (SYMBOL)												R6-2R	24X30	5.00						ONE WAY (RIGHT)											
WO3-4	48X48	16.00						BE PREPARED TO STOP												R9-9	24X12	2.00						SIDEWALK CLOSED											
WO3-5	48X48	16.00						SPEED LIMIT AHEAD												R9-11L	24X18	3.00						SIDEWALK CLOSED AHEAD, (ARROW LEFT) CROSS HERE											
WO4-1L	48X48	16.00						MERGE (SYMBOL FROM LEFT)												R9-11R	24X18	3.00						SIDEWALK CLOSED AHEAD, (ARROW RIGHT) CROSS HERE											
WO4-1R	48X48	16.00						MERGE (SYMBOL FROM RIGHT)												R10-6	24X36	6.00						STOP HERE ON RED (45° ARROW)											
WO4-1aL	48X48	16.00						MERGE (LEFT)												R11-2	48X30	10.00						ROAD CLOSED											
WO4-1aR	48X48	16.00						MERGE (RIGHT)												R11-3a	60X30	12.50						ROAD CLOSED XX MILES AHEAD											
WO5-1	48X48	16.00						ROAD/BRIDGE/RAMP NARROWS												R11-4	60X30	12.50						LOCAL TRAFFIC ONLY											
WO5-3	48X48	16.00						ONE LANE BRIDGE												CONST-3A	60X48	20.00						ROAD CLOSED TO THRU TRAFFIC											
WO5-5	48X48	16.00						NARROW LANES												CONST-3X	56X12	4.67						FINE SIGN											
WO6-1	48X48	16.00						DIVIDED HIGHWAY (SYMBOL)																				SPEEDING/PASSING (PLATE)											
WO6-2	48X48	16.00						DIVIDED HIGHWAY END (SYMBOL)																															
WO6-3	48X48	16.00						TWO WAY TRAFFIC (SYMBOL)																															
WO7-3a	30X24	5.00						NEXT XX MILES (PLAQUE)																															
WO8-1	48X48	16.00						BUMP																															
WO8-2	48X48	16.00						DIP																															
WO8-3	48X48	16.00						PAVEMENT ENDS																															
WO8-4	48X48	16.00						SOFT SHOULDER																															
WO8-5	48X48	16.00						SLIPPERY WHEN WET (SYMBOL)																															
WO8-6	48X48	16.00						TRUCK CROSSING																															
WO8-6c	48X48	16.00						TRUCK ENTRANCE																															
WO8-7	36X36	9.00						LOOSE GRAVEL																															
WO8-7a	36X36	9.00						FRESH OIL / LOOSE GRAVEL																															
WO8-9	48X48	16.00						LOW SHOULDER																															
WO8-11	48X48	16.00						UNEVEN LANES																															
WO8-12	48X48	16.00						NO CENTER LINE																															
WO8-15	48X48	16.00						GROOVED PAVEMENT																															
WO8-15P	30X24	5.00						MOTORCYCLE (PLAQUE)																															
WO8-17L	48X48	16.00						SHOULDER DROP-OFF (SYMBOL LEFT)																															
WO8-17R	48X48	16.00						SHOULDER DROP-OFF (SYMBOL RIGHT)																															
WO8-17P	30X24	5.00						SHOULDER DROP-OFF (PLAQUE)																															
W10-1	42RND.	9.62						RAILROAD CROSSING																															
WO12-1	24X24	4.00						DOUBLE DOWN ARROW (SYMBOL)																															
WO12-2	48X48	16.00						LOW CLEARANCE (SYMBOL)																															
WO12-2x	24X18	3.00	</																																				

