DESIGN DESIGNATION

A.A.D.T. - 2026 = 30,100
A.A.D.T. - 2046 = 33,110
D.H.V. = 8.6%
T = 4.9%
V = 40 M.P.H.
D = 52%/48%

FUNCTIONAL CLASSIFICATION-PRINCIPAL ARTERIAL

PERMANENT SIDEWALK & TEMPORARY CONSTRUCTION EASEMENTS WILL BE ACQUIRED FOR THIS PROJECT

CONVENTIONAL SYMBOLS
(USED IN PLANS)

	EXISTING	NEW
BUILDINGS AND STRUCTURES		
GUARD RAIL		
GUARD CABLE		
CONCRETE RIGHT-OF-WAY MARKER		
STEEL RIGHT-OF-WAY MARKER		
LOCATION SURVEY MARKER		
UTILITIES		
FIBER OPTICS	-FO-	FO
OVERHEAD CABLE TV	-OTV-	OTV
UNDERGROUND CABLE TV	-UTV-	UTV
OVERHEAD TELEPHONE	-OT-	OT
UNDERGROUND TELEPHONE	-UT-	UT
OVERHEAD POWER	-OE-	OE
UNDERGROUND POWER	-UE-	UE
SANITARY SEWER	-S-	S
STORM SEWER	-SS-	SS
GAS	-G-	G
WATER	-W-	W
MANHOLE	SAN	
FIRE HYDRANT	HYD	
WATER VALVE	WV	
WATER METER	WM	
DROP INLET		
DITCH BLOCK		
GROUND MOUNTED SIGN	SIGN	
LIGHT POLE		
H-FRAME POWER POLE		
TELEPHONE PEDESTAL	PED	
FENCE		
CHAIN LINK	-V-	
WOVEN WIRE	-X-	
GATE POST		
BENCHMARK	BM	
ADJUST TO GRADE	(ATG)	
ADJUST TO GRADE BY OTHERS	(ATGBO)	
DO NOT DISTURB	(DND)	
REMOVE	(R)	
REMOVE AND REPLACE	(R&R)	
TO BE REMOVED AND REPLACED	(TBR&R)	
TO BE REMOVED BY OTHERS	(TBRBO)	
TO BE REMOVED AND RELOCATED	(TBR&REL)	
TO BE REMOVED AND RELOCATED BY OTHERS	(TBR&RBO)	
USE IN PLACE	(UIP)	

NOTE: DASHED OR OPEN SYMBOLS INDICATE EXISTING FEATURES

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

PLANS FOR PROPOSED STATE HIGHWAY

ST. LOUIS COUNTY

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.



THE EXISTENCE AND APPROXIMATE LOCATION OF UTILITY FACILITIES KNOWN TO EXIST, AS SHOWN ON THE PLANS, ARE BASED ON THE BEST INFORMATION AVAILABLE TO THE COMMISSION AT THIS TIME. THIS INFORMATION IS PROVIDED BY THE COMMISSION "AS-IS" AND THE COMMISSION EXPRESSLY DISCLAIMS ANY REPRESENTATION OR WARRANTY AS TO THE COMPLETENESS, ACCURACY, OR SUITABILITY OF THE INFORMATION FOR ANY USE. RELIANCE UPON THIS INFORMATION IS DONE AT THE RISK AND PERIL OF THE USER, AND THE COMMISSION SHALL NOT BE LIABLE FOR ANY DAMAGES THAT MAY ARISE FROM ANY ERROR IN THE INFORMATION. IT IS, THEREFORE, THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE EXISTENCE, LOCATION AND STATUS OF ANY FACILITY. SUCH VERIFICATION INCLUDES DIRECT CONTACT WITH THE LISTED UTILITIES.

INDEX OF SHEETS

DESCRIPTION	SHEET NUMBER
TITLE SHEET	1
TYPICAL SECTIONS (TS) (5 SHEETS)	2
QUANTITIES (QU) (15 SHEETS)	3
PLAN (PP)	4-26
PROFILE (PR)	27
RIGHT OF WAY (RW)	28-51
LAND CORNER TIES (LC)	52-53
REFERENCE POINTS (RP)	54-55
COORDINATE POINTS (CP)	56-57
SPECIAL SHEETS (SS)	58-65
TRAFFIC CONTROL SHEETS (TC)	66-77
EROSION CONTROL SHEETS (EC)	78
SIGNALS (SG)	79-124
ITS (IT)	125-134
SIGNING (SN)	135-167
PAVEMENT MARKING (PM)	168-190

LENGTH OF PROJECT

BEGINNING OF PROJECT	STA. 112 + 20.03	
END OF PROJECT	STA. 225 + 95.31	
APPARENT LENGTH		11,375.28 FEET
EQUATIONS AND EXCEPTIONS:		
STA. 119 + 67.95 BK = STA. 120 + 00.00 AHD		-32.05 FEET
STA. 124 + 97.76 BK = STA. 124 + 07.11 AHD		+90.65 FEET
STA. 144 + 24.84 BK = STA. 144 + 26.05 AHD		-1.21 FEET
STA. 157 + 88.00 BK = STA. 157 + 89.09 AHD		-1.09 FEET
STA. 208 + 97.90 BK = STA. 209 + 00.00 AHD		-2.30 FEET
BRIDGE A1072 (JOB NO. J6S3669) STA. 116 + 92.61 BK = STA. 120 + 30.78 AHD		-306.12 FEET
TOTAL CORRECTIONS		-252.12 FEET
NET LENGTH OF PROJECT		11,123.16 FEET
STATE LENGTH		2.107 MILES
FOR INFORMATION ONLY ESTIMATED DISTURBED ACRES		0.1 ACRES

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:25:58 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED: 28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	1

COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

ASPHALT MATERIAL ESTIMATE FACTORS

ASPHALTIC CONCRETE MIXTURE PG 64-22 (BP-1 MIX) = 1.948 TON/CY COMPACTED MIXTURE
ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125CLP MIX) = 1.965 TON/CY COMPACTED MIXTURE
TACK COAT ON CONCRETE SURFACE = 0.08 GAL/SY (UNDILUTED)
TACK COAT ON COLDMILLED ASPHALT = 0.10 GAL/SY (UNDILUTED)

*FOR INFORMATION ONLY



SECTION ON CURVE
TYPICAL SECTION US 67
STA. 112+20.03 TO STA. 116+92.61



SECTION ON TANGENT
TYPICAL SECTION US 67
STA. 120+30.78 TO STA. 121+00

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:21 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 2
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704



SECTION ON TANGENT

TYPICAL SECTION US 67

STA. 121+00 TO STA. 144+24.84
STA. 157+89.09 TO STA. 159+00
STA. 195+00 TO STA. 201+00
STA. 210+00 TO STA. 216+88



SECTION ON CURVE

TYPICAL SECTION US 67

STA. 144+26.05 TO STA. 157+88.00

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:21 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	2

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704



SECTION ON TANGENT
TYPICAL SECTION US 67
STA. 159+00 TO STA. 182+20



SECTION ON TANGENT
TYPICAL SECTION US 67
STA. 182+20 TO STA. 195+00

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

TYPICAL SECTIONS
SHEET 3 OF 5

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:21 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	2

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704



SECTION ON TANGENT

TYPICAL SECTION US 67

STA. STA 201+00 TO STA. 210+00



SECTION ON TANGENT

TYPICAL SECTION US 67

STA. STA 216+88 TO 225+41



STA. 221+33 TO STA. 224+16

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:21 PM
Richard S. Baum
MO PE E-24320

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE PREPARED	28-JAN-2026
ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	2
COUNTY	ST. LOUIS
JOB NO.	J6S3625C
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704



SECTION ON TANGENT

TYPICAL SECTION WOODRIDGE LANE

STA. 1+29.12 TO STA. 1+63.91



SECTION ON TANGENT

TYPICAL SECTION COUGAR DRIVE

STA. 0+74.50 TO STA. 1+23.80

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:22 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	2

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

REMOVAL OF IMPROVEMENTS

SHEET	STATION	STATION	LOCATION	DESCRIPTION
4	112+69	112+96	US 67, LT.	37 SY ISLAND/PAVEMENT
4	112+89		US 67, LT.	SIGN
5 & 61			COLDWATER CREEK S/W	IRON GATE & POSTS
5 & 61			COLDWATER CREEK S/W	27 LF WROUGHT IRON FENCE
6	120+51		US 67, RT.	111 SY ENTRANCE
6	121+66		US 67, LT.	6 SY SIDEWALK
6	123+92		US 67, LT.	2 WIRELESS VEHICLE DETECTORS
6	123+92		US 67, RT.	2 WIRELESS VEHICLE DETECTORS
7, 136	126+80		US 67, LT.	SIGN
7, 79	127+92		US 67, LT.	SIGNAL POST
8	131+65		US 67, RT.	2 WIRELESS VEHICLE DETECTORS
8, 137	133+00		US 67, LT.	SIGN
8, 137	134+30		US 67, RT.	SIGN & POST
8, 137	134+32		US 67, LT.	SIGN
9, 138	134+75		US 67, RT.	SIGN & POST
9	135+24	135+78	US 67, LT.	32 SY SIDEWALK
9, 84	135+53		US 67, RT.	SIGNAL PULL BOX
9, 84	135+55		US 67, RT.	SIGNAL POST
9, 84	135+57		US 67, RT.	SIGNAL POST
9, 84	135+67		US 67, LT.	SIGNAL POST
9, 84	135+81		US 67, LT.	SIGNAL PULL BOX
9, 84	135+86		US 67, LT.	SIGNAL POST
9, 84	136+10		US 67, RT.	SIGNAL POWER SUPPLY
9, 84	136+21		US 67, RT.	SIGNAL POST
9, 84	136+32		US 67, RT.	SIGNAL CONTROLLER
9	136+37	136+47	US 67, RT.	6 SY SIDEWALK
9, 84	136+55		US 67, LT.	SIGNAL POST
9	137+25		US 67, LT.	SIGN & POST
9	137+28		US 67, LT.	6 SY SIDEWALK
9	140+07	140+17	US 67, LT.	6 SY ENTRANCE
10	140+25		US 67, LT.	2 WIRELESS VEHICLE DETECTORS
10	144+18		US 67, LT.	6 SY SIDEWALK
10, 139	144+88		US 67, RT.	SIGN & POST
11	146+86		US 67, RT.	5 SY SIDEWALK
11	146+86		US 67, RT.	SIGN & POST
12	152+52		US 67, LT.	6 SY SIDEWALK
12	152+64	152+72	US 67, LT.	4 SY ENTRANCE
12	153+62	153+69	US 67, LT.	4 SY ENTRANCE
12	155+86		US 67, RT.	6 SY SIDEWALK
12	155+89		US 67, RT.	SIGN & POST
13	158+11	158+21	US 67, LT.	6 SY ENTRANCE
13	158+37	158+45	US 67, LT.	5 SY ENTRANCE
13, 142	160+34		US 67, RT.	SIGN & POST
13	1+29	1+64	WOODRIDGE LANE	130 SY PAVEMENT
13	160+65		US 67, RT.	2 WIRELESS VEHICLE DETECTORS
13	161+32	161+42	US 67, LT.	4 SY SIDEWALK
14	163+30		US 67, LT.	5 LF CURB
14	163+52	165+30	US 67, LT.	81 SY MEDIAN STRIP
14	163+52	163+59	US 67, LT.	3 SY ENTRANCE
14, 143	163+56		US 67, LT.	SIGN & POST
14	164+43		US 67, RT.	SIGN & POST
14	164+45		US 67, RT.	18 SY SIDEWALK
14	164+52		US 67, RT.	SIGN & POST
14	164+76	164+83	US 67, RT.	4 SY SIDEWALK
14, 90	164+78		US 67, RT.	SIGNAL POWER SUPPLY
14, 90	164+80		US 67, RT.	SIGNAL CONTROLLER
14, 143	164+82		US 67, RT.	SIGN & POST
14, 143	164+88		US 67, LT.	SIGN & POST
14	165+18		US 67, LT.	5 WIRELESS VEHICLE DETECTORS
14, 143	165+20		US 67, RT.	SIGN & POST

REMOVAL OF IMPROVEMENTS (CONTINUED)

SHEET	STATION	STATION	LOCATION	DESCRIPTION
14, 143	165+26		US 67, LT.	SIGN & POST
14	165+17	165+41	US 67, RT.	35 SY ISLAND/PAVEMENT
14, 90	165+30		US 67, RT.	SIGNAL PULL BOX
14, 90	165+34		US 67, RT.	SIGNAL POST
14, 90	165+43		US 67, LT.	SIGNAL PULL BOX
14, 90	165+53		US 67, LT.	SIGNAL POST
14, 90	165+81		US 67, LT.	SIGNAL POST
14, 90	166+06		US 67, RT.	SIGNAL POST
14, 90	166+18		US 67, RT.	SIGNAL PULL BOX
14, 90	166+35		US 67, RT.	SIGNAL POST
14-15	166+59	169+35	US 67, LT. & RT.	126 SY MEDIAN STRIP
14, 143	166+65		US 67, RT.	SIGN & POST
14, 90	166+75		US 67, LT.	SIGNAL PULL BOX
14, 90	166+78		US 67, LT.	SIGNAL POST
14	166+80		US 67, RT.	5 WIRELESS VEHICLE DETECTORS
14	166+48	167+08	US 67, LT.	191 SY ISLAND/PAVEMENT
14, 143	167+04		US 67, LT.	SIGN & POST
14, 143	167+27		US 67, LT.	SIGN & POST
14, 143	46+83		N. FLORISANT RD., RT.	SIGN & POST
14, 143	48+38		N. FLORISANT RD., RT.	SIGN
15	167+83		US 67, RT.	15 LF CURB
15, 144	168+49		US 67, RT.	SIGN & POST
15, 144	168+81		US 67, LT.	SIGN & POST
15	169+12		US 67, LT.	4 SY SIDEWALK
15	169+26		US 67, RT.	3 SY SIDEWALK
15	169+35	169+44	US 67, RT.	5 SY ENTRANCE
15-16	170+30	174+71	US 67, LT.	200 SY MEDIAN STRIP
15	170+72	170+80	US 67, LT.	5 SY ENTRANCE
15, 144	170+97		US 67, LT.	SIGN & POST
15, 144	171+51		US 67, LT.	SIGN & POST
15	171+55		US 67, LT.	LIGHT FOUNDATION
16, 145	174+02		US 67, LT.	SIGN & POST
16, 96	174+54		US 67, LT.	SIGNAL PULL BOX
16, 96	174+62		US 67, LT.	SIGNAL PULL BOX
16, 96	174+64		US 67, LT.	SIGNAL POST
16, 145	174+68		US 67, LT.	SIGN & POST
16, 96	174+73		US 67, LT.	SIGNAL POST
16, 96	174+85		US 67, RT.	SIGNAL POST
16, 96	174+85		US 67, RT.	SIGNAL POST
16, 96	174+88		US 67, RT.	SIGNAL PULL BOX
16, 96	175+45		US 67, LT.	SIGNAL POST
16, 96	175+49		US 67, LT.	SIGNAL PULL BOX
16, 96	175+50		US 67, RT.	SIGNAL PULL BOX
16	175+66	175+71	US 67, LT.	3 SY SIDEWALK
16, 96	175+51		US 67, RT.	SIGNAL PULL BOX
16, 96	175+60		US 67, LT.	SIGNAL POST
16, 96	175+60		US 67, RT.	SIGNAL POST
16, 96	175+60		US 67, RT.	SIGNAL CONTROLLER
16	175+68	178+57	US 67, LT.	129 SY MEDIAN STRIP
16, 145	175+70		US 67, LT.	SIGN & POST
16, 96	175+73		US 67, LT.	SIGNAL POST
16, 96	175+75		US 67, RT.	SIGNAL POWER SUPPLY
16, 96	175+83		US 67, RT.	SIGNAL PULL BOX
16, 145	177+33		US 67, LT.	SIGN & POST
16	177+43	178+85	US 67, RT.	63 SY SIDEWALK
17, 146	179+03		US 67, LT.	SIGN & POST
17, 146	179+82		US 67, LT.	SIGN & POST
17	181+55		US 67, LT.	2 WIRELESS VEHICLE DETECTORS
17	181+55		US 67, RT.	2 WIRELESS VEHICLE DETECTORS
17	182+01	182+77	US 67, LT.	42 SY SIDEWALK

SUMMARY OF QUANTITIES
SHEET 1 OF 15

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:22 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	3

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

REMOVAL OF IMPROVEMENTS (CONTINUED)

SHEET	STATION	STATION	LOCATION	DESCRIPTION
17	182+70	183+05	US 67, LT.	31 SY ENTRANCE
17, 146	182+82		US 67, LT.	SIGN & POST
17, 146	182+95		US 67, LT.	SIGN
17	183+09		US 67, LT.	14 SY ISLAND
17, 146	183+09		US 67, LT.	SIGN & POST
17, 146	183+09		US 67, LT.	SIGN
17, 146	183+11		US 67, RT.	SIGN
17, 146	183+28		US 67, LT.	SIGN & POST
18	184+82		US 67, LT.	3 SY SIDEWALK
18, 147	187+50		US 67, LT.	SIGN & POST
18, 102	187+79		US 67, LT.	SIGNAL POST
18, 102	187+91		US 67, LT.	SIGNAL PULL BOX
18, 147	188+10		US 67, LT.	SIGN & POST
18, 147	188+14		US 67, RT.	SIGNAL PULL BOX
18	188+20		US 67, RT.	5 LF CURB
18, 102	188+21		US 67, LT.	SIGNAL POST
18	188+15	188+30	US 67, LT.	17 SY ISLAND/PAVEMENT
18, 102	188+25		US 67, RT.	SIGNAL POST
18, 102	188+27		US 67, LT.	SIGNAL PULL BOX
18, 147	188+28		US 67, LT.	SIGN & POST
18	188+28	188+40	US 67, RT.	8 SY ENTRANCE
18	188+73	188+81	US 67, RT.	6 SY PAVEMENT
18	188+73	188+88	US 67, LT.	16 SY ISLAND/PAVEMENT
18, 102	188+83		US 67, RT.	SIGNAL CONTROLLER
18, 102	188+85		US 67, RT.	SIGNAL PULL BOX
18, 147	188+85		US 67, LT.	SIGN & POST
18, 102	188+90		US 67, RT.	SIGNAL POST
18, 102	188+92		US 67, RT.	SIGNAL POWER SUPPLY
18	188+91	189+03	US 67, RT.	6 SY SIDEWALK
18, 147	189+06		US 67, LT.	SIGN & POST
19	190+44	190+52	US 67, RT.	4 SY ENTRANCE
19	190+68		US 67, LT.	6 SY SIDEWALK
9	192+34		US 67, RT.	6 SY SIDEWALK
19	193+33	193+73	US 67, LT.	22 SY SIDEWALK
19	193+88		US 67, LT.	2 WIRELESS VEHICLE DETECTORS
19, 148	194+56		US 67, RT.	SIGN & POST
19	194+96	195+06	US 67, RT.	4 SY ENTRANCE
20	196+28	196+56	US 67, LT.	16 SY SIDEWALK
20	196+56		US 67, LT.	8 LF CURB
20	196+57	196+66	US 67, RT.	5 SY ENTRANCE
20	196+94	197+05	US 67, RT.	5 SY ENTRANCE
20	198+18	198+23	US 67, LT.	3 SY SIDEWALK
20	198+70	198+77	US 67, LT.	3 SY ENTRANCE
20	199+28	199+38	US 67, RT.	5 SY ENTRANCE
20	199+80	199+94	US 67, RT.	8 SY SIDEWALK
20	200+05		US 67, RT.	2 WIRELESS VEHICLE DETECTORS
21	201+96	202+06	US 67, RT.	5 SY ENTRANCE
21	204+20		US 67, LT.	7 WIRELESS VEHICLE DETECTORS
21	204+24		US 67, LT.	45 SY ENTRANCE
21	204+39		US 67, RT.	4 WIRELESS VEHICLE DETECTORS
21, 108	204+51		US 67, RT.	SIGNAL POST
21, 108	204+74		US 67, LT.	SIGNAL POST
21, 108	204+78		US 67, LT.	SIGNAL PULL BOX
21, 108	204+78		US 67, RT.	SIGNAL POST
21, 108	205+39		US 67, LT.	SIGNAL PULL BOX
21, 108	205+44		US 67, LT.	SIGNAL POST
21, 108	205+47		US 67, RT.	SIGNAL POST
21	205+33	205+47	US 67, LT.	14 LF SMALL BLOCK WALL
21	205+62	205+69	US 67, LT.	7 LF SMALL BLOCK WALL
21	205+68	205+78	US 67, RT.	6 SY SIDEWALK

REMOVAL OF IMPROVEMENTS (CONTINUED)

SHEET	STATION	STATION	LOCATION	DESCRIPTION
21, 108	205+66		US 67, RT.	SIGNAL PULL BOX
21, 108	205+71		US 67, RT.	SIGNAL POST
21, 108	205+77		US 67, RT.	SIGNAL CONTROLLER
21, 108	205+82		US 67, RT.	SIGNAL POWER SUPPLY
21	205+87		US 67, LT.	6 WIRELESS VEHICLE DETECTORS
21	205+95		US 67, RT.	7 WIRELESS VEHICLE DETECTORS
21	206+45	206+54	US 67, RT.	6 SY ENTRANCE
21	206+52		US 67, LT.	3 SY SIDEWALK
22, 151	207+24		US 67, RT.	SIGN
22	209+87		US 67, RT.	2 WIRELESS VEHICLE DETECTORS
22	210+97		US 67, LT.	2 WIRELESS VEHICLE DETECTORS
23	212+55	212+68	US 67, LT.	13 LF CURB
23, 152	212+67		US 67, RT.	SIGN & POST
23	212+73	212+80	US 67, LT.	6 SY SIDEWALK
23	212+93	213+03	US 67, RT.	7 SY SIDEWALK
23	212+94		US 67, RT.	6 LF CURB
23, 114	213+67		US 67, LT.	SIGNAL POST
23, 152	213+70		US 67, LT.	SIGN & POST
23, 152	213+91		US 67, RT.	SIGN & POST
23	214+73		US 67, RT.	152 SY ENTRANCE
23, 152	215+02		US 67, RT.	SIGN & POST
23	216+48	216+59	US 67, LT.	5 SY ENTRANCE
23, 152	216+51		US 67, LT.	SIGN & POST
23, 152	217+08		US 67, RT.	SIGN & POST
23	217+09		US 67, RT.	32 LF CURB
23	217+09		US 67, RT.	201 SY ENTRANCE
23	217+15	217+26	US 67, LT.	4 SY ENTRANCE
23, 152	217+36		US 67, RT.	SIGN & POST
23-24	217+52	217+62	US 67, RT.	5 SY SIDEWALK
23	0+75	0+92	COUGAR DR., RT.	11 SY SIDEWALK
23	0+75	1+24	COUGAR DRIVE	350 SY PAVEMENT
23	0+87	1+00	COUGAR DR., RT.	13 LF CURB
24	217+65	217+75	US 67, RT.	11 LF CURB
24	217+75		US 67, LT.	2 WIRELESS VEHICLE DETECTORS
24	218+59		US 67, RT.	18 SY SIDEWALK
24	218+59	218+93	US 67, LT.	18 SY SIDEWALK
24	218+64		US 67, RT.	SIGN & POST
24, 153	219+21		US 67, LT.	SIGN & POST
24, 153	219+89		US 67, LT.	SIGN & POST
24	220+63	220+80	US 67, RT.	15 SY ENTRANCE
24	221+02	221+19	US 67, RT.	11 SY ENTRANCE
24, 153	221+14		US 67, LT.	SIGN & POST
24	221+19	221+34	US 67, RT.	15 LF CURB
24	221+79	222+51	US 67, RT.	71 LF CURB
24	222+14	222+31	US 67, LT.	BUSHES
24, 153	222+31		US 67, LT.	SIGN & POST
24	222+40	222+59	US 67, RT.	24 LF CURB
24	222+55		US 67, LT.	46 SY ENTRANCE
24, 153	222+69		US 67, LT.	SIGN & POST
27	222+78		US 67, RT.	61 SY ENTRANCE
24-25	223+04	223+89	US 67, RT.	85 LF CURB
24-25	223+06	223+79	US 67, RT.	78 LF CURB
25	223+70		US 67, LT.	4 WIRELESS VEHICLE DETECTORS
25	223+71	223+80	US 67, LT.	14 SY SIDEWALK
25, 119	223+77		US 67, LT.	SIGNAL POST
25	223+81	224+14	US 67, LT.	54 LF CURB
25, 154	223+92		US 67, RT.	SIGN & POST
25, 119	223+96		US 67, LT.	SIGNAL POST
25	224+02	224+23	US 67, LT.	29 LF CURB
25, 119	224+02		US 67, LT.	SIGNAL PULL BOX

SUMMARY OF QUANTITIES
SHEET 2 OF 15

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

02/01/2026 9:18:58 AM
Richard S. Baum
MO PE E-24320

DATE PREPARED
1-FEB-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	3

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

REMOVAL OF IMPROVEMENTS (CONTINUED)				
SHEET	STATION	STATION	LOCATION	DESCRIPTION
25, 119	224+03		US 67, LT.	SIGN
25, 119	225+29		US 67, RT.	SIGNAL POST
25, 119	225+29		US 67, RT.	SIGNAL PULL BOX
25	225+21	225+61	US 67, LT.	75 SY ISLAND/PAVEMENT
25	225+50	225+60	US 67, RT.	7 SY SIDEWALK
25, 154	225+53		US 67, LT.	SIGN & POST
25, 154	225+63		US 67, LT.	SIGN & POST
25	138+13	138+38	RTE. AC, RT.	7 SY SIDEWALK
25, 154	138+30		RTE AC, LT.	SIGN & POST
25, 154	139+47		RTE AC, RT.	SIGN & POST
26, 155	135+76		RTE AC, RT.	SIGN
26	136+48		RTE. AC, LT.	83 SY ENTRANCE
26, 155	136+50		RTE AC, RT.	SIGN & POST
			TOTAL	1 LUMP SUM

NOTES:

1. ANY SAW CUTS REQUIRED SHALL BE CONSIDERED INCIDENTAL.
2. EXISTING CURB & CURB RAMPS TO BE REMOVED AND REPLACED AS PART OF NEW CURB RAMP CONSTRUCTION ARE NOT IDENTIFIED IN REMOVAL OF IMPROVEMENTS. REMOVALS ARE CONSIDERED INCIDENTAL TO NEW CURB RAMP CONSTRUCTION.
3. THE NUMBER AND LOCATION OF WIRELESS DETECTORS IS APPROXIMATE. ACTUAL NUMBER AND LOCATION MAY VARY.

SUMMARY OF QUANTITIES
SHEET 3 OF 15

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

02/01/2026 9:19:08 AM
Richard S. Baum
MO PE E-24320

DATE PREPARED
1-FEB-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	3

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LINEAR GRADING

SHEET	STATION	STATION	LOCATION	CLASS 1	CLASS 2	REMARKS
				STA	STA	
6	120+51.35		US 67, RT.	0.3		
13	1+29.12	1+63.91	WOODRIDGE LANE	0.4		
21	204+23.82		US 67, LT.	0.1		
23	0+74.50	1+23.80	COUGAR DRIVE	0.5		
23	214+72.72		US 67, RT.	0.3		
23	217+09.24		US 67, RT.	0.4		
24	221+56.27		US 67, RT.	0.1		
24	222+54.96		US 67, LT.	0.1		
24	222+78.08		US 67, RT.	0.3		
26	136+48.03		RTE. AC, LT.	0.3		
5, 6, 61	0+25.00	1+52.20	COLDWATER CREEK SIDEWALK		1.3	ESTIMATE 28 CY EMBANKMENT
			TOTAL	2.8	1.3	

CLEARING & GRUBBING

TOTAL	0.1	ACRES

MOBILIZATION

TOTAL	1	LUMP SUM

TEMPORARY PAVEMENT MARKING PAINT

TOTAL	1	LUMP SUM

CONTRACTOR FURNISHED SURVEYING & STAKING

TOTAL	1	LUMP SUM

TRAFFIC SIGNAL MAINTENANCE & PROGRAMMING

TOTAL	1	LUMP SUM

ITS ASSET MANAGEMENT TOOL

TOTAL	1	LUMP SUM

REMOVAL OF EXISTING FIBER OPTIC CABLE

TOTAL	1	LUMP SUM

IRON GATE RELOCATION

SHEET	STATION	STATION	LOCATION	LUMP SUM
5 & 61	0+10	0+25	COLDWATER CREEK S/W LT. & RT.	1
			TOTAL	1

WROUGHT IRON FENCE RELOCATION

SHEET	STATION	STATION	LOCATION	LUMP SUM
5 & 61	0+27		COLDWATER CREEK S/W	1
			TOTAL	1

SIDEWALK HAND-RAILING W/O BALUSTERS

SHEET	STATION	STATION	LOCATION	LF
5-6 & 61	0+25.00	1+52.20	COLDWATER CREEK S/W, LT.	128
			TOTAL	128

SMALL BLOCK WALL

SHEET	STATION	STATION	LOCATION	SF
21	205+33	205+47	US 67, LT.	25
21	205+62	205+69	US 67, LT.	26
			TOTAL	51

CULVERT CLEANOUT

SHEET	STATION	LOCATION*	EACH
4-26	VARIES	VARIES	5
		TOTAL	5

* NOTE: LOCATION AS DIRECTED BY THE ENGINEER

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:22 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	3

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION | DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

ADJUSTMENTS

SHEET	STATION	LOCATION	PULL BOX	STORM MANHOLE	SANITARY MANHOLE	CONCRETE MANHOLE APRON	REMARKS
			EACH	EACH	EACH	EACH	
4	112+74	US 67, LT.	1				
7	128+98	US 67, LT.		1			
9	136+00	US 67, RT.			1	1	
9	136+29	US 67, RT.	1				CL. 5 PULL BOX
13	160+73	US 67, LT.	1				
19	190+38	US 67, LT.		1		1	
19	191+73	US 67, LT.		1		1	
20	199+90	US 67, RT.	1				
21	204+66	US 67, RT.			1	1	
24	218+75	US 67, LT.	1				
24	218+91	US 67, LT.			1		
24	218+92	US 67, LT.		1			
24	218+99	US 67, LT.			1	1	
24	221+40	US 67, RT.	1				
25	223+88	US 67, RT.	1				
25	223+93	US 67, RT.	1				
25	224+08	US 67, RT.	1				
25	224+09	US 67, LT.			1	1	
25	224+10	US 67, LT.	1				
25	225+16	US 67, RT.				1	AT&T MANHOLE
		SUBTOTAL	10	4	5	7	
		TOTAL	19			7	

SUMMARY OF QUANTITIES
SHEET 5 OF 15

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:22 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	3

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

ASPHALT PAVEMENT (RESURFACING)

SHEET	STATION	STATION	LOCATION	HIGH TENSILE STRENGTH SYNTHETIC FIBER ASPHALTIC PAVEMENT PG 76-22 (SP125CLP MIX)	TACK COAT - LOW OR NON-TRACKING	COLDMILLING * BIT. PVM'T. FOR REMOVAL (3 IN. THICK OR LESS) OF SURFACING (3 IN. THICK OR LESS)	REMARKS
				TON	GAL	SY	
4	112+20.03	114+00	US 67, LT. & RT.	183.2	168	1678	INCLUDES ENTRANCES & SIDE ROADS
5	114+00	116+92.61	US 67, LT. & RT.	129.4	119	1185	INCLUDES ENTRANCES & SIDE ROADS
6	120+30.78	124+50	US 67, LT. & RT.	288.9	265	2646	INCLUDES ENTRANCES & SIDE ROADS
7	124+50	129+00	US 67, LT. & RT.	445.0	408	4076	INCLUDES ENTRANCES & SIDE ROADS
8	129+00	134+60	US 67, LT. & RT.	379.7	348	3478	INCLUDES ENTRANCES & SIDE ROADS
9	134+60	140+20	US 67, LT. & RT.	423.2	388	3877	INCLUDES ENTRANCES & SIDE ROADS
10	140+20	145+50	US 67, LT. & RT.	350.6	321	3211	INCLUDES ENTRANCES & SIDE ROADS
11	145+50	151+10	US 67, LT. & RT.	367.4	337	3366	INCLUDES ENTRANCES & SIDE ROADS
12	151+10	156+70	US 67, LT. & RT.	368.6	338	3377	INCLUDES ENTRANCES & SIDE ROADS
13	156+70	162+00	US 67, LT. & RT.	369.6	339	3386	INCLUDES ENTRANCES & SIDE ROADS
14	162+00	167+60	US 67, LT. & RT.	682.5	625	6252	INCLUDES ENTRANCES & SIDE ROADS
15	167+60	173+20	US 67, LT. & RT.	434.7	398	3982	
16	173+20	178+80	US 67, LT. & RT.	609.5	558	5583	INCLUDES ENTRANCES & SIDE ROADS
17	178+80	184+40	US 67, LT. & RT.	439.5	403	4026	INCLUDES ENTRANCES & SIDE ROADS
18	184+40	190+00	US 67, LT. & RT.	424.1	389	3885	
19	190+00	195+60	US 67, LT. & RT.	413.3	379	3786	
20	195+60	201+20	US 67, LT. & RT.	362.5	332	3321	INCLUDES ENTRANCES & SIDE ROADS
21	201+20	206+80	US 67, LT. & RT.	463.1	424	4242	INCLUDES ENTRANCES & SIDE ROADS
22	206+80	212+00	US 67, LT. & RT.	348.4	319	3192	
23	212+00	217+60	US 67, LT. & RT.	365.1	334	3344	
24	217+60	223+20	US 67, LT. & RT.	489.7	449	4486	INCLUDES ENTRANCES & SIDE ROADS
25	223+20	225+41	US 67, LT. & RT.	467.7	428	4285	INCLUDES ENTRANCES & SIDE ROADS
26	135+77	137+00	RTE. AC, LT. & RT.	31.3	29	287	
			TOTAL	8837.0	8098	80,951	

* NOTE: NO ADDITIONAL PAYMENT WILL BE MADE FOR MILLING CONCRETE UTILITY PATCHES.

ASPHALT MATERIAL ESTIMATE FACTORS
ASPHALTIC CONCRETE MIXTURE PG 64-22 (BP-1 MIX) = 1.948 TON/CY COMPACTED MIXTURE
ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125CLP MIX) = 1.965 TON/CY COMPACTED MIXTURE
TACK COAT ON CONCRETE SURFACE = 0.08 GAL/SY (UNDILUTED)
TACK COAT ON COLDMILLED ASPHALT = 0.10 GAL.SY (UNDILUTED)

SUMMARY OF QUANTITIES
SHEET 6 OF 15

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:22 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	3

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

CONRETE MEDIAN STRIPS

SHEET	STATION	STATION	LOCATION	TYPE 5 AGGR. FOR BASE (4" THICK)	TRUNCATED DOMES	6 IN. CONCRETE MEDIAN	CONCRETE SIDEWALK, 7 IN.	REMARKS
				SY	SF	SY	SY	
4	112+71.28	112+92.24	US 67, LT.	28	38	16.6	27.8	
14	163+54.01	165+30.01	US 67, LT.			39.0		2' WIDE
14	165+16.94	165+41.26	US 67, RT.	35	30	22.4	34.8	
14-15	166+60.00	169+34.99	US 67 LT. & RT.			63.3		2' WIDE
14	166+47.68	167+08.24	US 67, LT.	191	20	167.4	190.6	
15-16	170+30.27	174+71.00	US 67, LT.			100.6		2' WIDE
16	175+68.00	178+56.86	US 67, LT.			65.6		2' WIDE
17	183+03.19	183+14.90	US 67, LT.	23		9.9	22.9	
18	188+14.64	188+30.34	US 67, LT.	17	30	9.4	17.4	
18	188+72.84	188+87.52	US 67, LT.	16	20	11.4	15.8	
25	225+21.41	225+61.43	US 67, LT.	75	30	57.6	75.1	
			TOTAL	385	168	563.2	384.4	

ENTRANCES

SHEET	STATION	STATION	LOCATION	TYPE 5 AGGR. FOR BASE (4" THICK)	PAVED APPROACH, 8 IN.	REMARKS
				SY	SY	
6	120+51.35		US 67, RT.	111	110.8	MATCH EXIST. RADII & CURB TYPE
9	140+06.94	140+17.16	US 67, LT.		6.0	MATCH EXIST. RADII & CURB TYPE
12	152+64.24	152+71.85	US 67, LT.		3.7	MATCH EXIST. RADII & CURB TYPE
12	153+62.21	153+69.13	US 67, LT.		3.7	MATCH EXIST. RADII & CURB TYPE
13	1+29.12	1+63.91	WOODRIDGE LANE	143	130.4	
13	158+10.66	158+20.73	US 67, LT.		6.0	MATCH EXIST. RADII & CURB TYPE
13	158+36.74	158+45.23	US 67, LT.		5.0	MATCH EXIST. RADII & CURB TYPE
14	163+52.45	163+58.74	US 67, LT.		2.8	MATCH EXIST. RADII & CURB TYPE
15	169+34.89	169+44.42	US 67, RT.		4.7	MATCH EXIST. RADII & CURB TYPE
15	170+71.63	170+80.17	US 67, LT.		4.9	MATCH EXIST. RADII & CURB TYPE
17	182+70.35	183+04.51	US 67, LT.	31	31.0	MATCH EXIST. RADII & CURB TYPE
18	188+28.28	188+39.80	US 67, RT.		8.4	MATCH EXIST. RADII & CURB TYPE
18	188+73.20	188+80.70	US 67, RT.		5.9	MATCH EXIST. RADII & CURB TYPE
19	190+44.48	190+51.83	US 67, RT.		3.6	MATCH EXIST. RADII & CURB TYPE
19	194+95.70	195+06.40	US 67, RT.		4.4	MATCH EXIST. RADII & CURB TYPE
20	196+57.06	196+65.59	US 67, RT.		4.7	MATCH EXIST. RADII & CURB TYPE
20	196+94.33	197+04.84	US 67, RT.		4.6	MATCH EXIST. RADII & CURB TYPE
20	198+69.83	198+77.00	US 67, LT.		3.0	MATCH EXIST. RADII & CURB TYPE
20	199+27.69	199+38.28	US 67, RT.		4.7	MATCH EXIST. RADII & CURB TYPE
21	201+96.23	202+06.22	US 67, RT.		5.4	MATCH EXIST. RADII & CURB TYPE
21	204+23.82		US 67, LT.	45	45.1	MATCH EXIST. RADII & CURB TYPE
21	206+44.53	206+53.86	US 67, RT.		5.6	MATCH EXIST. RADII & CURB TYPE
23	214+72.72		US 67, RT.	152	152.0	MATCH EXIST. RADII & CURB TYPE
23	216+48.31	216+58.57	US 67, LT.		4.6	MATCH EXIST. RADII & CURB TYPE
23	217+09.24		US 67, RT.	201	201.3	MATCH EXIST. RADII & CURB TYPE
23	217+14.97	217+25.56	US 67, LT.		4.3	MATCH EXIST. RADII & CURB TYPE
23	0+74.50	1+23.80	COUGAR DRIVE	369	349.6	
24	220+63.32	220+80.08	US 67, RT.		15.4	MATCH EXIST. RADII & CURB TYPE
24	221+01.58	221+18.70	US 67, RT.		11.2	MATCH EXIST. RADII & CURB TYPE
24	221+56.27		US 67, RT.	31	31.4	
24	222+54.96		US 67, LT.	46	46.1	MATCH EXIST. RADII & CURB TYPE
24	222+78.08		US 67, RT.	119	119.0	MATCH EXIST. RADII & CURB TYPE
26	136+48.03		RTE. AC, LT.	83	83.4	MATCH EXIST. RADII & CURB TYPE
			TOTAL	1331	1422.7	

SUMMARY OF QUANTITIES
SHEET 7 OF 15

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:22 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	3

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

CURBS

SHEET	STATION	STATION	LOCATION	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S	CONCRETE CURB (18 IN. MAX.) TYPE S	CURB & GUTTER (TYPE B)	INTEGRAL CURB (TYPE M)	REMARKS
				LF	LF	LF	LF	
7	127+99		US 67, LT.			3		
7	128+76		US 67, LT.	2				
9	135+63		US 67, RT.	14				
9	135+92		US 67, LT.	3				
9	136+02		US 67, RT.	4				
9	136+37	136+47	US 67, RT.	10				
9	136+42	136+56	US 67, LT.	16				
14	163+58		US 67, LT.			5		
14	164+98		US 67, RT.	3				
14	165+49		US 67, LT.			1		
15	167+83		US 67, RT.			19		
16	174+49		US 67, LT.	1				
16	175+45	175+63	US 67, LT.	16				
17	178+86		US 67, RT.			8		
17	187+00		US 67, LT.	9				
18	188+01		US 67, LT.	5				
18	188+20		US 67, RT.			5		
18	189+05		US 67, LT.	8				
20	196+56		US 67, LT.	8				
23	0+87	1+00	COUGAR DR., RT.		13			
23	212+55	212+68	US 67, LT.			13		
23	212+73	212+81	US 67, LT.		8			
23	212+94		US 67, RT.			6		
23	217+09		US 67, RT.				32	
24	217+65	217+75	US 67, RT.			11		
24	221+19	221+39	US 67, RT.	20				
24	221+73	222+51	US 67, RT.	78				
24	222+40	222+59	US 67, RT.	24				
24-25	223+04	223+89	US 67, RT.	85				
24-25	223+06	223+79	US 67, RT.		78			
25	223+71	223+89	US 67, LT.			18		
25	223+81	114+16	US 67, LT.			58		
25	224+17	224+24	US 67, LT.			8		
25	225+42	225+60	US 67, RT.			19		
25	225+45	225+60	US 67, RT.	16				
25	225+49		US 67, LT.			5		
			TOTAL	322	99	179	32	

NOTE: STATION LIMITS ARE CONSIDERED APPROXIMATE AND SHALL BE DIRECTED BY THE ENGINEER.

SUMMARY OF QUANTITIES
SHEET 8 OF 15

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:22 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO

DISTRICT	SHEET NO.
SL	3

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

SIDEWALK AND CURB RAMPS

SHEET	STATION	STATION	LOCATION	TYPE 5 AGGR. FOR BASE (4" THICK)	TRUNCATED DOMES	CONCRETE SIDEWALK, 4 IN.	CONCRETE SIDEWALK, 6 IN.	CONCRETE CURB RAMP						
								TYPE 1 PARALLEL	TYPE 2 PARALLEL	COMPOUND PERP.	SMALL RADIUS PERP.	LARGE RADIUS PERP.	DUAL PERP.	BLENDED TRANSITION
				SY	SF	SY	SY	SY	EA	EA	EA	EA	EA	EA
5-6	0+25	1+52.20	COLDWATER CREEK S/W, RT.	69		68.9								
6	120+32		US 67, RT.								1			
6	120+74		US 67, RT.								1			
6	121+66		US 67, LT.	6		5.6								
7	127+95		US 67, LT.		10				1					
7	128+60		US 67, RT.		30							1		
7	128+82		US 67, RT.		10				1					
7	128+87		US 67, LT.		21							1		
7	128+93		US 67, LT.		10				1					
8	131+64		US 67, RT.		23							1		
8	132+44		US 67, RT.		32							1		
9	135+24	135+78	US 67, LT.	32		31.6								
9	135+49		US 67, RT.		30				1					
9	135+90		US 67, LT.		10						1			
9	136+22		US 67, RT.		34							1		
9	136+37	136+47	US 67, RT.	6		6.3								
9	136+39		US 67, LT.		10				1					
9	136+64		US 67, RT.		10				1					
9	136+65		US 67, LT.		10				1					
9	137+28		US 67, LT.	8			8.0							
10	144+18		US 67, LT.	6		5.6								
11	146+86		US 67, RT.	8			8.0							
12	152+52		US 67, LT.	6		5.6								
12	155+86		US 67, RT.	8			8.0							
12	160+81		US 67, LT.		10						1			
13	161+27		US 67, LT.		10				1					
13	161+32	161+42	US 67, LT.	4		3.7								
14	164+45		US 67, RT.	24			24.1							
14	164+76	164+83	US 67, RT.	4		4.1								
14	164+93		US 67, RT.		10						1			
14	165+46		US 67, LT.		10						1			
15	169+12		US 67, LT.	4		3.6								
15	169+26		US 67, RT.	3		2.8								
15	170+11		US 67, RT.								1			
16	174+52		US 67, LT.								1			
16	174+80		US 67, LT.		11									2
16	175+47		US 67, LT.		12					1				
16	175+66	175+71	US 67, LT.	3		3.3								
16	177+46		US 67, RT.								1			
16	177+58	178+60	US 67, RT.	58		57.8								
16	178+76		US 67, RT.									1		
17	182+12		US 67, LT.									1		
17	182+28	182+56	US 67, LT.	17		17.3								
17	182+71		US 67, LT.									1		
			SUBTOTAL 1	266	303	216.2	48.1	0	8	1	9	8	0	2

SUMMARY OF QUANTITIES
SHEET 9 OF 15

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:23 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	3

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

SIDEWALK AND CURB RAMPS (CONTINUED)

SHEET	STATION	STATION	LOCATION	TYPE 5 AGGR. FOR BASE (4" THICK)	TRUNCATED DOMES	CONCRETE SIDEWALK, 4 IN.	CONCRETE SIDEWALK, 6 IN.	CONCRETE CURB RAMP						
								TYPE 1 PARALLEL	TYPE 2 PARALLEL	COMPOUND PERP.	SMALL RADIUS PERP.	LARGE RADIUS PERP.	DUAL PERP.	BLENDED TRANSITION
				SY	SF	SY	SY	SY	EA	EA	EA	EA	EA	EA
17	183+53		US 67, LT.									1		
18	184+82		US 67, LT.	3		2.8								
18	188+07		US 67, LT.		10			1						
18	188+25		US 67, RT.		10				1					
18	188+31		US 67, RT.		10						1			
18	188+79		US 67, RT.		10						1			
18	188+91	189+03	US 67, RT.	6		6.4								
18	188+99		US 67, LT.		10			1						
19	190+47		US 67, RT.								1			
19	190+68		US 67, LT.	6		5.6								
19	192+34		US 67, RT.	6		5.6								
19	193+33	193+73	US 67, LT.	22		22.0								
19	194+46		US 67, LT.								1			
20	196+28	96+40	US 67, LT.	7		6.9								
20	196+53		US 67, LT.								1			
20	196+61		US 67, RT.								1			
20	198+18	198+23	US 67, LT.	3		2.8								
20	198+36		US 67, LT.		10						1			
20	198+74		US 67, LT.		10						1			
20	199+80	199+94	US 67, RT.	8		7.8								
21	203+95		US 67, LT.									1		
21	204+49		US 67, LT.									1		
21	204+75		US 67, LT.		10						1			
21	205+38		US 67, LT.		10						1			
21	205+68	205+78	US 67, RT.	6		5.6								
21	205+66		US 67, LT.		10				1					
21	205+66		US 67, RT.		10						1			
21	206+52		US 67, LT.	3		3.3								
23	212+75		US 67, LT.		10						1			
23	212+75		US 67, RT.		10				1					
23	212+93	213+03	US 67, RT.	7		6.7								
23	212+90		US 67, LT.		14							1		
23	213+63		US 67, LT.		10						1			
23	213+78		US 67, LT.								1			
23	214+50		US 67, RT.								1			
23	214+96		US 67, RT.								1			
23	216+84		US 67, RT.								1			
23	217+40		US 67, RT.								1			
23	0+75	0+92	COUGAR DR., RT.	11		10.6								
23-24	217+52	217+62	US 67, RT.	5		5.4								
24	218+59	218+80	US 67, LT.	14		14.3								
24	218+59		US 67, RT.	26			25.7							
24	218+91		US 67, LT.								1			
24	220+69		US 67, RT.								1			
			SUBTOTAL 2	133	154	105.8	25.7	2	3	0	20	4	0	0

SUMMARY OF QUANTITIES
SHEET 10 OF 15

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:23 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	3

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

SIDEWALK AND CURB RAMPS (CONTINUED)

SHEET	STATION	STATION	LOCATION	TYPE 5 AGGR. FOR BASE (4" THICK)	TRUNCATED DOMES	CONCRETE SIDEWALK, 4 IN.	CONCRETE SIDEWALK, 6 IN.	CONCRETE CURB RAMP						
								TYPE 1 PARALLEL	TYPE 2 PARALLEL	COMPOUND PERP.	SMALL RADIUS PERP.	LARGE RADIUS PERP.	DUAL PERP.	BLENDED TRANSITION
				SY	SF	SY	SY	SY	EA	EA	EA	EA	EA	EA
24	221+10		US 67, RT.								1			
24	221+42		US 67, RT.								1			
24	221+70		US 67, RT.								1			
24	221+88	222+42	US 67, RT.	32		32.0								
24	222+38		US 67, LT.								1			
24	222+54		US 67, RT.									1		
24	222+72		US 67, LT.								1			
24	223+02		US 67, RT.									1		
24-25	223+13	223+79	US 67, RT.	42		41.8								
25	138+13	138+38	RTE. AC, RT.	7		7.3								
25	223+71	223+80	US 67, LT.	14		14.0								
25	223+99		US 67, LT.		28								2	
25	223+99		US 67, RT.		24								2	
25	225+28		US 67, RT.		23								2	
25	225+50	225+60	US 67, RT.	7		6.6								
25	225+59		US 67, LT.		10						1			
26	136+33		RTE. AC, LT.								1			
26	136+63		RTE. AC, LT.								1			
VARIES			10 PULL BOX REMOVALS	30		28.0								
			SUBTOTAL 3	132	85	129.7	0.0	0	0	0	8	2	6	0
			SUBTOTAL	531	542	451.7	73.8	2	11	1	37	14	6	2
			TOTAL	531	542	451.7	73.8	73						

NOTE: STATION LIMITS ARE CONSIDERED APPROXIMATE AND SHALL BE DIRECTED BY THE ENGINEER.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:23 PM
Richard S. Baum
MO PE E-24320

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 3
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

TUBULAR MARKERS & CURB REFLECTORS

SHEET	STATION	STATION	LOCATION	18 IN. TUBULAR MARKER	CURB REFLECTOR		REMARKS
					WHITE	YELLOW	
				EACH	EACH	EACH	
4	112+73	112+90	US 67, LT.	3	9		
14	163+54	165+28	US 67, LT.			14	MEDIAN STRIP
14	165+19	165+39	US 67, RT.	3	9		ISLAND NOSES
14-16	166+61	174+69	US 67, LT. & RT.			44	NEW/EXIST. MEDIAN STRIP
14	166+50	167+06	US 67, LT.	3	9		ISLAND NOSES
14	46+78	48+38	N. FLORISSANT RD., RT.			12	EXIST. MEDIAN STRIP
16-17	175+69	179+85	US 67, LT. & RT.			26	NEW/EXIST. MEDIAN STRIP
17	182+91	183+30	US 67, LT.	3	9		ISLAND NOSES
18	188+17	188+38	US 67, LT.	3	9		ISLAND NOSES
18	188+75	188+86	US 67, LT.	3	9		ISLAND NOSES
24-25	219+19	224+05	US 67, LT.			30	EXIST. MEDIAN STRIP
25	225+23	225+59	US 67, LT.	3	9		ISLAND NOSES
25-26	135+35	138+32	RTE. AC, LT.			20	EXIST. MEDIAN STRIP
			SUBTOTAL	21	63	146	
			TOTAL	21	209		

NOTES:

1. TUBULAR MARKERS SHALL BE PLACED AT CENTER OF ISLAND CORNER RADIUS.
2. THREE CURB REFLECTORS SHALL BE PLACED AT EACH ISLAND NOSE (BEGINNING, MIDDLE AND END OF CORNER RADIUS) (OFFSET 6 INCHES FROM FACE).
3. CURB REFLECTORS SHALL BE SPACED AT 24 INCH CENTERS AT MEDIAN STRIP NOSE (OFFSET 6 INCHES FROM FACE).
4. CURB REFLECTORS SHALL BE SPACED AT 40 FEET CENTERS ALONG MEDIAN STRIP (OFFSET 6 INCHES FROM FACE).

ITS

LOCATION	WALL-MOUNTED INTERCONNECT CENTER	FIBER OPTIC PIGTAIL	FIBER OPTIC JUMPER	FIBER OPTIC FUSION SPLICE	RELOCATE EXIST. COMM. EQUIP.	INSTALL MoDOT FURNISHED IP-ADDRESSABLE POWER STRIP	CCTV CAMERA ASSEMBLY	CONDUIT INTERCEPTION OR REPAIR	CCTV EXTENSION POLE, 20' METALLIC FINISH	CCTV CAMERA CABLE	FIBER OPTIC * CABLE, 24 STRAND, SINGLE MODE
	EA	EA	EA	EA	EA	EA	EA	EA	EA	LF	LF
ST. FERDINAND INTERSECTION		2		24							
ST. FERDINAND TO ST. JEAN INTERSECTION											908
ST. JEAN INTERSECTION	1	4	4	26	1	1	1	1	1	178	
ST. JEAN TO NEW FLORISSANT INTERSECTION											3289
NEW FLORISSANT INTERSECTION (SIGNALS)	1	4	4	26	1			1			
NEW FLORISSANT (SIGNALS) TO (CCTV) INTERSECTION											421
NEW FLORISSANT INTERSECTION (CCTV)		2		24							
N. WATERFORD/THUNDERBIRD INTERSECTION	1	4	4	26	1			1			
N. WATERFORD/THUNDERBIRD TO TARGET INTERSECTION											1433
TARGET ENTRANCE INTERSECTION	1	4	4	26	1	1	1	1	1	310	
TARGET ENTRANCE TO TROTTERWAY INTERSECTION											2049
TROTTERWAY INTERSECTION	1	4	4	26	1			1			
TROTTERWAY TO COUGAR INTERSECTION											939
COUGAR INTERSECTION		2	0	24							
TOTAL	5	26	20	202	5	2	2	5	2	488	9039

*NOTE: THE CONTRACTOR SHALL PROVIDE 60 FEET OF FIBER SLACK IN THE TYPE 5 PULL BOX AT EACH SIGNALIZED INTERSECTION.

SUMMARY OF QUANTITIES
SHEET 12 OF 15

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:23 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	3

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

SEEDING & SODDING

SHEET	STATION	STATION	LOCATION	MULCHING	TURF TYPE TALL FESCUE SODDING	SEEDING COOL SEASON GRASSES	REMARKS
				ACRE	SY	ACRE	
5, 6, 61	0+25	1+52	COLDWATER CREEK SIDEWALK	0.1		0.1	
16-17	178+35	178+85	US 67, RT.		21		
17	182+01	182+51	US 67, LT.		27		
20	196+30	196+56	US 67, LT.		13		
			TOTAL	0.1	61	0.1	

LANDCAPING

SHEET	STATION	STATION	LOCATION	EASTERN WAHOO	REMARKS
				EACH	
24	222+14	222+31	US 67, LT.	4	BUSH REPLACEMENT
			TOTAL	4	

TEMPORARY EROSION CONTROL

SHEET	STATION	STATION	LOCATION	SEDIMENT REMOVAL	SILT FENCE	REMARKS
				CY	LF	
78	0+25	1+52	COLDWATER CREEK S/W, LT.	2	132	
78	0+25	1+52	COLDWATER CREEK S/W, RT.	2	116	
			TOTAL	4	248	

MISC. TRAFFIC SIGNAL ITEMS

SHEET	LOCATION	ATC TRAFFIC SIGNAL CONTROLLER	NETWORK CONNECTED SIGNAL MONITOR	REFLECTIVE BACKPLATE MODIFICATION	TEMPORARY GENERATOR FOR SIGNAL POWER	ONE-APPROACH CABINET MODIFICATION	TWO-APPROACH CABINET MODIFICATION	FOUR-APPROACH CABINET MODIFICATION
		EACH	EACH	EACH	EACH	EACH	EACH	EACH
79	US 67 & ST. FERDINAND ST.			12				
84	US 67 & ST. JEAN ST.	1	1		1	1		
90	US 67 & NEW FLORISSANT RD.	1	1		1		1	
96	US 67 & WATERFORD DR. / THUNDERBIRD AVE.	1	1		1		1	
102	US 67 & TARGET ENTRANCE	1	1		1			1
108	US 67 & TROTTERWAY DR.	1	1		1			1
114	US 67 & COUGAR DR.			7				
119	US 67 & NEW HALLS FERRY RD.			15				
	TOTAL	5	5	34	5	1	2	2

SUMMARY OF QUANTITIES
SHEET 13 OF 15

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

03/03/2026 1:55:49 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
3-MAR-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	3

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

PERMANENT PAVEMENT MARKING

SHEET	STATION	STATION	LOCATION	PREFORMED THERMOPLASTIC MARKING							CLASS 2, TYPE L BEADS	
				24 IN. WHITE (STOP BAR) (CHEVRON)	24 IN. WHITE (CROSSWALK)	LEFT/RIGHT ARROW	STRAIGHT ARROW	STR/LT/RT ARROW	WORD (ONLY)	24 IN. x 36 IN. WHITE YIELD TRIANGLE	4 IN. YELLOW	6 IN. WHITE
				LF	LF	EACH	EACH	EACH	EACH	EACH	LF	LF
168	112+20	114+00	US 67	33	96	2					86	503
168			PATTERSON ROAD	24	114	2		1		11	177	442
169	114+00	119+60	US 67			4					988	1040
170	119+60	124+50	US 67	12		2					1145	1090
171	124+50	129+00	US 67	44	132	3		1			885	1187
171			ST. FERDINAND ST.	46	144	1		1			155	115
172	129+00	134+60	US 67	56		4		4			1132	1767
173	134+60	140+20	US 67	76	66	2		2			877	1567
173			ST. JEAN STREET	24	96						176	
174	140+20	145+50	US 67	12		4					1323	1250
175	145+50	151+10	US 67	12		3					1400	1325
176	151+10	156+70	US 67	12		3					1400	1319
177	156+70	162+00	US 67	30		4					1323	1251
178	162+00	167+60	US 67	83	84	2					921	1725
178			NEW FLORISSANT ROAD	65	174	3	1		1	12	462	1103
179	167+60	173+20	US 67	30		3		2			1121	2571
180	173+20	178+80	US 67	95	222	3		3			923	2331
180			THUNDERBIRD DRIVE	30		4		2			173	193
180			WATERFORD DRIVE	33		2		1			164	184
181	178+80	184+40	US 67			1					1215	1467
182	184+40	190+00	US 67	99	168	4		1		12	998	1675
183	190+00	195+60	US 67			4					1359	1400
184	195+60	201+20	US 67			2					1400	1400
185	201+20	206+80	US 67	71	162	4		2			958	1315
185			TROTTERWAY DRIVE	33		1					124	60
186	206+80	212+00	US 67			3					1240	1319
187	212+00	217+60	US 67	52	138	4		1			1108	1333
187			COUGAR DRIVE	24							48	22
188	217+60	223+20	US 67			7					1047	2279
189	223+20	224+41	US 67	56	204						140	484
189	137+00	140+38	NEW HALLS FERRY RD.	159	270	6				5	403	1441
190	135+77	137+00	NEW HALLS FERRY RD.								247	737
			SUBTOTAL	1211	2070	87	1	21	1	40	25,118	35,895
			TOTAL	3281		87	1	21	1	40	25,118	35,895

SUMMARY OF QUANTITIES
SHEET 14 OF 15

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:23 PM
Richard S. Baum
MO PE E-24320

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	3

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

WARNING SIGNS

SIGN	SIZE IN.	AREA SQ.FT.	QTY EACH	TOTAL AREA SQ.FT.	QTY RELOC EACH	TOTAL RELOC SQ.FT.	SIGN NO.	DESCRIPTION
WO1-1L	48X48	16.00						TURN (SYMBOL LEFT)
WO1-1R	48X48	16.00						TURN (SYMBOL RIGHT)
WO1-2L	48X48	16.00						CURVE (SYMBOL LEFT)
WO1-2R	48X48	16.00						CURVE (SYMBOL RIGHT)
WO1-3L	48X48	16.00						REVERSE TURN (SYMBOL LEFT)
WO1-3R	48X48	16.00						REVERSE TURN (SYMBOL RIGHT)
WO1-4L	48X48	16.00						REVERSE CURVE (SYMBOL LEFT)
WO1-4R	48X48	16.00						REVERSE CURVE (SYMBOL RIGHT)
WO1-4bL	48X48	16.00						DOUBLE ARROW REVERSE CURVE (SYMBOL LEFT)
WO1-4bR	48X48	16.00						DOUBLE ARROW REVERSE CURVE (SYMBOL RIGHT)
WO1-4cL	48X48	16.00						TRIPLE ARROW REVERSE CURVE (SYMBOL LEFT)
WO1-4cR	48X48	16.00						TRIPLE ARROW REVERSE CURVE (SYMBOL RIGHT)
WO1-6	60X30	12.50						HORIZONTAL ARROW (SYMBOL)
WO1-6a	72X36	18.00						HORIZ. ARROW (SYMBOL ON PERMANENT BARRICADE)
WO1-7	60X30	12.50						DOUBLE HEAD HORIZONTAL ARROW (SYMBOL)
WO1-7a	72X36	18.00						DOUBLE HEAD HORIZ. ARROW (SYMBOL ON PERM. BARR.)
WO1-8	18X24	3.00						CHEVRON (SYMBOL)
WO1-8a	30X36	7.50						CHEVRON (SYMBOL FOR DIVIDED HIGHWAYS)
WO3-1	48X48	16.00						STOP AHEAD (SYMBOL)
WO3-2	48X48	16.00						YIELD AHEAD (SYMBOL)
WO3-3	48X48	16.00						SIGNAL AHEAD (SYMBOL)
WO3-4	48X48	16.00						BE PREPARED TO STOP
WO3-5	48X48	16.00						SPEED LIMIT AHEAD
WO4-1L	48X48	16.00						MERGE (SYMBOL FROM LEFT)
WO4-1R	48X48	16.00						MERGE (SYMBOL FROM RIGHT)
WO4-1aL	48X48	16.00	2	32	14	224	6A	MERGE (LEFT)
WO4-1aR	48X48	16.00						MERGE (RIGHT)
WO5-1	48X48	16.00						ROAD/BRIDGE/RAMP NARROWS
WO5-3	48X48	16.00						ONE LANE BRIDGE
WO5-5	48X48	16.00						NARROW LANES
WO6-1	48X48	16.00						DIVIDED HIGHWAY (SYMBOL)
WO6-2	48X48	16.00						DIVIDED HIGHWAY END (SYMBOL)
WO6-3	48X48	16.00						TWO WAY TRAFFIC (SYMBOL)
WO7-3a	30X24	5.00						NEXT XX MILES (PLAQUE)
WO8-1	48X48	16.00						BUMP
WO8-2	48X48	16.00						DIP
WO8-3	48X48	16.00						PAVEMENT ENDS
WO8-4	48X48	16.00						SOFT SHOULDER
WO8-5	48X48	16.00						SLIPPERY WHEN WET (SYMBOL)
WO8-6	48X48	16.00						TRUCK CROSSING
WO8-6c	48X48	16.00						TRUCK ENTRANCE
WO8-7	36X36	9.00						LOOSE GRAVEL
WO8-7a	36X36	9.00						FRESH OIL / LOOSE GRAVEL
WO8-9	48X48	16.00						LOW SHOULDER
WO8-11	48X48	16.00						UNEVEN LANES
WO8-12	48X48	16.00						NO CENTER LINE
WO8-15	48X48	16.00						GROOVED PAVEMENT
WO8-15P	30X24	5.00						MOTORCYCLE (PLAQUE)
WO8-17L	48X48	16.00						SHOULDER DROP-OFF (SYMBOL LEFT)
WO8-17R	48X48	16.00						SHOULDER DROP-OFF (SYMBOL RIGHT)
WO8-17P	30X24	5.00						SHOULDER DROP-OFF (PLAQUE)
W10-1	42RND.	9.62						RAILROAD CROSSING
WO12-1	24X24	4.00						DOUBLE DOWN ARROW (SYMBOL)
WO12-2	48X48	16.00						LOW CLEARANCE (SYMBOL)
WO12-2x	24X18	3.00						LOW CLEARANCE (PLAQUE)
WO12-2a	84X24	14.00						OVERHEAD LOW CLEARANCE (FEET AND INCHES)
WO12-4	120X60	50.00						LOW CLEARANCE XX FT XX IN XX MILES AHEAD
WO12-5	120X60	50.00						WIDTH RESTRICTION XX FT XX IN XX MILES AHEAD
WO13-1	30X30	6.25						ADVISORY SPEED (PLAQUE)
WO16-2	30X24	5.00						XXX FEET (PLAQUE)
WO16-3	30X24	5.00						X MILE (PLAQUE)
WO20-1	48X48	16.00	8	128	24	384	2	ROAD/BRIDGE/RAMP WORK AHEAD
WO20-2	48X48	16.00						DETOUR AHEAD
WO20-3	48X48	16.00						ROAD CLOSED AHEAD
WO20-4	48X48	16.00						ONE LANE ROAD AHEAD
WO20-5	48X48	16.00	2	32	14	224	5	RIGHT/CENTER/LEFT LANE CLOSED AHEAD
WO20-5a	48X48	16.00						2 RIGHT/CENTER/LEFT LANES CLOSED AHEAD
WO20-6a	48X48	16.00	2	32	14	224	6	RIGHT/CENTER/LEFT LANE CLOSED
WO20-7a	48X48	16.00						FLAGGER (SYMBOL)
WO21-2	36X36	9.00						FRESH OIL
WO21-5	48X48	16.00						SHOULDER WORK / SHOULDER WORK AHEAD
WO22-1	48X48	16.00						BLASTING ZONE AHEAD
WO22-2	42X36	10.50						TURN OFF 2-WAY RADIO AND PHONE
WO22-3	42X36	10.50						END BLASTING ZONE
GO22-1	21X15	2.19	4	8.76				WET PAINT (ARROW PIVOTS)

GUIDE SIGNS

SIGN	SIZE IN.	AREA SQ.FT.	QTY EACH	TOTAL SQ.FT.	QTY RELOC EACH	TOTAL RELOC SQ.FT.	SIGN NO.	DESCRIPTION
E05-1	36X48	12.00						GORE EXIT
E05-2	48X36	12.00						EXIT OPEN
E05-2a	48X36	12.00						EXIT CLOSED
GO20-1	60X24	10.00	2	20			2A	ROAD WORK NEXT XX MILES
GO20-2	48X24	8.00	2	16			4	END ROAD WORK
GO20-4	36X18	4.50						PILOT CAR FOLLOW ME
GO20-4a	42X30	8.75						PILOT CAR IN USE WAIT & FOLLOW
GO20-4a	18X12	1.50						PILOT CAR IN USE WAIT & FOLLOW
GO20-5aP	36X24	6.00	4	24	12	72	54	WORK ZONE (PLAQUE)
MO4-8a	24X18	3.00						END DETOUR
MO4-9L	48X36	12.00						DETOUR (LEFT)
MO4-9R	48X36	12.00						DETOUR (RIGHT)
MO4-9P	48X12	4.00						STREET NAME (PLAQUE)
MO4-10L	48X18	6.00						DETOUR ARROW (LEFT)
MO4-10R	48X18	6.00						DETOUR ARROW (RIGHT)

REGULATORY SIGNS

SIGN	SIZE IN.	AREA SQ.FT.	QTY EACH	TOTAL SQ.FT.	QTY RELOC EACH	TOTAL RELOC SQ.FT.	SIGN NO.	DESCRIPTION
R1-1	48X48	13.25						STOP
R1-2	48TRI.	6.93						YIELD
R1-2a	36X36	9.00						TO ONCOMING TRAFFIC (PLAQUE)
R1-3P	30X12	2.50						ALL WAY (PLAQUE)
R2-1	36X48	12.00	8	96	24	288	4	SPEED LIMIT XX
R3-1	48X48	16.00						NO RIGHT TURN (SYMBOL)
R3-2	48X48	16.00						NO LEFT TURN (SYMBOL)
R3-3	36X36	9.00						NO TURNS
R3-4	48X48	16.00						NO U-TURN (SYMBOL)
R3-7L	30X30	6.25						LEFT LANE MUST TURN LEFT
R3-7R	30X30	6.25						RIGHT LANE MUST TURN RIGHT
R4-1	36X48	12.00						DO NOT PASS
R4-2	36X48	12.00						PASS WITH CARE
R4-7a	36X48	12.00						KEEP RIGHT (HORIZONTAL ARROW)
R4-8a	36X48	12.00						KEEP LEFT (HORIZONTAL ARROW)
R5-1	30X30	6.25						DO NOT ENTER
R5-1a	36X24	6.00						WRONG WAY
R6-1L	54X18	6.75						ONE WAY ARROW (LEFT)
R6-1R	54X18	6.75						ONE WAY ARROW (RIGHT)
R6-2L	24X30	5.00						ONE WAY (LEFT)
R6-2R	24X30	5.00						ONE WAY (RIGHT)
R9-9	24X12	2.00	8	16	24	48		SIDEWALK CLOSED
R9-11L	24X18	3.00	4	12	12	36		SIDEWALK CLOSED AHEAD, (ARROW LEFT) CROSS HERE
R9-11R	24X18	3.00	4	12	12	36		SIDEWALK CLOSED AHEAD, (ARROW RIGHT) CROSS HERE
R10-6	24X36	6.00						STOP HERE ON RED (45^ ARROW)
R11-2	48X30	10.00						ROAD CLOSED
R11-3a	60X30	12.50						ROAD CLOSED XX MILES AHEAD LOCAL TRAFFIC ONLY
R11-4	60X30	12.50						ROAD CLOSED TO THRU TRAFFIC
CONST-3A	60X48	20.00						FINE SIGN
CONST-3X	56X12	4.67						SPEEDING/PASSING (PLATE)

MISCELLANEOUS SIGNS

SIGN	SIZE IN.	AREA SQ.FT.	QTY EACH	TOTAL SQ.FT.	QTY RELOC EACH	TOTAL RELOC SQ.FT.	SIGN NO.	DESCRIPTION
CONST-5	48X36	12.00						POINT OF PRESENCE
CONST-5	96X48	32.00	2	64			5	POINT OF PRESENCE
CONST-8	48X36	12.00	2	24			3	WORK ZONE NO PHONE ZONE
W11-2	48X48	16.00	16	256	48	768		PEDESTRIAN
WO16-7P	24X12	2.00	8	16	24	48		DIAGONAL ARROW
WO16-9P	24X12	2.00	8	16	24	48		AHEAD
R9-8	36X18	4.50	8	36	24	108		PEDESTRIAN CROSSWALK
R9-10	24X12	2.00	8	16	24	48		SIDEWALK CLOSED USE OTHER SIDE

616-10.05 CONSTRUCTION SIGNS	TOTAL
	857

616-10.10 RELOCATED SIGNS	TOTAL
	2556*

TEMPORARY TRAFFIC CONTROL = 1 LUMP SUM

EFFECTIVE: 07-01-2025

ITEM NUMBER	TOTAL QTY	DESCRIPTION
6122008		IMPACT ATTENUATOR 40 MPH (SAND BARRELS)
6122009		IMPACT ATTENUATOR 45 MPH (SAND BARRELS)
6122010		IMPACT ATTENUATOR 50 MPH (SAND BARRELS)
6122012		IMPACT ATTENUATOR 55 MPH (SAND BARRELS)
6122014		IMPACT ATTENUATOR 60 MPH (SAND BARRELS)
6122017		IMPACT ATTENUATOR 65 MPH (SAND BARRELS)
6122019		IMPACT ATTENUATOR 70 MPH (SAND BARRELS)
6122020		REPLACEMENT SAND BARREL
6122030		IMPACT ATTENUATOR (RELOCATION)
6122040		WORK ZONE CRASH CUSHION (NARROW)
6122041		WORK ZONE CRASH CUSHION (RELOCATION)
6123001	1**	TRUCK MOUNTED ATTENUATOR (TMA)***
6161012		BUOYS (BOATS KEEP OUT)
6161013		BUOYS (NO WAKE)
6161014		SPECIAL SIGN ASSEMBLY (BOATS KEEP OUT)
6161020		CHANNELIZER (DRUM-LIKE)
6161022		CHANNELIZER (CONE)
6161025	120	CHANNELIZER (TRIM-LINE)
6161026		CHANNELIZER (VERTICAL PANEL)
6161030	6	TYPE 3 MOVEABLE BARRICADE
6161033	56	DIRECTION INDICATOR BARRICADE
6161040	4	FLASHING ARROW PANEL
6161047		TYPE 3 OBJECT MARKER
6161055		SEQUENTIAL FLASHING WARNING LIGHT
6161070		TUBULAR MARKER
6161095		RADAR SPEED ADVISORY SYSTEM
6161096		CHANGEABLE MESSAGE SIGN, COMMISSION FURNISHED/RETAINED
6161098A	2**	CHANGEABLE MESSAGE SIGN WITHOUT COMM. INTERFACE, CONTRACTOR FURNISHED/RETAINED
6161099		CHANGEABLE MESSAGE SIGN WITH COMM. INTERFACE, CONTRACTOR FURNISHED/RETAINED
6162000A		WORK ZONE TRAFFIC SIGNAL SYSTEM
6162002		TEMPORARY LONG-TERM RUMBLE STRIPS
6173600D		TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED/RETAINED
6173700B		TEMP. TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED/RETAINED
6173706		TEMP. TRAFFIC BARRIER STIFFNESS TRANSITION CONTRACTOR FURNISHED/RETAINED
6174000A		TEMP. TRAFFIC BARRIER HEIGHT TRANSITION, CONTRACTOR FURNISHED/RETAINED
6175010A		RELOCATING TEMPORARY TRAFFIC BARRIER
6175011B		RELOCATING TEMP. TRAFFIC BARRIER ANCHORED
6175013		RELOCATING TEMP. TRAFFIC BARRIER STIFFNESS
6175020A		RELOCATING TEMP. TRAFFIC BARRIER HEIGHT
6208064A		TEMPORARY RAISED PAVEMENT MARKER
9029400		TEMPORARY TRAFFIC SIGNALS
9029401		TEMPORARY TRAFFIC SIGNALS AND LIGHTING
6169902	8**	ADA COMPLIANT MOVEABLE BARRICADES

NOTE:
ALL WARNING SIGNS SHALL HAVE FLORESCENT SHEETING.

* NO DIRECT PAY WILL BE MADE FOR RELOCATION OF CONSTRUCTION SIGNING OR DEVICES
** NOT INCLUDED IN LUMP SUM TRAFFIC CONTROL
*** NO DIRECT PAY WILL BE MADE FOR TRUCK MOUNTED ATTENUATORS (TMA's) USED IN MOBILE OPERATIONS OR FOR ANY TMA's DESIGNATED AS OPTIONAL.

SUMMARY OF QUANTITIES
SHEET 15 OF 15

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
03/03/2026 2:45:43 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
3-MAR-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	3

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

MoDOT
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.
3. ALL WORK ON PARCEL #35 SHALL BE COMPLTED BY OTHERS ON CITY OF FLORISSANT PROJECT STBG-5622(604).

LA 2+

EXIST. R/W

LINDSAY LANE (WIDTH VARIES)

S52°27'43"E

EXIST. SIDEWALK

10' ESMT PB 156 PG 41

10' ESMT PB 156 PG 41

EXIST. R/W

EXIST. SIDEWALK

PROPERTY N/F
MARBLE ASSOCIATES
PARCEL # 07K320831
DB 6873 PG 2231
ADDRESS 15 FLORISSANT OAKS SHOPPING CENTER

LOT A

FLORISSANT OAKS
PB. 156 PG. 41

CL. 5 PULL BOX (UIP)

EXIST. SIGNAL INTERCONNECT (UIP)

CL. 5 PULL BOX (UIP)

110

EASEMENT (17948-2092)

EXIST. R/W

EXIST. SIDEWALK

EXIST. R/W

℄ LINDSAY LN.

STA 4+00.67

℄ US 67

CURVE #4

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

EASEMENT TO THE CITY OF FLORISSANT DB 19006 PG 1910

EXIST. R/W

(A) 112+73.50, 52.94' LT.
(B) 112+75.23, 50.83' LT.
(C) 112+76.67, 52.16' LT.
(D) 112+82.72, 45.92' LT.
(E) 112+81.43, 44.41' LT.
(F) 112+90.24, 37.55' LT.
(G) 112+81.62, 35.33'
(H) 112+76.76, 35.23' LT.
(I) 112+73.28, 37.16' LT.
(J) 112+76.57, 45.81' LT.
(K) 112+71.47, 45.89' LT.
(L) 112+71.55. 50.89' LT.
(M) 113+28.58, 103.07' LT.

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

PERM. EASEMENT (SIDEWALK)

(33)

PROPERTY N/F
CLAYTON ROAD PARTNERSHIP LP
PARCEL # 07K320028
DB 9737 PG 0167
ADDRESS 820 N. HIGHWAY 67

EXIST. SIDEWALK

RUE ST. DENIS STREET (40' W)

EXIST. R/W

EXIST. R/W

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. R/W

PATTERSON ROAD (WIDTH VARIES)

℄ PATTERSON RD.

PATTERSON ROAD (WIDTH VARIES)
BEGIN RESURFACING
STA. 3+41. 0' LT.

CURVE #1

(35)

PROPERTY N/F
M B VENTURES LLC
PARCEL # 07J110875
DB 23824 PG 1409
ADDRESS 825 N. HIGHWAY 67

PATTERSON #1

P.I. 3+41.81
Δ - 38°26'58.9" (LT)
D - 15°00'00.3"
T - 133.20'
L - 256.33' (ARC)
R - 381.97'
SE - MATCH EXIST.
W - N/A

EXIST. R/W

ISLAND CUT THROUGH (7" CONCRETE SIDEWALK)

75'R

(M)

LIGHT (UIP)

(UIP)

(A) (B) (C) (D) (E) (F) (G) (H) (I) (J) (K) (L)

PT STA 4+64.94

2'R (TYP.)

(ATG)

S06°14'42"E

(UIP)

6" CONCRETE MEDIAN ON
7" CONCRETE SIDEWALK

LIGHT (UIP)

EXIST. R/W

STA 5+04.36

5

BEGIN RESURFACING
STA. 112+20.03

EXIST. SIDEWALK

PERM. EASEMENT (SIDEWALK)

EXIST. R/W

EXIST. SIDEWALK

12" BLOCK WALL

EXIST. R/W

MATCH LINE STA. 114+00

(34)

SEE NEXT SHEET

SCALE
0 20 40 60

ROADWAY PLAN
BEGIN TO STA. 114+00
SHEET 1 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:23 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	4

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

(A) 114+14.33, 53.50' LT.

(B) 114+23.87, 56.69' LT.

(C) 114+96.02, 66.91' LT.

(35) SEE PREVIOUS SHEET

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.

PROPERTY N/F
TRANGDAI NGUYEN AND HUONG THI NGUYEN
PARCEL # 07J110073
DB 22992 PG 1017
ADDRESS 843 N. HIGHWAY 67

PROPERTY N/F
UNION ELECTRIC COMPANY
PARCEL # 07J110903
DB 1554 PG 286
ADDRESS 889 N. HIGHWAY 67

DRAINAGE RIGHT OF WAY
250' UPSTREAM AND
DOWNSTREAM PER
HIGHWAY PLANS

COLDWATER CREEK (100' WIDE)

(35A) SEE NEXT SHEET

N/F CITY OF FLORISSANT DB. 1701 PG. 74

TEMP. EASEMENT

CONC. WALL

CURB (UIP)

SIDEWALK HAND-RAILING WITHOUT BALUSTERS

WROUGHT IRON FENCE (TBR&REL)

GATE & POSTS (TBR&REL)

EXIST. R/W

EXIST. SIGNAL INTERCONNECT (UIP)

EXIST. SIDEWALK

5' W. SIDEWALK

WROUGHT IRON FENCE ON CONC. RETAINING WALL

42" FENCE (RELOCATED)

BUSHES (UIP)

LIGHT (UIP)

℄ US 67

CS STA 116+23.62

TS STA 117+73.62

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

S76°11'03"E

CURVE #4

END RESURFACING
STA. 116+92.61

LIMITS OF TRANSMISSION LINES

MATCH LINE STA. 114+00

MATCH LINE STA. 119+60

BRIDGE & APPROACHES
TO BE COMPLETED IN
PROJECT J6S3669

BUSHES (UIP)

BUSHES (UIP)

LIGHT (UIP)

LIGHT (UIP)

PERM. EASEMENT
(SIDEWALK)

(34)

PROPERTY N/F
WHITE CASTLE SYSTEM, INC.
PARCEL # 07J110886
DB 10761 PG 1012
ADDRESS 840 N. HIGHWAY 67

JANE LINDSAY ESTATE LOT PT 6
SITE DEVELOPEMENT PLAN
PB. 356 PG. 182

PROPERTY N/F
UNION ELECTRIC COMPANY
PARCEL # 07J110017

ADDRESS 850 N. HIGHWAY 67

PROPERTY N/F
UNION ELECTRIC COMPANY
PARCEL # 08J430437

ADDRESS 22 CHANDLER CT.

DRAINAGE RIGHT OF WAY
250' UPSTREAM AND
DOWNSTREAM PER
HIGHWAY PLANS

COLDWATER CREEK
(110' WIDE)

SCALE
0 20 40 60

ROADWAY PLAN
STA. 114+00 TO STA. 119+60
SHEET 2 OF 23

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:23 PM
Richard S. Baum
MO PE E-24320

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	5

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SEE SPECIAL SHEET 61 FOR ADDITIONAL INFORMATION FOR THE COLDWATER CREEK SIDEWALK.
3. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

ROADWAY PLAN
STA. 119+60 TO STA. 124+50
SHEET 3 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:24 PM
Richard S. Baum
MO PE E-24320

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE PREPARED: 28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	6

COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.

MATCH LINE STA. 124+50

PROPERTY N/F
CNS ASSOCIATES LLC
PARCEL # 07J110930
DOC. # 2023070600089
ADDRESS 951 N. HIGHWAY 67

LOT C

RESUBDIVISION OF LOT A OF THE
RESUBDIVISION OF BLOCK 97 AND PART OF BLOCK 96 OF
THE NEW TOWN OF ST. FERDINAND
PB. 364 PG. 336

PROPERTY N/F
LINDBERGH FOODS LLC
PARCEL # 07J120368
DB 23138 PG 819
ADDRESS 975 N. HIGHWAY 67

LOT B

RESUBDIVISION OF BLOCK 97 AND PART OF BLOCK 96 OF
THE NEW TOWN OF ST. FERDINAND
PB. 362 PG. 272

125

EXIST. R/W

RUE ST. CHARLES STREET (42.75' W)

END RESURFACING
STA. 124+73, 45' LT.

EQUATION: STA 124+97.76 BK = STA 124+07.11 AHD

EXIST. SIGNAL INTERCONNECT (UIP)

(TBR&R)

EXIST. SIDEWALK

CURB RAMP (TYPE 2 PARALLEL)

CURB & GUTTER (TYPE B)(3 LF)

6" TYPE S CURB (2 LF)

CURB RAMP (LARGE RADIUS PERPENDICULAR)

CURB RAMP (TYPE 2 PARALLEL)

END RESURFACING
STA. 128+65, 107' LT.

ST. FERDINAND STREET (70' W)

℄ US 67

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

STA 89+37.10

S76°11'03"E

(ATGBO)

(ATG)

(R)

PROPERTY N/F
LEWIS & CLARK MERCANTILE BANK, US BANK
PARCEL # 08J430493
DB 7635 PG 620
ADDRESS 1000 N. HIGHWAY 67

LOT 1

MERCANTILE PARK
PB 226 PG 86

EXIST. R/W

EXIST. SIDEWALK

ST. FERDINAND STREET (80' W)
N31°48'29"E

END RESURFACING
STA. 88+66, 0' LT.

℄ ST. FERDINAND ST.

LOT
35

CURB RAMP (TYPE 2 PARALLEL)

CURB RAMP (LARGE RADIUS PERPENDICULAR)

MATCH LINE STA. 129+00

SCALE
0 20 40 60

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

ROADWAY PLAN
STA. 124+50 TO STA. 129+00
SHEET 4 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:24 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	7

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

MATCH LINE STA. 129+00

MATCH LINE STA. 134+60

PROPERTY N/F
FLORISSANT VALLEY BAPTIST CHURCH
PARCEL # 07J120335
DB 04290 PG 0028
ADDRESS 1025 N. HIGHWAY 67

BLOCK 123
NEW TOWN OF ST. FERDINAND

130

EXIST. SIGNAL INTERCONNECT (R&R)
BETWEEN ST. FERDINAND & ST. JEAN INTERSECTIONS
W/ FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE

EXIST. R/W

EXIST. R/W

ST. PIERRE STREET (42.75' W)

EXIST. R/W

END RESURFACING
STA. 132+28, 45' LT.

PROPERTY N/F
AMERICAN EAGLE CREDIT UNION
PARCEL # 07J440975
DB 18082 PG 0843
1075 N. HIGHWAY 67

BLOCK 98
NEW TOWN OF ST. FERDINAND

LIGHT FOUNDATION (R)

EXIST. R/W

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. SIDEWALK

CL. 5 PULL BOX (UIP)

(TBR&R)

(TBR&R)

℄ US 67

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

S76°11'03"E

WIRELESS VEHICLE
DETECTORS (R)

(TBR&R)

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. SIDEWALK

CURB RAMP
(LARGE RADIUS
PERPENDICULAR)

CURB RAMP
(LARGE RADIUS
PERPENDICULAR)

EXIST. R/W

EXIST. R/W

10' STORM SEWER ESMT
PER PB 23 PG 84

ALVAREZ GARDENS
PB. 46 PG. 45

PROPERTY N/F
CHRISTINE R. & PHIL FITZ
PARCEL # 08J440942
DB 17532 PG 4925
ADDRESS 1040 N. HIGHWAY 67

LOT 33

PROPERTY N/F
TRIPLE H PROPERTIES, LLC
PARCEL # 08J440964
DB 24560 PG 21
ADDRESS 1 ST. GEORGE CT.

LOT 14

LOT
34
PROPERTY N/F
RANOLPH S. SCHROEDER
PARCEL # 08J440887
DB 13864 PG 0947
ADDRESS 1020 ST. FERDINAND

LOT
32

LOT
35

LOT
31

LOT
15

LOT
16

STORM SEWER & UTILITY ESMT PER PB 23 PG 84

5' STORM SEWER & UTILITY ESMT PER PB 23 PG 84

EXIST. R/W

ST. GEORGE COURT (50' W)

END RESURFACING
STA. 131+99, 45' RT.

5' SAN. SEWER ESMT PER PB 23 PG 84

EXIST. R/W

5' UTILITY ESMT PER PB 23 PG 84

SCALE
0 20 40 60

ROADWAY PLAN
STA. 129+00 TO STA. 134+60
SHEET 5 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:24 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	8

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.

(A) 135+68.39, 35.52' LT.
(B) 135+84.95, 47.04' LT.
(C) 136+61.50, 58.53' LT.
(D) 135+43.50, 48.72' RT.

MATCH LINE NE STA. 134+60

135

140

MATCH LINE NE STA. 140+20

PROPERTY N/F
AMERICAN EAGLE CREDIT UNION
PARCEL # 08J4409111
DB 20255 PG 292
ADDRESS 1149 ST JEAN

PROPERTY N/F
BLUM ASSOCIATES LLC
PARCEL # 08J530834
DB 11829 PG 1429
ADDRESS 1101 N. LINDBERGH

LOT Z

AFSHARI CENTER NUMBER 2
BOUNDARY ADJUSTMENT PLAT
PB 207 PG 76

BLOCK 99
NEW TOWN OF ST. FERDINAND

EXIST. R/W

EXIST. SIDEWALK

ST. JEAN STREET (42.75' W)

END RESURFACING STA. 136+25, 98' LT.

CURB RAMP (SMALL RADIUS PERPENDICULAR)

BEGIN 5'W SIDEWALK AT NEAREST JOINT (FIRST PANEL WARP TO MATCH EXIST.)

5'W SIDEWALK (REPLACE 4 PANELS)

CURB RAMP (TYPE 2 PARALLEL)

CURB RAMP (TYPE 2 PARALLEL)

30' R

9'x8' BUS STOP PAD FOR SIMME BENCH

EXIST. SIGNAL INTERCONNECT (R&R) BETWEEN ST. JEAN & NEW FLORISSANT INTERSECTIONS W/ FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE

VACATED ST. JACQUES 4772-582

6" TYPE S CURB (3 LF)

6" TYPE S CURB (16 LF)

8" PAVED APPROACH 6.0 SY

℄ US 67

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

S76°11'03"E

6" TYPE S CURB (4 LF)

6" TYPE S CURB (14 LF)

CL. 5 PULL BOX (ATG)

6" TYPE S CURB (10 LF)

(ATG)

(ATGBO)

20' R

CURB RAMP (TYPE 2 PARALLEL)

CURB RAMP (LARGE RADIUS PERPENDICULAR)

CURB RAMP (TYPE 2 PARALLEL)

PROPERTY N/F
TAUC PROPERTIES, LLC
PARCEL # 08J440788
DB 22066 PG 151
ADDRESS 1090 N. HIGHWAY 67

BLOCK 95
NEW TOWN OF ST. FERDINAND

END RESURFACING STA. 135+69, 77' RT.

ST. JEAN STREET (42.75' W)

PROPERTY N/F
ROBERT B. & CHERYL A. BOSSOMO
PARCEL # 08J440799
DB 22247 PG 912
ADDRESS 1090 ST. JEAN ST.

BLOCK 94
NEW TOWN OF ST. FERDINAND

EXIST. SIGNAL INTERCONNECT (R&R) BETWEEN ST. FERDINAND & ST. JEAN INTERSECTIONS W/ FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE)

PROPERTY N/F
MISSION HILLS DEVELOPMENT COMPANY
PARCEL # 08J530449
DB 16543 PG 2655
ADDRESS 1100 N. HIGHWAY 67

BLOCK 99
NEW TOWN OF ST. FERDINAND

PROPERTY N/F
SCOTT & KIMBERLY EICKHOFF
PARCEL # 08J441019
DB 10278 PG 0119
ADDRESS 1089 N. HIGHWAY 67

LOT B

ST. JACQUES HILLS
PB 148 PG 33

LOT A

END RESURFACING STA. 139+61, 45' RT.

N. ST. JACQUES STREET (42.75' W)

SCALE
0 20 40 60

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

ROADWAY PLAN
STA. 134+60 TO STA. 140+20
SHEET 6 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:24 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	9

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.

US 67 CURVE # 5

P.I. 151+46.37
Δ - 48°28'34.9" (LT)
D - 3°59'59.9"
Ts - 720.32'
Lc - 1061.95' (CHORD)
R - 1432.70'
SE - MATCH EXIST.
Os - 2°59'57.7"
Xc - 149.96'
Yc - 2.62'

BLOCK 100
NEW TOWN OF ST. FERDINAND

PROPERTY N/F
SOCHA LLC
PARCEL # 08J530988
DB 23522 PG 1855
ADDRESS 1143 N. LINDBERGH

LOT B-2

PROPERTY N/F
MISSION HILLS DEVELOPMENT COMPANY INC
PARCEL # 08J531066
DB 24316 PG 5284
ADDRESS 1285 N. HIGHWAY 67

BLOCK 101
NEW TOWN OF ST. FERDINAND

MATCH LINE STA. 140+20

MATCH LINE STA. 145+50

EXIST. SIGNAL INTERCONNECT (R&R)
BETWEEN ST. JEAN & NEW FLORISSANT INTERSECTIONS
W/ FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE

VACATED JEFFERSON
6365.79

EXIST. R/W

EXIST. SIDEWALK

WIRELESS VEHICLE
DETECTORS (R)

℄ US 67

5'W SIDEWALK
(REPLACE 2 PANELS)

EQUATION
TS STA 144+24.84 BK =
TS STA 144+26.05 AHD

CURVE #5

S76°11'03"E

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

7" CONCRETE WALL

6" CONCRETE WALL

PROPERTY N/F
MISSION HILLS DEVELOPMENT COMPANY
PARCEL # 08J530438
DB 16543 PG 2655
ADDRESS 1180 N. HIGHWAY 67 ST.

BLOCK 100
NEW TOWN OF ST. FERDINAND

EXIST. R/W

N. JEFFERSON STREET (42.75' W)

END RESURFACING
STA. 143+57, 45' RT.

PROPERTY N/F
SOUTH SIDE PROPERTY LLC
PARCEL # 08J530681
DB 23600 PG 3953
ADDRESS 1280 N. HIGHWAY 67

BLOCK 101
NEW TOWN OF ST. FERDINAND

SCALE
0 20 40 60

ROADWAY PLAN
STA. 140+20 TO STA. 145+50
SHEET 7 OF 23

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:24 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	10

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.



ROADWAY PLAN
STA. 145+50 TO STA. 151+10
SHEET 8 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:24 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	11

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.

MATCH LINE STA. 151+10

PROPERTY N/F
SHB ENTERPRISES LLC
PARCEL # 08J540415
DB 23948 PG 3067
ADDRESS 1545 N. HIGHWAY 67

INGRESS & EGRESS EASEMENT (7422-2017)

PROPERTY N/F
PACHYDERM PROPERTIES LLC
PARCEL # 08J540790
DB 23342 PG 3109
ADDRESS 1555 N. HIGHWAY 67

LOT 1

KEN BEHLMANN ESTATES
PB 214 PG 5

PROPERTY N/F
BKE LLC
PARCEL # 08J540910
DOC. # 2023031000480
ADDRESS 1575 N. HIGHWAY 67

EXIST. SIGNAL INTERCONNECT (R&R)
BETWEEN ST. JEAN & NEW FLORISSANT INTERSECTIONS
W/ FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE

155

5'W SIDEWALK
(REPLACE 2 PANELS)

EXIST. R/W

EXIST. SIDEWALK

CURVE #5

8" PAVED APPROACH
3.7 SY

8" PAVED APPROACH
3.7 SY

℄ US 67

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

CS STA 156+38.00

MATCH LINE STA. 156+70

PROPERTY N/F
1400 LINDBERGH HIGHWAY 67 N LLC
PARCEL # 08J540273
DB. 23470 PG. 2869
ADDRESS 1400 N. HIGHWAY 67

7.5' ESMT. PER PB 65 PG 13

DRAINAGE ESMT.
PER PB 65 PG 13

PROPERTY N/F
MS HOLDCO MO 1 LLC
PARCEL # 08J540383
DOC. # 2022112800222
ADDRESS 18 BRIGHTWELL CT.

LOT 18

BRIGHTWELL-COURT
PB 65 PG 13

LOT 17

BRIGHTWELL COURT (50'W)

END RESURFACING
STA. 155+02, 50' RT.

PROPERTY N/F
PAULA J. BARLOW
PARCEL # 08J540404
DB 17690 PG 4598
ADDRESS 1 BRIGHTWELL CT.

LOT 1

LOT 2

DRAINAGE ESMT.
PB 65 PG 13

6' ESMT. PER PB 65 PG 13

' ESMT. PER PB 206 PG 71

9'x8' BUS STOP PAD
FOR SIMME BENCH

SCALE
0 20 40 60

ROADWAY PLAN
STA. 151+10 TO STA. 156+70
SHEET 9 OF 23

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:24 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	12

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

LOT 2

LOT 1

LOT A

5' EASEMENT PB 48 PG 14

10' EASEMENT PB 48 PG 14

PROPERTY N/F
CEDRICK PIMENTEL TRUSTEE
PARCEL # 08J540789
DB 20023 PG 2304
ADDRESS 1605 N. HIGHWAY 67

EXIST. R/W

FLORVAL DRIVE (50'W)

END RESURFACING
STA. 159+10, 45' LT.

35B

PROPERTY N/F
VALVOLINE LLC
PARCEL # 08J540844
DB 22160 PG 363
ADDRESS 1717 N. HIGHWAY 67

LOT B

FLORVALLEY
PB 48 PG 14

EXIST. SIGNAL INTERCONNECT (R&R)
BETWEEN ST. JEAN & NEW FLORISSANT INTERSECTIONS
W/ FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE

160

CURB RAMP
(SMALL RADIUS
PERPENDICULAR)

PERM. EASEMENT
(SIDEWALK)

PULL BOX
ATG

10' EASEMENT PB 48 PG 14

12.75'

12.75'

18.5'R

TEMP. EASEMENT

WALL
(UIP)

EXIST. R/W

EXIST. SIDEWALK

(R&R)

(R)

CURB RAMP
(TYPE 2 PARALLEL)

WIRELESS VEHICLE
DETECTORS (R)

(ATGBO)

S14°28'55"E

WOODRIDGE LANE (50'W)

WOODRIDGE LN.

POB STA 0+00.

36

PROPERTY N/F
L & M LEASING LLC
PARCEL # 07J220903
DB 21734 PG 2456
ADDRESS
1745 N. HIGHWAY 67

LOT 2

WILLIAM E. CROWELL
SUBDIVISION
PB 246 PG 78

MATCH LINE STA. 156+70

EQUATION:
TS STA 157+88.00 BK
TS STA 157+89.09 AHD

EXIST. S/W

EXIST. SIDEWALK

8" PAVED APPROACH
5.0 SY

8" PAVED APPROACH
6.0 SY

CURVE #5

℄ US 67

N55°20'22"E

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

POE STA 2+00.00

MATCH LINE STA. 162+00

EASEMENT DB 5588 PG 173

LIGHT FOUNDATION (R)

(R)

5' ESMT. (6291-678) PER PB 370 PG 121

5' ESMT. PER PB 206 PG 71

PROPERTY N/F
CITY OF FLORISSANT
PARCEL # 08J540745
DB 7254 PG 1586
ADDRESS 1700 N. HIGHWAY 67

LOT 1

NORTH FLORISSANT ROAD SUBDIVISION
PB 206 PG 71

(A) 160+77.45, 43.56' LT.

(B) 161+37.33, 55.75' LT.

SCALE
0 20 40 60

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.

ROADWAY PLAN
STA. 156+70 TO STA. 162+00
SHEET 10 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:24 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	13

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SEE SPECIAL SHEET 58 FOR ADDITIONAL INFORMATION.
3. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.

MATCH LINE STA. 162+00

MATCH LINE STA. 167+60

PROPERTY N/F
DONALD J. KRAUSE
PARCEL # 07J220842
DB 24054 PG 2857
ADDRESS 1775 N. HIGHWAY 67

PROPERTY N/F
D & T COLE PROPERTIES LLC
PARCEL # 07J220765
DB 20455 PG 1092
ADDRESS 1785 N. HIGHWAY 67

PROPERTY N/F
HIGHLAND MINI STORAGE, G.P.
PARCEL # 07J220912
DB 9679 PG 1509
ADDRESS 1975 N. HIGHWAY 67

PROPERTY N/F
DALLAS PETRO LLC
PARCEL # 07J220875
DB 25324 PG 1343
ADDRESS
1755 N. NEW FLORISSANT RD.

LOT 4

EXIST. R/W

EXIST. SIDEWALK

8" PAVED APPROACH
2.8 SY

CURB & GUTTER
(TYPE B)(5 LF)

5 WIRELESS VEHICLE
DETECTORS (R)

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

2'W CONCRETE MEDIAN STRIP

CL. 5 PULL BOX (UIP)

10' ESMT. PB 165 PG 26

5' ROADWAY MAINTENANCE & UTILITY EA.

EXIST. R/W

NEW FLORISSANT ROAD (70'W)

END RESURFACING
STA. 166+75, 128' LT.

EXIST. SIGNAL INTERCONNECT (R&R)
BETWEEN NEW FLORISSANT INTERSECTION
& CCTV CABINET
W/ FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE

EXIST. R/W
10' ESMT. PB 212 PG 8

50'R

15'

EXIST. SIGNAL
INTERCONNECT (UIP)

CURB RAMP
(SMALL RADIUS
PERPENDICULAR)

CURB & GUTTER
(TYPE B)(1 LF)

6" CONCRETE MEDIAN ON
7" CONCRETE SIDEWALK

ISLAND CUT THROUGH
(7" CONCRETE SIDEWALK)

CCTV CABINET
& CAMERA (UIP)

CL. 5
PULL BOX (UIP)

℄ US 67

N55°20'22"E

STA 46+15.14

5 WIRELESS VEHICLE
DETECTORS (R)

EXIST. SIDEWALK

EXIST. R/W

5' ESMT. (6291-676) PER PB 370 PG 121

14'x15.5' BUS STOP PAD
FOR BENCH

EXIST. SIGNAL INTERCONNECT (R&R)
BETWEEN ST. JEAN & NEW FLORISSANT INTERSECTIONS
W/ FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE

CURB RAMP
(SMALL RADIUS
PERPENDICULAR)

6" TYPE S CURB
(3 LF)

NEW FLORISSANT ROAD (80'W)

S00°27'18"W

NEW FLORISSANT RD.

℄ NEW FLORISSANT RD.

END RESURFACING
STA. 48+40, 0' LT.

(TBR&R)

10' EASEMENT DB 6385 PG 1093

5' ESMT. (6291-676) PER PB 370 PG 121

PROPERTY N/F
1790 N HWY 67 HOLDINGS LLC
PARCEL # 08J540932
DB 24256 PG 1213
ADDRESS 1790 N. HIGHWAY 67

NEW LOT A

CLEMENT OLYMPIC
PB. 370 PG 121

PROPERTY N/F
AMERCO REAL ESTATE COMPANY
PARCEL # 07J310383
DB 20183 PG 593
ADDRESS 1800N. HIGHWAY 67

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

ROADWAY PLAN
STA. 162+00 TO STA. 167+60
SHEET 11 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:24 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	14

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.

(A) 169+16.03, 1.00' LT.
(B) 169+34.99, 3.15' LT.
(C) 169+34.99, 1.00' RT.
(D) 170+30.27, 13.82' LT.
(E) 170+30.27, 9.69' LT.
(F) 170+31.81, 14.00' LT.
(G) 170+51.34, 12.00' LT.

PROPERTY N/F
M & M FLORISSANT LAND & BUILDING LLC
PARCEL # 07J310471
DOC # 2022082600641
ADDRESS 1955N HIGHWAY 67

LOT 4

PROPERTY N/F
NIYAM PROPERTIES LLC
PARCEL # 07J310460
DOC. # 2022091400067
ADDRESS 1752 N. NEW FLORISSANT RD.

LOT 1

FLO-LIN CORNERS PHASE ONE
PB 212 PG 8

PROPERTY N/F
AKN PROPERTIES LLC
PARCEL # 07J310493
DOC. # 2022091400061
ADDRESS 1740 THUNDERBIRD AVE.

10' ESMT. PB 212 PG 8

20' ESMT. PB 212 PG 8

EXIST. R/W

MATCH LINE STA. 167+60

MATCH LINE STA. 173+20

170

5'W SIDEWALK
(REPLACE 1 PANEL)

EXIST. SIGNAL
INTERCONNECT (UIP)

10' ESMT. PB 212 PG 8

EXIST. SIDEWALK

EXIST. R/W

LIGHT FOUNDATION (R)

EXIST. SIDEWALK

EXIST. SIDEWALK

8" PAVED APPROACH
4.9 SY

℄ US 67

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

2'W CONCRETE MEDIAN STRIP

N55°20'22"E

2'W CONCRETE MEDIAN STRIP

CURB & GUTTER
(TYPE B)(19 LF)

8" PAVED APPROACH
4.7 SY

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. R/W

5'W SIDEWALK
(REPLACE 1 PANEL)

CURB RAMP
(SMALL RADIUS
PERPENDICULAR)

EXIST. R/W

GUARDRAIL TO BE REPLACED
WITH CONCRETE BARRIER
IN PROJECT J6I3573

12"
CONCRETE
WALL

EXIST. R/W

DRAINAGE RIGHT OF WAY

PROPERTY N/F
MISSION HILLS DEVELOPMENT COMPANY INC
PARCEL # 07J310525
DB 20922 PG 1544
ADDRESS 1890 N. HIGHWAY 67

PARCEL A

A SUBDIVISION OF PART OF BLOCK 43
ST. FERDINAND COMMONS
PB 196 PG 35

PROPERTY N/F
TAER ALHEJOJ
PARCEL # 07J310514
DB 24276 PG 3565
ADDRESS
1940 N. HIGHWAY 67

PROPERTY N/F
PHILLIP LOUIS & DELPHINE
ARCISZEWSKI
PARCEL # 07J310107
DB 11810 PG 0147
ADDRESS
1960 N. HIGHWAY 67

PROPERTY N/F
SABLE CONSTRUCTION, INC.
d/b/a CUSTOM SOUNDS
PARCEL # 07J310118
DB 18248 PG 1692
ADDRESS 2000 N. HIGHWAY 67

PROPERTY N/F
HURLBUT INVESTMENTS FLORISSANT TWO LLC
PARCEL # 07J310262
DB 22490 PG 1605
ADDRESS 2040 N. HIGHWAY 67

PROPERTY N/F
WINSCHEL PROPERTIES LLC
PARCEL # 07J310251
DB 18819 PG 1438
ADDRESS 2060 N. HIGHWAY 67

SCALE
0 20 40 60

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

ROADWAY PLAN
STA. 167+60 TO STA. 173+20
SHEET 12 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:24 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	15

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.

(A) 174+70.00, 13.00' LT.
(B) 175+69.00, 1.00' LT.
(C) 178+46.05, 2.00' LT.
(D) 178+56.86, 4.37' LT.
(E) 178+56.86, 0.00' LT.
(F) 178+34.56, 50.17' RT.
(F) 178+64.56, 37.33' RT.

(38) SEE NEXT SHEET

MATCH LINE STA. 173+20

MATCH LINE STA. 178+80

PROPERTY N/F
FARIBA KAVIAN ETAL
PARCEL # 07J310349
DB 17324 PG 0754
ADDRESS 2095 N. HIGHWAY 67

PROPERTY N/F
AGREE FLORISSANT MO, LLC
PARCEL # 07J310602
DB 23502 PG 1562
ADDRESS 2105 N. HIGHWAY 67

LOT 1B

EXIST. R/W

EXIST. SIDEWALK

EXIST. SIGNAL INTERCONNECT (UIP)

6" TYPE S CURB (1 LF)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

CURB RAMP (BLENDED TRANSITION)

5'W S/W

END RESURACING STA. 175+13, 161' LT.

175

THUNDERBIRD DRIVE (80'W) A.K.A. NORTH WATERFORD DRIVE

STORM WATER DETENTION RESERVE AREA PB 358 PG 400

5' UTILITY EASEMENT PB 358 PG 400

BEGIN 5'W SIDEWALK AT NEAREST JOINT (FIRST PANEL WARP TO MATCH EXIST.)

15'x10' UTILITY ESMT PB 358 PG 400

CURB RAMP (COMPOUND PERPENDICULAR)

END 5'W SIDEWALK AT NEAREST JOINT (LAST PANEL WARP TO MATCH EXIST.)

6" TYPE S CURB (16 LF)

30' CROSS ACCESS EASEMENT PB 358 PG 400

2'W CONCRETE MEDIAN STRIP

℄ US 67

N55°20'22"E

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

(ATGBO)

CL. 5 PULL BOX (UIP)

SIGN (UIP)

CURB RAMP (LARGE RADIUS PERPENDICULAR)

5'W SIDEWALK

LIGHT (UIP)

TREE (UIP)

PERM. EASEMENT (SIDEWALK)

EXIST. SIGNAL INTERCONNECT (R&R) BETWEEN THUNDERBIRD/WATERFORD & TARGET INTERSECTIONS W/ FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE

BUSHES (UIP)

WATERFORD DRIVE (80'W)

END RESURACING STA. 175+20, 139' RT.

PROPERTY N/F
SOPHIA AND LOUIS, LLC
PARCEL # 07J310305
DB 24374 PG 2763
ADDRESS 2090 N. HIGHWAY 67

(37)

PROPERTY N/F
U S BANK, NA
PARCEL # 07J310273
DB 11240 PG 0064
ADDRESS 2100 N. HIGHWAY 67

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

ROADWAY PLAN
STA. 173+20 TO STA. 178+80
SHEET 13 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:25 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	16

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.

(A) 182+17.57, 45.06' LT.
(B) 182+26.20, 45.06' LT.
(C) 182+51.22, 57.37' LT.
(D) 182+64.96, 57.37' LT.
(E) 183+08.76, 66.75' LT.
(F) 183+05.19, 59.37' LT.
(G) 183+12.90, 59.37' LT.
(H) 182+32.79, 98.91' LT.
(I) 183+82.67, 103.41' LT.

(38)

PROPERTY N/F
2175 N. HWY. 67, LLC
PARCEL # 07J310613
DB 20406 PG 665
ADDRESS 2175 N. HIGHWAY 67

LOT 2B

RESUBDIVISION OF PARCEL B OF THUNDERBIRD MANOR
PB 358 PG 400

(38A)
SEE NEXT SHEET

(38B)

PIDGEON PARK FLORISSANT
PB 340 PG 16
OUTLOT
PARCEL 3
PROPERTY N/F
MITCHEL & LAUREL UNDERSETH FAMILY TRUST
PARCEL # 07J340302
DB 19695 PG 170
ADDRESS 2309 N. HIGHWAY 67

MATCH LINE STA. 178+80

MATCH LINE STA. 184+40

EXIST. R/W

EXIST. SIDEWALK

180

CURB RAMP (LARGE RADIUS PERPENDICULAR)

TEMP. EASEMENT

6" TYPE S CURB (9 LF)

CURB RAMP (LARGE RADIUS PERPENDICULAR)

10' ESMT PB 79 PG 23 & PB 358 PG 400

10' EASEMENT (PB 79 PG 23) PER PB 340 PG 16

20' STRIP (PB 79 PG 23, PB 83 PG 43, PB 87 PG 18, 10660-

10' EASEMENT PB 340 PG 16

ISLAND CUT THROUGH 7" CONCRETE SIDEWALK

CURB (UIP)

6" CONCRETE MEDIAN ON 7" CONCRETE SIDEWALK

TEMP. EASEMENT

PERM. EASEMENT (SIDEWALK)

80.5'R

SIGN (R)

SIGN (R)

CURB (UIP)

CURB RAMP (LARGE RADIUS PERPENDICULAR)

PERM. EASEMENT (SIDEWALK)

15' EASEMENT PER PB 340 PG 16

10' SIDEWALK EASEMENT PER PB 340 PG 16

EXIST. S/W (R)

5' S/W

2'R

(R&R)

(R)

(TBR&R)

(TBR&R)

(R)

EXIST. SIDEWALK

EXIST. R/W

WIRELESS VEHICLE DETECTORS (R)

℄ US 67

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

N55°20'22"E

WIRELESS VEHICLE DETECTORS (R)

CURB & GUTTER (TYPE B) (8 LF)

EXIST. SIGNAL INTERCONNECT (R&R) BETWEEN THUNDERBIRD/WATERFORD & TARGET INTERSECTIONS W/ FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE

32' INGRESS/EGRESS EASEMENT
PB 271 PG 12 & PB 358 PG 400

30' INGRESS/EGRESS EASEMENT
PB 271 PG 12 & PB 358 PG 400

PROPERTY N/F
NADG NNN MCAD (FLOR-MO) LP
PARCEL # 07J310581
DB 23450 PG 245
ADDRESS 2180 N. HIGHWAY 67

ADJUSTED PARCEL H

BOUNDARY ADJUSTMENT OF
PARCEL H & J OF
PADDOCK HILLS PLAZA
PB 351 PG 515

PROPERTY N/F
2182 NORTH HIGHWAY 67 LLC
PARCEL # 07J320733
DB 17869 PG 1643
ADDRESS 2182 N. HIGHWAY 67

PARCEL I

PADDOCK HILLS PLAZA
PB 271 PG 12

PROPERTY N/F
PADDOCK EQUITY INVESTORS, LLC
PARCEL # 07J320755
DB 21696 PG 2093
ADDRESS 1 PADDOCK HILLS SHOPPING CENTER

30' INGRESS/EGRESS EASEMENT
PB 271 PG 12 & PB 358 PG 400

PROPERTY N/F
PADDOCK EQUITY INVESTORS, LLC
PARCEL # 07J320689
DB 21696 PG 2093
ADDRESS 2190 N. HIGHWAY 67

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

ROADWAY PLAN
STA. 178+80 TO STA. 184+40
SHEET 14 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:25 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	17

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SEE SPECIAL SHEET 59 FOR ADDITIONAL INFORMATION.
3. SIDEWALK CROSS SLOPES THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.

MATCH LINE STA. 184+40

MATCH LINE STA. 190+00

38B
SEE PREVIOUS SHEET

PB 340 PG 16

10' EASEMENT PB 340 PG 16

39
PROPERTY N/F
RARE HOSPITALITY INTERNATIONAL INC.
PARCEL # 07J340313
DB 11199 PG 1942
ADDRESS 2317 N. HIGHWAY 67

OUTLOT PARCEL 2

PIDGEON PARK FLORISSANT
PB 340 PG 16

38A
PROPERTY N/F
DAYTON HUDSON CORPORATION
PARCEL # 07J340434
DB 11039 PG 1027
ADDRESS 2341 N. HIGHWAY 67

40B
SEE NEXT SHEET

AMENDED PIDGEON PARK FLORISSANT - PLAT 2
PB 345 PG 496

40
PROPERTY N/F
THE MJJCJ FAMILY TRUST ETAL
PARCEL # 07J340324
DB 22628 PG 3606
ADDRESS 2375 N. HIGHWAY 67

OUTLOT PARCEL 1

PIDGEON PARK FLORISSANT
PB 340 PG 16

PERM. EASEMENT (SIDEWALK)
TREE (UIP)
PULL BOX (R)
BEGIN 5'W SIDEWALK AT NEAREST JOINT (WARP TO MATCH EXIST.)
75'R
LIGHT (UIP)
SIGN (R)
CURB RAMP (TYPE 1 PARALLEL)
EXIST. LIGHTING CONDUIT (PROTECT IN PLACE)
END 5'W SIDEWALK AT NEAREST JOINT (WARP TO MATCH EXIST.)
EXIST. SIGNAL INTERCONNECT (R&R) BETWEEN TARGET & TROTTEWAY INTERSECTIONS W/ FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE
(ATGBO)
EXIST. SIDEWALK
EXIST. R/W
EXIST. S/W
5'W SIDEWALK (REPLACE 1 PANEL)
15' EASEMENT PER PB 340 PG 16
10' SIDEWALK EASEMENT PER PB 340 PG 16
6" TYPE S CURB (5 LF)
6" TYPE S CURB (8 LF)
6" CONCRETE MEDIAN ON 7" CONCRETE SIDEWALK
ISLAND CUT THROUGH (7" CONCRETE SIDEWALK)
LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67
℄ US 67
N55°20'22"E
CURB & GUTTER (TYPE B)(5 LF)
8" PAVED APPROACH 8.4 SY
8" PAVED APPROACH 5.9 SY
EXIST. LIGHTING CONDUIT (PROTECT IN PLACE)
CL. 5 PULL BOX (UIP)
BEGIN 5'W SIDEWALK AT NEAREST JOINT (WARP TO MATCH EXIST.)
CURB RAMP (SMALL RADIUS PERPENDICULAR)
CURB RAMP (TYPE 2 PARALLEL)
CURB RAMP (SMALL RADIUS PERPENDICULAR)
END 5'W SIDEWALK AT NEAREST JOINT (WARP TO MATCH EXIST.)
6" DIA. STEEL SIGN POST
EXIST. SIGNAL INTERCONNECT (R&R) BETWEEN THUNDERBIRD/WATERFORD & TARGET INTERSECTIONS W/ FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE

PROPERTY N/F
FLORISSANT INVESTMENTS LLC
PARCEL # 07J340016
DB 25306 PG 3421
ADDRESS 2300 N. HIGHWAY 67

PROPERTY N/F
JUDITH BOMAR TRUSTEE
PARCEL # 07J340038
DB 16350 PG 0852
ADDRESS 2370N. HIGHWAY 67

SCALE
0 20 40 60

ROADWAY PLAN
STA. 184+40 TO STA. 190+00
SHEET 15 OF 23

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:25 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	18

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.

US 67 CURVE # 6

P.I. 195+50.00
Δ - 0°33'00.0" (RT)
D - 0°10'00.0"
T - 165.00'
L - 330.00'(CHORD)
R - 34,377.41'
SE - MATCH EXIST.
W - N/A

(40) SEE PREVIOUS SHEET

(40B) PROPERTY N/F
CRITERION FLORISSANT, LLC
PARCEL # 07J340423
DB 14829 PG 1212
ADDRESS 2393 N. HIGHWAY 67

LOT 1A

AMENDED PIDGEON PARK FLORISSANT - PLAT 2
PB 345 PG 496

(40A) SEE NEXT SHEET

MATCH LINE STA. 190+00

MATCH LINE STA. 195+60

TREE (UIP)
LIGHT (UIP)
TREE (UIP)
TREE (UIP)
15' EASEMENT PER PB 340 PG 16
10' SIDEWALK EASEMENT PER PB 340 PG 16
EXIST. R/W
EXIST. SIDEWALK
(ATGBO)
5'W SIDEWALK (REPLACE 2 PANELS)
(ATG)
(ATG)
℄ US 67
N55°20'22"E
PERM. EASEMENT (SIDEWALK)
EXIST. SIGNAL INTERCONNECT (R&R) BETWEEN TARGET & TROTTEWAY INTERSECTIONS W/ FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE
EXIST. SIDEWALK
5'W SIDEWALK (REPLACE 8 PANELS)
TREE (UIP)
(R)
(ATGBO)
CURB RAMP (SMALL RADIUS PERPENDICULAR)
EXIST. R/W
(R)
PC STA 193+85.00
WIRELESS VEHICLE DETECTORS (R)
APPROXIMATE LOCATION 5'x 5' ESMT TO LACLEDE GAS COMPANY 6769-1468 PER PB 351-754
CURVE #6
10' EASEMENT PER PB 340 PG 16
PERM. EASEMENT (SIDEWALK)
EXIST. SIDEWALK
EXIST. R/W

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

8" PAVED APPROACH
3.6 SY
8" PAVED APPROACH
4.4 SY
EXIST. SIDEWALK
EXIST. SIDEWALK
EXIST. SIDEWALK
EXIST. SIDEWALK
EXIST. R/W
EXIST. R/W
CURB RAMP (SMALL RADIUS PERPENDICULAR)
8" DIA. SIGN POST
12" WALL STEEL
12" WALL CONCRETE
PULLBOX 3' X 2' ATT
ABANDONED
5'W SIDEWALK (REPLACE 2 PANELS)
ABANDONED
ABANDONED
SIGN
DRIVEWAY ESMT (7942-577) PER PB 306 PG 56
BRICK SIGN BASE
PULLBOX 3' X 2' ATT
ABANDONED
ABANDONED
22' INGRESS-EGRESS ESMT PB 306 PG 56
8" STEEL SIGN

PROPERTY N/F
SAMJANE PROPERTIES LLC
PARCEL # 07J340236
DB 17756 PG 5895
ADDRESS 2386 N. HIGHWAY 67

PROPERTY N/F
AUTO STOP INC
PARCEL # 07J340270
DOC. # 2023051200228
ADDRESS 2400 N HIGHWAY 67

LOT 1

PROPERTY N/F
MISSION HILLS DEVELOPMENT COMPANY INC.
PARCEL # 07J340346
DB 17805 PG 0731
ADDRESS 2420 N. HIGHWAY 67

LOT 2

BEHLMAN INVESTMENTS
PB 306 PG 56

PROPERTY N/F
ROBERT DOUGLAS STEVENS AND
MARY JANE STEVENS TRUSTEES
PARCEL # 07H130883
DB 24100 PG 3344
ADDRESS 2450 N. HIGHWAY 67

PARCEL C

PART OF LOT 8 IN BLOCK 33 OF
ST. FERDINAND COMMONS
PB 133 PG 17

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

ROADWAY PLAN
STA. 190+00 TO STA. 195+60
SHEET 16 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:25 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	19

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.

(A) 196+29.70, 60.09' LT.
(B) 196+44.55, 54.33' LT.
(C) 196+49.54, 54.22' LT.
(D) 198+19.11, 40.72' LT.
(E) 198+32.34, 36.02' LT.

40A
PROPERTY N/F
ALDI INC
PARCEL # 07J340467
DB 13875 PG 1546
2505 N. HIGHWAY 67

LOT 1

ALDI WEST SUBDIVISION
PB 351 PG 754

PROPERTY N/F
ANDERSON LAND INVESTMENTS III LLC
PARCEL # 07H130737
DB 21310 PG 177
ADDRESS 2525 N. HIGHWAY 67

MATCH LINE STA. 195+60

INGRESS/EGRESS ESMT PER PB 351-754

BEGIN 5'W SIDEWALK AT NEAREST JOINT (WARP TO MATCH EXIST.)

6" TYPE S CURB (8 LF)

EXIST. SIDEWALK
15' PERMANENT SIDEWALK, SEWER & UTILITY ESMT PER PB 351-754

EXIST. R/W

CURB RAMP (SMALL RADIUS PERPENDICULAR)

PERM. EASEMENT (SIDEWALK)

BEGIN 5'W SIDEWALK AT NEAREST JOINT (WARP TO MATCH EXIST.)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

BROWN LANE (PRIVATE)

20' INGRESS/EGRESS ESMT. (11099-2171, 11099-2166, 11374-780) PER PB 351 PG 754

EXIST. SIGNAL INTERCONNECT (R&R) BETWEEN TARGET & TROTTEWAY INTERSECTIONS W/ FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE

200

EXIST. R/W

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. R/W

PT STA 197+14.99

℄ US 67

8" PAVED APPROACH 3.0 SY

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

GUY WIRE

CURVE #6

N55°53'22"E

8" PAVED APPROACH 4.7 SY

8" PAVED APPROACH 4.6 SY

8" PAVED APPROACH 4.7 SY

WIRELESS VEHICLE DETECTORS (R)

PULL BOX (ATG)

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. R/W

5'W SIDEWALK (REPLACE 3 PANELS)

EXIST. R/W

10' ESMT PB 133 PG 17

CURB RAMP (SMALL RADIUS PERPENDICULAR)

10' SLCWC ESMT PB 133 PG 17

20' DRIVEWAY ESMT PB 228 PG 63

PROPERTY N/F
MALEE & SATHIEN SUNTRA
PARCEL # 07H130874
DB 17632 PG 4688
ADDRESS 2470 N. HIGHWAY 67

PARCEL B

PART OF LOT 8 IN BLOCK 33 OF
ST. FERDINAND COMMONS
PB 133 PG 17

PROPERTY N/F
MBR CROSS KEYS LLC
PARCEL # 07H130920
DB 16482 PG 2205
ADDRESS 2500 N. HIGHWAY 67

LOT 1

MCKANDRY MEADOWS
PB 228 PG 63

PROPERTY N/F
BRIDLE DEVELOPMENT CORP
PARCEL # 07H130957
DB 4538 PG 0381
ADDRESS 2520 N. HIGHWAY

MATCH LINE STA. 201+20

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

ROADWAY PLAN
STA. 195+60 TO STA. 201+20
SHEET 17 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:25 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	20

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.

MATCH LINE STA. 201+20

PROPERTY N/F
THE OTTO PARTNERSHIP
PARCEL # 07H130764
DB 8218 PG 0643
ADDRESS 2757 N. HIGHWAY 67

41

PROPERTY N/F
HANDY MAN HARDWARE INC.
PARCEL # 07H410411
DB 6042 PG 0391
ADDRESS 2635 N. HIGHWAY 67

BOUNDARY ADJUSTMENT PLAT OF
HANDYMAN HARDWARE, LINDBERGH-NORTH HIGHWAY 67 STORE
PB 351 PG 336

PROPERTY N/F
MARK R. JONES TRUSTEE ETAL
PARCEL # 07H410024
DB 12853 PG 1622
ADDRESS 2685 N. HIGHWAY 67

US 67 CURVE # 7
P.I. 206+00.90
Δ - 0°41'00.0" (LT)
D - 0°10'00.0"
T - 205.00'
L - 410.00' (CHORD)
R - 34,377.56'
SE - MATCH EXIST.
W - N/A

EXIST. R/W
EXIST. SIDEWALK
5' ESMT. (4987-308)
EXIST. S/W
CURB RAMP (LARGE RADIUS PERPENDICULAR)
SIGN & WALL (UIP)
HYDRANT (UIP)
TEMP. EASEMENT
+23.82
39.57' CE TYPE 3 DRIVEWAY
L.G. CL 1 0.1 STA.
9.39% GRADE
CURB RAMP (LARGE RADIUS PERPENDICULAR)
CURB RAMP (SMALL RADIUS PERPENDICULAR)
5' ESMT. (4985-10)
6'W S/W
(R&R)
(ATGBO)
BOLLARDS (UIP)
7 WIRELESS VEHICLE DETECTORS (R)
PC STA 205+15.89
205
EXIST. R/W
SMALL BLOCK WALL
(R)
WALL (R)
SIGN (TBR&R)
CURB RAMP (SMALL RADIUS PERPENDICULAR)
PERM. EASEMENT (SIDEWALK)
SMALL BLOCK WALL
CURB RAMP (TYPE 2 PARALLEL)
5' ESMT. (4985-10)
6'W SIDEWALK (REPLACE 1 PANEL)
EXIST. R/W
EXIST. SIDEWALK

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

℄ US 67

CURVE #7

STA 4+00.00

N55°53'22"E

6 WIRELESS VEHICLE DETECTORS (R)

8" PAVED APPROACH
5.4 SY

4 WIRELESS VEHICLE DETECTORS (R)

7 WIRELESS VEHICLE DETECTORS (R)

8" PAVED APPROACH
5.6 SY

POSSIBLE VALVE

(ATG)

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. SIDEWALK

CL. 5 PULL BOX (UIP)

EXIST. R/W

EXIST. R/W

10' ESMT. (5940-71)

10' ESMT. (5940-71)

PULL BOX

CONCRETE BASE ABANDONED

5'W SIDEWALK (REPLACE 3 PANELS)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

EXIST. SIGNAL INTERCONNECT (R&R)
BETWEEN TARGET & TROTTEWAY INTERSECTIONS
W/ FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE

PROPERTY N/F
BRIDLE DEVELOPMENT CORP
PARCEL # 07H130966
DB 08407 PG 0001
ADDRESS 2678 N. HIGHWAY 67

EXIST. R/W

TROTTERWAY DRIVE (50'W)

S34°05'29"E

END RESURFACING
STA. 5+10, 0' LT.

℄ TROTTERWAY DR.

EXIST. R/W

5

PROPERTY N/F
ADVANCE STORES COMPANY INC.
PARCEL # 07H130902
DB 20286 PG 1915
ADDRESS 2700 N. HIGHWAY 67

EXIST. SIGNAL INTERCONNECT (R&R)
BETWEEN TROTTERWAY & COUGAR INTERSECTIONS
W/ FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE

SCALE
0 20 40 60

MATCH LINE STA. 206+80

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

ROADWAY PLAN
STA. 201+20 TO STA. 206+80
SHEET 18 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:25 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	21

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

ROADWAY PLAN
STA. 206+80 TO STA. 212+00
SHEET 19 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:25 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	22

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

(A) 212+67.55, 68.50' LT.
(B) 213+70.94, 40.75' LT.
(C) 216+68.38, 50.50' RT.
(D) 217+64.87, 65.50' RT.

MATCH LINE STA. 212+00

MATCH LINE STA. 217+60

41A
PROPERTY N/F
YORKSHIRE REAL ESTATE HOLDINGS, LLC
PARCEL # 07H410420
DB 22894 PG 2271
ADDRESS 2775 N. HIGHWAY 67

ADJUSTED
LOT 1

KRISTAL SUBDIVISION LOTS
1 & 2 BOUNDARY ADJUSTMENT PLAT
PB 355 PG 693

42
PROPERTY N/F
R-2 SCHOOL DISTRICT
PARCEL # 07H420201
DB 6316 PG 1787
ADDRESS 14201 COUGAR DR.

43
PROPERTY N/F
R-2 FERGUSON REORGANIZED
SCHOOL DISTRICT
PARCEL # 07H420034
DB 3626 PG 331
ADDRESS 14200 COUGAR DR.

43A
PROPERTY N/F
ARC CAFEHLD001, LLC
PARCEL # 07H420232
DB 20578 PG 4334
ADDRESS 2825 N. HIGHWAY 67

LOT 3

PROPERTY N/F
PROFESSIONAL INVESTMENT GROUP LLC
PARCEL # 07H420397
DOC. # 2022100600018
ADDRESS 2855 N. HIGHWAY 67

LOT 2

PROPERTY N/F
JOHN & CRISANNA VAGIANOS
PARCEL # 07H420188
DB 19414 PG 532
ADDRESS 2875 N. HIGHWAY 67

LOT 1

LINDBERGH PLAZA
PB 124 PG 47

END 5.5'W SIDEWALK AT NEAREST JOINT (WARP TO MATCH EXIST.)

TYPE S CURB (18 IN.)(13 LF)

PERM. EASEMENT (SIDEWALK)

CURB RAMP (BLENDED TRANSITION)

EXIST. R/W

EXIST. SIDEWALK

5' ESMT. SLCWC (5009-560)

CL. 5 PULL BOX (UIP)

(UIP)

(ATGBO)

(R&R)

CURB (R)

TEMP. EASEMENT

PERM. EASEMENT (SIDEWALK)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

POLE (UIP)

5' SIDEWALK & UTILITY ESMT (7680-459)

EXIST. SIGNAL INTERCONNECT (UIP)

5' ESMT PB 124 PG 47

8" PAVED APPROACH 4.6 SY

8" PAVED APPROACH 4.3 SY

TYPE S CURB (18 IN.) (8 LF)

CURB & GUTTER (TYPE B)(13 LF)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

℄ COUGAR DRIVE

℄ US 67

START STA 0+00.00

END STA 1+50.00

SIGN (R)

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

N55°12'22"E

CURB RAMP (TYPE 2 PARALLEL)

CURB & GUTTER (TYPE B)(6 LF)

EXIST. SIDEWALK

END 6'W SIDEWALK AT NEAREST JOINT (WARP TO MATCH EXIST.)

EXIST. SIGNAL INTERCONNECT (R&R) BETWEEN TROTTERWAY & COUGAR INTERSECTIONS W/ FIBER OPTIC CABLE, 24 STRAND, SINGLE MODE

10' ESMT. (6456-1112)

10' ESMT. (6456-1112)

PROPERTY N/F
BRIDEL DEVELOPMENT CORP
PARCEL # 07H420531
DB 4746 PG 0425
ADDRESS 2710 N. HIGHWAY 67

LOT A

TREES (UIP)

BEGIN 5'W SIDEWALK AT NEAREST JOINT (WARP TO MATCH EXIST.)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

BEGIN 5'W SIDEWALK AT NEAREST JOINT (WARP TO MATCH EXIST.)

TREE (UIP)

MANHOLE (UIP)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

TEMP. EASEMENT

+72.72
36.67' CE TYPE 3 DRIVEWAY
L.G. CL 1 0.3 STA.
5.45% GRADE

44
PROPERTY N/F
CK CENTER LLC
PARCEL # 07H140444
DB 24812 PG 3532
13915 NEW HALLS FERRY RD.

LOT 1C

CROSS KEYS SUBDIVISION
(PLAT OF CORRECTION)
PB 351 PG 789

15' ESMT. UE (6091-246)

10' GAS ESMT. (6853-1932)

6" TYPE M CURB (32 LF)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

CURB (R)

POLE (UIP)

SIGN (R)

S/W (R)

BEGIN 5'W SIDEWALK AT NEAREST JOINT (WARP TO MATCH EXIST.)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

BUSHES (UIP)

PERM. EASEMENT (SIDEWALK)

BUSHES (UIP)

SIGN (UIP)

CURB (UIP)

S/W (UIP)

SIGN (R)

PERM. EASEMENT (SIDEWALK)

TEMP. EASEMENT

45
PROPERTY N/F
REALTY ASSOCIATES FUND X LP
PARCEL # 07H231726
DB 20450 PG 3725
ADDRESS
13959 NEW HALLS FERRY RD.

+09.24
26.5' CE TYPE 3 DRIVEWAY
L.G. CL 1 0.4 STA.
3.88% GRADE

SCALE
0 20 40 60

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.

ROADWAY PLAN
STA. 212+00 TO STA. 217+60
SHEET 20 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:25 PM
Richard S. Baum
MO PE E-24320

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	23

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX. EXCEPT AS NOTED ON THE PLANS.

MATCH LINE STA. 217+60

MATCH LINE STA. 223+20

(46A) PROPERTY N/F
JPMORHAN CHASE BANK, N.A.
PARCEL # 07H420265
DB 24816 PG 3349
ADDRESS 2895 N. HIGHWAY 67

LOT 2

PONDEROSA PLAZA
PB 167 PG 44

(46B) PROPERTY N/F
PUBLIC STORAGE INC
PARCEL # 07H420412
DB 11489 PG 1956
ADDRESS 14249 NEW HALLS FERRY RD.

LOT 1

PUBLIC STORAGE FLORISSANT
PB 346 PG 95

UE ESMT (6908-2488) PER PB 346 PG 95

(46C) PROPERTY N/F
COMMERCIAL NET LEASE REALTY
PARCEL # 07H420298
DB 17341 PG 4522
ADDRESS 2925 N. HIGHWAY 67

LOT 2

BALDRIDGE PLAZA
PB 169 PG 1

PROPERTY N/F
FLORISSANT COVENANT GROUP LLC
PARCEL # 07H420287
DB 21076 PG 1331
ADDRESS 3025 N. HIGHWAY 67

LOT 1

EX. 10' ESMT. (PB 167/44)

(50) SEE NEXT SHEET

CURB RAMP (SMALL RADIUS PERPENDICULAR)

PERM. EASEMENT (SIDEWALK)

BUSHES (UIP)

BEGIN 5'W SIDEWALK AT NEAREST JOINT (FIRST PANEL WARP TO MATCH EXIST.)

TREE (UIP)

SEWER ESMT 6926-2407

EXIST. SIGNAL INTERCONNECT (UIP)

220

INLET (UIP)

PERM. EASEMENT (SIDEWALK)

BEGIN 7'W SIDEWALK AT NEAREST JOINT (FIRST PANEL WARP TO MATCH EXIST.)

POLE (UIP)

TEMP. EASEMENT

PERM. EASEMENT (SIDEWALK)

+54.96 28.2' CE TYPE 3 DRIVEWAY L.G. CL 1 0.1 STA. 9.50% GRADE

LIGHT (UIP)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

BEGIN 7'W SIDEWALK AT NEAREST JOINT (FIRST PANEL WARP TO MATCH EXIST.)

EX. 10' SIDEWALK & UTILITY ESMT. (PB 167/44)

EX. 10' ESMT TO MSD PER PB 167 PG 44

EXIST. R/W

EXIST. SIDEWALK

EX. 10' SIDEWALK & UTILITY ESMT. (167/44) PER BK 169 PG 1

EXIST. SIDEWALK

EXIST. R/W

SIGN (UIP)

MANHOLE (UIP)

SIGN (R)

PULL BOX (ATG)

MANHOLE (ATG)

(ATG)

(R)

(UIP)

(UIP)

BUSHES (R)

SIGN (R)

WIRELESS VEHICLE DETECTORS (R)

℄ US 67

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

(TBR&R)

(TBR&R)

(R)

N55°12'22"E

GUY WIRE

CURB & GUTTER (TYPE B) (11 LF)

SIGN (R)

TREE (UIP)

EXIST. R/W

EXIST. SIDEWALK

BEGIN 5'W SIDEWALK AT NEAREST JOINT (FIRST PANEL WARP TO MATCH EXIST.)

CURB (UIP)

TREE (UIP)

14'x16.5' BUS STOP PAD FOR BENCH

PERM. EASEMENT (SIDEWALK)

TREE (UIP)

TREE (UIP)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

6' TYPE S CURB (4 LF)

8" PAVED APPROACH 15.4 SY

8" PAVED APPROACH 11.2 SY

PERM. EASEMENT (SIDEWALK)

(UIP)

6" TYPE S CURB (20 LF)

CURB (R)

(UIP)

(UIP)

CURB (R)

MH (ATGBO)

(UIP)

(ATGBO)

(UIP)

44.5'

6" TYPE S CURB (78 LF)

6" TYPE S CURB (24 LF)

CURB (R)

6'R TYP.

6'W S/W

15'W S/W

6'W S/W

EXIST. R/W

(R&R)

2%

-8%

1.5%

2%

CURB (R)

CURB (R)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

+56.27 23' CE TYPE 3 DRWY. L.G. CL 1 0.1 STA.

CURB RAMP (SMALL RADIUS PERPENDICULAR)

SIGN (R)

TEMP. EASEMENT

PERM. EASEMENT (SIDEWALK)

TEMP. EASEMENT

CURB RAMP (LARGE RADIUS PERPENDICULAR) (TBR&RBO)

+78.08 30.68' CE TYPE 3 DRIVEWAY L.G. CL 1 0.3 STA. -8.00% GRADE

CURB RAMP (LARGE RADIUS PERPENDICULAR)

(A) 218+58.71, 45.30' LT.
(B) 218+81.90, 53.51' LT.
(C) 218+87.29, 53.51' LT.
(D) 221+18.70, 59.50' RT.
(E) 221+98.52, 56.00' RT.
(F) 222+12.52, 49.00' RT.
(G) 222+16.52, 49.00' RT.
(H) 222+22.52, 51.00' RT.

(46) PROPERTY N/F
COMMERCE BANK NATIONAL ASSOCIATION
PARCEL # 07H420496
DB 15497 PG 2123
ADDRESS 2900 N. HIGHWAY 67

LOT 2

(47) PROPERTY N/F
CK CENTER LLC
PARCEL # 07H420485
DB 24812 PG 3532
ADDRESS 14001 NEW HALLS FERRY RD.

LOT 1D

10' MSD ESMT. (5257-75)

(48) PROPERTY N/F
UNION ELECTRIC COMPANY
PARCEL # 07H420331
DB 3695 PG 0444
ADDRESS 3010 N. HIGHWAY 67

(49) PROPERTY N/F
BFS RETAIL & COMMERCIAL OPERATIONS LLC
PARCEL # 07H420067
DB 13842 PG 0661
ADDRESS 14089 NEW HALLS FERRY RD.

SCALE
0 20 40 60

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

ROADWAY PLAN
STA. 217+60 TO STA. 223+20
SHEET 21 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:25 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	24

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

MATCH LINE STA. 137+00

MATCH LINE STA. 223+20

(50)

PROPERTY N/F
FLORISSANT INVESTORS LLC ETAL
PARCEL # 07H420090
DB 25098 PG 1492
ADDRESS 3055 N. HIGHWAY 67

(51)

PROPERTY N/F
CHEZ I ASPEN MOD LLC
PARCEL # 07H440313
DB 23622 PG 1618
ADDRESS 3125 N. HIGHWAY 67

END RESURFACING STA. 137+62, 0' LT.

℄ RTE AC

BUSHES (UIP)

LIGHT (UIP)

PERM. EASEMENT (SIDEWALK)

CL. 5 PULL BOX (UIP)

EXIST. CONDUIT (PROTECT IN PLACE)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

CURB (UIP)

ISLAND CUT THROUGH (7" CONCRETE SIDEWALK)

6" CONCRETE MEDIAN ON 7" CONCRETE SIDEWALK

EXIST. SIDEWALK

EXIST. R/W

END 5'W SIDEWALK (WARP TO MATCH EXIST.)

EXIST. R/W

EXIST. SIDEWALK

CURB & GUTTER (TYPE B) (8 LF)

EXIST. SIGNAL INTERCONNECT (UIP)

S26°44'16"E

62.5'R

CURB (UIP)

TEMP. EASEMENT

SIGN (TBR&RBO)

PERM. EASEMENT (SIDEWALK)

CURB & GUTTER (TYPE B)(58 LF)

CURB (R)

EXIST. R/W

EXIST. SIDEWALK

PULL BOX (ATG)

CURB RAMP (DUAL PERPENDICULAR)

CURB & GUTTER (TYPE B)(18 LF)

4 WIRELESS VEHICLE DETECTORS (R)

(TBR&R)

℄ US 67

STA 224+66.82

CURB & GUTTER (TYPE B)(5 LF)

(UIP)

(ATGBO)

(R)

(ATG)

END RESURFACING STA. 225+41.00

END PROJECT IMPROVEMENTS STA. 225+95.31

N55°12'22"E

N55°11'44"E

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

44.5'

6" TYPE S CURB (85 LF)

SIGN (R)

PULL BOX (ATG)

CURB (R)

CURB RAMP (DUAL PERPENDICULAR)

6"W S7W

EXIST. R/W

A B C D

18" TYPE S CURB (78 LF)

PERM. EASEMENT (SIDEWALK)

TEMP. EASEMENT

40'R

CURB (UIP)

PULL BOX (ATG)

CURB & GUTTER (TYPE B) (19 LF)

6" TYPE S CURB (16 LF)

EXIST. SIDEWALK

END SIDEWALK (WIDTH VARIES) AT NEAREST JOINT (WARP TO MATCH EXIST.)

CURB RAMP (DUAL PERPENDICULAR)

S26°49'16"E

END RESURFACING STA. 140+38, 0' LT.

NEW HALLS FERRY ROAD (HIGHWAY AC) (WIDTH VARIES)

140

EXIST. R/W

EXIST. SIDEWALK

(49)

SEE PREVIOUS SHEET

(A) 223+37.80, 51.00' RT.

(B) 223+43.80, 49.00' RT.

(C) 223+47.80, 49.00' RT.

(D) 223+53.80, 51.00' RT.

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SEE SPECIAL SHEET 60 FOR ADDITIONAL INFORMATION.
3. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.

SCALE
0 20 40 60

ROADWAY PLAN
STA. 223+20 TO END
SHEET 22 OF 23

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

02/01/2026 9:19:08 AM
Richard S. Baum
MO PE E-24320

DATE PREPARED
1-FEB-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	25

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTES:
1. BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.
2. SIDEWALK CROSS SLOPE THROUGH PAVED APPROACHES SHALL BE 1.5% MAX.

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.



ROADWAY PLAN
STA 137+00 TO END
SHEET 23 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:26 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED	28-JAN-2026
ROUTE	67
STATE	MO
DISTRICT	SL
SHEET NO.	26
COUNTY	ST. LOUIS
JOB NO.	J6S3625C
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704



WOODRIDGE LN PROFILE



COUGAR DR PROFILE

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

CROSSROAD PROFILES
SHEET 1 OF 1

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:26 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	27

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

MATCH LINE STA. 3+50

PROPERTY N/F
MARBLE ASSOCIATES
PARCEL # 07K320831
DB 6873 PG 2231
ADDRESS 15 FLORISSANT OAKS SHOPPING CENTER

LOT A

FLORISSANT OAKS
PB. 156 PG. 41
NO TAKINGS

35

PROPERTY N/F
M B VENTURES LLC
PARCEL # 07J110875
DB 23824 PG 1409
ADDRESS 825 N. HIGHWAY 67
VOID
NO ACQUISITION

ALL WORK ON THIS PARCEL TO BE COMPLETED BY OTHERS ON CITY OF FLORISSANT PROJECT STBG-5622(604)

LINDSAY LANE (WIDTH VARIES)

PATTERSON ROAD (WIDTH VARIES)

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

RUE ST. DENIS STREET (40' WIDTH VARIES)

EXIST. R/W

EXIST. SIDEWALK

10' ESMT PB 156 PG 41

EASEMENT (17948-2092)

EASEMENT TO THE CITY OF FLORISSANT DB 19006 PG 1910

5'W SIDEWALK (REPLACE 3 PANELS)

CURB RAMP (TYPE 2 PARALLEL)

CURB RAMP (TYPE 1 PARALLEL)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

6" CONCRETE MEDIAN ON 4" CONCRETE SIDEWALK

ISLAND CUT THROUGH (4" CONCRETE SIDEWALK)

PERM. EASEMENT (SIDEWALK)

BUSHES (UIP)

BUSHES (R)

TREE (R)

TREE (UIP)

LIGHT (UIP)

SIGN (UIP)

PULL BOX (UIP)

POLE (UIP)

PT STA 4+64.94

STA 4+00.67

STA 5+04.36

℄ US 67

CURVE #4

S06°14'42"E

S52°27'43"E

110

18'

30' R

12" BLOCK WALL

BEGIN 4'W SIDEWALK* AT NEAREST JOINT (FIRST PANEL WARP TO MATCH EXIST.)

END 4'W SIDEWALK* AT NEAREST JOINT (FIRST PANEL WARP TO MATCH EXIST.)

8" TYPE S CURB (30 LF)

* NOTE:
ADJUST AS NECESSARY TO PROVIDE 4' WIDE SIDEWALK AT BACK OF SIGNAL FOUNDATION.

32A

SEE PREVIOUS SHEET

33

PROPERTY N/F
CLAYTON ROAD PARTNERSHIP LP
PARCEL # 07K320028
DB 9737 PG 0167
ADDRESS 820 N. HIGHWAY 67
0.0 AC NEW R/W
719 SF PERM. ESM'T.
0.0 SF TEMP. ESM'T.
0.44 AC REMAINING

34

SEE SHEET 19 OF 40

PARCEL 33 (PERM. ESM'T.)

POINT	STATION	OFFSET	BEARING	DISTANCE	CURVE RADIUS	CURVE LENGTH
A	110+64.93	55.00' RT.				
			N78°45'35"E	147.04'	1218.57'	147.13'
B	112+18.66	55.00' RT.				
			N06°13'54"W	2.26'		
C	112+18.73	52.74' RT.				
			N60°39'54"W	4.53'		
D	112+14.97	50.00' RT.				
			S78°48'04"W	138.78'	1223.57'	138.86'
E	110+70.47	50.00' RT.				
			S32°10'06"W	7.30'		
A						

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

RIGHT OF WAY PLAN
STA. 108+40 TO STA. 114+00
SHEET 1 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/26/2026 4:43:16 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED	
26-JAN-2026	
ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	28
COUNTY	
ST. LOUIS	
JOB NO.	
J6S3625	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
MoDOT
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

PATTERSON CURVE #1

P.I. 3+41.81
Δ - 38°26'58.9" (LT)
D - 15°00'00.3"
T - 133.20'
L - 256.33' (ARC)
R - 381.97'
SE - MATCH EXIST.
W - N/A

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.



SCALE

0 20 40 60

RIGHT OF WAY PLAN
BEGIN TO STA. 3+50
SHEET 2 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/26/2026 4:43:16 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	29

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

(35) SEE SHEET 17 OF 40

PROPERTY N/F
TRANGDAI NGUYEN AND HUONG THI NGUYEN
PARCEL # 07J110073
DB 22992 PG 1017
ADDRESS 843 N. HIGHWAY 67
NO TAKINGS

PROPERTY N/F
UNION ELECTRIC COMPANY
PARCEL # 07J110903
DB 1554 PG 286
ADDRESS 889 N. HIGHWAY 67
NO TAKINGS

DRAINAGE RIGHT OF WAY
250' UPSTREAM AND
DOWNSTREAM PER
HIGHWAY PLANS

COLDWATER CREEK (100' WIDE)

N/F CITY OF FLORISSANT DB. 1701 PG. 74

(35A) SEE NEXT SHEET

CONC. WALL

TEMP. EASEMENT

CURB (UIP)

EXIST. R/W

EXIST. SIDEWALK

BRIDGE & APPROACHES TO BE COMPLETED IN PROJECT J6S3669

WROUGHT IRON RAILING ON CONC. PARAPET

BUSHES (UIP)

LIGHT (UIP)

℄ US 67

CS STA 116+23.62

TS STA 117+73.62

CURVE #4

END RESURFACING
STA. 116+92.61

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

S76°11'03"E

LIMITS OF TRANSMISSION LINES

MATCH LINE STA. 114+00

MATCH LINE STA. 119+60

(34)

PROPERTY N/F
WHITE CASTLE SYSTEM, INC.
PARCEL # 07J110886
DB 10761 PG 1012
ADDRESS 840 N. HIGHWAY 67

JANE LINDSAY ESTATE LOT PT 6
SITE DEVELOPEMENT PLAN
PB. 356 PG. 182

0.0 AC NEW R/W
1,572 SF PERM. ESM'T.
0.0 SF TEMP. ESM'T.
1.65 AC REMAINING

PROPERTY N/F
UNION ELECTRIC COMPANY
PARCEL # 07J110017

ADDRESS 850 N. HIGHWAY 67

NO TAKINGS

PROPERTY N/F
UNION ELECTRIC COMPANY
PARCEL # 08J430437

ADDRESS 22 CHANDLER CT.
NO TAKINGS

DRAINAGE RIGHT OF WAY
250' UPSTREAM AND
DOWNSTREAM PER
HIGHWAY PLANS

COLDWATER CREEK (110' WIDE)

PARCEL 34 (PERM. ESM'T.)

POINT	STATION	OFFSET	BEARING	DISTANCE	CURVE RADIUS	CURVE LENGTH
F*	113+01.72	50.00' RT.				
			S39°44'11"W	21.39'		
G*	112+86.13	65.35' RT.				
			S06°06'52"E	6.97'		
H*	112+86.30	72.32' RT.				
			N39°44'11"E	17.18'		
I*	112+98.93	60.00' RT.				
			N86°58'46"E	48.66'	1213.57'	48.67'
J*	113+49.99	60.00' RT.				
			N01°52'19"W	5.00'		
K*	113+49.99	55.00' RT				
			S87°09'53"E	199.99'	1218.57'	200.22'
L	115+59.19	55.00' RT				
			N03°16'52"W	5.09'		
M	115+58.20	50.00' RT.				
			N88°16'24"W	246.05'	1223.57'	246.47'
F						

* SEE SHEET 17

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

RIGHT OF WAY PLAN
STA. 114+00 TO STA. 119+60
SHEET 3 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/26/2026 4:43:16 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	30

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

PARCEL 35A (TEMP. ESM'T.)				
POINT	STATION	OFFSET	BEARING	DISTANCE
A*	119+12.64	86.87' LT		
			S35°56'31"W	18.30'
B*	119+05.75	69.92' LT		
			S76°15'35"E	62.20'
C	119+67.95	70.00' LT		
			S62°08'53"E	76.54'
D	120+74.26	51.44' LT		
			N27°51'07"E	10.00'
E	120+76.68	61.14' LT		
			N65°09'11"W	134.47'
A*				

* SEE PREVIOUS SHEET

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

35A

PROPERTY N/F
ST. LAWRENCE INVESTMENTS LLC
PARCEL # 07J110084
DB 17790 PG 1523
901 N. HIGHWAY 67
0.0 AC NEW R/W
0.0 SF PERM. ESM'T.
1,312 SF TEMP. ESM'T.
1.07 AC REMAINING

BLOCK 110
NEW TOWN OF ST. FERDINAND

PROPERTY N/F
REILLY PROPERTIES LLC
PARCEL #: 07J110853
DB 10865 PG 2230
917 N. HIGHWAY67
NO TAKINGS

PROPERTY N/F
REILLY PROPERTIES LLC
PARCEL # 07J110864
DB 10865 PG 2230
ADDRESS 919 N. HIGHWAY 67

LOT 1

LOT 2

KEEVEN PLAZA TWO
PB. 204 PG. 44
NO TAKINGS

BLOCK 109
NEW TOWN OF ST. FERDINAND

MATCH LINE STA. 119+60

EQUATION
STA 119+67.95 BK = STA 120+00.00 AHD

CURB (UIP)

SIGN (UIP)

TEMP. EASEMENT

POLE (UIP)

5'W SIDEWALK
(REPLACE 2 PANELS)

EXIST. R/W

EXIST. SIDEWALK (R)

EXIST. SIDEWALK

EXIST. SIDEWALK

BEGIN RESURFACING
STA. 120+30.78

℄ US 67

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

S76°11'03"E

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. R/W

EXIST. R/W

MATCH LINE STA. 124+50

PROPERTY N/F
AJPM INVESTMENTS LLC
PARCEL # 08J430460
DB 25192 PG 478
ADDRESS 900 N. HIGHWAY 67

BLOCK A
NEW TOWN OF ST. FERDINAND
NO TAKINGS

EXIST. R/W

RUE ST. CHARLES STREET (42.75' W)

EXIST. R/W

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

RIGHT OF WAY PLAN
STA. 119+60 TO STA. 124+50
SHEET 4 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/26/2026 4:43:16 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	31

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

PROPERTY N/F
CNS ASSOCIATES LLC
PARCEL # 07J110930
DOC. # 2023070600089
ADDRESS 951 N. HIGHWAY 67

LOT C

RESUBDIVISION OF LOT A OF THE
RESUBDIVISION OF BLOCK 97 AND PART OF BLOCK 96 OF
THE NEW TOWN OF ST. FERDINAND
PB. 364 PG. 336
NO TAKINGS

PROPERTY N/F
LINDBERGH FOODS LLC
PARCEL # 07J120368
DB 23138 PG 819
ADDRESS 975 N. HIGHWAY 67

LOT B

RESUBDIVISION OF BLOCK 97 AND PART OF BLOCK 96 OF
THE NEW TOWN OF ST. FERDINAND
PB. 362 PG. 272
NO TAKINGS

PROPERTY N/F
LEWIS & CLARK MERCANTILE BANK, US BANK
PARCEL # 08J430493
DB 7635 PG 620
ADDRESS 1000 N. HIGHWAY 67

LOT 1

MERCANTILE PARK
PB 226 PG 86
NO TAKINGS

MATCH LINE STA. 124+50

MATCH LINE STA. 129+00

RUE ST. CHARLES STREET (42.75' W)

EXIST. R/W

EXIST. SIDEWALK

EQUATION: STA 124+97.76 BK = STA 124+07.11 AHD

℄ US 67

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

S76°11'03"E

STA 89+37.10

CURB RAMP (TYPE 2 PARALLEL)

CURB RAMP (LARGE RADIUS PERPENDICULAR)

CURB RAMP (TYPE 2 PARALLEL)

ST. FERDINAND STREET (70' W)

ST. FERDINAND STREET (80' W)

N31°48'29"E

LOT 35

SCALE

0 20 40 60

RIGHT OF WAY PLAN
STA. 124+50 TO STA. 129+00
SHEET 5 OF 24

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/26/2026 4:43:16 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	32

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

MATCH LINE STA. 129+00

MATCH LINE STA. 134+60

130

PROPERTY N/F
FLORISSANT VALLEY BAPTIST CHURCH
PARCEL # 07J120335
DB 04290 PG 0028
ADDRESS 1025 N. HIGHWAY 67

BLOCK 123
NEW TOWN OF ST. FERDINAND
NO TAKINGS

PROPERTY N/F
AMERICAN EAGLE CREDIT UNION
PARCEL # 07J440975
DB 18082 PG 0843
1075 N. HIGHWAY 67

BLOCK 98
NEW TOWN OF ST. FERDINAND
NO TAKINGS

EXIST. R/W

ST. PIERRE STREET (42.75' W)

EXIST. R/W

EXIST. R/W

LIGHT FOUNDATION (R)

EXIST. R/W

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. SIDEWALK

℄ US 67

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

S76°11'03"E

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. R/W

EXIST. R/W

10' STORM SEWER ESMT PER PB 23 PG 84

ALVAREZ GARDENS
PB. 46 PG. 45

PROPERTY N/F
CHRISTINE R. & PHIL FITZ
PARCEL # 08J440942
DB 17532 PG 4925
ADDRESS 1040 N. HIGHWAY 67

LOT 33
NO TAKINGS

CURB RAMP
(LARGE RADIUS
PERPENDICULAR)

CURB RAMP
(LARGE RADIUS
PERPENDICULAR)

PROPERTY N/F
TRIPLE H PROPERTIES, LLC
PARCEL # 08J440964
DB 24560 PG 21
ADDRESS 1 ST. GEORGE CT.

LOT 14
NO TAKINGS

LOT
34
PROPERTY N/F
RANOLPH S. SCHROEDER
PARCEL # 08J440887
DB 13864 PG 0947
ADDRESS 1020 ST. FERDINAND
NO TAKINGS

LOT
32

LOT
35

LOT
31

LOT
15

LOT
16

5' STORM SEWER & UTILITY ESMT PER PB 23 PG 84

5' STORM SEWER & UTILITY ESMT PER PB 23 PG 84

EXIST. R/W

ST. GEORGE COURT (50' W)

EXIST. R/W

5' SAN. SEWER ESMT PER PB 23 PG 84

5' UTILITY ESMT PER PB 23 PG 84

SCALE

0 20 40 60

RIGHT OF WAY PLAN
STA. 129+00 TO STA. 134+60
SHEET 6 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/26/2026 4:43:16 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	33

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

MATCH LINE STA. 134+60

MATCH LINE STA. 140+20

PROPERTY N/F
AMERICAN EAGLE CREDIT UNION
PARCEL # 08J4409111
DB 20255 PG 292
ADDRESS 1149 ST JEAN
NO TAKINGS

PROPERTY N/F
BLUM ASSOCIATES LLC
PARCEL # 08J530834
DB 11829 PG 1429
ADDRESS 1101 N. LINDBERGH

LOT Z

AFSHARI CENTER NUMBER 2
BOUNDARY ADJUSTMENT PLAT
PB 207 PG 76

BLOCK 99
NEW TOWN OF ST. FERDINAND
NO TAKINGS

135

140

EXIST. R/W (42.75' W)

ST. JEAN STREET

VACATED ST. JACQUES 4772-582

CURB RAMP (SMALL RADIUS PERPENDICULAR)

BEGIN 5'W SIDEWALK AT NEAREST JOINT (FIRST PANEL WARP TO MATCH EXIST.)

5'W SIDEWALK (REPLACE 4 PANELS)

CURB RAMP (TYPE 2 PARALLEL)

CURB RAMP (TYPE 2 PARALLEL)

30'R

EXIST. R/W

EXIST. SIDEWALK

6" TYPE S CURB (10 LF)

℄ US 67

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

S76°11'03"E

EXIST. SIDEWALK

20'R

CURB RAMP (TYPE 2 PARALLEL)

CURB RAMP (LARGE RADIUS PERPENDICULAR)

CURB RAMP (TYPE 2 PARALLEL)

PROPERTY N/F
TAUC PROPERTIES, LLC
PARCEL # 08J440788
DB 22066 PG 151
ADDRESS 1090 N. HIGHWAY 67

BLOCK 95
NEW TOWN OF ST. FERDINAND
NO TAKINGS

PROPERTY N/F
ROBERT B. & CHERYL A. BOSSOMO
PARCEL # 08J440799
DB 22247 PG 912
ADDRESS 1090 ST. JEAN ST.

BLOCK 94
NEW TOWN OF ST. FERDINAND
NO TAKINGS

PROPERTY N/F
MISSION HILLS DEVELOPMENT COMPANY
PARCEL # 08J530449
DB 16543 PG 2655
ADDRESS 1100 N. HIGHWAY 67

BLOCK 99
NEW TOWN OF ST. FERDINAND
NO TAKINGS

PROPERTY N/F
SCOTT & KIMBERLY EICKHOFF
PARCEL # 08J441019
DB 10278 PG 0119
ADDRESS 1089 N. HIGHWAY 67

LOT B

ST. JACQUES HILLS
PB 148 PG 33
NO TAKINGS

LOT A

N. ST. JACQUES STREET (42.75' W)

SCALE
0 20 40 60

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

RIGHT OF WAY PLAN
STA. 134+60 TO STA. 140+20
SHEET 7 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/26/2026 4:43:16 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	34

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

US 67 CURVE # 5

P.I. 151+46.37
Δ - 48°28'34.9" (LT)
D - 3°59'59.9"
Ts - 720.32'
Lc - 1061.95' (CHORD)
R - 1432.70'
SE - MATCH EXIST.
Os - 2°59'57.7"
Xc - 149.96'
Yc - 2.62'

BLOCK 100
NEW TOWN OF ST. FERDINAND
NO TAKINGS

PROPERTY N/F
SOCHA LLC
PARCEL # 08J530988
DB 23522 PG 1855
ADDRESS 1143 N. LINDBERGH

LOT B-2
NO TAKINGS

PROPERTY N/F
MISSION HILLS DEVELOPMENT COMPANY INC
PARCEL # 08J531066
DB 24316 PG 5284
ADDRESS 1285 N. HIGHWAY 67

BLOCK 101
NEW TOWN OF ST. FERDINAND
NO TAKINGS

VACATED JEFFERSON
6365.79

145

MATCH LINE STA. 140+20

MATCH LINE STA. 145+50

EXIST. R/W

EXIST. SIDEWALK

5'W SIDEWALK
(REPLACE 2 PANELS)

EQUATION
TS STA 144+24.84 BK =
TS STA 144+26.05 AHD

℄ US 67

CURVE #5

S76°11'03"E

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

7" CONCRETE WALL

6" CONCRETE WALL

PROPERTY N/F
MISSION HILLS DEVELOPMENT COMPANY
PARCEL # 08J530438
DB 16543 PG 2655
ADDRESS 1180 N. HIGHWAY 67 ST.

BLOCK 100
NEW TOWN OF ST. FERDINAND
NO TAKINGS

N. JEFFERSON STREET (42.75' W)

PROPERTY N/F
SOUTH SIDE PROPERTY LLC
PARCEL # 08J530681
DB 23600 PG 3953
ADDRESS 1280 N. HIGHWAY 67

BLOCK 101
NEW TOWN OF ST. FERDINAND
NO TAKINGS

SCALE
0 20 40 60

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

RIGHT OF WAY PLAN
STA. 140+20 TO STA. 145+50
SHEET 8 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/26/2026 4:43:16 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	35

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

PROPERTY N/F
FLORISSANT VALLEY CHRISTIAN CHURCH
PARCEL # 08J530757
DB 06442 PG 1662
ADDRESS 1325 N. HIGHWAY 67
NO TAKINGS

MATCH LINE STA. 145+50

SC STA 145+76.05

EXIST. R/W

EXIST. SIDEWALK

℄ US 67

CURVE #5

150

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

MATCH LINE STA. 151+10

EXIST. SIDEWALK

EXIST. R/W

PROPERTY N/F
CHARLES ANTHONY MEYER TRUSTEE ETAL
PARCEL # 08J530692
DB 17050 PG 1782
ADDRESS 1290 N. HIGHWAY
NO TAKINGS

N. LAFAYETTE STREET (42.75' W)

EXIST. R/W

EXIST. R/W

BLOCK 102
NEW TOWN OF ST. FERDINAND
NO TAKINGS

PROPERTY N/F
AMERCO REAL ESTATE COMPANY
PARCEL # 08J531077
DB 22068 PG 1981
ADDRESS 1350 N. HIGHWAY 67

BLOCK 55
ST. FERDINAND COMMONS
NO TAKINGS

SCALE
0 20 40 60

RIGHT OF WAY PLAN
STA. 145+50 TO STA. 151+10
SHEET 9 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/26/2026 4:43:16 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	36

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

MATCH LINE STA. 151+10

MATCH LINE STA. 156+70

PROPERTY N/F
SHB ENTERPRISES LLC
PARCEL # 08J540415
DB 23948 PG 3067
ADDRESS 1545 N. HIGHWAY 67
NO TAKINGS

INGRESS & EGRESS EASEMENT (7422-2017)

PROPERTY N/F
PACHYDERM PROPERTIES LLC
PARCEL # 08J540790
DB 23342 PG 3109
ADDRESS 1555 N. HIGHWAY 67

LOT 1

KEN BEHLMANN ESTATES
PB 214 PG 5
NO TAKINGS

PROPERTY N/F
BKE LLC
PARCEL # 08J540910
DOC. # 2023031000480
ADDRESS 1575 N. HIGHWAY 67
NO TAKINGS

155

6" TYPE S CURB
(5 LF)

5'W SIDEWALK
(REPLACE 2 PANELS)

EXIST. R/W

EXIST. SIDEWALK

(R)

6" TYPE S CURB
(5 LF)

CURVE #5

℄ US 67

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

CS STA 156+38.00

EXIST. SIDEWALK

EXIST. R/W

EXIST. SIDEWALK

EXIST. R/W

EXIST. R/W

EXIST. R/W

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. R/W

PROPERTY N/F
1400 LINDBERGH HIGHWAY 67 N LLC
PARCEL # 08J540273
DB. 23470 PG. 2869
ADDRESS 1400 N. HIGHWAY 67
NO TAKINGS

7.5' ESMT. PER PB 65 PG 13

DRAINAGE ESMT. PER PB 65 PG 13

PROPERTY N/F
MS HOLDCO MO 1 LLC
PARCEL # 08J540383
DOC. # 2022112800222
ADDRESS 18 BRIGHTWELL CT.

LOT 18

BRIGHTWELL-COURT
PB 65 PG 13
NO TAKINGS

BRIGHTWELL COURT (50'W)

PROPERTY N/F
PAULA J. BARLOW
PARCEL # 08J540404
DB 17690 PG 4598
ADDRESS 1 BRIGHTWELL CT.

LOT 1
NO TAKINGS

DRAINAGE ESMT. PB 65 PG 13

6' ESMT. PER PB 65 PG 13

' ESMT. PER PB 206 PG 71

LOT 17

LOT 2

SCALE
0 20 40 60

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

RIGHT OF WAY PLAN
STA. 151+10 TO STA. 156+70
SHEET 10 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/26/2026 4:43:16 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	37

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

MATCH LINE STA. 156+70

LOT 2

LOT 1

LOT A

5' EASEMENT PB 48 PG 14

10' EASEMENT PB 48 PG 14

PROPERTY N/F
CEDRICK PIMENTEL TRUSTEE
PARCEL # 08J540789
DB 20023 PG 2304
ADDRESS 1605 N. HIGHWAY 67
NO TAKINGS

EXIST. R/W

FLORVALL DRIVE (50'W)

EQUATION:
TS STA 157+88.00 BK
TS STA 157+89.09 AHD

EXIST. S/W

EXIST. SIDEWALK

EXIST. SIDEWALK (R)

6" TYPE S CURB (5 LF)

6" TYPE S CURB (5 LF)

CURVE #5

N55°20'22"E

35B

PROPERTY N/F
VALVOLINE LLC
PARCEL # 08J540844
DB 22160 PG 363
ADDRESS 1717 N. HIGHWAY 67

LOT B

FLORVALLEY
PB 48 PG 14
0.0 AC NEW R/W
705 SF PERM. ESM'T.
0.0 SF TEMP. ESM'T.
0.53 AC REMAINING

160

PERM. EASEMENT (SIDEWALK)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

EXIST. SIDEWALK

℄ US 67

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

EXIST. SIDEWALK

EASEMENT DB 5588 PG 173

LIGHT FOUNDATION (R)

EXIST. R/W

POB STA 0+00.

WOODRIDGE LANE (50'W)

S14°28'55"E

10' EASEMENT PB 48 PG 14

CURB RAMP (TYPE 2 PARALLEL)

TEMP. EASEMENT

36

PROPERTY N/F
L & M LEASING LLC
PARCEL # 07J220903
DB 21734 PG 2456
ADDRESS
1745 N. HIGHWAY 67

LOT 2

WILLIAM E. CROWELL SUBDIVISION
PB 246 PG 78

0.0 AC NEW R/W
0.0 SF PERM. ESM'T.
102 SF TEMP. ESM'T.
0.19 AC REMAINING

WALL (UIP)

EXIST. SIDEWALK

(R&R)

POE STA 2+00.00

51' ESMT. (6291-678) PER PB 370 PG 121

51' ESMT. PER PB 206 PG 71

MATCH LINE STA. 162+00

PROPERTY N/F
CITY OF FLORISSANT
PARCEL # 08J540745
DB 7254 PG 1586
ADDRESS 1700 N. HIGHWAY 67

LOT 1

NORTH FLORISSANT ROAD SUBDIVISION
PB 206 PG 71
NO TAKINGS

PARCEL 35B (PERM. ESM'T.)				
POINT	STATION	OFFSET	BEARING	DISTANCE
E	159+40.43	45.00' LT.		
			N55°20'22"E	140.14'
F	160+80.57	45.00' LT.		
			N14°48'05"W	5.32'
G	160+82.37	50.00' LT.		
			S55°20'22"W	141.95'
H	159+40.42	50.00' LT.		
			S34°41'35"E	5.00'
E				

PARCEL 36 (TEMP. ESM'T.)				
POINT	STATION	OFFSET	BEARING	DISTANCE
A	161+33.73	45.00' LT.		
			N55°20'22"E	12.00'
B	161+45.73	45.00' LT.		
			N34°39'38"W	10.00'
C	161+45.73	55.00' LT.		
			S55°20'22"W	8.39'
D	161+37.34	55.00' LT.		
			S14°48'05"E	10.63'
A				

SCALE
0 20 40 60

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

RIGHT OF WAY PLAN
STA. 156+70 TO STA. 162+00
SHEET 11 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/26/2026 4:43:16 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	38

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

MATCH LINE STA. 162+00

MATCH LINE STA. 167+60

PROPERTY N/F
DONALD J. KRAUSE
PARCEL # 07J220842
DB 24054 PG 2857
ADDRESS 1775 N. HIGHWAY 67
NO TAKINGS

PROPERTY N/F
D & T COLE PROPERTIES LLC
PARCEL # 07J220765
DB 20455 PG 1092
ADDRESS 1785 N. HIGHWAY 67
NO TAKINGS

PROPERTY N/F
HIGHLAND MINI STORAGE, G.P.
PARCEL # 07J220912
DB 9679 PG 1509
ADDRESS 1975 N. HIGHWAY 67
NO TAKINGS

PROPERTY N/F
DALLAS PETRO LLC
PARCEL # 07J220875
DB 25324 PG 1343
ADDRESS
1755 N. NEW FLORISSANT RD.

LOT 4
NO TAKINGS

EXIST. R/W

EXIST. SIDEWALK

6" TYPE S CURB
(10 LF)

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

10' ESMT. PB 165 PG 26

5' ROADWAY MAINTENANCE & UTILITY EA.

NEW FLORISSANT ROAD (70'W)

10' ESMT. PB 212 PG 8

CURB RAMP
(SMALL RADIUS
PERPENDICULAR)

6" CONCRETE MEDIAN ON
4" CONCRETE SIDEWALK

ISLAND CUT THROUGH
(4" CONCRETE SIDEWALK)

50'R

15'

℄ US 67

N55°20'22"E

STA 46+15.14

28'

88.5'R

EXIST. SIDEWALK

EXIST. R/W

5' ESMT. (6291-676) PER PB 370 PG 121

10' EASEMENT DB 6385 PG 1093

PROPERTY N/F
1790 N HWY 67 HOLDINGS LLC
PARCEL # 08J540932
DB 24256 PG 1213
ADDRESS 1790 N. HIGHWAY 67

NEW LOT A

CLEMENT OLYMPIC
PB. 370 PG 121
NO TAKINGS

NEW FLORISSANT ROAD (70'W)

S00°27'18"W

PROPERTY N/F
AMERCO REAL ESTATE COMPANY
PARCEL # 07J310383
DB 20183 PG 593
ADDRESS 1800N. HIGHWAY 67
NO TAKINGS

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

RIGHT OF WAY PLAN
STA. 162+00 TO STA. 167+60
SHEET 12 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/26/2026 4:43:16 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	39

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

PROPERTY N/F
M & M FLORISSANT LAND & BUILDING LLC
PARCEL # 07J310471
DOC # 2022082600641
ADDRESS 1955N HIGHWAY 67

LOT 4
NO TAKINGS

PROPERTY N/F
NIYAM PROPERTIES LLC
PARCEL # 07J310460
DOC. # 2022091400067
ADDRESS 1752 N. NEW FLORISSANT RD.

LOT 1

FLO-LIN CORNERS PHASE ONE
PB 212 PG 8
NO TAKINGS

PROPERTY N/F
AKN PROPERTIES LLC
PARCEL # 07J310493
DOC. # 2022091400061
ADDRESS 1740 THUNDERBIRD AVE.
NO TAKINGS

MATCH LINE STA. 167+60

MATCH LINE STA. 173+20

10' ESMT. PB 212 PG 8

20' ESMT. PB 212 PG 8

EXIST. R/W

EXIST. SIDEWALK

5'W SIDEWALK
(REPLACE 1 PANEL)

6" TYPE S CURB
(REPLACE 5 LF)

LIGHT FOUNDATION (R)

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

℄ US 67

N55°20'22"E

6" TYPE S CURB
(REPLACE 15 LF)

6" TYPE S CURB
(REPLACE 5 LF)

5'W SIDEWALK
(REPLACE 1 PANEL)

CURB RAMP
(SMALL RADIUS
PERPENDICULAR)

12"
CONCRETE
WALL

DRAINAGE RIGHT OF WAY

PROPERTY N/F
MISSION HILLS DEVELOPMENT COMPANY INC
PARCEL # 07J310525
DB 20922 PG 1544
ADDRESS 1890 N. HIGHWAY 67

PARCEL A

A SUBDIVISION OF PART OF BLOCK 43
ST. FERDINAND COMMONS
PB 196 PG 35
NO TAKINGS

PROPERTY N/F
TAER ALHEJOJ
PARCEL # 07J310514
DB 24276 PG 3565
ADDRESS
1940 N. HIGHWAY 67
NO TAKINGS

PROPERTY N/F
PHILLIP LOUIS & DELPHINE
ARCISZEWSKI
PARCEL # 07J310107
DB 11810 PG 0147
ADDRESS
1960 N. HIGHWAY 67
NO TAKINGS

PROPERTY N/F
SABLE CONSTRUCTION, INC.
d/b/a CUSTOM SOUNDS
PARCEL # 07J310118
DB 18248 PG 1692
ADDRESS 2000 N. HIGHWAY 67
NO TAKINGS

PROPERTY N/F
HURLBUT INVESTMENTS FLORISSANT TWO LLC
PARCEL # 07J310262
DB 22490 PG 1605
ADDRESS 2040 N. HIGHWAY 67
NO TAKINGS

PROPERTY N/F
WINSCHEL PROPERTIES LLC
PARCEL # 07J310251
DB 18819 PG 1438
ADDRESS 2060 N. HIGHWAY 67
NO TAKINGS

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

RIGHT OF WAY PLAN
STA. 167+60 TO STA. 173+20
SHEET 13 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/26/2026 4:43:17 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	40

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

MATCH LINE STA. 173+20

MATCH LINE STA. 178+80

PROPERTY N/F
FARIBA KAVIAN ETAL
PARCEL # 07J310349
DB 17324 PG 0754
ADDRESS 2095 N. HIGHWAY 67
NO TAKINGS

EXIST. R/W

EXIST. SIDEWALK

CURB RAMP (TYPE 2 PARALLEL)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

5'W S/W

175

THUNDERBIRD DRIVE (80'W)
A.K.A. NORTH WATERFORD DRIVE

STORM WATER DETENTION RESERVE AREA
PB 358 PG 400

5' UTILITY EASEMENT PB 358 PG 400

BEGIN 5'W SIDEWALK AT NEAREST JOINT (FIRST PANEL WARP TO MATCH EXIST.)

15'x10' UTILITY ESMT
PB 358 PG 400

CURB RAMP (COMPOUND PERPENDICULAR)

END 5'W SIDEWALK AT NEAREST JOINT (LAST PANEL WARP TO MATCH EXIST.)

6" TYPE S CURB (REPLACE 16 LF)

℄ US 67

N55°20'22"E

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

PROPERTY N/F
AGREE FLORISSANT MO, LLC
PARCEL # 07J310602
DB 23502 PG 1562
ADDRESS 2105 N. HIGHWAY 67

LOT 1B
NO TAKINGS

30' CROSS ACCESS EASEMENT
PB 358 PG 400

(38)
SEE NEXT SHEET

SIGN (UIP)

CURB RAMP (LARGE RADIUS PERPENDICULAR)

5'W SIDEWALK

LIGHT (UIP)

TREE (UIP)

PERM. EASEMENT (SIDEWALK)

+28.14
29.0' EX. DRIVEWAY
-1.15% GRDE

CURB RAMP (SMALL RADIUS PERPENDICULAR)

BUSHES (UIP)

WATERFORD DRIVE (80'W)

PROPERTY N/F
SOPHIA AND LOUIS, LLC
PARCEL # 07J310305
DB 24374 PG 2763
ADDRESS 2090 N. HIGHWAY 67
NO TAKINGS

(37)
PROPERTY N/F
U S BANK, NA
PARCEL # 07J310273
DB 11240 PG 0064
ADDRESS 2100 N. HIGHWAY 67
0.0 AC NEW R/W
2,051 SF PERM. ESM'T.
0.0 SF TEMP. ESM'T.
0.89 AC REMAINING

PARCEL 37 (PERM. ESM'T.)				
POINT	STATION	OFFSET	BEARING	DISTANCE
A	175+58.44	55.00' RT.		
			N55°20'22"E	210.00'
B	177+68.44	55.00' RT.		
			N34°41'31"W	10.00'
C	177+68.43	45.00' RT.		
			S55°20'22"W	200.00'
D	175+68.44	45.00' RT.		
			S10°19'23"W	14.14'
A				

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

RIGHT OF WAY PLAN
STA. 173+20 TO STA. 178+80
SHEET 14 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/26/2026 4:43:17 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	41

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

PARCEL 38 (TEMP. ESM'T.)				
POINT	STATION	OFFSET	BEARING	DISTANCE
A	182+00.00	45.72' LT.		
			N58°06'03"E	11.93'
B	182+11.91	45.15' LT.		
			N01°05'18"E	20.76'
C	182+24.04	62.00' LT.		
			S55°20'22"W	24.04'
D	182+00.00	62.00' LT.		
			S34°39'38"E	16.28'
A				

PARCEL 38A (PERM. ESM'T.)						
POINT	STATION	OFFSET	BEARING	DISTANCE	CURVE RADIUS	CURVE LENGTH
C	182+24.04	62.00' LT.				
			S01°05'18"W	12.32'		
E	182+16.85	52.00' LT.				
			N55°20'22"E	138.59'		
F	183+55.44	52.00' LT.				
			S87°10'35"W	18.96'	50.00'	19.07'
G	183+39.33	62.00' LT.				
			S55°20'22"W	115.29'		
C						

PARCEL 38B (PERM. ESM'T.)						
POINT	STATION	OFFSET	BEARING	DISTANCE	CURVE RADIUS	CURVE LENGTH
F	183+55.44	52.00' LT.				
			S87°10'35"W	18.96'	50.00'	19.07'
G	183+39.33	62.00' LT.				
			N55°20'22"E	172.84'		
L*	185+12.17	62.00' LT.				
			S01°05'18"W	12.32'		
M*	185+04.97	52.00' LT.				
			S55°20'22"W	149.54'		
F						

*SEE NEXT SHEET

PARCEL 38A (TEMP. ESM'T.)				
POINT	STATION	OFFSET	BEARING	DISTANCE
H	182+75.00	82.00' LT.		
			N55°20'22"E	50.00'
I	183+25.00	82.00' LT.		
			S34°39'38"E	20.00'
J	183+25.00	62.00' LT.		
			S55°20'22"W	50.00'
K	182+75.00	62.00' LT.		
			N34°39'38"W	20.00'
H				

(38)

PROPERTY N/F
2175 N. HWY. 67, LLC
PARCEL # 07J310613
DB 20406 PG 665
ADDRESS 2175 N. HIGHWAY 67

LOT 2B

RESUBDIVISION OF PARCEL B OF THUNDERBIRD MANOR
PB 358 PG 400
0.0 AC NEW R/W
0.0 SF PERM. ESM'T.
300 SF TEMP. ESM'T.
6.58 AC REMAINING

(38A) SEE NEXT SHEET

(38B)

PIDGEON PARK FLORISSANT
PB 340 PG 16
OUTLOT
PARCEL 3
PROPERTY N/F
MITCHEL & LAUREL UNDERSETH FAMILY TRUST
PARCEL # 07J340302
DB 19695 PG 170
ADDRESS 2309 N. HIGHWAY 67
0.0 AC NEW R/W
1,623 SF PERM. ESM'T.
0.0 SF TEMP. ESM'T.
1.60 AC REMAINING

MATCH LINE STA. 178+80

MATCH LINE STA. 184+40

EXIST. R/W

EXIST. SIDEWALK

180

℄ US 67

N55°20'22"E

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

CURB RAMP (LARGE RADIUS PERPENDICULAR)

TEMP. EASEMENT

CURB RAMP (LARGE RADIUS PERPENDICULAR)

EXIST. SIDEWALK (R)

5' SIDEWALK

CURB (UIP)

ISLAND CUT THROUGH (4" CONCRETE SIDEWALK)

6" CONCRETE MEDIAN ON 4" CONCRETE SIDEWALK

SIGN (R)

CURB (UIP)

CURB RAMP (LARGE RADIUS PERPENDICULAR)

TEMP. EASEMENT

PERM. EASEMENT (SIDEWALK)

PERM. EASEMENT (SIDEWALK)

15' EASEMENT PER PB 340 PG 16

10' SIDEWALK EASEMENT PER PB 340 PG 16

EXIST. SIDEWALK

EXIST. R/W

10' ESMT PB 79 PG 23 & PB 358 PG 400

10' EASEMENT (PB 79 PG 23) PER PB 340 PG 16

20' STRIP (PB 79 PG 23, PB 83 PG 43, PB 87 PG 18, 10660)

10' EASEMENT PB 340 PG 16

32' INGRESS/EGRESS EASEMENT
PB 271 PG 12 & PB 358 PG 400

30' INGRESS/EGRESS EASEMENT
PB 271 PG 12 & PB 358 PG 400

PROPERTY N/F
NADG NNN MCAD (FLOR-MO) LP
PARCEL # 07J310581
DB 23450 PG 245
ADDRESS 2180 N. HIGHWAY 67

ADJUSTED PARCEL H

BOUNDARY ADJUSTMENT OF
PARCEL H & J OF
PADDOCK HILLS PLAZA
PB 351 PG 515
NO TAKINGS

PROPERTY N/F
2182 NORTH HIGHWAY 67 LLC
PARCEL # 07J320733
DB 17869 PG 1643
ADDRESS 2182 N. HIGHWAY 67

PARCEL I

PADDOCK HILLS PLAZA
PB 271 PG 12
NO TAKINGS

PROPERTY N/F
PADDOCK EQUITY INVESTORS, LLC
PARCEL # 07J320755
DB 21696 PG 2093
ADDRESS 1 PADDOCK HILLS SHOPPING CENTER
NO TAKINGS

30' INGRESS/EGRESS EASEMENT
PB 271 PG 12 & PB 358 PG 400

PROPERTY N/F
PADDOCK EQUITY INVESTORS, LLC
PARCEL # 07J320689
DB 21696 PG 2093
ADDRESS 2190 N. HIGHWAY 67
NO TAKINGS

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

RIGHT OF WAY PLAN
STA. 178+80 TO STA. 184+40
SHEET 15 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/26/2026 4:43:17 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	42

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

MATCH LINE STA. 184+40

MATCH LINE STA. 190+00

38B
SEE PREVIOUS SHEET

39
PROPERTY N/F
RARE HOSPITALITY INTERNATIONAL INC.
PARCEL # 07J340313
DB 11199 PG 1942
ADDRESS 2317 N. HIGHWAY 67

OUTLOT PARCEL 2

PIDGEON PARK FLORISSANT
PB 340 PG 16
0.0 AC NEW R/W
3,566 SF PERM. ESM'T.
0.0 SF TEMP. ESM'T.
1.25 AC REMAINING

PROPERTY N/F
DAYTON HUDSON CORPORATION
PARCEL # 07J340434
DB 11039 PG 1027
ADDRESS 2341 N. HIGHWAY 67
0.0 AC NEW R/W
1,258 SF PERM. ESM'T.
1,000 SF TEMP. ESM'T.
10.14 AC REMAINING

AMENDED PIDGEON PARK FLORISSANT - PLAT 2
PB 345 PG 496

40B
SEE NEXT SHEET

40
PROPERTY N/F
THE MJJCJ FAMILY TRUST ETAL
PARCEL # 07J340324
DB 22628 PG 3606
ADDRESS 2375 N. HIGHWAY 67

OUTLOT PARCEL 1

PIDGEON PARK FLORISSANT
PB 340 PG 16
0.0 AC NEW R/W
3,359 SF PERM. ESM'T.
0.0 SF TEMP. ESM'T.
1.18 AC REMAINING

38A

PERM. EASEMENT (SIDEWALK)

10' EASEMENT PB 340 PG 16

PB 340 PG 16

TREE (UIP)

BEGIN 5'W SIDEWALK AT NEAREST JOINT (WARP TO MATCH EXIST.)

75'R

LIGHT (UIP)

SIGN (R)

CURB RAMP (TYPE 1 PARALLEL)

PERM. EASEMENT (SIDEWALK)

CURB RAMP (TYPE 1 PARALLEL)

END 5'W SIDEWALK AT NEAREST JOINT (WARP TO MATCH EXIST.)

EXIST. SIDEWALK

EXIST. R/W

10' SIDEWALK EASEMENT PER PB 340 PG 16

5'W SIDEWALK (REPLACE 1 PANEL)

PULL BOX (R)

6" CONCRETE MEDIAN ON 4" CONCRETE SIDEWALK

ISLAND CUT THROUGH (4" CONCRETE SIDEWALK)

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

℄ US 67

N55°20'22"E

6" TYPE S CURB (REPLACE 5 LF)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

EXIST. S/W

BEGIN 5'W SIDEWALK AT NEAREST JOINT (WARP TO MATCH EXIST.)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

CURB RAMP (TYPE 2 PARALLEL)

END 5'W SIDEWALK AT NEAREST JOINT (WARP TO MATCH EXIST.)

6" DIA STEEL SIGN POST

PROPERTY N/F
FLORISSANT INVESTMENTS LLC
PARCEL # 07J340016
DB 25306 PG 3421
ADDRESS 2300 N. HIGHWAY 67
NO TAKINGS

PROPERTY N/F
JUDITH BOMAR TRUSTEE
PARCEL # 07J340038
DB 16350 PG 0852
ADDRESS 2370N. HIGHWAY 67
NO TAKINGS

PARCEL 39 (PERM. ESM'T.)

POINT	STATION	OFFSET	BEARING	DISTANCE	CURVE RADIUS	CURVE LENGTH
L	185+12.17	62.00' LT.				
			S01°05'18"W	12.32'		
M	185+04.97	52.00' LT.				
			N55°20'22"E	320.02'		
N	188+24.99	52.00' LT.				
			N15°25'24"W	16.47'	25.00'	16.78'
O	188+30.42	67.55' LT.				
			N34°39'10"W	4.45'		
P	188+30.42	72.00' LT.				
			S55°20'22"W	37.42'		
Q	187+93.00	72.00' LT.				
			S34°39'38"E	10.00'		
R	187+93.00	62.00' LT.				
			S55°20'22"W	280.83'		
L						

PARCEL 40 (PERM. ESM'T.)

POINT	STATION	OFFSET	BEARING	DISTANCE	CURVE RADIUS	CURVE LENGTH
S	188+74.28	72.00' LT				
			S34°39'10"E	4.01'		
T	188+74.28	67.99' LT				
			S54°31'59"E	17.00'	25.00'	17.35'
U	188+80.06	52.00' LT				
			N55°20'22"E	298.31'		
V*	191+78.37	52.00' LT				
			N34°39'10"W	10.00'		
W*	191+78.37	62.00' LT				
			S55°20'22"W	269.37'		
X	189+09.00	62.00' LT.				
			N34°39'38"W	10.00'		
Y	189+09.00	72.00' LT.				
			S55°20'22"W	34.72'		
S						

*SEE NEXT SHEET

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

RIGHT OF WAY PLAN
STA. 184+40 TO STA. 190+00
SHEET 16 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/26/2026 4:43:17 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	43

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.



PARCEL 40B (PERM. ESM'T.)

POINT	STATION	OFFSET	BEARING	DISTANCE	CURVE RADIUS	CURVE LENGTH
V	191+78.37	52.00'LT.				
			N34°39'10"W	10.00'		
W	191+78.37	62.00'LT.				
			N55°20'22"E	206.62'		
X	193+85.00	62.00'LT.				
			N55°26'55"E	131.32'	34439.41'	131.32'
Y	195+16.08	62.00'LT.				
			S00°41'01"W	12.23'		
Z	195+09.06	52.00'LT.				
			S55°26'34"W	124.25'	34429.41'	124.25'
AA	193+85.00	52.00'LT.				
			S55°20'22"W	206.62'		
V						

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

RIGHT OF WAY PLAN
STA. 190+00 TO STA. 195+60
SHEET 17 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/26/2026 4:43:17 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	44

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

MATCH LINE STA. 195+60

MATCH LINE STA. 201+20

40A

PROPERTY N/F
ALDI INC
PARCEL # 07J340467
DB 13875 PG 1546
2505 N. HIGHWAY 67

LOT 1

ALDI WEST SUBDIVISION
PB 351 PG 754
0.0 AC NEW R/W
5,075 SF PERM. ESMT.
0.0 SF TEMP. ESMT.
2.96 AC REMAINING

PROPERTY N/F
ANDERSON LAND INVESTMENTS III LLC
PARCEL # 07H130737
DB 21310 PG 177
ADDRESS 2525 N. HIGHWAY 67

NO TAKINGS

INGRESS/EGRESS ESMT
PER PB 351-754

20' INGRESS/EGRESS ESMT.
(11099-2171, 11099-2166, 11374-780)
PER PB 351 PG 754

BROWN LANE (PRIVATE)

CURB RAMP
(SMALL RADIUS
PERPENDICULAR)

BEGIN 5'W SIDEWALK
AT NEAREST JOINT
(WARP TO MATCH EXIST.)

6" TYPE S CURB
(REPLACE 8 LF)

PERM. EASEMENT
(SIDEWALK)

BEGIN 5'W SIDEWALK
AT NEAREST JOINT
(WARP TO MATCH EXIST.)

CURB RAMP
(SMALL RADIUS
PERPENDICULAR)

CURB RAMP
(SMALL RADIUS
PERPENDICULAR)

EXIST. SIDEWALK

15' PERMANENT SIDEWALK, SEWER & UTILITY ESMT.
PER PB 351-754

EXIST. R/W

PT STA 197+14.99

EXIST. SIDEWALK

EXIST. R/W

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. R/W

CURVE #6

℄ US 67

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

N55°53'22"E

GUY WIRE

6" TYPE S CURB
(REPLACE 8 LF)

6" TYPE S CURB
(REPLACE 5 LF)

6" TYPE S CURB
(REPLACE 10 LF)

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. SIDEWALK

EXIST. R/W

EXIST. R/W

10' ESMT
PB 133 PG 17

5'W SIDEWALK
(REPLACE 3 PANELS)

CURB RAMP
(SMALL RADIUS
PERPENDICULAR)

10' SLCMC ESMT
PB 133 PG 17

20' DRIVEWAY ESMT
PB 228 PG 63

PROPERTY N/F
MALEE & SATHIEN SUNTRA
PARCEL # 07H130874
DB 17632 PG 4688
ADDRESS 2470 N. HIGHWAY 67

PARCEL B

PART OF LOT 8 IN BLOCK 33 OF
ST. FERDINAND COMMONS
PB 133 PG 17
NO TAKINGS

PROPERTY N/F
MBR CROSS KEYS LLC
PARCEL # 07H130920
DB 16482 PG 2205
ADDRESS 2500 N. HIGHWAY 67

LOT 1

MCKANDRY MEADOWS
PB 228 PG 63
NO TAKINGS

PROPERTY N/F
BRIDLE DEVELOPMENT CORP
PARCEL # 07H130957
DB 4538 PG 0381
ADDRESS 2520 N. HIGHWAY
NO TAKINGS

PARCEL 40A (PERM. ESM'T.)

POINT	STATION	OFFSET	BEARING	DISTANCE	CURVE RADIUS	CURVE LENGTH
A*	195+14.68	60.00' LT.				
			S00°41'01"W	18.34'		
B*	195+04.13	45.00' LT.				
			N55°42'49"E	211.14'	34422.41'	211.14'
C	197+14.99	45.00' LT.				
			N55°53'22"E	128.01'		
D	198+43.00	45.00' LT.				
			N34°06'38"W	5.00'		
E	198+43.00	50.00' LT.				
			N55°53'22"E	3.18'		
F	198+46.18	50.00' LT.				
			N00°41'01"E	12.18'		
G	198+53.13	60.00' LT.				
			S55°53'22"W	138.13'		
H	197+14.99	60.00' LT.				
			S55°43'21"W	200.67'	34437.41'	200.67'
A*						

* SEE PREVIOUS SHEET

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

RIGHT OF WAY PLAN
STA. 195+60 TO STA. 201+20
SHEET 18 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/26/2026 4:43:17 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	45

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

PARCEL 41 (TEMP. ESM'T.)						
POINT	STATION	OFFSET	BEARING	DISTANCE	CURVE RADIUS	CURVE LENGTH
A	203+95.89	45.00' LT.				
			N55°50'54"E	49.10'	34332.56'	49.10'
B	204+45.06	45.00' LT.				
			N34°11'33"W	10.00'		
C	204+45.06	55.00' LT.				
			S55°50'54"W	49.09'	34322.56'	49.09'
D	203+95.89	55.00' LT.				
			S34°06'38"E	10.00'		
A						

PARCEL 41 (PERM. ESM'T.)						
POINT	STATION	OFFSET	BEARING	DISTANCE	CURVE RADIUS	CURVE LENGTH
E	205+49.93	45.00' LT.				
			N55°36'58"E	20.00'	34332.56'	20.00'
F	205+69.96	45.00' LT.				
			N34°24'02"W	5.00'		
G	205+69.96	50.00' LT.				
			S55°36'58"W	20.00'	34327.56'	20.00'
H	205+49.93	50.00' LT.				
			S34°22'02"E	5.00'		
E						

PROPERTY N/F
THE OTTO PARTNERSHIP
PARCEL # 07H130764
DB 8218 PG 0643
ADDRESS 2757 N. HIGHWAY 67
NO TAKINGS

41

PROPERTY N/F
HANDY MAN HARDWARE INC.
PARCEL # 07H410411
DB 6042 PG 0391
ADDRESS 2635 N. HIGHWAY 67

BOUNDARY ADJUSTMENT PLAT OF
HANDYMAN HARDWARE, LINDBERGH-NORTH HIGHWAY 67 STORE
PB 351 PG 336
0.0 AC NEW R/W
100 SF PERM. ESM'T.
491 SF TEMP. ESM'T.
3.13 AC REMAINING

US 67 CURVE # 7
P.I. 206+00.90
Δ - 0°41'00.0" (LT)
D - 0°10'00.0"
T - 205.00'
L - 410.00' (CHORD)
R - 34,377.56'
SE - MATCH EXIST.
W - N/A

PROPERTY N/F
MARK R. JONES TRUSTEE ETAL
PARCEL # 07H410024
DB 12853 PG 1622
ADDRESS 2685 N. HIGHWAY 67
NO TAKINGS

MATCH LINE STA. 201+20

EXIST. R/W

EXIST. SIDEWALK

5' ESMT. (4987-308)

CURB RAMP (LARGE RADIUS PERPENDICULAR)

SIGN & WALL (UIP)

HYDRANT (UIP)

TEMP. EASEMENT

+23.82
39.57' CE TYPE 1 DRIVEWAY
L.G. CL 1 0.1 STA.
9.39% GRADE

CURB RAMP (LARGE RADIUS PERPENDICULAR)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

205

EXIST. R/W

5' ESMT. (4985-10)

EXIST. S/W

6'W S/W

BOLLARDS (UIP)

PC STA 205+89.89

CURB RAMP (SMALL RADIUS PERPENDICULAR)

PERM. EASEMENT (SIDEWALK)

RETAINING WALL

CURB RAMP (TYPE 2 PARALLEL)

6'W SIDEWALK (REPLACE 1 PANEL)

EXIST. R/W

EXIST. SIDEWALK

SIGN (TBR&R)

WALL (R)

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

℄ US 67

CURVE #7

STA 4+00.00

N55°53'22"E

6" TYPE S CURB (REPLACE 10 LF)

EXIST. SIDEWALK

EXIST. R/W

10' ESMT. (5940-71)

SIGN BASE ABANDONED

6" TYPE S CURB (REPLACE 10 LF)

EXIST. SIDEWALK

EXIST. R/W

10' ESMT. (5940-71)

5'W SIDEWALK (REPLACE 3 PANELS)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

POSSIBLE VALVE

MATCH LINE STA. 206+80

PROPERTY N/F
BRIDLE DEVELOPMENT CORP
PARCEL # 07H130966
DB 08407 PG 0001
ADDRESS 2678 N. HIGHWAY 67
NO TAKINGS

EXIST. R/W

TROTTERWAY DRIVE (50'W)

S34°05'29"E

EXIST. R/W

5

PROPERTY N/F
ADVANCE STORES COMPANY INC.
PARCEL # 07H130902
DB 20286 PG 1915
ADDRESS 2700 N. HIGHWAY 67
NO TAKINGS

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

RIGHT OF WAY PLAN
STA. 201+20 TO STA. 206+80
SHEET 19 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/26/2026 4:43:17 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	46

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

PARCEL 41A (PERM. ESM'T.)				
POINT	STATION	OFFSET	BEARING	DISTANCE
X	211+39.49	50.37' LT.		
			S27°47'41"E	5.21'
Y	211+38.85	45.20' LT.		
			N65°09'24"E	1.17'
Z	211+40.00	45.00' LT.		
			N55°12'22"E	148.84'
D*	212+88.84	45.00' LT.		
			N27°47'41"W	5.28'
A*	212+89.49	50.25' LT.		
			S55°15'19"W	150.00'
X				

*SEE NEXT SHEET

PROPERTY N/F
2705 N. HWY 67, LLC
PARCEL # 07H410035
DB 20335 PG 2724
ADDRESS 2705 N. HIGHWAY 67
NO TAKINGS

PROPERTY N/F
BEHLMANN PROPERTIES FAMILY
LIMITED PARTNERSHIP
PARCEL # 07H410134
DB 9049 PG 1745
ADDRESS 2749 N. HIGHWAY 67

PROPERTY N/F
NORLE INVESTMENTS INC ETAL
PARCEL # 07H410431
DB 23634 PG 781
ADDRESS 2765 N. HIGHWAY 67

PART LOT 2

KRISTAL SUBDIVISION
PB 149 PG 82
NO TAKINGS

ADJUSTED
LOT 2
NO TAKINGS

20' ESMT. PB 149 PG 82

10' ESMT. PB 149 PG 82

ESMT. 20' DRAINAGE DB 6269 PG 115

20' ESMT. (6269-115)

10' ESMT. PB 149 PG 82

41A
SEE NEXT SHEET

PERM. EASEMENT (SIDEWALK)

LIGHT (UIP)

MATCH LINE STA. 206+80

MATCH LINE STA. 212+00

EXIST. R/W

EXIST. SIDEWALK

PT STA 208+05.90

EQUATION:
STA 208+97.70 BK =
STA 209+00.00 AHD

CURVE #7

℄ US 67

N55°12'22"E

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

ESMT. (5940-71)

APPROX. MSD ESMT.
PER PB 365 PG 400
INCORRECT REFEREENCE
ON PLAT

FIBER OPTIC
MCI 3'X5'
PULLBOX

PROPERTY N/F
BRIDEL DEVELOPMENT CORP
PARCEL # 07H410442
DB 4746 PG 0425
ADDRESS 2710 N. HIGHWAY 67

LOT B

SURREY PLAZA FINAL PLAT
PB 365 PG 400
NO TAKINGS

15' ESMT. (6456-1112)

SCALE
0 20 40 60

RIGHT OF WAY PLAN
STA. 206+80 TO STA. 212+00
SHEET 20 OF 24

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/26/2026 4:43:17 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	47

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

PARCEL 42 (PERM. ESM'T.)				
POINT	STATION	OFFSET	BEARING	DISTANCE
A	212+89.49	50.25' LT.		
			N55°20'18"E	41.99'
B	213+31.48	50.15' LT.		
			S27°47'41"E	5.19'
C	213+30.85	45.00' LT.		
			S55°12'35"W	42.00'
D	212+88.84	45.00' LT.		
			N27°47'41"W	5.28'
A				

PARCEL 42 (TEMP. ESM'T.)				
POINT	STATION	OFFSET	BEARING	DISTANCE
A	212+89.49	50.25' LT.		
			N55°20'18"E	41.99'
B	213+31.48	50.15' LT.		
			N27°47'41"W	35.26'
E	215+35.78	85.15' LT.		
			S55°19'27"W	41.99'
F	212+93.78	85.24' LT.		
			S27°47'41"E	35.25'
A				

PARCEL 43 (TEMP. ESM'T.)				
POINT	STATION	OFFSET	BEARING	DISTANCE
B	213+31.48	50.15' LT.		
			N27°47'41"W	35.26'
E	213+35.78	85.15' LT.		
			N55°19'27"E	40.29'
I	213+76.07	85.07' LT.		
			S27°47'41"E	35.27'
H	213+71.77	50.06' LT.		
			S55°20'18"W	40.29'
B				

PARCEL 43 (PERM. ESM'T.)				
POINT	STATION	OFFSET	BEARING	DISTANCE
B	213+31.48	50.15' LT.		
			S27°47'41"E	5.19'
C	213+30.85	45.00' LT.		
			N55°12'22"E	40.30'
G	213+71.15	45.00' LT.		
			N27°47'41"W	5.09'
H	213+71.77	50.06' LT.		
			S55°20'18"W	40.29'
B				

PARCEL 44 (PERM. ESM'T.)						
POINT	STATION	OFFSET	BEARING	DISTANCE	CURVE RADIUS	CURVE LENGTH
P	214+25.38	45.00' RT.				
			N55°12'22"E	241.15'		
M	216+66.53	45.00' RT.				
			S79°33'16"E	8.45'	44.50'	8.46'
J	216+72.48	51.00' RT.				
			S55°12'22"W	251.32'		
Q	214+21.16	51.00' RT.				
			N00°17'21"E	7.33'		
P						

PARCEL 44 (TEMP. ESM'T.)				
POINT	STATION	OFFSET	BEARING	DISTANCE
R	214+41.54	51.00' RT.		
			S34°47'38"E	10.00'
S	214+41.54	61.00' RT		
			N55°12'22"E	65.00'
T	215+06.54	61.00' RT		
			N34°47'38"W	10.00'
U	215+06.54	51.00' RT.		
			S55°12'22"W	65.00'
R				

PARCEL 43A (PERM. ESM'T.)				
POINT	STATION	OFFSET	BEARING	DISTANCE
G	213+71.15	45.00' LT.		
			N27°47'41"W	5.09'
H	213+71.77	50.06' LT.		
			N55°14'19"E	111.02'
V	214+82.79	49.99' LT		
			S27°32'41"E	5.03'
W	214+82.16	45.00' LT.		
			S55°12'22"W	111.01'
G				

PARCEL 45 (PERM. ESM'T.)						
POINT	STATION	OFFSET	BEARING	DISTANCE	CURVE RADIUS	CURVE LENGTH
J	216+72.48	51.00' RT.				
			N55°12'22"E	83.24'		
K	217+55.72	51.00' RT.				
			N13°04'17"E	8.94'	45.00'	8.96'
L*	217+62.35	45.00' RT.				
			S55°12'22"W	95.82'		
M	216+66.53	45.00' RT.				
			S79°33'16"E	8.45'	44.50'	8.46'
J						

* SEE NEXT SHEET

PARCEL 45 (TEMP. ESM'T.)						
POINT	STATION	OFFSET	BEARING	DISTANCE	CURVE RADIUS	CURVE LENGTH
J	216+72.48	51.00' RT.				
			N55°12'22"E	83.24'		
K	217+55.72	51.00' RT.				
			S07°09'31"W	22.58'	45.00'	22.82'
N	217+45.25	71.00' RT.				
			S55°12'22"W	63.46'		
O	216+81.79	71.00' RT.				
			N59°45'17"W	22.06'	44.50'	22.19'
J						

41A
PROPERTY N/F
YORKSHIRE REAL ESTATE HOLDINGS, LLC
PARCEL # 07H410420
DB 22894 PG 2271
ADDRESS 2775 N. HIGHWAY 67
0.0 AC NEW R/W
ADJUSTED 797 SF PERM. ESM'T.
LOT 1 0.0 SF TEMP. ESM'T.
0.96 AC REMAINING
KRISTAL SUBDIVISION LOTS
1 & 2 BOUNDARY ADJUSTMENT PLAT
PB 355 PG 693

42
0.0 AC NEW R/W
218 SF PERM. ESM'T.
1,470 SF TEMP. ESM'T.
0.36 AC REMAINING

PROPERTY N/F
R-2 SCHOOL DISTRICT
PARCEL # 07H420201
DB 6316 PG 1787
ADDRESS 14201 COUGAR DR.

43
0.0 AC NEW R/W
206 SF PERM. ESM'T.
1,411 SF TEMP. ESM'T.
0.34 AC REMAINING

PROPERTY N/F
R-2 FERGUSON REORGANIZED
SCHOOL DISTRICT
PARCEL # 07H420034
DB 3626 PG 331
ADDRESS 14200 COUGAR DR.

43A
PROPERTY N/F
ARC CAFEHLD001, LLC
PARCEL # 07H420232
DB 20578 PG 4334
ADDRESS 2825 N. HIGHWAY 67
LOT 3
0.0 AC NEW R/W
558 SF PERM. ESM'T.
0.0 SF TEMP. ESM'T.
0.95 AC REMAINING

PROPERTY N/F
PROFESSIONAL INVESTMENT GROUP LLC
PARCEL # 07H420397
DOC. # 2022100600018
ADDRESS 2855 N. HIGHWAY 67
LOT 2 NO TAKINGS

PROPERTY N/F
JOHN & CRISANNA VAGIANOS
PARCEL # 07H420188
DB 19414 PG 532
ADDRESS 2875 N. HIGHWAY 67
LOT 1
LINDBERGH PLAZA
PB 124 PG 47
NO TAKINGS

44
PROPERTY N/F
CK CENTER LLC
PARCEL # 07H140444
DB 24812 PG 3532
13915 NEW HALLS FERRY RD.
LOT 1C
CROSS KEYS SUBDIVISION
(PLAT OF CORRECTION)
PB 351 PG 789
0.0 AC NEW R/W
1,479 SF PERM. ESM'T.
650 SF TEMP. ESM'T.
13.67 AC REMAINING

45
PROPERTY N/F
REALTY ASSOCIATES FUND X LP
PARCEL # 07H231726
DB 20450 PG 3725
ADDRESS
13959 NEW HALLS FERRY RD.
0.0 AC NEW R/W
535 SF PERM. ESM'T.
1,425 SF TEMP. ESM'T.
6.33 AC REMAINING

START STA 0+00.00
END STA 1+50.00
℄ US 67
LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67
N55°12'22"E
COUGAR DRIVE
TEMP. EASEMENT
PERM. EASEMENT (SIDEWALK)
CURB RAMP (SMALL RADIUS PERPENDICULAR)
CURB RAMP (BLENDED TRANSITION)
CURB RAMP (TYPE 2 PARALLEL)
CURB RAMP (SMALL RADIUS PERPENDICULAR)
TYPE S CURB (VAR. HEIGHT)(13 LF)
END 5'W SIDEWALK AT NEAREST JOINT (WARP TO MATCH EXIST.)
6" TYPE S CURB (6 LF)
END 6'W SIDEWALK AT NEAREST JOINT (WARP TO MATCH EXIST.)
BEGIN 5'W SIDEWALK AT NEAREST JOINT (WARP TO MATCH EXIST.)
BEGIN 5'W SIDEWALK AT NEAREST JOINT (WARP TO MATCH EXIST.)
6" TYPE S CURB (REPLACE 10 LF)
6" TYPE M CURB (32 LF)
TREE (UIP)
MANHOLE (UIP)
INLET (UIP)
POLE (UIP)
TREES (UIP)
BUSHES (UIP)
SIGN (R)
SIGN (UIP)
S/W (R)
S/W (UIP)
CURB (R)
CURB (UIP)
+72.72 36.67' CE TYPE 1 DRIVEWAY L.G. CL 1 0.3 STA. 5.45% GRADE
+09.24 45' CE TYPE 1 DRIVEWAY L.G. CL 1 0.4 STA. 3.88% GRADE
15' ESMT. UE (6091-246)
10' GAS ESMT. (6853-1932)
5' ESMT. SLCWC (5009-560)
5' SIDEWALK & UTILITY ESMT (7680-459)
5' ESMT PB 124 PG 47
10' ESMT. (6456-1112)
EXIST. R/W
EXIST. SIDEWALK
MATCH LINE 212+00
MATCH LINE 217+60

LEGEND
PAVEMENT REMOVAL
RESURFACING LIMITS

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

RIGHT OF WAY PLAN
STA. 212+00 TO STA. 217+60
SHEET 21 OF 24

SCALE 0 20 40 60

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/26/2026 4:43:17 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	48

COUNTY
ST. LOUIS
JOB NO.
J6S3625
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 1:51:30 PM
Richard S. Baum
MO PE E-24320

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE PREPARED: 28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	49

COUNTY: ST. LOUIS

JOB NO.: J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

MATCH LINE STA. 217+60

MATCH LINE STA. 223+20

℄ US 67

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

N55°12'22"E

EXIST. R/W

EXIST. SIDEWALK

EX. 10' ESMT TO MSD PER PB 167 PG 44

EX. 10' SIDEWALK & UTILITY ESMT. (PB 167/44)

EX. 10' SIDEWALK & UTILITY ESMT. (167/44) PER BK 169 PG 1

EX. 10' ESMT. (PB 346 PG 44)

UE ESMT (6908-2488) PER PB 346 PG 44

SEWER ESMT 6926-2407

PUBLIC STORAGE FLORISSANT PB 346 PG 95

PROPERTY N/F PUBLIC STORAGE INC PARCEL # 07H420412 DB 11489 PG 1956 ADDRESS 14249 NEW HALLS FERRY RD.

PROPERTY N/F
JPMORHAN CHASE BANK, N.A.
PARCEL # 07H420265
DB 24816 PG 3349
ADDRESS 2895 N. HIGHWAY 67

LOT 2

PONDEROSA PLAZA
PB 167 PG 44

0.0 AC NEW R/W
360 SF PERM. ESM'T.
0.0 SF TEMP. ESM'T.
1.49 AC REMAINING

PROPERTY N/F
COMMERCIAL NET LEASE REALTY
PARCEL # 07H420298
DB 17341 PG 4522
ADDRESS 2925 N. HIGHWAY 67

220

LOT 2

BALDRIDGE PLAZA
PB 169 PG 1
NO TAKINGS

PROPERTY N/F
FLORISSANT COVENANT GROUP LLC
PARCEL # 07H420287
DB 21076 PG 1331
ADDRESS 3025 N. HIGHWAY 67

LOT 1

0.0 AC NEW R/W
1,350 SF PERM. ESM'T.
0.0 SF TEMP. ESM'T.
1.09 AC REMAINING

CURB RAMP (SMALL RADIUS PERPENDICULAR)

PERM. EASEMENT (SIDEWALK)

BUSHES (UIP)

TREE (UIP)

BEGIN 5'W SIDEWALK AT NEAREST JOINT (FIRST PANEL WARP TO MATCH EXIST.)

SIGN (UIP)

SIGN (R)

PULL BOX (ATG)

MANHOLE (ATG)

INLET (UIP)

EXIST. SIDEWALK

POLE (UIP)

BUSHES (UIP)

BUSHES (R)

TEMP. EASEMENT

+54.96 28.2' CE TYPE 1 DRIVEWAY L.G. CL 1 0.1 STA. 9.50% GRADE

LIGHT (UIP)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

BEGIN 7'W SIDEWALK AT NEAREST JOINT (FIRST PANEL WARP TO MATCH EXIST.)

SEE NEXT SHEET

0.0 AC NEW R/W
504 SF PERM. ESM'T.
0.0 SF TEMP. ESM'T.
4.16 AC REMAINING

0.0 AC NEW R/W
569 SF PERM. ESM'T.
0.0 SF TEMP. ESM'T.
1.88 AC REMAINING

PROPERTY N/F
CK CENTER LLC
PARCEL # 07H420485
DB 24812 PG 3532
ADDRESS 14001 NEW HALLS FERRY RD.

10' MSD ESMT. (5257-75)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

SIGN (R)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

+56.27 23' CE TYPE 3 DRWY. L.G. CL 1 0.1 STA.

CURB RAMP (SMALL RADIUS PERPENDICULAR)

TEMP. EASEMENT

PERM. EASEMENT (SIDEWALK)

6" TYPE S CURB (4 LF)

6" TYPE S CURB (20 LF)

CURB (R)

PULL BOX (ATG)

(UIP)

(ATGBO)

6" TYPE S CURB (78 LF)

6" TYPE S CURB (24 LF)

6'W S/W

(TBR&RBO)

(R&R)

TEMP. EASEMENT

PERM. EASEMENT (SIDEWALK)

CURB (R)

CURB RAMP (LARGE RADIUS PERPENDICULAR)

+78.08 30.68' CE TYPE 1 DRIVEWAY L.G. CL 1 0.3 STA. -8.00% GRADE

CURB RAMP (LARGE RADIUS PERPENDICULAR)

PERM. EASEMENT (SIDEWALK)

TEMP. EASEMENT

CURB RAMP (SMALL RADIUS PERPENDICULAR)

PERM. EASEMENT (SIDEWALK)

BEGIN 7'W SIDEWALK AT NEAREST JOINT (FIRST PANEL WARP TO MATCH EXIST.)

BEGIN 5'W SIDEWALK AT NEAREST JOINT (FIRST PANEL WARP TO MATCH EXIST.)

CURB (UIP)

TREE (UIP)

4'x12' SIDEWALK (FOR BUS BENCH)

PERM. EASEMENT (SIDEWALK)

TREE (UIP)

TREE (UIP)

CURB RAMP (SMALL RADIUS PERPENDICULAR)

PERM. EASEMENT (SIDEWALK)

PROPERTY N/F
UNION ELECTRIC COMPANY
PARCEL # 07H420331
DB 3695 PG 0444
ADDRESS 3010 N. HIGHWAY 67

0.0 AC NEW R/W
700 SF PERM. ESM'T.
195 SF TEMP. ESM'T.
0.56 AC REMAINING

PROPERTY N/F
BFS RETAIL & COMMERCIAL OPERATIONS LLC
PARCEL # 07H420067
DB 13842 PG 0661
ADDRESS 14089 NEW HALLS FERRY RD.

0.0 AC NEW R/W
1,183 SF PERM. ESM'T.
1,938 SF TEMP. ESM'T.
0.77 AC REMAINING

PROPERTY N/F
BAKER COMMERCE BANK NATIONAL ASSOCIATION
PARCEL # 07H420496
DB 15497 PG 2123
ADDRESS 2900 N. HIGHWAY 67

LOT 2

0.0 AC NEW R/W
2,022 SF PERM. ESM'T.
0.0 SF TEMP. ESM'T.
1.19 AC REMAINING

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

SCALE
0 20 40 60

RIGHT OF WAY PLAN
STA. 217+60 TO STA. 223+20
SHEET 22 OF 24

PARCEL 46A (PERM. ESM'T.)

POINT	STATION	OFFSET	BEARING	DISTANCE
A1	218+53.00	45.00' LT.		
			N55°12'22"E	35.34'
B1	218+88.34	45.00' LT.		
			N27°37'40"W	10.08'
C1	218+89.60	55.00' LT.		
			S55°12'22"W	36.60'
D1	218+53.00	55.00' LT.		
			S34°47'38"E	10.00'
A1				

PARCEL 46B (PERM. ESM'T.)

POINT	STATION	OFFSET	BEARING	DISTANCE
B1	218+88.34	45.00' LT.		
			N27°37'40"W	10.08'
C1	218+89.60	55.00' LT.		
			N55°12'22"E	50.40'
E1	219+39.99	55.00' LT.		
			S27°37'39"E	10.08'
F1	219+38.74	45.00' LT.		
			S55°12'22"W	50.40'
B1				

PARCEL 47 (PERM. ESM'T.)

POINT	STATION	OFFSET	BEARING	DISTANCE
Q	220+68.12	49.44' RT.		
			S33°32'01"E	11.56'
R	220+67.87	61.00' RT.		
			N55°12'22"E	50.74'
G	221+18.61	61.00' RT.		
			N26°48'39"W	11.11'
H	221+20.15	50.00' RT.		
			S55°12'22"W	37.15'
I	220+83.00	50.00' RT.		
			S57°21'33"W	14.89'
Q				

PARCEL 50* (TEMP. ESM'T.(1))

POINT	STATION	OFFSET	BEARING	DISTANCE
A	222+31.76	60.00' LT.		
			N55°12'22"E	53.24'
B	222+85.00	60.00' LT.		
			N34°47'38"W	10.00'
E	222+85.00	70.00' LT.		
			S55°12'22"W	51.71'
F	222+33.29	70.00' LT.		
			S26°04'25"E	10.12'
A				

* SEE NEXT SHEET

PARCEL 50* (PERM. ESM'T.(1))

POINT	STATION	OFFSET	BEARING	DISTANCE
A	222+31.76	60.00' LT.		
			N55°12'22"E	53.24'
B	222+85.00	60.00' LT.		
			S34°47'38"E	10.00'
C	222+85.00	50.00' LT.		
			S55°12'22"W	54.77'
D	223+30.23	50.00' LT.		
			N26°04'25"W	10.12'
A				

* SEE NEXT SHEET

PARCEL 46C (PERM. ESM'T.)

POINT	STATION	OFFSET	BEARING	DISTANCE
Y	220+96.78	60.00' LT.		
			S26°04'20"E	10.12'
Z	220+95.24	50.00' LT.		
			N55°12'22"E	134.98'
D	223+30.23	50.00' LT.		
			N26°04'25"W	10.12'
A	222+31.76	60.00' LT.		
			S55°12'22"W	134.98'
Y				

PARCEL 48 (PERM. ESM'T.)

POINT	STATION	OFFSET	BEARING	DISTANCE
H	221+20.15	50.00' RT.		
			N55°12'22"E	100.01'
J	222+20.16	50.00' RT.		
			S26°48'35"E	7.07'
B2	222+19.18	57.00' RT.		
			S55°12'22"W	100.01'
A2	221+19.17	57.00' RT.		
			N26°48'39"W	7.07'
H				

PARCEL 48 (TEMP. ESM'T.)

POINT	STATION	OFFSET	BEARING	DISTANCE
C2	221+37.00	57.00' RT.		
			N55°12'22"E	39.00'
D2	221+76.00	57.00' RT.		
			S34°47'38"E	5.00'
E2	221+76.00	62.00' RT.		
			S55°12'22"W	39.00'
F2	221+37.00	62.00' RT.		
			N34°47'38"W	5.00'
C2				

PARCEL 46 (PERM. ESM'T.)

POINT	STATION	OFFSET	BEARING	DISTANCE	CURVE RADIUS	CURVE LENGTH
K*	217+55.72	51.00' RT.				
			N13°04'17"E	8.94'	45.00'	8.96'
L	217+62.35	45.00' RT.				
			N55°12'22"E	187.65'		
P	219+50.00	45.00' RT.				
			N57°21'33"E	118.21'		
Q	220+68.12	49.44' RT.				
			S33°32'01"E	11.56'		
R	220+67.87	61.00' RT				
			S68°33'14"W	28.64'		
S	220+40.00	54.39' RT				
			S57°21'33"W	90.18'		
T	219+49.89	51.00' RT.				
			S55°12'22"W	79.89'		
U	218+70.00	51.00' RT.				
			S34°47'38"E	4.00'		
V	218+70.00	55.00' RT.				
			S55°12'22"W	22.00'		
W	218+48.00	55.00' RT.				
			N34°47'38"W	4.00'		
X	218+48.00	51.00' RT.				
			S55°12'22"W	92.28'		
K*						

* SEE PREVIOUS SHEET

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.



PARCEL 50 (PERM. ESM'T. (2))				
POINT	STATION	OFFSET	BEARING	DISTANCE
Q	223+81.40	50.00' LT.		
			N55°12'22"E	10.60'
R	223+92.00	50.00' LT.		
			N25°58'06"E	26.50'
S	224+15.13	62.94' LT.		
			N26°44'16"W	11.00'
T	224+16.67	73.84' LT		
			S07°17'19"W	15.33'
U	224+06.40	62.46' LT		
			S55°12'22"W	25.00'
V	223+81.40	62.46' LT		
			S34°47'38"E	12.46'
Q				

PARCEL 50 (TEMP. ESM'T (2).)				
POINT	STATION	OFFSET	BEARING	DISTANCE
W	223+70.00	85.00' LT.		
			N55°12'22"E	48.25'
X	224+18.25	85.00' LT.		
			S26°44'16"E	11.27'
T	224+16.67	73.84' LT		
			S07°17'19"W	15.33'
U	224+06.40	62.46' LT		
			S55°12'22"W	25.00'
V	223+81.40	62.46' LT		
			S34°47'38"E	12.46'
Q	223+81.40	50.00' LT.		
			S55°12'22"W	11.40'
Y	223+70.00	50.00' LT.		
			N34°47'38"W	35.00'
W				

PARCEL 5* (PERM. ESM'T.)				
POINT	STATION	OFFSET	BEARING	DISTANCE
A	137+92.89	75.00' LT.		
			N85°24'22"E	6.48'
B	137+95.33	81.00' LT.		
			N26°44'16"W	175.41'
C*	136+19.92	81.00' LT.		
			S55°12'52"W	6.06'
D*	136+20.77	75.00' LT.		
			S26°44'16"E	172.12'
A				
* SEE NEXT SHEET				

PARCEL 49* (PERM. ESM'T.)				
POINT	STATION	OFFSET	BEARING	DISTANCE
J*	222+20.16	50.00' RT		
			S26°48'35"E	5.05'
K1*	222+19.46	55.00' RT.		
			N55°12'22"E	165.15'
L	223+84.61	55.00' RT.		
			S75°48'27"E	31.52'
M	224+05.29	78.79' RT		
			N26°49'16"W	19.55'
N	224+08.00	59.43' RT		
			N78°28'46"W	13.04'
O	223+99.00	50.00' RT.		
			S55°12'22"W	178.84'
J*				
* SEE PREVIOUS SHEET				

PARCEL 49* (TEMP. ESM'T.)				
POINT	STATION	OFFSET	BEARING	DISTANCE
K1*	222+19.46	55.00' RT.		
			N55°12'22"E	165.15'
L	223+84.61	55.00' RT		
			S75°48'27"E	6.63'
U1	223+88.95	60.00' RT		
			S55°12'22"W	78.95'
T1*	223+10.00	60.00' RT		
			S34°47'38"E	20.00'
S1*	223+10.00	80.00' RT		
			S55°12'22"W	55.00'
R1*	222+55.00	80.00' RT		
			N34°47'38"W	20.00'
Q1*	222+55.00	60.00' RT		
			S55°12'22"W	36.24'
P*	222+18.76	60.00' RT.		
			N26°48'35"W	5.05'
K1*				
* SEE PREVIOUS SHEET				

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

RIGHT OF WAY PLAN
STA. 223+20 TO END
SHEET 23 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 1:51:35 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	50

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

PAVEMENT REMOVAL

RESURFACING LIMITS

NOTE:
BUSHES LABELED (R) SHALL BE REMOVED WITHIN THE LIMITS OF THE SIDEWALK REPLACEMENT.

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.



PARCEL 51* (TEMP. ESM'T.)

POINT	STATION	OFFSET	BEARING	DISTANCE
C	136+19.92	81.00' LT.		
			S26°44'16"E	46.47'
E	136+66.39	81.00' LT.		
			N63°15'44"E	10.00'
F	136+66.39	91.00' LT.		
			N26°44'16"W	47.88'
G	136+18.51	91.00' LT.		
			S55°12'52"W	10.10'
C				

* SEE PREVIOUS SHEET

(51)
SEE PREVIOUS SHEET

SCALE
0 20 40 60

RIGHT OF WAY PLAN
STA 137+00 TO END
SHEET 24 OF 24

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/26/2026 4:43:17 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
26-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	51

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LAND CORNER:
FOUND IRON PIPE WITH CAP "266-D" AT THE SOUTHERNMOST CORNER OF LOT 3 OF VILLAGE SQUARE-RESUBDIVISION OF LOT 1, A TRACT OF LAND BEING PART OF LOT 1 OF VILLAGE SQUARE SUBDIVISION (PLAT BOOK 351/721-722), IN SURVEYS 145, 146, 147 AND 148 OF THE ST. FERDINAND COMMON FIELDS, TOWNSHIP 47 NORTH, RANGE 6 EAST OF THE 5TH P.M., AS RECORDED IN PLAT BOOK 352 PAGE 676, ST. LOUIS COUNTY, MISSOURI.



LAND CORNER TIE #1

LAND CORNER:
FOUND CONCRETE MONUMENT AT THE NORTHEAST CORNER OF LOT A OF WHITE BIRCH PLAT ONE, AS RECORDED IN PLAT BOOK 113 PAGE 64, IN U.S. SURVEYS 152 AND 153 OF THE COMMONFIELDS OF ST. FERDINAND, TOWNSHIP 47, NORTH RANGE 6 EAST OF THE 5TH P.M., ST. LOUIS COUNTY, MISSOURI.



LAND CORNER TIE #2

LAND CORNER:
FOUND IRON ROD AT THE SOUTHEAST CORNER OF LOT 2B OF SAMBO'S HAZELWOOD PLAT TWO, A RESUBDIVISION OF THE RESUBDIVISION OF SAMBO'S HAZELWOOD AS RECORDED IN PLAT BOOK 289, PAGE 21, AS RECORDED IN PLAT BOOK 350 PAGE 503, TOWNSHIP 47 NORTH, RANGE 6 EAST OF THE 5TH P.M., ST. LOUIS COUNTY, MISSOURI.



LAND CORNER TIE #3

LAND CORNER:
FOUND CONCRETE MONUMENT AT THE NORTHWEST CORNER OF DELRADO PLAT ONE, A SUBDIVISION RECORDED IN PLAT BOOK 137 PAGE 67, IN SURVEYS 162, 163 AND 164 OF ST. FERDINAND COMMONFIELDS, TOWNSHIP 47 NORTH, RANGE 6 EAST OF THE 5TH P.M., ST. LOUIS COUNTY, MISSOURI.



LAND CORNER TIE #4

LAND CORNER:
FOUND IRON PIPE AT THE SOUTHWEST CORNER OF LOT B OF FLORISSANT MEADOWS SHOPPING CENTER BOUNDARY ADJUSTMENT PLAT, AS RECORDED IN PLAT BOOK 364 PAGE 24, IN SURVEYS 172, 173 AND 174 OF ST. FERDINAND COMMONFIELDS, TOWNSHP 47 NORTH, RANGE 6 EAST, AND IN LOTS D, E, F, G, AND 106 OF THE NEW TOWN OF ST. FERDINAND, ST. LOUIS COUNTY. MISSOURI.



LAND CORNER TIE #5

LAND CORNER
FOUND IRON PIPE WITH CAP "105-D" AT THE NORTHEAST CORNER OF LOT C OF THE RESUBDIVISION OF LOT A OF THE RESUBDIVISION OF BLOCK 97 AND PART OF BLOCK 96 OF THE NEW TOWN OF ST. FERDINAND, AS RECORDED IN PLAT BOOK 364 PAGE 336 IN SECTION 22, TOWNSHIP 47 NORTH, RANGE 6 EAST OF THE 5TH P.M., CITY OF FLORISSANT, ST. LOUIS COUNTY, MISSOURI.



LAND CORNER TIE #6

LAND CORNER TIES
SHEET 1 OF 2

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:26 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	52

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LAND CORNER
FOUND IRON PIPE AT THE NORTHWEST CORNER OF LOT 1B OF THE RESUBDIVISION OF PARCEL B OF THUNDERBIRD MANOR, AS RECORDED IN PLAT BOOK PLAT BOOK 358 PAGE 400, IN BLOCKS 34 AND 43 OF ST. FERDINAND COMMONS, TOWNSHIP 47 NORTH, RANGE 6 EAST OF THE 5TH P.M., CITY OF FLORISSANT, ST. LOUIS COUNTY, MISSOURI.



LAND CORNER TIE #7

LAND CORNER:
FOUND IRON PIPE AT THE NORTHWEST CORNER OF PARCEL SHOWN ON THE BOUNDARY ADJUSTMENT OF HANDYMAN HARDWARE, LINDBERGH-NORTH HIGHWAY 67 STORE, AS RECORDED IN PLAT BOOK 351 PAGE 336, BEING PART OF BLOCKS 21 AND 32 OF ST. FERDINAND COMMONS, TOWNSHIP 47 NORTH, RANGE 6 EAST OF THE 5TH PRINCIPAL MERIDIAN, CITY OF FLORISSANT, ST. LOUIS COUNTY, MISSOURI.



LAND CORNER TIE #8

LAND CORNER:
FOUND IRON PIPE AT THE NORTHWEST CORNER OF PROPERTY N/F OF WALLACE PETROLEUM LC, RECORDED IN DOCUMENT # 2022100300298, PART OF BLOCKS 13 AND 23 OF ST. FERDINAND COMMONS AS SHOWN PER ST. LOUIS COUNTY HIGHWAYS AND TRAFFIC SURVEY OF NEW HALLS FERRY ROAD, SURVEY REQUEST NO. 2013-25.



LAND CORNER TIE #9

LAND CORNER TIES
SHEET 2 OF 2

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:26 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	53

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704



CONTROL POINT NO.12
SET IRON ROD W/CAP
N: 1084297.210
E: 878396.429
ELEV: 558.54
STA. 235+07.75
27.24' LT HWY. 67



CONTROL POINT NO.13
CROSS IN SIDEWALK
N: 1083631.097
E: 877455.467
ELEV: 542.11
STA. 223+55.71
46.78' LT HWY. 67



CONTROL POINT NO.14
SET IRON ROD W/CAP
N: 1082518.459
E: 876029.577
ELEV: 535.85
STA. 205+47.96
54.25' RT HWY. 67



CONTROL POINT NO.15
SET IRON ROD W/CAP
N: 1081822.784
E: 874809.191
ELEV: 550.32
STA. 191+48.19
58.34' LT HWY. 67



CONTROL POINT NO.16
SET IRON ROD W/CAP
N: 1080933.482
E: 873522.758
ELEV: 511.73
STA. 175+84.29
58.47' LT HWY. 67



CONTROL POINT NO.17
SET IRON ROD W/CAP
N: 1079761.324
E: 872017.829
ELEV: 517.90
STA. 156+80.09
50.79' RT HWY. 67



CONTROL POINT NO.18
COTTON PICKER SPINDLE
N: 1079588.344
E: 870748.861
ELEV: 535.41
STA. 143+96.57
46.54' RT HWY. 67



CONTROL POINT NO.19
SET IRON ROD W/CAP
N: 1079834.378
E: 870108.099
ELEV: 553.77
STA. 137+15.59
39.36' LT HWY. 67



CONTROL POINT NO.20
SET IRON ROD W/CAP
N: 1080069.452
E: 868802.357
ELEV: 528.28
STA. 124+82.14
44.18' RT HWY. 67



CONTROL POINT NO.21
COTTON PICKER SPINDLE
N: 1080426.799
E: 867683.147
ELEV: 512.32
STA. 113+02.91
102.20' LT HWY. 67



CONTROL POINT NO.22
CUT CROSS ON CONC. CURB
N: 1079948.884
E: 866800.761
ELEV: 511.67
STA. 103+34.78
51.90' LT HWY. 67



CONTROL POINT NO.23
SET IRON ROD W/CAP
N: 1078597.637
E: 865852.877
ELEV: 518.02
STA. 86+91.74
51.24' RT HWY 67



CONTROL POINT NO.24
SET IRON ROD W/CAP
N: 1077665.041
E: 864913.564
ELEV: 507.87
STA. 73+72.67
42.97' LT HWY. 67



CONTROL POINT NO.25
SET IRON ROD W/CAP
N: 1076463.883
E: 863993.304
ELEV: 520.57
STA. 58+62.76
56.22' RT HWY. 67



CONTROL POINT NO.26
CUT CROSS
N: 1075870.521
E: 863243.221
ELEV: 523.21
STA. 49+11.08
39.99' LT HWY. 67



CONTROL POINT NO.27
SET IRON ROD W/CAP
N: 1074915.87
E: 862248.489
ELEV: 526.04
STA. 35+35.33
50.29' RT HWY. 67



CONTROL POINT NO.28
SET IRON ROD W/CAP
N: 1074454.379
E: 861482.287
ELEV: 522.20
STA. 244+87.40
90.60' LT HWY. 67



CONTROL POINT NO.29
SET IRON ROD W/CAP
N: 1073791.287
E: 860698.382
ELEV: 523.84
STA. 234+81.54
218.97' LT HWY. 67



CONTROL POINT NO.450
CUT CROSS
N: 1083265.448
E: 877116.682
ELEV: 535.14
STA. 218+68.85
60.17' RT HWY. 67



CONTROL POINT NO.451
CUT CROSS
N: 1083080.257
E: 876652.473
ELEV: 527.19
STA. 213+81.96
52.64' LT HWY. 67



CONTROL POINT NO.452
SET MAG SPIKE
N: 1082757.022
E: 876397.926
ELEV: 525.80
STA. 209+88.48
67.56' RT HWY. 67



CONTROL POINT NO.453
SET IRON ROD W/CAP
N: 1082274.075
E: 875658.742
ELEV: 541.28
STA. 201+04.12
48.29' RT HWY. 67



CONTROL POINT NO.454
CUT CROSS
N: 1081990.407
E: 875256.087
ELEV: 549.20
STA. 196+11.49
57.19' RT HWY. 67



CONTROL POINT NO.455
SET MAG SPIKE
N: 1081457.086
E: 874466.129
ELEV: 540.00
STA. 186+58.03
47.35' RT HWY. 67



CONTROL POINT NO.456
CUT CROSS
N: 1081353.208
E: 874090.571
ELEV: 527.97
STA. 182+90.04
80.79' LT HWY. 67



CONTROL POINT NO.457
CUT CROSS
N: 1081057.962
E: 873916.549
ELEV: 518.29
STA. 179+78.99
63.09' RT HWY. 67



CONTROL POINT NO.458
SET MAG SPIKE
N: 1080589.595
E: 873214.747
ELEV: 509.55
STA. 171+35.37
49.22' RT HWY. 67

REFERENCE POINTS
SHEET 1 OF 2

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:26 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	54

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704



CONTROL POINT NO.459
CUT CROSS
N: 1080477.502
E: 872842.411
ELEV: 514.56
STA. 167+65.36
70.33' LT HWY. 67



CONTROL POINT NO.460
CUT CROSS
N: 1080101.010
E: 872510.760
ELEV: 521.21
STA. 162+78.45
50.73' RT HWY. 67



CONTROL POINT NO.461
CUT CROSS
N: 1079998.497
E: 872187.096
ELEV: 518.00
STA. 159+53.93
49.02' LT HWY. 67



CONTROL POINT NO.462
SET MAG SPIKE
N: 1079686.150
E: 871629.319
ELEV: 520.15
STA. 152+96.10
50.54' LT HWY. 67



CONTROL POINT NO.463
CUT CROSS
N: 1079487.614
E: 871192.463
ELEV: 530.21
STA. 148+36.92
80.48' RT HWY. 67



CONTROL POINT NO.464
SET MAG SPIKE
N: 1079701.450
E: 870272.133
ELEV: 553.62
STA. 139+06.63
50.55' RT HWY. 67



CONTROL POINT NO.465
CUT CROSS
N: 1079874.499
E: 869609.988
ELEV: 532.42
STA. 132+22.31
40.63' RT HWY. 67



CONTROL POINT NO.466
CUT CROSS
N: 1080079.585
E: 869175.162
ELEV: 520.76
STA. 127+51.09
54.69' LT HWY. 67

CONTROL POINT NO.467
SET MAG SPIKE
N: 1080256.412
E: 868483.858
ELEV: 521.50
STA. 121+28.21
61.31' LT HWY. 67

CONTROL POINT NO.468
SET IRON ROD W/CAP
N: 1080376.408
E: 867990.123
ELEV: 508.79
STA. 115+93.32
65.24' LT HWY. 67

CONTROL POINT NO.469
SET MAG SPIKE
N: 1080249.181
E: 867549.414
ELEV: 510.00
STA. 111+50.00
56.92' RT HWY. 67

CONTROL POINT NO.470
SET MAG SPIKE
N: 1080093.306
E: 867156.189
ELEV: 511.02
STA. 107+04.11
62.44' RT HWY. 67



CONTROL POINT NO.471
CUT CROSS
N: 1079621.205
E: 866539.576
ELEV: 512.96
STA. 99+19.28
48.74' LT HWY. 67



CONTROL POINT NO.472
SET MAG SPIKE
N: 1079286.840
E: 840.866252
ELEV: 512.46
STA. 94+79.15
65.35' LT HWY. 67



CONTROL POINT NO.473
SET MAG SPIKE
N: 1078951.828
E: 866158.025
ELEV: 510.97
STA. 91+57.79
68.68' RT HWY. 67



CONTROL POINT NO.474
SET MAG SPIKE
N: 1078335.119
E: 865482.330
ELEV: 515.30
STA. 82+51.48
56.64' LT HWY. 67



CONTROL POINT NO.475
CUT CROSS
N: 1078005.298
E: 865192.825
ELEV: 514.43
STA. 78+12.81
57.12' LT HWY. 67



CONTROL POINT NO.476
CUT CROSS
N: 1077647.133
E: 865041.262
ELEV: 512.40
STA. 74+43.34
64.89' RT HWY. 67

CONTROL POINT NO.477
SET MAG SPIKE
N: 1077244.855
E: 855.864665
ELEV: 511.29
STA. 68+93.12
47.26' RT HWY. 67



CONTROL POINT NO.478
SET MAG SPIKE
N: 1077021.531
E: 864345.937
ELEV: 514.48
STA. 65+14.59
45.95' LT HWY. 67



CONTROL POINT NO.479
SET MAG SPIKE
N: 1076698.992
E: 864060.555
ELEV: 555.52
STA. 60+83.89
48.26' LT HWY. 67



CONTROL POINT NO.480
CUT CROSS
N: 1076093.410
E: 863675.011
ELEV: 522.41
STA. 53+80.61
72.94' RT HWY. 67



CONTROL POINT NO.481
SET MAG SPIKE
N: 1075610.181
E: 862899.112
ELEV: 523.81
STA. 44+80.16
62.26' LT HWY. 67



CONTROL POINT NO.482
SET MAG SPIKE
N: 1075314.516
E: 862558.143
ELEV: 524.88
STA. 40+28.91
55.47' LT HWY. 67



CONTROL POINT NO.483
SET MAG SPIKE
N: 1074712.073
E: 861789.772
ELEV: 522.93
STA. 30+53.10
89.02' LT HWY. 67



CONTROL POINT NO.484
SET MAG SPIKE
N: 1074124.845
E: 861125.390
ELEV: 520.44
STA. 240+13.95
121.75' LT HWY. 67



CONTROL POINT NO.485
CUT CROSS
N: 1073881.757
E: 860810.507
ELEV: 525.45
STA. 236+23.02
195.36' LT HWY. 67

REFERENCE POINTS
SHEET 2 OF 2

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:26 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	55

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

ALL PROJECT COORDINATES HAVE BEEN PROJECTED FROM THE MISSOURI STATE PLANE COORDINATE (SPC) SYSTEM OF 1983 USING AN AVERAGE PROJECT PROJECTION (GRID TO GROUND) FACTOR. TO GET BACK TO STATE PLANE COORDINATES MULTIPLY THE PROJECT COORDINATES BY THE AVERAGE GRID FACTOR AS SHOWN IN THE "REFERENCE CONTROL INFORMATION" PORTION OF THIS TABLE.

PROJECT COORDINATE INFORMATION	
COORDINATE SYSTEM	MODIFIED MISSOURI STATE PLANE
HORIZONTAL DATUM	NAD 83 (2011)
VERTICAL DATUM	NAVD 88
GEOID MODEL	GEOID 18
ELEVATIONS DETERMINED BY	ST.LOUIS CITY BENCHMARK 4-333
PROJECT PROJECTION FACTOR	1.00008780

REFERENCE CONTROL INFORMATION	
COORDINATE SYSTEM	MO COORDINATE SYSTEM OF 1983
CONTROL STATION	MISSOURI CORS
DESIGNATION	MoDOT BELLEFONT CORS ARP
CORS_ID	MOBL
PID	DM3511
LATITUDE	38°45'53.88149" (N)
LONGITUDE	90°14'43.15784" (W)
NORTHING (M)	-4979765.982
EASTING (M)	-21321.845
ZONE	EAST
PROJECT AVERAGE GRID FACTOR	0.9999122

EXAMPLE OF PROJECT COORDINATE TO S.P.C.

PROJECT NORTHING X AVERAGE GRID FACTOR
= STATE PLANE NORTHING
PROJECT EASTING X AVERAGE GRID FACTOR
= STATE PLANE EASTING

EXAMPLE: CONTROL POINT #12
N 1084297.210 X 0.9999122 = N 1084202.009
E 878396.429 X 0.9999122 = E 878319.306

LINEAR UNIT CONVERSION

1 METER = 3.280833333 US SURVEY FEET (USFT)

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

PROJECT CONTROL POINTS

POINT	MODIFIED STATE PLANE (GROUND) NORTHING (US SURVEY FEET)	MODIFIED STATE PLANE (GROUND) EASTING (US SURVEY FEET)	ELEVATION	DESCRIPTION
12	1084297.210	878396.429	558.54	74IR
13	1083631.097	877455.467	542.11	74SS
14	1082518.459	876029.577	535.85	74IR
15	1081822.784	874809.191	550.32	74IR
16	1080933.482	873522.758	511.73	74IR
17	1079761.324	872017.829	517.9	74IR
18	1079588.344	870748.861	535.41	74CS
19	1079834.378	870108.099	553.77	74IR
20	1080069.452	868802.357	528.28	74IR
21	1080426.799	867683.147	512.32	74CS
22	1079948.884	866800.761	511.67	74SS
23	1078597.637	865852.877	518.02	74IR
24	1077665.041	864913.564	507.87	74IR
25	1076463.883	863993.304	520.57	74IR
26	1075870.521	863243.221	523.21	74SS
27	1074915.870	862248.489	526.04	74IR
28	1074454.379	861482.287	522.2	74IR
29	1073791.287	860698.382	523.84	74IR
450	1083265.448	877116.682	535.14	74SS
451	1083080.257	876652.473	527.19	74SS
452	1082757.022	876397.926	525.8	74MAG SPIKE
453	1082274.075	875658.742	541.28	74IR
454	1081990.407	875256.087	549.2	74SS
455	1081457.086	874466.129	540	74MAG SPIKE
456	1081353.208	874090.571	527.97	74SS
457	1081057.962	873916.549	518.29	74SS
458	1080589.595	873214.747	509.55	74MAG SPIKE
459	1080477.502	872842.411	514.56	74SS
460	1080101.010	872510.760	521.21	74SS
461	1079998.497	872187.096	518	74SS
462	1079686.150	871629.319	520.15	74MAG SPIKE
463	1079487.614	871192.463	530.21	74SS
464	1079701.450	870272.133	553.62	74MAG SPIKE
465	1079874.499	869609.988	532.42	74SS
466	1080079.585	869175.162	520.76	74SS
467	1080256.412	868483.858	521.5	74MAG SPIKE
468	1080376.408	867990.123	508.79	74IR
469	1080249.181	867549.414	510	74MAG SPIKE
470	1080093.306	867156.189	511.02	74MAG SPIKE
471	1079621.205	866539.576	512.96	74SS
472	1079286.840	866252.880	512.46	74MAG SPIKE
473	1078951.828	866158.025	510.97	74MAG SPIKE
474	1078335.119	865482.330	515.3	74MAG SPIKE
475	1078005.298	865192.825	514.43	74SS
476	1077647.133	865041.262	512.4	74SS
477	1077244.855	864665.460	511.29	74MAG SPIKE
478	1077021.531	864345.937	514.48	74MAG SPIKE
479	1076698.992	864060.555	519.074	74MAG SPIKE
480	1076093.410	863675.011	522.41	74SS
481	1075610.181	862899.112	523.81	74MAG SPIKE
482	1075314.516	862558.143	524.88	74MAG SPIKE
483	1074712.073	861789.772	522.93	74MAG SPIKE
484	1074124.845	861125.390	520.44	74MAG SPIKE
485	1073881.757	860810.507	525.45	74SS

COORDINATE POINT LISTING

POINT	STATION	OFFSET (FEET)	MODIFIED STATE PLANE (GROUND) NORTHING (US SURVEY FEET)	MODIFIED STATE PLANE (GROUND) EASTING (US SURVEY FEET)
EXISTING CENTERLINE U.S. ROUTE 67				
POB	230+95.00	0	1073356.9696	860604.9699
POT BK.	236+19.82	0	1073749.0087	860953.8820
POT AHD.	236+19.18	0	1073749.0087	860953.8820
PC	242+18.62	0	1074196.7904	861352.4045
PI	243+84.16	0	1074320.4468	861462.4579
PT BK.	245+49.12	0	1074427.0017	861589.1415
PT AHD.	27+16.06	0	1074427.0017	861589.1415
PC	52+04.27	0	1076028.6377	863493.3345
PI	54+22.62	0	1076169.1900	863660.4378
PT	56+40.11	0	1076333.4431	863804.3106
PC	85+36.75	0	1078512.3919	865712.8979
PI	86+75.12	0	1078616.4724	865804.0642
PT	88+13.42	0	1078724.8321	865890.1004
TS	101+70.99	0	1079788.0251	866734.2624
SC	103+20.99	0	1079903.6280	866829.8084
PI	110+63.55	0	1080487.0412	867289.2724
CS	116+23.62	0	1080306.8464	868009.6945
ST	117+73.62	0	1080273.8972	868156.0072
POT BK.	119+67.95	0	1080227.4915	868344.7131
POT AHD.	120+00.00	0	1080227.4915	868344.7131
POT BK.	124+97.76	0	1080108.6257	868828.0721
POT AHD.	124+07.11	0	1080108.6257	868828.0721
TS BK.	144+24.84	0	1079626.7884	870787.4293
TS AHD.	144+26.05	0	1079626.7884	870787.4293
SC	145+76.05	0	1079593.5192	870933.6746
PI	151+46.37	0	10799454.7759	871486.9060
CS	156+38.00	0	1079781.2985	871954.5573
ST BK.	157+88.00	0	1079864.4297	872079.3922
ST AHD.	157+89.09	0	1079864.4297	872079.3922
PC	193+85.00	0	1081909.4696	875037.1523
PI	195+50.00	0	1082003.3079	875172.8715
PT	197+14.99	0	1082095.8391	875309.4852
PC	203+95.89	0	1082477.6822	875873.2411
PI	206+00.90	0	1082592.6461	876042.9747
PT	208+05.90	0	1082709.6262	876211.3252
POT BK.	208+97.70	0	1082762.0122	876286.7159
POT AHD.	209+00.00	0	1082762.0122	876286.7159
PI	224+66.82	0	1083656.0781	877573.4005
POE	235+28.78	0	1084262.2219	878445.3791

COORDINATE POINTS
SHEET 1 OF 2

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:26 PM
Richard S. Baum
MO PE E-24320

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	56

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

COORDINATE POINT LISTING

POINT	STATION	OFFSET (FEET)	MODIFIED STATE PLANE (GROUND) NORTHING (US SURVEY FEET)	EASTING (US SURVEY FEET)
EXISTING CENTERLINE PATTERSON ROAD				
POB	1+78.46	0	1080628.6007	867694.7403
PC	2+08.61	0	1080603.0893	867678.6720
PI	3+41.81	0	1080490.3807	867607.6826
PT	4+64.94	0	1080357.9694	867622.1723
POE	5+04.36	0	1080318.7833	867626.4604
EXISTING CENTERLINE ST. FERDINAND STREET				
POB	84+00.00	0	1079553.2534	868947.2906
POE	89+37.10	0	1080009.6911	869230.3825
EXISTING CENTERLINE NEW FLORISSANT ROAD				
POB	46+15.14	0	1080325.5590	872746.3278
POE	50+92.60	0	1079848.1172	872742.5372
EXISTING CENTERLINE TROTTERWAY DRIVE				
POB	4+00.00	0	1082541.4265	875967.0201
POE	6+50.00	0	1082334.3900	876107.1484
EXISTING CENTERLINE NEW HALLS FERRY ROAD				
POB	134+00.00	0	1084095.5420	877352.0089
PI	138+92.08	0	1083656.0781	877573.4005
POE	144+66.00	0	1083143.9012	877832.3579
CENTERLINE WOODRIDGE LANE				
POB	0+00.00	0	1080225.5366	872271.5783
POE	2+00.00	0	1080031.8914	872321.5936
CENTERLINE COUGAR DRIVE				
POB	0+00.00	0	1083138.1586	876567.1324
POE	1+50.00	0	1083005.4648	876637.0779
BASELINE COLDWATER CREEK SIDEWALK				
POB	0+00.00	0	1080312.6685	868277.2617
PC	0+79.28	0	1080293.8371	868354.2765
PI	0+86.09	0	1080292.2201	868360.8894
PT	0+92.83	0	1080289.0397	868366.9084
PC	1+22.95	0	1080274.9684	868393.5383
PI	1+38.56	0	1080267.6730	868407.3448
PT	1+49.47	0	1080252.5093	868403.6158
POE	1+87.83	0	1080215.2590	868394.4554

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

COORDINATE POINTS
SHEET 2 OF 2

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:26 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	57

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

RESURFACING LIMITS

(A) 167+52.39, 92.58' LT.	(K) 166+57.16, 59.63' LT.	(U) 165+23.24, 43.46' RT.
(B) 164+60.00, 64.03' RT.	(L) 165+18.94, 29.11' RT.	(V) 165+21.51, 38.74' RT.
(C) 166+86.00, 101.64' LT.	(M) 165+28.53, 27.01' RT.	(W) 165+26.68, 36.18' RT.
(D) 166+95.21, 61.66' LT.	(N) 165+33.63, 26.95' RT.	(X) 163+55.01, 11.06' LT.
(E) 166+90.79, 59.01' LT.	(O) 165+39.26, 28.89' RT.	(Y) 165+29.01, 13.00' LT.
(F) 166+97.76, 57.36' LT.	(P) 165+31.81, 36.01' RT.	(Z) 166+61.00, 0.00' LT.
(G) 166+92.13, 53.98' LT.	(Q) 165+36.30, 36.58' RT.	
(H) 167+06.24, 44.00' LT.	(R) 165+33.03, 41.21' RT.	
(I) 166+49.68, 44.00' LT.	(S) 165+28.84, 40.68' RT.	
(J) 166+54.05, 54.68' LT.	(T) 165+26.40, 47.18' RT.	



DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE

0 20 40 60

SPECIAL SHEET
NEW FLORISSANT INTERSECTION DETAILS
SHEET 1 OF 9

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:26 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	58

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

RESURFACING LIMITS

(A) 187+55.42, 112.65' LT.	(K) 188+22.64, 45.51' LT.	(U) 188+74.84, 40.00' LT.
(B) 189+49.29, 113.09' LT.	(L) 188+21.15, 46.85' LT.	(V) 188+72.84, 43.77' LT.
(C) 188+28.34, 51.75' LT.	(M) 188+24.59, 50.48' LT.	(W) 188+72.84, 48.77' LT.
(D) 188+30.34, 48.78' LT.	(N) 188+26.49, 48.78' LT.	
(E) 188+30.34, 43.78' LT.	(O) 188+74.84, 50.92' LT.	
(F) 188+27.64, 43.78' LT.	(P) 188+76.68, 48.77' LT.	
(G) 188+28.34, 40.00' LT.	(Q) 188+78.18, 50.10' LT.	
(H) 188+27.64, 38.00' LT.	(R) 188+81.59, 46.44' LT.	
(I) 188+22.64, 38.00' LT.	(S) 188+85.52, 40.00' LT.	
(J) 188+16.64, 40.00' LT.	(T) 188+78.58, 43.77' LT.	





DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE

0 20 40 60

SPECIAL SHEET
TARGET ENTRANCE DETAILS
SHEET 2 OF 9

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:27 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	59

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

LEGEND

RESURFACING LIMITS



(A) 223+71.48, 104.31' LT.
(B) 223+80.58, 52.17' LT.
(C) 223+85.56, 70.70' LT.
(D) 224+13.75, 69.99' LT.
(E) 225+27.01, 68.39' LT.
(F) 225+39.27, 61.34' LT.
(G) 225+35.29, 57.44' LT.
(H) 225+43.23, 58.23' LT.
(I) 225+59.43, 43.00' LT.
(J) 225+37.14, 52.25' LT.
(K) 225+37.14, 41.00' LT.
(L) 225+32.14, 41.00' LT.
(M) 225+23.41, 43.00' LT.
(N) 225+32.14, 52.44' LT.
(O) 225+22.73, 52.44' LT.
(P) 225+23.44, 57.44' LT.
(Q) 225+57.79, 75.17' RT.
(R) 223+79.39, 84.50' RT.

SCALE
0 20 40 60

SPECIAL SHEET
NEW HALLS FERRY INTERSECTION DETAILS
SHEET 3 OF 9

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:27 PM
Richard S. Baum
MO PE E-24320

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DESCRIPTION	DATE

DATE PREPARED: 28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	60

COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

SCALE
0 10 20 30

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.



SECTION A-A





COLDWATER CREEK SIDEWALK PROFILE

SPECIAL SHEET
COLDWATER CREEK
SIDEWALK DETAILS
SHEET 4 OF 9

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:27 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	61

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. SEE STANDARD DRAWING 608.10 "CONCRETE SIDEWALK" FOR ADDITIONAL INFORMATION.
2. ALL SIDEWALKS TO BE CONSTRUCTED SHALL HAVE 4 IN. OF TYPE 5 AGGREGATE FOR BASE.
3. ANY EARTHWORK REQUIRED TO PLACE THE CONCRETE SIDEWALK AND AGGREGATE BASE SHALL BE CONSIDERED INCIDENTAL TO THE COST OF THE TYPE 5 AGGREGATE FOR BASE (4 IN. THICK).



SIDEWALK DETAIL

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

NOTES:

1. SEE STANDARD DRAWING 609.00 "CONCRETE CURB, CURB AND GUTTER, AND GUTTER" FOR ADDITIONAL INFORMATION.



* LAP LENGTHS = 8"
(PER MoDOT STANDARD DRAWING 609.00R)

CONCRETE CURB
(18 IN. MAX. HEIGHT)
TYPE S

SPECIAL SHEET
MISCELLANEOUS DETAILS
SHEET 5 OF 9

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:27 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	62

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

PEDESTRIAN CURB RAMP PAY LIMITS



TYPE 1 PARALLEL

THE LENTH OF THIS RAMP SHALL BE MEASURED
ON THE INSIDE/SHORT SIDE OF THE CURVE



TYPE 2 PARALLEL



TYPE 3 PARALLEL



SMALL RADIUS PERPENDICULAR



COMPOUND PERPENDICULAR



DUAL PERPENDICULAR
PAY AS 2 EACH



LARGE RADIUS PERPENDICULAR



BLENDED TRANSITION
PAY AS 2 EACH

Notes -
15 FEET OF WALKWAY SHALL BE INCLUDED IN CURB RAMP PAY, PER EACH, AS SHOWN.

L - LANDING OR CLEAR AREA FOR TURNING MOVEMENTS AND RESTS.
R - PAY AS RAMP
S - PAY AS SIDEWALK.

SEE JSP FOR OTHER INCIDENTALS INCLUDED IN CURB RAMP PAY.
SEE STANDARD PLANS 608 SERIES FOR DIMENTIONS, GRADES, AND OTHER REQUIREMENTS.
CONTRACTOR WILL HAVE OPTION TO CONSTRUCT RAMP WITH FLARE OR CURB FOR CERTAIN RAMPS ABOVE.

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SPECIAL SHEET
ADA CURB RAMPS
SHEET 6 OF 9

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:27 PM
Richard S. Baum
MO PE E-24320

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 63
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704



TYPE 1 IMPROVEMENT

NONE



SECTION C–C

SCALE: NONE

PLAN VIEW

SCALE: NONE

TYP. SIGN & POST DETAIL

SCALE: NONE



TYPE 2 IMPROVEMENT

NONE



TYPE 3 IMPROVEMENT

NONE



SECTION A–A

NONE



SECTION B–B

NONE

GENERAL NOTES:

1. NEW CONCRETE BUS STOP PAD:

   1A. DIMENSIONS: BUS STOP BOARDING AND ALIGHTING AREAS SHALL PROVIDE A CLEAR LENGTH OF 8'–0" MINIMUM, MEASURED PERPENDICULAR TO THE CURB OR VEHICLE ROADWAY EDGE, AND 7'–0" (METRO PREFERRED ONLY 5'–0" REQUIRED) MINIMUM MEASURED PARALLEL TO THE VEHICLE ROADWAY.

   1B. SLOPE: PARALLEL TO THE ROADWAY, THE SLOPE OF THE BUS STOP BOARDING AND ALIGHTING AREA SHALL BE THE SAME AS THE ROADWAY, TO THE MAXIMUM EXTENT PRACTICABLE. PERPENDICULAR TO THE ROADWAY, THE SLOPE OF THE BUS STOP BOARDING AND ALIGHTING AREA SHALL NOT BE STEEPER THAN 2% MAX.

2. MODIFY EXISTING SIDEWALK SLOPE AS REQUIRED TO COMPLY WITH LOCAL CODES TO MEET WITH NEW BUS STOP PAD TO NEAREST SIDEWALK JOINT. RAMP REQUIREMENT WILL BE CONFIRMED BY METRO PROJECT MANAGER AT EACH LOCATION AND WORK WILL BE ADDED TO CONTRACT BASED ON BID UNIT PRICES.
3. 1/2" X 4" FIBER EXPANSION JOINTS TO BE INSTALLED AT EDGES OF NEW AND OLD CONCRETE, INCIDENTAL TO THE WORK. TO BE INSTALLED 1/4" BELOW THE TOP OF SIDEWALK.
4. ALL FULL DEPTH SAW CUTS TO BE MADE AT EXISTING SIDEWALK JOINTS AND CURBS (INCIDENTAL TO WORK).
5. CONTRACTOR TO COMPLETE TOP SOIL BACKFILL, COMPACTION, FINISH GRADING, AND SEEDING/SODDING.
6. DO NOT PLACE CONCRETE ANCHORS FOR BENCH OR SIGN POST LESS THAN SIX (6) INCHES FROM EDGE OF CONCRETE.
7. ALL NEW CONCRETE SIDEWALK SLABS WILL BE 4" THICK, BUS STOP PADS 6" THICK. BUS SHELTER PADS TO HAVE W6 X W6 WELDED WIRE FABRIC SUPPORTED BY EITHER CONTINUOUS CHAIRS OR BOLSTERS WITH A MAXIMUM DIMENSION SPACING OF 3 FEET. BRICKS OR PAVERS ARE NOT PERMITTED TO SUPPORT THE WELDED WIRE FABRIC.
8. COORDINATE WITH OWNER PROJECT MANAGER FOR SIGN PLACEMENT.
9. NO OBSTRUCTIONS IN REQUIRED 5' X 8' LANDING PAD E.G. TRASH CAN, PLANTERS, ETC.
10. DRIVING LANE WIDTH FOR SAFE BUS TRAVEL IS MINIMUM OF 10' BUT METRO PREFERS 11'–12' LANES TO MAXIMIZE SAFETY.
11. PLEASE REFER TO METRO SUPPLEMENT DOCUMENTS: LOCATION BUS STOP ZONES; TYPES BUS STOP ZONES AND BUS DIMENSIONS.

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

REV	DATE	BY	APP.	DESCRIPTION

DESIGNED:
DRAWN: BSK
CHECKED: TFN
APPROVED:
DATE:

DATE:

DISCLAIMER OF RESPONSIBILITY

I hereby specify that the documents intended to be authenticated by my seal are limited to this sheet, and I hereby disclaim any responsibility for all other Drawings, Specifications, Estimates, Reports or other documents or instruments relating to or intended to be used for any part of the architectural or engineering project or survey.

SIMME BENCH
METROBUS STOP
DETAILS

A Bi-State Development Enterprise

Metro®
211 N. Broadway | Suite 700 | St. Louis, MO | 63102-2595
314 - 982 - 1400 | metrostlouis.org

SIMME BENCH
METRO BUS STOP
ADA LANDING PAD
DETAILS

REFERENCE
09/08/25
CONTRACT NO.
NONE
FILENAME
SIMME BENCH DETAILS
SHEET NO.
DETAIL "A–1"

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:27 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	64

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

SPECIAL SHEET
METRO BUS STOP WITH SIMME BENCH
SHEET 7 OF 9



TYPE 1 IMPROVEMENT

SCALE: NONE (EXIST. SIDEWALK SET BACK FROM CURB)

* EXACT LOCATIONS PROVIDED IN SUPPLEMENTAL INFORMATION (TYP)



TYPE 2 IMPROVEMENT

SCALE: NONE (EXIST. SIDEWALK AT STREET CURB)

* EXACT LOCATIONS PROVIDED IN SUPPLEMENTAL INFORMATION (TYP)



TYPE 1A IMPROVEMENT

SCALE: NONE (EXIST. 5' WIDE SIDEWALK)

* EXACT LOCATIONS PROVIDED IN SUPPLEMENTAL INFORMATION (TYP)



TYP. SIGN & POST DETAIL

SCALE: NONE



GENERAL NOTES:

1. NEW CONCRETE BUS STOP PAD:
   - 1A. DIMENSIONS: BUS STOP BOARDING AND ALIGHTING AREAS SHALL PROVIDE A CLEAR LENGTH OF 8'-0" MINIMUM, MEASURED PERPENDICULAR TO THE CURB OR VEHICLE ROADWAY EDGE, AND 7'-0" (METRO PREFERRED ONLY 5'-0" REQUIRED) MINIMUM MEASURED PARALLEL TO THE VEHICLE ROADWAY.
   - 1B. SLOPE: PARALLEL TO THE ROADWAY, THE SLOPE OF THE BUS STOP BOARDING AND ALIGHTING AREA SHALL BE THE SAME AS THE ROADWAY, TO THE MAXIMUM EXTENT PRACTICABLE. PERPENDICULAR TO THE ROADWAY, THE SLOPE OF THE BUS STOP BOARDING AND ALIGHTING AREA SHALL NOT BE STEEPER THAN 2% MAX.
2. MODIFY EXISTING SIDEWALK SLOPE AS REQUIRED TO COMPLY WITH LOCAL CODES TO MEET WITH NEW BUS STOP PAD TO NEAREST SIDEWALK JOINT. RAMP REQUIREMENT WILL BE CONFIRMED BY METRO PROJECT MANAGER AT EACH LOCATION AND WORK WILL BE ADDED TO CONTRACT BASED ON BID UNIT PRICES.
3. ALL FULL DEPTH SAW CUTS TO BE MADE AT EXISTING SIDEWALK JOINTS.
4. CONTRACTOR TO COMPLETE TOP SOIL BACKFILL, COMPACTION, FINISH GRADING, AND SEEDING/SODDING.
5. DO NOT PLACE CONCRETE ANCHORS FOR BENCH OR SIGN POST LESS THAN SIX (6) INCHES FROM EDGE OF CONCRETE.
6. ALL NEW CONCRETE SIDEWALK SLABS WILL BE 4" THICK, BUS STOP PADS 6" THICK.
7. SEE ST. LOUIS COUNT STANDARD DRAWING C902.20 "METROBUS STOP/NO PARKING SIGN INSTALLATION" FOR SIGN PLACEMENT.
8. NO OBSTRUCTIONS IN REQUIRED 5' X 8' LANDING PAD E.G. TRASH CAN, PLANTERS, ETC.
9. DRIVING LANE WIDTH FOR SAFE BUS TRAVEL IS MINIMUM OF 10' BUT METRO PREFERS 11'-12' LANES TO MAXIMIZE SAFETY.
10. PLEASE REFER TO METRO SUPPLEMENT DOCUMENTS: LOCATION BUS STOP ZONES; TYPES BUS STOP ZONES AND BUS DIMENSIONS.

REV	DATE	BY	APP.	DESCRIPTION

DESIGNED: DS
DRAWN: --
CHECKED: DS
APPROVED: JLH
DATE:

DATE:

DISCLAIMER OF RESPONSIBILITY

I hereby specify that the documents intended to be authenticated by my seal are limited to this sheet, and I hereby disclaim any responsibility for all other Drawings, Specifications, Estimates, Reports or other documents or instruments relating to or intended to be used for any part of the architectural or engineering project or survey.

ADA MISSOURI METROBUS STOP DETAILS

A Bi-State Development Enterprise

Metro®
211 N. Broadway | Suite 700 | St. Louis, MO | 63102-2595
314 - 982 - 1400 | metrostlouis.org

ADA ENHANCEMENT METRO BUS STOP WITH BENCH ONLY DETAILS

REFERENCE
05/15/23
CONTRACT NO.
NONE
FILENAME
MO-ADA BUS STOP 2
SHEET NO.
DETAIL "A-2"

SPECIAL SHEET
METRO BUS STOP WITH BENCH
SHEET 8 OF 9

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:27 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	64A

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.



PLAN OF FLAT SLAB MANHOLE TOP

NOTE: INSTALL TAR PAPER BETWEEN FRAME & COVER AND THE NEW CONCRETE MANHOLE APRON AS DIRECTED BY THE ENGINEER.

WHEN P=8", F=9",
WHEN P=9" OR 10", F=10".

REINFORCED CONCRETE MANHOLE APRON



FLAT SLAB MANHOLE TOP (PAVED AREA)
SECTION B-B



FLAT SLAB MANHOLE TOP (PAVED AREA) W/ ADJUSTMENT RINGS NEXT TO ASPHALT OVERLAY
SECTION B-B



SECTION B-B
APRON REINFORCEMENT DETAIL



FOR MANHOLE APRON
BENDING DIAGRAM FOR B-BARS

(1) PROVIDE MIN. 4.75" CLEARANCE BETWEEN REINFORCING & MANHOLE FRAME & COVER OR CIRCULAR PRECAST MANHOLE.



TOP VIEW OF MANHOLE APRON WITH REINFORCEMENT

NOTE: INSTALL 'C' BARS VERTICALLY INTO MANHOLE APRON CONCRETE. PROVIDE MIN. 1.5" CLEARANCE FROM TOP OF PAVEMENT & BOTTOM OF APRON. LENGTH OF 'C' BARS FOR 'F' DIMENSION SHALL BE 6". BAR LENGTH MAY VARY. 'C' BARS SHALL BE TIED TO 'A' REINFORCEMENT. 'B' BARS SHALL BE TIED TO 'A' REINFORCEMENT. 'A' BAR REINFORCEMENT SHALL HAVE 1.5" CLEARANCE TO EDGE OF APRON.

GENERAL NOTES:

1. IF MANHOLE STRUCTURE DOES NOT HAVE FRAME & COVER BUT INSTEAD THE ENTIRE STRUCTURE REACHES THE TOP OF ROADWAY, THEN THIS SHEET SHALL NOT BE USED.
2. THIS SHEET SHALL TYPICALLY BE USED WHERE THE MANHOLE FRAME & COVER NEED TO BE RAISED TO GRADE, BUT CAN BE USED FOR NEW STRUCTURES AS WELL, PARTICULARLY FOR STRUCTURES INSTALLED WITHIN ASPHALT PAVEMENT.
3. THE CONTRACTOR SHALL USE 2 LAYERS OF 'A' & 'B' BAR REINFORCEMENT AS LONG AS 'F' THICKNESS NOTED ABOVE IS GREATER THAN OR EQUAL TO 9".
4. PAYMENT FOR REINFORCED CONCRETE MANHOLE APRON SHALL BE MADE PER EACH AND SHALL INCLUDE ALL NECESSARY REINFORCEMENT AND SAW CUTS OF EXISTING OR PROPOSED PAVEMENT.
5. MIN. DIMENSIONS OF 'A' AND 'B' IS THE FOLLOWING: 12" WALL + MANHOLE (INCLUDING WALL THICKNESS) + 12".
6. CONTRACTOR SHALL PROVIDE EITHER A SQUARE OR RECTANGLE SHAPED FULL DEPTH SAWCUT AROUND THE CONCRETE MANHOLE APRON AFTER CONSTRUCTION. THE MIN. WIDTH SHALL BE 12" BUT MAY VARY. THE CONTRACTOR SHALL NOT DO A CIRCULAR SAWCUT AROUND THE REINFORCED CONCRETE MANHOLE APRON.
7. CONCRETE USED FOR MANHOLE APRON SHALL BE THE SAME AS THAT USED FOR FULL DEPTH PAVEMENT REPAIRS. PLEASE SEE SECTION 613.10 OF THE STANDARD SPECIFICATIONS FOR ADDITIONAL DETAILS. CONTRACTOR MAY BE ALLOWED TO USE HIGH EARLY STRENGTH CONCRETE, WITH APPROVAL FROM THE ENGINEER.
8. THE CONTRACTOR SHALL RAISE THE MANHOLE FRAME & COVER USING CONCRETE RINGS AND APPROVED MECHANICAL ADJUSTMENT DEVICES TO FINISH GRADE MATCHING PROFILE AND CROSS SLOPE.
9. REINFORCING BARS IN PAVEMENT SHALL BE EPOXY COATED AND SECURELY TIED TOGETHER AND FASTENED TO AVOID ANY POSSIBLE DISPLACEMENT DURING THE PLACING OF CONCRETE.
10. NO DIRECT PAYMENT WILL BE MADE FOR PROVIDING, CUTTING OR BENDING REINFORCING STEEL.
11. THE CONTRACTOR SHALL SEAL JOINTS FORMED BETWEEN THE INTERFACE OF THE NEW APRON AND THE ASPHALT PAVEMENT ALONG WITH JOINTS CREATED BY THE OVERCUT OF SAWING FOR THE REMOVAL OF PAVEMENT. SEE JSP - 'SANITARY MANHOLE ADJUST TO GRADE' FOR ADDITIONAL INFORMATION.

REINFORCED CONCRETE MANHOLE APRON



ALTERNATE MANHOLE TOP

SPECIAL SHEET
CONCETE MANHOLE APRON
SHEET 9 OF 9

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:27 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	65

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

BEGIN/END OF PROJECT SIGNING - DE/CM & MT
GENERAL NOTES



NOT TO SCALE



GO20-1

(2a)



CONST-8

(3)

(4)



GO20-2

(4)

CONST-5

(5)

(2) (3)

NOTES:

SIGN GO20-1 IS REQUIRED FOR ALL PROJECTS WITH TEMPORARY TRAFFIC CONTROL LONGER THAN 2 MILES.

SIGN GO20-2 IS USED ON ALL PROJECTS WHERE SIGN GO20-1 IS USED.

OTHER SIGNS SUCH AS DETOUR OR ALTERNATE ROUTE SIGNING MAY BE USED OUTSIDE THE PROJECT LIMITS.

ANY EXISTING SIGNING THAT CONFLICTS WITH THE TRAFFIC CONTROL SIGNING SHALL BE COMPLETELY COVERED OR REMOVED.

(1) DISTANCE MAY BE ADJUSTED ACCORDING TO FIELD CONDITIONS WHERE TRAFFIC BACKUPS ARE EXPECTED BEYOND THE ADVANCE WARNING AREA. ADDITIONAL SIGNING MAY BE NEEDED.

(2) CONST-5-96 OR CONST-5-48 SIGN IS PLACED IN A VISIBLE AREA WITHIN THE PROJECT LIMITS PROVIDED ITS PLACEMENT DOES NOT DISRUPT A SEQUENCE OF SIGNS. IF A VISIBLE LOCATION WITHIN THE PROJECT IS NOT AVAILABLE, THE SIGN MAY BE PLACED 500 FEET BEFORE SIGN CONST-7-72 OR CONST-7-48.

(3) THE "POINT OF PRESENCE" SIGN IS AVAILABLE IN TWO SIZES DEPENDING ON ROADWAY CONDITIONS. THE 48 IN. X 36 IN. SIGN IS USED ON LOW VOLUME ROUTES THAT CARRY 400 AADT OR LESS. ON PROJECTS THAT HAVE A DURATION OF 4 WEEKS OR LESS OR IN URBAN AREAS WHERE THERE IS INSUFFICIENT LIGHTS OF WAY FOR A EIGHT FOOT WIDE SIGN. THE 96 IN. X 48 IN. VERSION OF THE SIGN IS USED IN ALL OTHER APPLICATIONS, BUT CAN ALSO BE USED IN PLACE OF THE 48 IN. X 36 IN. SIGN IF ADDED EMPHASIS IS DEEMED NECESSARY.

(4) THE "WORK ZONE NO PHONE ZONE" SIGN IS PLACED A MINIMUM OF 500 FEET BEFORE THE ROAD WORK AHEAD SIGN.

GENERAL NOTES:

1. TRAFFIC CONTROL QUANTITIES ASSUME 2 SIGNALIZED INTERSECTIONS WILL BE CONSTRUCTED CONCURRENTLY.
2. TRAFFIC CONTROL QUANTITIES ASSUME 2 BLOCKS ON EACH SIDE OF SIDEWALK WILL BE CONSTRUCTED CONCURRENTLY. A BLOCK IS CONSIDERED FROM SIGNALIZED INTERSECTION TO SIGNALIZED INTERSECTION. CONSECUTIVE BLOCKS SHALL NOT BE CONSTRUCTED CONCURRENTLY.
3. TRAFFIC CONTROL QUANTITIES ASSUME A LANE CLOSURE WITH TEMPORARY BARRIER WILL BE REQUIRED FOR THE WIDENING FROM RAMP 2 TO ELM GROVE LANE.

TRAFFIC CONTROL
TYPICAL APPLICATION
SHEET 1 OF 12

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:27 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED	28-JAN-2026
ROUTE	67
STATE	MO
DISTRICT	SL
SHEET NO.	66
COUNTY	ST. LOUIS
JOB NO.	J6S3625C
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

STATIONARY LANE CLOSURE WITH A TWO-WAY LEFT TURN LANE
(TWO-WAY LEFT TURN LANE CLOSURE)



TRAFFIC CONTROL LEGEND

- SIGN (SINGLE SIDED)
- CHANNELIZER (TRIM-LINE)
- WORK AREA
- PROTECTIVE VEHICLE

W020-1

2

W020-6a

6b

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

NOTES:

ROAD WORK AHEAD SIGN NOT NEEDED IF WORK IS LOCATED WITHIN THE LIMITS OF AN ACTIVITY AREA WHERE ANOTHER ROAD WORK AHEAD SIGN IS ALREADY IN USE.

VEHICLE-MOUNTED SIGNS SHALL BE MOUNTED IN A MANNER SUCH THAT THEY ARE NOT OBSCURED BY EQUIPMENT OR SUPPLIES. SIGN LEGENDS ON VEHICLE-MOUNTED SIGNS SHALL BE COVERED OR TURNED FROM VIEW WHEN ROAD WORK IS NOT IN PROGRESS.

VEHICLE HAZARD WARNING SIGNALS SHALL NOT BE USED INSTEAD OF THE VEHICLE'S ROTATING LIGHTS OR STROBE LIGHTS.

SHADOW AND WORK VEHICLES SHALL DISPLAY HIGH-DENSITY ROTATING, FLASHING, OSCILLATING, OR STROBE LIGHTS.

SPEED	SIGN SPACING (ft.)	TAPER LENGTH (ft.)		OPTIONAL	CHANNELIZER SPACING (ft.)	
PERM. POSTED (MPH)	UN-DIVIDED (S) (3)	SHOULDER (1) (T1)	LANE (2) (T2)	BUFFER LENGTH (ft) (B)	TAPERS	BUFFER/ WORK AREAS
0-35	200	-	-	250	-	40
40-45	350	-	-	360	-	80
50-55	500	-	-	495	-	80
60-70	1000	-	-	730	-	120

1. Shoulder taper length based on 10 ft. (standard shoulder width) offset.
2. Lane taper length based on 12 ft. (standard lane width) offset.
3. For urban low speed (less than 45 MPH) minimum recommended spacing in MUTCD is 100 ft.

NOT TO SCALE

TRAFFIC CONTROL
TYPICAL APPLICATION (TA-30STWLTL)
SHEET 2 OF 12

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:27 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 67
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

STATIONARY LANE CLOSURE ON MULTI-LANE HIGHWAY
(RIGHT LANE)



W020-1

(2)

W020-5

(5)

W04-1aL

(6A)

TRAFFIC CONTROL LEGEND

- SIGN (SINGLE SIDED)
- DIRECTIONAL INDICATOR BARRICADE
- CHANNELIZER (TRIM-LINE)
- WORK AREA
- PROTECTIVE VEHICLE
- FLASHING ARROW PANEL

NOTES:

ROAD WORK AHEAD SIGN NOT NEEDED IF WORK IS LOCATED WITHIN THE LIMITS OF AN ACTIVITY AREA WHERE ANOTHER ROAD WORK AHEAD SIGN IS ALREADY IN USE.

VEHICLE-MOUNTED SIGNS SHALL BE MOUNTED IN A MANNER SUCH THAT THEY ARE NOT OBSCURED BY EQUIPMENT OR SUPPLIES. SIGN LEGENDS ON VEHICLE-MOUNTED SIGNS SHALL BE COVERED OR TURNED FROM VIEW WHEN ROAD WORK IS NOT IN PROGRESS.

VEHICLE HAZARD WARNING SIGNALS SHALL NOT BE USED INSTEAD OF THE VEHICLE'S ROTATING LIGHTS OR STROBE LIGHTS.

SHADOW AND WORK VEHICLES SHALL DISPLAY HIGH-DENSITY ROTATING, FLASHING, OSCILLATING, OR STROBE LIGHTS.

REMOVE AND/OR MODIFY ANY EXISTING PAVEMENT MARKING AS NEEDED.

SPEED	SIGN SPACING (ft.)	TAPER LENGTH (ft.)		OPTIONAL	CHANNELIZER SPACING (ft.)	
PERM. POSTED (MPH)	UN-DIVIDED (S) (3)	SHOULDER (1) (T1)	LANE (2) (T2)	BUFFER LENGTH (ft) (B)	TAPERS	BUFFER/ WORK AREAS
0-35	200	70	245	250	35	40
40-45	350	150	540	360	40	80
50-55	500	185	660	495	50	80
60-70	1000	235	840	730	60	120

1. Shoulder taper length based on 10 ft. (standard shoulder width) offset.
2. Lane taper length based on 12 ft. (standard lane width) offset.
3. For urban low speed (less than 45 MPH) minimum recommended spacing in MUTCD is 100 ft.

NOT TO SCALE

TRAFFIC CONTROL
TYPICAL APPLIATION (TA-33S)
SHEET 3 OF 12

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:28 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 68
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

STATIONARY LANE CLOSURE ON MULTI-LANE HIGHWAY
(LEFT LANE)



W020-1

(2)

W020-5

(5)

W020-6a

(6)

TRAFFIC CONTROL LEGEND

- SIGN (SINGLE SIDED)
- DIRECTIONAL INDICATOR BARRICADE
- CHANNELIZER (TRIM-LINE)
- WORK AREA
- PROTECTIVE VEHICLE
- FLASHING ARROW PANEL

NOTES:

ROAD WORK AHEAD SIGN NOT NEEDED IF WORK IS LOCATED WITHIN THE LIMITS OF AN ACTIVITY AREA WHERE ANOTHER ROAD WORK AHEAD SIGN IS ALREADY IN USE.

VEHICLE-MOUNTED SIGNS SHALL BE MOUNTED IN A MANNER SUCH THAT THEY ARE NOT OBSCURED BY EQUIPMENT OR SUPPLIES. SIGN LEGENDS ON VEHICLE-MOUNTED SIGNS SHALL BE COVERED OR TURNED FROM VIEW WHEN ROAD WORK IS NOT IN PROGRESS.

VEHICLE HAZARD WARNING SIGNALS SHALL NOT BE USED INSTEAD OF THE VEHICLE'S ROTATING LIGHTS OR STROBE LIGHTS.

SHADOW AND WORK VEHICLES SHALL DISPLAY HIGH-DENSITY ROTATING, FLASHING, OSCILLATING, OR STROBE LIGHTS.

REMOVE AND/OR MODIFY ANY EXISTING PAVEMENT MARKING AS NEEDED.

SPEED	SIGN SPACING (ft.)	TAPER LENGTH (ft.)		OPTIONAL	CHANNELIZER SPACING (ft.)	
PERM. POSTED (MPH)	UN-DIVIDED (S) (3)	SHOULDER (1) (T1)	LANE (2) (T2)	BUFFER LENGTH (ft) (B)	TAPERS	BUFFER/ WORK AREAS
0-35	200	70	245	250	35	40
40-45	350	150	540	360	40	80
50-55	500	185	660	495	50	80
60-70	1000	235	840	730	60	120

1. Shoulder taper length based on 10 ft. (standard shoulder width) offset.
2. Lane taper length based on 12 ft. (standard lane width) offset.
3. For urban low speed (less than 45 MPH) minimum recommended spacing in MUTCD is 100 ft.

NOT TO SCALE

TRAFFIC CONTROL
TYPICAL APPLICATION (TA-33S)
SHEET 4 OF 12

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:28 PM
Richard S. Baum
MO PE E-24320

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 69
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

MOBILE OPERATION ON MULTI-LANE HIGHWAY

TRAFFIC CONTROL LEGEND

- WORK VEHICLE
- TMA (TRUCK MOUNTED ATTENUATOR)
- FLASHING ARROW PANEL

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

LEFT LANE CLOSED



RIGHT LANE CLOSED

SPEED	SPACING LENGTH (ft.)
PERM. POSTED (MPH)	SPACING (T2)
0-35	245
40-45	540
50-55	660
60-70	840



NOT TO SCALE

TRAFFIC CONTROL
TYPICAL APPLICATION (TA-35M)
SHEET 5 OF 12

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:28 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 70
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

STATIONARY CENTER LANE CLOSURE AT INTERSECTION
WORK ON NEAR OR FAR SIDE



SPEED	SIGN SPACING (ft.)	TAPER LENGTH (ft.)		OPTIONAL	CHANNELIZER SPACING (ft.)	
PERM. POSTED (MPH)	UN-DIVIDED (S) (3)	SHOULDER (1) (T1)	LANE (2) (T2)	BUFFER LENGTH (ft) (B)	TAPERS	BUFFER/ WORK AREAS
0-35	200	70	245	250	35	40
40-45	350	150	540	360	40	80
50-55	500	185	660	495	50	80
60-70	1000	235	840	730	60	120

1. Shoulder taper length based on 10 ft. (standard shoulder width) offset.
2. Lane taper length based on 12 ft. (standard lane width) offset.
3. For urban low speed (less than 45 MPH) minimum recommended spacing in MUTCD is 100 ft.

G20-5aP
54

R2-1
4

W020-1
2

W020-5
5

W020-6a
6

R2-1
(NORMAL SPEED)
25

TRAFFIC CONTROL LEGEND

- SIGN (SINGLE SIDED)
- CHANNELIZER (TRIM-LINE)
- DIRECTIONAL INDICATOR BARRICADES (DIBS)
- WORK AREA
- FLASHING ARROW PANEL
- TYPE 3 BARRICADE

NOTES:

REMOVE AND/OR MODIFY EXISTING PAVEMENT MARKING AS NEEDED.

FOR SIGNALIZED INTERSECTIONS, ADJUSTMENTS MAY NEED TO BE MADE TO SIGNAL PHASING,TIMING, INDICATIONS OR DETECTOR SETTINGS.

FOR SHORT TERM OPERATION, WHERE IT IS NOT FEASIBLE TO MODIFY PAVEMENT MARKING, A 10-FEET DEVICE SPACING IS USED WHERE TRAFFIC IS GUIDED ACROSS DOUBLE YELLOW LINES OR OTHER CONFLICTING PAVEMENT MARKING. ALL OTHER SPACING ARE ONE-HALF OF THE SPACING.

TEMPORARY PAVEMENT MARKING REQUIRED WITH LONG TERM LANE CLOSURES.

PAVEMENT MARKING AND BARRICADES OPTIONAL FOR SHORT TERM OPERATIONS.

(3) CENTER LANE CLOSED AHEAD SIGN MAY BE OMITTED IN LOW SPEED URBAN AREAS WHERE THERE IS NOT SUFFICIENT SPACE FOR THE FULL SIGN SERIES.

NOT TO SCALE

TRAFFIC CONTROL
TYPICAL APPLICATION (TA-21S)
SHEET 6 OF 12

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:28 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 71
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

STATIONARY RIGHT LANE CLOSURE AT INTERSECTION
WORK ON NEAR OR FAR SIDE



NOTES:

REMOVE AND/OR MODIFY EXISTING PAVEMENT MARKING AS NEEDED.

FOR SIGNALIZED INTERSECTIONS, ADJUSTMENTS MAY NEED TO BE MADE TO SIGNAL PHASING, TIMING, INDICATIONS OR DETECTOR SETTINGS.

FOR SHORT TERM OPERATION, WHERE IT IS NOT FEASIBLE TO MODIFY PAVEMENT MARKING, A 10-FEET DEVICE SPACING IS USED WHERE TRAFFIC IS GUIDED ACROSS DOUBLE YELLOW LINES OR OTHER CONFLICTING PAVEMENT MARKING. ALL OTHER SPACING ARE ONE-HALF OF THE SPACING.

TEMPORARY PAVEMENT MARKING REQUIRED WITH LONG TERM LANE CLOSURES.

PAVEMENT MARKING AND BARRICADES OPTIONAL FOR SHORT TERM OPERATIONS.

RIGHT LANE CLOSED AHEAD SIGN MAY BE OMITTED IN LOW SPEED URBAN AREAS WHERE THERE IS NOT SUFFICIENT SPACE FOR HTE FULL SIGN SERIES.



SPEED	SIGN SPACING (ft.)	TAPER LENGTH (ft.)		OPTIONAL	CHANNELIZER SPACING (ft.)	
PERM. POSTED (MPH)	UN-DIVIDED (S) (3)	SHOULDER (1) (T1)	LANE (2) (T2)	BUFFER LENGTH (ft) (B)	TAPERS	BUFFER/ WORK AREAS
0-35	200	70	245	250	35	40
40-45	350	150	540	360	40	80
50-55	500	185	660	495	50	80
60-70	1000	235	840	730	60	120

1. Shoulder taper length based on 10 ft. (standard shoulder width) offset.
2. Lane taper length based on 12 ft. (standard lane width) offset.
3. For urban low speed (less than 45 MPH) minimum recommended spacing in MUTCD is 100 ft.

TRAFFIC CONTROL LEGEND

- SIGN (SINGLE SIDED)
- CHANNELIZER (TRIM-LINE)
- WORK AREA
- FLASHING ARROW PANEL

NOT TO SCALE

TRAFFIC CONTROL
TYPICAL APPLICATION (TA-22S)
SHEET 7 OF 12

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:28 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	72

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

STATIONARY LEFT LANE CLOSURE AT INTERSECTION
WORK ON NEAR OR FAR SIDE



SPEED	SIGN SPACING (ft.)	TAPER LENGTH (ft.)		OPTIONAL	CHANNELIZER SPACING (ft.)	
PERM. POSTED (MPH)	UN-DIVIDED (S) (3)	SHOULDER (1) (T1)	LANE (2) (T2)	BUFFER LENGTH (ft) (B)	TAPERS	BUFFER/ WORK AREAS
0-35	200	70	245	250	35	40
40-45	350	150	540	360	40	80
50-55	500	185	660	495	50	80
60-70	1000	235	840	730	60	120

1. Shoulder taper length based on 10 ft. (standard shoulder width) offset.
2. Lane taper length based on 12 ft. (standard lane width) offset.
3. For urban low speed (less than 45 MPH) minimum recommended spacing in MUTCD is 100 ft.

TRAFFIC CONTROL LEGEND

- SIGN (SINGLE SIDED)
- CHANNELIZER (TRIM-LINE)
- DIRECTIONAL INDICATOR BARRICADES (DIBS)
- WORK AREA
- FLASHING ARROW PANEL
- TYPE 3 BARRICADE

G020-5aP
54

R2-1
4

W020-1
2

W020-5
5

W020-6a
6

R2-1
(NORMAL SPEED)
25

R3-7L
45

NOTES:

REMOVE AND/OR MODIFY EXISTING PAVEMENT MARKING AS NEEDED.

FOR SIGNALIZED INTERSECTIONS, ADJUSTMENTS MAY NEED TO BE MADE TO SIGNAL PHASING,TIMING, INDICATIONS OR DETECTOR SETTINGS.

FOR SHORT TERM OPERATION, WHERE IT IS NOT FEASIBLE TO MODIFY PAVEMENT MARKING, A 10-FEET DEVICE SPACING IS USED WHERE TRAFFIC IS GUIDED ACROSS DOUBLE YELLOW LINES OR OTHER CONFLICTING PAVEMENT MARKING. ALL OTHER SPACING ARE ONE-HALF OF THE SPACING.

TEMPORARY PAVEMENT MARKING REQUIRED WITH LONG TERM LANE CLOSURES.

PAVEMENT MARKING AND BARRICADES OPTIONAL FOR SHORT TERM OPERATIONS.

(3) LEFT LANE CLOSED AHEAD SIGN MAY BE OMITTED IN LOW SPEED URBAN AREAS WHERE THERE IS NOT SUFFICIENT SPACE FOR THE FULL SIGN SERIES.

(4) THE FLASHING ARROW PANEL SHOULD BE LOCATED AT THE BEGINNING OF THE MERGING TAPER WHEN MEDIAN WIDTH ALLOWS THIS PLACEMENT.

NOT TO SCALE

TRAFFIC CONTROL
TYPICAL APPLICATION (TA-23S)
SHEET 8 OF 12

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:28 PM
Richard S. Baum
MO PE E-24320

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 73
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704



LANE CLOSURE WITH A TEMPORARY TRAFFIC BARRIER

NOT TO SCALE

LANE CLOSURE WITH TEMPORARY TRAFFIC BARRIER

W020-1

(2)

W020-5

(5)

W020-6a

(6)

W04-1aL

(6A)



R2-1

(25)

(NORMAL SPEED)

NOTES:

REMOVE AND/OR MODIFY ANY EXISTING PAVEMENT MARKING AS NEEDED.

TEMPORARY PAVEMENT MARKING REQUIRED WITH LONG TERM CLOSURES.

(3) FLARE BARRIER TO EXTEND BEYOND CLEAR ZONE OR FLARE BARRIER TO EDGE LINE AND USE APPROVED END TREATMENT.

(3) CONCRETE BARRIER SHALL BE INSTALLED AT AN 8:1 FLARE RATE WITHIN THE TRAVEL LANES.

(3) CONCRETE BARRIER MAY BE INSTALLED AT AN 8:1 FLARE RATE FROM THE SHOULDER POINT TO THE LIMITS OF THE CLEAR ZONE WHERE THE SIDE SLOPE IS 6:1 OR FLATTER.

(3) APPROVED CRASH CUSHION ARE TO BE USED WHEN THE POSTED SPEED LIMIT PRIOR TO ROAD WORK IS GREATER THAN OR EQUAL TO 40 MPH.

(3) BARRIER HEIGHT TRANSITION MAY BE USED WHEN THE POSTED SPEED LIMIT PRIOR TO ROAD WORK IS LESS THAN 40 MPH.

TRAFFIC CONTROL LEGEND

- SIGN (SINGLE SIDED)
- DIRECTIONAL INDICATOR BARRICADE
- CHANNELIZER (TRIM-LINE)
- WORK AREA
- TEMPORARY CONCRETE BARRIER
- END TREATMENT
- FLASHING ARROW PANEL

SPEED	SIGN SPACING (ft.)	TAPER LENGTH (ft.)		OPTIONAL	CHANNELIZER SPACING (ft.)	
PERM. POSTED (MPH)	UN-DIVIDED (S) (3)	SHOULDER (1) (T1)	LANE (2) (T2)	BUFFER LENGTH (ft) (B)	TAPERS	BUFFER/ WORK AREAS
0-35	200	70	245	250	35	40
40-45	350	150	540	360	40	80
50-55	500	185	660	495	50	80
60-70	1000	235	840	730	60	120

1. Shoulder taper length based on 10 ft. (standard shoulder width) offset.
2. Lane taper length based on 12 ft. (standard lane width) offset.
3. For urban low speed (less than 45 MPH) minimum recommended spacing in MUTCD is 100 ft.

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

TRAFFIC CONTROL
TYPICAL APPLICATION (TA-34B)
SHEET 9 OF 12

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:28 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	74

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

SIDEWALK DETOUR OR DIVERSION



SIDEWALK DETOUR



SIDEWALK DIVERSION

NOTES:

WHEN CROSSWALKS OR OTHER PEDESTRIAN FACILITIES ARE CLOSED OR RELOCATED, TEMPORARY FACILITIES SHALL BE DETECTABLE AND SHALL INCLUDE ACCESSIBILITY FEATURES CONSISTENT WITH THE FEATURES PRESENT IN THE EXISTING PEDESTRIAN FACILITY.

WHERE HIGH SPEEDS ARE ANTICIPATED, A TEMPORARY TRAFFIC BARRIER AND, IF NECESSARY, A CRASH CUSHION SHOULD BE USED TO SEPARATE SIDEWALKS FROM VEHICULAR TRAFFIC.

WHERE HIGH SPEEDS ARE ANTICIPATED, A TEMPORARY TRAFFIC BARRIER AND, IF NECESSARY, A CRASH CUSHION SHOULD BE USED TO SEPARATE SIDEWALKS FROM VEHICULAR TRAFFIC.

ONLY THE TTC DEVICES RELATED TO PEDESTRIANS ARE SHOWN. OTHER DEVICES, SUCH AS LANE CLOSURE SIGNING OR "ROAD NARROWS" SIGNS, MAY BE USED TO CONTROL VEHICULAR TRAFFIC.

SIGNS, SUCH AS "KEEP RIGHT (LEFT)", MAY BE PLACED ALONG A TEMPORARY SIDEWALK TO GUIDE OR DIRECT PEDESTRIANS.

TRAFFIC CONTROL LEGEND

- SIGN (SINGLE SIDED)
- WORK AREA
- LONGITUDINAL CHANNELIZING DEVICE
- TYPE III BARRICADE
- DIRECTION OF PEDESTRIAN DETOUR
- DIRECTION OF TRAFFIC

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

NOT TO SCALE

TRAFFIC CONTROL
TYPICAL APPLICATION (TA-28)

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:28 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 75
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

SIDEWALK CLOSURES AND PEDESTRIAN DETOURS



NOTES:

WHEN CROSSWALKS OR OTHER PEDESTRIAN FACILITIES ARE CLOSED OR RELOCATED, TEMPORARY FACILITIES SHALL BE DETECTABLE AND SHALL INCLUDE ACCESSIBILITY FEATURES CONSISTENT WITH THE FEATURES PRESENT IN THE EXISTING PEDESTRIAN FACILITY.

CURB PARKING SHALL BE PROHIBITED FOR AT LEAST 50 FEET IN ADVANCE OF THE MIDBLOCK CROSSWALK.

AUDIBLE INFORMATION DEVICES SHOULD BE CONSIDERED WHERE MIDBLOCK CLOSINGS AND CHANGED CROSSWALK AREAS CAUSE INADEQUATE COMMUNICATION TO BE PROVIDED TO PEDESTRIANS WHO HAVE VISUAL DISABILITIES.

PEDESTRIAN TRAFFIC SIGNALS DISPLAYS CONTROLLING CLOSED CROSSWALKS SHOULD BE COVERED OR DEACTIVATED.

ONLY THE TTC DEVICES RELATED TO PEDESTRIANS ARE SHOWN. OTHER DEVICES, SUCH AS LANE CLOSURE SIGNING OR "ROAD NARROWS" SIGNS, MAY BE USED TO CONTROL VEHICULAR TRAFFIC.

TRAFFIC CONTROL LEGEND

- SIGN (SINGLE SIDED)
- WORK AREA
- TYPE III BARRICADE
- DIRECTION OF TRAFFIC
- TRAFFIC OR PEDESTRIAN SIGNAL
- CHANNELIZER (TRIM-LINE)

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

NOT TO SCALE

TRAFFIC CONTROL
TYPICAL APPLICATION (TA-29)
SHEET 11 OF 12

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:28 PM
Richard S. Baum
MO PE E-24320

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 76
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

CENTER LINE OR LANE LINE STRIPING ON MULTI-LANE DIVIDED HIGHWAYS



MULTI-LANE DIVIDED HIGHWAY

NOTES:

UPON APPROVAL OF THE ENGINEER, THE CONTRACTOR MAY PROVIDE ADDITIONAL PROTECTIVE TRUCKS EQUIPPED WITH PROPER WARNING DEVICES.

PROTECTIVE TRUCK AND WORK VEHICLES SHALL DISPLAY HIGH-INTENSITY ROTATING, FLASHING, OSCILLATING, OR STROBE LIGHTS.

VEHICLE HAZARD WARNING LIGHTS SHALL NOT BE USED INSTEAD OF THE VEHICLE'S HIGH-INTENSITY ROTATING, FLASHING, OSCILLATING, OR STROBE LIGHTS.

(1) WET PAINT SIGNS ARE INSTALLED TO INDICATE THE SIDE IN WHICH THE PAVEMENT MARKING MATERIAL IS BEING APPLIED. AT THE CONTRACTOR'S OPTION. A FRONT FACING WET PAINT SIGN MAY BE INSTALLED ON THE LEFT SIDE OF THE PAVEMENT MARKING EQUIPMENT.

(2) ADVANCE WARNING TRUCK IS POSITIONED AT THE NO TRACK POINT OF THE PAVEMENT MARKING MATERIAL OR SPACING SHOWN, WHICHEVER IS GREATER.

FLASHING ARROW PANELS SHALL, AS A MINIMUM, BE TYPE B, WITH A SIZE OF 60 X 30 INCHES.

VEHICLE-MOUNTED SIGNS SHALL BE MOUNTED IN A MANNER SUCH THAT THEY ARE NOT OBSCURED BY EQUIPMENT OR SUPPLIES. SIGN LEGEND ON VEHICLE-MOUNTED SIGNS SHALL BE COVERED OR TURNED FROM VIEW WHEN WORK IS NOT IN PROGRESS.

A FLASHING ARROW BOARD SHALL BE USED WHEN A FREEWAY LANE IS CLOSED. WHEN MORE THAN ONE LANE IS CLOSED, A SEPARATE FLASHING ARROW BOARD SHALL BE USED FOR EACH LANE.

NOT TO SCALE

TRAFFIC CONTROL
TYPICAL APPLICATION (TA-35STRIPE)
SHEET 12 OF 12

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:29 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 77
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704



TEMPORARY EROSION CONTROL LEGEND

- (A) ALTERNATE DITCH CHECK
- (C) CURB INLET CHECK
- (R) ROCK DITCH CHECK
- (S) SEDIMENT TRAP
- ENERGY DISSIPATOR
- TEMPORARY BERM TYPE B
- TEMPORARY BERM TYPE C
- SILT FENCE
- TEMPORARY SEDIMENT BASIN
- PERMANENT SEDIMENT BASIN

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE

0 20 40 60

EROSION CONTROL
COLDWATER CREEK SIDEWALK
SHEET 1 OF 1

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:29 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	78

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:
1. ALL EXISTING TRAFFIC SIGNALS, MAST ARMS, FOUNDATIONS, HANDHOLES, AND CONDUIT ARE TO BE REUSED. UNLESS OTHERWISE NOTED.
2. PROPOSED PEDESTRIAN POLES & SIGNALS ARE TO CONNECT TO EXISTING HANDHOLES THROUGH PROPOSED CONDUIT.
3. PROPOSED PAVEMENT MARKINGS HAVE BEEN SHADED FOR CLARITY.
4. EXIST. TRAFFIC SIGNAL BACKPLATES FOR TRAFFIC SIGNAL HEAD #'S 10, 21, 22, 41, 42, 43, 50, 61, 62, 81, 82 & 83 SHALL BE REMOVED AND REPLACED WITH A RETROREFLECTIVE BACKPLATE.

TRAFFIC SIGNALS LEGEND

- CONTROLLER
- CONTROLLER (EXISTING)
- JUNCTION BOX
- POWER SUPPLY
- WOOD POST
- SIGNAL HEAD (OPT LIM CONV)
- SIGNAL HEAD (OPT LIM)
- SIGNAL HEAD (PEDESTRIAN)
- SIGNAL HEAD (STANDARD)
- CCTV CAMERA
- VIDEO DETECTOR
- PUSH BUTTON DETECTOR
- PREFORMED PULL BOX TYPE 1
- PREFORMED PULL BOX TYPE 2
- CONCRETE PULL BOX TYPE 1
- CONCRETE PULL BOX TYPE 2
- ITS PULL BOX TYPE 2
- ITS PULL BOX TYPE 5
- 6 X 6 LOOP DETECTOR
- 6 X 15 LOOP DETECTOR
- 30 X 6 LOOP DETECTOR
- CONDUIT MEDIAN
- CONDUIT PUSHED
- CONDUIT BRIDGE
- CONDUIT EXISTING
- CONDUIT TRENCHED
- SPAN WIRE
- MAST ARM - TYPE A BASE
- MAST ARM - TYPE C BASE
- MAST ARM - TYPE F BASE





R10-3eR
9"x15"
S1



R10-3eL
9"x15"
S2

SCALE
0 20 40 60

TRAFFIC SIGNAL PLAN
US 67 AT ST. FERDINAND STREET
SHEET 1 OF 48

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:27:42 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	79

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE: 07/01/2018

| POST NUMBER | PULL BOX NUMBER | LOCATION APPROACH | LOCATION STATION | LOCATION OFFSET | BASE A 9 | BASE A 9.5 | BASE A 10 | BASE A 10.5 | BASE A 11 | BASE A 12 | BASE F 9 | BASE F 9.5 | BASE F 10 | BASE F 10.5 | BASE F 11 | BASE F 12 | BASE C | BASE CONCRETE*** (CU. YDS.) | PULL BOX PREFORMED CLASS 1 | PREFORMED CLASS 2 | PREFORMED CLASS 3 | PREFORMED CLASS 5 | CONCRETE STANDARD | CONCRETE DOUBLE, TYPE A | CONCRETE DOUBLE, TYPE B | DRAIN TYPE* I | DRAIN TYPE* II A | DRAIN TYPE* II B | DRAIN TYPE* II C | POST TOP MOUNT POST 8 FT. | POST TOP MOUNT POST 15 FT. | TYPE C & CL ARM LENGTH A | ARM LENGTH A | ARM LENGTH A | ARM LENGTH A | TYPE C & CL SIGNAL SPACING B | SIGNAL SPACING C | SIGNAL SPACING D | SIGNAL SPACING D' | TYPE C & CL SIGN SPACING B | SIGN SPACING C | SIGN SPACING D | SIGN SPACING D' | TYPE B & BL ARM LENGTH E | ARM LENGTH K | ARM LENGTH E | ARM LENGTH K | ARM LENGTH E | LEFT ARM E SIGNAL SPACING F | SIGNAL SPACING G | SIGNAL SPACING H | SIGNAL SPACING H' | LEFT ARM E SIGN SPACING F | SIGN SPACING G | SIGN SPACING H | SIGN SPACING H' | RIGHT ARM K SIGNAL SPACING L | SIGNAL SPACING M | SIGNAL SPACING N | SIGNAL SPACING N' | RIGHT ARM K SIGN SPACING L | SIGN SPACING M | SIGN SPACING N | SIGN SPACING N' | INCLUDED ANGLE | LUMINAIRE BRACKET ARM* 4 FT. | 6 FT. | 8 FT. | 10 FT. | 12 FT. | 15 FT. |
|---|---|---

EFFECTIVE: 10-01-2015

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

CONDUIT (WITH #14 TRACER WIRE)

FROM	TO	CENTER TO CENTER DISTANCE	LOOP DET.	TRENCH				PUSHED			MEDIAN			ON STRUCTURE			REMARKS
			1"	2"	3"	4"		2"	3"	4"	2"	3"	4"	2"	3"		
4	1	7															EXISTING CONDUIT
1	2	23															EXISTING CONDUIT
2	1	6															EXISTING CONDUIT
2	7	14			15												
1	3	99															EXISTING CONDUIT
3	3	21			22												
3	8	7			8												
2	4	91															EXISTING CONDUIT
4	9	26			27												
4	4	10															EXISTING CONDUIT
4	5	97															EXISTING CONDUIT
5	5	8															EXISTING CONDUIT
5	6	4															EXISTING CONDUIT
SUBTOTALS				72													
TOTALS				72													

CABLE

FROM	TO	CENTER TO CENTER DISTANCE	POWER		CONTROL				CLOSED LOOP INTERCONNECT	LUMINAIRE		DETECTOR		FIBER		REMARKS
			1c #2	1c #8	2c #16	5c #16	7c #16	3c #16	3 PAIR #16	CONTROL 2c #12	POLE & BRACKET 1c #10	1c #14 IN DUCT	2c #14 LEAD-IN CABLE	SINGLE-MODE	MULTI-MODE	
	H83	44				74										
	D83	44			73											
	H64	36				66										
	D64	36			65											
	H63	150				186										
	D63	150			185											
	H44	136				172										
	D44	136			171											
	H84	147				183										
	D84	147			182											
	H23	131				167										
	D23	131			166											
	D24	226			267											
	D43	226			263											
SUBTOTALS					1372	848										
TOTALS					1440	890										INCL. 5% FOR SNAKING

INTERSECTION LINDBERGH BLVD (US 67) AT ST. FERDINAND ST

D-37B

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:31:52 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	81

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

TRAFFIC SIGNAL PLAN
SHEET 3 OF 48

EFFECTIVE 04-01-2018

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

POWER SUPPLY

LOCATION			POWER SUPPLY ASSEMBLY		CIRCUIT BREAKER TRIP RATING*				LIGHTING CONTROL * (ON POWER SUPPLY)		SERVICE POLE	
					CONTROLLER		POWER SUPPLY DISCONNECT					
APPROACH	STATION	OFFSET	DRAWING 902.15	DRAWING	AUXILIARY BREAKER	CONT & SIGNAL LAMPS	MAIN BREAKER		120 VOLT CONTROL CABINET	MAIN BREAKER	CONTRACT FURNISH	UTILITY COMPANY
							SIGNALS	LIGHTING				
US 67	UIP	UIP	Type		15 Amps	Amps	Amps	Amps		Amps	Ci. Ft.	
			Type		15 Amps	Amps	Amps	Amps		Amps	Ci. Ft.	

CONTROLLER ASSEMBLY AND AUXILIARY EQUIPMENT

LOCATION			SYSTEM MASTER (CLOSED LOOP)		ACTUATED		ON-OFF* SWITCH		COORDINATION INTERFACE *					TIME * CLOCK	NEMA CABINET TYPE *			170 CABINET TYPE *		170 SOFTWARE *	
							TYPE		12C/7C HARDWIRE (1)		TIME BASE	CLOSED LOOP									
APPROACH	STATION	OFFSET	NEMA	170	NEMA	170	I	II	MASTER	LOCAL		NEMA	170	FIBER		E	EV	DOUBLE	332	336S	BITRAN	WAPITI
US 67	UIP	UIP																			

NEMA DETECTOR ASSIGNMENT

		CARD POSITION							
		1	2	3	4	5	6	7	8
CHANNEL	1			SL DISTRICT					
	2			DETECTION SYSTEM					

TOTAL NUMBER OF DETECTOR CARDS(2-CHANNEL) = 2 (2)

DETECTOR SCHEDULE

DETECTOR NUMBER	APPROACH	TYPE				
		PUSH BUTTON (9)	INDUCTION LOOP (2)			VIDEO
			STANDARD	DELAY/ EXTEND *	CALL UNIT *	
23	EBT-US 67	1				
24	EBT-US 67	1				
44	SBT-ST. FERDINAND	1				
45	SBT-ST. FERDINAND	1				
63	WBT-US 67	1				
64	WBT-US 67	1				
84	NBT-ST. FERDINAND	1				
85	NBT-ST. FERDINAND	1				
TOTAL		8				

* ITEMS FOR WHICH SEPARATE PAYMENT WILL NOT BE MADE.

*** USE D3-1 FOR ONE LINE. USE D3-1B FOR TWO LINE.

(1) MoDOT "D" PLUG SHALL BE WIRED INTO ALL NEMA CONTROLLERS WITH 7C HARDWIRE INTERCONNECT.

(2) PAYMENT IS MADE FOR THE NUMBER OF 2-CHANNEL DETECTOR CARDS AS SHOWN BELOW THE ASSIGNMENT CHART.

(4) WIRE OVERLAP CHANNELS FOR FUTURE USE.

(5) POWER SUPPLY SHALL INCLUDE AN UNINTERRUPTED POWER SUPPLY (UPS).

(9) ALL PUSH BUTTONS SHALL BE ACCESSIBLE PEDESTRAIN SIGNAL (APS). SEE JSP.

(10) PEDESTRIAN PUSH BUTON SIGNS ARE INCIDENTAL TO THE PAY ITEM (AUDIBLE PEDESTRIAN PUSH BUTTON).

SIGNAL SIGNS

QUANTITY	MUTCD SIGN NUMBER	SIZE	AREA	SIGN TOTAL AREA ITEM NO. 90208.33	SIGNAL SIGN MOUNTING HARDWARE ITEM NO. 90208.34
		INCHES	SQ.FT.	SQ.FT.	EA.
5	R10-3eR	9 x 15	0.94	4.69	5
3	R10-3eL	9 x 15	0.94	2.81	3
			SUBTOTAL	7.50	8
			TOTAL	7.50	8

NEMA LOAD SWITCH ASSIGNMENTS (4)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
∅1 EBL	∅2 WB	NOT USED	∅4 SB	∅5 WBL	∅6 WB	NOT USED	NB	∅2 PED WB	∅4 PED SB	∅6 PED EB	∅8 PED NB	OL A LTA EBL	NOT USED	OL C LTA WBL	NOT USED

TRAFFIC SIGNAL PLAN
SHEET 4 OF 48

LINDBERGH BLVD (US 67) AT ST. FERDINAND ST
INTERSECTION

D-37C

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:31:58 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	82

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE 12-01-17

WIRING DIAGRAM



DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

LEGEND

- CONDUIT MEDIAN
- CONDUIT PUSHED
- CONDUIT TRENCHED
- CONDUIT EXISTING
- SIGNAL HEAD WITH BACKPLATE
- PEDESTRIAN SIGNAL HEAD
- PULL BOX
- VIDEO DETECTION CAMERA
- TRAFFIC SIGNAL CONTROLLER CABINET
- APS PUSH BUTTON
- MAST ARM MOUNTED SIGN
- EXISTING MAST ARM MOUNTED SIGN
- SIGNAL HEAD NUMBER
- PULL BOX NUMBER
- POST NUMBER

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:32:08 AM

DATE PREPARED: 28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	83

COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

TRAFFIC SIGNAL PLAN
SHEET 5 OF 48

LINDBERGH BLVD (US 67) AT ST. FERDINAND ST
INTERSECTION

D-37D

EFFECTIVE 12/01/2017

SIGNAL FACE LOCATION



TRAFFIC PHASING AND COLOR SEQUENCE - ACTUATED CONTROLLERS

	PHASE 1	PHASE 2	PHASE 3	PHASE 4	PHASE 5	PHASE 6	PHASE 7	PHASE 8	PED Ø2	PED Ø6	PED Ø8	PED Ø	OVERLAP	OVERLAP	OVERLAP C	OVERLAP
			NOT USED				NOT USED					NOT USED		NOT USED		NOT USED
FACE NUMBERS	10	21 22		40 41	50	61 62		81 82	23	63	83				11	
									24	64	84					
SIGNAL INDICATIONS R	R	R		R R	R	R R		R R								R
SIGNAL INDICATIONS Y	YL	Y Y		Y Y	YL	Y Y		Y Y								Y
SIGNAL INDICATIONS FYA	FYL														FYL	FYA
SIGNAL INDICATIONS G	GL	G G		G G	L	G G		G G								G
DETECTOR ASSIGNMENTS	10	21 22		41 41	50	61 62		81 81								
DETECTOR ASSIGNMENTS (PEDS. ONLY)																
OVERLAP PARENT PHASES															6	

FACE NUMBERS / SIGNAL INDICATIONS / DETECTOR ASSIGNMENTS



RING STRUCTURE

IF CALLED, ALL NON-CONFLICTING PHASES SHALL COMBINE AND TIME CONCURRENTLY. TIME TO BE DETERMINED BY THE ENGINEER AT SIGNAL TURN ON AND SET IN THE CONTROLLER BY THE CONTRACTOR.

LEGEND

- ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED ACTUATED VEHICULAR MOVEMENT
- NON-ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED NON-ACTUATED VEHICULAR MOVEMENT
- ACTUATED PEDESTRIAN MOVEMENT
- NON-ACTUATED PEDESTRIAN MOVEMENT
- VEHICLE STOPPED
- FDW — FLASHING DON'T WALK
- W — WALK
- DW — DON'T WALK
- R/W — RIGHT OF WAY INTERVAL
- YRt — YELLOW RIGHT ARROW
- RT. — GREEN RIGHT ARROW
- LY -YL — YELLOW LEFT ARROW
- L — GREEN LEFT ARROW
- S — GREEN STRAIGHT AHEAD ARROW
- G — CIRCULAR GREEN
- Y — CIRCULAR YELLOW
- R — CIRCULAR RED
- RL — RED LEFT ARROW
- Ø — TRAFFIC PHASE
- AO — ALL OTHERS
- FR — FLASHING RED
- FY — FLASHING CIRCULAR YELLOW
- FYL — FLASHING YELLOW LEFT ARROW

FLASHING OPERATION	
LINDBERGH BLVD (US 67)	FR
ST. JEAN ST	FR

CONTROLLER TYPE	NEMA TS2

TRAFFIC SIGNAL CONTROL OPERATION

INTERSECTION OF LINDBERGH BLVD (US 67)

WITH ST. FERDINAND ST

TRAFFIC SIGNAL PLAN
SHEET 6 OF 48

D-38A

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:32:30 AM

DATE PREPARED: 28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	83A

COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:
1. ALL EXISTING TRAFFIC SIGNALS, CONTROLLERS, FOUNDATIONS, HANDHOLES, AND MAST ARMS ARE TO BE REMOVED. CONTRACTOR REQUIRED TO REMOVE ALL EXISTING CABLE.
2. ALL EXISTING CONDUIT TO BE ABANDONED.
3. ALL EXISTING VIDEO CAMERAS ARE TO BE REMOVED. NEW VIDEO CAMERAS & CABLE ARE TO BE INSTALLED ON EACH PROPOSED MAST ARM.
4. EXISTING SIGNAL PHASING TO BE MAINTAINED.
5. EXISTING CABLE REMOVAL IS CONSIDERED INCIDENTAL.
6. PROPOSED PAVEMENT MARKINGS HAVE BEEN SHADED FOR CLARITY.
7. CCTV CAMERA TO BE PLACED ON 20 FOOT EXTENSION POLE. SEE DETAIL ON SHEET NO. 124.
8. CONNECT EXISTING CLASS 5 PULL BOX TO PROPOSED TRAFFIC SIGNAL PULL BOX.
9. DISCONNECT EXISTING 24SM FIBER OPTIC (FO) CABLES FROM EXISTING CONTROLLER.
   - EXISTING FO CABLES TOWARDS BOTH ST. FERDINAND AND NEW FLORISSANT SHALL BE PULLED BACK DURING CONSTRUCTION AND REINSTALLED TO PROPOSED CONTROLLER CABINET AND RECONNECTED IN AN IDENTICAL MANNER. SEE FIBER SPLICE DIAGRAMS.

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.



TRAFFIC SIGNALS LEGEND

CONTROLLER	CCTV CAMERA	6 X 6 LOOP DETECTOR	
CONTROLLER (EXISTING)	VIDEO DETECTOR	6 X 15 LOOP DETECTOR	
JUNCTION BOX	PUSH BUTTON DETECTOR	30 X 6 LOOP DETECTOR	
POWER SUPPLY	PREFORMED PULL BOX TYPE 1	CONDUIT MEDIAN	
WOOD POST	PREFORMED PULL BOX TYPE 2	CONDUIT PUSHED	
SIGNAL HEAD (OPT LIM CONV)	CONCRETE PULL BOX TYPE 1	CONDUIT BRIDGE	
SIGNAL HEAD (OPT LIM)	CONCRETE PULL BOX TYPE 2	CONDUIT EXISTING	
SIGNAL HEAD (PEDESTRIAN)	ITS PULL BOX TYPE 2	CONDUIT TRENCHED	
SIGNAL HEAD (STANDARD)	ITS PULL BOX TYPE 5	SPAN WIRE	
	MAST ARM MOUNTED SIGN	MAST ARM - TYPE A BASE	
		MAST ARM - TYPE C BASE	
		MAST ARM - TYPE F BASE	



SCALE
0 20 40 60

TRAFFIC SIGNAL PLAN
US 67 AT ST. JEAN STREET
SHEET 7 OF 48

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:32:46 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	84

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE: 07/01/2018

| POST NUMBER | PULL BOX NUMBER | LOCATION APPROACH | LOCATION STATION | LOCATION OFFSET | BASE A 9 | BASE A 9.5 | BASE A 10 | BASE A 10.5 | BASE A 11 | BASE A 12 | BASE F 9 | BASE F 9.5 | BASE F 10 | BASE F 10.5 | BASE F 11 | BASE F 12 | BASE C | BASE CONCRETE** (CU. YDS.) | PULL BOX PREFORMED CLASS 1 | PULL BOX PREFORMED CLASS 2 | PULL BOX PREFORMED CLASS 3 | PULL BOX PREFORMED CLASS 5 | PULL BOX CONCRETE STANDARD | PULL BOX CONCRETE DOUBLE, TYPE A | PULL BOX CONCRETE DOUBLE, TYPE B | DRAIN TYPE* I | DRAIN TYPE* II A | DRAIN TYPE* II B | DRAIN TYPE* II C | POST TOP MOUNT POST 8 FT. | POST TOP MOUNT POST 15 FT. | TYPE C & CL ARM LENGTH 25' | TYPE C & CL ARM LENGTH 35' | TYPE C & CL SIGNAL SPACING B | TYPE C & CL SIGNAL SPACING C | TYPE C & CL SIGNAL SPACING D | TYPE C & CL SIGNAL SPACING D' | TYPE C & CL SIGN SPACING B | TYPE C & CL SIGN SPACING C | TYPE C & CL SIGN SPACING D | TYPE C & CL SIGN SPACING D' | TYPE B & BL ARM LENGTH E | TYPE B & BL ARM LENGTH K | TYPE B & BL ARM LENGTH E | TYPE B & BL ARM LENGTH K | TYPE B & BL ARM LENGTH E | TYPE B & BL ARM LENGTH K | TYPE B & BL LEFT ARM E SIGNAL SPACING F | TYPE B & BL LEFT ARM E SIGNAL SPACING G | TYPE B & BL LEFT ARM E SIGNAL SPACING H | TYPE B & BL LEFT ARM E SIGNAL SPACING H' | TYPE B & BL LEFT ARM E SIGN SPACING F | TYPE B & BL LEFT ARM E SIGN SPACING G | TYPE B & BL LEFT ARM E SIGN SPACING H | TYPE B & BL LEFT ARM E SIGN SPACING H' | TYPE B & BL RIGHT ARM K SIGNAL SPACING L | TYPE B & BL RIGHT ARM K SIGNAL SPACING M | TYPE B & BL RIGHT ARM K SIGNAL SPACING N | TYPE B & BL RIGHT ARM K SIGNAL SPACING N' | TYPE B & BL RIGHT ARM K SIGN SPACING L | TYPE B & BL RIGHT ARM K SIGN SPACING M | TYPE B & BL RIGHT ARM K SIGN SPACING N | TYPE B & BL RIGHT ARM K SIGN SPACING N' | INCLUDED ANGLE | LUMINAIRE BRACKET ARM* 4 FT. | LUMINAIRE BRACKET ARM* 6 FT. | LUMINAIRE BRACKET ARM* 8 FT. | LUMINAIRE BRACKET ARM* 10 FT. | LUMINAIRE BRACKET ARM* 12 FT. | LUMINAIRE BRACKET ARM* 15 FT. |
|---|---|---

*CABLE INCLUDED IN COST OF VIDEO DETECTION SYSTEM

EFFECTIVE: 10-01-2015

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

CONDUIT (WITH #14 TRACER WIRE)

FROM	TO	CENTER TO CENTER DISTANCE	LOOP DET.	TRENCH				PUSHED			MEDIAN			ON STRUCTURE			REMARKS
			1"	2"	3"	4"		2"	3"	4"	2"	3"	4"	2"	3"		
∅	⋈	26		30													
⋈	1	6			18												
1	1	18			19												
1	2	36			39												
1	2	76							74								
2	3	5			8												
2	3	78							76								
3	6	21			22												
3	7	15			18												
1	4	83							81								
4	4	19			20												
4	5	14			17												
SUBTOTALS				30	165				231								
TOTALS				30	165				231								

CABLE

FROM	TO	CENTER TO CENTER DISTANCE	POWER		CONTROL				CLOSED LOOP INTERCONNECT	LUMINAIRE		DETECTOR		FIBER		REMARKS
			1c #2	1c #8	2c #16	5c #16	7c #16	3c #16	3 PAIR #16	CONTROL 2c #12	POLE & BRACKET 1c #10	1c #14 IN DUCT	2c #14 LEAD-IN CABLE	SINGLE-MODE	MULTI-MODE	
∅	⋈	26		126												
⋈	H23	24				48										
⋈	D23	24			47											
⋈	H84	42				66										
⋈	D84	42			65											
⋈	H21	42					102									
⋈	H22	42					92									
⋈	H50	42					112									
⋈	V1	42														*104 LF VIDEO CABLE
⋈	H24	87				117										
⋈	D24	87			116											
⋈	H41	87					153									
⋈	H42	87					145									
⋈	V2	87														*152 LF VIDEO CABLE
⋈	H63	181				217										
⋈	D63	181			216											
⋈	H61	175					247									
⋈	H62	175					237									
⋈	H10	175					257									
⋈	V3	175														*249 LF VIDEO CABLE
⋈	H83	108				138										
⋈	D83	108			137											
⋈	H64	103				133										
⋈	D64	103			132											
⋈	H81	103					168									
⋈	H82	103					158									
⋈	V4	103														*166 LF VIDEO CABLE
⋈	CCTV	87														174 LF ETHERNET CABLE
SUBTOTALS				126	713	719	1671									
TOTALS				130	750	760	1760									INCL. 5% FOR SNAKING

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:02 AM

DATE PREPARED
29-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	86

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

TRAFFIC SIGNAL PLAN
SHEET 9 OF 48

INTERSECTION LINDBERGH BLVD (US 67) AT ST. JEAN ST

D-37B

EFFECTIVE 04-01-2018

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

POWER SUPPLY

LOCATION			POWER SUPPLY ASSEMBLY		CIRCUIT BREAKER TRIP RATING*				LIGHTING CONTROL * (ON POWER SUPPLY)		SERVICE POLE	
					CONTROLLER		POWER SUPPLY DISCONNECT					
APPROACH	STATION	OFFSET	DRAWING 902.15	DRAWING	AUXILIARY BREAKER	CONT & SIGNAL LAMPS	MAIN BREAKER		120 VOLT CONTROL CABINET	MAIN BREAKER	CONTRACT FURNISH	UTILITY COMPANY
							SIGNALS	LIGHTING				
US 67	136+02	49' RT	Type	1(7)	15 Amps	40 Amps	100 Amps	Amps		Amps	Cl. Ft.	
			Type		15 Amps	Amps	Amps	Amps		Amps	Cl. Ft.	

CONTROLLER ASSEMBLY AND AUXILIARY EQUIPMENT

LOCATION			SYSTEM MASTER (CLOSED LOOP)		ACTUATED		ON-OFF* SWITCH TYPE		COORDINATION INTERFACE *					TIME * CLOCK	NEMA CABINET TYPE *			170 CABINET TYPE *		170 SOFTWARE *	
									12C/7C HARDWIRE (1)		TIME BASE	CLOSED LOOP		FIBER							
APPROACH	STATION	OFFSET	NEMA	170	NEMA	170	I	II	MASTER	LOCAL		NEMA	170			E	EV	DOUBLE	332	336S	BITRAN	WAPITI
US 67	136+26	42' RT.			1												1					

NEMA DETECTOR ASSIGNMENT

CARD POSITION

CHANNEL	1	2	3	4	5	6	7	8
	1			SL DISTRICT				
	2			DETECTION SYSTEM				

TOTAL NUMBER OF DETECTOR CARDS(2-CHANNEL) = 2 (2)

DETECTOR SCHEDULE

DETECTOR NUMBER	APPROACH	TYPE				
		PUSH BUTTON (9)	INDUCTION LOOP (2)			VIDEO
			STANDARD	DELAY/ EXTEND *	CALL UNIT *	
10	WBL-US 67					1
21	EBT-US 67					1
22	EBT-US 67					1
23	EBT-US 67	1				
24	EBT-US 67	1				
41	SB-ST. JEAN ST					1
50	EBL-US 67					1
61	WBT-US 67					1
62	WBT-US 67					1
63	WBT-US 67	1				
64	WBT-US 67	1				
81	NB-ST. JEAN ST					1
83	NB-ST. JEAN ST	1				
84	NB-ST. JEAN ST	1				
TOTAL		6				

* ITEMS FOR WHICH SEPARATE PAYMENT WILL NOT BE MADE.

*** USE D3-1 FOR ONE LINE. USE D3-1B FOR TWO LINE.

(1) MoDOT "D" PLUG SHALL BE WIRED INTO ALL NEMA CONTROLLERS WITH 7C HARDWIRE INTERCONNECT.

(2) PAYMENT IS MADE FOR THE NUMBER OF 2-CHANNEL DETECTOR CARDS AS SHOWN BELOW THE ASSIGNMENT CHART.

(4) WIRE OVERLAP CHANNELS FOR FUTURE USE.

(5) POWER SUPPLY SHALL INCLUDE AN UNINTERRUPTED POWER SUPPLY (UPS).

(7) COMBINATION PAD MOUNTED 120V240V POWER SUPPLY AND LIGHTING CONTROLLER WITH UNINTERRUPTED POWER SUPPLY (UPS). SEE JSP.

(9) ALL PUSH BUTTONS SHALL BE ACCESSIBLE PEDESTRIAN SIGNAL (APS). SEE JSP.

(10) PEDESTRIAN PUSH BUTTON SIGNS ARE INCIDENTAL TO THE PAY ITEM (AUDIBLE PEDESTRIAN PUSH BUTTON).

SL DISTRICT TRAFFIC SIGNAL
DETECTION SYSTEM = 1

SIGNAL SIGNS

QUANTITY	MUTCD SIGN NUMBER	SIZE	AREA	SIGN TOTAL AREA ITEM NO. 90208.33	SIGNAL SIGN MOUNTING HARDWARE ITEM NO. 90208.34
		INCHES	SQ.FT.	SQ.FT.	EA.
1	R10-27a	30 x 36	7.50	7.50	1
2	R3-5L	30 x 36	7.50	15.00	2
2	R10-12	30 x 36	7.50	15.00	2
4	R10-3eR	9 x 15	0.94	3.76	4
2	R10-3eL	9 x 15	0.94	1.88	2
1	R10-10L	30 x 36	7.50	7.50	1
2	D3-1	96 x 18	12.00	24.00	2
2	D3-1	72 x 18	9.00	18.00	2
			SUBTOTAL	92.64	16
			TOTAL	92.64	16

NEMA LOAD SWITCH ASSIGNMENTS (4)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
∅1 EBL	∅2 WB	NOT USED	∅4 SB	∅5 WBL	∅6 EB	NOT USED	∅8 NB	Ø2 PED EB	NOT USED	Ø6 PED WB	Ø8 PED NB	NOT USED	NOT USED	OL C FYA WBL	NOT USED

TRAFFIC SIGNAL PLAN
SHEET 10 OF 48

LINDBERGH BLVD (US 67) AT ST. JEAN ST
INTERSECTION

D-37C

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:17 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	87

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION | DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE 12-01-17

WIRING DIAGRAM



DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

LEGEND

- CONDUIT MEDIAN
- CONDUIT PUSHED
- CONDUIT TRENCHED
- SIGNAL HEAD WITH BACKPLATE
- PEDESTRIAN SIGNAL HEAD
- PULL BOX
- VIDEO DETECTION CAMERA
- TRAFFIC SIGNAL CONTROLLER CABINET
- APS PUSH BUTTON
- MAST ARM MOUNTED SIGN
- SIGNAL HEAD NUMBER (X)
- PULL BOX NUMBER (X)
- POST NUMBER (X)
- POWER SOURCE
- CCTV CAMERA

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 88
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

TRAFFIC SIGNAL PLAN
SHEET 11 OF 48

LINDBERGH BLVD (US 67) AT ST. JEAN ST
INTERSECTION

D-37D

EFFECTIVE 12/01/2017



TRAFFIC PHASING AND COLOR SEQUENCE - ACTUATED CONTROLLERS

	PHASE 1	PHASE 2	PHASE 3	PHASE 4	PHASE 5	PHASE 6	PHASE 7	PHASE 8	PED Ø2	PED Ø6	PED Ø8	PED Ø				
			NOT USED				NOT USED					NOT USED	NOT USED	NOT USED	NOT USED	
													OVERLAP	OVERLAP	OVERLAP C	OVERLAP
FACE NUMBERS	10	21 22		41 42	50	61 62		81 82	23	63	83				11	
									24	64	84					
SIGNAL INDICATIONS R	R	R R		R R	R	R R		R R								R
SIGNAL INDICATIONS Y	YL	Y Y		Y Y	YL	Y Y		Y Y								Y
SIGNAL INDICATIONS FYA	FYL														FYL	FYA
SIGNAL INDICATIONS G	GL	G G		G G	L	G G		G G								G
DETECTOR ASSIGNMENTS	10	21 22		41 41	50	61 62		81 81								
DETECTOR ASSIGNMENTS (PEDS. ONLY)																
OVERLAP PARENT PHASES															6	

FACE NUMBERS / SIGNAL INDICATIONS / DETECTOR ASSIGNMENTS



RING STRUCTURE

IF CALLED, ALL NON-CONFLICTING PHASES SHALL COMBINE AND TIME CONCURRENTLY. TIME TO BE DETERMINED BY THE ENGINEER AT SIGNAL TURN ON AND SET IN THE CONTROLLER BY THE CONTRACTOR.

LEGEND

- ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED ACTUATED VEHICULAR MOVEMENT
- NON-ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED NON-ACTUATED VEHICULAR MOVEMENT
- ACTUATED PEDESTRIAN MOVEMENT
- NON-ACTUATED PEDESTRIAN MOVEMENT
- VEHICLE STOPPED
- FDW — FLASHING DON'T WALK
- W — WALK
- DW — DON'T WALK
- R/W — RIGHT OF WAY INTERVAL
- YRt — YELLOW RIGHT ARROW
- RT. — GREEN RIGHT ARROW
- LY -YL — YELLOW LEFT ARROW
- L — GREEN LEFT ARROW
- S — GREEN STRAIGHT AHEAD ARROW
- G — CIRCULAR GREEN
- Y — CIRCULAR YELLOW
- R — CIRCULAR RED
- RL — RED LEFT ARROW
- Ø — TRAFFIC PHASE
- AO — ALL OTHERS
- FR — FLASHING RED
- FY — FLASHING CIRCULAR YELLOW
- FYL — FLASHING YELLOW LEFT ARROW

FLASHING OPERATION	
LINDBERGH BLVD (US 67)	FR
ST. JEAN ST	FR

CONTROLLER TYPE	NEMA TS2

TRAFFIC SIGNAL CONTROL OPERATION

INTERSECTION OF LINDBERGH BLVD (US 67)

WITH ST. JEAN ST

TRAFFIC SIGNAL PLAN
SHEET 12 OF 48

D-38A

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED: 28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	89

COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

TRAFFIC SIGNALS LEGEND

- CONTROLLER
- CONTROLLER (EXISTING)
- JUNCTION BOX
- POWER SUPPLY
- WOOD POST
- SIGNAL HEAD (OPT LIM CONV)
- SIGNAL HEAD (OPT LIM)
- SIGNAL HEAD (PEDESTRIAN)
- SIGNAL HEAD (STANDARD)
- CCTV CAMERA
- VIDEO DETECTOR
- PUSH BUTTON DETECTOR
- PREFORMED PULL BOX TYPE 1
- PREFORMED PULL BOX TYPE 2
- CONCRETE PULL BOX TYPE 1
- CONCRETE PULL BOX TYPE 2
- ITS PULL BOX TYPE 2
- ITS PULL BOX TYPE 5
- MAST ARM MOUNTED SIGN
- 6 X 6 LOOP DETECTOR
- 6 X 15 LOOP DETECTOR
- 30 X 6 LOOP DETECTOR
- CONDUIT MEDIAN
- CONDUIT PUSHED
- CONDUIT BRIDGE
- CONDUIT EXISTING
- CONDUIT TRENCHED
- SPAN WIRE
- MAST ARM - TYPE A BASE
- MAST ARM - TYPE C BASE
- MAST ARM - TYPE F BASE



NOTES:

1. ALL EXISTING TRAFFIC SIGNALS, CONTROLLER, FOUNDATIONS, HANDHOLES, AND MAST ARMS ARE TO BE REMOVED. CONTRACTOR REQUIRED TO REMOVE ALL EXISTING CABLE.
2. EXISTING CABLE REMOVAL IS CONSIDERED INCIDENTAL.
3. ALL EXISTING CONDUIT WILL BE ABANDONED.
4. ALL EXISTING VIDEO CAMERAS ARE TO BE REMOVED. NEW VIDEO CAMERAS & CABLE ARE TO BE INSTALLED ON EACH PROPOSED MAST ARM.
5. PROPOSED PAVEMENT MARKINGS HAVE BEEN SHADED FOR CLARITY.
6. CONNECT EXISTING CLASS 5 PULL BOX TO PROPOSED TRAFFIC SIGNAL PULL BOX.
7. DISCONNECT EXISTING 24SM FIBER OPTIC (FO) CABLE FROM EXISTING CONTROLLER.
   - EXISTING FO CABLE TOWARDS BOTH ST. FERDINAND AND NEW FLORESSANT SHALL BE PULLED BACK DURING CONSTRUCTION AND REINSTALLED TO PROPOSED CONTROLLER CABINET AND RECONNECT IN AN IDENTICAL MANNER. SEE FIBER SPLICE DIAGRAMS.

SCALE
0 20 40 60

TRAFFIC SIGNALS PLAN
US 67 AT NEW FLORISSANT ROAD
SHEET 13 OF 48

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED: 28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	90

COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE: 07/01/2018

| POST NUMBER | PULL BOX NUMBER | LOCATION APPROACH | LOCATION STATION | LOCATION OFFSET | BASE A 9 | BASE A 9.5 | BASE A 10 | BASE A 10.5 | BASE A 11 | BASE A 12 | BASE F 9 | BASE F 9.5 | BASE F 10 | BASE F 10.5 | BASE F 11 | BASE F 12 | BASE C | BASE CONCRETE** (CU. YDS.) | PULL BOX PREFORMED CLASS 1 | PREFORMED CLASS 2 | PREFORMED CLASS 3 | PREFORMED CLASS 5 | CONCRETE STANDARD | CONCRETE DOUBLE, TYPE A | CONCRETE DOUBLE, TYPE B | DRAIN TYPE* I | DRAIN TYPE* II A | DRAIN TYPE* II B | DRAIN TYPE* II C | POST TOP MOUNT POST 8 FT. | POST TOP MOUNT POST 15 FT. | TYPE C & CL ARM LENGTH 30' | TYPE C & CL ARM LENGTH 40' | TYPE C & CL ARM LENGTH 45' | TYPE C & CL SIGNAL SPACING B | TYPE C & CL SIGNAL SPACING C | TYPE C & CL SIGNAL SPACING D | TYPE C & CL SIGNAL SPACING D' | TYPE C & CL SIGN SPACING B | TYPE C & CL SIGN SPACING C | TYPE C & CL SIGN SPACING D | TYPE C & CL SIGN SPACING D' | TYPE B & BL ARM LENGTH E | TYPE B & BL ARM LENGTH K | TYPE B & BL ARM LENGTH E | TYPE B & BL ARM LENGTH K | TYPE B & BL ARM LENGTH E | TYPE B & BL LEFT ARM E SIGNAL SPACING F | TYPE B & BL LEFT ARM E SIGNAL SPACING G | TYPE B & BL LEFT ARM E SIGNAL SPACING H | TYPE B & BL LEFT ARM E SIGNAL SPACING H' | TYPE B & BL LEFT ARM E SIGN SPACING F | TYPE B & BL LEFT ARM E SIGN SPACING G | TYPE B & BL LEFT ARM E SIGN SPACING H | TYPE B & BL LEFT ARM E SIGN SPACING H' | TYPE B & BL RIGHT ARM K SIGNAL SPACING L | TYPE B & BL RIGHT ARM K SIGNAL SPACING M | TYPE B & BL RIGHT ARM K SIGNAL SPACING N | TYPE B & BL RIGHT ARM K SIGNAL SPACING N' | TYPE B & BL RIGHT ARM K SIGN SPACING L | TYPE B & BL RIGHT ARM K SIGN SPACING M | TYPE B & BL RIGHT ARM K SIGN SPACING N | TYPE B & BL RIGHT ARM K SIGN SPACING N' | INCLUDED ANGLE | LUMINAIRE BRACKET ARM* 4 FT. | LUMINAIRE BRACKET ARM* 6 FT. | LUMINAIRE BRACKET ARM* 8 FT. | LUMINAIRE BRACKET ARM* 10 FT. | LUMINAIRE BRACKET ARM* 12 FT. | LUMINAIRE BRACKET ARM* 15 FT. |
|---|---|---

*CABLE INCLUDED IN COST OF VIDEO DETECTION SYSTEM

EFFECTIVE: 10-01-2015

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

CONDUIT (WITH #14 TRACER WIRE)

FROM	TO	CENTER TO CENTER DISTANCE	LOOP DET.	TRENCH				PUSHED			MEDIAN			ON STRUCTURE			REMARKS
			1"	2"	3"	4"		2"	3"	4"	2"	3"	4"	2"	3"		
∅	⋈	7		11													
⋈	1	15			36												
1	2	47							45								
2	(1)	13										16					
2	(2)	5										6					
2	3	102							100								
3	(3)	18			19												
3	(4)	18			21												
2	4	101							99								
4	(5)	11			14												
4	(6)	42			43												
4	5	128							126								
5	(7)	22										23					
5	(8)	12										15					

EFFECTIVE 04-01-2018

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

POWER SUPPLY

LOCATION			POWER SUPPLY ASSEMBLY		CIRCUIT BREAKER TRIP RATING*				LIGHTING CONTROL * (ON POWER SUPPLY)		SERVICE POLE	
					CONTROLLER		POWER SUPPLY DISCONNECT					
APPROACH	STATION	OFFSET	DRAWING 902.15	DRAWING	AUXILIARY BREAKER	CONT & SIGNAL LAMPS	MAIN BREAKER		120 VOLT CONTROL CABINET	MAIN BREAKER	CONTRACT FURNISH	UTILITY COMPANY
							SIGNALS	LIGHTING				
US 67	164+72	41' RT	Type	1 (7)	15 Amps	40 Amps	100 Amps	Amps		Amps	Ct. Ft.	
			Type		15 Amps	Amps	Amps	Amps		Amps	Ct. Ft.	

CONTROLLER ASSEMBLY AND AUXILIARY EQUIPMENT

LOCATION			SYSTEM MASTER (CLOSED LOOP)		ACTUATED		ON-OFF* SWITCH TYPE		COORDINATION INTERFACE *					TIME * CLOCK	NEMA CABINET TYPE *			170 CABINET TYPE *		170 SOFTWARE *	
									12C/7C HARDWIRE (1)		TIME BASE	CLOSED LOOP		FIBER							
APPROACH	STATION	OFFSET	NEMA	170	NEMA	170	I	II	MASTER	LOCAL		NEMA	170			E	EV	DOUBLE	332	336S	BITRAN	WAPITI
US 67	164+67	37' RT.			1												1					

NEMA DETECTOR ASSIGNMENT

CARD POSITION

CHANNEL		1	2	3	4	5	6	7	8
	1			SL DISTRICT					
	2			DETECTION SYSTEM					

TOTAL NUMBER OF DETECTOR CARDS(2-CHANNEL) = 2 (2)

DETECTOR SCHEDULE

DETECTOR NUMBER	APPROACH	TYPE				
		PUSH BUTTON (9)	INDUCTION LOOP (2)			VIDEO
			STANDARD	DELAY/ EXTEND *	CALL UNIT *	
10	WBL-US 67					1
21	EBT-US 67					1
22	EBT-US 67					1
23	EBT-US 67	1				
24	EBT-US 67	1				
31	NB-NEW FLORISSANT					1
32	NB-NEW FLORISSANT					1
33	NB-NEW FLORISSANT					1
41	SB-NEW FLORISSANT					1
42	SB-NEW FLORISSANT					1
43	SB-NEW FLORISSANT					1
44	SB-NEW FLORISSANT	1				
45	SB-NEW FLORISSANT	1				
50	EBL-US 67					1
61	WBT-US 67					1
62	WBT-US 67					1
63	WBT-US 67	1				
64	WBT-US 67	1				
TOTAL		6				

* ITEMS FOR WHICH SEPARATE PAYMENT WILL NOT BE MADE.

*** USE D3-1 FOR ONE LINE. USE D3-1B FOR TWO LINE.

(1) MoDOT "D" PLUG SHALL BE WIRED INTO ALL NEMA CONTROLLERS WITH 7C HARDWIRE INTERCONNECT.

(2) PAYMENT IS MADE FOR THE NUMBER OF 2-CHANNEL DETECTOR CARDS AS SHOWN BELOW THE ASSIGNMENT CHART.

(4) WIRE OVERLAP CHANNELS FOR FUTURE USE.

(5) POWER SUPPLY SHALL INCLUDE AN UNINTERRUPTED POWER SUPPLY (UPS).

(7) COMBINATION PAD MOUNTED 120V240V POWER SUPPLY AND LIGHTING CONTROLLER WITH UNINTERRUPTED POWER SUPPLY (UPS). SEE JSP.

(9) ALL PUSH BUTTONS SHALL BE ACCESSIBLE PEDESTRIAN SIGNAL (APS). SEE JSP.

(10) PEDESTRIAN PUSH BUTTON SIGNS ARE INCIDENTAL TO THE PAY ITEM (AUDIBLE PEDESTRIAN PUSH BUTTON).

SL DISTRICT TRAFFIC SIGNAL
DETECTION SYSTEM = 1

SIGNAL SIGNS

QUANTITY	MUTCD SIGN NUMBER	SIZE	AREA	SIGN TOTAL AREA ITEM NO. 90208.33	SIGNAL SIGN MOUNTING HARDWARE ITEM NO. 90208.34
		INCHES	SQ.FT.	SQ.FT.	EA.
2	R10-27a	30 x 36	7.50	15.00	2
3	R10-3eR	9 x 15	0.94	2.82	3
3	R10-3eL	9 x 15	0.94	2.82	3
2	D3-1	96 x 18	12.00	24.00	2
2	D3-1	96 x 18	12.00	24.00	2
			SUBTOTAL	68.64	12
			TOTAL	68.64	12

NEMA LOAD SWITCH ASSIGNMENTS (4)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
∅1 WBL	∅2 EB	∅3 NB	∅4 SB	∅5 EBL	∅6 WB	NOT USED	NOT USED	Ø2 PED WB	Ø3 PED SB	Ø6 PED EB	NOT USED	OL A FYA EBL	NOT USED	OL C FYA WBL	NOT USED

TRAFFIC SIGNAL PLAN
SHEET 16 OF 48

LINDBERGH BLVD (US 67) AT NEW FLORISSANT RD
INTERSECTION

D-37C

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	93

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE 12-01-17

WIRING DIAGRAM



DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

LEGEND

- CONDUIT MEDIAN
- CONDUIT PUSHED
- CONDUIT TRENCHED
- SIGNAL HEAD WITH BACKPLATE
- PEDESTRIAN SIGNAL HEAD
- PULL BOX
- VIDEO DETECTION CAMERA
- TRAFFIC SIGNAL CONTROLLER CABINET
- APS PUSH BUTTON
- MAST ARM MOUNTED SIGN
- X — SIGNAL HEAD NUMBER
- X — PULL BOX NUMBER
- X — POST NUMBER

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 94
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

TRAFFIC SIGNAL PLAN
SHEET 17 OF 48

LINDBERGH BLVD (US 67) AT NEW FLORISSANT RD
INTERSECTION

D-37D

EFFECTIVE 12/01/2017

SIGNAL FACE LOCATION



TRAFFIC PHASING AND COLOR SEQUENCE - ACTUATED CONTROLLERS

	PHASE 1	PHASE 2	PHASE 3	PHASE 4	PHASE 5	PHASE 6	PHASE 7	PHASE 8	PED Ø2	PED Ø4	PED Ø6	PED Ø	OVERLAP A	OVERLAP	OVERLAP C	OVERLAP
							NOT USED	NOT USED								
FACE NUMBERS	10	21 22	31 32 33	41 42 43	50	61 62			23 24	43 44	63 64		51		11	
SIGNAL INDICATIONS	R Y FYA G	R YL FYL GL	R R Y Y G G	R R R YL Y Y L G G	R YL FYL GL	R R Y Y G G			DW FDW W	DW FDW W	DW FDW W		FYL		FYL	
DETECTOR ASSIGNMENTS	10	21 22	31 32 33	41 42 43	50	61 62										
DETECTOR ASSIGNMENTS (PEDS. ONLY)									23 24	43 44	63 64					
OVERLAP PARENT PHASES													2		6	

	FACE NUMBERS	SIGNAL INDICATIONS	DETECTOR ASSIGNMENTS
		R	
		Y	
		FYA	
		G	



RING STRUCTURE

IF CALLED, ALL NON-CONFLICTING PHASES SHALL COMBINE AND TIME CONCURRENTLY. TIME TO BE DETERMINED BY THE ENGINEER AT SIGNAL TURN ON AND SET IN THE CONTROLLER BY THE CONTRACTOR.

LEGEND

- ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED ACTUATED VEHICULAR MOVEMENT
- NON-ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED NON-ACTUATED VEHICULAR MOVEMENT
- ACTUATED PEDESTRIAN MOVEMENT
- NON-ACTUATED PEDESTRIAN MOVEMENT
- VEHICLE STOPPED
- FDW — FLASHING DON'T WALK
- W — WALK
- DW — DON'T WALK
- R/W — RIGHT OF WAY INTERVAL
- YRt — YELLOW RIGHT ARROW
- RT. — GREEN RIGHT ARROW
- LY -YL — YELLOW LEFT ARROW
- L — GREEN LEFT ARROW
- S — GREEN STRAIGHT AHEAD ARROW
- G — CIRCULAR GREEN
- Y — CIRCULAR YELLOW
- R — CIRCULAR RED
- RL — RED LEFT ARROW
- Ø — TRAFFIC PHASE
- AO — ALL OTHERS
- FR — FLASHING RED
- FY — FLASHING CIRCULAR YELLOW
- FYL — FLASHING YELLOW LEFT ARROW

FLASHING OPERATION	
LINDBERGH BLVD (US 67)	FR
NEW FLORISSANT RD	FR

CONTROLLER TYPE	NEMA TS2

TRAFFIC SIGNAL CONTROL OPERATION

INTERSECTION OF LINDBERGH BLVD (US 67)

WITH NEW FLORISSANT RD

TRAFFIC SIGNAL PLAN
SHEET 18 OF 48

D-38A

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	95

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

R10-27a 30"x36" S1 | R3-5L 30"x36" S2 | R3-6L 30"x36" S3 | R10-15R 30"x30" S4 | R3-4 24"x24" S5



R10-3eR 9"x15" S6 | R10-3eL 9"x15" S7

NOTES
1. ALL EXISTING TRAFFIC SIGNALS, CONTROLLERS, FOUNDATIONS, HANDHOLES, AND MAST ARMS ARE TO BE REMOVED. CONTRACTOR REQUIRED TO REMOVE ALL EXISTING CABLE.
2. ALL EXISTING CONDUIT WILL BE ABANDONED.
3. ALL EXISTING VIDEO CAMERAS ARE TO BE REMOVED. NEW VIDEO CAMERAS & CABLE ARE TO BE INSTALLED ON EACH PROPOSED MAST ARM.
4. EXISTING CABLE REMOVAL IS CONSIDERED INCIDENTAL.
5. PROPOSED PAVEMENT MARKINGS HAVE BEEN SHADED FOR CLARITY.



TRAFFIC SIGNALS LEGEND

CONTROLLER	CCTV CAMERA	6 X 6 LOOP DETECTOR
CONTROLLER (EXISTING)	VIDEO DETECTOR	6 X 15 LOOP DETECTOR
JUNCTION BOX	PUSH BUTTON DETECTOR	30 X 6 LOOP DETECTOR
POWER SUPPLY	PREFORMED PULL BOX TYPE 1	CONDUIT MEDIAN
WOOD POST	PREFORMED PULL BOX TYPE 2	CONDUIT PUSHED
SIGNAL HEAD (OPT LIM CONV)	CONCRETE PULL BOX TYPE 1	CONDUIT BRIDGE
SIGNAL HEAD (OPT LIM)	CONCRETE PULL BOX TYPE 2	CONDUIT EXISTING
SIGNAL HEAD (PEDESTRIAN)	ITS PULL BOX TYPE 2	CONDUIT TRENCHED
SIGNAL HEAD (STANDARD)	ITS PULL BOX TYPE 5	SPAN WIRE
	MAST ARM MOUNTED SIGN	MAST ARM - TYPE A BASE
		MAST ARM - TYPE C BASE
		MAST ARM - TYPE F BASE



D3-1 96"x18" S8 | D3-1 72"x18" S9 | D3-1 72"x18" S10

SCALE
0 20 40 60

TRAFFIC SIGNAL PLAN
US 67 AT N. WATERFORD DR/THUNDERBIRD AVE
SHEET 19 OF 48



DATE PREPARED: 28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	96

COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE: 07/01/2018

| POST NUMBER | PULL BOX NUMBER | LOCATION: APPROACH | LOCATION: STATION | LOCATION: OFFSET | BASE: A: 9 | A: 9.5 | A: 10 | A: 10.5 | A: 11 | A: 12 | F: 9 | F: 9.5 | F: 10 | F: 10.5 | F: 11 | F: 12 | C | CONCRETE** (CU. YDS.) | PULL BOX: PREFORMED: CLASS 1 | CLASS 2 | CLASS 3 | CLASS 5 | CONCRETE: STANDARD | DOUBLE, TYPE A | DOUBLE, TYPE B | DRAIN TYPE*: I | II: A | B | C | POST: TOP MOUNT POST: 8 FT. | 15 FT. | TYPE C & CL: ARM LENGTH: 35' | 50' | 55' | SIGNAL SPACING: B | C | D | D' | SIGN SPACING: B | C | D | D' | TYPE B & BL: ARM LENGTH: E | K | E | K | E | K | LEFT ARM E: SIGNAL SPACING: F | G | H | H' | SIGN SPACING: F | G | H | H' | RIGHT ARM K: SIGNAL SPACING: L | M | N | N' | SIGN SPACING: L | M | N | N' | INCLUDED ANGLE | LUMINAIRE BRACKET ARM*: 4 FT. | 6 FT. | 8 FT. | 10 FT. | 12 FT. | 15 FT. |
|---|---|---

*CABLE INCLUDED IN COST OF VIDEO DETECTION SYSTEM

EFFECTIVE: 10-01-2015

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

CONDUIT (WITH #14 TRACER WIRE)

FROM	TO	CENTER TO CENTER DISTANCE	LOOP DET.	TRENCH				PUSHED			MEDIAN			ON STRUCTURE			REMARKS
			1"	2"	3"	4"		2"	3"	4"	2"	3"	4"	2"	3"		
∅	⋈	13		17													
⋈	1	12			30												
1	2	92							90								
1	1	22			25												
1	2	30			31												
2	3	11			14												
2	4	87							85								
4	4	6			9												
4	5	11			12												
1	3	110							108								
3	6	5			6												
3	7	28			31												
SUBTOTALS				17	158				283								
TOTALS				17	158				283								

CABLE

FROM	TO	CENTER TO CENTER DISTANCE	POWER		CONTROL				CLOSED LOOP INTERCONNECT	LUMINAIRE		DETECTOR		FIBER		REMARKS
			1c #2	1c #8	2c #16	5c #16	7c #16	3c #16	3 PAIR #16	CONTROL 2c #12	POLE & BRACKET 1c #10	1c #14 IN DUCT	2c #14 LEAD-IN CABLE	SINGLE-MODE	MULTI-MODE	
∅	⋈	13		87												
⋈	H21	34					107									
⋈	H22	34					95									
⋈	H50	34					116									
⋈	V1	34														*105 LF VIDEO CABLE
⋈	H23	42				66										
⋈	D23	42			65											
⋈	H64	115				145										
⋈	D64	115			144											
⋈	H31	115					189									
⋈	H32	115					178									
⋈	H33	115					167									
⋈	V2	115														*186 LF VIDEO CABLE
⋈	H63	202				238										
⋈	D63	202			237											
⋈	H45	197				233										
⋈	D45	197			232											
⋈	H61	197					287									
⋈	H62	197					275									
⋈	H10	197					296									
⋈	V3	197														*286 LF VIDEO CABLE
⋈	H44	127				157										
⋈	D44	127			156											
⋈	H24	150				180										
⋈	D24	150			179											
⋈	H41	150					221									
⋈	H42	150					211									
⋈	H43	150					201									*221 LF VIDEO CABLE
⋈	V4	150														
SUBTOTALS				87	1013	1019	2343									TRAFFIC SIGNAL PLAN SHEET 21 OF 48
TOTALS				95	1070	1070	2460									INCL. 5% FOR SNAKING

INTERSECTION LINDBERGH BLVD (US 67) AT WATERFORD RD / THUNDERBIRD AVE D-37B

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	98

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE 04-01-2018

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

POWER SUPPLY

LOCATION			POWER SUPPLY ASSEMBLY		CIRCUIT BREAKER TRIP RATING*				LIGHTING CONTROL * (ON POWER SUPPLY)		SERVICE POLE	
					CONTROLLER		POWER SUPPLY DISCONNECT					
APPROACH	STATION	OFFSET	DRAWING 902.15	DRAWING	AUXILIARY BREAKER	CONT & SIGNAL LAMPS	MAIN BREAKER		120 VOLT CONTROL CABINET	MAIN BREAKER	CONTRACT FURNISH	UTILITY COMPANY
							SIGNALS	LIGHTING				
US 67	175+74	39' RT	Type	1(7)	15 Amps	40 Amps	100 Amps	Amps		Amps	Cl. Ft.	
			Type		15 Amps	Amps	Amps	Amps		Amps	Cl. Ft.	

CONTROLLER ASSEMBLY AND AUXILIARY EQUIPMENT

LOCATION			SYSTEM MASTER (CLOSED LOOP)		ACTUATED		ON-OFF* SWITCH TYPE		COORDINATION INTERFACE *					TIME * CLOCK	NEMA CABINET TYPE *			170 CABINET TYPE *		170 SOFTWARE *	
									12C/7C HARDWIRE (1)		TIME BASE	CLOSED LOOP		FIBER							
APPROACH	STATION	OFFSET	NEMA	170	NEMA	170	I	II	MASTER	LOCAL		NEMA	170			E	EV	DOUBLE	332	336S	BITRAN	WAPITI
US 67	175+85	44' RT.			1												1					

NEMA DETECTOR ASSIGNMENT

CARD POSITION

CHANNEL		1	2	3	4	5	6	7	8
	1			SL DISTRICT					
	2			DETECTION SYSTEM					

TOTAL NUMBER OF DETECTOR CARDS(2-CHANNEL) = 2 (2)

DETECTOR SCHEDULE

DETECTOR NUMBER	APPROACH	TYPE				
		PUSH BUTTON (9)	INDUCTION LOOP (2)			VIDEO
			STANDARD	DELAY/ EXTEND *	CALL UNIT *	
10	WBL-US 67					1
21	EBT-US 67					1
22	EBT-US 67					1
23	EBT-US 67	1				
24	EBT-US 67	1				
31	NB-WATERFORD DR					1
32	NB-WATERFORD DR					1
33	NB-WATERFORD DR					1
41	SB-THUNDERBIRD AVE					1
42	SB-THUNDERBIRD AVE					1
43	SB-THUNDERBIRD AVE					1
44	SB-THUNDERBIRD AVE					1
45	SB-THUNDERBIRD AVE	1				
50	EBL-US 67	1				
61	WBT-US 67					1
62	WBT-US 67					1
63	WBT-US 67	1				
64	WBT-US 67	1				
TOTAL		6				

* ITEMS FOR WHICH SEPARATE PAYMENT WILL NOT BE MADE.

*** USE D3-1 FOR ONE LINE. USE D3-1B FOR TWO LINE.

(1) MoDOT "D" PLUG SHALL BE WIRED INTO ALL NEMA CONTROLLERS WITH 7C HARDWIRE INTERCONNECT.

(2) PAYMENT IS MADE FOR THE NUMBER OF 2-CHANNEL DETECTOR CARDS AS SHOWN BELOW THE ASSIGNMENT CHART.

(4) WIRE OVERLAP CHANNELS FOR FUTURE USE.

(5) POWER SUPPLY SHALL INCLUDE AN UNINTERRUPTED POWER SUPPLY (UPS).

(7) COMBINATION PAD MOUNTED 120V240V POWER SUPPLY AND LIGHTING CONTROLLER WITH UNINTERRUPTED POWER SUPPLY (UPS). SEE JSP.

(9) ALL PUSH BUTTONS SHALL BE ACCESSIBLE PEDESTRIAN SIGNAL (APS). SEE JSP.

(10) PEDESTRIAN PUSH BUTTON SIGNS ARE INCIDENTAL TO THE PAY ITEM (AUDIBLE PEDESTRIAN PUSH BUTTON).

SL DISTRICT TRAFFIC SIGNAL DETECTION SYSTEM = 1

SIGNAL SIGNS

QUANTITY	MUTCD SIGN NUMBER	SIZE	AREA	SIGN TOTAL AREA ITEM NO. 90208.33	SIGNAL SIGN MOUNTING HARDWARE ITEM NO. 90208.34
		INCHES	SQ.FT.	SQ.FT.	EA.
2	R10-27a	30 x 36	7.50	15.00	2
2	R3-5L	30 x 36	7.50	15.00	2
2	R3-6L	30 x 36	7.50	15.00	2
1	R10-3eR	9 x 15	0.94	0.94	1
5	R10-3eL	9 x 15	0.94	4.69	5
3	R10-15R	30 x 30	6.25	18.75	3
2	R3-4	24 x 24	4.00	8.00	2
2	D3-1	96 x 18	12.00	24.00	2
2	D3-1B	72 x 18	9.00	18.00	2
			SUBTOTAL	119.38	21
			TOTAL	119.38	21

NEMA LOAD SWITCH ASSIGNMENTS (4)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Ø1 WBL	Ø2 EB	Ø4 NB	Ø4 SB	Ø5 EBL	Ø6 WB	NOT USED	NOT USED	Ø2 PED EB	Ø4 PED SB	Ø6 PED WB	NOT USED	OL A FYA WBL	NOT USED	OL C FYA EBL	NOT USED

TRAFFIC SIGNAL PLAN
SHEET 22 OF 48

LINDBERGH BLVD (US 67) AT WATERFORD DR/THUNDERBIRD AVE
INTERSECTION

D-37C

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	99

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE 12-01-17

WIRING DIAGRAM



LEGEND

- CONDUIT MEDIAN
- CONDUIT PUSHED
- CONDUIT TRENCHED
- SIGNAL HEAD WITH BACKPLATE
- PEDESTRIAN SIGNAL HEAD
- PULL BOX
- VIDEO DETECTION CAMERA
- TRAFFIC SIGNAL CONTROLLER CABINET
- APS PUSH BUTTON
- MAST ARM MOUNTED SIGN
- SIGNAL HEAD NUMBER
- PULL BOX NUMBER
- POST NUMBER
- POWER SOURCE

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED: 28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	100

COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

TRAFFIC SIGNAL PLAN
SHEET 23 OF 48

LINDBERGH BLVD (US 67) AT WATERFORD DR/THUNDERBIRD AVE

INTERSECTION

D-37D

EFFECTIVE 12/01/2017

SIGNAL FACE LOCATION



TRAFFIC PHASING AND COLOR SEQUENCE - ACTUATED CONTROLLERS

	PHASE 1	PHASE 2	PHASE 3	PHASE 4	PHASE 5	PHASE 6	PHASE 7	PHASE 8	PED Ø2	PED Ø4	PED Ø6	PED Ø8	FYA OVERLAP A	FYA OVERLAP B	FYA OVERLAP C	FYA OVERLAP D	
							NOT USED	NOT USED						NOT USED		NOT USED	
FACE NUMBERS	10	21 22	31 32 33	41 42 43	50	61 62			23 24	44 45	63 64		11		51		FACE NUMBERS
SIGNAL INDICATIONS R	RL	R R	RL R R	RL R R	RL	R R			DW	DW	DW						R
SIGNAL INDICATIONS Y	YL	Y Y	YL Y Y	YL Y Y	YL	Y Y			FDW	FDW							Y
SIGNAL INDICATIONS FYA	FYL				FYL						FDW		FYL		FYL		FYA
SIGNAL INDICATIONS G	L	G G	L G G	L G G	L	G G			W	W	W						G
			L	L													SIGNAL INDICATIONS
DETECTOR ASSIGNMENTS	10	21 22	31 32 33	41 42 43	50	61 62											DETECTOR ASSIGNMENTS
DETECTOR ASSIGNMENTS (PEDS. ONLY)									23 24	44 45	63 64						
OVERLAP PARENT PHASES									2	4	6		2		6		



RING STRUCTURE

IF CALLED, ALL NON-CONFLICTING PHASES SHALL COMBINE AND TIME CONCURRENTLY. TIME TO BE DETERMINED BY THE ENGINEER AT SIGNAL TURN ON AND SET IN THE CONTROLLER BY THE CONTRACTOR.

LEGEND

- ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED ACTUATED VEHICULAR MOVEMENT
- NON-ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED NON-ACTUATED VEHICULAR MOVEMENT
- ACTUATED PEDESTRIAN MOVEMENT
- NON-ACTUATED PEDESTRIAN MOVEMENT
- VEHICLE STOPPED
- FDW — FLASHING DON'T WALK
- W — WALK
- DW — DON'T WALK
- R/W — RIGHT OF WAY INTERVAL
- YRt — YELLOW RIGHT ARROW
- RT. — GREEN RIGHT ARROW
- LY -YL — YELLOW LEFT ARROW
- L — GREEN LEFT ARROW
- S — GREEN STRAIGHT AHEAD ARROW
- G — CIRCULAR GREEN
- Y — CIRCULAR YELLOW
- R — CIRCULAR RED
- RL — RED LEFT ARROW
- Ø — TRAFFIC PHASE
- AO — ALL OTHERS
- FR — FLASHING RED
- FY — FLASHING CIRCULAR YELLOW
- FYL — FLASHING YELLOW LEFT ARROW

FLASHING OPERATION	
LINDBERGH BLVD (US 67)	FR
WATERFORD DR	FR

CONTROLLER TYPE	NEMA TS2

TRAFFIC SIGNAL CONTROL OPERATION

INTERSECTION OF LINDBERGH BLVD (US 67)

WITH WATERFORD DR

TRAFFIC SIGNAL PLAN
SHEET 24 OF 48

D-38A

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	101

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

NOTES:

1. ALL EXISTING TRAFFIC SIGNALS, FOUNDATIONS, CONTROLLERS, HANDHOLES, AND MAST ARMS ARE TO BE REMOVED. CONTRACTOR REQUIRED TO REMOVE ALL EXISTING CABLE.
2. EXISTING POLE 4 IS TO REMAIN.
3. EXISTING CABLE REMOVAL IS CONSIDERED INCIDENTAL.
4. ALL EXISTING CONDUIT WILL BE ABANDONED.
5. ALL EXISTING VIDEO CAMERAS ARE TO BE REMOVED. NEW VIDEO CAMERAS & CABLE ARE TO BE INSTALLED ON EACH PROPOSED MAST ARM.
6. PROPOSED PAVEMENT MARKING HAVE BEEN SHADED FOR CLARITY.



TRAFFIC SIGNALS LEGEND

- CONTROLLER
- CONTROLLER (EXISTING)
- JUNCTION BOX
- POWER SUPPLY
- WOOD POST
- SIGNAL HEAD (OPT LIM CONV)
- SIGNAL HEAD (OPT LIM)
- SIGNAL HEAD (PEDESTRIAN)
- SIGNAL HEAD (STANDARD)
- CCTV CAMERA
- VIDEO DETECTOR
- PUSH BUTTON DETECTOR
- PREFORMED PULL BOX TYPE 1
- PREFORMED PULL BOX TYPE 2
- CONCRETE PULL BOX TYPE 1
- CONCRETE PULL BOX TYPE 2
- ITS PULL BOX TYPE 2
- ITS PULL BOX TYPE 5
- MAST ARM MOUNTED SIGN
- 6 X 6 LOOP DETECTOR
- 6 X 15 LOOP DETECTOR
- 30 X 6 LOOP DETECTOR
- CONDUIT MEDIAN
- CONDUIT PUSHED
- CONDUIT BRIDGE
- CONDUIT EXISTING
- CONDUIT TRENCHED
- SPAN WIRE
- MAST ARM - TYPE A BASE
- MAST ARM - TYPE C BASE
- MAST ARM - TYPE F BASE

R10-27a
30"x36"
S1

R10-15R
30"x30"
S2



R10-3eR
9"x15"
S3



R10-3eL
9"x15"
S4

D3-1
96"x18"
S5

SCALE

0 20 40 60

TRAFFIC SIGNAL PLAN
US 67 AT TARGET ENTRANCE
SHEET 25 OF 48



01/29/2026 11:33:25 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	102

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE: 07/01/2018

| POST NUMBER | PULL BOX NUMBER | LOCATION APPROACH | LOCATION STATION | LOCATION OFFSET | BASE A 9 | BASE A 9.5 | BASE A 10 | BASE A 10.5 | BASE A 11 | BASE A 12 | BASE F 9 | BASE F 9.5 | BASE F 10 | BASE F 10.5 | BASE F 11 | BASE F 12 | BASE C | BASE CONCRETE** (CU. YDS.) | PULL BOX PREFORMED CLASS 1 | PREFORMED CLASS 2 | PREFORMED CLASS 3 | PREFORMED CLASS 5 | CONCRETE STANDARD | CONCRETE DOUBLE, TYPE A | CONCRETE DOUBLE, TYPE B | DRAIN TYPE* I | DRAIN TYPE* II A | DRAIN TYPE* II B | DRAIN TYPE* II C | POST TOP MOUNT POST 8 FT. | POST TOP MOUNT POST 15 FT. | TYPE C & CL ARM LENGTH 25' | TYPE C & CL ARM LENGTH 45' | TYPE C & CL ARM LENGTH 55' | TYPE C & CL SIGNAL SPACING B | TYPE C & CL SIGNAL SPACING C | TYPE C & CL SIGNAL SPACING D | TYPE C & CL SIGNAL SPACING D' | TYPE C & CL SIGN SPACING B | TYPE C & CL SIGN SPACING C | TYPE C & CL SIGN SPACING D | TYPE C & CL SIGN SPACING D' | TYPE B & BL ARM LENGTH E | TYPE B & BL ARM LENGTH K | TYPE B & BL ARM LENGTH E | TYPE B & BL ARM LENGTH K | TYPE B & BL ARM LENGTH E | TYPE B & BL ARM LENGTH K | TYPE B & BL LEFT ARM E SIGNAL SPACING F | TYPE B & BL LEFT ARM E SIGNAL SPACING G | TYPE B & BL LEFT ARM E SIGNAL SPACING H | TYPE B & BL LEFT ARM E SIGNAL SPACING H' | TYPE B & BL LEFT ARM E SIGN SPACING F | TYPE B & BL LEFT ARM E SIGN SPACING G | TYPE B & BL LEFT ARM E SIGN SPACING H | TYPE B & BL LEFT ARM E SIGN SPACING H' | TYPE B & BL RIGHT ARM K SIGNAL SPACING L | TYPE B & BL RIGHT ARM K SIGNAL SPACING M | TYPE B & BL RIGHT ARM K SIGNAL SPACING N | TYPE B & BL RIGHT ARM K SIGNAL SPACING N' | TYPE B & BL RIGHT ARM K SIGN SPACING L | TYPE B & BL RIGHT ARM K SIGN SPACING M | TYPE B & BL RIGHT ARM K SIGN SPACING N | TYPE B & BL RIGHT ARM K SIGN SPACING N' | TYPE B & BL INCLUDED ANGLE | LUMINAIRE BRACKET ARM* 4 FT. | LUMINAIRE BRACKET ARM* 6 FT. | LUMINAIRE BRACKET ARM* 8 FT. | LUMINAIRE BRACKET ARM* 10 FT. | LUMINAIRE BRACKET ARM* 12 FT. | LUMINAIRE BRACKET ARM* 15 FT. |
|---|---|---

*CABLE INCLUDED IN COST OF VIDEO DETECTION SYSTEM

EFFECTIVE: 10-01-2015

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

CONDUIT (WITH #14 TRACER WIRE)

FROM	TO	CENTER TO CENTER DISTANCE	LOOP DET.	TRENCH				PUSHED			MEDIAN			ON STRUCTURE			REMARKS
			1"	2"	3"	4"		2"	3"	4"	2"	3"	4"	2"	3"		
∅		7		11													
	1	12			26												
1	7	16			17												
1	2	8			11												
1	2	83							79								
2	1	19							22								
2	5	13			14												
2	4	104							102								
4	6	32							33								
4	9	34							35								
4	4	18			21												
1	3	108							105								
3	3	7			10												
3	8	37							38								

EFFECTIVE 04-01-2018

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

POWER SUPPLY

LOCATION			POWER SUPPLY ASSEMBLY		CIRCUIT BREAKER TRIP RATING*				LIGHTING CONTROL * (ON POWER SUPPLY)		SERVICE POLE	
					CONTROLLER		POWER SUPPLY DISCONNECT					
APPROACH	STATION	OFFSET	DRAWING 902.15	DRAWING	AUXILIARY BREAKER	CONT & SIGNAL LAMPS	MAIN BREAKER		120 VOLT CONTROL CABINET	MAIN BREAKER	CONTRACT FURNISH	UTILITY COMPANY
							SIGNALS	LIGHTING				
US 67	188+99	40' RT	Type	1(7)	15 Amps	40 Amps	100 Amps	Amps		Amps	Ci. Ft.	
			Type		15 Amps	Amps	Amps	Amps		Amps	Ci. Ft.	

CONTROLLER ASSEMBLY AND AUXILIARY EQUIPMENT

LOCATION			SYSTEM MASTER (CLOSED LOOP)		ACTUATED		ON-OFF* SWITCH TYPE		COORDINATION INTERFACE *					TIME * CLOCK	NEMA CABINET TYPE *			170 CABINET TYPE *		170 SOFTWARE *	
									12C/7C HARDWIRE (1)		TIME BASE	CLOSED LOOP		FIBER							
APPROACH	STATION	OFFSET	NEMA	170	NEMA	170	I	II	MASTER	LOCAL		NEMA	170			E	EV	DOUBLE	332	336S	BITRAN	WAPITI
US 67	189+05	41' RT.			1												1					

NEMA DETECTOR ASSIGNMENT

CARD POSITION

		1	2	3	4	5	6	7	8
CHANNEL	1			SL DISTRICT					
	2			DETECTION SYSTEM					

TOTAL NUMBER OF DETECTOR CARDS(2-CHANNEL) = 2 (2)

DETECTOR SCHEDULE

DETECTOR NUMBER	APPROACH	TYPE				
		PUSH BUTTON (9)	INDUCTION LOOP (2)			VIDEO
			STANDARD	DELAY/ EXTEND *	CALL UNIT *	
10	WBL-US 67					1
21	EBT-US 67					1
22	EBT-US 67					1
23	EBT-US 67	1				
24	EBT-US 67	1				
41	SBL-TARGET ENTRANCE					1
42	SBT-TARGET ENTRANCE					1
44	SBT-TARGET ENTRANCE	1				
45	SBT-TARGET ENTRANCE	1				
50	EBL-US 67					1
61	WBT-US 67					1
62	WBT-US 67					1
63	WBT-US 67	1				
64	WBT-US 67	1				
81	NBL-FEDEX ENTRANCE					1
82	NBT-FEDEX ENTRANCE					1
TOTAL		6				

* ITEMS FOR WHICH SEPARATE PAYMENT WILL NOT BE MADE.

*** USE D3-1 FOR ONE LINE. USE D3-1B FOR TWO LINE.

(1) MoDOT "D" PLUG SHALL BE WIRED INTO ALL NEMA CONTROLLERS WITH 7C HARDWIRE INTERCONNECT.

(2) PAYMENT IS MADE FOR THE NUMBER OF 2-CHANNEL DETECTOR CARDS AS SHOWN BELOW THE ASSIGNMENT CHART.

(4) WIRE OVERLAP CHANNELS FOR FUTURE USE.

(5) POWER SUPPLY SHALL INCLUDE AN UNINTERRUPTED POWER SUPPLY (UPS).

(7) COMBINATION PAD MOUNTED 120V240V POWER SUPPLY AND LIGHTING CONTROLLER WITH UNINTERRUPTED POWER SUPPLY (UPS). SEE JSP.

(9) ALL PUSH BUTTONS SHALL BE ACCESSIBLE PEDESTRIAN SIGNAL (APS). SEE JSP.

(10) PEDESTRIAN PUSH BUTTON SIGNS ARE INCIDENTAL TO THE PAY ITEM (AUDIBLE PEDESTRIAN PUSH BUTTON).

SIGNAL SIGNS

QUANTITY	MUTCD SIGN NUMBER	SIZE	AREA	SIGN TOTAL AREA ITEM NO. 90208.33	SIGNAL SIGN MOUNTING HARDWARE ITEM NO. 90208.34
		INCHES	SQ.FT.	SQ.FT.	EA.
4	R10-27a	30 x 36	7.50	30.00	4
1	R10-15R	30 x 30	6.25	6.25	1
4	R10-3eR	9 x 15	0.94	3.75	4
2	R10-3eL	9 x 15	0.95	1.88	2
2	D3-1	96 x 18	12.00	24.00	2
			SUBTOTAL	65.88	13
			TOTAL	65.88	13

NEMA LOAD SWITCH ASSIGNMENTS (4)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Ø1 WBL	Ø2 EB	NOT USED	Ø4 SB	Ø5 EBL	Ø6 WB	NOT USED	Ø8 NB	Ø2 PED WB	Ø4 PED SB	Ø6 PED EB	NOT USED	OLA LTA WBL	OLB LTA NBL	OLC LTA EBL	OLD LTA SL

SL DISTRICT TRAFFIC SIGNAL DETECTION SYSTEM = 1

TRAFFIC SIGNAL PLAN
SHEET 28 OF 48

LINDBERGH BLVD (US 67) AT TARGET ENTRANCE
INTERSECTION

D-37C

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	105

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE 12-01-17

WIRING DIAGRAM



DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

LEGEND

- CONDUIT MEDIAN
- CONDUIT PUSHED
- CONDUIT TRENCHED
- SIGNAL HEAD WITH BACKPLATE
- PEDESTRIAN SIGNAL HEAD
- PULL BOX
- VIDEO DETECTION CAMERA
- TRAFFIC SIGNAL CONTROLLER CABINET
- APS PUSH BUTTON
- MAST ARM MOUNTED SIGN
- SIGNAL HEAD NUMBER
- PULL BOX NUMBER
- POST NUMBER
- POWER SOURCE
- CCTV CAMERA

TRAFFIC SIGNAL PLAN
SHEET 29 OF 48

LINDBERGH BLVD (US 67) AT TARGET ENTRANCE

INTERSECTION

D-37D

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	106

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE 12/01/2017

SIGNAL FACE LOCATION



TRAFFIC PHASING AND COLOR SEQUENCE - ACTUATED CONTROLLERS

	PHASE 1	PHASE 2	PHASE 3	PHASE 4	PHASE 5	PHASE 6	PHASE 7	PHASE 8	PED Ø2	PED Ø4	PED Ø6	PED Ø8	FYA OVERLAP A	OVERLAP B	FYA OVERLAP C	OVERLAP D
			NOT USED				NOT USED					NOT USED		NOT USED		NOT USED
FACE NUMBERS	10	21 22		41 42	50	61 62		81 82	23 24	44 45	63 64		11		51	
SIGNAL INDICATIONS R	RL	R R		R R	RL	R R		R R	DW	DW	DW					
SIGNAL INDICATIONS Y	YL	Y Y		Y Y	YL	Y Y		Y Y	FDW	FDW	FDW					
SIGNAL INDICATIONS FYA	FYL				FYL								FYL		FYL	
SIGNAL INDICATIONS G	L	G G		G G	L	G G		G G	W	W	W					
DETECTOR ASSIGNMENTS	10	21 22		41 42	50	61 62		81 82								
DETECTOR ASSIGNMENTS (PEDS. ONLY)									23 24	44 45	63 64					
OVERLAP PARENT PHASES									2	4	6		2		6	

FACE NUMBERS / SIGNAL INDICATIONS / DETECTOR ASSIGNMENTS



RING STRUCTURE

IF CALLED, ALL NON-CONFLICTING PHASES SHALL COMBINE AND TIME CONCURRENTLY. TIME TO BE DETERMINED BY THE ENGINEER AT SIGNAL TURN ON AND SET IN THE CONTROLLER BY THE CONTRACTOR.

LEGEND

- ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED ACTUATED VEHICULAR MOVEMENT
- NON-ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED NON-ACTUATED VEHICULAR MOVEMENT
- ACTUATED PEDESTRIAN MOVEMENT
- NON-ACTUATED PEDESTRIAN MOVEMENT
- VEHICLE STOPPED
- FDW — FLASHING DON'T WALK
- W — WALK
- DW — DON'T WALK
- R/W — RIGHT OF WAY INTERVAL
- YRt — YELLOW RIGHT ARROW
- RT. — GREEN RIGHT ARROW
- LY -YL — YELLOW LEFT ARROW
- L — GREEN LEFT ARROW
- S — GREEN STRAIGHT AHEAD ARROW
- G — CIRCULAR GREEN
- Y — CIRCULAR YELLOW
- R — CIRCULAR RED
- RL — RED LEFT ARROW
- Ø — TRAFFIC PHASE
- AO — ALL OTHERS
- FR — FLASHING RED
- FY — FLASHING CIRCULAR YELLOW
- FYL — FLASHING YELLOW LEFT ARROW

FLASHING OPERATION	
LINDBERGH BLVD (US 67)	FR
TARGET ENTRANCE	FR

CONTROLLER TYPE	NEMA TS2

TRAFFIC SIGNAL CONTROL OPERATION

INTERSECTION OF LINDBERGH BLVD (US 67)

WITH TARGET ENTRANCE

TRAFFIC SIGNAL PLAN
SHEET 30 OF 48

D-38A

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED: 28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	107

COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

D3-1
96"x18"
S6

D3-1
96"x18"
S5

D3-1
96"x18"
S7

NOTES:
1. ALL EXISTING TRAFFIC SIGNALS, CONTROLLERS FOUNDATIONS, HANDHOLES, AND MAST ARMS ARE TO BE REMOVED. CONTRACTOR REQUIRED TO REMOVE ALL EXISTING CABLE.
2. ALL EXISTING CONDUIT WILL BE ABANDONED.
3. ALL EXISTING VIDEO CAMERAS ARE TO BE REMOVED. NEW VIDEO CAMERAS & CABLE ARE TO BE INSTALLED ON EACH PROPOSED MAST ARM.
4. EXISTING CABLE REMOVAL IS CONSIDERED INCIDENTAL.
5. PROPOSED PAVEMENT MARKINGS BEEN SHADED FOR CLARITY.
6. PRIOR TO INSTALLING POLE 1 ELECTRIC SERVICE WILL NEED TO BE RELOCATED. SERVICE IS INTENDED TO POWER EXISTING SIGNAL AND PROPOSED SIGNAL.



TRAFFIC SIGNALS LEGEND

- CONTROLLER
- CONTROLLER (EXISTING)
- JUNCTION BOX
- POWER SUPPLY
- WOOD POST
- SIGNAL HEAD (OPT LIM CONV)
- SIGNAL HEAD (OPT LIM)
- SIGNAL HEAD (PEDESTRIAN)
- SIGNAL HEAD (STANDARD)
- CCTV CAMERA
- VIDEO DETECTOR
- PUSH BUTTON DETECTOR
- PREFORMED PULL BOX TYPE 1
- PREFORMED PULL BOX TYPE 2
- CONCRETE PULL BOX TYPE 1
- CONCRETE PULL BOX TYPE 2
- ITS PULL BOX TYPE 2
- ITS PULL BOX TYPE 5
- MAST ARM MOUNTED SIGN
- LED LUMINAIRE - TYPE A
- 6 X 6 LOOP DETECTOR
- 6 X 15 LOOP DETECTOR
- 30 X 6 LOOP DETECTOR
- CONDUIT MEDIAN
- CONDUIT PUSHED
- CONDUIT BRIDGE
- CONDUIT EXISTING
- CONDUIT TRENCHED
- SPAN WIRE
- MAST ARM - TYPE A BASE
- MAST ARM - TYPE C BASE
- MAST ARM - TYPE F BASE

R10-27a
30"x36"
S1

R10-15R
30"x30"
S2



R10-3eR
9"x15"
S3



R10-3eL
9"x15"
S4



TRAFFIC SIGNAL PLAN
US 67 AT TROTTERWAY DR
SHEET 31 OF 48

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	108

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE: 07/01/2018

| POST NUMBER | PULL BOX NUMBER | LOCATION APPROACH | LOCATION STATION | LOCATION OFFSET | BASE A 9 | BASE A 9.5 | BASE A 10 | BASE A 10.5 | BASE A 11 | BASE A 12 | BASE F 9 | BASE F 9.5 | BASE F 10 | BASE F 10.5 | BASE F 11 | BASE F 12 | BASE C | BASE CONCRETE** (CU. YDS.) | PULL BOX PREFORMED CLASS 1 | PREFORMED CLASS 2 | PREFORMED CLASS 3 | PREFORMED CLASS 5 | CONCRETE STANDARD | CONCRETE DOUBLE, TYPE A | CONCRETE DOUBLE, TYPE B | DRAIN TYPE* I | DRAIN TYPE* II A | DRAIN TYPE* II B | DRAIN TYPE* II C | TOP MOUNT POST 8 FT. | TOP MOUNT POST 15 FT. | TYPE C & CL ARM LENGTH 40' | TYPE C & CL ARM LENGTH 55' | TYPE C & CL SIGNAL SPACING B | TYPE C & CL SIGNAL SPACING C | TYPE C & CL SIGNAL SPACING D | TYPE C & CL SIGNAL SPACING D' | TYPE C & CL SIGN SPACING B | TYPE C & CL SIGN SPACING C | TYPE C & CL SIGN SPACING D | TYPE C & CL SIGN SPACING D' | TYPE B & BL ARM LENGTH E | TYPE B & BL ARM LENGTH K | TYPE B & BL ARM LENGTH E | TYPE B & BL ARM LENGTH K | TYPE B & BL ARM LENGTH E | TYPE B & BL ARM LENGTH K | TYPE B & BL LEFT ARM E SIGNAL SPACING F | TYPE B & BL LEFT ARM E SIGNAL SPACING G | TYPE B & BL LEFT ARM E SIGNAL SPACING H | TYPE B & BL LEFT ARM E SIGNAL SPACING H' | TYPE B & BL LEFT ARM E SIGN SPACING F | TYPE B & BL LEFT ARM E SIGN SPACING G | TYPE B & BL LEFT ARM E SIGN SPACING H | TYPE B & BL LEFT ARM E SIGN SPACING H' | TYPE B & BL RIGHT ARM K SIGNAL SPACING L | TYPE B & BL RIGHT ARM K SIGNAL SPACING M | TYPE B & BL RIGHT ARM K SIGNAL SPACING N | TYPE B & BL RIGHT ARM K SIGNAL SPACING N' | TYPE B & BL RIGHT ARM K SIGN SPACING L | TYPE B & BL RIGHT ARM K SIGN SPACING M | TYPE B & BL RIGHT ARM K SIGN SPACING N | TYPE B & BL RIGHT ARM K SIGN SPACING N' | INCLUDED ANGLE | LUMINAIRE BRACKET ARM* 4 FT. | LUMINAIRE BRACKET ARM* 6 FT. | LUMINAIRE BRACKET ARM* 8 FT. | LUMINAIRE BRACKET ARM* 10 FT. | LUMINAIRE BRACKET ARM* 12 FT. | LUMINAIRE BRACKET ARM* 15 FT. |
|---|---|---

*CABLE INCLUDED IN COST OF VIDEO DETECTION SYSTEM

EFFECTIVE: 10-01-2015

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

CONDUIT (WITH #14 TRACER WIRE)

FROM	TO	CENTER TO CENTER DISTANCE	LOOP DET.	TRENCH				PUSHED			MEDIAN			ON STRUCTURE			REMARKS
			1"	2"	3"	4"		2"	3"	4"	2"	3"	4"	2"	3"		
∅		29		31													
	1	13			32												
1	1	20			23												
1	2	31			32												
1	3	43			44												
1	2	93							91								
2	4	8			9												
2	5	6			9												
2	6	16			17												
2	3	93							91								
3	7	12			13												
3	8	7			10												
3	4	75							73								
4	9	10			13												
4	10	12			13												
SUBTOTALS				31	215				255								
TOTALS				31	215				255								

CABLE

FROM	TO	CENTER TO CENTER DISTANCE	POWER		CONTROL				CLOSED LOOP INTERCONNECT	LUMINAIRE		DETECTOR		FIBER		REMARKS
			1c #2	1c #8	2c #16	5c #16	7c #16	3c #16	3 PAIR #16	CONTROL 2c #12	POLE & BRACKET 1c #10	1c #14 IN DUCT	2c #14 LEAD-IN CABLE	SINGLE-MODE	MULTI-MODE	
∅		29		86												
	H22	33					93									
	H23	33					82									
	H21	33					104									
	V1	33														*109 LF VIDEO CABLE
	H85	44				68										
	D85	44			67											
	H24	56				80										
	D24	56			79											
	H84	114				144										
	D84	114			143											
	H82	112					181									
	H83	112					169									
	H81	112					193									
	V2	112														*208 LF VIDEO CABLE
	H64	122				152										
	D64	122			151											
	H63	211				247										
	D63	211			246											
	H61	206					282									
	H62	206					271									
	H10	206					293									
	V4	206														*303 LF VIDEO CABLE
	H42	284					379									
	H43	284					367									
	H41	284					390									
	V3	284														*408 LF VIDEO CABLE
	H25	286				328										
	D25	286			327											
	LUM1									132	90					TO LUM ON POLE 5
	LUM2									232	90					TO LUM ON POLE 8
SUBTOTALS			86		1013	1019	2804			364	180					TRAFFIC SIGNAL PLAN
TOTALS			90		1060	1070	2950			380	190					INCL. 5% FOR SNAKING

INTERSECTION LINDBERGH BLVD (US 67) AT TROTTERWAY DR

D-37B

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	110

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE 04-01-2018

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

POWER SUPPLY

LOCATION			POWER SUPPLY ASSEMBLY		CIRCUIT BREAKER TRIP RATING*				LIGHTING CONTROL * (ON POWER SUPPLY)		SERVICE POLE	
					CONTROLLER		POWER SUPPLY DISCONNECT					
							MAIN BREAKER					
APPROACH	STATION	OFFSET	DRAWING 902.15	DRAWING	AUXILIARY BREAKER	CONT & SIGNAL LAMPS	SIGNALS	LIGHTING	120 VOLT CONTROL CABINET	MAIN BREAKER	CONTRACT FURNISH	UTILITY COMPANY
US 67	205+76	37' RT	Type	1(7)	15 Amps	40 Amps	100 Amps	Amps		Amps	Cl. Ft.	
			Type		15 Amps	Amps	Amps	Amps		Amps	Cl. Ft.	

CONTROLLER ASSEMBLY AND AUXILIARY EQUIPMENT

LOCATION			SYSTEM MASTER (CLOSED LOOP)		ACTUATED		ON-OFF* SWITCH TYPE		COORDINATION INTERFACE *					TIME * CLOCK	NEMA CABINET TYPE *			170 CABINET TYPE *		170 SOFTWARE *	
									12C/7C HARDWIRE (1)		TIME BASE	CLOSED LOOP		FIBER							
APPROACH	STATION	OFFSET	NEMA	170	NEMA	170	I	II	MASTER	LOCAL		NEMA	170			E	EV	DOUBLE	332	336S	BITRAN	WAPITI
US 67	206+04	37' RT.			1												1					

NEMA DETECTOR ASSIGNMENT

		CARD POSITION							
		1	2	3	4	5	6	7	8
CHANNEL	1			SL DISTRICT					
	2			DETECTION SYSTEM					

TOTAL NUMBER OF DETECTOR CARDS(2-CHANNEL) = 2 (2)

DETECTOR SCHEDULE

DETECTOR NUMBER	APPROACH	TYPE				
		PUSH BUTTON (9)	INDUCTION LOOP (2)			VIDEO
			STANDARD	DELAY/ EXTEND *	CALL UNIT *	
10	WBL-US 67					1
21	EB-US 67					1
22	EB-US 67					1
23	EB-US 67					1
24	EB-US 67	1				
25	EB-US 67	1				
41	SB-DRIVEWAY					1
42	SB-DRIVEWAY					1
61	WBT-US 67					1
62	WBT-US 67					1
63	WBT-US 67	1				
64	WBT-US 67	1				
81	NB-TROTTERWAY DR					1
82	NB-TROTTERWAY DR					1
84	NB-TROTTERWAY DR	1				
85	NB-TROTTERWAY DR	1				
TOTAL		6				

* ITEMS FOR WHICH SEPARATE PAYMENT WILL NOT BE MADE.

*** USE D3-1 FOR ONE LINE. USE D3-1B FOR TWO LINE.

(1) MoDOT "D" PLUG SHALL BE WIRED INTO ALL NEMA CONTROLLERS WITH 7C HARDWIRE INTERCONNECT.

(2) PAYMENT IS MADE FOR THE NUMBER OF 2-CHANNEL DETECTOR CARDS AS SHOWN BELOW THE ASSIGNMENT CHART.

(4) WIRE OVERLAP CHANNELS FOR FUTURE USE.

(5) POWER SUPPLY SHALL INCLUDE AN UNINTERRUPTED POWER SUPPLY (UPS).

(7) COMBINATION PAD MOUNTED 120V240V POWER SUPPLY AND LIGHTING CONTROLLER WITH UNINTERRUPTED POWER SUPPLY (UPS). SEE JSP.

(9) ALL PUSH BUTTONS SHALL BE ACCESSIBLE PEDESTRIAN SIGNAL (APS). SEE JSP.

(10) PEDESTRIAN PUSH BUTTON SIGNS ARE INCIDENTAL TO THE PAY ITEM (AUDIBLE PEDESTRIAN PUSH BUTTON).

SL DISTRICT TRAFFIC SIGNAL DETECTION SYSTEM = 1

SIGNAL SIGNS

QUANTITY	MUTCD SIGN NUMBER	SIZE	AREA	SIGN TOTAL AREA ITEM NO. 90208.33	SIGNAL SIGN MOUNTING HARDWARE ITEM NO. 90208.34
		INCHES	SQ.FT.	SQ.FT.	EA.
4	R10-27a	30 x 36	7.50	30.00	4
3	R10-15R	30 x 30	6.25	18.75	3
3	R10-3eR	9 x 15	0.94	2.81	3
3	R10-3eL	9 x 15	0.94	2.81	3
4	D3-1	96 x 18	12.00	48.00	4
			SUBTOTAL	102.37	17
			TOTAL	102.37	17

NEMA LOAD SWITCH ASSIGNMENTS (4)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Ø1 WBL	Ø2 EB	NOT USED	Ø4 SB	NOT USED	Ø6 WB	NOT USED	Ø8 NB	Ø2 PED EB	NOT USED	Ø6 PED WB	Ø8 PED NB	OL A FYA WBL	NOT USED	NOT USED	NOT USED

TRAFFIC SIGNAL PLAN
SHEET 34 OF 48

LINDBERGH BLVD (US 67) AT TROTTERWAY DR
INTERSECTION

D-37C

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	111

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE 12-01-17

WIRING DIAGRAM



DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

LEGEND

- CONDUIT MEDIAN
- CONDUIT PUSHED
- CONDUIT TRENCHED
- SIGNAL HEAD WITH BACKPLATE
- PEDESTRIAN SIGNAL HEAD
- PULL BOX
- VIDEO DETECTION CAMERA
- TRAFFIC SIGNAL CONTROLLER CABINET
- APS PUSH BUTTON
- MAST ARM MOUNTED SIGN
- X — SIGNAL HEAD NUMBER
- X — PULL BOX NUMBER
- X — POST NUMBER

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	112

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

TRAFFIC SIGNAL PLAN
SHEET 35 OF 48

LINDBERGH BLVD (US 67) AT TROTTERWAY DR

INTERSECTION

D-37D

EFFECTIVE 12/01/2017

SIGNAL FACE LOCATION



TRAFFIC PHASING AND COLOR SEQUENCE - ACTUATED CONTROLLERS

	PHASE 1	PHASE 2	PHASE 3	PHASE 4	PHASE 5	PHASE 6	PHASE 7	PHASE 8	PED Ø2	PED Ø4	PED Ø6	PED Ø8	FYA OVERLAP A	FYA OVERLAP B	FYA OVERLAP C	OVERLAP D	
			NOT USED		NOT USED		NOT USED			NOT USED				NOT USED	NOT USED	NOT USED	
FACE NUMBERS	10	21 22 23		41 42 43		61 62		81 82 83	24		63	84	11				FACE NUMBERS
									25		64	85					
SIGNAL INDICATIONS R	RL	RL R R		RL R R		R R		RL R R	DW		DW						R
SIGNAL INDICATIONS Y	YL	YL Y Y		YL Y Y		Y Y		YL Y Y	FDW		FDW	FDW					Y
SIGNAL INDICATIONS FYA	FYL	FYL		FYL				FYL					FYL				FYA
SIGNAL INDICATIONS G	L	G G		G G		G G		G G	W		W	W					G
DETECTOR ASSIGNMENTS	10	21 22 23		41 42		61 62		81 82									DETECTOR ASSIGNMENTS
DETECTOR ASSIGNMENTS (PEDS. ONLY)									24 25		63 64	84 85					
OVERLAP PARENT PHASES									2		6	8	2				



RING STRUCTURE

IF CALLED, ALL NON-CONFLICTING PHASES SHALL COMBINE AND TIME CONCURRENTLY. TIME TO BE DETERMINED BY THE ENGINEER AT SIGNAL TURN ON AND SET IN THE CONTROLLER BY THE CONTRACTOR.

LEGEND

- ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED ACTUATED VEHICULAR MOVEMENT
- NON-ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED NON-ACTUATED VEHICULAR MOVEMENT
- ACTUATED PEDESTRIAN MOVEMENT
- NON-ACTUATED PEDESTRIAN MOVEMENT
- VEHICLE STOPPED
- FDW — FLASHING DON'T WALK
- W — WALK
- DW — DON'T WALK
- R/W — RIGHT OF WAY INTERVAL
- YRt — YELLOW RIGHT ARROW
- RT. — GREEN RIGHT ARROW
- LY -YL — YELLOW LEFT ARROW
- L — GREEN LEFT ARROW
- S — GREEN STRAIGHT AHEAD ARROW
- G — CIRCULAR GREEN
- Y — CIRCULAR YELLOW
- R — CIRCULAR RED
- RL — RED LEFT ARROW
- Ø — TRAFFIC PHASE
- AO — ALL OTHERS
- FR — FLASHING RED
- FY — FLASHING CIRCULAR YELLOW
- FYL — FLASHING YELLOW LEFT ARROW

FLASHING OPERATION	
LINDBERGH BLVD (US 67)	FR
TROTTER WAY	FR

CONTROLLER TYPE	NEMA TS2

TRAFFIC SIGNAL CONTROL OPERATION

INTERSECTION OF LINDBERGH BLVD (US 67)

WITH TROTTERWAY DR

TRAFFIC SIGNAL PLAN
SHEET 36 OF 48

D-38A

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED: 28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	113

COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

NOTES:

1. ALL EXISTING TRAFFIC SIGNALS, MAST ARMS, FOUNDATIONS, HANDHOLES, AND CONDUIT ARE TO BE REUSED. UNLESS OTHERWISE NOTED.
2. PROPOSED PEDESTRIAN POLES & SIGNALS ARE TO CONNECT TO EXISTING HANDHOLES THROUGH PROPOSED CONDUIT.
3. PROPOSED PAVEMENT MARKINGS HAVE BEEN SHADED FOR CLARITY.
4. EXIST. TRAFFIC SIGNAL BACKPLATES FOR TRAFFIC SIGNAL HEAD #'S 10, 21, 22, 41, 42, 61 & 62 SHALL BE REMOVED AND REPLACED WITH A RETROREFLECTIVE BACKPLATE.



TRAFFIC SIGNALS LEGEND

CONTROLLER	CCTV CAMERA	6 X 6 LOOP DETECTOR	
CONTROLLER (EXISTING)	VIDEO DETECTOR	6 X 15 LOOP DETECTOR	
JUNCTION BOX	PUSH BUTTON DETECTOR	30 X 6 LOOP DETECTOR	
POWER SUPPLY	PREFORMED PULL BOX TYPE 1	CONDUIT MEDIAN	
WOOD POST	PREFORMED PULL BOX TYPE 2	CONDUIT PUSHED	
SIGNAL HEAD (OPT LIM CONV)	CONCRETE PULL BOX TYPE 1	CONDUIT BRIDGE	
SIGNAL HEAD (OPT LIM)	CONCRETE PULL BOX TYPE 2	CONDUIT EXISTING	
SIGNAL HEAD (PEDESTRIAN)	ITS PULL BOX TYPE 2	CONDUIT TRENCHED	
SIGNAL HEAD (STANDARD)	ITS PULL BOX TYPE 5	SPAN WIRE	
		MAST ARM - TYPE A BASE	
		MAST ARM - TYPE C BASE	
		MAST ARM - TYPE F BASE	



R10-3eR
9"x15"
S1



R10-3eL
9"x15"
S2

SCALE

0 20 40 60

TRAFFIC SIGNAL PLAN
US 67 AT COUGAR DRIVE
SHEET 37 OF 48

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	114

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE: 07/01/2018

POST NUMBER	PULL BOX NUMBER	LOCATION APPROACH	LOCATION STATION	LOCATION OFFSET	BASE A 9	BASE A 9.5	BASE A 10	BASE A 10.5	BASE A 11	BASE A 12	BASE F 9	BASE F 9.5	BASE F 10	BASE F 10.5	BASE F 11	BASE F 12	BASE C	BASE CONCRETE** (CU. YDS.)	PULL BOX PREFORMED CLASS 1	PREFORMED CLASS 2	PREFORMED CLASS 3	PREFORMED CLASS 5	CONCRETE STANDARD	CONCRETE DOUBLE, TYPE A	CONCRETE DOUBLE, TYPE B	DRAIN TYPE* I	DRAIN TYPE* II A	DRAIN TYPE* II B	DRAIN TYPE* II C	TOP MOUNT POST 8 FT.	TOP MOUNT POST 15 FT.
2		US 67	213+64	51 ft. LT													1	0.44												1	
5		US 67	212+92	47 ft. LT													1	0.44												1	
6		US 67	212+71	34 ft. LT													1	0.44												1	
7		US 67	212+71	37 ft. RT													1	0.44												1	
				SUBTOTAL														1.76												4	
				TOTAL														1.76												4	

POST NUMBER	TYPE C & CL ARM LENGTH A	A	A	A	TYPE C & CL SIGNAL SPACING B	C	D	D'	TYPE C & CL SIGN SPACING B	C	D	D'	TYPE B & BL ARM LENGTH E	K	E	K	E	K	LEFT ARM E SIGNAL SPACING F	G	H	H'	LEFT ARM E SIGN SPACING F	G	H	H'	RIGHT ARM K SIGNAL SPACING L	M	N	N'	RIGHT ARM K SIGN SPACING L	M	N	N'	INCLUDED ANGLE	LUMINAIRE BRACKET ARM* 4 FT.	6 FT.	8 FT.	10 FT.	12 FT.	15 FT.
2																																								
5																																								
6																																								
7																																								

SIGNAL HEADS

| SPAN NUMBER | POST NUMBER | FACE NUMBER | LUMINAIRE LED-1.120V | INDICATIONS * 12" LENS CONVENTIONAL R | Y | YL | YRt | FYL | FYR | G | S | L | Rt | | INDICATIONS * 12" LENS OPTICAL LIMITING R | Y | YL | YRt | YL | YRt | G | S | L | Rt | VISORS * 12" LENS | VISORS * PED. | LOUVERS * A | B | C | D | E | F | BACKPLATE* LENSES 1 | 2 | 3 | 4 | 5 | RETROREFLECTIVE BACKPLATE* LENSES 1 | 2 | 3 | 4 | 5 | BRACKET* TYPE I | II | III | ONE-FACE SECTION 1- T | S | C | B | 3- T | S | C | B | 4- T | S | C | B | 5- T | S | C | B | TWO-FACE SECTIONS 11- T | S | B | 33- T | S | C | B | 34- S | B | 35- S | B | 44- S | B | 45- S | B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---

EFFECTIVE: 10-01-2015

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

CONDUIT (WITH #14 TRACER WIRE)

FROM	TO	CENTER TO CENTER DISTANCE	LOOP DET.	TRENCH				PUSHED			MEDIAN			ON STRUCTURE			REMARKS
			1"	2"	3"	4"		2"	3"	4"	2"	3"	4"	2"	3"		
1	1	9															EXISTING CONDUIT
1	5	12			15												
1	6	36			37												
1	2	81							79								
2	2	18			19												
1	3	96							94								
3	7	16			17												
SUBTOTALS					88				173								
TOTALS					88				173								

CABLE

FROM	TO	CENTER TO CENTER DISTANCE	POWER		CONTROL				CLOSED LOOP INTERCONNECT	LUMINAIRE		DETECTOR		FIBER		REMARKS
			1c #2	1c #8	2c #16	5c #16	7c #16	3c #16	3 PAIR #16	CONTROL 2c #12	POLE & BRACKET 1c #10	1c #14 IN DUCT	2c #14 LEAD-IN CABLE	SINGLE-MODE	MULTI-MODE	
	H63	21				45										
	D63	21			44											
	H44	45				69										
	D44	45			68											
	H64	108				138										
	D64	108			137											
	H43	121				151										
	D43	121			150											
SUBTOTALS					399	403										
TOTALS					420	420										INCL. 5% FOR SNAKING

INTERSECTION LINDBERGH BLVD (US 67) AT COUGAR DR

D-37B

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	116

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

TRAFFIC SIGNAL PLAN
SHEET 39 OF 48

EFFECTIVE 04-01-2018

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

POWER SUPPLY

LOCATION			POWER SUPPLY ASSEMBLY		CIRCUIT BREAKER TRIP RATING*				LIGHTING CONTROL * (ON POWER SUPPLY)		SERVICE POLE	
					CONTROLLER		POWER SUPPLY DISCONNECT					
							MAIN BREAKER					
APPROACH	STATION	OFFSET	DRAWING 902.15	DRAWING	AUXILIARY BREAKER	CONT & SIGNAL LAMPS	SIGNALS	LIGHTING	120 VOLT CONTROL CABINET	MAIN BREAKER	CONTRACT FURNISH	UTILITY COMPANY
US 67	UIP	UIP	Type		15 Amps	40 Amps	100 Amps	Amps		Amps	Cl. Ft.	
			Type		15 Amps	Amps	Amps	Amps		Amps	Cl. Ft.	

CONTROLLER ASSEMBLY AND AUXILIARY EQUIPMENT

LOCATION			SYSTEM MASTER (CLOSED LOOP)		ACTUATED		ON-OFF* SWITCH TYPE		COORDINATION INTERFACE *					TIME * CLOCK	NEMA CABINET TYPE *			170 CABINET TYPE *		170 SOFTWARE *	
									12C/7C HARDWIRE (1)		TIME BASE	CLOSED LOOP		FIBER							
APPROACH	STATION	OFFSET	NEMA	170	NEMA	170	I	II	MASTER	LOCAL		NEMA	170			E	EV	DOUBLE	332	336S	BITRAN	WAPITI
US 67	UIP	UIP																			

NEMA DETECTOR ASSIGNMENT

CARD POSITION

CHANNEL		1	2	3	4	5	6	7	8
	1			SL DISTRICT					
	2			DETECTION SYSTEM					

TOTAL NUMBER OF DETECTOR CARDS(2-CHANNEL) = 2 (2)

DETECTOR SCHEDULE

DETECTOR NUMBER	APPROACH	TYPE				
		PUSH BUTTON (9)	INDUCTION LOOP (2)			VIDEO
			STANDARD	DELAY/ EXTEND *	CALL UNIT *	
63	WBT-US 67	1				
64	EBT-US 67	1				
43	SBT-COUGAR DR	1				
44	NBT-COUGAR DR	1				
TOTAL		4				

* ITEMS FOR WHICH SEPARATE PAYMENT WILL NOT BE MADE.

*** USE D3-1 FOR ONE LINE. USE D3-1B FOR TWO LINE.

(1) MoDOT "D" PLUG SHALL BE WIRED INTO ALL NEMA CONTROLLERS WITH 7C HARDWIRE INTERCONNECT.

(2) PAYMENT IS MADE FOR THE NUMBER OF 2-CHANNEL DETECTOR CARDS AS SHOWN BELOW THE ASSIGNMENT CHART.

(4) WIRE OVERLAP CHANNELS FOR FUTURE USE.

(5) POWER SUPPLY SHALL INCLUDE AN UNINTERRUPTED POWER SUPPLY (UPS).

(9) ALL PUSH BUTTONS SHALL BE ACCESSIBLE PEDESTRIAN SIGNAL (APS). SEE JSP.

(10) PEDESTRIAN PUSH BUTTON SIGNS ARE INCIDENTAL TO THE PAY ITEM (AUDIBLE PEDESTRIAN PUSH BUTTON).

SIGNAL SIGNS

QUANTITY	MUTCD SIGN NUMBER	SIZE	AREA	SIGN TOTAL AREA ITEM NO. 90208.33	SIGNAL SIGN MOUNTING HARDWARE ITEM NO. 90208.34
		INCHES	SQ.FT.	SQ.FT.	EA.
2	R10-3eR	9 x 15	0.94	1.88	2
2	R10-3eL	9 x 15	0.94	1.88	2
			SUBTOTAL	3.76	4
			TOTAL	3.76	4

NEMA LOAD SWITCH ASSIGNMENTS (4)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
NOT USED	∅2 EBT	NOT USED	∅4 SBL SBR	∅5 EBL TLL	∅6 WBT	NOT USED	NOT USED	∅2 PED WB	Ø4 PED SB	NOT USED	NOT USED	OL A FYA EBL	NOT USED	NOT USED	NOT USED

TRAFFIC SIGNAL PLAN
SHEET 40 OF 48

LINDBERGH BLVD (US 67) AT COUGAR DR
INTERSECTION

D-37C

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	117

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE 12-01-17

WIRING DIAGRAM



DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

LEGEND

- CONDUIT MEDIAN
- CONDUIT PUSHED
- CONDUIT TRENCHED
- CONDUIT EXISTING
- SIGNAL HEAD WITH BACKPLATE
- PEDESTRIAN SIGNAL HEAD
- PULL BOX
- VIDEO DETECTION CAMERA
- TRAFFIC SIGNAL CONTROLLER CABINET
- APS PUSH BUTTON
- MAST ARM MOUNTED SIGN
- EXISTING MAST ARM MOUNTED SIGN
- SIGNAL HEAD NUMBER
- PULL BOX NUMBER
- POST NUMBER

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED: 28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	118

COUNTY: ST. LOUIS

JOB NO.: J6S3625C

CONTRACT ID.:

PROJECT NO.:

BRIDGE NO.:

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

TRAFFIC SIGNAL PLAN
SHEET 41 OF 48

LINDBERGH BLVD (US 67) AT COUGAR DR

INTERSECTION

D-37D

EFFECTIVE 12/01/2017

SIGNAL FACE LOCATION



TRAFFIC PHASING AND COLOR SEQUENCE - ACTUATED CONTROLLERS

	PHASE 1	PHASE 2	PHASE 3	PHASE 4	PHASE 5	PHASE 6	PHASE 7	PHASE 8
	NOT USED		NOT USED				NOT USED	NOT USED
FACE NUMBERS	10	21 22		40 41	50	61 62		
SIGNAL INDICATIONS	R	R	R R	R R	R	R R		
	Y	YL	Y Y	Y Y	YL	Y Y		
	FYA	FYL						
	G	GL	G G	G G	L	G G		
DETECTOR ASSIGNMENTS	10	21 22		41 41	50	61 62		

	PED Ø2	PED Ø4	PED Ø	PED Ø	OVERLAP A	OVERLAP	OVERLAP C	OVERLAP
			NOT USED	NOT USED		NOT USED	NOT USED	NOT USED
FACE NUMBERS	63	43			51			
	64	44						
SIGNAL INDICATIONS	DW	DW						
	FDW	FDW						
					FYA			
	W	W						
DETECTOR ASSIGNMENTS								
DETECTOR ASSIGNMENTS (PEDS. ONLY)	63 64	43 44						
OVERLAP PARENT PHASES	2	4			6			



RING STRUCTURE

IF CALLED, ALL NON-CONFLICTING PHASES SHALL COMBINE AND TIME CONCURRENTLY. TIME TO BE DETERMINED BY THE ENGINEER AT SIGNAL TURN ON AND SET IN THE CONTROLLER BY THE CONTRACTOR.

LEGEND

- ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED ACTUATED VEHICULAR MOVEMENT
- NON-ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED NON-ACTUATED VEHICULAR MOVEMENT
- ACTUATED PEDESTRIAN MOVEMENT
- NON-ACTUATED PEDESTRIAN MOVEMENT
- VEHICLE STOPPED

FDW — FLASHING DON'T WALK
W — WALK
DW — DON'T WALK
R/W — RIGHT OF WAY INTERVAL
YRt — YELLOW RIGHT ARROW
RT. — GREEN RIGHT ARROW
LY -YL — YELLOW LEFT ARROW
L — GREEN LEFT ARROW
S — GREEN STRAIGHT AHEAD ARROW
G — CIRCULAR GREEN
Y — CIRCULAR YELLOW
R — CIRCULAR RED
RL — RED LEFT ARROW
Ø — TRAFFIC PHASE
AO — ALL OTHERS
FR — FLASHING RED
FY — FLASHING CIRCULAR YELLOW
FYL — FLASHING YELLOW LEFT ARROW

FLASHING OPERATION	
LINDBERGH BLVD (US 67)	FR
ST. JEAN ST	FR

CONTROLLER TYPE	NEMA TS2

TRAFFIC SIGNAL CONTROL OPERATION

INTERSECTION OF LINDBERGH BLVD (US 67)
WITH COUGAR DR

TRAFFIC SIGNAL PLAN
SHEET 42 OF 48

D-38A

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	118A

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

TRAFFIC SIGNALS LEGEND

- CONTROLLER
- CONTROLLER (EXISTING)
- JUNCTION BOX
- POWER SUPPLY
- WOOD POST
- SIGNAL HEAD (OPT LIM CONV)
- SIGNAL HEAD (OPT LIM)
- SIGNAL HEAD (PEDESTRIAN)
- SIGNAL HEAD (STANDARD)
- CCTV CAMERA
- VIDEO DETECTOR
- PUSH BUTTON DETECTOR
- PREFORMED PULL BOX TYPE 1
- PREFORMED PULL BOX TYPE 2
- CONCRETE PULL BOX TYPE 1
- CONCRETE PULL BOX TYPE 2
- ITS PULL BOX TYPE 2
- ITS PULL BOX TYPE 5
- MAST ARM MOUNTED SIGN
- 6 X 6 LOOP DETECTOR
- 6 X 15 LOOP DETECTOR
- 30 X 6 LOOP DETECTOR
- CONDUIT MEDIAN
- CONDUIT PUSHED
- CONDUIT BRIDGE
- CONDUIT EXISTING
- CONDUIT TRENCHED
- SPAN WIRE
- MAST ARM - TYPE A BASE
- MAST ARM - TYPE C BASE
- MAST ARM - TYPE F BASE



LEFT TURN SIGNAL
R10-10L
24"x30"
S1



R10-3eR
9"x15"
S2



R10-3eL
9"x15"
S3

Lindbergh Blvd
D3-1
96"x18"
S4

New Halls Ferry Rd
D3-1
96"x18"
S5

NOTES:
1. MAST ARM 2 WILL BE REMOVED. PROPOSED POLE 2 AND MAST ARM TO BE INSTALLED IN A NEW LOCATION.
2. MAST ARM 1, 3, & 4 ARE TO REMAIN.
3. EXISTING TRAFFIC SIGNALS 11, 12, 61 AND 62 ARE TO BE REMOVED THE REMAINING TRAFFIC SIGNALS ARE TO REMAIN.
4. EXISTING HANDHOLES, CONDUIT, AND CABINETS ARE TO BE REUSED. UNLESS OTHERWISE NOTED.
5. PROPOSED PEDESTRIAN POLES & SIGNALS ARE TO CONNECT TO EXISTING HANDHOLES THROUGH PROPOSED CONDUIT.
6. PROPOSED PAVEMENT MARKINGS HAVE BEEN SHADED FOR CLARITY.
7. EXISTING TRAFFIC SIGNAL BACKPLATES FOR ALL REMAINING TRAFFIC SIGNAL HEADS (SEE NOTE 3) SHALL BE REMOVED AND REPLACED WITH A RETROREFLECTIVE BACKPLATE.

SCALE
0 20 40 60

TRAFFIC SIGNAL PLAN
US 67 AT NEW HALLS FERRY ROAD
SHEET 43 OF 48

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	119

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE: 07/01/2018

| POST NUMBER | PULL BOX NUMBER | LOCATION: APPROACH | LOCATION: STATION | LOCATION: OFFSET | BASE: A: 9 | A: 9.5 | A: 10 | A: 10.5 | A: 11 | A: 12 | F: 9 | F: 9.5 | F: 10 | F: 10.5 | F: 11 | F: 12 | C | CONCRETE** (CU. YDS.) | PULL BOX: PREFORMED: CLASS 1 | CLASS 2 | CLASS 3 | CLASS 5 | CONCRETE: STANDARD | DOUBLE, TYPE A | DOUBLE, TYPE B | DRAIN TYPE*: I | II: A | B | C | TOP MOUNT POST: 8 FT. | 15 FT. | POST: TYPE C & CL: ARM LENGTH | SIGNAL SPACING: B | C | D | D' | SIGN SPACING: B | C | D | D' | D" | TYPE B & BL: ARM LENGTH | K | E | K | E | K | LEFT ARM E: SIGNAL SPACING: F | G | H | H' | SIGN SPACING: F | G | H | H' | RIGHT ARM K: SIGNAL SPACING: L | M | N | N' | SIGN SPACING: L | M | N | N' | INCLUDED ANGLE | LUMINAIRE BRACKET ARM*: 4 FT. | 6 FT. | 8 FT. | 10 FT. | 12 FT. | 15 FT. |
|---|---|---

*CABLE INCLUDED IN COST OF VIDEO DETECTION SYSTEM

EFFECTIVE: 10-01-2015

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

CONDUIT (WITH #14 TRACER WIRE)

FROM	TO	CENTER TO CENTER DISTANCE	LOOP DET.	TRENCH				PUSHED			MEDIAN			ON STRUCTURE			REMARKS
			1"	2"	3"	4"		2"	3"	4"	2"	3"	4"	2"	3"		
1	1	13			24												
1	1	47							48								EXISTING CONDUIT
1	2	47							45								
2	7	19										20					
2	8	6										7					
1	5	141							139								EXISTING CONDUIT
5	9	20			21												
5	10	34			35												
1	3	149							147								EXISTING CONDUIT
3	6	6			7												
3	5	10			11												
3	2	17			18												
3	4	125							123								EXISTING CONDUIT
4	11	7			8												
4	12	18			19												
SUBTOTALS					155				502			26					
TOTALS					155				502			26					

CABLE

FROM	TO	CENTER TO CENTER DISTANCE	POWER		CONTROL				CLOSED LOOP INTERCONNECT	LUMINAIRE		DETECTOR		FIBER		REMARKS
			1c #2	1c #8	2c #16	5c #16	7c #16	3c #16	3 PAIR #16	CONTROL 2c #12	POLE & BRACKET 1c #10	1c #14 IN DUCT	2c #14 LEAD-IN CABLE	SINGLE-MODE	MULTI-MODE	
	H64	78				108										
	D64	78			107											EXISTING CONDUIT
	H84	66				96										
	D84	66			95											
	H85	174				204										
	D85	174			203											EXISTING CONDUIT
	H24	191				221										
	D24	191			221											
	H63	168				198										EXISTING CONDUIT
	D63	168			197											
	H45	172				202										
	D45	172			201											
	H44	311				347										EXISTING CONDUIT
	D44	311			346											
	V1	179														*250 LF VIDEO CABLE
	H25	297				333										
	D25	297			332											
	H11	180					270									
	H12	180					260									
	H61	180					250									
	H62	180					239									
	LUM1	180								199	90					TO LUM ON POLE 2
SUBTOTALS					1702	1710	1019			199	90					
TOTALS					1790	1800	1070			210	100					INCL. 5% FOR SNAKING

INTERSECTION LINDBERGH BLVD (US 67) AT NEW HALLS FERRY RD

D-37B

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	121

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

TRAFFIC SIGNAL PLAN
SHEET 45 OF 48

EFFECTIVE 04-01-2018

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

POWER SUPPLY

LOCATION			POWER SUPPLY ASSEMBLY		CIRCUIT BREAKER TRIP RATING*				LIGHTING CONTROL * (ON POWER SUPPLY)		SERVICE POLE	
					CONTROLLER		POWER SUPPLY DISCONNECT					
APPROACH	STATION	OFFSET	DRAWING 902.15	DRAWING	AUXILIARY BREAKER	CONT & SIGNAL LAMPS	MAIN BREAKER		120 VOLT CONTROL CABINET	MAIN BREAKER	CONTRACT FURNISH	UTILITY COMPANY
							SIGNALS	LIGHTING				
US 67	UIP	UIP	Type		15 Amps	40 Amps	100 Amps	Amps		Amps	Ct, Ft,	
			Type		15 Amps	Amps	Amps	Amps		Amps	Ct, Ft,	

CONTROLLER ASSEMBLY AND AUXILIARY EQUIPMENT

LOCATION			SYSTEM MASTER (CLOSED LOOP)		ACTUATED		ON-OFF* SWITCH TYPE		COORDINATION INTERFACE *					TIME * CLOCK	NEMA CABINET TYPE *			170 CABINET TYPE *		170 SOFTWARE *	
									12C/7C HARDWIRE (1)		TIME BASE	CLOSED LOOP		FIBER							
APPROACH	STATION	OFFSET	NEMA	170	NEMA	170	I	II	MASTER	LOCAL		NEMA	170			E	EV	DOUBLE	332	336S	BITRAN	WAPITI
US 67	UIP	UIP																			

NEMA DETECTOR ASSIGNMENT

CARD POSITION

CHANNEL		1	2	3	4	5	6	7	8
	1			SL DISTRICT					
	2			DETECTION SYSTEM					

TOTAL NUMBER OF DETECTOR CARDS(2-CHANNEL) = 2 (2)

DETECTOR SCHEDULE

DETECTOR NUMBER	APPROACH	TYPE				
		PUSH BUTTON (9)	INDUCTION LOOP (2)			VIDEO
			STANDARD	DELAY/ EXTEND *	CALL UNIT *	
11	EBL-US 67					1
12	EBL-US 67					1
24	EBL-US 67	1				
25	WBT-US 67	1				
44	SBT-NEW HALLS FERRY	1				
45	SBT-NEW HALLS FERRY	1				
61	EBT-US 67					1
62	EBT-US 67					1
63	WBT-US 67	1				
64	WBT-US 67	1				
84	NBL-NEW HALLS FERRY	1				
85	NBL-NEW HALLS FERRY	1				
TOTAL		8				

* ITEMS FOR WHICH SEPARATE PAYMENT WILL NOT BE MADE.

*** USE D3-1 FOR ONE LINE. USE D3-1B FOR TWO LINE.

(1) MHTD "D" PLUG SHALL BE WIRED INTO ALL NEMA CONTROLLERS.

(2) FOUR CAMERA SYSTEM WITH 2 OVERLAPPING ZONES PER LANE.

(3) VIDEO DETECTION INPUTS INTO CONTROLLER SHALL BE VIA TS/2 PORT.

(4) THE FOLLOWING PHASE PAIRS SHALL BE WIRED AS 'INCOMPATABLE' IN THE CONFLICT MONITOR IN ADDITION TO OTHER STANDARD NON-COMPATABLE PHASES:
1+6
3+8

(5) CABINET SETUP TO BE NEMA TS11.

(9) ALL PUSH BUTTONS SHALL BE ACCESSIBLE PEDESTRIAN SIGNAL (APS). SEE JSP.

(10) PEDESTRIAN PUSH BUTTON SIGNS ARE INCIDENTAL TO THE PAY ITEM (AUDIBLE PEDESTRIAN PUSH BUTTON)

SL DISTRICT TRAFFIC SIGNAL DETECTION SYSTEM = 1

SIGNAL SIGNS

QUANTITY	MUTCD SIGN NUMBER	SIZE	AREA	SIGN TOTAL AREA ITEM NO. 90208.33	SIGNAL SIGN MOUNTING HARDWARE ITEM NO. 90208.34
		INCHES	SQ.FT.	SQ.FT.	EA.
2	R10-10L	24 x 30	5.00	10.00	2
1	D3-1	96 x 18	12.00	12.00	1
4	R10-3eR	9 x 15	0.94	3.75	4
4	R10-3eL	9 x 15	0.94	3.75	4
			SUBTOTAL	29.50	11
			TOTAL	29.50	11

NEMA LOAD SWITCH ASSIGNMENTS

1	2	3	4	5	6	7	8	9	10	11	12
Ø1 WBL	Ø2 EB	Ø3 NBL	Ø4 SB	Ø5 EBL	Ø6 WB	Ø7 SBL	Ø8 NB	Ø2 WB PED	Ø4 SB PED	Ø6 EB PED	Ø8 NB PED

TRAFFIC SIGNAL PLAN
SHEET 46 OF 48

LINDBERGH BLVD (US 67) AT NEW HALLS FERRY RD
INTERSECTION

D-37C

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	122

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE 12-01-17

WIRING DIAGRAM



DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

LEGEND

- CONDUIT MEDIAN
- CONDUIT PUSHED
- CONDUIT TRENCHED
- CONDUIT EXISTING
- SIGNAL HEAD WITH BACKPLATE
- PEDESTRIAN SIGNAL HEAD
- PULL BOX
- VIDEO DETECTION CAMERA
- TRAFFIC SIGNAL CONTROLLER CABINET
- APS PUSH BUTTON
- MAST ARM MOUNTED SIGN
- SIGNAL HEAD NUMBER
- PULL BOX NUMBER
- POST NUMBER
- LUMINAIRE BRACKET ARM - TYPE A

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED: 28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	123

COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

TRAFFIC SIGNAL PLAN
SHEET 47 OF 48

LINDBERGH BLVD (US 67) AT NEW HALLS FERRY RD

INTERSECTION

D-37D

EFFECTIVE 12/01/2017

SIGNAL FACE LOCATION



TRAFFIC PHASING AND COLOR SEQUENCE - ACTUATED CONTROLLERS

	PHASE 1	PHASE 2	PHASE 3	PHASE 4	PHASE 5	PHASE 6	PHASE 7	PHASE 8	PED Ø2	PED Ø4	PED Ø6	PED Ø8	FYA OVERLAP A	FYA OVERLAP B	FYA OVERLAP C	OVERLAP D
													NOT USED	NOT USED	NOT USED	NOT USED
FACE NUMBERS	11 12	21 22 23	31 32	41 42 43	51 51	61 62	71 72	81 82 83	24		63	84				
									25		64	85				
SIGNAL INDICATIONS R	RL RL	R R R	RL RL	R R R	RL RL	R R	RL RL	R R R	DW		DW					
SIGNAL INDICATIONS Y	YL YL	L Y Y	YL YL	Y Y Y	YL YL	Y Y	YL YL	Y Y Y	FDW		FDW	FDW				
SIGNAL INDICATIONS FYA																
SIGNAL INDICATIONS G	L L	G G G	L L	G G G	L L	G G	L L	G G G	W		W	W				
		Rt		Rt				Rt								
DETECTOR ASSIGNMENTS	11 12	21 22 23	31 32	41 42 43	51 52	61 62	71 72	81 82 83								
DETECTOR ASSIGNMENTS (PEDS. ONLY)									24 25		63 64	84 85				
OVERLAP PARENT PHASES									2	4	6	8				

FACE NUMBERS | SIGNAL INDICATIONS | DETECTOR ASSIGNMENTS



RING STRUCTURE

IF CALLED, ALL NON-CONFLICTING PHASES SHALL COMBINE AND TIME CONCURRENTLY. TIME TO BE DETERMINED BY THE ENGINEER AT SIGNAL TURN ON AND SET IN THE CONTROLLER BY THE CONTRACTOR.

LEGEND

- ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED ACTUATED VEHICULAR MOVEMENT
- NON-ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED NON-ACTUATED VEHICULAR MOVEMENT
- ACTUATED PEDESTRIAN MOVEMENT
- NON-ACTUATED PEDESTRIAN MOVEMENT
- VEHICLE STOPPED
- FDW — FLASHING DON'T WALK
- W — WALK
- DW — DON'T WALK
- R/W — RIGHT OF WAY INTERVAL
- YRt — YELLOW RIGHT ARROW
- RT. — GREEN RIGHT ARROW
- LY -YL — YELLOW LEFT ARROW
- L — GREEN LEFT ARROW
- S — GREEN STRAIGHT AHEAD ARROW
- G — CIRCULAR GREEN
- Y — CIRCULAR YELLOW
- R — CIRCULAR RED
- RL — RED LEFT ARROW
- Ø — TRAFFIC PHASE
- AO — ALL OTHERS
- FR — FLASHING RED
- FY — FLASHING CIRCULAR YELLOW
- FYL — FLASHING YELLOW LEFT ARROW

FLASHING OPERATION	
LINDBERGH BLVD (US 67)	FR
TROTTER WAY	FR

CONTROLLER TYPE	NEMA TS2

TRAFFIC SIGNAL CONTROL OPERATION

INTERSECTION OF LINDBERGH BLVD (US 67)

WITH NEW HALLS FERRY RD

TRAFFIC SIGNAL PLAN
SHEET 48 OF 48

D-38A

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED: 28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	123A

COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.



CAMERAS SHALL BE AS CLOSE AS POSSIBLE TO CENTER OF SIGNALIZED APPROACH



VIDEO DETECTION MOUNTING DETAILS

GENERAL NOTES:

1) PROVIDE WATERTIGHT SEAL WHERE CABLES ENTER AND EXIT.
2) CAMERAS SHALL BE INSTALLED PER MANUFACTURER'S SPECIFICATIONS.
3) NO CAMERA SHALL BE INSTALLED ON PEDESTALS UNLESS DIRECTED BY THE ENGINEER.
4) NO CAMERA SHALL BE INSTALLED ON 15' LUMINAIRE ARM UNLESS OTHERWISE DIRECTED BY THE ENGINEER.

TRAFFIC SIGNAL PLAN
CCTV CAMERA EXTENSION DETAIL
SHEET 1 OF 1

STATE OF MISSOURI
CHAD R. HAMMERL
NUMBER PE-2024047452
PROFESSIONAL ENGINEER
01/29/2026 11:33:25 AM

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	124

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704



NO FIBER WORK AT SITES HIGHLIGHTED IN GRAY

COMMUNICATIONS PLAN

ROUTE 67

(LINDBERGH BLVD.)

SHEET 1 OF 2

RT055E001.8T — DEVICE IDENTIFIER

CCTV — EXISTING/ PROPOSED CCTV CAMERA

DMS — EXISTING DYNAMIC MESSAGE SIGN

5505 5505 — EXISTING/PROPOSED CISCO ASA5505

IE3000 — EXISTING CISCO IE3000 SWITCH

BT — BLUETOOTH

EXISTING TRAFFIC SIGNAL CONTROLLER

MMU — EXISTING MALFUNCTION MANAGEMENT UNIT

CELL MODEM — EXISTING CELLULAR MODEM

EXISTING WIRELESS ETHERNET BRIDGE

POWER INJECTOR — EXISTING PROJECT INJECTOR

MC — EXISTING MEDIA CONVERTER

FO DATA MODEM — EXISTING FIBER OPTIC DATA MODEM

E10 — 10 MBPS ETHERNET

E100 — 100 MBPS ETHERNET

EXISTING VIDEO DETECTION SYSTEM

VDS AP — EXISTING SENSYS DETECTION SYSTEM

VD — EXISTING IP VIDEO ENCODER

DEVICE SERVER — EXISTING DEVICE SERVER

EXISTING RADAR DETECTION UNIT

MULTIMODE/ SINGLE MODE FIBER OPTIC CABLE

EXISTING WIRELESS CONNECTION

EXISTING/PROPOSED FUSION SPLICE

EXISTING CABLE

PROPOSED CABLE

DSL MODEM — PROPOSED DSL MODEM

NOTE:
1) DASHED LINES INDICATE EXISTING EQUIPMENT OR CABLING.
2) ALL FIBER SPLICES ARE NOT SHOWN FOR CLARITY. SEE SPLICE DIAGRAMS.

STATE OF MISSOURI
CHARLES A. MILLER
NUMBER E-2002000603
REGISTERED PROFESSIONAL ENGINEER
1/21/2026

DATE PREPARED: 11/24/2025

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	125

COUNTY: ST. LOUIS

JOB NO.: J6S3625C

CONTRACT ID.:

PROJECT NO.:

BRIDGE NO.:

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

HNTB
715 KIRK DRIVE
KANSAS CITY, MO 64105
(816) 472-1201

REV.

J6S3625_LocalComm_v4.vsd 11/24/2025



NO FIBER WORK AT SITES HIGHLIGHTED IN GRAY

COMMUNICATIONS PLAN

ROUTE 67

(LINDBERGH BLVD.)

SHEET 2 OF 2

RT055E001.8T — DEVICE IDENTIFIER

CCTV — EXISTING/ PROPOSED CCTV CAMERA

DMS — EXISTING DYNAMIC MESSAGE SIGN

5505 5505 — EXISTING/PROPOSED CISCO ASA5505

IE3000 — EXISTING CISCO IE3000 SWITCH

BT — BLUETOOTH

EXISTING TRAFFIC SIGNAL CONTROLLER

MMU — EXISTING MALFUNCTION MANAGEMENT UNIT

CELL MODEM — EXISTING CELLULAR MODEM

EXISTING WIRELESS ETHERNET BRIDGE

POWER INJECTOR — EXISTING PROJECT INJECTOR

MC — EXISTING MEDIA CONVERTER

FO DATA MODEM — EXISTING FIBER OPTIC DATA MODEM

E10 — 10 MBPS ETHERNET

E100 — 100 MBPS ETHERNET

EXISTING VIDEO DETECTION SYSTEM

VDS AP — EXISTING SENSYS DETECTION SYSTEM

VD — EXISTING IP VIDEO ENCODER

DEVICE SERVER — EXISTING DEVICE SERVER

EXISTING RADAR DETECTION UNIT

MULTIMODE/ SINGLE MODE FIBER OPTIC CABLE

EXISTING WIRELESS CONNECTION

EXISTING/PROPOSED FUSION SPLICE

EXISTING CABLE

PROPOSED CABLE

DSL MODEM — PROPOSED DSL MODEM

NOTE:
1) DASHED LINES INDICATE EXISTING EQUIPMENT OR CABLING.
2) ALL FIBER SPLICES ARE NOT SHOWN FOR CLARITY. SEE SPLICE DIAGRAMS.

STATE OF MISSOURI
CHARLES A. MILLER
NUMBER E-2002000603
REGISTERED PROFESSIONAL ENGINEER
1/21/2026

DATE PREPARED: 11/24/2025
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 126
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

REV.	DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

HNTB
715 KIRK DRIVE
KANSAS CITY, MO 64105
(816) 472-1201



KEY

IS170N123.4	DEVICE IDENTIFIER
CCTV	CCTV CAMERA
CCTV	EXISTING CCTV CAMERA
DMS	DYNAMIC MESSAGE SIGN
	RADAR DETECTION UNIT
	SM PATCH THROUGH FIBER OPTIC JUMPER
	SM EQUIPMENT CONNECTION FIBER OPTIC JUMPER
	SM FIBER OPTIC PIGTAIL
	MM PATCH THROUGH FIBER OPTIC JUMPER
	MM EQUIPMENT CONNECTION FIBER OPTIC JUMPER
	MM FIBER OPTIC PIGTAIL
	BARE FIBER LEFT COILED IN SPLICE TRAY
	EXISTING/PROPOSED FUSION SPLICE
	PATCH PANEL MODULE
	WIRELESS LINK
VDS AP	SENSYS DETECTION SYSTEM

1. MAXIMUM SPLICE LOSS SHALL BE 0.1 dB
2. NO INTERMEDIATE SPLICES ALLOWED
3. ALL SPLICES SHALL BE FUSION SPLICES
4. DASHED LINES INDICATE EXISTING EQUIPMENT OR CABLING.

VLAN
VL0203

FIBER SPLICING & BLOCK DIAGRAM

US067S011.7
U.S. 67 (N. LINDBERGH BLVD) AT ST. FERDINAND ST

SHEET 1 OF 8

STATE OF MISSOURI
CHARLES A. MILLER
NUMBER E-2002008605
REGISTERED PROFESSIONAL ENGINEER
1/21/2026

DATE PREPARED: 11/24/2025
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 127
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

HNTB
715 KIRK DRIVE
KANSAS CITY, MO 64105
(816) 472-1201

REV.



KEY

IS170N123.4	DEVICE IDENTIFIER
CCTV	CCTV CAMERA
CCTV (EXISTING)	EXISTING CCTV CAMERA
DMS	DYNAMIC MESSAGE SIGN
	RADAR DETECTION UNIT
	SM PATCH THROUGH FIBER OPTIC JUMPER
	SM EQUIPMENT CONNECTION FIBER OPTIC JUMPER
	SM FIBER OPTIC PIGTAIL
	MM PATCH THROUGH FIBER OPTIC JUMPER
	MM EQUIPMENT CONNECTION FIBER OPTIC JUMPER
	MM FIBER OPTIC PIGTAIL
	BARE FIBER LEFT COILED IN SPLICE TRAY
× ×	EXISTING/PROPOSED FUSION SPLICE
	PATCH PANEL MODULE
	WIRELESS LINK
VDS AP	SENSYS DETECTION SYSTEM

1. MAXIMUM SPLICE LOSS SHALL BE 0.1 dB
2. NO INTERMEDIATE SPLICES ALLOWED
3. ALL SPLICES SHALL BE FUSION SPLICES
4. DASHED LINES INDICATE EXISTING EQUIPMENT OR CABLING.

VLAN VL0202

FIBER SPLICING & BLOCK DIAGRAM

US067N011.6
U.S. 67 (N. LINDBERGH BLVD) AT ST. JEAN ST

SHEET 2 OF 8

STATE OF MISSOURI
CHARLES A. MILLER
NUMBER E-2002008626
REGISTERED PROFESSIONAL ENGINEER
1/21/2026

DATE PREPARED: 11/24/2025
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 128
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

HNTB
715 KIRK DRIVE
KANSAS CITY, MO 64105
(816) 472-1201

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

REV.



KEY

IS170N123.4	DEVICE IDENTIFIER
CCTV	CCTV CAMERA
CCTV (EXISTING)	EXISTING CCTV CAMERA
DMS	DYNAMIC MESSAGE SIGN
	RADAR DETECTION UNIT
	SM PATCH THROUGH FIBER OPTIC JUMPER
	SM EQUIPMENT CONNECTION FIBER OPTIC JUMPER
	SM FIBER OPTIC PIGTAIL
	MM PATCH THROUGH FIBER OPTIC JUMPER
	MM EQUIPMENT CONNECTION FIBER OPTIC JUMPER
	MM FIBER OPTIC PIGTAIL
	BARE FIBER LEFT COILED IN SPLICE TRAY
× ×	EXISTING/PROPOSED FUSION SPLICE
	PATCH PANEL MODULE
	WIRELESS LINK
VDS AP	SENSYS DETECTION SYSTEM

1. MAXIMUM SPLICE LOSS SHALL BE 0.1 dB
2. NO INTERMEDIATE SPLICES ALLOWED
3. ALL SPLICES SHALL BE FUSION SPLICES
4. DASHED LINES INDICATE EXISTING EQUIPMENT OR CABLING.

VLAN VL0203

FIBER SPLICING & BLOCK DIAGRAM

US067N011.0

U.S. 67 (N. LINDBERGH BLVD) AT NEW FLORISSANT RD

SHEET 3 OF 8

STATE OF MISSOURI
CHARLES A. MILLER
NUMBER E-2002008605
REGISTERED PROFESSIONAL ENGINEER
1/21/2026

DATE PREPARED: 11/24/2025
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 129
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

HNTB
715 KIRK DRIVE
KANSAS CITY, MO 64105
(816) 472-1201

REV.

J6S3625C_BlockSplice_v4.vsdx 11/24/2025



KEY

IS170N123.4	DEVICE IDENTIFIER
CCTV	CCTV CAMERA
CCTV	EXISTING CCTV CAMERA
DMS	DYNAMIC MESSAGE SIGN
	RADAR DETECTION UNIT
	SM PATCH THROUGH FIBER OPTIC JUMPER
	SM EQUIPMENT CONNECTION FIBER OPTIC JUMPER
	SM FIBER OPTIC PIGTAIL
	MM PATCH THROUGH FIBER OPTIC JUMPER
	MM EQUIPMENT CONNECTION FIBER OPTIC JUMPER
	MM FIBER OPTIC PIGTAIL
	BARE FIBER LEFT COILED IN SPLICE TRAY
× ×	EXISTING/PROPOSED FUSION SPLICE
	PATCH PANEL MODULE
	WIRELESS LINK
VDS AP	SENSYS DETECTION SYSTEM

1. MAXIMUM SPLICE LOSS SHALL BE 0.1 dB
2. NO INTERMEDIATE SPLICES ALLOWED
3. ALL SPLICES SHALL BE FUSION SPLICES
4. DASHED LINES INDICATE EXISTING EQUIPMENT OR CABLING.

VLAN VL0203

FIBER SPLICING & BLOCK DIAGRAM

US067S011.0
U.S. 67 (N. LINDBERGH BLVD) AT NEW FLORISSANT RD

SHEET 4 OF 8

STATE OF MISSOURI
CHARLES A. MILLER
NUMBER E-2002008605
REGISTERED PROFESSIONAL ENGINEER
1/21/2026

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE PREPARED: 11/24/2025
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 130
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE | REV.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

HNTB
715 KIRK DRIVE
KANSAS CITY, MO 64105
(816) 472-1201

J6S3625C_BlockSplice_v4.vsdx
11/24/2025



KEY

IS170N123.4	DEVICE IDENTIFIER
CCTV	CCTV CAMERA
CCTV (EXISTING)	EXISTING CCTV CAMERA
DMS	DYNAMIC MESSAGE SIGN
	RADAR DETECTION UNIT
	SM PATCH THROUGH FIBER OPTIC JUMPER
	SM EQUIPMENT CONNECTION FIBER OPTIC JUMPER
	SM FIBER OPTIC PIGTAIL
	MM PATCH THROUGH FIBER OPTIC JUMPER
	MM EQUIPMENT CONNECTION FIBER OPTIC JUMPER
	MM FIBER OPTIC PIGTAIL
	BARE FIBER LEFT COILED IN SPLICE TRAY
× ×	EXISTING/PROPOSED FUSION SPLICE
	PATCH PANEL MODULE
	WIRELESS LINK
VDS AP	SENSYS DETECTION SYSTEM

1. MAXIMUM SPLICE LOSS SHALL BE 0.1 dB
2. NO INTERMEDIATE SPLICES ALLOWED
3. ALL SPLICES SHALL BE FUSION SPLICES
4. DASHED LINES INDICATE EXISTING EQUIPMENT OR CABLING.

VLAN VL0202

FIBER SPLICING & BLOCK DIAGRAM US067N010.8 U.S. 67 (N. LINDBERGH BLVD) AT N. WATERFORD DR/THUNDERBIRD AVE SHEET 5 OF 8

STATE OF MISSOURI
CHARLES A. MILLER
NUMBER E-2002008605
REGISTERED PROFESSIONAL ENGINEER
1/21/2026

DATE PREPARED 11/24/2025
ROUTE 67 | STATE MO
DISTRICT SL | SHEET NO. 131
COUNTY ST. LOUIS
JOB NO. J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION | DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

HNTB
715 KIRK DRIVE
KANSAS CITY, MO 64105
(816) 472-1201

J6S3625C_BlockSplice_v4.vsdx 11/24/2025 REV.



KEY

IS170N123.4	DEVICE IDENTIFIER
CCTV	CCTV CAMERA
CCTV (EXISTING)	EXISTING CCTV CAMERA
DMS	DYNAMIC MESSAGE SIGN
	RADAR DETECTION UNIT
	SM PATCH THROUGH FIBER OPTIC JUMPER
	SM EQUIPMENT CONNECTION FIBER OPTIC JUMPER
	SM FIBER OPTIC PIGTAIL
	MM PATCH THROUGH FIBER OPTIC JUMPER
	MM EQUIPMENT CONNECTION FIBER OPTIC JUMPER
	MM FIBER OPTIC PIGTAIL
	BARE FIBER LEFT COILED IN SPLICE TRAY
× ×	EXISTING/PROPOSED FUSION SPLICE
	PATCH PANEL MODULE
	WIRELESS LINK
VDS AP	SENSYS DETECTION SYSTEM

1. MAXIMUM SPLICE LOSS SHALL BE 0.1 dB
2. NO INTERMEDIATE SPLICES ALLOWED
3. ALL SPLICES SHALL BE FUSION SPLICES
4. DASHED LINES INDICATE EXISTING EQUIPMENT OR CABLING.

VLAN VL0204

FIBER SPLICING & BLOCK DIAGRAM

US067N010.4

U.S. 67 (N. LINDBERGH BLVD) AT TARGET ENTRANCE

SHEET 6 OF 8

STATE OF MISSOURI
CHARLES A. MILLER
NUMBER E-2002008626
REGISTERED PROFESSIONAL ENGINEER
1/21/2026

DATE PREPARED: 11/24/2025
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 132
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

HNTB
715 KIRK DRIVE
KANSAS CITY, MO 64105
(816) 472-1201

REV.

J6S3625C_BlockSplice_v4.vsdx 11/24/2025



KEY

IS170N123.4	DEVICE IDENTIFIER
CCTV	CCTV CAMERA
CCTV	EXISTING CCTV CAMERA
DMS	DYNAMIC MESSAGE SIGN
	RADAR DETECTION UNIT
	SM PATCH THROUGH FIBER OPTIC JUMPER
	SM EQUIPMENT CONNECTION FIBER OPTIC JUMPER
	SM FIBER OPTIC PIGTAIL
	MM PATCH THROUGH FIBER OPTIC JUMPER
	MM EQUIPMENT CONNECTION FIBER OPTIC JUMPER
	MM FIBER OPTIC PIGTAIL
	BARE FIBER LEFT COILED IN SPLICE TRAY
× ×	EXISTING/PROPOSED FUSION SPLICE
	PATCH PANEL MODULE
	WIRELESS LINK
VDS AP	SENSYS DETECTION SYSTEM

1. MAXIMUM SPLICE LOSS SHALL BE 0.1 dB
2. NO INTERMEDIATE SPLICES ALLOWED
3. ALL SPLICES SHALL BE FUSION SPLICES
4. DASHED LINES INDICATE EXISTING EQUIPMENT OR CABLING.

VLAN VL0203

FIBER SPLICING & BLOCK DIAGRAM

US067N010.2

U.S. 67 (N. LINDBERGH BLVD) AT TROTTER WAY

SHEET 7 OF 8

STATE OF MISSOURI
CHARLES A. MILLER
NUMBER E-2002008605
REGISTERED PROFESSIONAL ENGINEER
1/21/2026

DATE PREPARED: 11/24/2025
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 133
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

HNTB
715 KIRK DRIVE
KANSAS CITY, MO 64105
(816) 472-1201

REV.

J6S3625C_BlockSplice_v4.vsdx 11/24/2025



KEY

IS170N123.4	DEVICE IDENTIFIER
CCTV	CCTV CAMERA
CCTV	EXISTING CCTV CAMERA
DMS	DYNAMIC MESSAGE SIGN
	RADAR DETECTION UNIT
	SM PATCH THROUGH FIBER OPTIC JUMPER
	SM EQUIPMENT CONNECTION FIBER OPTIC JUMPER
	SM FIBER OPTIC PIGTAIL
	MM PATCH THROUGH FIBER OPTIC JUMPER
	MM EQUIPMENT CONNECTION FIBER OPTIC JUMPER
	MM FIBER OPTIC PIGTAIL
	BARE FIBER LEFT COILED IN SPLICE TRAY
	EXISTING/PROPOSED FUSION SPLICE
	PATCH PANEL MODULE
	WIRELESS LINK
VDS AP	SENSYS DETECTION SYSTEM

1. MAXIMUM SPLICE LOSS SHALL BE 0.1 dB
2. NO INTERMEDIATE SPLICES ALLOWED
3. ALL SPLICES SHALL BE FUSION SPLICES
4. DASHED LINES INDICATE EXISTING EQUIPMENT OR CABLING.

VLAN VL0202

FIBER SPLICING & BLOCK DIAGRAM

US067S010.1
U.S. 67 (N. LINDBERGH BLVD) AT COUGAR DR

SHEET 8 OF 8

STATE OF MISSOURI
CHARLES A. MILLER
NUMBER E-2002008605
REGISTERED PROFESSIONAL ENGINEER
1/21/2026

DATE PREPARED: 11/24/2025
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 134
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

HNTB
715 KIRK DRIVE
KANSAS CITY, MO 64105
(816) 472-1201

REV.

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVE SIGN AND POST.



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

SIGNING PLAN
BEGIN TO STA. 124+50
SHEET 1 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:29 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	135

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVE SIGN AND POST.



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SIGNING PLAN
STA. 124+50 TO STA. 129+00
SHEET 2 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:29 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 136
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVE SIGN AND POST.



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

SIGNING PLAN
STA. 129+00 TO STA. 134+60
SHEET 3 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:29 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	137

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVE SIGN AND POST.



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SIGNING PLAN
STA. 134+60 TO STA. 140+20
SHEET 4 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:29 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	138

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVE SIGN AND POST.



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SIGNING PLAN
STA. 140+20 TO STA. 145+50
SHEET 5 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:29 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	139

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVE SIGN AND POST.



DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

SIGNING PLAN
STA. 145+50 TO STA. 151+10
SHEET 6 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:29 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	140

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVE SIGN AND POST.



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SIGNING PLAN
STA. 151+10 TO STA. 156+70
SHEET 7 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:29 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	141

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVE SIGN AND POST.



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

SIGNING PLAN
STA. 156+70 TO STA. 162+00
SHEET 8 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:29 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	142

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVE SIGN AND POST.



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SIGNING PLAN
STA. 162+00 TO STA. 167+60
SHEET 9 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:30 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	143

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVE SIGN AND POST.



DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SIGNING PLAN
STA. 167+60 TO STA. 173+20
SHEET 10 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:30 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	144

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVE SIGN AND POST.



DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE

0 20 40 60

SIGNING PLAN
STA. 173+20 TO STA. 178+80
SHEET 11 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:30 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	145

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVE SIGN AND POST.



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SIGNING PLAN
STA. 178+80 TO STA. 184+40
SHEET 12 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:30 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	146

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVE SIGN AND POST.



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

SIGNING PLAN
STA. 184+40 TO STA. 190+00
SHEET 13 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:30 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	147

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVE SIGN AND POST.



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SIGNING PLAN
STA. 190+00 TO STA. 195+60
SHEET 14 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:30 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	148

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVE SIGN AND POST.



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

SIGNING PLAN
STA. 195+60 TO STA. 201+20
SHEET 15 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:30 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	149

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVE SIGN AND POST.



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SIGNING PLAN
STA. 201+20 TO STA. 206+80
SHEET 16 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:30 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	150

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVED SIGN AND POST.



DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

SIGNING PLAN
STA. 206+80 TO STA. 212+00
SHEET 17 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:30 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	151

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVE SIGN AND POST.

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.



SIGNING PLAN
STA. 212+00 TO STA. 217+60
SHEET 18 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:31 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	152

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNs NOTED S (R) SHALL REMOVE SIGN AND POST.



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

SIGNING PLAN
STA. 217+60 TO STA. 223+20
SHEET 19 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:31 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	153

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

MATCH LINE STA. 137+00

MATCH LINE STA. 223+20

℄ RTE AC

℄ US 67

N55°12'22"E

N55°11'44"E

LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67

NEW HALLS FERRY ROAD (HIGHWAY AC) (WIDTH VARIES)

140

S26°44'16"E

S26°49'16"E

STA 224+66.82

138+30

225+42

225+63

225+53

224+03

223+92

139+47

PERM. EASEMENT (SIDEWALK)

EXIST. R/W

EXIST. S/W

EXIST. SIDEWALK

6'W S/W

(R)

(TBR&R)

R4-7
24"x30"
149

R4-7
24"x30"
146

R1-2
48"x48"
148

R1-2
148 A

W11-2
48"x48"

W16-7P
30"x18"

W12-1

W12-1
36"x36"
147

M1-4
24"x24"

M6-3
21"x15"
145

R4-7
24"x30"
150

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVE SIGN AND POST.

SCALE
0 20 40 60

SIGNING PLAN
STA. 223+20 TO END
SHEET 20 OF 33

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:31 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	154

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTES:

1. EXISTING SIGNS NOTED AS (TBR&R) SHALL REMOVE AND REPLACE SIGN ON EXISTING POST.
2. EXISTING SIGNS NOTED AS (R) SHALL REMOVE SIGN AND POST.

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.



SCALE

0 20 40 60

SIGNING PLAN
STA 137+00 TO END
SHEET 21 OF 33

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:31 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	155

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE: 07-01-2024

SIGNS 902 SIGNAL SIGNS TABULATED ON D-37A SHEET						CONCRETE FOOTINGS EMBEDDED	STRUCTURAL STEEL POSTS *						PIPE POSTS *					BACKING BARS **				U-CHANNEL POST	PERFORATED SQUARE STEEL TUBE										BREAK-AWAY ASSEMBLY	REMARKS AND OTHER REQUIRED ITEMS
																							2 IN. POST						2.5 IN. POST						
																										ANCHORS					ANCHORS			
SIGN NO.	SIGN SIZE	STATION	HORZ CLEAR IF NOT STD	LOCATION	SIGN DTL. SHT. NO.	ITEM NO. 9031010	POST DES NO.	POST NO.1	POST NO.2	POST NO.3	LBS PER FT	TOTAL ITEM NO. 9031210	PIPE SIZE	POST NO.1	POST NO.2	LBS PER FT	TOTAL ITEM NO. 9031220	2" X 3/8" BARS @ 2.55 LBS PER FT NO. EACH	LGTH	TOTAL	TOTAL	ITEM NO. 9031250A	POST NO.1	POST NO.2	TOTAL ITEM NO. 9031270A	DRIVEN 12-GA. ITEM NO. 9031271A	DRIVEN 7-GA. ITEM NO. 9031273A	CONCRETE 7-GA. ITEM NO. 9031274	POST NO.1	POST NO.2	TOTAL ITEM NO. 9031280	2.25" INSERT (6 FT) ITEM NO. 9031272A	DRIVEN 7-GA. ITEM NO. 9031281A	CONCRETE 7-GA. ITEM NO. 9031285	ITEM NO. 9031241	
						CY		LF	LF	LF		LBS	IN.	LF	LF		LBS	EACH	IN.	LF	LBS	LF	LF	LF	LF	EA	EA	EA	LF	LF	LF	EA	EA	EA	EA	
81	60"x24"	125+25		US 67																			9.5	9.5	19.0	2									
83	54"x24"	131+25		US 67																			9.5	9.5	19.0	2									
87	48"x48"	134+75		US 67																			11.0		11.0	1									
88	66"x24"	135+50		US 67																			9.5	9.5	19.0	2									
89	ASSY	144+88		US 67																										13.5		13.5		1		
90	54"x24"	149+00		US 67																			9.5	9.5	19.0	2									
91	66"x36"	155+60		US 67																			10.5	10.5	21.0	2									
92	36"x48"	160+34		US 67																										11.5		11.5		1		
93	18"x30"	163+55		US 67																			10.0		10.0				1						
94	48"x48"	164+93		US 67																			11.0		11.0	1									
94A	ASSY	164+90		US 67																										13.75		13.75		1		
95	48"x18"	164+88		US 67																			9.0		9.0				1						
97	18"x30"	165+29		US 67																			10.0		10.0				1						
98	18"x30"	166+61		US 67																			10.0		10.0				1						
100	66"x36"	167+20		US 67																			10.5	10.5	21.0	2									
101	48"x48"	167+10		US 67																			11.0		11.0	1									
101A	ASSY	167+17		US 67																										13.75		13.75		1		
102	24"x30"	46+83	N.	FLORISSANT																			9.5		9.5										USE EX. SURFACE BASE MOUNT
103A	36"x36"	46+96	N	FLORISSANT																			10.5		10.5	1									
104	ASSY	168+49		US 67																										13.5		13.5		1		
105	48"x18"	168+81		US 67																			9.0		9.0				1						
106	ASSY	170+25		US 67																										13.5		13.5		1		
107	48"x18"	170+97		US 67																			9.0		9.0				1						
108	66"x36"	172+25		US 67																			10.5	10.5	21.0	2									
109	48"x18"	174+02		US 67																			8.5		8.5										USE EX. SURFACE BASE MOUNT
110	18"x30"	174+68		US 67																			10.0		10.0				1						
111	18"x30"	175+70		US 67																			10.0		10.0				1						
112	48"x18"	177+33		US 67																			9.0		9.0				1						
113	48"x18"	179+03		US 67																			8.5		8.5										USE EX. SURFACE BASE MOUNT
114	24"x30"	179+82		US 67																			9.5		9.5										USE EX. SURFACE BASE MOUNT
115	48"x48"	182+82		US 67																			11.0		11.0	1									
117	24"x30"	183+09		US 67																			10.0		10.0				1						
121	66"x36"	186+50		US 67																			10.5	10.5	21.0	2									
122	36"x48"	187+50		US 67																										11.5		11.5		1		
123	48"x48"	187+88		US 67																			11.0		11.0	1									
123A	ASSY	188+10		US 67																										13.75		13.75		1		
126	48"x48"	188+91		US 67																			11.0		11.0	1									
126A	ASSY	189+06		US 67																										13.75		13.75		1		
127	66"x24"	191+25		US 67																			9.5	9.5	19.0	2									
128	36"x48"	194+56		US 67																										11.5		11.5		1		
129	48"x24"	206+25		US 67																			9.5		9.5	1									
131	66"x24"	211+55		US 67																			9.5	9.5	19.0	2									
132	ASSY	212+67		US 67																										13.75		13.75		1		
133	ASSY	213+70		US 67																										13.75		13.75		1		
134	ASSY	213+91		US 67																										13.25		13.25		1		
135	36"x36"	215+02		US 67																			10.5		10.5	1									
SUBTOTAL																									426.5	29		10			170.75		13			
TOTAL																					**														

* BREAKAWAY ASSEMBLY IS INCIDENTAL FOR STRUCTURAL STEEL AND PIPE POSTS.
** BACKING BARS ARE TOTALED WITH STRUCTURAL STEEL OR PIPE POSTS.

ROUND PIPE POST AND FOOTING DATA TABLE

NOM.SIZE	WEIGHT		STUB LENGTH	FOOTING		CONCRETE
(IN.)	LBS/FT	LBS/IN		DIA.	DEPTH	C.Y.
2½	5.79	0.48	4'- 3½"	12"	4-6"	0.13
4	10.79	0.90	5'- 3½"	18"	5-6"	0.36

STRUCTURAL STEEL POST AND FOOTING DATA TABLE

POST					FOOTING									
POST DES. NO.	NOM. SIZE	WEIGHT LBS/FT	WEIGHT LBS/IN	STUB LENGTH	DIA.	LEVEL GROUND DEPTH	LEVEL GROUND C.Y.	6:1 GRADE DEPTH	6:1 GRADE C.Y.	4:1 GRADE DEPTH	4:1 GRADE C.Y.	3:1 OR 2:1 GRADE DEPTH	3:1 OR 2:1 GRADE C.Y.
1	W6	9.0	0.75	3'-0"	15"	3'-0"	0.14	3'-2"	0.15	3'-3"	0.16	3'-6"	0.17
2	W6	15.0	1.25	4'-0"	24"	4'-0"	0.47	4'-2"	0.50	4'-3"	0.51	4'-6"	0.54
3	W8	18.0	1.50	4'-6"	28"	4'-6"	0.71	4'-8"	0.73	4'-9"	0.74	5'-0"	0.78
4	W10	22.0	1.83	5'-0"	36"	5'-0"	1.31	5'-2"	1.36	5'-3"	1.39	5'-6"	1.45
5	W10	26.0	2.17	5'-0"	36"	5'-0"	1.31	5'-3"	1.37	5'-5"	1.43	5'-9"	1.52
6	W12	35.0	2.92	5'-6"	36"	5'-6"	1.44	5'-9"	1.52	5'-11"	1.56	6'-3"	1.65

SIGNING PLAN
SHEET 22 OF 33

D-29

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:31 PM
Richard S. Baum
MO PE E-24320

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 156
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE: 07-01-2024

SIGNS (902 SIGNAL SIGNS TABULATED ON D-37A SHEET)						CONCRETE FOOTINGS EMBEDDED	STRUCTURAL STEEL POSTS *						PIPE POSTS *					BACKING BARS **				U-CHANNEL POST	PERFORATED SQUARE STEEL TUBE										BREAK-AWAY ASSEMBLY	REMARKS AND OTHER REQUIRED ITEMS
																							2 IN. POST						2.5 IN. POST							
																										ANCHORS					ANCHORS			
SIGN NO.	SIGN SIZE	STATION	HORZ CLEAR IF NOT STD	LOCATION	SIGN DTL. SHT. NO.	ITEM NO. 9031010	POST DES NO.	POST NO.1	POST NO.2	POST NO.3	LBS PER FT	TOTAL ITEM NO. 9031210	PIPE SIZE	POST NO.1	POST NO.2	LBS PER FT	TOTAL ITEM NO. 9031220	2" X 3/8" BARS @ 2.55 LBS PER FT NO. EACH	LGTH	TOTAL	TOTAL	ITEM NO. 9031250A	POST NO.1	POST NO.2	TOTAL ITEM NO. 9031270A	DRIVEN 12-GA. ITEM NO. 9031271A	DRIVEN 7-GA. ITEM NO. 9031273A	CONCRETE 7-GA. ITEM NO. 9031274	POST NO.1	POST NO.2	TOTAL ITEM NO. 9031280	2.25" INSERT (6 FT) ITEM NO. 9031272A	DRIVEN 7-GA. ITEM NO. 9031281A	CONCRETE 7-GA. ITEM NO. 9031285	ITEM NO. 9031241	
						CY		LF	LF	LF		LBS	IN.	LF	LF		LBS	EACH	IN.	LF	LBS	LF	LF	LF	LF	EA	EA	EA	LF	LF	LF	EA	EA	EA	EA	
136	48"x54"	215+50		US 67																			12.0	12.0	24.0	2									
137	ASSY	216+51		US 67																									13.75		13.75		1			
137A	24"x30"	217+08		US 67																			10.0		10.0	1									
138	36"x36"	217+36		US 67																			10.5		10.5	1									
139	ASSY	218+75		US 67																									13.5		13.5		1			
140	ASSY	219+21		US 67																			9.5		9.5											USE EX. SURFACE BASE MOUNT
141	36"x48"	219+89		US 67																									11.5		11.5		1			
142	48"x18"	221+14		US 67																			8.5		8.5											USE EX. SURFACE BASE MOUNT
143	48"x24"	222+00		US 67																			9.5		9.5	1									
144	48"x18"	222+69		US 67																			8.5		8.5											USE EX. SURFACE BASE MOUNT
145	ASSY	223+92		US 67																			10.0		10.0	1									
147	36"x36"	225+53		US 67																			9.25		9.25			1							
148	48"x48"	225+42		US 67																			11.0		11.0	1									
148A	ASSY	225+63		US 67																									13.75		13.75		1			
149	24"x30"	138+30		US AC																			9.5		9.5											USE EX. SURFACE BASE MOUNT
150	24"x30"	139+47		US AC																			9.5		9.5											USE EX. SURFACE BASE MOUNT
152	48"x18"	136+50		RTE. AC																			8.5		8.5											USE EX. SURFACE BASE MOUNT
SUBTOTAL																									138.25	7		1			52.5		4			
TOTAL																						**			565	36		11			224		17			

* BREAKAWAY ASSEMBLY IS INCIDENTAL FOR STRUCTURAL STEEL AND PIPE POSTS.
** BACKING BARS ARE TOTALED WITH STRUCTURAL STEEL OR PIPE POSTS.

ROUND PIPE POST AND FOOTING DATA TABLE

NOM. SIZE (IN.)	WEIGHT LBS/FT	WEIGHT LBS/IN	STUB LENGTH	FOOTING DIA.	FOOTING DEPTH	CONCRETE C.Y.
2½	5.79	0.48	4'- 3½"	12"	4–6"	0.13
4	10.79	0.90	5'- 3½"	18"	5–6"	0.36

STRUCTURAL STEEL POST AND FOOTING DATA TABLE

POST DES. NO.	NOM. SIZE	POST WEIGHT LBS/FT	POST WEIGHT LBS/IN	POST STUB LENGTH	FOOTING DIA.	FOOTING LEVEL GROUND DEPTH	FOOTING LEVEL GROUND C.Y.	FOOTING 6:1 GRADE DEPTH	FOOTING 6:1 GRADE C.Y.	FOOTING 4:1 GRADE DEPTH	FOOTING 4:1 GRADE C.Y.	FOOTING 3:1 OR 2:1 GRADE DEPTH	FOOTING 3:1 OR 2:1 GRADE C.Y.
1	W6	9.0	0.75	3'-0"	15"	3'-0"	0.14	3'-2"	0.15	3'-3"	0.16	3'-6"	0.17
2	W6	15.0	1.25	4'-0"	24"	4'-0"	0.47	4'-2"	0.50	4'-3"	0.51	4'-6"	0.54
3	W8	18.0	1.50	4'-6"	28"	4'-6"	0.71	4'-8"	0.73	4'-9"	0.74	5'-0"	0.78
4	W10	22.0	1.83	5'-0"	36"	5'-0"	1.31	5'-2"	1.36	5'-3"	1.39	5'-6"	1.45
5	W10	26.0	2.17	5'-0"	36"	5'-0"	1.31	5'-3"	1.37	5'-5"	1.43	5'-9"	1.52
6	W12	35.0	2.92	5'-6"	36"	5'-6"	1.44	5'-9"	1.52	5'-11"	1.56	6'-3"	1.65

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:31 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 157
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

SIGNING PLAN
SHEET 23 OF 33

D-29

STANDARD SIGN ASSEMBLIES

SIGN NUMBER	STATION	LOCATION	TYPE M1-4	M1-5a	M4-6	M6-3	M19-2	R1-1	R1-2	R2-1	R3-2	R3-2	R3-7R	R3-9b	R4-7	R4-7C	R5-1	R6-1R	W11-1	W11-2	W12-1	W16-1P	W16-7P	W16-9P
			SIGN DESCRIPTION, SIZES & NUMBER OF EACH: US ROUTE SHIELD 24"x24"	STATE LETTER RTE 30"x24"	END 24"x12"	DIR. ARROW (STRAIGHT) 21"x15"	MAINT. ENDS 18"x12"	STOP 36"x36"	YIELD 48"x48"	SPEED LIMIT 36"x48"	NO LEFT TURN 24"x24"	NO LEFT TURN 36"x36"	RT LN MUST TURN RT 36"x36"	CENTER LANE ONLY 24"x36"	KEEP RIGHT 24"x30"	KEEP RIGHT 18"x30"	DO NOT ENTER 36"x36"	ONE WAY 48"x18"	BICYCLE 36"x36"	PEDESTRIAN 48"x48"	DOUBLE DOWN ARROW 36"x36"	SHARE THE ROAD 24"x30"	DOWNWARD DIA ARROW 30"x18"	AHEAD 30"x18"
82	126+80	US 67																	1			1		
84	133+00	US 67												1										
86	134+32	US 67										1												
87	134+75	US 67							1															
89	144+88	US 67																	1			1		
92	160+35	US 67								1														
93	163+55	US 67														1								
94	164+93	US 67							1															
94A	164+90	US 67																		1			1	
95	164+88	US 67																1						
97	165+29	US 67														1								
98	166+61	US 67														1								
101	167+10	US 67							1															
101A	167+17	US 67																		1			1	
102	46+83	N FLORISSANT RD													1									
103	48+35	N FLORISSANT RD													1									
103A	46+96	N FLORISSANT RD											1											
104	168+49	US 67																	1			1		
105	168+81	US 67																2						
106	170+25	US 67																	1			1		
107	170+97	US 67																2						
109	174+02	US 67																2						
110	174+70	US 67														1								
111	175+69	US 67														1								
112	177+33	US 67																2						
113	179+03	US 67																1						
114	179+82	US 67													1									
115	182+82	US 67							1															
116	182+95	US 67									1						1							
117	183+09	US 67													1									
118	183+09	US 67										1												
119	183+11	US 67										1												
122	187+50	US 67								1														
123	187+88	US 67							1															
123A	188+10	US 67																		1			1	
126	188+91	US 67							1															
126A	189+06	US 67																		1			1	
128	194+56	US 67								1														
130	207+24	US 67												1										
		SUBTOTAL	-	-	-	-	-	-	6	3	1	3	1	2	4	5	1	10	4	4	-	4	4	-

SIGNING PLAN
SHEET 24 OF 33

D-30

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:31 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	158

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

STANDARD SIGN ASSEMBLIES

SIGN NUMBER	STATION	LOCATION	TYPE M1-4	M1-5a	M4-6	M6-3	M19-2	R1-1	R1-2	R2-1	R3-2	R3-2	R3-7R	R3-9b	R4-7	R4-7C	R5-1	R6-1R	W11-1	W11-2	W12-1	W16-1P	W16-7P	W16-9P
			SIGN DESCRIPTION, SIZES & NUMBER OF EACH: US ROUTE SHIELD 24"x24"	STATE LETTER, RTE 30"x24"	END 24"x12"	DIR. ARROW (STRAIGHT) 21"x15"	MAINT. ENDS 18"x12"	STOP 36"x36"	YIELD 48"x48"	SPEED LIMIT 36"x48"	NO LEFT TURN 24"x24"	NO LEFT TURN 36"x36"	RT LN MUST TURN RT 36"x36"	CENTER LANE ONLY 24"x36"	KEEP RIGHT 24"x30"	KEEP RIGHT 18"x30"	DO NOT ENTER 36"x36"	ONE WAY 48"x18"	BICYCLE 36"x36"	PEDESTRIAN 48"x48"	DOUBLE DOWN ARROW 36"x36"	SHARE THE ROAD 24"x30"	DOWNWARD DIA ARROW 30"x18"	AHEAD 30"x18"
132	212+67	US 67																		1			1	
133	213+70	US 67																		1			1	
134	213+91	US 67							1		1						1							
135	215+02	US 67						1																
137	216+51	US 67																		1				1
137A	217+08	US 67													1									
138	217+36	US 67						1																
139	218+75	US 67																	1			1		
140	219+21	US 67									1				1									
141	219+89	US 67								1														
142	221+14	US 67																2						
144	222+69	US 67																2						
145	223+92	US 67	1			1																		
146	224+03	US 67													1									
147	225+53	US 67																			1			
148	225+42	US 67							1															
148A	225+63	US 67																		1			1	
149	138+30	RTE. AC													1									
150	139+47	RTE. AC													1									
151	135+76	RTE. AC		1	1		1																	
152	136+50	RTE. AC																2						
		SUBTOTAL	1	1	1	1	1	2	2	1	2	-	-	-	5	-	1	6	1	4	1	1	3	1
		TOTAL	1	1	1	1	1	2	8	4	3	3	1	2	9	5	2	16	5	8	1	5	7	1

SIGNING PLAN
SHEET 25 OF 33

D-30

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:31 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	159

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

EFFECTIVE 10-01-2016

STANDARD SIGN ASSEMBLIES

SIGN NUMBER	STATION	LOCATION	TYPE SIGN DESCRIPTION, SIZES & NUMBER OF EACH

SIGN SUMMARY

STANDARD SIGN OR SPECIAL SIGN NUMBER	SIGN DETAIL SHEET NO.	NO. EACH	SIZE, TYPE & SQUARE FEET SIZE	FLAT SHEET SH ITEM NO. 9035004A	FLAT SHEET FLUORESCENT SHF * ITEM NO. 9035069A	STRUCTURAL ST ITEM NO. 9035011A	STRUCTURAL FLUORESCENT STF * ITEM NO. 9035071A
M1-4		1	24"x24"	4.0			
M1-5a		1	30"x24"	5.0			
M4-6		1	24"x12"	2.0			
M6-3		1	21"x15"	2.2			
M19-2		1	18"x12"	1.5			
R1-1		2	36"x36"		18.0		
R1-2		8	48"x48"		128.0		
R2-1		4	36"x48"	48.0			
R3-2		3	24"x24"	12.0			
R3-2		3	36"x36"	27.0			
R3-7R		1	36"x36"	9.0			
R3-9b		2	24"x36"	12.0			
R4-7		9	24"x30"	45.0			
R4-7C		5	18"x30"	18.8			
R5-1		2	36"x36"		18.0		
R6-1R		16	48"x18"	96.0			
W11-1		5	36"x36"		45.0		
W11-2		8	48"x48"		128.0		
W12-1		1	36"x36"		9.0		
W16-1P		5	24"x30"		25.0		
W16-7P		7	30"x18"		26.3		
W16-9P		1	30"x18"		3.8		
SPECIAL SIGN 81		1	60"x24"	10.0			
SPECIAL SIGN 88		2	66"x24"	11.0			
SPECIAL SIGN 83 & 90		2	54"x24"	18.0			
SPECIAL SIGN 91 & 108		2	66"x36"	33.0			
SPECIAL SIGN 100		1	66"x36"	16.5			
SPECIAL SIGN 121		1	66"x36"	16.5			
SPECIAL SIGN 127 & 131		2	66"x24"	22.0			
SPECIAL SIGN 129 & 143		2	48"x24"	16.0			
SPECIAL SIGN 136		1	48"x54"	18.0			
			SUBTOTAL	443.5	401.1		
			TOTAL	444	402		

* ORANGE, YELLOW & YELLOW/GREEN

SIGNING PLAN
SHEET 26 OF 33

D-30

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:31 PM
Richard S. Baum
MO PE E-24320

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 160
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

SIGN NO.	81
STATION	125+25
ROADWAY	US 67



D3-2 SH-FLAT SHEET;
1.500" Radius, 0.750" Border, White on, Green;
"Patterson Rd", D; "NEXT SIGNAL", D;
Table of letter and object lefts

P	a	t	t	e	r	s	o	n	R	d	
4.000	9.250	14.000	17.625	21.375	26.375	29.500	34.000	39.000	47.375	52.750	
N	E	X	T	S	I	G	N	A	L		
10.250	14.250	17.875	21.500	28.625	32.750	34.500	38.625	42.500	47.125		

SIGN NO.	83,90
STATION	
ROADWAY	US 67



D3-2 SH-FLAT SHEET;
1.500" Radius, 0.750" Border, White on, Green;
"St Jean St", D; "NEXT SIGNAL", D;
Table of letter and object lefts

S	t	J	e	a	n	S	t
5.000	10.125	17.625	23.125	27.625	33.000	41.375	46.375
N	E	X	T	S	I	G	N	A	L
7.250	11.250	14.875	18.500	25.625	29.750	31.500	35.625	39.500	44.125

SIGN NO.	88
STATION	
ROADWAY	US 67



D3-2 SH-FLAT SHEET;
1.500" Radius, 0.750" Border, White on, Green;
"St Ferdinand St", C; "NEXT SIGNAL", D;
Table of letter and object lefts

S	t	F	e	r	d	i	n	a	n	d	S	t	
4.000	8.250	15.375	19.000	23.500	26.375	31.250	34.000	38.375	43.250	47.750	55.375	59.750	
N	E	X	T	S	I	G	N	A	L				
13.250	17.250	20.875	24.500	31.625	35.750	37.500	41.625	45.500	50.125				

SIGN NO.	91,108
STATION	
ROADWAY	US 67



D3-2 SH-FLAT SHEET;
2.250" Radius, 0.750" Border, White on, Green;
"N New", D; "Florissant Rd", D; "NEXT SIGNAL", D;
Table of letter and object lefts

N	N	e	w
20.375	30.125	36.000	40.375

F	l	o	r	i	d	s	s	a	n	t	R	d	
5.750	10.750	13.250	18.250	22.000	24.375	28.625	33.125	38.375	43.250	51.500	56.875		
N	E	X	T	S	I	G	N	A	L				
13.250	17.250	20.875	24.500	31.625	35.750	37.500	41.625	45.500	50.125				

SIGNING PLAN
SHEET 27 OF 333

D-31

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:32 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	161

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

SIGN NO.	100
STATION	167+20
ROADWAY	US 67



D3-2 SH-FLAT SHEET:
2.250" Radius, 0.750" Border, White on, Green;
"Thunderbird Ave", C 85% spacing; "N Waterford Dr", C 85% spacing; "NEXT SIGNAL", D;
Table of letter and object lefts

T	h	u	n	d	e	r	b	i	d	d	A	v	e
4.000	8.250	12.875	17.375	21.625	25.875	30.125	33.250	37.500	40.000	42.875	50.250	54.625	59.000

N	W	a	t	e	r	f	o	r	d	D	r
6.750	14.500	20.000	24.125	27.375	31.625	34.375	37.250	41.625	44.375	52.375	57.000

N	E	X	T	S	I	G	N	A	L
13.250	17.250	20.875	24.500	31.625	35.750	37.500	41.625	45.500	50.125

SIGN NO.	121
STATION	186+50
ROADWAY	US 67



D3-2 SH-FLAT SHEET:
2.250" Radius, 0.750" Border, White on, Green;
"N Waterford Dr", C 85% spacing; "Thunderbird Ave", C 85% spacing; "NEXT SIGNAL", D;
Table of letter and object lefts

N	W	a	t	e	r	f	o	r	d	D	r	d
6.750	14.500	20.000	24.125	27.375	31.625	34.375	37.250	41.625	44.375	52.375	57.000	

T	h	u	n	d	e	r	b	i	d	d	A	v	e
4.000	8.250	12.875	17.375	21.625	25.875	30.125	33.250	37.500	40.000	42.875	50.250	54.625	59.000

N	E	X	T	S	I	G	N	A	L
13.250	17.250	20.875	24.500	31.625	35.750	37.500	41.625	45.500	50.125

SIGN NO.	127,131
STATION	
ROADWAY	US 67



D3-2 SH-FLAT SHEET:
1.500" Radius, 0.750" Border, White on, Green;
"Trotterway Dr", D; "NEXT SIGNAL", D;
Table of letter and object lefts

T	r	o	t	t	e	r	w	a	y	D	r
4.500	8.750	13.000	17.500	21.125	24.875	29.875	33.125	39.375	44.125	53.250	59.000

N	E	X	T	S	I	G	N	A	L
13.250	17.250	20.875	24.500	31.625	35.750	37.500	41.625	45.500	50.125

SIGN NO.	129,143
STATION	
ROADWAY	US 67



D3-2 SH-FLAT SHEET:
1.500" Radius, 0.750" Border, White on, Green;
"Cougar Dr", D; "NEXT SIGNAL", D;
Table of letter and object lefts

C	o	u	g	a	r	D	r
3.750	9.125	14.125	19.000	23.875	29.250	36.000	41.750

N	E	X	T	S	I	G	N	A	L
4.250	8.250	11.875	15.500	22.625	26.750	28.500	32.625	36.500	41.125

SIGNING PLAN
SHEET 28 OF 33

D-31

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:32 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	162

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

SIGN NO.	136
STATION	215+50
ROADWAY	US 67



D3-2 SH-FLAT SHEET:
3.000" Radius, 0.750" Border, White on, Green:
"New Halls", D; "Ferry Rd", D; "NEXT SIGNAL", D:
Table of letter and object lefts

AC
15.000

N	e	w	H	a	I	I	s
4.000	9.875	14.250	24.250	30.000	35.375	38.250	40.625

F	s	r	r	y	R	d
7.000	11.375	16.250	20.000	23.125	32.250	37.625

N	E	X	T	S	I	G	N	A	L
4.250	8.250	11.875	15.500	22.625	26.750	28.500	32.625	36.500	41.125

SIGN NO.	
STATION	
ROADWAY	

SIGN NO.	
STATION	
ROADWAY	

SIGN NO.	
STATION	
ROADWAY	

SIGN NO.	
STATION	
ROADWAY	

SIGNING PLAN
SHEET 29 OF 33

D-31

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:32 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	163

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

SIGN NO.	D3-1
STATION	
ROADWAY	US 67



D3-1 SH-FLAT SHEET:
1.500" Radius, 0.750" Border, White on, Green;
"Lindbergh", C; "Blvd", C;
Table of letter and object lefts

L	i	h	d	b	e	r	g	h	B	l	v	d
5.500	12.875	17.500	24.875	32.875	39.625	47.125	52.000	60.000	71.000	77.625	80.625	86.625

SIGN NO.	
STATION	
ROADWAY	

SIGN NO.	
STATION	
ROADWAY	

SIGN NO.	
STATION	
ROADWAY	

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:32 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	164

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

SIGNING PLAN
SHEET 30 OF 33

SIGN NO.	D3-1
STATION	
ROADWAY	US 67

D3-1 SH-FLAT SHEET:
1.500" Radius, 0.750" Border, White on, Green;
"St Ferdinand", C 85% spacing; "St", C 85% spacing;
Table of letter and object lefts

S	t	f	e	r	d	i	n	a	n	d	S	t
4.875	11.750	21.625	27.500	34.625	39.375	46.875	51.000	58.000	65.625	72.625	82.500	88.125

SIGN NO.	D3-1
STATION	
ROADWAY	US 67

D3-1 SH-FLAT SHEET:
1.500" Radius, 0.750" Border, White on, Green;
"N New Florissant", B 60% spacing; "Rd", B 60% spacing;
Table of letter and object lefts

N	N	e	w	F	l	o	r	i	s	s	a	n	t	R	d
4.500	13.375	19.125	24.250	35.125	40.000	42.625	48.250	52.500	55.000	60.125	65.250	71.125	76.625	83.875	88.125

SIGN NO.	D3-1
STATION	
ROADWAY	US 67



D3-1 SH-FLAT SHEET:
1.500" Radius, 0.750" Border, White on, Green;
"St Jean", C; "St", C;
Table of letter and object lefts

S	t	J	e	a	n	S	t
6.375	13.500	23.375	31.125	37.875	46.000	56.875	62.625

SIGN NO.	D3-1
STATION	
ROADWAY	US 67



D3-1b SH-FLAT SHEET:
1.500" Radius, 0.500" Border, White on, Green;
Standard Arrow Custom 7.000" X 6.125" 180; "Thunderbird", C; "Ave", C; "N Waterford", C; "Dr", C;
Standard Arrow Custom 7.000" X 6.125" 0";
Table of letter and object lefts

	T	h	u	n	d	e	r	b	i	r	d	A	v	e
3.500	13.500	18.000	22.875	27.625	32.125	36.500	41.000	44.375	48.875	51.625	54.625	60.500	63.500	66.500
N	W	a	t	e	r	f	o	r	d	D	r			
5.875	14.125	19.750	24.125	27.500	32.000	34.875	37.875	42.500	45.375	51.375	54.625	59.125		

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:32 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	165

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

SIGNING PLAN
SHEET 31 OF 33

SIGN NO.	D3-1
STATION	
ROADWAY	US 67



D3-1b SH-FLAT SHEET;
1.500" Radius, 0.500" Border, White on, Green;
Standard Arrow Custom 7.000" X 6.125" 180°; "N Waterford", C; "Dr", C; "Thunderbird", C; "Ave", C;
Standard Arrow Custom 7.000" X 6.125" 0°;
Table of letter and object lefts

5.875	h 15.875	w 24.125	h 29.750	t 34.125	e 37.500	r 42.000	f 44.875	o 47.875	r 52.500	d 55.375	D 61.375	r 64.625	
T 3.500	h 8.000	y 12.875	n 17.625	d 22.125	e 26.500	r 31.000	b 34.375	l 38.875	r 41.625	d 44.625	A 50.500	v 53.500	e 56.500	61.500

SIGN NO.	D3-1
STATION	
ROADWAY	US 67



D3-1 SH-FLAT SHEET;
1.500" Radius, 0.750" Border, White on, Green;
Standard Arrow Custom 10.000" X 10.125" 180°; "Trotterway", C 70% spacing; "Dr", C 70% spacing;
Table of letter and object lefts

3.500	T 18.000	r 24.750	o 29.375	t 35.500	t 40.500	e 45.625	r 52.375	w 56.875	a 65.750	y 72.250	D 83.125	r 89.000		

SIGN NO.	D3-1
STATION	
ROADWAY	US 67



D3-1 SH-FLAT SHEET;
1.500" Radius, 0.750" Border, White on, Green;
"Trotterway", C 70% spacing; "Dr", C 70% spacing; Standard Arrow Custom 10.000" X 10.125" 0°;
Table of letter and object lefts

l 4.500	r 11.250	o 15.875	t 22.000	t 27.000	e 32.125	r 38.875	w 43.375	a 52.250	y 58.750	D 69.625	r 75.500	82.500

SIGN NO.	D3-1
STATION	
ROADWAY	US 67



D3-1 SH-FLAT SHEET;
1.500" Radius, 0.750" Border, White on, Green;
Standard Arrow Custom 10.000" X 10.125" 180°; "Cougar", C; "Dr", C;
Table of letter and object lefts

5.250	C 21.250	o 28.875	u 36.500	g 44.000	a 51.375	r 59.375	D 69.125	r 75.750	

SIGNING PLAN
SHEET 32 OF 33

D-31

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:32 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	166

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs

JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

SIGN NO.	D3-1
STATION	
ROADWAY	US 67



D3-1 SH-FLAT SHEET:
1.500" Radius, 0.750" Border, White on, Green;
"Cougar", C; "Dr", C; Standard Arrow Custom 10.000" X 10.125" 0";
Table of letter and object lefts

C	o	u	g	a	r	D	r	⇨
5.500	13.125	20.750	28.250	35.625	43.625	53.375	60.000	69.000

SIGN NO.	
STATION	
ROADWAY	

SIGN NO.	D3-1
STATION	
ROADWAY	US 67



D3-1 SH-FLAT SHEET:
1.500" Radius, 0.750" Border, White on, Green;
"New Halls Ferry", B 70% spacing; "Rd", B 70% spacing;
Table of letter and object lefts

N	e	w	H	a	l	l	s	F	e	r	r	y	R	d
4.500	10.500	15.875	27.750	33.625	39.875	43.000	45.750	55.125	59.625	65.375	69.750	73.625	83.625	88.000

SIGN NO.	
STATION	
ROADWAY	

SIGN NO.	
STATION	
ROADWAY	

SIGNING PLAN
SHEET 33 OF 33

D-31

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER

01/28/2026 7:26:32 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	167

COUNTY
ST. LOUIS

JOB NO.
J6S3625C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE

STA 2+
LINDSAY LANE (WIDTH VARIES)
S52°27'43"E
EXIST. SIDEWALK
EXIST. SIDEWALK
145'R
110
EXIST. SIDEWALK
℄ LINDSAY LN.
STA 4+00.67
℄ US 67
LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67
EXIST. S/W
EXIST. SIDEWALK
RUE ST. DENIS STREET (40' W)
24"x36" YIELD LINE (TYP.)
24" LONGITUDINAL CROSSWALK (TYP.)
24" STOP BAR (TYP.)
4" D.S.Y.
STRAIGHT/LEFT/RIGHT ARROW (TYP.)
6" S.W.
EXIST. SIDEWALK
℄ PATTERSON ROAD (WIDTH VARIES)
12'
12'
12'
14'
+89
+03
+28
+34
+37
+45
+55
+23
+68
5'W SIDEWALK
90'R
RIGHT ARROW (TYP.)
6" S.W.
4" S.Y.
PT STA 4+64.04
6" S.W.
S06°14'42"E
40'R
+10
+16
+46
+48
STA 5+04.36
5
70'R
+93
11'
11'
11'
2'
MATCH LINE STA. 114+00
PATTERSON ROAD (WIDTH VARIES)
6" D.W. (2' STRIPE, 6' GAP) (TYP.)
EXIST. SIDEWALK
12" BLOCK WALL

SCALE
0 20 40 60

PAVEMENT MARKING PLAN
BEGIN TO STA. 114+00
SHEET 1 OF 23

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:32 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	168

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 114+00 TO STA. 119+60
SHEET 2 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:32 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	169

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE



SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 119+60 TO STA. 124+50
SHEET 3 OF 23

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:33 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	170

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

PAVEMENT MARKING PLAN
STA. 124+50 TO STA. 129+00
SHEET 4 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:33 PM
Richard S. Baum
MO PE E-24320

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 171
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 129+00 TO STA. 134+60
SHEET 5 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:33 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 172
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE



SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 134+60 TO STA. 140+20
SHEET 6 OF 23

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:33 PM
Richard S. Baum
MO PE E-24320

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	173

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE



SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 140+20 TO STA. 145+50
SHEET 7 OF 23

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:33 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	174

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 145+50 TO STA. 151+10
SHEET 8 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:33 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	175

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE



SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 151+10 TO STA. 156+70
SHEET 9 OF 23

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:33 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	176

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 156+70 TO STA. 162+00
SHEET 10 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:33 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	177

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE



SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 162+00 TO STA. 167+60
SHEET 11 OF 23

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:33 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 178
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 167+60 TO STA. 173+20
SHEET 12 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:34 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	179

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 173+20 TO STA. 178+80
SHEET 13 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:34 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	180

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 178+80 TO STA. 184+40
SHEET 14 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:34 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED	28-JAN-2026
ROUTE	67
STATE	MO
DISTRICT	SL
SHEET NO.	181
COUNTY	ST. LOUIS
JOB NO.	J6S3625C
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DESCRIPTION | DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 184+40 TO STA. 190+00
SHEET 15 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:34 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 182
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE



SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 190+00 TO STA. 195+60
SHEET 16 OF 23

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:34 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	183

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 195+60 TO STA. 201+20
SHEET 17 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:34 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	184

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE

MATCH LINE STA. 201+20

MATCH LINE STA. 206+80

205

6" S.W.
6" I.W. (10' STRIPE, 30' GAP)
4" S.Y./I.Y. (10' STRIPE, 30' GAP)

EXIST. SIDEWALK
EXIST. S/W
6'W S/W
LEFT ARROW (TYP.)
LINDBERGH BOULEVARD (WIDTH VARIES) N. HIGHWAY 67
N55°53'22"E
PC STA 203+05.89
℄ US 67
STA 4+00.00
STRAIGHT/RIGHT ARROW (TYP.)
4" D.S.Y.
6" S.W.
SIGN BASE ABANDONED
POSSIBLE VALVE
METER
MCI 3'X5' PULLBOX
STUB BOX
4" S.Y./I.Y. (10' STRIPE, 30' GAP)
6" I.W. (10' STRIPE, 30' GAP)
4" D.S.Y.
24" LONGITUDINAL CROSSWALK (TYP.)
24" STOP BAR (TYP.)
S34°05'29"E
TROTTERWAY DRIVE (50'W)
℄ TROTTERWAY DR.
5

+36 +62 +07 +82 +87 +42 +55 +20 +44 +74 +75

12' 12' 9' 3' 11'

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 201+20 TO STA. 206+80
SHEET 18 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:34 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	185

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION
DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 206+80 TO STA. 212+00
SHEET 19 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:34 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	186

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 212+00 TO STA. 217+60
SHEET 20 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:34 PM
Richard S. Baum
MO PE E-24320

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE PREPARED: 28-JAN-2026
ROUTE: 67 | STATE: MO
DISTRICT: SL | SHEET NO.: 187
COUNTY: ST. LOUIS
JOB NO.: J6S3625C
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION	DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.

PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE



DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 217+60 TO STA. 223+20
SHEET 21 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:34 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	188

COUNTY
ST. LOUIS
JOB NO.
J6S3625C
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DATE	DESCRIPTION

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W. SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.



PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA. 223+20 TO END
SHEET 22 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:35 PM
Richard S. Baum
MO PE E-24320

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

DATE PREPARED	
28-JAN-2026	
ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	189
COUNTY	
ST. LOUIS	
JOB NO.	
J6S3625C	
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DATE	DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704

NOTE:
ALL STOP BARS, MIDBLOCKS, YIELD LINES, ARROWS AND WORDING SHALL BE THERMOPLASTIC.



PAVEMENT MARKING LEGEND

S.W. - SOLID WHITE PAVEMENT MARKING LINE
S.Y. - SOLID YELLOW PAVEMENT MARKING LINE
D.W. - DOTTED WHITE PAVEMENT MARKING LINE
D.S.Y. - DOUBLE SOLID YELLOW PAVEMENT MARKING LINE
I.W. - INTERMITTENT WHITE PAVEMENT MARKING LINE
I.Y. - INTERMITTENT YELLOW PAVEMENT MARKING LINE

DISCLAIMER

THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

SCALE
0 20 40 60

PAVEMENT MARKING PLAN
STA 137+00 TO END
SHEET 23 OF 23

STATE OF MISSOURI
RICHARD S. BAUM
NUMBER E-24320
PROFESSIONAL ENGINEER
01/28/2026 7:26:35 PM
Richard S. Baum
MO PE E-24320

DATE PREPARED
28-JAN-2026

ROUTE	STATE
67	MO
DISTRICT	SHEET NO.
SL	190

COUNTY
ST. LOUIS

JOB NO.
J6S3625

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION	DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

Jacobs
JACOBS ENGINEERING GROUP
1001 HIGHLANDS PLAZA DRIVE W, SUITE 400
ST.LOUIS, MISSOURI 63110
PHONE: (314) 335-4000
CERTIFICATE OF AUTHORITY #00704