## DESIGN DESIGNATION

SEE FOLLOWING TITLE LOCATION SHEETS

## TEMPORARY CONSTRUCTION EASEMENTS REQUIRED

LOCATION 3 - WASHINGTON-POTOSI, HWY 8
LOCATION 5 - MONITEAU-CALIFORNIA, BUSINESS 50
LOCATION 6 - OSAGE-CHAMOIS, ROUTE K

## NO ACQUISITIONS REQUIRED

LOCATION 1 - CALLAWAY-FULTON, ROUTE Z
LOCATION 2 - CAMDEN-CAMDENTON, US 54
LOCATION 4 - MARIES-BELLE, HWY 89
LOCATION 7 - PHELPS-ROLLA, ROUTE E
LOCATION 8 - PHELPS-ST. JAMES, HWY 66
LOCATION 9 - PULASKI-RICHLAND, HWY 133
LOCATION 10 - PULASKI-CROCKER, HWY 17

## CONVENTIONAL SYMBOLS

(USED IN PLANS)

| | EXISTING | NEW |
|---|---|---|
| BUILDINGS AND STRUCTURES | | |
| GUARD RAIL | | |
| GUARD CABLE | | |
| CONCRETE RIGHT-OF-WAY MARKER | | |
| STEEL RIGHT-OF-WAY MARKER | | |
| LOCATION SURVEY MARKER | | |
| UTILITIES | | |
| FIBER OPTICS | FO | FO |
| OVERHEAD CABLE TV | OTV | OTV |
| UNDERGROUND CABLE TV | UTV | UTV |
| OVERHEAD TELEPHONE | OT | OT |
| UNDERGROUND TELEPHONE | UT | UT |
| OVERHEAD POWER | OE | OE |
| UNDERGROUND POWER | UE | UE |
| SANITARY SEWER | S | S |
| STORM SEWER | SS | SS |
| GAS | G | G |
| WATER | W | W |
| MANHOLE | SAN | |
| FIRE HYDRANT | HYD | |
| WATER VALVE | WV | |
| WATER METER | WM | |
| DROP INLET | DI | |
| DITCH BLOCK | | |
| GROUND MOUNTED SIGN | SIGN | |
| LIGHT POLE | | |
| H-FRAME POWER POLE | | |
| TELEPHONE PEDESTAL | PED | |
| FENCE | | |
| CHAIN LINK | V | |
| WOVEN WIRE | X | |
| GATE POST | | |
| BENCHMARK | BM | |


NOTE: DASHED OR OPEN SYMBOLS INDICATE EXISTING FEATURES

# MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

# PLANS FOR PROPOSED STATE HIGHWAY

# CALLAWAY, CAMDEN, WASHINGTON, MARIES, MONITEAU, OSAGE, PHELPS, & PULASKI COUNTIES

ADA IMPROVEMENTS, SIDEWALKS, CURB RAMPS, PAVED APPROACHES & AUDIBLE PEDESTRIAN SIGNALS AT VARIOUS LOCATIONS




NOT TO SCALE

LOCATIONS

| | | |
|---|---|---|
| 1 - CALLAWAY-FULTON, ROUTE Z | - INTERSECTION OF HWY Z & WOOD ST |
| 2 - CAMDEN-CAMDENTON, US 54 | - FROM BUSINESS 5 TO CECIL ST |
| 3 - WASHINGTON-POTOSI, HWY 8 | - FROM JEFFERSON ST TO LAWRENCE ST |
| 4 - MARIES-BELLE, HWY 89 | - FROM W 2ND ST TO W 3RD ST |
| 5 - MONITEAU-CALIFORNIA, BUSINESS 50 | - FROM S WILLIAMS ST TO S HIGH ST |
| 6 - OSAGE-CHAMOIS, ROUTE K | - FROM HWY 89 TO FIFTH ST |
| 7 - PHELPS-ROLLA, ROUTE E | - FROM WHITE COLUMN DR TO I-44 EASTBOUND RAMPS |
| 8 - PHELPS-ST. JAMES, HWY 66 | - FROM N JACKSON ST TO N MERAMEC ST |
| 9 - PULASKI-RICHLAND, HWY 133 | - FROM W PULASKI AVE TO LOCUST ST |
| 10 - PULASKI-CROCKER, HWY 17 | - FROM SCHOOL ST TO YORK ST |

THE EXISTENCE AND APPROXIMATE LOCATION OF UTILITY FACILITIES KNOWN TO EXIST, AS SHOWN ON THE PLANS, ARE BASED ON THE BEST INFORMATION AVAILABLE TO THE COMMISSION AT THIS TIME. THIS INFORMATION IS PROVIDED BY THE COMMISSION "AS-IS" AND THE COMMISSION EXPRESSLY DISCLAIMS ANY REPRESENTATION OR WARRANTY AS TO THE COMPLETENESS, ACCURACY, OR SUITABILITY OF THE INFORMATION FOR ANY USE. RELIANCE UPON THIS INFORMATION IS DONE AT THE RISK AND PERIL OF THE USER, AND THE COMMISSION SHALL NOT BE LIABLE FOR ANY DAMAGES THAT MAY ARISE FROM ANY ERROR IN THE INFORMATION. IT IS, THEREFORE, THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE EXISTENCE, LOCATION AND STATUS OF ANY FACILITY. SUCH VERIFICATION INCLUDES DIRECT CONTACT WITH THE LISTED UTILITIES.

## INDEX OF SHEETS


| DESCRIPTION | SHEET NUMBER |
|---|---|
| TITLE SHEET | 1 |
| TYPICAL SECTIONS (TS) (3 SHEETS) | 2 |
| QUANTITIES (QU) (9 SHEETS) | 3 |
| PLAN-PROFILE (PP) | 4-60 |
| REFERENCE POINTS (RP) | 61-63 |
| COORDINATE POINTS (CP) | 64-73 |
| TRAFFIC CONTROL SHEETS (TC) | 74-77 |
| EROSION CONTROL SHEETS (EC) | 78 |
| SIGNALS (SG) | 79-108 |
| CULVERT SECTIONS (CS) | 109 |


## LENGTH OF PROJECT

| | |
|---|---|
| LOCATION 1 | 100.00 FEET |
| LOCATION 2 | 5,800.00 FEET |
| LOCATION 3 | 2,650.00 FEET |
| LOCATION 4 | 500.00 FEET |
| LOCATION 5 | 800.00 FEET |
| LOCATION 6 | 1,400.00 FEET |
| LOCATION 7 | 780.80 FEET |
| LOCATION 8 | 800.00 FEET |
| LOCATION 9 | 2,944.08 FEET |
| LOCATION 10 | 500.00 FEET |
| TOTAL CORRECTIONS | 00.00 FEET |
| NET LENGTH OF PROJECT | 16274.88 FEET |
| STATE LENGTH | 3.08 MILES |

## TITLE SHEET
## SHEET 1 OF 3

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 1 |


COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347


FUNCTIONAL CLASSIFICATION- MAJOR COLLECTOR
T47N, R9W, SEC 9




CALLAWAY COUNTY - FULTON
A.A.D.T. - 2024 = 3661
V = 30 M.P.H.

LOCATION 1:
INTERSECTION OF HWY Z & WOOD ST

FUNCTIONAL CLASSIFICATION- PRINCIPAL ARTERIAL
T38N, R17W, SEC 24 & 25





CAMDEN COUNTY - CAMDENTON
A.A.D.T. - 2024 = 32106
V = 45 M.P.H.

LOCATION 2:
FROM BUSINESS 5 TO CECIL ST

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.


FUNCTIONAL CLASSIFICATION- PRINCIPAL ARTERIAL
T37N, R02E, SEC 14




WASHINGTON COUNTY - POTOSI
A.A.D.T. - 2024 = 16494
V = 25 M.P.H.

LOCATION 3:
FROM JEFFERSON ST TO LAWRENCE ST

FUNCTIONAL CLASSIFICATION- MINOR ARTERIAL
T41N, R07W, SEC 20





MARIES COUNTY - BELLE
A.A.D.T. - 2024 = 2506
V = 25 M.P.H.

LOCATION 4:
FROM W 2ND ST TO WEST 3RD ST

BUSINESS 50 -
LOCATION LIMITS
ADA IMPROVEMENTS,
SIDEWALKS &
CURB RAMPS


FUNCTIONAL CLASSIFICATION-
MAJOR COLLECTOR
T45N, R15W, SEC 28




MONITEAU COUNTY - CALIFORNIA
A.A.D.T. - 2024 = 8436
V = 35 M.P.H.

LOCATION 5:
FROM S WILLIAMS ST TO S HIGH ST

FUNCTIONAL CLASSIFICATIONS
ROUTE K - MINOR COLLECTOR
T45N, R8W, SEC 11




OSAGE COUNTY - CHAMOIS
A.A.D.T. - 2024 = 951
V = 25 M.P.H.

LOCATION 6:
FROM HWY 89 TO FIFTH ST

TITLE SHEET
SHEET 2 OF 3

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER
THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 1 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.


PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347




BEGIN PROJECT
STA 445+69.20

END PROJECT
STA 453+50


ROUTE E -
LOCATION LIMITS
ADA IMPROVEMENTS,
SIDEWALK &
CURB RAMPS

FUNCTIONAL CLASSIFICATIONS
ROUTE E - MINOR ARTERIAL
T37N, R8W, SEC 2 & 11

PHELPS COUNTY - ROLLA
A.A.D.T. - 2024 = 23766
V = 35 M.P.H.

LOCATION 7:
FROM WHITE COLUMN DR TO I-44 EASTBOUND RAMPS

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.




BEGIN PROJECT
STA 1515+50

END PROJECT
STA 1523+50

ROUTE 66 -
LOCATION LIMITS
ADA IMPROVEMENTS,
SIDEWALK &
CURB RAMPS

FUNCTIONAL CLASSIFICATION- LOCAL ROAD
T38N, R6W, SEC 19

PHELPS COUNTY - ST. JAMES
A.A.D.T. - 2024 = 1515
V = 25 M.P.H.

LOCATION 8:
FROM JACKSON ST TO N MARAMEC ST




END PROJECT
STA 21+50

BEGIN PROJECT
STA 8+00


MO 133 -
LOCATION LIMITS
ADA IMPROVEMENTS,
SIDEWALK &
CURB RAMPS

EQUATIONS & EXCEPTIONS:
STA 0+00.00 BK = STA 0+00.00 AH
STA 8+63.36 BK = STA 1+79.07 AH

FUNCTIONAL CLASSIFICATION- MINOR ARTERIAL
T36N, R13W, SEC 18

PULASKI COUNTY - RICHLAND
A.A.D.T. - 2024 = 4345
V = 25 M.P.H.

LOCATION 9:
FROM W PULASKI AVE TO LOCUST ST




BEGIN PROJECT
STA 593+00

END PROJECT
STA 598+00

MO 133 / MO 17-
LOCATION LIMITS
ADA IMPROVEMENTS,
SIDEWALK &
CURB RAMPS

FUNCTIONAL CLASSIFICATION- MINOR ARTERIAL
T37N, R12W, SEC 8

PULASKI COUNTY - CROCKER
A.A.D.T. - 2024 = 6965
V = 30 M.P.H.

LOCATION 10:
FROM SCHOOL ST TO YORK ST

TITLE SHEET
SHEET 3 OF 3

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 1 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.


BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347


001_TITLE_03_JCD0214_i1.dgn 4:40:04 PM 5/22/2026





A TYPICAL SIDEWALK SECTION OFFSET FROM CURB





B TYPICAL SIDEWALK SECTION W/ INTEGRAL CURB




C TYPICAL SIDEWALK SECTION ADJACENT TO EXISTING/PROPOSED CURB




D TYPICAL CURB RAMP SECTION ADJACENT TO & BELOW EXISTING CURB




E TYPICAL CURB RAMP/SIDEWALK SECTION ADJACENT TO MAINLINE CURB/GUTTER

GENERAL NOTES:

GENERAL INFORMATION:

THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION OF ANY RAMP OR SIDEWALK. ANY ADJUSTMENTS NECESSARY TO MEET EXISTING FIELD CONDITIONS SHALL BE APPROVED BY THE ENGINEER PRIOR TO CONSTRUCTION.

THERE WILL BE NO DIRECT PAYMENT FOR SAWCUTS.

TYPICAL SECTIONS ARE TO BE USED IN CONJUNCTION WITH THE STANDARD PLANS.

SIDEWALKS:

SIDEWALK, RAMP AND LANDING CROSS SLOPES SHALL BE -1.0% MIN. TO FACILITATE DRAINAGE (-2.0% MAX). SIDEWALK RUNNING GRADE SHALL NOT EXCEED 5% EXCEPT WHEN STREET GRADE EXCEEDS 5%.

STORMWATER INLETS, SIGNS, POSTS, MANHOLE COVERS, PULL BOXES AND OTHER ACCESS LIDS SHOULD BE AVOIDED WITHIN THE SIDEWALK. IF SUCH A LOCATION IS NECESSARY, THE FEATURE MUST MEET ADA STANDARDS.

SIDE FLARES OF CURB RAMPS (IF USED), IN THE PATH OF PEDESTRIAN TRAVEL (TRAVERSABLE), SHALL NOT EXCEED A SLOPE OF 1V:10H. SIDE FLARES OUTSIDE THE PEDESTRIAN PATH (NON-TRAVERSABLE) MAY BE VERTICAL.

TRANSITION FROM SIDEWALK OR CURB RAMP TO GUTTER TO ROADWAY SHALL BE FLUSH.

THE CURB RAMPS AND SIDEWALKS SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLAN SHEETS. UTILITIES, SIGNS, FIXED OBJECTS, OR CROSS SLOPE TRANSITIONS MAY NOT BE PLACED ON A CURB RAMP, OR IN A MANNER THAT INTERFERES WITH THE USE OF THE CURB RAMP.

FOR ADDITIONAL INFORMATION AND NOTES REGARDING SIDEWALK, RAMP, & CURB DETAILS, SEE STANDARD PLANS 608.10, 608.50 AND 609.00.

ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.

A SEGMENTAL TRANSITION (T) SHALL BE A WARPED AREA OF PAVEMENT FOR THE CONNECTION OF A NEW ADA COMPLIANT CURB RAMP TO AN ADJACENT EXISTING FACILITY. THE SEGMENTAL TRANSITION SHALL NOT INHIBIT DRAINAGE OR CAUSE AN UNSAFE DRIVING HAZARD. LIMITS OF THE SEGMENTAL TRANSITION MAY BE ADJUSTED AT THE ENGINEER'S DISCRETION.

RUNNING SLOPE OF THE SEGMENTAL TRANSITION (T) SHALL NOT EXCEED 5.0% IN THE DIRECTION OF PEDESTRIAN TRAVEL EXCEPT WHEN STREET GRADE EXCEEDS 5%..

TRUNCATED DOMES:

DETECTABLE WARNING PANELS (TRUNCATED DOMES) SHALL BE PREFORMED AND INSTALLED AS PER MANUFACTURER'S RECOMMENDATIONS. STAMPED CONCRETE WILL NOT BE ACCEPTED.

THE DETECTABLE WARNING PANELS SHALL CONTRAST VISUALLY WITH ADJOINING SURFACES, EITHER LIGHT-ON-DARK OR DARK-ON-LIGHT. TRUNCATED DOMES SHALL SPAN THE FULL WIDTH OF THE RAMP OR LANDING AND BE 24" DEEP.

DETECTABLE WARNING PANELS SHALL BE ALIGNED PERPENDICULAR OR RADIAL TO THE BREAK BETWEEN THE RAMP, LANDING OR BLENDED TRANSITION, AND THE STREET.

CURB RAMPS:

DESIGN RUNNING GRADE FOR CURB RAMPS SHALL NOT EXCEED 1V:12H (8.33%) EXCEPT AS FOLLOWS:
A) LENGTH OF RAMP = 15 FEET MINIMUM.
B) STREET GRADE EXCEEDS 1V:12H.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| | $ TOWN LOCATION | * | MATCH EXISTING |
| | # POINT LOCATION | ** | 0" CURB HEIGHT |

GENERAL NOTES (CONTINUED):

WHERE THE BOTTOM GRADE BREAK OF A CURB RAMP IS LESS THAN 5' FROM THE BACK OF CURB, DETECTABLE WARNING PANELS SHALL BE LOCATED AT THE BOTTOM OF THE RAMP SURFACE AND 6" MIN. FROM THE BACK OF THE CURB. WHERE THE GRADE BREAK IS GREATER THAN 5' FROM THE BACK OF CURB, THE DETECTABLE WARNING SHALL BE LOCATED ON THE LOWER LANDING.

PAVED APPROACH:

ANY PAVED APPROACHES THAT THE ENGINEER FINDS TO NOT BE TECHNICALLY FEASIBLE MAY BE EXCLUDED AND NOTED AS AN ADA EXCEPTION. A TRANSITION IN CROSS SLOPE SHALL BE MADE FROM THE END OF THE CURB RAMP TO THE EXISTING CROSS SLOPE OF THE ENTRANCE.

REINFORCING STEEL:

ALL COSTS FOR REINFORCING STEEL INSTALLATION AND FABRICATION SHALL BE CONSDIERED INCIDENTAL TO AND INCLUDED IN THE BID PRICE FOR EACH CONCRETE PAY ITEM. NO DIRECT PAY.

PEDESTRIAN ACCESS ROUTE:

ALL AREAS OF THE PEDESTRIAN ACCESS ROUTE MUST BE COMPLIANT WITH THE AMERICANS WITH DISABILITIES ACT - GUIDELINES FOR ACCESSIBLE PUBLIC RIGHTS OF WAY. EXCEPTIONS MUST BE APPROVED BY THE ENGINEER. ALL OTHER AREAS OF NON-COMPLIANCE SHALL BE REMOVED AND CORRECTED AT THE CONTRACTOR'S EXPENSE.

THE SURFACES OF PEDESTRIAN ACCESS ROUTES AND ELEMENTS, AND SPACES REQUIRED TO CONNECT TO PEDESTRIAN ACCESS ROUTES, SHALL BE FIRM, STABLE, SLIP RESISTANT, AND SHALL NOT POND WATER.

WHERE PEDESTRIAN ACCESS ROUTES ARE CONTAINED WITHIN MIDBLOCK PEDESTRIAN STREET CROSSINGS, THE CROSS SLOPE OF THE PEDESTRIAN ACCESS ROUTE SHALL BE PERMITTED TO EQUAL THE STREET OR HIGHWAY GRADE.

CUT-THRU SIDEWALK:

REMOVE EXISTING CURB, MEDIAN, OR RAISED ISLAND WITHIN LIMITS SHOWN. AREA INSIDE FINAL CURB TO BE REPAIRED OR REPLACED WITH EXISTING SURFACE MATERIAL. GRADE TO DRAIN.

CONSTRUCT 4" THICK CONCRETE SIDEWALK FLUSH WITH EXISTING CONCRETE PAVED APPROACHES. CONSTRUCT INTEGRAL CURB ADJACENT TO NEW SIDEWALK.

NO DIRECT PAY FOR SAW CUTS AND TIE BARS (ON 12" CENTERS MAX). TRUNCATED DOMES ARE USED ONLY AT STREETS & ENTRANCES UTILIZING STOP SIGNS OR SIGNALS.

CROSS SLOPE -1% DESIGN (-2% MAX).

CONCRETE MEDIAN / ISLAND:

NO DIRECT PAY FOR CONCRETE BASE AND REINFORCING STEEL BELOW THE MEDIAN. ALL MATERIAL SHALL BE CONSIDERED INCIDENTAL TO CONCRETE MEDIAN PAY ITEM.

ALL ROUTES
ALL LOCATIONS

TYPICAL SECTIONS
SHEET 1 OF 3

# SIDEWALK & CROSSING DETAILS

NOT TO SCALE: FOLLOW DIMENSIONS

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 2 |


COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue
816-781-6182
Kansas City, Missouri 64157
816-781-0643 (FAX)
Certificate of Authority No. 2002006347


002_TS_01_JCD0214_TypSection.dgn 4:43:21 PM 5/22/2026




** RUNNING SLOPE:
6.25% TO 8.33% - USE 30' MAX.
5.00% TO 6.25% - USE 40' MAX.

*** LEVEL LANDING:
IMPLIES A RUNNING SLOPE
OF 1 TO 2% (MIN./MAX.)

## MISC. DETAIL-SIDEWALK RAMP WITH LANDINGS





## ELEVATION

## LEGEND


| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |

$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT

* 5% MAX (AT SIDEWALK)
** 2'6" (OR MATCH EXIST)





## MISC. DETAIL-MODIFIED TYPE B CURB & GUTTER





## PLAN

## MISC. DETAIL- OBSTRUCTION MODIFICATION AT SIDEWALK




## MISC. DETAIL-SEGMENTAL TRANSITION AREA (T)




## MISC. DETAIL-MEDIAN (ISLAND)

ALL ROUTES
ALL LOCATIONS

TYPICAL SECTIONS
SHEET 2 OF 3

# SIDEWALK & CROSSING DETAILS

NOT TO SCALE: FOLLOW DIMENSIONS


STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER
THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.


DATE PREPARED: 05/18/2026
ROUTE: VAR. | STATE: MO
DISTRICT: CD | SHEET NO.: 2
COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:


DESCRIPTION | DATE


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

## LEGEND


| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| | $ TOWN LOCATION<br># POINT LOCATION | * MATCH EXISTING<br>** 0" CURB HEIGHT | |





## MISC. DETAIL-TYPICAL CUT-THRU SIDEWALK





## MISC. DETAIL-TYPICAL CONCRETE PAVEMENT PATCH




## SECTION B-B





## TYPICAL SECTION
## (F) MODIFIED TYPE A GUTTER W/ STEEL PLATE




## SECTION A-A

(1) DETECTABLE WARNING SURFACES SHALL BE PLACED AT THE EDGES OF THE PEDESTRIAN ISLAND AND SHALL BE SEPARATED BY 2' MIN. LENGTH OF SURFACE WITHOUT DETECTABLE WARNINGS.
(2) PEDESTRIAN PUSH BUTTONS. SEE SIGNAL SHEETS AND STANDARD SIGNAL PLANS.
(3) PAY ITEMS;
SAWCUT (INCIDENTAL TO REMOVALS)
7" SIDEWALK
4" AGGREGATE BASE
DETECTABLE WARNING PANELS
PEDESTRIAN SIGNAL MODIFICATIONS

## MISC. DETAIL-ISLAND CUT THRU MODIFICATIONS




## MISC. DETAIL - SODDING OR SEEDING/MULCHING

ALL ROUTES
ALL LOCATIONS

TYPICAL SECTIONS
SHEET 3 OF 3

# SIDEWALK & CROSSING DETAILS

NOT TO SCALE: FOLLOW DIMENSIONS


STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER
THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.


DATE PREPARED: 05/18/2026
ROUTE: VAR. | STATE: MO
DISTRICT: CD | SHEET NO.: 2
COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)
VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

## ADA IMPROVEMENTS - SIDEWALK (TABLE 1 OF 2)

| LOCATION | STATION | SIDE | CONCRETE SIDEWALK (4 INCH) (S.Y.) | CONCRETE SIDEWALK (7 INCH) (S.Y.) | CONCRETE CURB RAMP (S.Y.) | TRUNCATED DOMES (S.F.) | REMARKS |
|---|---|---|---|---|---|---|---|
| FULTON - ROUTE Z | | | | | | | |
| SHT. 5 | 26+00 | LT | 2.8 | | 8.3 | 21.0 | |
| SHT. 6 | 25+60 | RT | 2.8 | | 13.0 | 32.5 | |
| | | | | | | | |
| CAMDENTON - US 54 | | | | | | | |
| SHT. 9 | 546+75 | LT | 11.3 | | 16.2 | 24.5 | |
| SHT. 9 | 545+50 | LT | 2.8 | | 6.9 | 10.0 | |
| SHT. 10 | 750+70 | LT | 28.6 | | | | |
| SHT. 11 | 748+25 | LT | | | | 14.0 | |
| SHT. 11 | 747+95 | LT | | 21.7 | | 23.5 | |
| SHT. 11 | 747+55 | LT | | | | 12.0 | |
| SHT. 12 | 740+00 | LT | | 7.9 | | 26.0 | |
| SHT. 13 | 737+10 | LT | | | 18.0 | | |
| SHT. 13 | 733+90 | LT | 9.3 | | | | |
| SHT. 15 | 716+20 | RT | 22.1 | | | | |
| SHT. 16 | 713+50 | RT | 5.7 | | 3.6 | | |
| SHT. 17 | 703+00 | RT | 11.1 | | | | |
| SHT. 17 | 702+00 | RT | 11.0 | | | | |
| | | | | | | | |
| POTOSI - MO 8 | | | | | | | |
| SHT. 20 | 978+55 | RT | | | 16.2 | 21.5 | |
| SHT. 20 | 981+50 | LT | | | | 10.0 | |
| SHT. 21 | 984+15 | LT | | | 3.9 | 16.0 | |
| SHT. 21 | 984+15 | RT | | | 5.6 | 19.5 | |
| SHT. 22 | 994+30 | LT | 5.6 | | 7.2 | 12.5 | |
| SHT. 23 | 1001+70 | RT | 14.1 | | 5.0 | 10.0 | |
| SHT. 23 | 1001+80 | LT | 5.6 | | 5.9 | 24.5 | |
| | | | | | | | |
| BELLE - MO 89 | | | | | | | |
| SHT. 25 | 905+25 | RT | 4.4 | | 20.9 | 21.5 | |
| SHT. 25 | 905+25 | LT | | | 8.6 | 26.5 | |
| SHT. 25 | 905+70 | RT | 5.6 | | 7.3 | 20.0 | |
| SHT. 25 | 905+70 | LT | 5.2 | | 8.7 | 20.0 | |
| SHT. 26 | 909+25 | RT | 11.4 | | 5.8 | 20.0 | |
| SHT. 26 | 909+25 | LT | 6.6 | | 7.4 | 20.0 | |
| SHT. 26 | 909+85 | LT | 2.4 | | 13.4 | 20.0 | |
| | | | | | | | |
| CALIFORNIA - BUSINESS 50 | | | | | | | |
| SHT. 28 | 363+00 | LT | 2.2 | | 18.0 | 20.0 | |
| SHT. 28 | 363+50 | LT | | | 22.0 | 20.0 | |
| SHT. 29 | 363+00 | RT | 2.2 | | 13.3 | 20.0 | |
| SHT. 29 | 363+50 | RT | 2.2 | | 10.3 | 20.0 | |
| SHT. 30 | 369+85 | LT | | | 19.2 | 20.0 | |
| SHT. 30 | 369+85 | RT | | | 10.1 | 18.0 | |
| | | | | | | | |
| | | SUBTOTAL | 175.0 | 29.6 | 274.8 | 543.5 | |

## ADA IMPROVEMENTS - SIDEWALK (TABLE 2 OF 2)

| LOCATION | STATION | SIDE | CONCRETE SIDEWALK (4 INCH) (S.Y.) | CONCRETE SIDEWALK (7 INCH) (S.Y.) | CONCRETE CURB RAMP (S.Y.) | TRUNCATED DOMES (S.F.) | REMARKS |
|---|---|---|---|---|---|---|---|
| CHAMOIS - ROUTE K | | | | | | | |
| SHT. 32 | 0+20 | RT | | | | 21.0 | |
| SHT. 32 | 0+20 | LT | | | 3.1 | 10.0 | |
| SHT. 32 | (RTE 89) 8+80 | LT | | | 2.2 | 20.0 | |
| SHT. 32 | (RTE 89) 8+80 | RT | | | 2.5 | 10.0 | |
| SHT. 33 | 2+65 | RT | | | 20.8 | 17.5 | |
| SHT. 33 | 2+65 | LT | 5.6 | | 15.2 | 20.0 | |
| SHT. 33 | 2+30 | RT | | | 25.1 | 26.5 | |
| SHT. 33 | 2+30 | LT | | | 2.5 | 10.0 | |
| SHT. 34 | 5+10 | RT | | | 16.4 | 21.0 | |
| SHT. 34 | 5+10 | LT | | | 3.3 | 10.0 | |
| SHT. 34 | 4+75 | RT | 5.6 | | 10.6 | 31.0 | |
| SHT. 34 | 4+75 | LT | | | 3.4 | 10.0 | |
| SHT. 35 | 7+65 | RT | 6.4 | | 2.7 | 10.0 | |
| SHT. 35 | 7+05 | RT | | | 2.6 | 10.0 | |
| SHT. 35 | 7+05 | LT | 13.9 | | 5.8 | 25.5 | |
| SHT. 36 | 10+60 | LT | | | 4.1 | 10.0 | |
| SHT. 36-38 | 9+70 TO 13+13 | RT | 165.4 | | 5.9 | 47.5 | |
| SHT. 38 | 13+20 | LT | 15.6 | | 9.0 | 20.0 | |
| SHT. 39 | 13+60 | LT | 6.8 | | 0.8 | 10.0 | |
| | | | | | | | |
| ROLLA - ROUTE E | | | | | | | |
| SHT. 41 | 445+85 | LT | | 12.3 | | 30.0 | |
| SHT. 41 | 446+05 TO 447+15 | LT | 57.5 | | 14.3 | 33.0 | |
| SHT. 42 | 452+65 | LT | | 20.8 | | 20.0 | |
| SHT. 42 | 453+00 | LT | | | 14.5 | 16.0 | |
| | | | | | | | |
| ST. JAMES - ROUTE 66 | | | | | | | |
| SHT. 44 | 1515+75 | LT/RT | 19.7 | | 3.4 | 14.0 | |
| SHT. 44 | 1515+75 | RT | | | 10.5 | 14.0 | |
| SHT. 45 | 1517+60 | LT/RT | 4.3 | | 13.4 | 15.0 | |
| SHT. 45 | 1518+15 | LT/RT | 4.3 | | 13.7 | 15.0 | |
| SHT. 46 | 1522+25 | LT | | | 6.8 | 10.0 | |
| SHT. 46 | 1522+25 | LT/RT | 1.8 | | 23.6 | 35.5 | |
| SHT. 46 | 1522+25 | RT | | | 6.2 | 10.0 | |
| SHT. 46 | 1522+95 | LT | | | 6.7 | 10.0 | |
| SHT. 46 | 1522+95 | LT/RT | | | 25.3 | 36.0 | |
| SHT. 46 | 1522+95 | RT | | | 7.1 | 10.0 | |
| | | | | | | | |
| RICHLAND - MO 133 | | | | | | | |
| SHT. 48 | 7+35 | LT | 2.0 | | 11.1 | 10.0 | |
| SHT. 48 | 7+35 | RT | 2.4 | | 8.7 | 10.0 | |
| SHT. 49 | 4+20 | LT | | | 5.9 | 10.0 | |
| SHT. 49 | 4+20 | RT | | | 7.6 | 10.0 | |
| SHT. 50 | 7+40 | RT | | | | 47.0 | |
| SHT. 51 | 11+10 | LT | 7.9 | | 5.5 | 10.0 | |
| SHT. 52 | 11+10 | RT | 4.2 | | 9.1 | 20.0 | |
| SHT. 52 | 11+90 | RT | | | | 12.0 | |
| SHT. 53 | 14+95 | LT | | | 7.6 | 14.0 | |
| SHT. 53 | 15+55 | LT | | | 7.1 | 10.0 | |
| SHT. 54 | 14+95 | RT | 28.7 | | 18.2 | 14.5 | |
| SHT. 54 | 15+55 | RT | | | 9.6 | 15.0 | |
| SHT. 55 | 16+70 | LT | | | 6.3 | 12.0 | |
| SHT. 55 | 17+40 | LT | | | 4.1 | 10.0 | |
| SHT. 56 | 16+70 | RT | | | 6.8 | 12.0 | |
| SHT. 56 | 17+40 | RT | 10.1 | | 7.5 | 12.0 | |
| SHT. 57 | 20+45 | LT | | | 6.6 | 12.0 | |
| SHT. 57 | 21+20 | LT | | | 6.6 | 12.0 | |
| SHT. 58 | 20+45 | RT | 12.9 | | 7.7 | 12.0 | |
| SHT. 58 | 21+20 | RT | | | | 12.0 | |
| | | | | | | | |
| CROCKER - MO 17/MO 133 | | | | | | | |
| SHT. 60 | 593+60 | RT | | | 19.9 | 41.0 | |
| SHT. 60 | 597+40 | RT | | | | 10.0 | |
| | | | | | | | |
| | | SUBTOTAL | 375.1 | 33.1 | 437.4 | 936.0 | |
| | | PAY TOTAL | 550.1 | 62.7 | 712.2 | 1480 | |

QUANTITIES
SHEET 1 OF 11

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |

| DISTRICT | SHEET NO. |
|---|---|
| CD | 3 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DATE | DESCRIPTION |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

## AGGREGATE (TABLE 1 OF 2)

| LOCATION | STATION | SIDE | TYPE 5 AGGREGATE FOR BASE 4 IN. (S.Y.) | REMARKS |
|---|---|---|---|---|
| FULTON - ROUTE Z | | | | |
| SHT. 5 | 26+00 | LT | 18 | |
| SHT. 6 | 25+60 | RT | 25 | |
| | | | | |
| CAMDENTON - US 54 | | | | |
| SHT. 9 | 546+75 | LT | 34 | |
| SHT. 9 | 545+50 | LT | 13 | |
| SHT. 10 | 750+70 | LT | 29 | |
| SHT. 11 | 748+50 | LT | 26 | |
| SHT. 11 | 747+95 | LT | 22 | |
| SHT. 12 | 740+00 | LT | 8 | |
| SHT. 13 | 737+10 | LT | 18 | |
| SHT. 13 | 733+90 | LT | 9 | |
| SHT. 15 | 716+20 | RT | 26 | |
| SHT. 16 | 713+50 | RT | 9 | |
| SHT. 17 | 703+00 | RT | 11 | |
| SHT. 17 | 702+00 | RT | 11 | |
| | | | | |
| POTOSI - MO 8 | | | | |
| SHT. 20 | 978+55 | RT | 92 | |
| SHT. 21 | 984+15 | LT | 7 | |
| SHT. 21 | 984+15 | RT | 9 | |
| SHT. 22 | 994+30 | LT | 19 | |
| SHT. 23 | 1001+70 | RT | 26 | |
| SHT. 23 | 1001+80 | LT | 25 | |
| | | | | |
| BELLE - MO 89 | | | | |
| SHT. 25 | 905+25 | RT | 35 | |
| SHT. 25 | 905+25 | LT | 18 | |
| SHT. 25 | 905+70 | RT | 22 | |
| SHT. 25 | 905+70 | LT | 22 | |
| SHT. 26 | 909+25 | RT | 40 | |
| SHT. 26 | 909+25 | LT | 27 | |
| SHT. 26 | 909+85 | LT | 28 | |
| | | | | |
| CALIFORNIA - BUSINESS 50 | | | | |
| SHT. 28 | 363+00 | LT | 56 | |
| SHT. 28 | 363+50 | LT | 28 | |
| SHT. 29 | 363+00 | RT | 20 | |
| SHT. 29 | 363+50 | RT | 19 | |
| SHT. 30 | 369+85 | LT | 30 | |
| SHT. 30 | 369+85 | RT | 17 | |
| | | | | |
| | | SUBTOTAL | 799 | |

## AGGREGATE (TABLE 2 OF 2)

| LOCATION | STATION | SIDE | TYPE 5 AGGREGATE FOR BASE 4 IN. (S.Y.) | REMARKS |
|---|---|---|---|---|
| CHAMOIS - ROUTE K | | | | |
| SHT. 32 | 0+20 | LT | 3 | |
| SHT. 32 | (RTE 89) 8+80 | LT | 9 | |
| SHT. 32 | (RTE 89) 8+80 | RT | 3 | |
| SHT. 33 | 2+65 | LT | 21 | |
| SHT. 33 | 2+65 | RT | 21 | |
| SHT. 33 | 2+30 | RT | 25 | |
| SHT. 33 | 2+30 | LT | 3 | |
| SHT. 34 | 5+10 | RT | 16 | |
| SHT. 34 | 5+10 | LT | 3 | |
| SHT. 34 | 4+75 | RT | 16 | |
| SHT. 34 | 4+75 | LT | 3 | |
| SHT. 35 | 7+65 | RT | 9 | |
| SHT. 35 | 7+05 | RT | 3 | |
| SHT. 35 | 7+05 | LT | 20 | |
| SHT. 36 | 10+60 | LT | 4 | |
| SHT. 36-38 | 9+70 TO 13+13 | RT | 217 | |
| SHT. 38 | 13+20 | LT | 25 | |
| SHT. 39 | 13+60 | LT | 8 | |
| | | | | |
| ROLLA - ROUTE E | | | | |
| SHT. 41 | 445+85 | LT | 12 | |
| SHT. 41 | 446+05 TO 447+15 | LT | 78 | |
| SHT. 42 | 452+65 | LT | 21 | |
| SHT. 42 | 453+00 | LT | 15 | |
| | | | | |
| ST. JAMES - ROUTE 66 | | | | |
| SHT. 44 | 1515+75 | LT/RT | 23 | |
| SHT. 44 | 1515+75 | RT | 11 | |
| SHT. 45 | 1517+60 | LT/RT | 18 | |
| SHT. 45 | 1518+15 | LT/RT | 18 | |
| SHT. 46 | 1522+25 | LT | 7 | |
| SHT. 46 | 1522+25 | LT/RT | 25 | |
| SHT. 46 | 1522+25 | RT | 9 | |
| SHT. 46 | 1522+95 | LT | 7 | |
| SHT. 46 | 1522+95 | LT/RT | 25 | |
| SHT. 46 | 1522+95 | RT | 7 | |
| | | | | |
| RICHLAND - MO 133 | | | | |
| SHT. 48 | 7+35 | LT | 19 | |
| SHT. 48 | 7+35 | RT | 11 | |
| SHT. 49 | 4+20 | LT | 6 | |
| SHT. 49 | 4+20 | RT | 8 | |
| SHT. 51 | 11+10 | LT | 21 | |
| SHT. 52 | 11+10 | RT | 20 | |
| SHT. 53 | 14+95 | LT | 14 | |
| SHT. 53 | 15+55 | LT | 11 | |
| SHT. 54 | 14+95 | RT | 53 | |
| SHT. 54 | 15+55 | RT | 17 | |
| SHT. 55 | 16+70 | LT | 25 | |
| SHT. 55 | 17+40 | LT | 10 | |
| SHT. 56 | 16+70 | RT | 12 | |
| SHT. 56 | 17+40 | RT | 27 | |
| SHT. 57 | 20+45 | LT | 11 | |
| SHT. 57 | 21+20 | LT | 12 | |
| SHT. 58 | 20+45 | RT | 26 | |
| | | | | |
| CROCKER - MO 17/MO 133 | | | | |
| SHT. 60 | 593+60 | RT | 20 | |
| | | | | |
| | | SUBTOTAL | 1008 | |
| | | PAY TOTAL | 1807 | |

| MISC. SEEDING & MULCHING | |
|---|---|
| AREA (AC.) | 0.1 |
| LUMP SUM | 1 |

| MOBILIZATION | |
|---|---|
| LUMP SUM | 1 |

| CONTRACTOR FURNISHED SURVEYING AND STAKING | |
|---|---|
| LUMP SUM | 1 |

| MISC. REMOVE AND RELOCATE BENCH AND PLANTERS | |
|---|---|
| LUMP SUM | 1 |

QUANTITIES
SHEET 2 OF 11

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 3 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006047

## ADA IMPROVEMENTS - EARTHWORK (TABLE 1 OF 2)

| LOCATION | STATION | SIDE | LINEAR GRADING FOR ADA FACILITIES (L.F.) | REMARKS |
|---|---|---|---|---|
| FULTON - ROUTE Z | | | | |
| SHT. 5 | 26+00 | LT | 22 | |
| SHT. 6 | 25+60 | RT | 28 | |
| | | | | |
| CAMDENTON - US 54 | | | | |
| SHT. 9 | 546+75 | LT | 44 | |
| SHT. 9 | 545+50 | LT | 16 | |
| SHT. 10 | 750+70 | LT | 52 | |
| SHT. 11 | 747+95 | LT | 34 | |
| SHT. 12 | 740+00 | LT | 14 | |
| SHT. 13 | 737+10 | LT | 32 | |
| SHT. 13 | 733+90 | LT | 17 | |
| SHT. 15 | 716+20 | RT | 41 | |
| SHT. 16 | 713+50 | RT | 18 | |
| SHT. 17 | 703+00 | RT | 20 | |
| SHT. 17 | 702+00 | RT | 20 | |
| | | | | |
| POTOSI - MO 8 | | | | |
| SHT. 20 | 978+55 | RT | 29 | |
| SHT. 21 | 984+15 | LT | 8 | |
| SHT. 21 | 984+15 | RT | 8 | |
| SHT. 22 | 994+30 | LT | 20 | |
| SHT. 23 | 1001+70 | RT | 31 | |
| SHT. 23 | 1001+80 | LT | 22 | |
| | | | | |
| BELLE - MO 89 | | | | |
| SHT. 25 | 905+25 | RT | 32 | |
| SHT. 25 | 905+25 | LT | 10 | |
| SHT. 25 | 905+70 | RT | 23 | |
| SHT. 25 | 905+70 | LT | 26 | |
| SHT. 26 | 909+25 | RT | 31 | |
| SHT. 26 | 909+25 | LT | 27 | |
| SHT. 26 | 909+85 | LT | 30 | |
| | | | | |
| CALIFORNIA - BUSINESS 50 | | | | |
| SHT. 28 | 363+00 | LT | 35 | |
| SHT. 28 | 363+50 | LT | 37 | |
| SHT. 29 | 363+00 | RT | 26 | |
| SHT. 29 | 363+50 | RT | 22 | |
| SHT. 30 | 369+85 | LT | 33 | |
| SHT. 30 | 369+85 | RT | 20 | |
| | | | | |
| | | SUBTOTAL | 828 | |

## ADA IMPROVEMENTS - EARTHWORK (TABLE 2 OF 2)

| LOCATION | STATION | SIDE | LINEAR GRADING FOR ADA FACILITIES (L.F.) | REMARKS |
|---|---|---|---|---|
| CHAMOIS - ROUTE K | | | | |
| SHT. 32 | 0+20 | LT | 6.0 | |
| SHT. 32 | (RTE 89) 8+80 | LT | 4 | |
| SHT. 32 | (RTE 89) 8+80 | RT | 5 | |
| SHT. 33 | 2+65 | LT | 37 | |
| SHT. 33 | 2+65 | RT | 38 | |
| SHT. 33 | 2+30 | LT | 5 | |
| SHT. 33 | 2+30 | RT | 41 | |
| SHT. 34 | 5+10 | RT | 25 | |
| SHT. 34 | 5+10 | LT | 6 | |
| SHT. 34 | 4+75 | RT | 25 | |
| SHT. 34 | 4+75 | LT | 6 | |
| SHT. 35 | 7+65 | RT | 17 | |
| SHT. 35 | 7+05 | RT | 5 | |
| SHT. 35 | 7+05 | LT | 40 | |
| SHT. 36 | 10+60 | LT | 8 | |
| SHT. 36-38 | 9+70 TO 13+13 | RT | 312 | |
| SHT. 38 | 13+20 | LT | 50 | |
| SHT. 39 | 13+60 | LT | 14 | |
| | | | | |
| ROLLA - ROUTE E | | | | |
| SHT. 41 | 445+85 | LT | 15 | |
| SHT. 41 | 446+05 TO 447+15 | LT | 119 | |
| SHT. 42 | 452+65 | LT | 37 | |
| SHT. 42 | 453+00 | LT | 14 | |
| | | | | |
| ST. JAMES - ROUTE 66 | | | | |
| SHT. 44 | 1515+75 | LT/RT | 27 | |
| SHT. 44 | 1515+75 | RT | 13 | |
| SHT. 45 | 1517+60 | LT/RT | 21 | |
| SHT. 45 | 1518+15 | LT/RT | 22 | |
| SHT. 46 | 1522+25 | LT | 13 | |
| SHT. 46 | 1522+25 | LT/RT | 35 | |
| SHT. 46 | 1522+25 | RT | 11 | |
| SHT. 46 | 1522+95 | LT | 13 | |
| SHT. 46 | 1522+95 | LT/RT | 34 | |
| SHT. 46 | 1522+95 | RT | 13 | |
| | | | | |
| RICHLAND - MO 133 | | | | |
| SHT. 48 | 7+35 | LT | 24 | |
| SHT. 48 | 7+35 | RT | 20 | |
| SHT. 49 | 4+20 | LT | 12 | |
| SHT. 49 | 4+20 | RT | 14 | |
| SHT. 51 | 11+10 | LT | 22 | |
| SHT. 52 | 11+10 | RT | 23 | |
| SHT. 53 | 14+95 | LT | 9 | |
| SHT. 53 | 15+55 | LT | 12 | |
| SHT. 54 | 14+95 | RT | 56 | |
| SHT. 54 | 15+55 | RT | 15 | |
| SHT. 55 | 16+70 | LT | 9 | |
| SHT. 55 | 17+40 | LT | 8 | |
| SHT. 56 | 16+70 | RT | 10 | |
| SHT. 56 | 17+40 | RT | 25 | |
| SHT. 57 | 20+45 | LT | 9 | |
| SHT. 57 | 21+20 | LT | 10 | |
| SHT. 58 | 20+45 | RT | 29 | |
| | | | | |
| CROCKER - MO 17/MO 133 | | | | |
| SHT. 60 | 593+60 | RT | 21 | |
| | | | | |
| | | SUBTOTAL | 1359 | |
| | | PAY TOTAL | 2187 | |

QUANTITIES
SHEET 3 OF 11

SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
STATE OF MISSOURI * PROFESSIONAL ENGINEER *

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 3 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

003_QU_01-10_Quantities_JCD0214.dgn 4:44:04 PM 5/22/2026

## ADA IMPROVEMENTS - CONCRETE PAVEMENT, MEDIAN & CURB & GUTTER

| LOCATION | STATION | SIDE | PAVED APPROACH (8 INCH) (S.Y.) | CONCRETE MEDIAN (S.Y.) | TYPE A INTEGRAL CURB ≤6 INCH (L.F.) | TYPE B CONCRETE CURB & GUTTER (MODIFIED) (L.F.) | MODIFIED TYPE A CONCRETE GUTTER WITH STEEL PLATE (L.F.) | CONCRETE PAVEMENT (8 INCH) (NON-REINFORCED) (S.Y.) | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| FULTON - ROUTE Z | | | | | | | | | |
| SHT. 5 | 26+00 | LT | | | | 21 | | | |
| SHT. 6 | 25+60 | RT | | | | 29 | | | |
| | | | | | | | | | |
| CAMDENTON - US 54 | | | | | | | | | |
| SHT. 9 | 546+75 | LT | | | | 19 | | | |
| SHT. 9 | 545+50 | LT | | | | 10 | | | |
| SHT. 11 | 748+50 | LT | | | | 79 | | | |
| SHT. 15 | 716+20 | RT | | | 77 | | | | |
| | | | | | | | | | |
| POTOSI - MO 8 | | | | | | | | | |
| SHT. 20 | 978+55 | RT | 65.0 | | | | | 11.2 | |
| SHT. 21 | 984+15 | LT | | | | | 8 | | |
| SHT. 21 | 984+15 | RT | | | | | 10 | | |
| SHT. 22 | 994+30 | LT | | | 10 | | | 6.0 | |
| SHT. 23 | 1001+70 | RT | | | 43 | | | 4.6 | |
| SHT. 23 | 1001+80 | LT | | 4.1 | | | | 9.4 | |
| | | | | | | | | | |
| BELLE - MO 89 | | | | | | | | | |
| SHT. 25 | 905+25 | RT | | 2.0 | | | | 7.6 | |
| SHT. 25 | 905+25 | LT | | | | 18 | | 3.7 | |
| SHT. 25 | 905+70 | RT | | 2.6 | | 12 | | 2.7 | |
| SHT. 25 | 905+70 | LT | | 3.9 | | | | 3.7 | |
| SHT. 26 | 909+25 | RT | | 6.7 | | 32 | | 5.6 | |
| SHT. 26 | 909+25 | LT | | 3.7 | | 18 | | 3.3 | |
| SHT. 26 | 909+85 | LT | | 4.3 | | | | 8.2 | |
| | | | | | | | | | |
| CALIFORNIA - BUSINESS 50 | | | | | | | | | |
| SHT. 28 | 363+00 | LT | 23.8 | 3.7 | 4 | 24 | | | |
| SHT. 28 | 363+50 | LT | | 0.5 | | 15 | | | |
| SHT. 29 | 363+00 | RT | | | | 12 | | | |
| SHT. 29 | 363+50 | RT | | 0.6 | 7 | 16 | | | |
| SHT. 30 | 369+85 | LT | | 2.1 | | 25 | | | |
| SHT. 30 | 369+85 | RT | | 1.0 | | 17 | | | |
| | | | | | | | | | |
| CHAMOIS - ROUTE K | | | | | | | | | |
| SHT. 32 | (RTE 89) 8+80 | LT | | | | | | 6.9 | |
| SHT. 33 | 2+30 | LT | | | | | | 0.5 | |
| SHT. 36-38 | 9+70 TO 13+13 | RT | 45.6 | | | | | | |
| | | | | | | | | | |
| ROLLA - ROUTE E | | | | | | | | | |
| SHT. 41 | 446+05 TO 447+15 | LT | | | 15 | 17 | | | |
| | | | | | | | | | |
| ST. JAMES - ROUTE 66 | | | | | | | | | |
| SHT. 46 | 1522+25 | RT | | | | 7 | | | |
| | | | | | | | | | |
| RICHLAND - MO 133 | | | | | | | | | |
| SHT. 48 | 7+35 | LT | | | | | | 5.6 | |
| SHT. 51 | 11+10 | LT | 5.4 | 1.8 | | | | | |
| SHT. 52 | 11+10 | RT | | | 11 | 18 | | | |
| SHT. 53 | 14+95 | LT | | | | 20 | | | |
| SHT. 53 | 15+55 | LT | | | | 12 | | | |
| SHT. 54 | 14+95 | RT | | | 11 | 17 | | | |
| SHT. 54 | 15+55 | RT | | | | 23 | | | |
| SHT. 55 | 16+70 | LT | | 10.0 | | 27 | | | |
| SHT. 55 | 17+40 | LT | | 1.6 | | 14 | | | |
| SHT. 56 | 16+70 | RT | | | | 16 | | | |
| SHT. 56 | 17+40 | RT | | | 15 | 26 | | | |
| SHT. 57 | 20+45 | LT | | | | 12 | | | |
| SHT. 57 | 21+20 | LT | | | | 15 | | | |
| SHT. 58 | 20+45 | RT | | | 28 | 12 | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| SUBTOTAL | | | 139.8 | 48.6 | 221 | 583 | 18 | 79.0 | |
| PAY TOTAL | | | 139.8 | 48.6 | 221 | 583 | 18 | 79.0 | |

QUANTITIES
SHEET 4 OF 11

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 3 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

003_QU_01-10_Quantities_JCD0214.dgn 8:42:17 AM 7/16/2026

## EROSION CONTROL (TABLE 1 OF 2)

| LOCATION | STATION | SIDE | SILT FENCE (L.F.) | SEDIMENT REMOVAL (C.Y.) | ALTERNATE DITCH CHECK (L.F.) | CURB INLET CHECK (EA.) | REMARKS |
|---|---|---|---|---|---|---|---|
| FULTON - ROUTE Z | | | | | | | |
| SHT. 5 | 26+00 | LT | 22 | 1 | | | |
| SHT. 6 | 25+60 | RT | 30 | 1 | | | |
| | | | | | | | |
| CAMDENTON - US 54 | | | | | | | |
| SHT. 9 | 546+75 | LT | 65 | 3 | | 1 | |
| SHT. 9 | 545+50 | LT | 30 | 1 | | | |
| SHT. 10 | 750+70 | LT | 55 | 1 | | | |
| SHT. 11 | 748+50 | LT | 75 | 3 | | 1 | |
| SHT. 13 | 737+10 | LT | 20 | 1 | | | |
| SHT. 13 | 733+90 | LT | 20 | 1 | | | |
| SHT. 15 | 716+20 | RT | | 2 | | 1 | |
| SHT. 16 | 713+50 | RT | 20 | 2 | | 1 | |
| SHT. 17 | 703+00 | RT | 20 | 1 | | | |
| SHT. 17 | 702+00 | RT | 20 | 2 | | 1 | |
| | | | | | | | |
| POTOSI - MO 8 | | | | | | | |
| SHT. 20 | 978+55 | RT | | 2 | | 1 | |
| SHT. 22 | 994+30 | LT | | 2 | | 1 | |
| SHT. 23 | 1001+70 | RT | 31 | 1 | | | |
| SHT. 23 | 1001+80 | LT | | 2 | | 1 | |
| | | | | | | | |
| BELLE - MO 89 | | | | | | | |
| SHT. 25 | 905+25 | RT | | 2 | | 1 | |
| SHT. 25 | 905+25 | LT | 5 | 1 | | | |
| SHT. 25 | 905+70 | RT | | 2 | | 1 | |
| SHT. 25 | 905+70 | LT | 10 | 2 | | 1 | |
| SHT. 26 | 909+25 | RT | 20 | 5 | | 2 | |
| SHT. 26 | 909+25 | LT | 20 | 3 | | 1 | |
| SHT. 26 | 909+85 | LT | 20 | 5 | | 2 | |
| | | | | | | | |
| CALIFORNIA - BUSINESS 50 | | | | | | | |
| SHT. 28 | 363+00 | LT | | 2 | | 1 | |
| SHT. 28 | 363+50 | LT | 30 | 4 | | 2 | |
| SHT. 29 | 363+00 | RT | 30 | 3 | | 1 | |
| SHT. 30 | 369+85 | LT | 30 | 3 | | 1 | |
| SHT. 30 | 369+85 | RT | 10 | 3 | | 1 | |
| | | | | | | | |
| SUBTOTAL | | | 583 | 61 | 0 | 22 | |

## EROSION CONTROL (TABLE 2 OF 2)

| LOCATION | STATION | SIDE | SILT FENCE (L.F.) | SEDIMENT REMOVAL (C.Y.) | ALTERNATE DITCH CHECK (L.F.) | CURB INLET CHECK (EA.) | REMARKS |
|---|---|---|---|---|---|---|---|
| CHAMOIS - ROUTE K | | | | | | | |
| SHT. 32 | (RTE 89) 8+80 | LT | 20 | 1 | | | |
| SHT. 33 | 2+65 | LT | 20 | 3 | | 1 | |
| SHT. 33 | 2+65 | RT | 20 | 1 | | | |
| SHT. 33 | 2+30 | LT | 20 | 3 | | 1 | |
| SHT. 33 | 2+30 | RT | 40 | 1 | | | |
| SHT. 34 | 5+10 | LT | 15 | 1 | | | |
| SHT. 34 | 5+10 | RT | 25 | 1 | | | |
| SHT. 34 | 4+75 | LT | 15 | 1 | | | |
| SHT. 34 | 4+75 | RT | 25 | 1 | | | |
| SHT. 35 | 7+65 | RT | 20 | 1 | | | |
| SHT. 35 | 7+05 | RT | 10 | 1 | | | |
| SHT. 35 | 7+05 | LT | 35 | 1 | | | |
| SHT. 36 | 10+60 | LT | 15 | 1 | | | |
| SHT. 36-38 | 9+70 TO 13+13 | RT | 350 | 7 | | | |
| SHT. 38 | 13+20 | LT | 85 | 1 | | | |
| SHT. 39 | 13+60 | LT | 30 | 1 | | | |
| | | | | | | | |
| ROLLA - ROUTE E | | | | | | | |
| SHT. 41 | 446+05 TO 447+15 | LT | 120 | 2 | | | |
| SHT. 42 | 453+00 | LT | 20 | 1 | | | |
| | | | | | | | |
| ST. JAMES - ROUTE 66 | | | | | | | |
| SHT. 44 | 1515+75 | LT/RT | 50 | 1 | | | |
| SHT. 44 | 1515+75 | RT | 25 | 1 | | | |
| SHT. 45 | 1517+60 | LT/RT | 65 | 1 | | | |
| SHT. 45 | 1518+15 | LT/RT | 70 | 1 | | | |
| SHT. 46 | 1522+25 | LT | 25 | 1 | | | |
| SHT. 46 | 1522+25 | LT/RT | 65 | 1 | | | |
| SHT. 46 | 1522+25 | RT | 20 | 1 | | | |
| SHT. 46 | 1522+95 | LT | 25 | 1 | | | |
| SHT. 46 | 1522+95 | LT/RT | 80 | 1 | | | |
| SHT. 46 | 1522+95 | RT | 25 | 1 | | | |
| | | | | | | | |
| RICHLAND - MO 133 | | | | | | | |
| SHT. 48 | 7+35 | LT | 50 | 5 | 20 | | 2 EA. AT 10' |
| SHT. 48 | 7+35 | RT | 40 | 5 | 20 | | 2 EA. AT 10' |
| SHT. 49 | 4+20 | LT | 20 | 1 | | | |
| SHT. 49 | 4+20 | RT | 25 | 1 | | | |
| SHT. 52 | 11+10 | RT | 20 | 3 | | 1 | |
| SHT. 53 | 15+55 | LT | 25 | 1 | | | |
| SHT. 54 | 15+55 | RT | 25 | 1 | | | |
| SHT. 57 | 20+45 | LT | 25 | 3 | | 1 | |
| SHT. 57 | 21+20 | LT | 20 | 1 | | | |
| SHT. 58 | 20+45 | RT | 25 | 1 | | | |
| | | | | | | | |
| CROCKER - MO 17/MO 133 | | | | | | | |
| SHT. 60 | 593+60 | RT | 25 | 1 | | | |
| | | | | | | | |
| SUBTOTAL | | | 1635 | 62 | 40 | 4 | |
| PAY TOTAL | | | 2218 | 123 | 40 | 26 | |

QUANTITIES
SHEET 5 OF 11

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 3 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

003_QU_01-10_Quantities_JCD0214.dgn 4:44:15 PM 5/22/2026

## REMOVAL OF IMPROVEMENTS (TABLE 1 OF 2)

| LOCATION | STATION | SIDE | SIDEWALK REMOVAL (S.Y.) | PAVEMENT REMOVAL (S.Y.) | CURB/GUTTER REMOVAL (L.F.) | MISC. REMOVAL (EA.) | REMARKS |
|---|---|---|---|---|---|---|---|
| FULTON - ROUTE Z | | | | | | | |
| SHT. 5 | 26+00 | LT | 11 | | 21 | | |
| SHT. 6 | 25+60 | RT | 16 | | 29 | | |
| | | | | | | | |
| CAMDENTON - US 54 | | | | | | | |
| SHT. 9 | 546+75 | LT | 28 | | 19 | | |
| SHT. 9 | 545+50 | LT | 10 | | 10 | | |
| SHT. 10 | 750+70 | LT | 29 | | | | |
| SHT. 11 | 748+50 | LT | | | 79 | | |
| SHT. 11 | 747+95 | LT | | 22 | | | |
| SHT. 12 | 740+00 | LT | | 8 | | | |
| SHT. 13 | 737+10 | LT | 18 | | | | |
| SHT. 13 | 733+90 | LT | 9 | | | | |
| SHT. 15 | 716+20 | RT | 22 | | | | |
| SHT. 16 | 713+50 | RT | 9 | | | | |
| SHT. 17 | 703+00 | RT | 11 | | | | |
| SHT. 17 | 702+00 | RT | 11 | | | | |
| SHT. 79 | 545+60 | RT | | | | 1 | EXIST PUSH BUTTON & SIGN(S) |
| SHT. 79 | 545+67 | LT | | | | 1 | EXIST PUSH BUTTON & SIGN(S) |
| SHT. 79 | 545+68 | RT | | | | 1 | EXIST PUSH BUTTON & SIGN(S) |
| SHT. 79 | 545+80 | LT | | | | 1 | EXIST PUSH BUTTON & SIGN(S) |
| SHT. 79 | 546+65 | RT | | | | 2 | EXIST PUSH BUTTON & SIGN(S) |
| SHT. 79 | 546+71 | LT | | | | 1 | EXIST PUSH BUTTON & SIGN(S) |
| SHT. 79 | 546+79 | LT | | | | 1 | EXIST PUSH BUTTON & SIGN(S) |
| SHT. 85 | 739+40 | LT | | | | 1 | EXIST PUSH BUTTON & SIGN(S) |
| SHT. 85 | 740+01 | LT | | | | 1 | EXIST PUSH BUTTON & SIGN(S) |
| SHT. 85 | 740+27 | LT | | | | 1 | EXIST PUSH BUTTON & SIGN(S) |
| SHT. 91 | 731+44 | LT | | | | 1 | EXIST PUSH BUTTON, SIGN(S) & EXTENSION |
| SHT. 91 | 731+56 | LT | | | | 1 | EXIST PUSH BUTTON, SIGN(S) & EXTENSION |
| SHT. 91 | 731+64 | RT | | | | 1 | EXIST PUSH BUTTON, SIGN(S) & EXTENSION |
| SHT. 91 | 732+49 | LT | | | | 1 | EXIST PUSH BUTTON, SIGN(S) & EXTENSION |
| SHT. 97 | 698+06 | RT | | | | 1 | EXIST PUSH BUTTON, SIGN(S) & EXTENSION |
| SHT. 97 | 698+69 | RT | | | | 1 | EXIST PUSH BUTTON, SIGN(S) & EXTENSION |
| | | | | | | | |
| POTOSI - MO 8 | | | | | | | |
| SHT. 20 | 978+55 | RT | 16 | 76 | | | |
| SHT. 21 | 984+15 | LT | 4 | | 8 | | |
| SHT. 21 | 984+15 | RT | 6 | | 10 | | |
| SHT. 22 | 994+30 | LT | 13 | 6 | | | |
| SHT. 23 | 1001+70 | RT | 19 | 5 | | | |
| SHT. 23 | 1001+80 | LT | 12 | 9 | | | |
| SHT. 23 | 1001+82 | LT | | | | 1 | EXISTING SIGN |
| | | | | | | | |
| BELLE - MO 89 | | | | | | | |
| SHT. 25 | 905+25 | RT | 25 | 8 | | | |
| SHT. 25 | 905+25 | LT | 9 | 4 | 18 | | |
| SHT. 25 | 905+70 | RT | 13 | 3 | 12 | | |
| SHT. 25 | 905+70 | LT | 14 | 4 | | | |
| SHT. 26 | 909+25 | RT | 17 | 6 | 32 | | |
| SHT. 26 | 909+25 | LT | 14 | 3 | 18 | | |
| SHT. 26 | 909+85 | LT | 16 | 8 | | | |
| SHT. 26 | 909+35 | LT | | | | 1 | EXISTING SIGN BASE |
| SHT. 25 | 905+24 | LT | | | | 1 | EXISTING SIGN |
| SHT. 25 | 905+73 | LT | | | | 1 | EXISTING SIGN |
| SHT. 26 | 909+84 | LT | | | | 1 | EXISTING SIGN |
| SHT. 26 | 909+89 | LT | | | | 1 | EXISTING SIGN |
| | | | | | | | |
| CALIFORNIA - BUSINESS 50 | | | | | | | |
| SHT. 28 | 363+00 | LT | 20 | 24 | 24 | | |
| SHT. 28 | 363+50 | LT | 22 | | 15 | | |
| SHT. 29 | 363+00 | RT | 16 | | 12 | | |
| SHT. 29 | 363+50 | RT | 13 | | 16 | | |
| SHT. 30 | 369+85 | LT | 19 | | 25 | | |
| SHT. 30 | 369+85 | RT | 10 | | 17 | | |
| SHT. 28 | 363+05 | LT | | | | 1 | EXISTING SIGN |
| SHT. 28 | 363+50 | RT | | | | 1 | EXISTING SIGN |
| | | | | | | | |
| SUBTOTAL | | | 452 | 186 | 365 | 25 | |

## REMOVAL OF IMPROVEMENTS (TABLE 2 OF 2)

| LOCATION | STATION | SIDE | SIDEWALK REMOVAL (S.Y.) | PAVEMENT REMOVAL (S.Y.) | CURB/GUTTER REMOVAL (L.F.) | MISC. REMOVAL (EA.) | REMARKS |
|---|---|---|---|---|---|---|---|
| CHAMOIS - ROUTE K | | | | | | | |
| SHT. 32 | (RTE 89) 8+80 | LT | 2 | 7 | | | |
| SHT. 32 | (RTE 89) 8+80 | RT | 3 | | | | |
| SHT. 33 | 2+65 | RT | 21 | | | | |
| SHT. 33 | 2+65 | LT | 21 | | | | |
| SHT. 33 | 2+30 | RT | 25 | | | | |
| SHT. 33 | 2+30 | LT | 3 | 1 | | | |
| SHT. 34 | 5+10 | RT | 16 | | | | |
| SHT. 34 | 5+10 | LT | 3 | | | | |
| SHT. 34 | 4+75 | RT | 16 | | | | |
| SHT. 34 | 4+75 | LT | 3 | | | | |
| SHT. 35 | 7+65 | RT | 9 | | | | |
| SHT. 35 | 7+05 | LT | 20 | | | | |
| SHT. 36-38 | 9+70 TO 13+13 | RT | 171 | 46 | | | |
| SHT. 38 | 13+20 | LT | 25 | | | | |
| SHT. 39 | 13+60 | LT | 8 | | | | |
| | | | | | | | |
| ROLLA - ROUTE E | | | | | | | |
| SHT. 41 | 445+85 | LT | | 12 | | | |
| SHT. 41 | 446+05 TO 447+15 | LT | 72 | | 17 | | |
| SHT. 42 | 452+65 | LT | | 21 | | | |
| SHT. 42 | 453+00 | LT | 15 | | | | |
| | | | | | | | |
| ST. JAMES - ROUTE 66 | | | | | | | |
| SHT. 44 | 1515+75 | LT/RT | 12 | | | | |
| SHT. 44 | 1515+75 | RT | 14 | | | | |
| SHT. 45 | 1517+60 | LT/RT | 32 | | | | |
| SHT. 45 | 1518+15 | LT/RT | 36 | | | | |
| SHT. 46 | 1522+25 | LT | 7 | | | | |
| SHT. 46 | 1522+25 | LT/RT | 38 | | | | |
| SHT. 46 | 1522+25 | RT | 6 | | 7 | | |
| SHT. 46 | 1522+95 | LT | 7 | | | | |
| SHT. 46 | 1522+95 | LT/RT | 42 | | | | |
| SHT. 46 | 1522+95 | RT | 7 | | | | |
| SHT. 46 | 1522+15 | RT | | | | 1 | EXISTING SIGN |
| SHT. 46 | 1523+05 | LT | | | | 1 | EXISTING SIGN |
| | | | | | | | |
| RICHLAND - MO 133 | | | | | | | |
| SHT. 48 | 7+35 | LT | 13 | 6 | | | |
| SHT. 48 | 7+35 | RT | 11 | | | | |
| SHT. 49 | 4+20 | LT | 6 | | | | |
| SHT. 51 | 11+10 | LT | 13 | 5 | | | |
| SHT. 52 | 11+10 | RT | 13 | | 18 | | |
| SHT. 53 | 14+95 | LT | 8 | | 20 | | |
| SHT. 53 | 15+55 | LT | 2 | | 12 | | |
| SHT. 54 | 14+95 | RT | 47 | | 17 | | |
| SHT. 54 | 15+55 | RT | 10 | | 23 | | |
| SHT. 55 | 16+70 | LT | 6 | | 27 | | |
| SHT. 55 | 17+40 | LT | 7 | | 14 | | |
| SHT. 56 | 16+70 | RT | 7 | | 16 | | |
| SHT. 56 | 17+40 | RT | 18 | | 26 | | |
| SHT. 57 | 20+45 | LT | 8 | | 12 | | |
| SHT. 57 | 21+20 | LT | 7 | | 15 | | |
| SHT. 58 | 20+45 | RT | 19 | | 12 | | |
| SHT. 103 | 7+28 | RT | | | | 1 | EXISTING PUSH BUTTON & SIGN(S) |
| SHT. 103 | 7+29 | LT | | | | 1 | EXISTING PUSH BUTTON & SIGN(S) |
| SHT. 103 | 7+41 | LT | | | | 1 | EXISTING PUSH BUTTON & SIGN(S) |
| SHT. 103 | 7+43 | RT | | | | 1 | EXISTING PUSH BUTTON & SIGN(S) |
| SHT. 103 | 8+00 | LT | | | | 1 | EXISTING PUSH BUTTON & SIGN(S) |
| SHT. 103 | 8+01 | RT | | | | 1 | EXISTING PUSH BUTTON & SIGN(S) |
| SHT. 103 | 8+08 | LT | | | | 1 | EXISTING PUSH BUTTON & SIGN(S) |
| SHT. 103 | 8+11 | RT | | | | 1 | EXISTING PUSH BUTTON & SIGN(S) |
| SHT. 54 | 14+89 | RT | | | | 1 | EXISTING SIGN(S) |
| SHT. 51 | 11+91 | LT | | | | 1 | EXISTING SIGN(S) |
| | | | | | | | |
| CROCKER - MO 17/MO 133 | | | | | | | |
| SHT. 60 | 593+60 | RT | 20 | | | | |
| | | | | | | | |
| SUBTOTAL | | | 849 | 98 | 236 | 12 | |
| PAY TOTAL | | | LUMP SUM | | | | |

NOTE:
NO DIRECT PAY WILL BE MADE FOR MISC. REMOVALS.
THEY ARE INCLUDED IN THE LUMP SUM COST FOR
REMOVAL OF IMPROVEMENTS.

QUANTITIES
SHEET 6 OF 11

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

ROUTE VAR. | STATE MO
DISTRICT CD | SHEET NO. 3
COUNTY VARIES
JOB NO. JCD0214
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

003_QU_01-10_Quantities_JCD0214.dgn 8:42:17 AM 7/16/2026

# SIGNING (TABLE 1 OF 2)

EFFECTIVE: 07-01-2024

| SIGNS (902 SIGNAL SIGNS TABULATED ON D-37A SHEET) | | | | | CONCRETE FOOTINGS EMBEDDED | PIPE POSTS | | | | | PERFORATED SQUARE STEEL TUBE 2-INCH POST | | | | | | REMARKS AND OTHER REQUIRED ITEMS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | ANCHORS | | | |
| SIGN NO. | SIGN SIZE | STATION OR LOG MILE | LOCATION | MISC. RELOCATE SIGN (EA.) | ITEM NO. 9031010 | PIPE SIZE | POST NO. 1 | POST NO. 2 | LBS PER FT | TOTAL ITEM NO. 9031220 | POST NO. 1 | POST NO. 2 | TOTAL ITEM NO. 9031270A | DRIVEN 12 GA. ITEM NO. 9031271A | DRIVEN 7 GA. ITEM NO. 9031273A | CONCRETE 7 GA. ITEM NO. 9031274 | |
| | | | | | CY | IN | LF | LF | | LBS | LF | LF | LF | EACH | EACH | EACH | |
| NEW SIGNS | | | | | | | | | | | | | | | | | |
| FULTON - ROUTE Z | | | | | | | | | | | | | | | | | |
| 1 | | 25+56 RT | RTE Z | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 2 | | 25+93 LT | RTE Z | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| POTOSI - MO 8 | | | | | | | | | | | | | | | | | |
| 3 | | 1001+83 LT | MO 8 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| BELLE - MO 89 | | | | | | | | | | | | | | | | | |
| 4 | | 905+09 RT | MO 89 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 5 | | 905+77 LT | MO 89 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| CALIFORNIA - BUSINESS 50 | | | | | | | | | | | | | | | | | |
| 6 | | 369+77 RT | BUS 50 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 7 | | 369+91 LT | BUS 50 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| CHAMOIS - ROUTE K | | | | | | | | | | | | | | | | | |
| 8 | | 2+27 RT | RTE K | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 9 | | 2+76 LT | RTE K | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 10 | | 4+70 RT | RTE K | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 11 | | 5+17 LT | RTE K | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 12 | | 6+95 RT | RTE K | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 13 | | 7+70 LT | RTE K | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 14 | | 10+70 LT | RTE K | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 15 | | 10+55 RT | RTE K | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| ROLLA - ROUTE E | | | | | | | | | | | | | | | | | |
| 16 | | 446+15 LT | RTE E | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| ST. JAMES - ROUTE 66 | | | | | | | | | | | | | | | | | |
| 17 | | 1515+66 RT | RTE 66 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 18 | | 1515+66 RT | RTE 66 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 19 | | 1517+69 LT | RTE 66 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 20 | | 1518+05 RT | RTE 66 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 21 | | 1522+26 LT | RTE 66 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 22 | | 1522+26 LT | RTE 66 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 23 | | 1522+18 RT | RTE 66 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 24 | | 1522+18 RT | RTE 66 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 25 | | 1522+34 LT | RTE 66 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 26 | | 1522+83 RT | RTE 66 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 27 | | 1522+99 LT | RTE 66 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 28 | | 1522+99 LT | RTE 66 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 29 | | 1522+91 RT | RTE 66 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 30 | | 1522+91 RT | RTE 66 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| RICHLAND - MO 133 | | | | | | | | | | | | | | | | | |
| 31 | | 7+23 RT | MO 133 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 32 | | 7+40 LT | MO 133 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 33 | | 4+14 RT | MO 133 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 34 | | 4+39 LT | MO 133 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 35 | | 11+19 LT | MO 133 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 36 | | 11+86 LT | MO 133 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 37 | | 11+00 RT | MO 133 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 38 | | 11+84 RT | MO 133 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 39 | | 15+01 LT | MO 133 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 40 | | 14+89 RT | MO 133 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 41 | | 15+61 RT | MO 133 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 42 | | 16+75 LT | MO 133 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 43 | | 17+52 LT | MO 133 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 44 | | 16+67 RT | MO 133 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 45 | | 17+39 RT | MO 133 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 46 | | 20+49 LT | MO 133 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 47 | | 21+26 LT | MO 133 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 48 | | 20+40 RT | MO 133 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| 49 | | 21+17 RT | MO 133 | | | | | | | | 12 | | 12 | 1 | | | CROSSWALK SIGNS |
| | | SUBTOTAL | | 0 | 0.00 | | | | | | | | 588 | 49 | | | |

QUANTITIES
SHEET 7 OF 11


SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
STATE OF MISSOURI
PROFESSIONAL ENGINEER
THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.


DATE PREPARED: 05/18/2026
ROUTE: VAR. | STATE: MO
DISTRICT: CD | SHEET NO.: 3
COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

## SIGNING (TABLE 2 OF 2)

EFFECTIVE: 07-01-2024

| SIGNS (902 SIGNAL SIGNS TABULATED ON D-37A SHEET) | | | | | CONCRETE FOOTINGS EMBEDDED | PIPE POSTS | | | | | PERFORATED SQUARE STEEL TUBE 2-INCH POST | | | | | | REMARKS AND OTHER REQUIRED ITEMS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | ANCHORS | | | |
| SIGN NO. | SIGN SIZE | STATION OR LOG MILE | LOCATION | MISC. RELOCATE SIGN (EA.) | ITEM NO. 9031010 | PIPE SIZE | POST NO. 1 | POST NO. 2 | LBS PER FT | TOTAL ITEM NO. 9031220 | POST NO. 1 | POST NO. 2 | TOTAL ITEM NO. 9031270A | DRIVEN 12 GA. ITEM NO. 9031271A | DRIVEN 7 GA. ITEM NO. 9031273A | CONCRETE 7 GA. ITEM NO. 9031274 | |
| | | | | | CY | IN | LF | LF | | LBS | LF | LF | LF | EACH | EACH | EACH | |
| RELOCATED SIGNS | | | | | | | | | | | | | | | | | |
| POTOSI - MO 8 | | | | | | | | | | | | | | | | | |
| 100 | | 1001+82 LT | MO 8 | 1 | | | | | | | 12 | | 12 | 1 | | | STOP SIGN AND 2 STREET SIGNS - NEW POST |
| BELLE - MO 89 | | | | | | | | | | | | | | | | | |
| 101 | | 905+24 LT | MO 89 | 1 | | | | | | | 12 | | 12 | 1 | | | STOP SIGN - NEW POST |
| 102 | | 905+65 LT | MO 89 | 1 | | | | | | | 12 | | 12 | 1 | | | STREET SIGN ASSEMBLY - NEW POST |
| 103 | | 909+74 LT | MO 89 | 1 | | | | | | | 12 | | 12 | 1 | | | STREET SIGN ASSEMBLY - NEW POST |
| 104 | | 909+83 LT | MO 89 | 1 | 0.13 | | | | | | | | | | | | STOP SIGN ASSEMBLY - USE EXISTING POST & BASE |
| CALIFORNIA - BUSINESS 50 | | | | | | | | | | | | | | | | | |
| 105 | | 363+05 LT | BUS 50 | 1 | | | | | | | 12 | | 12 | 1 | | | STOP SIGN - NEW POST |
| 106 | | 363+50 RT | BUS 50 | 1 | | | | | | | 12 | | 12 | 1 | | | STOP SIGN - NEW POST |
| RICHLAND - MO 133 | | | | | | | | | | | | | | | | | |
| 107 | | 12+41 LT | MO 133 | 1 | | | | | | | 12 | | 12 | 1 | | | JCT & HWY 7 - NEW POST |
| 108 | | 15+01 RT | MO 133 | 1 | | | | | | | 12 | | 12 | 1 | | | STREET SIGN ASSEMBLY - NEW POST |
| | | SUBTOTAL | | 9 | 0.13 | | | | | | | | 96 | 8 | | | |
| | | PAY TOTAL | | 9 | 0.2 | | | | | | | | 684 | 57 | | | |

### ROUND PIPE POST FOOTING DATA TABLE

| NOM. SIZE (IN.) | WEIGHT LBS/FT | WEIGHT LBS/IN | STUB LENGTH | FOOTING DIA. | FOOTING DEPTH | CONCRETE C.Y. |
|---|---|---|---|---|---|---|
| 2½ | 5.79 | 0.48 | 4'- 3½" | 12" | 4-6" | 0.13 |
| 4 | 10.79 | 0.90 | 5'- 3½" | 18" | 5-6" | 0.36 |

### PIPE CULVERTS / CLASS 3 EXCAVATION

| LOCATION | STATION | SIDE | 12 IN. GROUP C (L.F.) | 12 IN. GROUP C FLARED END (EA.) | CLASS 3 EXCAVATION (C.Y.) | REMARKS |
|---|---|---|---|---|---|---|
| RICHLAND - MO 133 | | | | | | |
| SHT. 48 | 7+40 | LT | 16 | 2 | 14 | |
| SHT. 48 | 7+35 | RT | 15 | 2 | 14 | |
| SUBTOTAL | | | 31 | 4 | 28 | |
| PAY TOTAL | | | 31 | 4 | 28 | |

### ADJUSTING WATER VALVES AND OTHER APPURTENANCES

| LOCATION | STATION | SIDE | QUANTITY (EA.) | REMARKS |
|---|---|---|---|---|
| POTOSI - MO 8 | | | | |
| SHT. 20 | 978+46 | RT | 2 | WATER VALVE |
| SHT. 20 | 978+59 | RT | 1 | WATER VALVE |
| SHT. 20 | 978+61 | RT | 1 | WATER VALVE |
| SHT. 21 | 984+13 | RT | 1 | GAS VALVE |
| SHT. 21 | 984+21 | RT | 1 | GAS VALVE |
| CALIFORNIA - BUSINESS 50 | | | | |
| SHT. 28 | 363+05 | LT | 1 | WATER METER |
| SUBTOTAL | | | 7 | |
| PAY TOTAL | | | 7 | |

### ADJUSTING MANHOLE

| LOCATION | STATION | SIDE | QUANTITY (EA.) | REMARKS |
|---|---|---|---|---|
| CHAMOIS - ROUTE K | | | | |
| SHT. 33 | 2+23 | RT | 1 | STORM SEWER |
| SHT. 33 | 2+74 | RT | 1 | STORM SEWER |
| SHT. 34 | 4+74 | RT | 1 | STORM SEWER |
| SHT. 34 | 5+16 | RT | 1 | STORM SEWER |
| SUBTOTAL | | | 4 | |
| PAY TOTAL | | | 4 | |

### ADJUSTING BASIN OR INLET

| LOCATION | STATION | SIDE | QUANTITY (EA.) | REMARKS |
|---|---|---|---|---|
| CAMDENTON - US 54 | | | | |
| SHT. 9 | 546+75 | LT | 1 | |
| POTOSI - MO 8 | | | | |
| SHT. 20 | 978+55 | RT | 1 | |
| SHT. 22 | 944+30 | LT | 2 | |
| SHT. 23 | 1001+70 | RT | 1 | |
| SHT. 23 | 1001+80 | LT | 2 | |
| BELLE - MO 89 | | | | |
| SHT. 25 | 905+25 | RT | 1 | |
| SHT. 25 | 905+65 | RT | 1 | |
| SHT. 26 | 909+25 | RT | 2 | |
| SHT. 26 | 909+25 | LT | 1 | |
| SHT. 26 | 909+85 | LT | 1 | |
| CALIFORNIA - BUSINESS 50 | | | | |
| SHT. 28 | 363+00 | LT | 1 | |
| SHT. 28 | 363+50 | LT | 2 | |
| SHT. 29 | 363+00 | RT | 1 | |
| SHT. 30 | 369+85 | LT | 1 | |
| SHT. 30 | 369+85 | RT | 1 | |
| RICHLAND - MO 133 | | | | |
| SHT. 52 | 11+10 | RT | 2 | |
| SHT. 58 | 20+45 | RT | 1 | |
| SUBTOTAL | | | 22 | |
| PAY TOTAL | | | 22 | |

MODIFY INLETS ONLY IF DAMAGED DURING CONSTRUCTION OR ADJACENT GUTTER MODIFICATIONS REQUIRE INLET MODIFICATIONS, TYP.

QUANTITIES
SHEET 8 OF 11


STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER
THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.


DATE PREPARED 05/18/2026
ROUTE VAR. | STATE MO
DISTRICT CD | SHEET NO. 3
COUNTY VARIES
JOB NO. JCD0214
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION | DATE


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

# SIGNING - (TABLE 1 OF 1)

## STANDARD SIGN ASSEMBLIES

| SIGN NO. | STATION OR LOG MILE | LOCATION | SIGN, TYPE, DESIGNATION, SIZE & NUMBER OF EACH | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | SHF W11-2 36 x 36 | SHF W16-7PL 30 x 18 | SHF W16-7PR 30 x 18 | | | | | | |
| FULTON - ROUTE Z | | | | | | | | | | | |
| 1 | 25+56 RT | RTE Z | 1 | 1 | | | | | | | |
| 2 | 25+93 LT | RTE Z | 1 | 1 | | | | | | | |
| POTOSI - MO 8 | | | | | | | | | | | |
| 3 | 1001+83 LT | MO 8 | 1 | 1 | | | | | | | |
| BELLE - MO 89 | | | | | | | | | | | |
| 4 | 905+09 RT | MO 89 | 1 | 1 | | | | | | | |
| 5 | 905+77 LT | MO 89 | 1 | 1 | | | | | | | |
| CALIFORNIA - BUSINESS 50 | | | | | | | | | | | |
| 6 | 369+77 RT | BUS 50 | 1 | 1 | | | | | | | |
| 7 | 369+91 LT | BUS 50 | 1 | 1 | | | | | | | |
| CHAMOIS - ROUTE K | | | | | | | | | | | |
| 8 | 2+27 RT | RTE K | 1 | 1 | | | | | | | |
| 9 | 2+76 LT | RTE K | 1 | 1 | | | | | | | |
| 10 | 4+70 RT | RTE K | 1 | 1 | | | | | | | |
| 11 | 5+17 LT | RTE K | 1 | 1 | | | | | | | |
| 12 | 6+95 RT | RTE K | 1 | 1 | | | | | | | |
| 13 | 7+70 LT | RTE K | 1 | 1 | | | | | | | |
| 14 | 10+70 LT | RTE K | 1 | 1 | | | | | | | |
| 15 | 10+55 RT | RTE K | 1 | 1 | | | | | | | |
| ROLLA - ROUTE E | | | | | | | | | | | |
| 16 | 446+15 LT | RTE E | 1 | 1 | | | | | | | |
| ST. JAMES - ROUTE 66 | | | | | | | | | | | |
| 17 | 1515+66 RT | RTE 66 | 1 | | 1 | | | | | | |
| 18 | 1515+66 RT | RTE 66 | 1 | 1 | | | | | | | |
| 19 | 1517+69 LT | RTE 66 | 1 | 1 | | | | | | | |
| 20 | 1518+05 RT | RTE 66 | 1 | 1 | | | | | | | |
| 21 | 1522+26 LT | RTE 66 | 1 | 1 | | | | | | | |
| 22 | 1522+26 LT | RTE 66 | 1 | | 1 | | | | | | |
| 23 | 1522+18 RT | RTE 66 | 1 | | 1 | | | | | | |
| 24 | 1522+18 RT | RTE 66 | 1 | 1 | | | | | | | |
| 25 | 1522+34 LT | RTE 66 | 1 | 1 | | | | | | | |
| 26 | 1522+83 RT | RTE 66 | 1 | 1 | | | | | | | |
| 27 | 1522+99 LT | RTE 66 | 1 | 1 | | | | | | | |
| 28 | 1522+99 LT | RTE 66 | 1 | | 1 | | | | | | |
| 29 | 1522+91 RT | RTE 66 | 1 | | 1 | | | | | | |
| 30 | 1522+91 RT | RTE 66 | 1 | 1 | | | | | | | |
| RICHLAND - MO 133 | | | | | | | | | | | |
| 31 | 7+23 RT | MO 133 | 1 | 1 | | | | | | | |
| 32 | 7+40 LT | MO 133 | 1 | 1 | | | | | | | |
| 33 | 4+14 RT | MO 133 | 1 | 1 | | | | | | | |
| 34 | 4+39 LT | MO 133 | 1 | 1 | | | | | | | |
| 35 | 11+19 LT | MO 133 | 1 | 1 | | | | | | | |
| 36 | 11+86 LT | MO 133 | 1 | 1 | | | | | | | |
| 37 | 11+00 RT | MO 133 | 1 | 1 | | | | | | | |
| 38 | 11+84 RT | MO 133 | 1 | 1 | | | | | | | |
| 39 | 15+01 LT | MO 133 | 1 | 1 | | | | | | | |
| 40 | 14+89 RT | MO 133 | 1 | 1 | | | | | | | |
| 41 | 15+61 RT | MO 133 | 1 | 1 | | | | | | | |
| 42 | 16+75 LT | MO 133 | 1 | 1 | | | | | | | |
| 43 | 17+52 LT | MO 133 | 1 | 1 | | | | | | | |
| 44 | 16+67 RT | MO 133 | 1 | 1 | | | | | | | |
| 45 | 17+39 RT | MO 133 | 1 | 1 | | | | | | | |
| 46 | 20+49 LT | MO 133 | 1 | 1 | | | | | | | |
| 47 | 21+26 LT | MO 133 | 1 | 1 | | | | | | | |
| 48 | 20+40 RT | MO 133 | 1 | 1 | | | | | | | |
| 49 | 21+17 RT | MO 133 | 1 | 1 | | | | | | | |
| | | TOTALS | 49 | 44 | 5 | | | | | | |

## SIGN SUMMARY

EFFECTIVE: 10-01-2016

| STANDARD OR SPECIAL SIGN DESIGNATION | SIGN DTL. SHT. NO. | NO. EACH | SIGN SIZE | TYPE & SQUARE FEET | | | |
|---|---|---|---|---|---|---|---|
| | | | | FLAT SHEET SH ITEM NO. 9035004A | FLAT SHEET FLUORESCENT SHF* ITEM NO. 9035069A | STRUCTURAL ST ITEM NO. 9035011A | STRUCTURAL FLUORESCENT STF* ITEM NO. 9035071A |
| W11-2 | | 49 | 36 x 36 | | 441 | | |
| W16-7PL | | 44 | 30 x 18 | | 165 | | |
| W16-7PR | | 5 | 30 x 18 | | 19 | | |
| TOTALS | | | | | 625 | | |

*ORANGE, YELLOW AND YELLOW-GREEN

QUANTITIES
SHEET 9 OF 11


SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER
STATE OF MISSOURI
THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.


DATE PREPARED 05/18/2026
ROUTE VAR. | STATE MO
DISTRICT CD | SHEET NO. 3
COUNTY VARIES
JOB NO. JCD0214
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION | DATE


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006047

## PAVEMENT MARKING

| LOCATION | STATION | SIDE | PREFORMED THERMOPLASTIC 24 INCH WHITE (L.F.) | PAVEMENT MARKING REMOVAL (L.F.) | REMARKS |
|---|---|---|---|---|---|
| FULTON - ROUTE Z | | | | | |
| SHT. 5-6 | 25+85 | LT/RT | 84 | | MIDBLOCK 14 EACH AT 6' WIDE - WOOD ST INTERSECTION |
| | | | | | |
| CAMDENTON - US 54 | | | | | |
| SHT. 9 | 564+00 | LT/RT | 498 | 664 | MIDBLOCK 83 EACH AT 6' WIDE - BUSINESS 5 INTERSECTION |
| SHT. 11 | 748+00 | LT | 66 | 96 | MIDBLOCK 11 EACH AT 6' WIDE - MO 5 ON RAMP INTERSECTION |
| SHT. 12 | 740+00 | LT | 102 | 144 | MIDBLOCK 17 EACH AT 6' WIDE - MO 5 OFF RAMP INTERSECTION |
| SHT. 14 | 732+00 | LT/RT | 222 | 310 | MIDBLOCK 37 EACH AT 6' WIDE - LAKER PRIDE RD INTERSECTION |
| SHT. 18 | 698+50 | RT | 150 | 200 | MIDBLOCK 25 EACH AT 6' WIDE - CECIL ST INTERSECTION |
| | | | | | |
| POTOSI - MO 8 | | | | | |
| SHT. 23 | 1001+75 | LT/RT | 48 | 66 | MIDBLOCK 8 EACH AT 6' WIDE |
| | | | | | |
| BELLE - MO 89 | | | | | |
| SHT. 25 | 905+50 | LT/RT | 126 | | MIDBLOCK 21 EACH AT 6' WIDE - SECOND ST INTERSECTION |
| | | | | | |
| CALIFORNIA - BUSINESS 50 | | | | | |
| SHT. 28-29 | 363+25 | LT/RT | 96 | | MIDBLOCK 16 EACH AT 6' WIDE - WILLIAMS ST INTERSECTION |
| SHT. 27 | 369+85 | LT/RT | 48 | | MIDBLOCK 8 EACH AT 6' WIDE - HIGH ST INTERSECTION |
| | | | | | |
| CHAMOIS - ROUTE K | | | | | |
| SHT. 32 | 0+00 | LT/RT | 114 | | MIDBLOCK 19 EACH AT 6' WIDE - MAIN ST/MO 89 INTERSECTION |
| SHT. 33 | 2+50 | LT/RT | 60 | | MIDBLOCK 10 EACH AT 6' WIDE - MARKET ST INTERSECTION |
| SHT. 34 | 5+00 | LT/RT | 60 | | MIDBLOCK 10 EACH AT 6' WIDE - LOCUST ST INTERSECTION |
| SHT. 35 | 7+50 | LT/RT | 78 | | MIDBLOCK 13 EACH AT 6' WIDE - 3RD ST/VINE ST INTERSECTION |
| SHT. 36 | 10+60 | LT/RT | 30 | | MIDBLOCK 5 EACH AT 6' WIDE |
| SHT. 38-39 | 13+50 | LT/RT | 96 | | MIDBLOCK 16 EACH AT 6' WIDE - VINE ST/5TH ST INTERSECTION |
| | | | | | |
| ROLLA - ROUTE E | | | | | |
| SHT. 41 | 446+00 | LT | 56 | 60 | MIDBLOCK 8 EACH AT 7' WIDE - WHITE COLUMNS DR INTERSECTION |
| SHT. 41 | 447+00 | LT | 40 | 40 | MIDBLOCK 5 EACH AT 8' WIDE - I-44 OFF RAMP INTERSECTION |
| SHT. 42 | 452+75 | LT | 78 | 110 | MIDBLOCK 13 EACH AT 6' WIDE - I-44 ON RAMPS INTERSECTIONS |
| | | | | | |
| ST. JAMES - ROUTE 66 | | | | | |
| SHT. 44 | 1515+75 | RT | 35 | | MIDBLOCK 5 EACH AT 7' WIDE |
| SHT. 45 | 1517+75 | LT/RT | 49 | | MIDBLOCK 7 EACH AT 7' WIDE - BOURBEUSE ST INTERSECTION |
| SHT. 46 | 1522+60 | LT/RT | 80 | | MIDBLOCK 10 EACH AT 8' WIDE - MERAMEC ST INTERSECTION |
| SHT. 46 | 1522+20 | LT/RT | 60 | | MIDBLOCK 10 EACH AT 6' WIDE |
| SHT. 46 | 1522+95 | LT/RT | 60 | | MIDBLOCK 10 EACH AT 6' WIDE |
| | | | | | |
| RICHLAND - MO 133 | | | | | |
| SHT. 48 | 7+40 | LT/RT | 36 | | MIDBLOCK 6 EACH AT 6' WIDE - LOCUST ST INTERSECTION |
| SHT. 49 | 4+25 | LT/RT | 54 | | MIDBLOCK 9 EACH AT 6' WIDE - NATIONAL AVE INTERSECTION |
| SHT. 50 | 7+75 | LT/RT | 252 | 344 | MIDBLOCK 42 EACH AT 6' WIDE - WASHINGTON AVE INTERSECTION |
| SHT. 51-52 | 11+50 | LT/RT | 138 | | MIDBLOCK 23 EACH AT 6' WIDE - CAMDEN AVE INTERSECTION |
| SHT. 53-54 | 15+25 | LT/RT | 108 | 74 | MIDBLOCK 18 EACH AT 6' WIDE - MCCLURG ST INTERSECTION |
| SHT. 55-56 | 17+00 | LT/RT | 120 | | MIDBLOCK 20 EACH AT 6' WIDE - MAIN ST INTERSECTION |
| SHT. 57-58 | 21+00 | LT/RT | 120 | | MIDBLOCK 20 EACH AT 6' WIDE - PULASKI AVE INTERSECTION |
| | | | | | |
| | | SUBTOTAL | 3164 | 2108 | |
| | | PAY TOTAL | 3164 | 2108 | |

QUANTITIES
SHEET 10 OF 11


STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.


DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |

| DISTRICT | SHEET NO. |
|---|---|
| CD | 3 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DATE | DESCRIPTION |
|---|---|
| | |


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

| SIGN | SIZE IN. | AREA SQ.FT. | QTY EACH | TOTAL AREA SQ.FT. | QTY RELOC EACH | TOTAL RELOC SQ.FT. | SIGN NO. | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| **WARNING SIGNS** | | | | | | | | |
| WO1-1L | 48X48 | 16.00 | | | | | | TURN (SYMBOL LEFT) |
| WO1-1R | 48X48 | 16.00 | | | | | | TURN (SYMBOL RIGHT) |
| WO1-2L | 48X48 | 16.00 | | | | | | CURVE (SYMBOL LEFT) |
| WO1-2R | 48X48 | 16.00 | | | | | | CURVE (SYMBOL RIGHT) |
| WO1-3L | 48X48 | 16.00 | | | | | | REVERSE TURN (SYMBOL LEFT) |
| WO1-3R | 48X48 | 16.00 | | | | | | REVERSE TURN (SYMBOL RIGHT) |
| WO1-4L | 48X48 | 16.00 | | | | | | REVERSE CURVE (SYMBOL LEFT) |
| WO1-4R | 48X48 | 16.00 | | | | | | REVERSE CURVE (SYMBOL RIGHT) |
| WO1-4bL | 48X48 | 16.00 | | | | | | DOUBLE ARROW REVERSE CURVE (SYMBOL LEFT) |
| WO1-4bR | 48X48 | 16.00 | | | | | | DOUBLE ARROW REVERSE CURVE (SYMBOL RIGHT) |
| WO1-4cL | 48X48 | 16.00 | | | | | | TRIPLE ARROW REVERSE CURVE (SYMBOL LEFT) |
| WO1-4cR | 48X48 | 16.00 | | | | | | TRIPLE ARROW REVERSE CURVE (SYMBOL RIGHT) |
| WO1-6 | 60X30 | 12.50 | | | | | | HORIZONTAL ARROW (SYMBOL) |
| WO1-6a | 72X36 | 18.00 | | | | | | HORIZ. ARROW (SYMBOL ON PERMANENT BARRICADE) |
| WO1-7 | 60X30 | 12.50 | | | | | | DOUBLE HEAD HORIZONTAL ARROW (SYMBOL) |
| WO1-7a | 72X36 | 18.00 | | | | | | DOUBLE HEAD HORIZ. ARROW (SYMBOL ON PERM. BARR.) |
| WO1-8 | 18X24 | 3.00 | | | | | | CHEVRON (SYMBOL) |
| WO1-8a | 30X36 | 7.50 | | | | | | CHEVRON (SYMBOL FOR DIVIDED HIGHWAYS) |
| WO3-1 | 48X48 | 16.00 | | | | | | STOP AHEAD (SYMBOL) |
| WO3-2 | 48X48 | 16.00 | | | | | | YIELD AHEAD (SYMBOL) |
| WO3-3 | 48X48 | 16.00 | | | | | | SIGNAL AHEAD (SYMBOL) |
| WO3-4 | 48X48 | 16.00 | | | | | | BE PREPARED TO STOP |
| WO3-5 | 48X48 | 16.00 | 2 | 32.00 | | | 3 | SPEED LIMIT AHEAD |
| WO4-1L | 48X48 | 16.00 | | | | | | MERGE (SYMBOL FROM LEFT) |
| WO4-1R | 48X48 | 16.00 | | | | | | MERGE (SYMBOL FROM RIGHT) |
| WO4-1aL | 48X48 | 16.00 | | | | | | MERGE (LEFT) |
| WO4-1aR | 48X48 | 16.00 | | | | | | MERGE (RIGHT) |
| WO5-1 | 48X48 | 16.00 | | | | | | ROAD/BRIDGE/RAMP NARROWS |
| WO5-3 | 48X48 | 16.00 | | | | | | ONE LANE BRIDGE |
| WO5-5 | 48X48 | 16.00 | | | | | | NARROW LANES |
| WO6-1 | 48X48 | 16.00 | | | | | | DIVIDED HIGHWAY (SYMBOL) |
| WO6-2 | 48X48 | 16.00 | | | | | | DIVIDED HIGHWAY END (SYMBOL) |
| WO6-3 | 48X48 | 16.00 | | | | | | TWO WAY TRAFFIC (SYMBOL) |
| WO7-3a | 30X24 | 5.00 | | | | | | NEXT XX MILES (PLAQUE) |
| WO8-1 | 48X48 | 16.00 | | | | | | BUMP |
| WO8-2 | 48X48 | 16.00 | | | | | | DIP |
| WO8-3 | 48X48 | 16.00 | | | | | | PAVEMENT ENDS |
| WO8-4 | 48X48 | 16.00 | | | | | | SOFT SHOULDER |
| WO8-5 | 48X48 | 16.00 | | | | | | SLIPPERY WHEN WET (SYMBOL) |
| WO8-6 | 48X48 | 16.00 | | | | | | TRUCK CROSSING |
| WO8-6c | 48X48 | 16.00 | | | | | | TRUCK ENTRANCE |
| WO8-7 | 36X36 | 9.00 | | | | | | LOOSE GRAVEL |
| WO8-7a | 36X36 | 9.00 | | | | | | FRESH OIL / LOOSE GRAVEL |
| WO8-9 | 48X48 | 16.00 | | | | | | LOW SHOULDER |
| WO8-11 | 48X48 | 16.00 | | | | | | UNEVEN LANES |
| WO8-12 | 48X48 | 16.00 | | | | | | NO CENTER LINE |
| WO8-15 | 48X48 | 16.00 | | | | | | GROOVED PAVEMENT |
| WO8-15P | 30X24 | 5.00 | | | | | | MOTORCYCLE (PLAQUE) |
| WO8-17L | 48X48 | 16.00 | | | | | | SHOULDER DROP-OFF (SYMBOL LEFT) |
| WO8-17R | 48X48 | 16.00 | | | | | | SHOULDER DROP-OFF (SYMBOL RIGHT) |
| WO8-17P | 30X24 | 5.00 | | | | | | SHOULDER DROP-OFF (PLAQUE) |
| W10-1 | 42RND. | 9.62 | | | | | | RAILROAD CROSSING |
| WO12-1 | 24X24 | 4.00 | | | | | | DOUBLE DOWN ARROW (SYMBOL) |
| WO12-2 | 48X48 | 16.00 | | | | | | LOW CLEARANCE (SYMBOL) |
| WO12-2x | 24X18 | 3.00 | | | | | | LOW CLEARANCE (PLAQUE) |
| WO12-2a | 84X24 | 14.00 | | | | | | OVERHEAD LOW CLEARANCE (FEET AND INCHES) |
| WO12-4 | 120X60 | 50.00 | | | | | | LOW CLEARANCE XX FT XX IN XX MILES AHEAD |
| WO12-5 | 120X60 | 50.00 | | | | | | WIDTH RESTRICTION XX FT XX IN XX MILES AHEAD |
| WO13-1 | 30X30 | 6.25 | | | | | | ADVISORY SPEED (PLAQUE) |
| WO16-2 | 30X24 | 5.00 | 1 | 5.00 | | | 20A | XXX FEET (PLAQUE) |
| WO16-3 | 30X24 | 5.00 | | | | | | X MILE (PLAQUE) |
| WO20-1 | 48X48 | 16.00 | 6 | 96.00 | | | 2 | ROAD/BRIDGE/RAMP WORK AHEAD |
| WO20-2 | 48X48 | 16.00 | | | | | | DETOUR AHEAD |
| WO20-3 | 48X48 | 16.00 | 2 | 32.00 | | | 20 | ROAD CLOSED AHEAD |
| WO20-4 | 48X48 | 16.00 | 2 | 32.00 | | | 7 | ONE LANE ROAD AHEAD |
| WO20-5 | 48X48 | 16.00 | | | | | | RIGHT/CENTER/LEFT LANE CLOSED AHEAD |
| WO20-5a | 48X48 | 16.00 | | | | | | 2 RIGHT/CENTER/LEFT LANES CLOSED AHEAD |
| WO20-6a | 48X48 | 16.00 | | | | | | RIGHT/CENTER/LEFT LANE CLOSED |
| WO20-7a | 48X48 | 16.00 | 2 | 32.00 | | | 8 | FLAGGER (SYMBOL) |
| WO21-2 | 36X36 | 9.00 | | | | | | FRESH OIL |
| WO21-5 | 48X48 | 16.00 | 3 | 48.00 | | | 21 | SHOULDER WORK / SHOULDER WORK AHEAD |
| WO22-1 | 48X48 | 16.00 | | | | | | BLASTING ZONE AHEAD |
| WO22-2 | 42X36 | 10.50 | | | | | | TURN OFF 2-WAY RADIO AND PHONE |
| WO22-3 | 42X36 | 10.50 | | | | | | END BLASTING ZONE |
| GO22-1 | 21X15 | 2.19 | | | | | | WET PAINT (ARROW PIVOTS) |

| SIGN | SIZE IN. | AREA SQ.FT. | QTY EACH | TOTAL SQ.FT. | QTY RELOC EACH | TOTAL RELOC SQ.FT. | SIGN NO. | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| **GUIDE SIGNS** | | | | | | | | |
| E05-1 | 36X48 | 12.00 | | | | | | GORE EXIT |
| E05-2 | 48X36 | 12.00 | | | | | | EXIT OPEN |
| E05-2a | 48X36 | 12.00 | | | | | | EXIT CLOSED |
| GO20-1 | 60X24 | 10.00 | | | | | | ROAD WORK NEXT XX MILES |
| GO20-2 | 48X24 | 8.00 | 2 | 16.00 | | | 26 | END ROAD WORK |
| GO20-4 | 36X18 | 4.50 | | | | | | PILOT CAR FOLLOW ME |
| GO20-4a | 42X30 | 8.75 | | | | | | PILOT CAR IN USE WAIT & FOLLOW |
| GO20-4a | 18X12 | 1.50 | | | | | | PILOT CAR IN USE WAIT & FOLLOW |
| GO20-5aP | 36X24 | 6.00 | 2 | 12.00 | | | 54 | WORK ZONE (PLAQUE) |
| MO4-8a | 24X18 | 3.00 | | | | | | END DETOUR |
| MO4-9L | 48X36 | 12.00 | | | | | | DETOUR (LEFT) |
| MO4-9R | 48X36 | 12.00 | | | | | | DETOUR (RIGHT) |
| MO4-9P | 48X12 | 4.00 | | | | | | STREET NAME (PLAQUE) |
| MO4-10L | 48X18 | 6.00 | | | | | | DETOUR ARROW (LEFT) |
| MO4-10R | 48X18 | 6.00 | | | | | | DETOUR ARROW (RIGHT) |
| **REGULATORY SIGNS** | | | | | | | | |
| R1-1 | 48X48 | 13.25 | | | | | | STOP |
| R1-2 | 48TRI. | 6.93 | | | | | | YIELD |
| R1-2a | 36X36 | 9.00 | | | | | | TO ONCOMING TRAFFIC (PLAQUE) |
| R1-3P | 30X12 | 2.50 | | | | | | ALL WAY (PLAQUE) |
| R2-1 | 36X48 | 12.00 | 4 | 48.00 | | | 4,25 | SPEED LIMIT XX |
| R3-1 | 48X48 | 16.00 | | | | | | NO RIGHT TURN (SYMBOL) |
| R3-2 | 48X48 | 16.00 | | | | | | NO LEFT TURN (SYMBOL) |
| R3-3 | 36X36 | 9.00 | | | | | | NO TURNS |
| R3-4 | 48X48 | 16.00 | | | | | | NO U-TURN (SYMBOL) |
| R3-7L | 30X30 | 6.25 | | | | | | LEFT LANE MUST TURN LEFT |
| R3-7R | 30X30 | 6.25 | | | | | | RIGHT LANE MUST TURN RIGHT |
| R4-1 | 36X48 | 12.00 | | | | | | DO NOT PASS |
| R4-2 | 36X48 | 12.00 | | | | | | PASS WITH CARE |
| R4-7a | 36X48 | 12.00 | | | | | | KEEP RIGHT (HORIZONTAL ARROW) |
| R4-8a | 36X48 | 12.00 | | | | | | KEEP LEFT (HORIZONTAL ARROW) |
| R5-1 | 30X30 | 6.25 | | | | | | DO NOT ENTER |
| R5-1a | 36X24 | 6.00 | | | | | | WRONG WAY |
| R6-1L | 54X18 | 6.75 | | | | | | ONE WAY ARROW (LEFT) |
| R6-1R | 54X18 | 6.75 | | | | | | ONE WAY ARROW (RIGHT) |
| R6-2L | 24X30 | 5.00 | | | | | | ONE WAY (LEFT) |
| R6-2R | 24X30 | 5.00 | | | | | | ONE WAY (RIGHT) |
| R9-9 | 24X12 | 2.00 | 6 | 12.00 | | | 80 | SIDEWALK CLOSED |
| R9-11L | 24X18 | 3.00 | 2 | 6.00 | | | 81 | SIDEWALK CLOSED AHEAD, (ARROW LEFT) CROSS HERE |
| R9-11R | 24X18 | 3.00 | 2 | 6.00 | | | 82 | SIDEWALK CLOSED AHEAD, (ARROW RIGHT) CROSS HERE |
| R10-6 | 24X36 | 6.00 | | | | | | STOP HERE ON RED (45^ ARROW) |
| R11-2 | 48X30 | 10.00 | 2 | 20.00 | | | 29 | ROAD CLOSED |
| R11-3a | 60X30 | 12.50 | | | | | | ROAD CLOSED XX MILES AHEAD LOCAL TRAFFIC ONLY |
| R11-4 | 60X30 | 12.50 | 1 | 12.50 | | | 30 | ROAD CLOSED TO THRU TRAFFIC |
| CONST-3A | 60X48 | 20.00 | | | | | | FINE SIGN |
| CONST-3X | 56X12 | 4.67 | | | | | | SPEEDING/PASSING (PLATE) |
| **MISCELLANEOUS SIGNS** | | | | | | | | |
| CONST-5 | 48X36 | 12.00 | | | | | | POINT OF PRESENCE |
| CONST-5 | 96X48 | 32.00 | | | | | | POINT OF PRESENCE |
| CONST-8 | 48X36 | 12.00 | 2 | 24.00 | | | 70 | WORK ZONE NO PHONE ZONE |

| 616-10.05 CONSTRUCTION SIGNS | TOTAL | |
|---|---|---|
| | 434 | * |

| 616-10.10 RELOCATED SIGNS | TOTAL |
|---|---|
| | 0 |

| ITEM NUMBER | TOTAL QTY | EFFECTIVE: 07-01-2025 DESCRIPTION |
|---|---|---|
| 6122008 | | IMPACT ATTENUATOR 40 MPH (SAND BARRELS) |
| 6122009 | | IMPACT ATTENUATOR 45 MPH (SAND BARRELS) |
| 6122010 | | IMPACT ATTENUATOR 50 MPH (SAND BARRELS) |
| 6122012 | | IMPACT ATTENUATOR 55 MPH (SAND BARRELS) |
| 6122014 | | IMPACT ATTENUATOR 60 MPH (SAND BARRELS) |
| 6122017 | | IMPACT ATTENUATOR 65 MPH (SAND BARRELS) |
| 6122019 | | IMPACT ATTENUATOR 70 MPH (SAND BARRELS) |
| 6122020 | | REPLACEMENT SAND BARREL |
| 6122030 | | IMPACT ATTENUATOR (RELOCATION) |
| 6122040 | | WORK ZONE CRASH CUSHION (NARROW) |
| 6122041 | | WORK ZONE CRASH CUSHION (RELOCATION) |
| 6123001 | 1 | TRUCK MOUNTED ATTENUATOR (TMA) |
| 6161012 | | BUOYS (BOATS KEEP OUT) |
| 6161013 | | BUOYS (NO WAKE) |
| 6161014 | | SPECIAL SIGN ASSEMBLY (BOATS KEEP OUT) |
| 6161020 | | CHANNELIZER (DRUM-LIKE) |
| 6161022 | | CHANNELIZER (CONE) |
| 6161025 | 9 * | CHANNELIZER (TRIM-LINE) |
| 6161026 | | CHANNELIZER (VERTICAL PANEL) |
| 6161030 | 9 * | TYPE 3 MOVEABLE BARRICADE |
| 6161033 | 16 * | DIRECTION INDICATOR BARRICADE |
| 6161040 | 1 * | FLASHING ARROW PANEL |
| 6161047 | | TYPE 3 OBJECT MARKER |
| 6161055 | 18 * | SEQUENTIAL FLASHING WARNING LIGHT |
| 6161070 | | TUBULAR MARKER |
| 6161095 | | RADAR SPEED ADVISORY SYSTEM |
| 6161096 | | CHANGEABLE MESSAGE SIGN, COMMISSION FURNISHED/RETAINED |
| 6161098A | | CHANGEABLE MESSAGE SIGN WITHOUT COMM. INTERFACE, CONTRACTOR FURNISHED/RETAINED |
| 6161099 | | CHANGEABLE MESSAGE SIGN WITH COMM. INTERFACE, CONTRACTOR FURNISHED/RETAINED |
| 6162000A | | WORK ZONE TRAFFIC SIGNAL SYSTEM |
| 6162002 | | TEMPORARY LONG-TERM RUMBLE STRIPS |
| 6173600D | | TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED/RETAINED |
| 6173700B | | TEMP. TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED/RETAINED |
| 6173706 | | TEMP. TRAFFIC BARRIER STIFFNESS TRANSITION CONTRACTOR FURNISHED/RETAINED |
| 6174000A | | TEMP. TRAFFIC BARRIER HEIGHT TRANSITION, CONTRACTOR FURNISHED/RETAINED |
| 6175010A | | RELOCATING TEMPORARY TRAFFIC BARRIER |
| 6175011B | | RELOCATING TEMP. TRAFFIC BARRIER ANCHORED |
| 6175013 | | RELOCATING TEMP. TRAFFIC BARRIER STIFFNESS |
| 6175020A | | RELOCATING TEMP. TRAFFIC BARRIER HEIGHT |
| 6208064A | | TEMPORARY RAISED PAVEMENT MARKER |
| 9029400 | | TEMPORARY TRAFFIC SIGNALS |
| 9029401 | | TEMPORARY TRAFFIC SIGNALS AND LIGHTING |
| 6169902 | 6 | DETECTABLE PED. CHANNELIZER BARRICADE |

| TEMPORARY TRAFFIC CONTROL | |
|---|---|
| PAY TOTAL | 1 LUMP SUM * |

* NOTES:

QUANTITIES SHOWN ARE THE MINIMAL AMOUNT OF EACH ITEM REQUIRED TO BE UTILIZED BY THE CONTRACTOR FOR TRAFFIC CONTROL OPERATIONS. ADDITIONAL ITEMS DEEMED NECESSARY FOR SAFE CONSTRUCTION OPERATIONS SHALL BE PROVIDED BY THE CONTRACTOR. NO DIRECT PAY.

ALL ITMES AND/OR DEVICES MARKED WITH AN * WILL NOT BE PAID FOR SEPARATELY. ALL ITEMS WITH AN * ARE TO BE INCLUDED IN THE PAY ITEM 6169901, MISC.TEMPORARY TRAFFIC CONTROL, PER LUMP SUM.

# QUANTITIES
## SHEET 11 OF 11


STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER
THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026
ROUTE: VAR. | STATE: MO
DISTRICT: CD | SHEET NO.: 3
COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347




ALIGNMENT DIAGRAM

ROUTE Z
LOCATION 1 - FULTON

PLAN
SHEET 1 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 4 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DATE | DESCRIPTION |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

004_PP_01_Fulton_JCD0214_Plan-Alignment.dgn 4:44:21 PM 5/22/2026

SCALE
0 5 10 15

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| $ | TOWN LOCATION | * | MATCH EXISTING |
| # | POINT LOCATION | ** | 0" CURB HEIGHT |

DARREN MASEK, ET,AL.
NO TAKINGS

HIGHLAND TERRACE
LOT 7

EXIST CITY R/W

WOOD ST

EXIST CITY R/

EXIST MoDOT

EXIST MoDOT R/W

EXIST SIDEWALK (UIP)

FIELD LOCATE JOINT, TYP. (MATCH EXISTING)

6" TYPE A INTEGRAL BARRIER CURB (HEIGHT TRANSITION, 6" TO 0" AT CURB RAMP)

6' CURB RAMP

(SW)

(T)

EXIST CURB & SIDEWALK (REM)

TYPE B MODIFIED CURB & GUTTER (HEIGHT TRANSITION, 8" TO 0")

6' MIN.

2'

STA. 25+93, LT

24" PREFORMED MIDBLOCK

1-1** 1-2 1-3 1-4** 1-5

1-G1 1-G2 1-G3 1-G4

DND E E

SIGN T RISER WV UTV W G C UT PP CP 201

HIGHWAY Z

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

### SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 1-1 | 26+00.14 | 33.3' LT | 827.98 |
| 1-2 | 26+04.62 | 31.0' LT | 827.90 |
| 1-3 | 25+97.41 | 27.9' LT | 827.53 |
| 1-4 | 26+01.88 | 25.6' LT | 827.45 |
| 1-5 | 25+92.45 | 18.3' LT | 827.72 |

### EDGE / GUTTER

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 1-G1 | 26+06.23 | 30.2' LT | * |
| 1-G2 | 26+03.47 | 24.8' LT | * |
| 1-G3 | 25+98.73 | 19.0' LT | * |
| 1-G4 | 25+92.00 | 15.5' LT | * |

ROUTE Z
LOCATION 1 - FULTON

PLAN
SHEET 2 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 5 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue
816-781-6182
Kansas City, Missouri 64157
816-781-0643 (FAX)
Certificate of Authority No. 2002006347

005_PP_02-03_Fulton_JCD0214_Plan.dgn 4:44:23 PM 5/22/2026

SCALE


0 5 10 15

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| | $ TOWN LOCATION | * | MATCH EXISTING |
| | # POINT LOCATION | ** | 0" CURB HEIGHT |




CATHOLIC CHURCH, JEFF CITY.
NO TAKINGS

## SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 1-6 | 25+52.89 | 55.8' RT | 827.82 |
| 1-7 | 25+58.25 | 58.7' RT | 827.73 |
| 1-8 | 25+55.68 | 50.5' RT | 827.39 |
| 1-9 | 25+61.04 | 53.3' RT | 827.30 |
| 1-10 | 25+63.48 | 35.7' RT | 827.60 |

## EDGE / GUTTER

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 1-G5 | 25+65.63 | 35.2' RT | * |
| 1-G6 | 25+63.00 | 54.3' RT | * |
| 1-G7 | 25+60.20 | 59.7' RT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

ROUTE Z
LOCATION 1 - FULTON

PLAN
SHEET 3 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 6 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DATE | DESCRIPTION |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue 816-781-6182
Kansas City, Missouri 64157 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE
0 100 200 300

## LAND TIE
(NOT TO SCALE)

NORTH QUARTER CORNER
SECTION 25-T38N-R17W
2" ALUMINUM CAP AND 5/8" REBAR
MLS 600-111226
N 792,915.38
E 1,569,379.34

615.80'
S89°14'09"E

274.01'
S89°14'09"E

SECTION LINE

1097.74'
S00°45'51"W

740.78'
S00°45'51"W

1222.02'
S89°14'09"E

850.26'
N00°45'51"E

NE¼
SEC 25, T38N, R17W

SE¼
SEC 24, T38N, R17W

SE¼
SEC 24, T38N, R17W

SW¼
SEC 19, T38N, R16W

APPROXIMATE SECTION LINE

MATCHLINE STA. 755+34.40

MATCHLINE STA. 730+38.48

MATCHLINE STA. 755+34.40

POT STA. 548+00.00
BEGIN PROJECT #1

+38.50

+88.50

+89.54

PT STA. 756+89.54

PCC STA. 752+00.00
BEGIN PROJECT #2

POT STA. 545+00.00
END PROJECT #1

PC STA 745+09.54

PT STA 739+10.01

PC STA 730+63.34

S38°16'31"W

S73°40'55"W

BUS. HWY 5

COURT CIRCLE

ILLINOIS ST

GRANT AVE

IOWA ST

1ST ST

2ND ST

4TH ST

5TH ST

RAMP

EVANS RD

JACK CROMWELL RD

ELM TREE LANE

545

540

750

745

740

735

755

CONTROL POINT 2200

CONTROL POINT 2201

CONTROL POINT 2202

CONTROL POINT 2203

CONTROL POINT 2210

CONTROL POINT 2212

CONTROL POINT 2213

CONTROL POINT 2214

CONTROL POINT 2215

CONTROL POINT 2216

CONTROL POINT 2217

CONTROL POINT 2218

CURVE #1
PI 751+19.06
PC 745+09.54
PT 756+89.54
Δ 35°24'0.0" (LT)
D 3°0'0.0"
L 1,180.00' (ARC)
T 609.51'
R 1,909.86'

CURVE #2
PI 734+99.45
PC 730+63.34
PT 739+10.01
Δ 33°52'0.9" (RT)
D 4°0'0.0"
L 846.67' (ARC)
T 436.11'
R 1,432.39'

ALIGNMENT DIAGRAM

US 54
LOCATION 2 - CAMDENTON

PLAN
SHEET 4 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 7 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DATE | DESCRIPTION |
|---|---|

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

007_PP_04_Camdenton_JCD0214_Plan-Alignment.dgn 4:44:27 PM 5/22/2026

SCALE
0 100 200 300

SW¼ SEC 19, T38N, R16W
NW¼ SEC 19, T38N, R16W
NW¼ SEC 19, T38N, R16W
NE¼ SEC 19, T38N, R16W
¼ APPROXIMATE SECTION LINE
¼ APPROXIMATE SECTION LINE

MATCHLINE STA. 730+38.48

730
725
720
715
710
705

SKID ROW BLVD
TURNER PKWY

CONTROL POINT 2219
CONTROL POINT 2220
CONTROL POINT 2221
CONTROL POINT 2222
CONTROL POINT 2223

54

S39°48'54"W
S50°25'54"W

CURVE #3
PI 720+81.12
PC 718+14.94
PT 723+45.77
Δ 10°37'0.0" (LT)
D 2°0'0.0"
L 530.83' (ARC)
T 266.18'
R 2,864.79'

PT STA 723+45.77
PC STA 718+14.94

MATCHLINE STA. 702+75.43

19

MATCHLINE STA. 702+75.43

700
695

CECIL ST

CONTROL POINT 2224
CONTROL POINT 2225
CONTROL POINT 2226

PCT STA. 697+00.00
END PROJECT #2

615.76'
N02°00'05"E
1000.68'
N87°59'55"W
SECTION LINE
+99.12

LAND TIE
(NOT TO SCALE)

NORTHEAST CORNER
SECTION 19-T38N-R16W
3¼" DNR MONUMENT GROUDED IN STONE
MLS 600-47102
N 797,993.87
E 1,577,379.91

ALIGNMENT DIAGRAM

US 54
LOCATION 2 - CAMDENTON

PLAN
SHEET 5 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026
ROUTE VAR. | STATE MO
DISTRICT CD | SHEET NO. 8
COUNTY VARIES
JOB NO. JCD0214
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

008_PP_05_Camdenton_JCD0214_Plan-Alignment.dgn 4:44:29 PM 5/22/2026

SCALE


0 10 20 30

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| $ | TOWN LOCATION | * | MATCH EXISTING |
| # | POINT LOCATION | ** | 0" CURB HEIGHT |




NOTE:
EXISTING R/W IS OVER 100' FROM ℄ INTERSECTION.

REMOVE EXISTING PAVEMENT MARKINGS.

### EDGE / GUTTER

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 2-G1 | 546+76.42 | 38.4' LT | * |
| 2-G2 | 546+62.95 | 51.4' LT | * |
| 2-G3 | 545+58.78 | 69.3' LT | * |
| 2-G4 | 545+51.57 | 62.8' LT | * |

### SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 2-1 | 546+75.87 | 42.3' LT | 1043.25 |
| 2-2 | 546+78.65 | 51.7' LT | 1043.54 |
| 2-3 | 546+81.79 | 62.3' LT | 1044.42 |
| 2-4 | * | * | * |
| 2-5 | * | * | * |
| 2-6 | 546+83.22 | 67.1' LT | 1044.49 |
| 2-7 | * | * | * |
| 2-8 | * | * | * |
| 2-9 | 546+78.42 | 68.5' LT | 1044.42 |
| 2-10 | 546+77.00 | 63.7' LT | 1044.34 |
| 2-11 | 546+73.86 | 53.1' LT | 1043.44 |
| 2-12 | 546+66.44 | 51.6' LT | 1043.08 |
| 2-13 | 545+55.15 | 69.6' LT | 1042.45 |
| 2-14 | 545+47.79 | 76.9' LT | 1043.07 |
| 2-15 | * | * | * |
| 2-16 | * | * | * |
| 2-17 | 545+44.24 | 73.3' LT | 1042.99 |
| 2-18 | 545+51.53 | 66.2' LT | 1042.38 |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

US 54
LOCATION 2 - CAMDENTON

PLAN
SHEET 6 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |

| DISTRICT | SHEET NO. |
|---|---|
| CD | 9 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

009_PP_06_Camdenton_JCD0214_Plan.dgn 4:44:30 PM 5/22/2026

SCALE

0 5 10 15

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. fOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |

$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT

## SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 2-19 | 750+96.06 | 37.0' LT | * |
| 2-20 | 750+96.99 | 42.0' LT | * |
| 2-21 | 750+44.20 | 37.8' LT | * |
| 2-22 | 750+43.66 | 42.8' LT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.


℄ HIGHWAY 54

751

NOTE:

EXISTING R/W IS APPROXIMATELY 110' LEFT OF CENTERLINE.

EASTBOUND LANE




US 54
LOCATION 2 - CAMDENTON

PLAN
SHEET 7 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 10 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE

0 10 20 30


GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |

$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT




NOTE:
EXISTING R/W IS APPROXIMATELY 110' LEFT OF CENTERLINE.

REMOVE EXISTING PAVEMENT MARKINGS.

NOTE:
FOR ISLAND CUT THRU DETAILS, SEE TYPICAL SECTION SHEET 3.

| EDGE / GUTTER | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 2-G5 | 748+98.61 | 41.1' LT | * |
| 2-G6 | 748+76.41 | 43.0' LT | * |
| 2-G7 | 748+24.00 | 65.1' LT | * |

| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 2-23 | 748+08.05 | 49.4' LT | * |
| 2-24 | 748+03.75 | 53.5' LT | * |
| 2-25 | 748+03.26 | 44.8' LT | 995.63 |
| 2-26 | 748+00.88 | 49.0' LT | 995.69 |
| 2-27 | 747+89.96 | 44.4' LT | 995.92 |
| 2-28 | 747+93.25 | 49.1' LT | 995.84 |
| 2-29 | 747+75.38 | 53.9' LT | * |
| 2-30 | 747+78.77 | 58.9' LT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

US 54
LOCATION 2 - CAMDENTON

PLAN
SHEET 8 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |

| DISTRICT | SHEET NO. |
|---|---|
| CD | 11 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue
Kansas City, Missouri 64157
816-781-6182
816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE


0 10 20 30

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | [$-#] | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| | $ TOWN LOCATION<br># POINT LOCATION | * MATCH EXISTING<br>** 0" CURB HEIGHT | |




| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 2-31 | 740+07.30 | 42.5' LT | * |
| 2-32 | 740+06.80 | 48.4' LT | * |
| 2-33 | 739+93.18 | 40.6' LT | * |
| 2-34 | 739+96.62 | 47.0' LT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

NOTE:
REMOVE EXISTING PAVEMENT MARKINGS.

US 54
LOCATION 2 - CAMDENTON

PLAN
SHEET 9 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 12 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE


0 5 10 15

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.


## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| $ | TOWN LOCATION | * | MATCH EXISTING |
| # | POINT LOCATION | ** | 0" CURB HEIGHT |




NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISING JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 2-35 | 737+22.38 | 43.6' LT | * |
| 2-36 | 737+21.95 | 43.8' LT | 993.19 |
| 2-37 | 737+16.07 | 37.3' LT | 992.40 |
| 2-38 | 737+11.52 | 37.1' LT | 992.06 |
| 2-39 | 737+06.65 | 37.1' LT | 991.96 |
| 2-40 | * | * | * |
| 2-41 | 737+25.14 | 48.5' LT | * |
| 2-42 | 737+21.92 | 48.5' LT | 993.29 |
| 2-43 | 737+17.70 | 48.5' LT | 992.94 |
| 2-44 | 737+13.30 | 42.0' LT | 992.26 |
| 2-45 | 737+11.53 | 42.0' LT | 992.16 |
| 2-46 | 737+06.67 | 42.0' LT | 992.06 |
| 2-47 | * | * | * |




| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 2-48 | 733+99.80 | 39.3' LT | * |
| 2-49 | 733+92.13 | 39.2' LT | 982.32 |
| 2-50 | 733+83.72 | 38.4' LT | * |
| 2-51 | 733+99.96 | 44.2' LT | * |
| 2-52 | 733+91.86 | 44.2' LT | 982.37 |
| 2-53 | 733+83.16 | 43.2' LT | * |

US 54
LOCATION 2 - CAMDENTON

PLAN
SHEET 10 OF 57

SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
STATE OF MISSOURI
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 13 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue
Kansas City, Missouri 64157
816-781-6182
816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE

0 10 20 30

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. fOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| | $ TOWN LOCATION<br># POINT LOCATION | * MATCH EXISTING<br>** 0" CURB HEIGHT | |

EXIST MoDOT R/W

PP

EXIST MoDOT R/W

EXIST SIDEWALK (UIP)

6' MIN.

2'

JACK CROWELL RD

WESTBOUND LANE

WESTBOUND LANE

24" PREFORMED MIDBLOCK
(REMOVE EXIST CROSSWALK STRIPING)

NOTE:
REMOVE EXISTING PAVEMENT MARKINGS.

℄ HIGHWAY 54

EASTBOUND LANE

EASTBOUND LANE

LAKER PRIDE RD

732

731

PC STA 730+63.34

24" PREFORMED MIDBLOCK

6' MIN.

2'

EXIST SIDEWALK
(UIP)

EXIST MoDOT R/W

US 54
LOCATION 2 - CAMDENTON

PLAN
SHEET 11 OF 57

SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
STATE OF MISSOURI
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 14 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DATE | DESCRIPTION |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE


0 10 20 30

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| | $ TOWN LOCATION | * | MATCH EXISTING |
| | # POINT LOCATION | ** | 0" CURB HEIGHT |





SECTION H-H

| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 2-54 | 716+40.27 | 41.7' RT | * |
| 2-55 | 716+19.81 | 41.4' RT | 953.67 |
| 2-56 | 715+99.35 | 41.1' RT | * |
| 2-57 | 716+39.55 | 36.5' RT | * |
| 2-58 | 716+19.85 | 36.4' RT | 953.60 |
| 2-59 | 716+00.86 | 36.3' RT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

NOTE:
FOR SIDEWALK CUT THRU DETAILS, SEE TYPICAL SECTION SHEET 3.




US 54
LOCATION 2 - CAMDENTON

PLAN
SHEET 12 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 15 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

010_PP_07-15_Camdenton_JCD0214_Plan.dgn 4:44:36 PM 5/22/2026

SCALE

0 5 10 15


GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |

$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT




## SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 2-60 | * | * | * |
| 2-61 | 713+52.56 | 42.4' RT | 952.14 |
| 2-62 | 713+46.79 | 42.6' RT | 952.22 |
| 2-63 | 713+40.00 | 42.2' RT | * |
| 2-64 | * | * | * |
| 2-65 | 713+52.03 | 37.5' RT | 952.22 |
| 2-66 | 713+47.03 | 37.6' RT | 952.30 |
| 2-67 | 713+40.87 | 37.2' RT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

US 54
LOCATION 2 - CAMDENTON

PLAN
SHEET 13 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 16 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

010_PP_07-15_Camdenton_JCD0214_Plan.dgn 4:44:36 PM 5/22/2026

SCALE

0 10 20 30

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND


| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | S-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |

$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT

NOTES:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 2-68 | 703+10.45 | 53.4' RT | * |
| 2-69 | 702+90.45 | 53.8' RT | * |
| 2-70 | 703+10.37 | 48.5' RT | * |
| 2-71 | 702+90.38 | 48.8' RT | * |
| 2-72 | 702+10.47 | 55.1' RT | * |
| 2-73 | 701+90.47 | 55.3' RT | * |
| 2-74 | 702+10.39 | 50.2' RT | * |
| 2-75 | 701+90.39 | 50.4' RT | * |




US 54
LOCATION 2 - CAMDENTON

PLAN
SHEET 14 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 17 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue 816-781-6182
Kansas City, Missouri 64157 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE

0 10 20 30


GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | S-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |

$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT




US 54
LOCATION 2 - CAMDENTON

PLAN
SHEET 15 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 18 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.


DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue 816-781-6182
Kansas City, Missouri 64157 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

010_PP_07-15_Camdenton_JCD0214_Plan.dgn 4:44:38 PM 5/22/2026





PI 980+08.29
PC 979+23.51
PT 980+92.95
Δ 5°4'57.4" (LT)
D 2°59'58.8"
L 169.44' (ARC)
T 84.78'
R 1,910.08'

PI 985+95.79
PC 985+54.18
PT 986+37.38
Δ 2°29'44.4" (LT)
D 2°59'58.8"
L 83.20' (ARC)
T 41.61'
R 1,910.08'




SURVEY NOTE:
A PORTION OF THIS PROJECT IS WITHIN SECTION 11-T37N-R02E BUT NO MONUMENTS WERE FOUND TO ESTABLISH THE SECTION. A PORTION OF THIS PROJECT IS WITHIN UNITED STATES SURVEY 1848 BUT NO MONUMENTS WERE FOUND TO ESTABLISH THE SURVEY. A PORTION OF THE PROJECT IS WITHIN UNITED STATES SURVEY 430, LOCATED CORNER NO. 2 MLS 600-96807. THE BASELINE IS TIED TO CORNER NO. 2.




ALIGNMENT DIAGRAM

MO 8
LOCATION 3 - POTOSI

PLAN
SHEET 16 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 19 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DATE | DESCRIPTION |
|---|---|

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347


GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| $ TOWN LOCATION<br># POINT LOCATION | | * MATCH EXISTING<br>** 0" CURB HEIGHT | |

SCALE
0 5 10 15




MODIFIED PAVED APPROACH:


1) SEE PLAN 608.00 FOR STANDARD CONSTRUCTION DETAILS.
2) MODIFICATIONS TO STANDARD PLAN DETAILS INCLUDE THE FOLLOWING:
   - INTEGRAL CURB IS NOT REQUIRED ON PAVED APPROACH.
   - TRANSITION WIDTH = 8 FEET.
   - LOCATION OF CONSTRUCTION JOINTS SHALL COMPLY WITH STANDARD PLAN 608.00.
   - PROVIDE ½" EXPANSION JOINT MATERIAL AT SAWCUT JOINTS.
3) FIELD ADJUST TO EXISTING CONDITIONS (AS REQUIRED) PER ENGINEER APPROVAL.




SECTION I-I

| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 3-1 | 978+29.42 | 29.1' RT | * |
| 3-2 | 978+41.33 | 20.0' RT | 890.75 |
| 3-3 | 978+43.90 | 25.2' RT | 890.67 |
| 3-4 | 978+68.30 | 20.3' RT | 891.32 |
| 3-5 | 978+65.78 | 25.9' RT | 891.20 |
| 3-6 | 978+80.42 | 29.1' RT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSED, AS REQUIRED.




MO 8
LOCATION 3 - POTOSI

PLAN
SHEET 17 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 20 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

SCALE
0 5 10 15





## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| $ | TOWN LOCATION | * | MATCH EXISTING |
| # | POINT LOCATION | ** | 0" CURB HEIGHT |

## SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 3-9 | 984+13.87 | 21.5' LT | * |
| 3-10 | 984+21.79 | 21.3' LT | * |
| 3-11 | 984+13.73 | 14.1' LT | * |
| 3-12 | 984+21.65 | 13.9' LT | * |
| 3-13 | 984+12.52 | 14.6' RT | * |
| 3-14 | 984+22.19 | 14.6' RT | * |
| 3-15 | 984+12.55 | 22.9' RT | * |
| 3-16 | 984+22.22 | 22.8' RT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.




TYPICAL SECTION
J MODIFIED TYPE A GUTTER W/STEEL PLATE

MO 8
LOCATION 3 - POTOSI

PLAN
SHEET 18 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 21 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue
Kansas City, Missouri 64157
816-781-6182
816-781-0643 (FAX)
Certificate of Authority No. 2002006347


021_PP_18_Potosi_JCD0214_Plan.dgn 4:44:42 PM 5/22/2026

SCALE

0 5 10 15

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.




## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |

$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT

## SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 3-17 | 994+23.78 | 16.7' LT | * |
| 3-18 | 994+23.72 | 20.9' LT | 899.15 |
| 3-19 | 994+23.65 | 25.9' LT | 899.22 |
| 3-20 | 994+29.98 | 26.0' LT | 899.32 |
| 3-21 | 994+39.98 | 26.1' LT | * |
| 3-22 | 994+40.05 | 21.1' LT | * |
| 3-23A | 994+30.05 | 21.0' LT | 899.24 |
| 3-23B | 994+30.11 | 16.8' LT | * |
| 3-23C | 994+22.61 | 29.0' LT | * |
| 3-23D | 994+29.93 | 29.0' LT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FEILD ADJUSTED, AS REQUIRED.

MO 8
LOCATION 3 - POTOSI

PLAN
SHEET 19 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 22 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE

0 5 10 15


GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |


$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT




| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 3-24 | 1001+69.41 | 20.5' LT | * |
| 3-25 | 1001+72.40 | 25.4' LT | 910.07 |
| 3-26 | 1001+69.40 | 25.4' RT | * |
| 3-27 | 1001+72.39 | 31.5' LT | * |
| 3-28 | 1001+78.24 | 31.6' LT | * |
| 3-29 | 1001+84.38 | 25.4' LT | 910.10 |
| 3-30 | 1001+78.26 | 20.4' LT | 910.07 |
| 3-31 | 1001+78.25 | 25.4' LT | 910.15 |
| 3-32 | 1001+72.41 | 20.5' LT | 910.00 |
| 3-33 | 1001+59.32 | 18.0' RT | 908.43 |
| 3-34 | 1001+73.25 | 17.8' RT | 908.52 |
| 3-35 | 1001+78.25 | 17.8' RT | 908.57 |
| 3-36 | 1001+85.75 | 17.8' RT | * |
| 3-37 | 1001+55.00 | 23.3' RT | * |
| 3-38 | 1001+73.25 | 23.3' RT | 908.62 |
| 3-39 | 1001+78.25 | 23.3' RT | 908.67 |
| 3-40 | 1001+85.75 | 22.8' RT | * |
| 3-41 | | | |
| 3-42 | | | |

| EDGE / GUTTER | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 3-G1 | 1001+59.32 | 16.0' RT | * |
| 3-G2 | 1001+73.25 | 16.1' RT | * |
| 3-G3 | 1001+78.25 | 16.2' RT | * |
| 3-G4 | 1001+84.20 | 16.2' RT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.




SECTION J-J

MO 8
LOCATION 3 - POTOSI

PLAN
SHEET 20 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 23 |

COUNTY VARIES

JOB NO. JCD0214

CONTRACT ID.


PROJECT NO.

BRIDGE NO.

| DATE | DESCRIPTION |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347




ALIGNMENT DIAGRAM

MO 89
LOCATION 4 - BELLE

PLAN
SHEET 21 OF 57


SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
STATE OF MISSOURI
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.


DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 24 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.


| DESCRIPTION | DATE |
|---|---|
| | |


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue 816-781-6182
Kansas City, Missouri 64157 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS HAVE NOT CHANGED PRIOR TO ANY CONSTRUCTION. ADJUSTMENTS NECESSARY TO MATCH CURRENT EXISTING FIELD CONDITIONS MAY BE MADE AFTER DISCUSSIONS AND APPROVAL BY THE ENGINEER PRIOR TO CONSTRUCTION.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ALL CURBS, HEADWALLS, RAMPS, LANDINGS, SIDEWALKS, ETC., SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLAN SHEETS. SEE DETAILS SHOWN ON THE SPECIAL SHEETS AND STANDARD PLAN 608.00, 608.30 & 608.50 FOR ADDITIONAL INFORMATION.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED. SEE REMOVAL OF IMPROVEMENT QUANTITIES FOR LOCATIONS.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU G" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SHALL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.




## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |

$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT

SCALE 0 5 10 15

## SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 4-1 | * | * | * |
| 4-2 | 905+16.10 | 29.8' RT | 1039.31 |
| 4-3 | 905+14.42 | 29.8' RT | 1039.33 |
| 4-4 | * | * | * |
| 4-5 | 905+14.47 | 22.0' RT | 1039.25 |
| 4-6 | 905+19.47 | 22.1' RT | 1039.20 |
| 4-7 | 905+28.71 | 22.1' RT | 1039.3± |
| 4-8 | 905+21.19 | 24.1' RT | 1039.21 |
| 4-9 | 905+28.69 | 24.9' RT | 1039.3± |
| 4-10 | 905+28.65 | 29.9' RT | 1039.3± |
| 4-11 | 905+21.15 | 29.8' RT | 1039.26 |
| 4-12 | - | - | - |
| 4-13 | 905+10.97 | 25.9' LT | * |
| 4-14 | 905+11.01 | 30.9' LT | * |
| 4-15 | 905+16.69 | 25.9' LT | 1039.44 |
| 4-16 | 905+16.73 | 30.9' LT | 1039.49 |
| 4-17 | 905+16.80 | 40.4' LT | * |
| 4-18 | 905+19.94 | 40.4' LT | * |
| 4-19 | 905+21.51 | 30.9' LT | 1039.42 |
| 4-20 | 905+24.93 | 30.8' LT | 1039.13 |
| 4-21 | 905+24.95 | 25.8' LT | 1039.23 |
| 4-22 | 905+21.47 | 25.9' LT | 1039.37 |
| 4-23 | 905+21.44 | 21.6' LT | 1039.31 |
| 4-24 | 905+16.65 | 21.4' LT | 1039.39 |
| 4-25 | 905+62.39 | 29.7' RT | 1039.19 |
| 4-26 | 905+62.44 | 24.7' RT | 1039.21 |
| 4-27 | 905+68.24 | 24.7' RT | 1039.08 |
| 4-28 | 905+68.25 | 22.3' RT | 1038.88 |
| 4-29 | 905+73.27 | 22.4' RT | 1038.83 |
| 4-30 | 905+73.24 | 24.8' RT | 1039.03 |
| 4-31 | 905+78.24 | 24.9' RT | * |
| 4-32 | 905+78.19 | 29.8' RT | * |
| 4-33 | 905+73.19 | 29.8' RT | 1039.09 |
| 4-34 | 905+73.17 | 34.9' RT | * |
| 4-35 | 905+68.20 | 34.8' RT | * |
| 4-36 | 905+68.19 | 29.7' RT | 1039.13 |
| 4-37 | 905+60.51 | 25.0' LT | 1039.30 |
| 4-38 | 905+60.56 | 30.0' LT | 1039.18 |
| 4-39 | 905+68.28 | 29.9' LT | 1039.07 |
| 4-40 | 905+69.08 | 29.9' LT | 1039.09 |
| 4-41 | 905+69.13 | 35.2' LT | * |
| 4-42 | 905+73.33 | 35.1' LT | * |
| 4-43 | 905+73.28 | 29.8' LT | 1039.13 |
| 4-44 | 905+78.28 | 29.8' LT | * |
| 4-45 | 905+78.22 | 24.8' LT | * |
| 4-46 | 905+73.23 | 24.8' LT | 1039.20 |
| 4-47 | 905+73.20 | 21.9' LT | 1039.25 |
| 4-48 | 905+68.20 | 22.0' LT | 1039.18 |
| 4-49 | 905+68.23 | 24.9' LT | 1039.14 |

## EDGE / GUTTER

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 4-G1 | 905+26.46 | 31.0' LT | 1039.1± |
| 4-G2 | 905+26.46 | 26.0' LT | 1039.2± |
| 4-G3 | 905+19.90 | 19.9' LT | 1039.3± |
| 4-G4 | 905+16.65 | 19.9' LT | 1039.4± |
| 4-G5 | - | - | - |
| 4-G6 | - | - | - |
| 4-G7 | 905+60.37 | 31.8' RT | * |
| 4-G8 | 905+60.39 | 29.7' RT | 1039.17 |
| 4-G9 | 905+60.44 | 24.7' RT | 1039.19 |
| 4-G10 | 905+62.49 | 19.7' RT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

MO 89
LOCATION 4 - BELLE


PLAN
SHEET 22 OF 57



SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER
STATE OF MISSOURI
THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.


DATE PREPARED 05/18/2026
ROUTE VAR. | STATE MO
DISTRICT CD | SHEET NO. 25
COUNTY VARIES
JOB NO. JCD0214
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION | DATE


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)
MoDOT
VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006047





## LEGEND


| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| | $ TOWN LOCATION<br># POINT LOCATION | * MATCH EXISTING<br>** 0" CURB HEIGHT | |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS HAVE NOT CHANGED PRIOR TO ANY CONSTRUCTION. ADJUSTMENTS NECESSARY TO MATCH CURRENT EXISTING FIELD CONDITIONS MAY BE MADE AFTER DISCUSSIONS AND APPROVAL BY THE ENGINEER PRIOR TO CONSTRUCTION.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ALL CURBS, HEADWALLS, RAMPS, LANDINGS, SIDEWALKS, ETC., SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLAN SHEETS. SEE DETAILS SHOWN ON THE SPECIAL SHEETS AND STANDARD PLAN 608.00, 608.30 & 608.50 FOR ADDITIONAL INFORMATION.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED. SEE REMOVAL OF IMPROVEMENT QUANTITIES FOR LOCATIONS.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU G" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SHALL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.




## EDGE / GUTTER

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 4-G19 | 909+15.57 | 19.3' RT | * |
| 4-G20 | 909+19.68 | 19.3' RT | * |
| 4-G21 | 909+23.93 | 19.3' RT | * |
| 4-G22 | 909+28.93 | 19.3' RT | * |
| 4-G23 | 909+34.93 | 24.9' RT | * |
| 4-G24 | 909+34.84 | 29.9' RT | * |
| 4-G25 | 909+34.81 | 31.5' RT | * |
| 4-G26 | 909+34.74 | 35.3' RT | * |
| 4-G27 | 909+34.62 | 42.0' RT | * |
| 4-G28 | 909+37.56 | 29.8' LT | * |
| 4-G29 | 909+37.56 | 24.8' LT | 1033.03 |
| 4-G30 | 909+30.40 | 19.7' LT | 1033.09 |
| 4-G31 | 909+25.40 | 19.7' LT | * |

## SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 4-50 | 909+23.94 | 42.0' RT | * |
| 4-51 | 909+28.92 | 29.8' RT | 1033.00 |
| 4-52 | 909+23.96 | 29.8' RT | 1033.10 |
| 4-53 | 909+15.56 | 29.8' RT | * |
| 4-54 | 909+15.57 | 24.8' RT | * |
| 4-55 | 909+23.93 | 24.8' RT | 1033.10 |
| 4-56 | 909+23.93 | 22.3' RT | 1032.90 |
| 4-57 | 909+28.93 | 24.8' RT | 1033.00 |
| 4-58 | 909+28.93 | 22.3' RT | 1032.85 |
| 4-59 | 909+31.93 | 24.8' RT | 1032.75 |
| 4-60 | 909+31.83 | 29.8' RT | 1032.75 |
| 4-61 | 909+28.91 | 42.0' RT | * |
| 4-62 | 909+19.41 | 24.9' LT | * |
| 4-63 | 909+19.41 | 29.9' LT | * |
| 4-64 | 909+25.42 | 29.8' LT | 1033.25 |
| 4-65 | 909+25.42 | 35.8' LT | * |
| 4-66 | 909+30.36 | 35.8' LT | * |
| 4-67 | 909+30.40 | 29.8' LT | 1033.30 |
| 4-68 | 909+35.56 | 29.8' LT | 1033.15 |
| 4-69 | 909+35.56 | 24.8' LT | 1033.10 |
| 4-70 | 909+30.40 | 21.7' LT | 1033.05 |
| 4-71 | 909+30.40 | 24.8' LT | 1033.25 |
| 4-72 | 909+25.40 | 21.7' LT | 1033.00 |
| 4-73 | 909+25.40 | 24.8' LT | 1033.20 |
| 4-74 | 909+72.33 | 24.0' LT | 1032.25 |
| 4-75 | 909+72.33 | 29.0' LT | 1032.15 |
| 4-76 | 909+77.07 | 29.0' LT | 1032.50 |
| 4-77 | 909+78.07 | 29.0' LT | 1032.52 |
| 4-78 | 909+78.07 | 34.5' LT | * |
| 4-79 | 909+82.03 | 34.5' LT | * |
| 4-80 | 909+82.07 | 29.0' LT | 1032.55 |
| 4-81 | 909+87.07 | 29.0' LT | * |
| 4-82 | 909+87.07 | 24.0' LT | * |
| 4-83 | 909+82.07 | 24.0' LT | 1032.50 |
| 4-84 | 909+82.07 | 21.7' LT | 1032.45 |
| 4-85 | 909+77.07 | 21.7' LT | 1032.40 |
| 4-86 | 909+77.07 | 24.0' LT | 1032.45 |

MO 89
LOCATION 4 - BELLE


PLAN
SHEET 23 OF 57

SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER
STATE OF MISSOURI
THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026
ROUTE VAR. | STATE MO
DISTRICT CD | SHEET NO. 26
COUNTY VARIES
JOB NO. JCD0214
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)
VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347




ALIGNMENT DIAGRAM

BUSINESS 50
LOCATION 5 - CALIFORNIA

PLAN
SHEET 24 OF 57

SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
STATE OF MISSOURI
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 27 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.


BRIDGE NO.

| DATE | DESCRIPTION |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

027_PP_24_California_JCD0214_Plan-Alignment.dgn 4:44:52 PM 5/22/2026




## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| | $ TOWN LOCATION<br># POINT LOCATION | * MATCH EXISTING<br>** 0" CURB HEIGHT | |

SCALE
0 5 10 15

| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 5-1 | 362+90.82 | 29.0' LT | 886.18 |
| 5-2 | 362+95.82 | 29.0' LT | 886.13 |
| 5-3 | 362+99.84 | 29.0' LT | 886.01 |
| 5-4 | 363+06.31 | 29.0' LT | 886.00 |
| 5-5 | 362+90.84 | 24.0' LT | 886.13 |
| 5-6 | 362+95.84 | 24.0' LT | 886.08 |
| 5-7 | 362+99.86 | 24.0' LT | 885.95 |
| 5-8 | 363+05.86 | 24.0' LT | 885.78 |
| 5-9 | 362+90.86 | 19.6' LT | 885.95 |
| 5-10 | 362+95.86 | 19.6' LT | 885.88 |
| 5-11 | 363+38.90 | 29.0' LT | 886.31 |
| 5-12 | 363+42.48 | 29.0' LT | 886.08 |
| 5-13 | 363+47.48 | 29.0' LT | 886.13 |
| 5-14 | 363+39.56 | 24.0' LT | 886.10 |
| 5-15 | 363+42.62 | 24.0' LT | 886.03 |
| 5-16 | 363+47.62 | 24.0' LT | 886.08 |
| 5-17 | 363+42.70 | 20.5' LT | 885.86 |
| 5-18 | 363+47.70 | 19.7' LT | 885.73 |

| EDGE / GUTTER | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 5-G1 | 363+08.85 | 30.4' LT | * |
| 5-G2 | 362+90.86 | 16.6' LT | * |
| 5-G3 | 363+36.69 | 29.0' LT | * |
| 5-G4 | 363+47.73 | 17.4' LT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. fOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SHALL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

BUSINESS 50
LOCATION 5 - CALIFORNIA

PLAN
SHEET 25 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER
THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 28 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 5-19 | 362+92.01 | 19.6' RT | * |
| 5-20 | 362+97.01 | 19.5' RT | * |
| 5-21 | 362+97.12 | 23.9' RT | 885.80 |
| 5-22 | 363+00.04 | 23.8' RT | 885.57 |
| 5-23 | 363+05.04 | 23.7' RT | 885.52 |
| 5-24 | 363+06.45 | 21.4' RT | * |
| 5-25 | 363+08.20 | 23.6' RT | 885.40 |
| 5-26 | 363+08.81 | 28.6' RT | 885.20 |
| 5-27 | 363+05.17 | 28.7' RT | 885.47 |
| 5-28 | 363+00.17 | 28.8' RT | 885.52 |
| 5-29 | 362+97.26 | 28.9' RT | 885.75 |
| 5-30 | 362+92.26 | 29.0' RT | 885.80 |
| 5-31 | 362+92.12 | 24.0' RT | 885.85 |
| 5-32 | 363+43.69 | 19.9' RT | 885.58 |
| 5-33 | 363+48.59 | 19.1' RT | 885.68 |
| 5-34 | 363+48.69 | 23.7' RT | 885.52 |
| 5-35 | 363+48.69 | 28.7' RT | 885.60 |
| 5-36 | 363+43.69 | 28.7' RT | 885.52 |
| 5-37 | 363+39.79 | 28.7' RT | * |
| 5-38 | 363+40.26 | 23.7' RT | 885.38 |
| 5-39 | 363+43.69 | 23.7' RT | 885.45 |

| EDGE / GUTTER | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 5-G5 | 363+07.91 | 19.4' RT | * |
| 5-G6 | 363+11.30 | 32.6' RT | * |
| 5-G7 | 363+37.72 | 28.7' RT | * |
| 5-G8 | 363+48.54 | 17.1' RT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.


SCALE
0 5 10 15

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| $ | TOWN LOCATION | * | MATCH EXISTING |
| # | POINT LOCATION | ** | 0" CURB HEIGHT |

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. for ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SHALL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.




BUSINESS 50
LOCATION 5 - CALIFORNIA

PLAN
SHEET 26 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 29 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.


BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

028_PP_25-27_California_JCD0214_Plan.dgn 4:44:54 PM 5/22/2026




## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| | $ TOWN LOCATION | * | MATCH EXISTING |
| | # POINT LOCATION | ** | 0" CURB HEIGHT |

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SHALL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

### SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 5-40 | 369+88.21 | 29.4' LT | 892.10 |
| 5-41 | 369+93.83 | 32.5' LT | * |
| 5-42 | 369+93.81 | 29.5' LT | 891.97 |
| 5-43 | 369+93.39 | 24.5' LT | 891.79 |
| 5-44 | 369+88.21 | 24.4' LT | 892.05 |
| 5-45 | 369+86.46 | 24.3' LT | 892.07 |
| 5-46 | 369+86.58 | 19.9' LT | 891.94 |
| 5-47 | 369+81.58 | 19.9' LT | 892.03 |
| 5-48 | 369+78.58 | 19.9' LT | * |
| 5-49 | 369+81.46 | 24.3' LT | 892.12 |
| 5-50 | 369+81.32 | 29.3' LT | 892.17 |
| 5-51 | 369+84.21 | 29.3' LT | 892.14 |
| 5-52 | 369+81.08 | 19.1' RT | 891.84 |
| 5-53 | 369+86.08 | 19.7' RT | 891.62 |
| 5-54 | 369+86.08 | 23.7' RT | 891.36 |
| 5-55 | 369+88.58 | 24.6' RT | 891.25 |
| 5-56 | 369+86.08 | 24.6' RT | 891.36 |
| 5-57 | 369+88.58 | 28.6' RT | 891.06 |
| 5-58 | 369+86.08 | 28.6' RT | 891.26 |
| 5-59 | 369+81.08 | 28.6' RT | 891.36 |
| 5-60 | 369+81.08 | 24.6' RT | 891.46 |
| 5-61 | 369+81.08 | 23.6' RT | 891.46 |

### EDGE / GUTTER

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 5-G9 | 369+95.75 | 32.6' LT | * |
| 5-G10 | 369+78.64 | 17.8' LT | * |
| 5-G11 | 369+79.29 | 16.6' RT | * |
| 5-G12 | 369+91.08 | 28.6' RT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

BUSINESS 50
LOCATION 5 - CALIFORNIA

PLAN
SHEET 27 OF 57


STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER
THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.


DATE PREPARED 05/18/2026


| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 30 |

COUNTY VARIES
JOB NO. JCD0214
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)
MoDOT

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347




ALIGNMENT DIAGRAM

ROUTE K
LOCATION 6 - CHAMOIS

PLAN
SHEET 28 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 31 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE

0 5 10 15


GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |

$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT




| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 6-1 | * | * | * |
| 6-2 | * | * | * |
| 6-3 | 8+79.65 | 11.4' LT | * |
| 6-4 | 8+84.64 | 11.3' LT | * |
| 6-5 | 8+80.10 | 10.5' RT | * |
| 6-6 | 8+85.09 | 10.3' RT | * |
| 6-7 | 0+24.69 | 8.5' LT | * |
| 6-8 | 0+19.69 | 8.5' LT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

MODIFY TRUNCATED DOME SHAPE TO MATCH FIELD CONDITIONS.

ROUTE K
LOCATION 6 - CHAMOIS

PLAN
SHEET 29 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 32 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |

$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT

SCALE
0 5 10 15

3
FOX, MARIANNE OLSON
93.0 SF. TEMP. ESM'T.
0.24 AC. REMAINING

4
INGRAM, WILLIAM S & MELANIE
94.6 SF. TEMP. ESM'T.
0.27 AC. REMAINING

5
SOUTH, CHRISTOPHER J
128.5 SF. TEMP. ESM'T.
0.23 AC. REMAINING

CHAMOIS INDUSTRIAL DEVELOPMENT CORPORATION
NO TAKINGS

S MARKET STREET

3RD STREET K

EXIST CITY R/W

EXIST SIDEWALK (UIP)

FIELD LOCATE JOINT, SAWCUT, AS REQ'D.

CURB RAMP

EXIST SIDEWALK (REM) SEED/MULCH

EXIST STORM SEWER, ADJUST AS REQUIRED

DETECTABLE WARNING PANEL, TYP.

NOTE:
CURB RAMP GRADES WILL NOT MEET ADA STANDARDS. USE GRADE EXCEPTION, 15 ' MIN. LENGTH RAMPS.

TRANSITION AREAS TO BE CONSTRUCTED TO FIELD CONDITIONS. GRADES MAY OR MAY NOT MEET ADA STANDARDS. EXCEPTIONS REQUIRED.

24" PREFORMED MIDBLOCK

CONCRETE PAVEMENT

EXIST CROSSING (UIP)

EXIST SIDEWALK (REM)

EXIST SIDEWALK (UIP)

S79°38'02"W

STA. 2+27, 12' RT

STA. 2+76, 13' LT

EXTST CITY R/W

## SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 6-9 | * | * | * |
| 6-10 | * | * | * |
| 6-11 | * | * | * |
| 6-12 | 2+69.16 | 18.5' RT | 542.29 |
| 6-13 | 2+64.16 | 18.6' RT | 542.19 |
| 6-14 | 2+60.98 | 18.6' RT | * |
| 6-15 | * | * | * |
| 6-16 | 2+69.10 | 13.5' RT | 542.39 |
| 6-17 | 2+69.08 | 11.2' RT | * |
| 6-18 | * | * | * |
| 6-19 | * | * | * |
| 6-20 | 2+40.97 | 18.8' RT | * |
| 6-21 | 2+34.60 | 18.9' RT | 542.57 |
| 6-22 | 2+29.60 | 18.9' RT | 542.67 |
| 6-23 | * | * | * |
| 6-24 | 2+29.57 | 13.9' RT | 542.77 |
| 6-25 | * | * | * |
| 6-26 | 2+29.54 | 10.1' RT | * |
| 6-27 | 2+69.85 | 10.2' LT | * |
| 6-28 | 2+64.85 | 10.2' LT | * |
| 6-29 | * | * | * |
| 6-30 | 2+69.86 | 15.3' LT | 543.11 |
| 6-31 | 2+64.86 | 15.3' LT | 543.16 |
| 6-32 | 2+57.75 | 15.5' LT | * |
| 6-33 | * | * | * |
| 6-34 | 2+69.88 | 20.3' LT | 543.06 |
| 6-35 | 2+64.88 | 20.3' LT | 543.11 |
| 6-36 | 2+57.93 | 20.7' LT | * |
| 6-37 | * | * | * |
| 6-38 | * | * | * |
| 6-39 | 2+34.86 | 12.4' LT | * |
| 6-40 | 2+29.68 | 10.2' LT | * |
| 6-41 | * | * | * |
| 6-42 | * | * | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

ROUTE K
LOCATION 6 - CHAMOIS

PLAN
SHEET 30 OF 57

SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
STATE OF MISSOURI
PROFESSIONAL ENGINEER
THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026
ROUTE VAR. | STATE MO
DISTRICT CD | SHEET NO. 33
COUNTY VARIES
JOB NO. JCD0214
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE

0 5 10 15


GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | S-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |

$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT




NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

### SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 6-43 | * | * | * |
| 6-44 | 5+14.68 | 18.5' RT | 541.50 |
| 6-45 | 5+05.33 | 18.3' RT | * |
| 6-46 | - | - | - |
| 6-47 | * | * | * |
| 6-48 | - | - | - |
| 6-49 | 5+14.77 | 11.0' RT | * |
| 6-50 | - | - | - |
| 6-51 | 4+87.90 | 18.2' RT | * |
| 6-52 | 4+73.70 | 18.0' RT | 543.10 |
| 6-53 | * | * | * |
| 6-54 | - | - | - |
| 6-55 | 4+73.77 | 13.0' RT | 543.05 |
| 6-56 | * | * | * |
| 6-57 | - | - | - |
| 6-58 | 4+73.80 | 10.5' RT | * |
| 6-59 | 5+13.18 | 9.6' LT | * |
| 6-60 | 5+08.18 | 9.7' LT | * |
| 6-61 | * | * | * |
| 6-62 | * | * | * |
| 6-63 | 4+79.08 | 10.1' LT | * |
| 6-64 | 4+74.08 | 10.2' LT | * |
| 6-65 | * | * | * |
| 6-66 | * | * | * |

SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
STATE OF MISSOURI
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026
ROUTE: VAR.
STATE: MO
DISTRICT: CD
SHEET NO.: 34
COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue 816-781-6182
Kansas City, Missouri 64157 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

ROUTE K
LOCATION 6 - CHAMOIS

PLAN
SHEET 31 OF 57

SCALE

0 5 10 15

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |

$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT

MINOR, ANTHONY & MARY
NO TAKINGS

EXIST CITY R/W

SIGN

SIGN

| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 6-67 | * | * | * |
| 6-68 | * | * | * |
| 6-69 | 7+04.90 | 12.2' RT | * |
| 6-70 | 6+99.90 | 12.2' RT | * |
| 6-71 | 7+61.92 | 24.6' RT | 534.90 |
| 6-72 | 7+61.86 | 14.8' RT | * |
| 6-73 | 7+66.86 | 19.5' RT | 535.10 |
| 6-74 | 7+66.86 | 14.7' RT | * |
| 6-75 | * | * | * |
| 6-76 | * | * | * |
| 6-77 | 7+04.65 | 10.3' LT | * |
| 6-78 | 6+99.66 | 9.8' LT | * |
| 6-79 | 7+14.60 | 14.8' LT | * |
| 6-80 | 7+04.61 | 14.7' LT | 535.40 |
| 6-81 | 6+99.61 | 14.6' LT | 535.45 |
| 6-82 | * | * | * |
| 6-83 | 7+23.96 | 19.9' LT | * |
| 6-84 | 7+14.55 | 19.8' LT | 535.15 |
| 6-85 | 7+04.55 | 19.7' LT | 535.45 |
| 6-86 | 6+99.55 | 19.6' LT | 535.50 |
| 6-87 | * | * | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FELD ADJUSTED, AS REQUIRED.

EXIST CULVERT (UIP)

REMOVE EXIST SIDEWALK AT ALL NEW SIDEWALK LOCATIONS, TYP.

6-71 9'± 6-72

CURB RAMP

5'

(SW)

11'±

6-73 (DND)

6-74

DETECTABLE WARNING PANEL, TYP.

6-75 5' 6-76

FIELD LOCATE, MATCH JOINT, SAWCUT.

EXIST SIDEWALK (UIP)

EXIST CITY R/W

WOLFE, CHEYANNA L & HUNTER J SCHULER
NO TAKINGS

POT STA 7+44.79
ANGLE BREAK

S10°02'37"E

VINE STREET

24" PREFORMED MIDBLOCK

2'

6'

6-83

EXIST CITY R/W

STA. 7+70, 20' LT

(DND)

HANNIS, KAY S
NO TAKINGS

EXIST CITY R/W

FIELD LOCATE. SIDEWALK, MATCH EXIST.

STORM

EXIST SIDEWALK (UIP)

6-68

6-67 CURB RAMP 5'± 6-70

6-69

5'

12

STA. 6+95, 14' RT

DETECTABLE WARNING PANEL, TYP.

6'

24" PREFORMED MIDBLOCK

3RD STREET K

S79°38'02"W

7'

REMOVE EXIST SIDEWALK AT ALL NEW SIDEWALK LOCATIONS, TYP.

6-77 6-78

FIELD LOCATE JOINT. MATCH EXIST. SAWCUT. TYP.

A

6-79 6-80 CURB RAMP 5'± 6-81 6-82

5' (T) 5' (SW) 5' (L) (SW) 10'± 5' EXIST SIDEWALK (UIP)

9.4'± +19.91 20.00' LT. 6-84 10' 6-85 5' 6-86 A 6-87

EXIST CITY R/W +84.13 20.00' LT.

T.C.E.

T.C.E. +19.91 25.00' LT. +84.13 25.00' LT.

13

6

BAKER, MARVIN E & ALVERNA TRUST
179.0 SF. TEMP. ESM'T.
0.20 AC. REMAINING

ROUTE K
LOCATION 6 - CHAMOIS

PLAN
SHEET 32 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026

ROUTE VAR. | STATE MO

DISTRICT CD | SHEET NO. 35

COUNTY VARIES

JOB NO. JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

032_PP_29-36_Chamois_JCD0214_Plan.dgn 4:45:02 PM 5/22/2026

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| $ TOWN LOCATION<br># POINT LOCATION | | * MATCH EXISTING<br>** 0" CURB HEIGHT | |

SCALE
0 5 10 15

| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 6-88 | * | * | * |
| 6-89 | * | * | * |
| 6-90 | 10+59.53 | 8.5' LT | * |
| 6-91 | 10+64.53 | 8.5' LT | * |
| 6-92 | * | * | * |
| 6-93 | * | * | * |
| 6-94 | 9+87.89 | 18.6' RT | 538.45 |
| 6-95 | 9+89.26 | 23.6' RT | 538.40 |
| 6-96 | 10+08.57 | 18.5' RT | 538.85 |
| 6-97 | 10+07.26 | 23.5' RT | 538.80 |
| 6-98 | 10+25.88 | 18.4' RT | 539.25 |
| 6-99 | 10+27.26 | 23.4' RT | 539.30 |
| 6-100 | 10+43.56 | 18.3' RT | 539.50 |
| 6-101 | 10+42.26 | 23.3' RT | 539.55 |
| 6-102 | 10+59.66 | 12.8' RT | * |
| 6-103 | 10+59.70 | 18.2' RT | 539.55 |
| 6-104 | 10+59.73 | 23.2' RT | 539.60 |
| 6-105 | 10+64.66 | 12.8' RT | * |
| 6-106 | 10+64.70 | 18.1' RT | 539.60 |
| 6-107 | 10+64.73 | 23.1' RT | 539.65 |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

SLUSSER, DELBERT GUY
NO TAKINGS

EXIST CITY R/W

4TH STREET

TILLY, NEIL J & VERNON & ALICE TILLY
NO TAKINGS

EXIST MoDOT R/W

FIELD LOCATE. SIDEWALK, MATCH EXIST.

EXIST SIDEWALK (UIP)

6-88 6-89 6-90 6-91 5' CURB RAMP 7'± (DND) (14)

STA. 10+70, 11' LT

24" PREFORMED MIDBLOCK

10+50

VINE STREET K

S10°02'37"E

STA. 10+55, 15' RT

6' 2'

1/4 SECTION LINE

MATCHLINE STA. 10+88.81

FIELD LOCATE E/PAVEMENT. MATCH EXIST.

ASPHALT PATCH, TYP. SEE SPECIFICATIONS.

(DND)

6-94 6-96 6-98 6-100 6-102 6-105 6-103 6-106 6-92 6-93 6-95 6-97 6-99 6-101 6-104 6-107

5' MODIFIED P.A. -2% 5' -1%

R=10' GRASS

MODIFIED P.A. 5' -2% 5' -1%

(SW) 5' (SW) 5' (SW) 5' (L) (SW)

EXIST SIDEWALK (UIP) 5'

19'± 18' 20' 15' 17.5' 5'

(15) CURB RAMP

DETECTABLE WARNING PANEL, TYP.

FIELD LOCATE, MATCH JOINT, SAWCUT.

40' @ +1.6%

18' STREET

THOMAS FAMILY ENTERPRISES LLC
MORTON'S FUNERAL HOME INC
NO TAKINGS

ST. JOHNS UNITED CHURCH OF CHRIST
NO TAKINGS

ROUTE K
LOCATION 6 - CHAMOIS

PLAN
SHEET 33 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 36 |

COUNTY VARIES
JOB NO. JCD0214
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE

0 5 10 15

| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 6-108 | 11+04.70 | 17.9' RT | 540.20 |
| 6-109 | 11+04.73 | 22.9' RT | 540.29 |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.


## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| $ | TOWN LOCATION | * | MATCH EXISTING |
| # | POINT LOCATION | ** | 0" CURB HEIGHT |

TILLY, NEIL J & VERNON & ALICE TILLY
NO TAKINGS

BACKES, DAVID
NO TAKINGS

EXIST MoDOT R/W




ST. JOHNS UNITED CHURCH OF CHRIST
NO TAKINGS

ROUTE K
LOCATION 6 - CHAMOIS

PLAN
SHEET 34 OF 57

SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
STATE OF MISSOURI
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 37 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE

0 5 10 15

| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 6-110 | * | * | * |
| 6-111 | * | * | * |
| 6-112 | * | * | * |
| 6-113 | 13+23.86 | 20.6' LT | 542.65 |
| 6-114 | 13+23.87 | 19.6' LT | 542.64 |
| 6-115 | 13+28.86 | 20.6' LT | 542.65 |
| 6-116 | * | * | * |
| 6-117 | * | * | * |
| 6-118 | 13+03.66 | 15.5' LT | 542.55 |
| 6-119 | 13+08.66 | 15.5' LT | 542.50 |
| 6-120 | 13+23.89 | 15.6' LT | 542.60 |
| 6-121 | 13+28.89 | 15.6' LT | 542.60 |
| 6-122 | * | * | * |
| 6-123 | * | * | * |
| 6-124 | * | * | * |
| 6-125 | 12+34.69 | 17.1' RT | 541.20 |
| 6-126 | 12+34.73 | 22.1' RT | 541.33 |
| 6-127 | 13+03.27 | 16.6' RT | * |
| 6-128 | 13+03.30 | 21.6' RT | 541.25 |
| 6-129 | 13+12.80 | 21.6' RT | * |


NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| $ | TOWN LOCATION | * | MATCH EXISTING |
| # | POINT LOCATION | ** | 0" CURB HEIGHT |




ROUTE K
LOCATION 6 - CHAMOIS

PLAN
SHEET 35 OF 57

SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
STATE OF MISSOURI PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 38 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| $ | TOWN LOCATION | * | MATCH EXISTING |
| # | POINT LOCATION | ** | 0" CURB HEIGHT |

SCALE
0 5 10 15

EXIST CITY R/W

ARLEN, STEVEN B & BUFFY ANN
NO TAKINGS

EXIST CITY R/W

SIGN

SIGN

## SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 6-130 | 13+58.87 | 14.7' LT | * |
| 6-131 | * | * | * |
| 6-132 | 13+63.89 | 13.1' LT | * |
| 6-133 | * | * | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

VINE STREET K

POT STA 13+42.69
ANGLE BREAK

VINE STREET

K

5TH STREET

S80°19'23"W

DETECTABLE WARNING PANEL

A

(DND) PP

6-130

6-131

2'

6' MIN.

(T)

(SW)

5' EXIST SIDEWALK (UIP)

6-132

14'±

6-133

A

SIGN
(DND)

FIELD LOCATE JOINT. MATCH EXIST, SAWCUT. TYP EACH END.

24" PREFORMED MIDBLOCK

EXIST CITY R/W

EXIST MoDOT R/W

CHITWOOD, JULIE
NO TAKINGS

ROUTE K
LOCATION 6 - CHAMOIS

PLAN
SHEET 36 OF 57

SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
STATE OF MISSOURI
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 39 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION


105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347


032_PP_29-36_Chamois_JCD0214_Plan.dgn 4:45:05 PM 5/22/2026

SCALE

0 100 200 300




ALIGNMENT DIAGRAM




ROUTE E
LOCATION 7 - ROLLA

PLAN
SHEET 37 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 40 |

COUNTY: VARIES

JOB NO.: JCD0214

CONTRACT ID.:

PROJECT NO.:

BRIDGE NO.:

| DATE | DESCRIPTION |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006047


040_PP_37_Rolla_JCD0214_Plan-Alignment.dgn 4:45:08 PM 5/22/2026

SCALE

0 10 20 30

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.




NOTE:

FOR ISLAND CUT THROUGH DETAIL, SEE TYPICAL SECTION SHEET 3.

REMOVE EXISTING PAVEMENT MARKINGS.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |

$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT

NOTE:

EXISTING R/W IS APPROXIMATELY 100' LEFT OF WHITE COLUMNS DRIVE CENTERLINE.

### SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 7-1 | 445+77.88 | 125.5' LT | * |
| 7-2 | 445+79.78 | 117.7' LT | * |
| 7-3 | 445+90.39 | 127.9' LT | * |
| 7-4 | 445+95.59 | 121.6' LT | * |
| 7-5 | 446+06.15 | 136.3' LT | 1162.39 |
| 7-6 | 446+09.50 | 140.4' LT | 1162.82 |
| 7-7 | 446+06.47 | 144.1' LT | * |
| 7-8 | 446+10.10 | 147.3' LT | * |
| 7-9 | 446+12.70 | 144.3' LT | 1162.87 |
| 7-10 | 446+17.73 | 140.3' LT | 1162.93 |
| 7-11 | 446+22.12 | 137.6' LT | 1163.30 |
| 7-12 | 446+19.55 | 133.3' LT | 1163.25 |
| 7-13 | 446+14.76 | 136.2' LT | 1162.88 |
| 7-14 | 446+11.49 | 131.8' LT | 1162.43 |
| 7-15 | 446+91.32 | 122.3' LT | 1163.95 |
| 7-16 | 447+01.28 | 124.1' LT | 1163.70 |
| 7-17 | 447+08.57 | 127.2' LT | 1163.65 |
| 7-18 | 447+11.11 | 122.9' LT | 1163.60 |
| 7-19 | 447+13.81 | 118.3' LT | 1163.21 |
| 7-20 | 447+04.66 | 114.4' LT | 1163.40 |
| 7-21 | 447+03.02 | 119.4' LT | 1163.61 |
| 7-22 | 446+92.22 | 117.4' LT | 1163.90 |

### EDGE / GUTTER

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 7-G1 | 446+04.58 | 134.4' LT | * |
| 7-G2 | 446+10.08 | 129.9' LT | * |
| 7-G3 | 447+05.39 | 112.2' LT | * |
| 7-G4 | 447+14.95 | 116.3' LT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

ROUTE E
LOCATION 7 - ROLLA

PLAN
SHEET 38 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 41 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

041_PP_38_Rolla_JCD0214_Plan.dgn 4:45:14 PM 5/22/2026

SCALE

0 5 10 15

GENERAL NOTES:


1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | S-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| | $ TOWN LOCATION<br># POINT LOCATION | | * MATCH EXISTING<br>** 0" CURB HEIGHT |

NOTE:

EXISTING R/W IS APPROXIMATELY 60' RIGHT OF RAMP I-44 CENTERLINE.




| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 7-23 | 452+48.25 | 39.4' LT | * |
| 7-24 | 452+53.18 | 37.0' LT | 1160.12 |
| 7-25 | 452+78.73 | 33.4' LT | 1159.23 |
| 7-26 | 452+80.43 | 36.8' LT | * |
| 7-27 | 452+87.42 | 30.6' LT | * |
| 7-28 | 452+77.97 | 28.6' LT | 1159.28 |
| 7-29 | 452+52.52 | 32.0' LT | 1160.17 |
| 7-30 | 452+47.16 | 30.7' LT | * |
| 7-31 | 452+93.98 | 58.5' LT | * |
| 7-32 | 453+00.96 | 53.9' LT | * |
| 7-33 | 453+03.23 | 70.0' LT | * |
| 7-34 | 453+10.26 | 64.9' LT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

NOTE:

FOR ISLAND CUT THROUGH DETAILS, SEE TYPICAL SECTION SHEET 3

REMOVE EXISTING PAVEMENT MARKINGS.

ROUTE E
LOCATION 7 - ROLLA

PLAN
SHEET 39 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 42 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.


| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE

0 50 100 150




ALIGNMENT DIAGRAM

ROUTE 66
LOCATION 8 - ST. JAMES

PLAN
SHEET 40 OF 57

SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
STATE OF MISSOURI
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 43 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

043_PP_40_StJames_JCD0214_Plan-Alignment.dgn 4:45:17 PM 5/22/2026

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

SCALE
0 5 10 20




## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |

$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT

## SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 8-1 | 1515+70.68 | 11.4' RT | * |
| 8-2 | 1515+70.69 | 7.2' RT | 1081.34 |
| 8-3 | 1515+70.73 | 0.6' LT | 1081.46 |
| 8-4 | 1515+78.01 | 0.6' LT | 1081.35 |
| 8-5 | * | * | * |
| 8-6 | * | * | * |
| 8-7 | 1515+77.98 | 7.3' RT | 1081.23 |
| 8-8 | 1515+77.96 | 11.5' RT | * |
| 8-9 | 1515+70.59 | 31.4' RT | * |
| 8-10 | 1515+77.87 | 31.4' RT | * |
| 8-11 | * | * | * |
| 8-12 | * | * | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

ROUTE 66
LOCATION 8 - ST. JAMES

PLAN
SHEET 41 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER
THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 44 |

COUNTY
VARIES
JOB NO.
JCD0214
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION
DATE


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

SCALE
0 5 10 15




## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| $ TOWN LOCATION<br># POINT LOCATION | | * MATCH EXISTING<br>** 0" CURB HEIGHT | |

## SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 8-13 | 1517+50.93 | 4.4' LT | * |
| 8-14 | 1517+55.93 | 4.4' LT | 1079.83 |
| 8-15 | 1517+71.33 | 4.4' LT | * |
| 8-16 | 1517+51.01 | 3.4' RT | * |
| 8-17 | 1517+56.01 | 3.3' RT | 1079.94 |
| 8-18 | 1517+71.36 | 3.1' RT | * |
| 8-19 | 1518+03.27 | 4.7' LT | * |
| 8-20 | 1518+19.21 | 4.8' LT | 1079.09 |
| 8-21 | 1518+24.21 | 4.9' LT | * |
| 8-22 | 1518+03.27 | 2.7' RT | * |
| 8-23 | 1518+19.22 | 2.9' RT | 1079.21 |
| 8-24 | 1518+24.22 | 2.9' RT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

ROUTE 66
LOCATION 8 - ST. JAMES

PLAN
SHEET 42 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 45 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE

0 10 20 30


GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |

$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT




## SIGNS

| NUMBER | STATION | OFFSET (±) |
|---|---|---|
| 21 | 1522+26 | 42' LT |
| 22 | 1522+26 | 7' LT |
| 23 | 1522+18 | 5' RT |
| 24 | 1522+18 | 36' RT |
| 25 | 1522+34 | 4' LT |
| 26 | 1522+83 | 4' RT |
| 27 | 1522+99 | 39' LT |
| 28 | 1522+99 | 8' LT |
| 29 | 1522+91 | 5' RT |
| 30 | 1522+83 | 4' RT |

## SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 8-25 | 1522+20.10 | 32.3' LT | * |
| 8-26 | 1522+20.14 | 44.8' LT | * |
| 8-27 | 1522+25.14 | 44.8' LT | * |
| 8-28 | 1522+25.10 | 33.1' LT | * |
| 8-29 | - | - | - |
| 8-30 | - | - | - |
| 8-31 | - | - | - |
| 8-32 | - | - | - |
| 8-33 | - | - | - |
| 8-34 | - | - | - |
| 8-35 | - | - | - |
| 8-36 | - | - | - |
| 8-37 | 1522+92.69 | 33.1' LT | * |
| 8-38 | 1522+92.85 | 44.8' LT | * |
| 8-39 | 1522+97.88 | 44.8' LT | * |
| 8-40 | 1522+97.69 | 32.5' LT | * |
| 8-41 | 1522+20.02 | 12.0' LT | * |
| 8-42 | 1522+25.02 | 12.0' LT | * |
| 8-43 | 1522+24.99 | 4.8' LT | 1077.85 |
| 8-44 | 1522+37.50 | 4.8' LT | * |
| 8-45 | 1522+37.44 | 3.0' RT | * |
| 8-46 | 1522+24.97 | 3.1' RT | 1077.93 |
| 8-47 | 1522+24.94 | 10.0' RT | * |
| 8-48 | 1522+19.94 | 10.0' RT | * |
| 8-49 | 1522+19.97 | 3.1' RT | 1077.99 |
| 8-50 | * | * | * |
| 8-51 | * | * | * |
| 8-52 | 1522+19.99 | 5.0' LT | 1077.91 |
| 8-53 | 1522+92.72 | 11.4' LT | * |
| 8-54 | 1522+97.72 | 11.4' LT | * |
| 8-55 | 1522+97.74 | 5.2' LT | 1077.73 |
| 8-56 | * | * | * |
| 8-57 | * | * | * |
| 8-58 | 1522+97.75 | 2.8' RT | 1077.85 |
| 8-59 | 1522+97.76 | 8.8' RT | * |
| 8-60 | 1522+92.76 | 8.9' RT | * |
| 8-61 | 1522+92.75 | 2.7' RT | 1077.94 |
| 8-62 | 1522+80.49 | 2.8' RT | * |
| 8-63 | 1522+80.46 | 5.1' LT | * |
| 8-64 | 1522+92.74 | 5.2' LT | 1077.82 |
| 8-65 | 1522+19.88 | 33.0' RT | 1077.49 |
| 8-66 | 1522+24.88 | 33.5' RT | 1077.41 |
| 8-67 | 1522+24.96 | 43.2' RT | * |
| 8-68 | 1522+19.96 | 43.3' RT | * |
| 8-69 | 1522+92.80 | 30.7' RT | * |
| 8-70 | 1522+97.80 | 30.5' RT | * |
| 8-71 | 1522+98.04 | 43.5' RT | * |
| 8-72 | 1522+93.04 | 43.4' RT | * |

## EDGE / GUTTER

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 8-G1 | 1522+19.86 | 30.6' RT | * |
| 8-G2 | 1522+25.35 | 31.1' RT | * |
| 8-G3 | 1522+27.20 | 31.5' RT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISITNG JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE ALSO APPROXIMTE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

ROUTE 66
LOCATION 8 - ST. JAMES
PLAN
SHEET 43 OF 57


STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER
THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026
ROUTE VAR. | STATE MO
DISTRICT CD | SHEET NO. 46
COUNTY VARIES
JOB NO. JCD0214
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347













ALIGNMENT DIAGRAM

MO 133 & 7
LOCATION 9 - RICHLAND

PLAN
SHEET 44 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 47 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | [$-#] | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | (S-G#) | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |

$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT

NOTE:
CURB RAMP GRADES WILL NOT MEET ADA STANDARDS. USE GRADE EXCEPTION, 15 ' MIN. LENGTH RAMPS.

TRANSITION AREAS TO BE CONSTRUCTED TO FIELD CONDITIONS. GRADES MAY OR MAY NOT MEET ADA STANDARDS. EXCEPTIONS REQUIRED.

FOR CULVERT PROFILES, SEE CULVERT SECTION SHEET(S).

## SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 9-1 | * | * | * |
| 9-2 | * | * | * |
| 9-3 | 7+34.80 | 34.5' LT | 1116.25 |
| 9-4 | 7+39.80 | 34.5' LT | 1116.20 |
| 9-5 | 7+34.63 | 19.5' LT | 1118.98 |
| 9-6 | 7+39.63 | 19.5' LT | 1118.93 |
| 9-7 | 7+34.57 | 14.5' LT | 1119.03 |
| 9-8 | 7+39.57 | 14.5' LT | 1118.98 |
| 9-9 | 7+33.80 | 11.9' RT | 1119.70 |
| 9-10 | 7+38.80 | 12.0' RT | 1119.65 |
| 9-11 | 7+33.82 | 17.5' RT | 1119.76 |
| 9-12 | 7+38.82 | 17.5' RT | 1119.71 |
| 9-13 | 7+33.86 | 27.5' RT | 1120.55 |
| 9-14 | 7+38.86 | 27.5' RT | 1120.50 |
| 9-15 | * | * | * |
| 9-16 | * | * | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

MO 133
LOCATION 9 - RICHLAND

PLAN
SHEET 45 OF 57



SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
STATE OF MISSOURI PROFESSIONAL ENGINEER
THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.


DATE PREPARED 05/18/2026
ROUTE VAR. | STATE MO
DISTRICT CD | SHEET NO. 48
COUNTY VARIES
JOB NO. JCD0214
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION | DATE


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347




## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| | $ TOWN LOCATION | * | MATCH EXISTING |
| | # POINT LOCATION | ** | 0" CURB HEIGHT |

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. fOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SHALL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

SCALE
0 5 10 15

| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 9-17 | 4+17.30 | 34.9' LT | * |
| 9-18 | 4+22.30 | 35.0' LT | * |
| 9-19 | 4+17.36 | 25.5' LT | 1042.41 |
| 9-20 | 4+22.38 | 23.2' LT | 1042.31 |
| 9-21 | 4+17.46 | 16.2' RT | 1042.05 |
| 9-22 | 4+22.47 | 15.3' RT | 1042.10 |
| 9-23 | 4+17.33 | 29.3' RT | * |
| 9-24 | 4+22.33 | 29.4' RT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

MO 133
LOCATION 9 - RICHLAND

PLAN
SHEET 46 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER
THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026
ROUTE: VAR. | STATE: MO
DISTRICT: CD | SHEET NO.: 49
COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE

0 10 20 30

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| $ | TOWN LOCATION | * | MATCH EXISTING |
| # | POINT LOCATION | ** | 0" CURB HEIGHT |

THE MARIES COUNTY BANK
NO TAKINGS

FIRST ADDITION
BLOCK 12
LOT 5

LARRY & DEBBIE BARANOWSKI
NO TAKINGS

ORIGNAL TOWN
BLOCK 3
LOT 6

EXIST CITY R/W

WASHINGTON AVE

S 44°12'06" W

S PINE STREET (133)

NOTE:
REMOVE EXISTING PAVEMENT MARKINGS.

6' MIN.

2'

24" PREFORMED MIDBLOCK

INSTALL DETECTABLE WARNING PANEL. MATCH SIDEWALK WIDTH.

STORM (DND)

EXIST SIDEWALK (UIP)

(UIP)

EDGE BLDG.

FIRST BAPTIST CHURCH OF RICHLAND
NO TAKINGS

FIRST ADDITION
BLOCK 13

ROCKIN S, LLC.
NO TAKINGS

ORIGNAL TOWN
BLOCK 4
LOT 1

LOT 2

MO 133
LOCATION 9 - RICHLAND

PLAN
SHEET 47 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 50 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DATE | DESCRIPTION |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

050_PP_47_Richland_JCD0214_Plan.dgn 4:45:26 PM 5/22/2026

SCALE


0 5 10 15

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| $ | TOWN LOCATION | * | MATCH EXISTING |
| # | POINT LOCATION | ** | 0" CURB HEIGHT |




| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 9-25 | 11+08.75 | 39.3' LT | * |
| 9-26 | 11+17.47 | 39.3' LT | * |
| 9-27 | 11+08.76 | 33.3' LT | * |
| 9-28 | 11+12.47 | 33.3' LT | 1125.35 |
| 9-29 | 11+17.47 | 33.3' LT | 1125.32 |
| 9-30 | 11+12.48 | 25.9' LT | 1125.77 |
| 9-31 | 11+17.48 | 23.4' LT | 1125.97 |

| EDGE / GUTTER | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 9-G1 | 11+08.76 | 20.4' LT | * |
| 9-G2 | 11+17.98 | 20.4' LT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

MO 133
LOCATION 9 - RICHLAND

PLAN
SHEET 48 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 51 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

MoDOT


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE

0 5 10 15

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| $ | TOWN LOCATION | * | MATCH EXISTING |
| # | POINT LOCATION | ** | 0" CURB HEIGHT |


## SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 9-32 | 11+05.98 | 26.9' RT | 1125.76 |
| 9-33 | 11+12.50 | 26.9' RT | 1125.71 |
| 9-34 | 11+05.98 | 31.9' RT | 1125.81 |
| 9-35 | 11+05.98 | 34.4' RT | 1125.93 |
| 9-36 | 11+05.98 | 35.4' RT | * |
| 9-37 | 11+05.97 | 39.4' RT | * |
| 9-38 | 11+10.97 | 39.4' RT | * |
| 9-39 | 11+10.98 | 34.4' RT | 1125.88 |
| 9-40 | 11+10.98 | 31.9' RT | 1125.77 |
| 9-41 | 11+12.50 | 31.9' RT | 1125.76 |
| 9-42 | 11+21.23 | 31.9' RT | 1125.69 |

## EDGE / GUTTER

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 9-G5 | 11+10.50 | 23.9' RT | * |
| 9-G6 | 11+12.50 | 23.9' RT | * |
| 9-G7 | 11+24.23 | 31.9' RT | * |
| 9-G8 | 11+22.13 | 37.3' RT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.




STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 52 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

052_PP_49_Richland_JCD0214_Plan.dgn 4:45:28 PM 5/22/2026

SCALE

0 5 10 15

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| $ | TOWN LOCATION | * | MATCH EXISTING |
| # | POINT LOCATION | ** | 0" CURB HEIGHT |


## SIDEWALK


| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 9-43 | 14+91.71 | 31.4' LT | * |
| 9-44 | 14+98.92 | 31.4' LT | * |
| 9-45 | 14+91.74 | 23.2' LT | 1135.60 |
| 9-46 | 14+98.96 | 22.2' LT | 1135.60 |
| 9-47 | 15+54.79 | 34.3' LT | * |
| 9-48 | 15+59.78 | 34.3' LT | * |
| 9-49 | 15+54.77 | 24.6' LT | 1135.80 |
| 9-50 | 15+59.77 | 22.9' LT | 1135.90 |

## EDGE / GUTTER

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 9-G9 | 14+87.78 | 20.0' LT | * |
| 9-G10 | 14+91.76 | 20.0' LT | * |
| 9-G11 | 14+98.97 | 20.2' LT | * |
| 9-G12 | 15+07.86 | 22.1' LT | * |
| 9-G13 | 15+50.19 | 24.3' LT | * |
| 9-G14 | 15+53.24 | 22.0' LT | * |
| 9-G15 | 15+59.77 | 19.8' LT | * |
| 9-G16 | 15+62.93 | 19.6' LT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.




NOTE:
REMOVE EXISTING PAVEMENT MARKINGS.

MO 133
LOCATION 9 - RICHLAND

PLAN
SHEET 50 OF 57


STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.


DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 53 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE

0 5 10 15

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |

$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT


## SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 9-51 | 14+91.28 | 19.8' RT | 1136.76 |
| 9-52 | 14+98.58 | 19.8' RT | 1136.90 |
| 9-53 | * | * | * |
| 9-54 | 14+91.29 | 32.8' RT | 1137.77 |
| 9-55 | 14+98.59 | 32.8' RT | 1137.92 |
| 9-56 | * | * | * |
| 9-57 | * | * | * |
| 9-58 | 14+91.29 | 40.0' RT | 1137.94 |
| 9-59 | 14+98.59 | 40.1' RT | 1138.07 |
| 9-60 | * | * | * |
| 9-61 | 14+91.30 | 47.2' RT | 1138.49 |
| 9-62 | 14+98.60 | 47.2' RT | 1138.40 |
| 9-63 | * | * | * |
| 9-64 | * | * | * |
| 9-65 | 15+59.73 | 19.1' RT | 1137.57 |
| 9-66 | 15+54.22 | 25.0' RT | 1137.57 |
| 9-67 | 15+59.72 | 25.0' RT | 1137.63 |
| 9-68 | 15+54.21 | 34.0' RT | 1138.14 |
| 9-69 | 15+59.71 | 34.0' RT | 1138.39 |

NOTE:
LOCATIONS SHWON ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTNG JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

## EDGE / GUTTER

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 9-G17 | 14+85.53 | 20.0' RT | * |
| 9-G18 | 14+91.28 | 17.3' RT | * |
| 9-G19 | 14+98.58 | 17.3' RT | * |
| 9-G20 | 15+01.26 | 17.7' RT | * |
| 9-G21 | 15+51.64 | 34.0' RT | * |
| 9-G22 | 15+51.65 | 25.0' RT | * |
| 9-G23 | 15+59.73 | 16.5' RT | * |
| 9-G24 | 15+63.23 | 16.5' RT | * |




NOTE:
REMOVE EXISTING PAVEMENT MARKINGS.

MO 133
LOCATION 9 - RICHLAND

PLAN
SHEET 51 OF 57

SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
STATE OF MISSOURI
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 54 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE


0 5 10 15


GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. fOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| $ | TOWN LOCATION | * | MATCH EXISTING |
| # | POINT LOCATION | ** | 0" CURB HEIGHT |




| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 9-70 | * | * | * |
| 9-71 | * | * | * |
| 9-72 | 16+67.72 | 23.1' LT | 1140.05 |
| 9-73 | 16+73.72 | 23.1' LT | 1139.96 |
| 9-74 | * | * | * |
| 9-75 | * | * | * |
| 9-76 | 17+41.08 | 26.8' LT | 1139.48 |
| 9-77 | 17+46.08 | 24.2' LT | 1139.61 |

| EDGE / GUTTER | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 9-G25 | 16+66.23 | 20.1' LT | * |
| 9-G26 | 16+67.73 | 20.1' LT | * |
| 9-G27 | 16+73.73 | 20.1' LT | * |
| 9-G28 | 16+91.72 | 30.1' LT | * |
| 9-G29 | 17+33.38 | 30.5' LT | * |
| 9-G30 | 17+41.01 | 23.1' LT | * |
| 9-G31 | 17+45.63 | 21.1' LT | * |

MO 133
LOCATION 9 - RICHLAND

PLAN
SHEET 52 OF 57

SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
STATE OF MISSOURI
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 55 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DATE | DESCRIPTION |
|---|---|

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE

0 5 10 15

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND


| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |

$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT

| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 9-78 | 16+67.89 | 23.2' RT | 1140.55 |
| 9-79 | 16+73.90 | 25.1' RT | 1140.49 |
| 9-80 | * | * | * |
| 9-81 | * | * | * |
| 9-82 | 17+40.08 | 23.8' RT | 1139.90 |
| 9-83 | 17+46.08 | 23.0' RT | 1139.84 |
| 9-84 | * | * | * |
| 9-85 | 17+40.08 | 33.0' RT | 1140.33 |
| 9-86 | 17+46.08 | 33.0' RT | 1140.25 |
| 9-87 | * | * | * |
| 9-88 | * | * | * |
| 9-89 | 17+40.10 | 39.0' RT | 1140.42 |
| 9-90 | 17+46.10 | 39.0' RT | 1140.34 |
| 9-91 | * | * | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHAL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

| EDGE / GUTTER | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 9-G32 | 16+65.44 | 19.8' RT | * |
| 9-G33 | 16+67.89 | 20.2' RT | * |
| 9-G34 | 16+73.90 | 21.8' RT | * |
| 9-G35 | 16+81.19 | 26.7' RT | * |
| 9-G36 | 17+25.23 | 30.7' RT | * |
| 9-G37 | 17+40.08 | 20.7' RT | * |
| 9-G38 | 17+46.08 | 20.0' RT | * |
| 9-G39 | 17+50.04 | 20.0' RT | * |




MO 133
LOCATION 9 - RICHLAND

PLAN
SHEET 53 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 56 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue
Kansas City, Missouri 64157
816-781-6182
816-781-0643 (FAX)
Certificate of Authority No. 2002006347

056_PP_53_Richland_JCD0214_Plan.dgn 4:45:33 PM 5/22/2026

SCALE

0 5 10 15


GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |

$ TOWN LOCATION
# POINT LOCATION
* MATCH EXISTING
** 0" CURB HEIGHT




### SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 9-92 | * | * | * |
| 9-93 | * | * | * |
| 9-94 | 20+41.56 | 22.8' LT | 1132.14 |
| 9-95 | 20+47.56 | 23.8' LT | 1132.08 |
| 9-96 | * | * | * |
| 9-97 | * | * | * |
| 9-98 | 21+18.16 | 24.9' LT | 1128.63 |
| 9-99 | 21+24.11 | 22.6' LT | 1128.53 |

### EDGE / GUTTER

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 9-G40 | 20+39.95 | 19.8' LT | * |
| 9-G41 | 20+41.56 | 19.8' LT | * |
| 9-G42 | 20+47.56 | 20.7' LT | * |
| 9-G43 | 20+52.38 | 22.5' LT | * |
| 9-G44 | 21+13.31 | 24.9' LT | * |
| 9-G45 | 21+18.14 | 21.8' LT | * |
| 9-G46 | 21+24.10 | 19.8' LT | * |
| 9-G47 | 21+28.14 | 19.4' LT | * |

NOTE:
LOCATIONS SHWON ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

MO 133
LOCATION 9 - RICHLAND

PLAN
SHEET 54 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 57 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006047

SCALE

0 5 10 15

GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| $ | TOWN LOCATION | * | MATCH EXISTING |
| # | POINT LOCATION | ** | 0" CURB HEIGHT |


## SIDEWALK

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 9-100 | 20+41.10 | 23.1' RT | 1132.48 |
| 9-101 | 20+47.10 | 24.0' RT | 1132.41 |
| 9-102 | * | * | * |
| 9-103 | 20+41.02 | 33.2' RT | 1132.96 |
| 9-104 | 20+47.02 | 33.3' RT | 1132.90 |
| 9-105 | * | * | * |
| 9-106 | * | * | * |
| 9-107 | 20+40.97 | 39.2' RT | 1133.02 |
| 9-108 | 20+46.97 | 39.3' RT | 1132.96 |
| 9-109 | * | * | * |

## EDGE / GUTTER

| POINT | STATION | OFFSET | ELEVATION |
|---|---|---|---|
| 9-G48 | 20+39.62 | 20.1' RT | * |
| 9-G49 | 20+41.10 | 20.1' RT | * |
| 9-G50 | 20+47.10 | 20.9' RT | * |
| 9-G51 | 20+51.42 | 22.3' RT | * |

NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHAL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS. ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.




MO 133
LOCATION 9 - RICHLAND

PLAN
SHEET 55 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026


| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 58 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347




ALIGNMENT DIAGRAM

MO 17 & 133
LOCATION 10 - CROCKER

PLAN
SHEET 56 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 59 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006947

059_PP_56_Crocker_JCD0214_Plan-Alignment.dgn 4:45:37 PM 5/22/2026

SCALE


0 5 10 15


GENERAL NOTES:

1. EXISTING ROADWAY AND SIDEWALK SHOWN IS FROM A FIELD SURVEY (2025). THE ACTUAL FIELD CONDITIONS MAY OR MAY NOT HAVE CHANGED. THE CONTRACTOR SHALL VERIFY EXISTING FIELD CONDITIONS PRIOR TO CONSTRUCTION. NECESSARY ADJUSTMENTS MAY BE MADE IF CONDITIONS HAVE CHANGED. APPROVAL BY THE ENGINEER IS REQUIARED.
2. SIDEWALK CROSS SLOPE = -1.0% MIN.(-2% MAX.).
3. ADA CONCRETE CONSTRUCTION SHALL BE BUILT TO THE LINES AND GRADES SHOWN ON THE PLANS. FOR ADDITIONAL DETAILS, STANDARD PLAN 608.00, 608.30 & 608.50.
4. ALL EXISTING SIDEWALK BEING REPLACED WITHIN THE PROJECT LIMITS SHALL BE REMOVED.
5. STATIONING SHOWN IS ALONG NOTED CENTERLINE HIGHWAY.
6. FOR SECTION "A THRU F" DETAILS, SEE TYPICAL SECTION SHEETS.
7. TRANSITION SIDEWALK (T) ADJACENT TO STREET SHALL BE 7" THICK. LANDING SIDEWALK (L) BELOW CURB RAMP OR ADJACENT TO STREET SAHLL BE 7" THICK. BOTH (T) AND (L) SHALL HAVE 4" AGGREGATE BASE. AREAS FOR (T) AND (L) NOTED ABOVE SHALL BE INCLUDED AND PAID FOR AS CONCRETE CURB RAMP.

## LEGEND

| | | | |
|---|---|---|---|
| | DETECTABLE WARNING PANEL | $-# | SIDEWALK POINT NUMBER |
| (L) | SIDEWALK LANDING (4",7") | $-G# | GUTTER POINT NUMBER |
| | TYPE A INTEGRAL CURB | | |
| | CONCRETE MEDIAN/ISLAND | | SOD |
| (SW) | PROPOSED SIDEWALK (4") | (T) | TRANSITION SIDEWALK (7") |
| CURB RAMP | PROPOSED CURB RAMP (7") | (DND) | DO NOT DISTURB |
| (PA) | PAVED APPROACH | (UIP) | USE IN PLACE |
| | CURB & GUTTER (A OR B) | (REL) | RELOCATE |
| | STEEL PLATE | (REM) | REMOVE |
| $ | TOWN LOCATION | * | MATCH EXISTING |
| # | POINT LOCATION | ** | 0" CURB HEIGHT |




NOTE:
LOCATIONS SHOWN ARE APPROXIMATE AND ESTIMATED PER SURVEY. CONTRACTOR SHALL FIELD LOCATE EXISTING JOINTS FOR SAWCUT LOCATIONS.
ELEVATIONS ARE ALSO APPROXIMATE AND MAY BE FIELD ADJUSTED, AS REQUIRED.

| SIDEWALK | | | |
|---|---|---|---|
| POINT | STATION | OFFSET | ELEVATION |
| 10-1 | 593+62.47 | 21.2' RT | 1044.10 |
| 10-2 | 593+58.81 | 25.9' RT | 1044.10 |
| 10-3 | 593+63.63 | 29.6' RT | 1044.5± |
| 10-4 | 593+67.29 | 24.9' RT | 1044.5± |
| 10-5 | 593+61.76 | 11.9' RT | * |
| 10-6 | 593+56.84 | 11.8' RT | * |
| 10-7 | 593+51.84 | 17.7' RT | * |
| 10-8 | 593+53.44 | 26.8' RT | * |

MO 17 & 133
LOCATION 10 - CROCKER

PLAN
SHEET 57 OF 57

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 60 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.
























PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

| | | | | | | |
|---|---|---|---|---|---|---|
| LOCATION 1<br>FULTON<br>ROUTE Z |  CONTROL POINT - 1200<br>½IN REBAR |  CONTROL POINT - 1201<br>½IN REBAR |  CONTROL POINT - 1202<br>½IN REBAR | | | |
| LOCATION 2<br>CAMDENTON<br>US 54 |  CONTROL POINT - 2200<br>½IN REBAR |  CONTROL POINT - 2201<br>½IN REBAR |  CONTROL POINT - 2202<br>½IN REBAR |  CONTROL POINT - 2203<br>½IN REBAR |  CONTROL POINT - 2210<br>½IN REBAR |  CONTROL POINT - 2212<br>CUT CROSS |
| LOCATION 2<br>CAMDENTON<br>US 54 |  CONTROL POINT - 2213<br>CUT CROSS |  CONTROL POINT - 2214<br>CUT CROSS |  CONTROL POINT - 2215<br>CUT CROSS |  CONTROL POINT - 2216<br>CUT CROSS |  CONTROL POINT - 2217<br>½IN REBAR |  CONTROL POINT - 2218<br>½IN REBAR |
| LOCATION 2<br>CAMDENTON<br>US 54 |  CONTROL POINT - 2219<br>CUT CROSS |  CONTROL POINT - 2220<br>CUT CROSS |  CONTROL POINT - 2221<br>CUT CROSS |  CONTROL POINT - 2222<br>CUT CROSS |  CONTROL POINT - 2223<br>CUT CROSS |  CONTROL POINT - 2224<br>½IN REBAR |
| LOCATION 2<br>CAMDENTON<br>US 54 |  CONTROL POINT - 2225<br>½IN REBAR |  CONTROL POINT - 2226<br>CUT CROSS | | | | ROUTE VARIES<br>LOCATIONS 1 - 2<br>REFERENCE POINTS<br>SHEET 1 OF 3 |


STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER
THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.
























DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 61 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)
MoDOT
VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

| | | | | | | |
|---|---|---|---|---|---|---|
| LOCATION 3<br>POTOSI<br>MO 8 |  <br>CONTROL POINT - 3300<br>½IN REBAR |  <br>CONTROL POINT - 3301<br>½IN REBAR |  <br>CONTROL POINT - 3302<br>½IN REBAR |  <br>CONTROL POINT - 3303<br>CUT CROSS |  <br>CONTROL POINT - 3304<br>CUT CROSS |  <br>CONTROL POINT - 3305<br>MAG NAIL |
| LOCATION 3<br>POTOSI<br>MO 8 |  <br>CONTROL POINT - 3306<br>CUT CROSS |  <br>CONTROL POINT - 3307<br>MAG NAIL |  <br>CONTROL POINT - 3308<br>MAG NAIL |  <br>CONTROL POINT - 3309<br>½IN REBAR |  <br>CONTROL POINT - 3310<br>½IN REBAR | |
| LOCATION 4<br>BELLE<br>MO 89 |  <br>CONTROL POINT - 45000<br>REBAR WITH CAP |  <br>CONTROL POINT - 45001<br>REBAR WITH CAP |  <br>CONTROL POINT - 45002<br>REBAR WITH CAP | | | |
| LOCATION 5<br>CALIFORNIA<br>BUSINESS 50 |  <br>CONTROL POINT - 5300<br>CUT CROSS |  <br>CONTROL POINT - 5301<br>CUT CROSS |  <br>CONTROL POINT - 5302<br>CUT CROSS |  <br>CONTROL POINT - 5303<br>CUT CROSS |  <br>CONTROL POINT - 5304<br>½IN REBAR |  <br>CONTROL POINT - 5305<br>½IN REBAR |
| LOCATION 6<br>CHAMOIS<br>HIGHWAY K |  <br>CONTROL POINT - 61402<br>½IN REBAR & CAP |  <br>CONTROL POINT - 61403<br>½IN REBAR & CAP | | | | ROUTE VARIES<br>LOCATIONS 3 - 6<br>REFERENCE POINTS<br>SHEET 2 OF 3 |

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 62 |


COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

## LOCATION 7
ROLLA
ROUTE E





CONTROL POINT - 7312
½IN REBAR





CONTROL POINT - 7331
½IN REBAR


## LOCATION 8
ST. JAMES
ROUTE 66





CONTROL POINT - 8200
½IN REBAR




CONTROL POINT - 8201
½IN REBAR





CONTROL POINT - 8202
½IN REBAR





CONTROL POINT - 8203
½IN REBAR


## LOCATION 9
RICHLAND
MO 133





CONTROL POINT - 9200
½IN REBAR





CONTROL POINT - 9201
½IN REBAR





CONTROL POINT - 9202
CUT CROSS




CONTROL POINT - 9203
½IN REBAR





CONTROL POINT - 9204
½IN REBAR





CONTROL POINT - 9205
½IN REBAR


## LOCATION 9
RICHLAND
MO 133





CONTROL POINT - 9206
½IN REBAR





CONTROL POINT - 9207
½IN REBAR




CONTROL POINT - 9208
½IN REBAR





CONTROL POINT - 9209
½IN REBAR





CONTROL POINT - 9210
½IN REBAR


## LOCATION 10
CROCKER
MO 17/MO 133




CONTROL POINT - 10200
½IN REBAR




CONTROL POINT - 10201
½IN REBAR




CONTROL POINT - 10202
½IN REBAR

ROUTE VARIES
LOCATIONS 7 - 10

# REFERENCE POINTS
SHEET 3 OF 3

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 63 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

ALL PROJECT COORDINATES HAVE BEEN PROJECTED FROM THE MISSOURI STATE PLANE COORDINATE (SPC) SYSTEM OF 1983 USING AN AVERAGE PROJECT PROJECTION (GRID TO GROUND) FACTOR. TO GET BACK TO STATE PLANE COORDINATES MULTIPLY THE PROJECT COORDINATES BY THE AVERAGE GRID FACTOR AS SHOWN IN THE "REFERENCE CONTROL INFORMATION" PORTION OF THIS TABLE.

## PROJECT COORDINATE INFORMATION

| | |
|---|---|
| COORDINATE SYSTEM | MISSOURI STATE PLANE, CENTRAL |
| HORIZONTAL DATUM | NAD 1983 |
| VERTICAL DATUM | NAVD 1988 |
| GEOID MODEL | GEOID 12B |
| ELEVATIONS DETERMINED BY | GPS |
| PROJECT PROJECTION FACTOR | 1.00007443 |

## REFERENCE CONTROL INFORMATION

| | |
|---|---|
| COORDINATE SYSTEM | MISSOURI STATE PLANE, 1983 |
| CONTROL STATION | FULTON 2 RESET |
| DESIGNATION | FULTON 2 RESET |
| CORS_ID | |
| PID | JC1565 |
| LATITUDE | N 38°51'36.99738" |
| LONGITUDE | W 091°57'08.46566" |
| NORTHING (M) | 336,063.129 |
| EASTING (M) | 547,530.963 |
| ZONE | CENTRAL |
| PROJECT AVERAGE GRID FACTOR | 0.99992558 |

## EXAMPLE OF PROJECT COORDINATE TO S.P.C.

PROJECT NORTHING X AVERAGE GRID FACTOR
= STATE PLANE NORTHING
PROJECT EASTING X AVERAGE GRID FACTOR
= STATE PLANE EASTING

EXAMPLE: CONTROL POINT #1200
N 1,103,186.353 X 0.99992558 = N 1,103,104.254
E 1,801,202.884 X 0.99992558 = E 1,801,068.838

## LINEAR UNIT CONVERSION

1 METER = 3.280833333 US SURVEY FEET (USFT)

## COORDINATE POINT LISTING

| SHEET NO | STATION | LOCATION | OFFSET (USFT) | MODIFIED STATE PLANE (GROUND) NORTHING (US SURVEY FT) | EASTING (US SURVEY FT) | ELEVATION (US SURVEY FT) | DESCRIPTION | GPK POINT ID |
|---|---|---|---|---|---|---|---|---|
| PROJECT CONTROL POINTS | | | | | | | | |
| 4 | 23+53.12 | RTE Z | 24.49' RT | 1,103,186.35 | 1,801,202.89 | 833.46 | 1/2 IN REBAR | 1200 |
| 4 | 26+16.77 | RTE Z | 24.24' RT | 1,103,305.98 | 1,801,437.83 | 827.38 | 1/2 IN REBAR | 1201 |
| 4 | 27+65.14 | RTE Z | 21.02' LT | 1,103,410.05 | 1,801,552.89 | 829.16 | 1/2 IN REBAR | 1202 |
| | | | | | | | | |
| ALIGNMENTS | | | | | | | | |
| 4 | 0+00.00 | RTE Z | 0.00 | 1,103,042.29 | 1,798,880.53 | | POINT ON TANGENT | |
| 4 | 12+86.00 | RTE Z | 0.00 | 1,102,973.42 | 1,800,164.69 | | PC CURVE #1 | |
| 4 | 17+97.75 | RTE Z | | 1,102,946.02 | 1,800,675.70 | | PI CURVE #1 | |
| 4 | 22+86.00 | RTE Z | 0.00 | 1,103,177.79 | 1,801,131.95 | | PT CURVE #1 | |
| 4 | 26+33.50 | RTE Z | 0.00 | 1,103,335.17 | 1,801,441.77 | | PC CURVE #2 | |
| 4 | 25+50.00 | RTE Z | 0.00 | 1,103,297.36 | 1,801,367.32 | | BEGIN PROJECT - POINT ON TANGENT | |
| 4 | 26+50.00 | RTE Z | 0.00 | 1,103,342.58 | 1,801,456.51 | | END PROJECT - POINT ON TANGENT | |
| 4 | 31+46.45 | RTE Z | | 1,103,567.55 | 1,801,899.20 | | PI CURVE #2 | |
| 4 | 36+35.71 | RTE Z | 0.00 | 1,103,539.17 | 1,802,411.27 | | PT CURVE #2 | |
| 4 | 47+91.91 | RTE Z | 0.00 | 1,103,475.18 | 1,803,565.70 | | POINT ON TANGENT | |
| | | | | | | | | |
| | | | | | | | | |

ROUTE Z
LOCATION 1 - FULTON

COORDINATE POINTS
SHEET 1 OF 10

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 64 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

ALL PROJECT COORDINATES HAVE BEEN PROJECTED FROM THE MISSOURI STATE PLANE COORDINATE (SPC) SYSTEM OF 1983 USING AN AVERAGE PROJECT PROJECTION (GRID TO GROUND) FACTOR. TO GET BACK TO STATE PLANE COORDINATES MULTIPLY THE PROJECT COORDINATES BY THE AVERAGE GRID FACTOR AS SHOWN IN THE "REFERENCE CONTROL INFORMATION" PORTION OF THIS TABLE.

## PROJECT COORDINATE INFORMATION

| | |
|---|---|
| COORDINATE SYSTEM | MISSOURI STATE PLANE, CENTRAL |
| HORIZONTAL DATUM | NAD 1983 |
| VERTICAL DATUM | NAVD 1988 |
| GEOID MODEL | GEOID 12B |
| ELEVATIONS DETERMINED BY | GPS |
| PROJECT PROJECTION FACTOR | 1.0001061 |

## REFERENCE CONTROL INFORMATION

| | |
|---|---|
| COORDINATE SYSTEM | MISSOURI STATE PLANE, 1983 |
| CONTROL STATION | CAMDENTON |
| DESIGNATION | CAMDENTON |
| CORS_ID | |
| PID | JD2573 |
| LATITUDE | N 38°00'27.72351" |
| LONGITUDE | W 092°44'43.55986" |
| NORTHING (M) | 241,315.379 |
| EASTING (M) | 478,446.665 |
| ZONE | CENTRAL |
| PROJECT AVERAGE GRID FACTOR | 0.99989395 |

## EXAMPLE OF PROJECT COORDINATE TO S.P.C.

PROJECT NORTHING X AVERAGE GRID FACTOR
= STATE PLANE NORTHING
PROJECT EASTING X AVERAGE GRID FACTOR
= STATE PLANE EASTING

EXAMPLE: CONTROL POINT #2200
N 791,967.463 X 0.99989395 = N 791,883.475
E 1,570,030.444 X 0.99989395 = E 1,569,863.942

## LINEAR UNIT CONVERSION

1 METER = 3.280833333 US SURVEY FEET (USFT)

## COORDINATE POINT LISTING

| SHEET NO | STATION | LOCATION | OFFSET (US FT) | MODIFIED STATE PLANE (GROUND) NORTHING (US SURVEY FT) | EASTING (US SURVEY FT) | ELEVATION (US SURVEY FT) | DESCRIPTION | GPK POINT ID |
|---|---|---|---|---|---|---|---|---|
| PROJECT CONTROL POINTS | | | | | | | | |
| 7 | 546+83.55 | US 54 | 58.58' RT | 791,967.46 | 1,570,030.44 | 1,043.60 | 1/2 IN REBAR | 2200 |
| 7 | 545+16.77 | US 54 | 73.69' RT | 792,107.75 | 1,570,121.89 | 1,041.71 | 1/2 IN REBAR | 2201 |
| 7 | 545+73.74 | US 54 | 109.26' LT | 791,949.70 | 1,570,230.22 | 1,043.87 | 1/2 IN REBAR | 2202 |
| 7 | 546+73.27 | US 54 | 65.70' LT | 791,898.55 | 1,570,134.37 | 1,044.26 | 1/2 IN REBAR | 2203 |
| 7 | 751+48.29 | US 54 | 36.46' LT | 794,079.72 | 1,571,914.14 | 998.23 | 1/2 IN REBAR | 2210 |
| 7 | 749+95.98 | US 54 | 45.75' LT | 794,153.52 | 1,572,043.90 | 995.17 | CUT CROSS | 2212 |
| 7 | 746+91.21 | US 54 | 41.65' LT | 794,289.18 | 1,572,308.68 | 999.16 | CUT CROSS | 2213 |
| 7 | 738+91.00 | US 54 | 45.00' LT | 794,518.00 | 1,573,071.70 | 999.26 | CUT CROSS | 2214 |
| 7 | 736+74.99 | US 54 | 41.62' LT | 794,602.26 | 1,573,277.48 | 990.29 | CUT CROSS | 2215 |
| 7 | 734+65.25 | US 54 | 37.80' LT | 794,712.97 | 1,573,462.25 | 983.70 | CUT CROSS | 2216 |
| 7 | 733+45.77 | US 54 | 45.51' LT | 794,779.88 | 1,573,565.64 | 982.05 | 1/2 IN REBAR | 2217 |
| 7 | 731+44.53 | US 54 | 59.72' LT | 794,911.44 | 1,573,727.96 | 979.25 | 1/2 IN REBAR | 2218 |
| 8 | 717+71.34 | US 54 | 52.87' RT | 796,006.79 | 1,574,573.08 | 957.49 | CUT CROSS | 2219 |
| 8 | 715+15.54 | US 54 | 39.78' RT | 796,159.64 | 1,574,778.61 | 953.34 | CUT CROSS | 2220 |
| 8 | 712+25.38 | US 54 | 41.98' RT | 796,346.17 | 1,575,000.88 | 951.60 | CUT CROSS | 2221 |
| 8 | 708+51.11 | US 54 | 42.32' RT | 796,584.84 | 1,575,289.18 | 948.24 | CUT CROSS | 2222 |
| 8 | 703+75.48 | US 54 | 47.58' RT | 796,891.87 | 1,575,652.47 | 932.76 | CUT CROSS | 2223 |
| 8 | 699+38.61 | US 54 | 72.59' RT | 797,189.43 | 1,575,973.31 | 916.40 | 1/2 IN REBAR | 2224 |
| 8 | 697+28.65 | US 54 | 65.68' RT | 797,317.85 | 1,576,139.56 | 906.46 | 1/2 IN REBAR | 2225 |
| 8 | 698+30.57 | US 54 | 50.70' LT | 797,163.22 | 1,576,135.13 | 911.49 | CUT CROSS | 2226 |
| | | | | | | | | |
| ALIGNMENTS | | | | | | | | |
| 7 | 548+00.00 | US 54 | 0.00' | 791,839.75 | 1,570,004.29 | | BEGIN PROJECT #1 | |
| 7 | 545+00.00 | US 54 | 0.00' | 792,075.27 | 1,570,190.12 | | END PROJECT #1 | |
| 7 | 756+89.54 | US 54 | 0.00' | 793,737.40 | 1,571,502.32 | | PT CURVE #1 | |
| 7 | 752+00.00 | US 54 | 0.00' | 794,078.83 | 1,571,851.28 | | BEGIN PROJECT #2 | |
| 7 | 751+19.05 | US 54 | | 794,215.85 | 1,571,879.94 | | PI CURVE #1 | |
| 7 | 745+09.54 | US 54 | 0.00' | 794,387.11 | 1,572,464.90 | | PC CURVE #1 | |
| 7 | 739+10.01 | US 54 | 0.00' | 794,555.56 | 1,573,040.28 | | PT CURVE #2 | |
| 7 | 734+99.45 | US 54 | | 794,678.09 | 1,573,458.81 | | PI CURVE #2 | |
| 7 | 730+63.34 | US 54 | 0.00' | 795,013.07 | 1,573,738.06 | | PC CURVE #2 | |
| 8 | 723+45.77 | US 54 | 0.00' | 795,564.25 | 1,574,197.53 | | PT CURVE #3 | |
| 8 | 720+81.12 | US 54 | | 795,768.70 | 1,574,367.96 | | PI CURVE #3 | |
| 8 | 718+14.94 | US 54 | 0.00' | 795,938.26 | 1,574,573.15 | | PC CURVE #3 | |
| 8 | 697+00.00 | US 54 | 0.00' | 797,285.47 | 1,576,203.49 | | END PROJECT #2 | |
| | | | | | | | | |

US 54
LOCATION 2 - CAMDENTON

COORDINATE POINTS
SHEET 2 OF 10

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 65 |

COUNTY VARIES
JOB NO. JCD0214
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

ALL PROJECT COORDINATES HAVE BEEN PROJECTED FROM THE MISSOURI STATE PLANE COORDINATE (SPC) SYSTEM OF 1983 USING AN AVERAGE PROJECT PROJECTION (GRID TO GROUND) FACTOR. TO GET BACK TO STATE PLANE COORDINATES MULTIPLY THE PROJECT COORDINATES BY THE AVERAGE GRID FACTOR AS SHOWN IN THE "REFERENCE CONTROL INFORMATION" PORTION OF THIS TABLE.

## PROJECT COORDINATE INFORMATION

| | |
|---|---|
| COORDINATE SYSTEM | MISSOURI STATE PLANE, EAST |
| HORIZONTAL DATUM | NAD 1983 |
| VERTICAL DATUM | NAVD 1988 |
| GEOID MODEL | GEOID 12B |
| ELEVATIONS DETERMINED BY | GPS |
| PROJECT PROJECTION FACTOR | 1.00011085 |

## REFERENCE CONTROL INFORMATION

| | |
|---|---|
| COORDINATE SYSTEM | MISSOURI STATE PLANE, 1983 |
| CONTROL STATION | BRENTON 2 |
| DESIGNATION | BRENTON 2 |
| CORS_ID | |
| PID | HC1060 |
| LATITUDE | N 37°56'44.35205" |
| LONGITUDE | W 090°45'57.70107" |
| NORTHING (M) | 234,433.750 |
| EASTING (M) | 226,618.405 |
| ZONE | EAST |
| PROJECT AVERAGE GRID FACTOR | 0.99988916 |

## EXAMPLE OF PROJECT COORDINATE TO S.P.C.

PROJECT NORTHING X AVERAGE GRID FACTOR
= STATE PLANE NORTHING
PROJECT EASTING X AVERAGE GRID FACTOR
= STATE PLANE EASTING

EXAMPLE: CONTROL POINT #300
N 766,244.000 X 0.99988916 = N 766,159.070
E 736,845.474 X 0.99988916 = E 736,763.802

## LINEAR UNIT CONVERSION

1 METER = 3.280833333 US SURVEY FEET (USFT)

## COORDINATE POINT LISTING

| SHEET NO | STATION | LOCATION | OFFSET (US FT) | MODIFIED STATE PLANE (GROUND) NORTHING (US SURVEY FT) | EASTING (US SURVEY FT) | ELEVATION (US SURVEY FT) | DESCRIPTION | GPK POINT ID |
|---|---|---|---|---|---|---|---|---|
| PROJECT CONTROL POINTS | | | | | | | | |
| 20 | 975+85.67 | MO 8 | 18.58' LT | 766,244.00 | 736,845.47 | 885.83 | 1/2 IN REBAR | 3300 |
| 20 | 978+85.47 | MO 8 | 18.28' LT | 766,037.09 | 737,062.43 | 893.20 | 1/2 IN REBAR | 3301 |
| 20 | 981+21.97 | MO 8 | 28.94' LT | 765,890.99 | 737,245.87 | 900.75 | 1/2 IN REBAR | 3302 |
| 20 | 984+31.43 | MO 8 | 28.49' LT | 765,697.99 | 737,487.76 | 901.20 | CUT CROSS | 3303 |
| 20 | 986+01.92 | MO 8 | 22.31' RT | 765,552.22 | 737,590.37 | 888.04 | CUT CROSS | 3304 |
| 20 | 993+32.42 | MO 8 | 39.64' LT | 765,173.00 | 738,218.28 | 902.23 | MAG NAIL | 3305 |
| 20 | 994+60.33 | MO 8 | 46.94' LT | 765,103.83 | 738,326.12 | 900.00 | CUT CROSS | 3306 |
| 20 | 995+47.51 | MO 8 | 49.97' RT | 764,974.47 | 738,339.42 | 899.38 | MAG NAIL | 3307 |
| 20 | 1001+24.96 | MO 8 | 33.30' LT | 764,697.98 | 738,853.16 | 910.95 | MAG NAIL | 3308 |
| 20 | 1001+81.88 | MO 8 | 44.66' RT | 764,601.46 | 738,852.56 | 906.03 | 1/2IN REBAR | 3309 |
| 20 | 1003+46.02 | MO 8 | 40.50' RT | 764,507.18 | 738,986.99 | 905.81 | 1/2IN REBAR | 3310 |
| ALIGNMENTS | | | | | | | | |
| 20 | 976+00.00 | MO 8 | 0.00 | 766,220.66 | 736,843.05 | | POINT ON TANGENT | |
| 20 | 977+50.00 | MO 8 | 0.00 | 766,117.25 | 736,951.70 | | BEGIN PROJECT - POINT ON TANGENT | |
| 20 | 979+23.51 | MO 8 | 0.00 | 765,997.63 | 737,077.38 | | PC CURVE #1 | |
| 20 | 980+08.29 | MO 8 | | 765,939.18 | 737,138.79 | | PI CURVE #1 | |
| 20 | 980+92.95 | MO 8 | 0.00 | 765,886.40 | 737,205.14 | | PT CURVE #1 | |
| 20 | 985+54.18 | MO 8 | 0.00 | 765,599.27 | 737,566.09 | | PC CURVE #2 | |
| 20 | 985+95.79 | MO 8 | | 765,572.74 | 737,599.44 | | PI CURVE #2 | |
| 20 | 986+37.38 | MO 8 | 0.00 | 765,548.91 | 737,632.31 | | PT CURVE #2 | |
| 20 | 995+45.97 | MO 8 | 0.00 | 765,015.56 | 738,367.90 | | POINT ON TANGENT | |
| 20 | 1002+00.00 | MO 8 | 0.00 | 764,626.58 | 738,893.68 | | END PROJECT - POINT ON TANGENT | |
| | | | | | | | | |


STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER
THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.


DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 66 |

COUNTY VARIES
JOB NO. JCD0214
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION | DATE


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347


MO 8
LOCATION 3 - POTOSI

COORDINATE POINTS
SHEET 3 OF 10

THIS PROJECT IS BASED ON MISSOURI STATE PLANE COORDINATES (SPC) SYSTEM OF 1983 HAVING A PROJECT PROJECTION FACTOR AS SHOWN IN THE "PROJECT COORDINATE INFORMATION" PORTION OF THIS TABLE.

| PROJECT COORDINATE INFORMATION | |
|---|---|
| COORDINATE SYSTEM | STATE PLANE (GRID) |
| HORIZONTAL DATUM | NAD 83 |
| VERTICAL DATUM | NAVD 88 |
| GEOID MODEL | GEOID 18 |
| ELEVATIONS DETERMINED BY | GPS |
| PROJECT PROJECTION FACTOR | 1.0000000000 |

| REFERENCE CONTROL INFORMATION | |
|---|---|
| COORDINATE SYSTEM | MISSOURI STATE PLANE, 1983 |
| CONTROL STATION | MODOT DRAKE CORS ARP |
| DESIGNATION | MODOT DRAKE CORS ARP |
| CORS_ID | MODR |
| PID | DL6300 |
| LATITUDE | N 38°27'45.47404" |
| LONGITUDE | W 091°27'54.94362" |
| NORTHING (M) | 292,222.720 |
| EASTING (M) | 165758.735 |
| ZONE | CENTRAL |
| PROJECT AVERAGE GRID FACTOR | 0.99998332 |

| LINEAR UNIT CONVERSION |
|---|
| 1 METER = 3.280833333 US SURVEY FEET (USFT) |

## COORDINATE POINT LISTING

| SHEET NO | STATION | LOCATION | OFFSET (US FT) | STATE PLANE NORTHING (US SURVEY FT) | STATE PLANE EASTING (US SURVEY FT) | STATE PLANE ELEVATION (US SURVEY FT) | DESCRIPTION | GPK POINT ID |
|---|---|---|---|---|---|---|---|---|
| PROJECT CONTROL POINTS | | | | | | | | |
| 25 | 901+27.40 | MO 89 | 113.51' RT | 895,101.10 | 1,863,881.04 | 1,043.16 | CONTROL POINT | 45000 |
| 25 | 905+20.74 | MO 89 | 94.47' LT | 894,712.64 | 1,864,098.00 | 1,038.51 | CONTROL POINT | 45001 |
| 25 | 909+31.92 | MO 89 | 202.69' LT | 894,304.04 | 1,864,215.62 | 1,031.61 | CONTROL POINT | 45002 |
| | | | | | | | | |
| ALIGNMENTS | | | | | | | | |
| 25 | 901+26.10 | MO 89 | 0.00 | 895,105.01 | 1,863,994.49 | | POINT ON TANGENT | |
| 25 | 905+00.00 | MO 89 | 0.00 | 894,731.20 | 1,864,003.05 | | BEGIN PROJECT - POINT ON TANGENT | |
| 25 | 910+00.00 | MO 89 | 0.00 | 894,231.33 | 1,864,014.52 | | END PROJECT - POINT ON TANGENT | |
| 25 | 913+34.03 | MO 89 | 0.00 | 893,897.40 | 1,864,022.20 | | POINT ON TANGENT | |

MO 89
LOCATION 4 - BELLE

COORDINATE POINTS
SHEET 4 OF 10

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026
ROUTE: VAR. | STATE: MO
DISTRICT: CD | SHEET NO.: 67
COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

ALL PROJECT COORDINATES HAVE BEEN PROJECTED FROM THE MISSOURI STATE PLANE COORDINATE (SPC) SYSTEM OF 1983 USING AN AVERAGE PROJECT PROJECTION (GRID TO GROUND) FACTOR. TO GET BACK TO STATE PLANE COORDINATES MULTIPLY THE PROJECT COORDINATES BY THE AVERAGE GRID FACTOR AS SHOWN IN THE "REFERENCE CONTROL INFORMATION" PORTION OF THIS TABLE.

## PROJECT COORDINATE INFORMATION

| | |
|---|---|
| COORDINATE SYSTEM | MISSOURI STATE PLANE, CENTRAL |
| HORIZONTAL DATUM | NAD 1983 |
| VERTICAL DATUM | NAVD 1988 |
| GEOID MODEL | GEOID 12B |
| ELEVATIONS DETERMINED BY | GPS |
| PROJECT PROJECTION FACTOR | 1.00010510 |

## REFERENCE CONTROL INFORMATION

| | |
|---|---|
| COORDINATE SYSTEM | MISSOURI STATE PLANE, 1983 |
| CONTROL STATION | CHRISTIAN RESET |
| DESIGNATION | CHRISTIAN RESET |
| CORS_ID | |
| PID | JD2619 |
| LATITUDE | N 38°37'38.57329" |
| LONGITUDE | W 092°32'51.16621" |
| NORTHING (M) | 310,069.522 |
| EASTING (M) | 495,860.007 |
| ZONE | CENTRAL |
| PROJECT AVERAGE GRID FACTOR | 0.99989491 |

## EXAMPLE OF PROJECT COORDINATE TO S.P.C.

PROJECT NORTHING X AVERAGE GRID FACTOR
= STATE PLANE NORTHING
PROJECT EASTING X AVERAGE GRID FACTOR
= STATE PLANE EASTING

EXAMPLE: CONTROL POINT #5300
N 1,017,497.479 X 0.99989491 = N 1,017,390.550
E 1,620,958.624 X 0.99989491 = E 1,620,788.277

## LINEAR UNIT CONVERSION

1 METER = 3.280833333 US SURVEY FEET (USFT)

## COORDINATE POINT LISTING

| SHEET NO | STATION | LOCATION | OFFSET (US FT) | MODIFIED STATE PLANE (GROUND) NORTHING (US SURVEY FT) | EASTING (US SURVEY FT) | ELEVATION (US SURVEY FT) | DESCRIPTION | GPK POINT ID |
|---|---|---|---|---|---|---|---|---|
| PROJECT CONTROL POINTS | | | | | | | | |
| 28 | 362+50.00 | BUS 50 | 27.97' LT | 1,017,497.48 | 1,620,958.62 | 886.36 | CUT CROSS | 5300 |
| 28 | 362+98.09 | BUS 50 | 36.32' LT | 1,017,501.00 | 1,621,141.69 | 886.71 | CUT CROSS | 5301 |
| 28 | 364+55.77 | BUS 50 | 28.31' RT | 1,017,432.11 | 1,621,297.59 | 886.44 | CUT CROSS | 5302 |
| 28 | 369+26.15 | BUS 50 | 26.80' LT | 1,017,474.43 | 1,621,769.30 | 893.36 | CUT CROSS | 5303 |
| 28 | 370+51.35 | BUS 50 | 33.99' LT | 1,017,478.09 | 1,621,894.66 | 891.93 | 1/2 IN REBAR | 5304 |
| 28 | 371+99.77 | BUS 50 | 36.83' LT | 1,017,476.76 | 1,622,043.10 | 891.10 | 1/2 IN REBAR | 5305 |
| | | | | | | | | |
| ALIGNMENTS | | | | | | | | |
| 28 | 362+50.00 | BUS 50 | 0.00 | 1,017,465.94 | 1,621,092.65 | | BEGIN PROJECT - POINT ON TANGENT | |
| 28 | 367+44.40 | BUS 50 | 0.00 | 1,017,452.75 | 1,621,586.87 | | POINT ON TANGENT | |
| 28 | 370+50.00 | BUS 50 | 0.00 | 1,017,444.16 | 1,621,892.35 | | END PROJECT - POINT ON TANGENT | |

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 68 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue 816-781-6182
Kansas City, Missouri 64157 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

BUSINESS 50
LOCATION 5 - CALIFORNIA

COORDINATE POINTS
SHEET 5 OF 10

THIS PROJECT IS BASED ON MISSOURI STATE PLANE COORDINATES (SPC) SYSTEM OF 1983 HAVING A PROJECT PROJECTION FACTOR AS SHOWN IN THE "PROJECT COORDINATE INFORMATION" PORTION OF THIS TABLE

| PROJECT COORDINATE INFORMATION | |
|---|---|
| COORDINATE SYSTEM | STATE PLANE (GRID) |
| HORIZONTAL DATUM | NAD 83 |
| VERTICAL DATUM | NAVD 88 |
| GEOID MODEL | GEOID 18 |
| ELEVATIONS DETERMINED BY | GPS |
| PROJECT PROJECTION FACTOR | 1.0000000000 |

| REFERENCE CONTROL INFORMATION | |
|---|---|
| COORDINATE SYSTEM | MISSOURI STATE PLANE, 1983 |
| CONTROL STATION | MODOT FULTON CORS ARP |
| DESIGNATION | MODOT FULTON CORS ARP |
| CORS_ID | MOFL |
| PID | DR9484 |
| LATITUDE | N 38°50'57.57724" |
| LONGITUDE | W 091°58'37.71033" |
| NORTHING (M) | 334,834.994 |
| EASTING (M) | 545,386.344 |
| ZONE | CENTRAL |
| PROJECT AVERAGE GRID FACTOR | 0.99992212 |

| LINEAR UNIT CONVERSION |
|---|
| 1 METER = 3.280833333 US SURVEY FEET (USFT) |

## COORDINATE POINT LISTING

| SHEET NO | STATION | LOCATION | OFFSET (US FT) | STATE PLANE NORTHING (US SURVEY FT) | STATE PLANE EASTING (US SURVEY FT) | STATE PLANE ELEVATION (US SURVEY FT) | DESCRIPTION | GPK POINT ID |
|---|---|---|---|---|---|---|---|---|
| PROJECT CONTROL POINTS | | | | | | | | |
| 32 | 2+35.99 | RTE K | 53.07' RT | 1,035,132.61 | 1,848,830.02 | 540.34 | 1/2 IN REBAR & CAP | 61402 |
| 32 | 14+13.26 | RTE K | 9.80' RT | 1,034,397.92 | 1,848,372.13 | 542.59 | 1/2 IN REBAR & CAP | 61403 |
| ALIGNMENTS | | | | | | | | |
| 32 | 0+00.00 | RTE K | 0.00' | 1,035,122.87 | 1,849,071.71 | | BEGIN PROJECT - POINT ON TANGENT | |
| 32 | 7+44.79 | RTE K | 0.00' | 1,034,988.85 | 1,848,339.07 | | POINT ON TANGENT | |
| 32 | 13+42.69 | RTE K | 0.00' | 1,034,400.12 | 1,848,443.34 | | POINT ON TANGENT | |
| 32 | 14+00.00 | RTE K | 0.00' | 1,034,390.49 | 1,848,386.85 | | END PROJECT | |
| 32 | 15+17.69 | RTE K | 0.00' | 1,034,370.71 | 1,848,270.83 | | POINT ON TANGENT | |

ROUTE K
LOCATION 6 - CHAMOIS

COORDINATE POINTS
SHEET 6 OF 10

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 69 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

ALL PROJECT COORDINATES HAVE BEEN PROJECTED FROM THE MISSOURI STATE PLANE COORDINATE (SPC) SYSTEM OF 1983 USING AN AVERAGE PROJECT PROJECTION (GRID TO GROUND) FACTOR. TO GET BACK TO STATE PLANE COORDINATES MULTIPLY THE PROJECT COORDINATES BY THE AVERAGE GRID FACTOR AS SHOWN IN THE "REFERENCE CONTROL INFORMATION" PORTION OF THIS TABLE.

## PROJECT COORDINATE INFORMATION

| | |
|---|---|
| COORDINATE SYSTEM | MISSOURI STATE PLANE, CENTRAL |
| HORIZONTAL DATUM | NAD 1983 |
| VERTICAL DATUM | NAVD 1988 |
| GEOID MODEL | GEOID 12B |
| ELEVATIONS DETERMINED BY | GPS |
| PROJECT PROJECTION FACTOR | 1.0000657 |

## REFERENCE CONTROL INFORMATION

| | |
|---|---|
| COORDINATE SYSTEM | MISSOURI STATE PLANE, 1983 |
| CONTROL STATION | PH 45 |
| DESIGNATION | PH 45 |
| CORS_ID | |
| PID | 161045 |
| LATITUDE | N 37°57'57.55920" |
| LONGITUDE | W 091°45'53.90631" |
| NORTHING (M) | 236,912.218 |
| EASTING (M) | 564,585.064 |
| ZONE | CENTRAL |
| PROJECT AVERAGE GRID FACTOR | 0.9999343 |

## EXAMPLE OF PROJECT COORDINATE TO S.P.C.

PROJECT NORTHING X AVERAGE GRID FACTOR
= STATE PLANE NORTHING
PROJECT EASTING X AVERAGE GRID FACTOR
= STATE PLANE EASTING

EXAMPLE: CONTROL POINT #7300
N 776.307.615 X 0.9999343 = N 776,256.612
E 1,852,269.944 X 0.9999343 = E 1,852,148.250

## LINEAR UNIT CONVERSION

1 METER = 3.280833333 US SURVEY FEET (USFT)

## COORDINATE POINT LISTING

| SHEET NO | STATION | LOCATION | OFFSET (US FT) | MODIFIED STATE PLANE (GROUND) NORTHING (US SURVEY FT) | EASTING (US SURVEY FT) | ELEVATION (US SURVEY FT) | DESCRIPTION | GPK POINT ID |
|---|---|---|---|---|---|---|---|---|
| PROJECT CONTROL POINTS | | | | | | | | |
| 41 | 47+66.30 | US 63 | 43.98' RT | 772,372.86 | 1,848,923.61 | 1,107.50 | 1/2 IN REBAR | 7312 |
| 41 | 44+66.83 | US 63 | 47.37' LT | 772,672.06 | 1,849,015.87 | 1,118.55 | 1/2 IN REBAR | 7331 |
| | | | | | | | | |
| | | | | | | | | |
| ALIGNMENTS | | | | | | | | |
| 41 | 445+69.20 | RTE E | 0.00 | 773,956.13 | 1,847,225.38 | | BEGIN PROJECT - ROUTE E | |
| 41 | 452+41.30 | RTE E | 0.00 | 773,540.33 | 1,847,753.43 | | PC CURVE #11 | |
| 41 | 453+50.00 | RTE E | 0.00 | 773,478.09 | 1,847,842.47 | | END PROJECT - ROUTE E | |
| 41 | 453+71.35 | RTE E | | 773,459.88 | 1,847,855.60 | | PI CURVE #11 | |
| 41 | 454+99.80 | RTE E | 0.00 | 773,409.68 | 1,847,975.56 | | PT CURVE #11 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

ROUTE E
LOCATION 7 - ROLLA

COORDINATE POINTS
SHEET 7 OF 10

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 70 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

ALL PROJECT COORDINATES HAVE BEEN PROJECTED FROM THE MISSOURI STATE PLANE COORDINATE (SPC) SYSTEM OF 1983 USING AN AVERAGE PROJECT PROJECTION (GRID TO GROUND) FACTOR. TO GET BACK TO STATE PLANE COORDINATES MULTIPLY THE PROJECT COORDINATES BY THE AVERAGE GRID FACTOR AS SHOWN IN THE "REFERENCE CONTROL INFORMATION" PORTION OF THIS TABLE.

## PROJECT COORDINATE INFORMATION

| | |
|---|---|
| COORDINATE SYSTEM | MISSOURI STATE PLANE, CENTRAL |
| HORIZONTAL DATUM | NAD 1983 |
| VERTICAL DATUM | NAVD 1988 |
| GEOID MODEL | GEOID 12B |
| ELEVATIONS DETERMINED BY | GPS |
| PROJECT PROJECTION FACTOR | 1.00004020 |

## REFERENCE CONTROL INFORMATION

| | |
|---|---|
| COORDINATE SYSTEM | MISSOURI STATE PLANE, 1983 |
| CONTROL STATION | PH-39 |
| DESIGNATION | PH-39 |
| CORS_ID | |
| PID | 161039 |
| LATITUDE | N 37°59'45.18076" |
| LONGITUDE | W 091°37'12.73116" |
| NORTHING (M) | 240,340.595 |
| EASTING (M) | 577,274.637 |
| ZONE | CENTRAL |
| PROJECT AVERAGE GRID FACTOR | 0.9999598 |

## EXAMPLE OF PROJECT COORDINATE TO S.P.C.

PROJECT NORTHING X AVERAGE GRID FACTOR
= STATE PLANE NORTHING
PROJECT EASTING X AVERAGE GRID FACTOR
= STATE PLANE EASTING

EXAMPLE: CONTROL POINT #200
N 789,191.151 X 0.9999598 = N 789,159.426
E 1,894,223.047 X 0.9999598 = E 1,894,146.899

## LINEAR UNIT CONVERSION

1 METER = 3.280833333 US SURVEY FEET (USFT)

## COORDINATE POINT LISTING

| SHEET NO | STATION | LOCATION | OFFSET (US FT) | MODIFIED STATE PLANE (GROUND) NORTHING (US SURVEY FT) | EASTING (US SURVEY FT) | ELEVATION (US SURVEY FT) | DESCRIPTION | GPK POINT ID |
|---|---|---|---|---|---|---|---|---|
| PROJECT CONTROL POINTS | | | | | | | | |
| 44 | 1515+69.13 | ROUTE 66 | 6.12' RT | 789,191.15 | 1,894,223.05 | 1,081.13 | 1 IN REBAR | 8200 |
| 44 | 1517+42.88 | ROUTE 66 | 4.53' LT | 789,290.40 | 1,894,366.06 | 1,079.99 | 1 IN REBAR | 8201 |
| 44 | 1522+03.98 | ROUTE 66 | 5.21' LT | 789,534.22 | 1,894,757.37 | 1,077.98 | 1 IN REBAR | 8202 |
| 44 | 1523+12.92 | ROUTE 66 | 5.72' LT | 789,592.15 | 1,894,849.62 | 1,077.83 | 1 IN REBAR | 8203 |
| ALIGNMENTS | | | | | | | | |
| 44 | 1514+50.00 | ROUTE 66 | 0.00 | 789,134.58 | 1,894,118.03 | | POINT ON TANGENT | |
| 44 | 1515+50.00 | ROUTE 66 | 0.00 | 789,186.46 | 1,894,203.52 | | BEGIN PROJECT - POINT ON TANGENT | |
| 44 | 1517+60.33 | ROUTE 66 | 0.00 | 789,295.58 | 1,894,383.33 | | POINT ON TANGENT | |
| 44 | 1523+50.00 | ROUTE 66 | 0.00 | 789,606.87 | 1,894,884.14 | | END PROJECT - POINT ON TANGENT | |

ROUTE 66
LOCATION 8 - ST. JAMES

COORDINATE POINTS
SHEET 8 OF 10


SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
STATE OF MISSOURI
PROFESSIONAL ENGINEER


THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026
ROUTE: VAR. | STATE: MO
DISTRICT: CD | SHEET NO.: 71
COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

ALL PROJECT COORDINATES HAVE BEEN PROJECTED FROM THE MISSOURI STATE PLANE COORDINATE (SPC) SYSTEM OF 1983 USING AN AVERAGE PROJECT PROJECTION (GRID TO GROUND) FACTOR. TO GET BACK TO STATE PLANE COORDINATES MULTIPLY THE PROJECT COORDINATES BY THE AVERAGE GRID FACTOR AS SHOWN IN THE "REFERENCE CONTROL INFORMATION" PORTION OF THIS TABLE.

## PROJECT COORDINATE INFORMATION

| | |
|---|---|
| COORDINATE SYSTEM | MISSOURI STATE PLANE, CENTRAL |
| HORIZONTAL DATUM | NAD 1983 |
| VERTICAL DATUM | NAVD 1988 |
| GEOID MODEL | GEOID 12B |
| ELEVATIONS DETERMINED BY | GPS |
| PROJECT PROJECTION FACTOR | 1.0001147 |

## REFERENCE CONTROL INFORMATION

| | |
|---|---|
| COORDINATE SYSTEM | MISSOURI STATE PLANE, 1983 |
| CONTROL STATION | LC-044 |
| DESIGNATION | LC-044 |
| CORS_ID | |
| PID | 105044 |
| LATITUDE | N37°51'32.72077" |
| LONGITUDE | W092°24'37.64355" |
| NORTHING (M) | 224,796.625 |
| EASTING (M) | 507,879.323 |
| ZONE | CENTRAL |
| PROJECT AVERAGE GRID FACTOR | 0.9998853 |

## EXAMPLE OF PROJECT COORDINATE TO S.P.C.

PROJECT NORTHING X AVERAGE GRID FACTOR
= STATE PLANE NORTHING
PROJECT EASTING X AVERAGE GRID FACTOR
= STATE PLANE EASTING

EXAMPLE: CONTROL POINT #9200
N 736,147.719 X 0.9998853 = N 736,063.283
E 1,667,631.346 X 0.9998853 = E 1,667,440.069

## LINEAR UNIT CONVERSION

1 METER = 3.280833333 US SURVEY FEET (USFT)

## COORDINATE POINT LISTING

| SHEET NO | STATION | LOCATION | OFFSET (US FT) | MODIFIED STATE PLANE (GROUND) NORTHING (US SURVEY FT) | EASTING (US SURVEY FT) | ELEVATION (US SURVEY FT) | DESCRIPTION | GPK POINT ID |
|---|---|---|---|---|---|---|---|---|
| PROJECT CONTROL POINTS | | | | | | | | |
| 48 | 21+50.00 | MO 133 | 114.81' RT | 736,147.72 | 1,667,631.35 | 1,123.85 | 1/2IN REBAR | 9200 |
| 48 | 21+50.00 | MO 133 | 110.18' RT | 736,263.04 | 1,667,748.68 | 1,129.20 | 1/2IN REBAR | 9201 |
| 48 | 19+25.69 | MO 133 | 116.51' RT | 736,556.31 | 1,668,023.17 | 1,140.65 | CUT CROSS | 9202 |
| 48 | 17+52.84 | MO 133 | 47.90' RT | 736,632.39 | 1,668,192.88 | 1,136.01 | 1/2IN REBAR | 9203 |
| 48 | 13+67.75 | MO 133 | 48.51' RT | 736,908.92 | 1,668,460.95 | 1,126.42 | 1/2IN REBAR | 9204 |
| 48 | 10+01.93 | MO 133 | 121.24' RT | 737,221.92 | 1,668,663.88 | 1,132.46 | 1/2IN REBAR | 9205 |
| 48 | 9+09.05 | MO 133 | 44.64' RT | 737,235.10 | 1,668,783.56 | 1,136.87 | 1/2IN REBAR | 9206 |
| 48 | 4+27.58 | MO 133 | 31.93' RT | 737,442.31 | 1,668,982.72 | 1,142.50 | 1/2IN REBAR | 9207 |
| 48 | 5+62.63 | MO 133 | 33.03' LT | 737,400.24 | 1,669,681.91 | 1,124.73 | 1/2IN REBAR | 9208 |
| 48 | 7+41.58 | MO 133 | 40.96' RT | 737,222.79 | 1,669,759.43 | 1,120.79 | 1/2IN REBAR | 9209 |
| 48 | 8+52.48 | MO 133 | 28.37' LT | 737,192.94 | 1,669,885.96 | 1,109.01 | 1/2IN REBAR | 9210 |
| | | | | | | | | |
| ALIGNMENTS | | | | | | | | |
| 48 | 8+00.00 | MO 133 | 0.00' | 737,210.88 | 1,669,829.06 | | BEGIN PROJECT - POINT ON TANGENT | |
| 48 | 7+64.36 | MO 133 | 0.00' | 737,236.48 | 1,669,804.26 | | POINT ON TANGENT | |
| 48 | 0+00.00 | MO 133 | 0.00' | 737,766.83 | 1,669,253.83 | | POINT ON TANGENT - INTERSECTION | |
| 48 | 20+81.20 | MO 133 | 0.00' | 736,279.11 | 1,667,806.95 | | POINT ON TANGENT | |
| 48 | 21+50.00 | MO 133 | 0.00' | 736,229.52 | 1,667,759.26 | | END PROJECT - POINT ON TANGENT | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 72 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

MO 133/MO 7
LOCATION 9 - RICHLAND

COORDINATE POINTS
SHEET 9 OF 10

ALL PROJECT COORDINATES HAVE BEEN PROJECTED FROM THE MISSOURI STATE PLANE COORDINATE (SPC) SYSTEM OF 1983 USING AN AVERAGE PROJECT PROJECTION (GRID TO GROUND) FACTOR. TO GET BACK TO STATE PLANE COORDINATES MULTIPLY THE PROJECT COORDINATES BY THE AVERAGE GRID FACTOR AS SHOWN IN THE "REFERENCE CONTROL INFORMATION" PORTION OF THIS TABLE.

## PROJECT COORDINATE INFORMATION

| | |
|---|---|
| COORDINATE SYSTEM | MISSOURI STATE PLANE, CENTRAL |
| HORIZONTAL DATUM | NAD 1983 |
| VERTICAL DATUM | NAVD 1988 |
| GEOID MODEL | GEOID 12B |
| ELEVATIONS DETERMINED BY | GPS |
| PROJECT PROJECTION FACTOR | 1.0001124 |

## REFERENCE CONTROL INFORMATION

| | |
|---|---|
| COORDINATE SYSTEM | MISSOURI STATE PLANE, 1983 |
| CONTROL STATION | CROCKER |
| DESIGNATION | CROCKER |
| CORS_ID | |
| PID | HD1074 |
| LATITUDE | N 37°57'52.74252" |
| LONGITUDE | W 092°15'28.56956" |
| NORTHING (M) | 236536.494 |
| EASTING (M) | 521269.877 |
| ZONE | CENTRAL |
| PROJECT AVERAGE GRID FACTOR | 0.9998876 |

## EXAMPLE OF PROJECT COORDINATE TO S.P.C.

PROJECT NORTHING X AVERAGE GRID FACTOR
= STATE PLANE NORTHING
PROJECT EASTING X AVERAGE GRID FACTOR
= STATE PLANE EASTING

EXAMPLE: CONTROL POINT #10200
N 772,901.975 X 0.9998876 = N 772,815.101
E 1,708,775.635 X 0.9998876 = E 1,708,583.569

## LINEAR UNIT CONVERSION

1 METER = 3.280833333 US SURVEY FEET (USFT)

## COORDINATE POINT LISTING

| SHEET NO | STATION | LOCATION | OFFSET (US FT) | MODIFIED STATE PLANE (GROUND) NORTHING (US SURVEY FT) | EASTING (US SURVEY FT) | ELEVATION (US SURVEY FT) | DESCRIPTION | GPK POINT ID |
|---|---|---|---|---|---|---|---|---|
| PROJECT CONTROL POINTS | | | | | | | | |
| 60 | 596+95.96 | MO17/133 | 24.92' LT | 772,901.98 | 1,708,775.64 | 1,144.96 | 1/2 IN REBAR | 10200 |
| 60 | 594+98.43 | MO17/133 | 44.91' LT | 772,707.85 | 1,708,699.02 | 1,146.43 | 1/2 IN REBAR | 10201 |
| 60 | 592+43.47 | MO17/133 | 41.01' LT | 772,448.58 | 1,708,694.13 | 1,140.74 | 1/2 IN REBAR | 10202 |
| | | | | | | | | |
| ALIGNMENTS | | | | | | | | |
| 60 | 590+72.64 | MO 17/133 | 0.00' | 772,276.77 | 1,708,730.77 | | POINT ON TANGENT | |
| 60 | 593+00.00 | MO 17/133 | 0.00' | 772,504.05 | 1,708,736.56 | | BEGIN PROJECT | |
| 60 | 594+50.81 | MO 17/133 | 0.00' | 772,654.81 | 1,708,740.40 | | PC CURVE #1 | |
| 60 | 595+73.94 | MO 17/133 | 0.00' | 772,777.91 | 1,708,743.54 | | PI CURVE #1 | |
| 60 | 596+93.38 | MO 17/133 | 0.00' | 772,888.84 | 1,708,796.97 | | PT CURVE #1 | |
| 60 | 598+00.00 | MO 17/133 | 0.00' | 772,984.90 | 1,708,843.23 | | END PROJECT | |

MO 17/MO 133
LOCATION 10 - CROCKER

COORDINATE POINTS
SHEET 10 OF 10

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 73 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue 816-781-6182
Kansas City, Missouri 64157 816-781-0643 (FAX)
Certificate of Authority No. 2002006347




WO20-1

(2)




WO3-5

(3)




R2-1
(REDUCED SPEED)

(4)




WO20-4

(7)



WO20-7a

(8)




WO20-3

(20)




WO20-3 & W016-2

(20A)




WO21-5

(21)




R2-1
(NORMAL SPEED)

(25)




GO20-2

(26)




R11-2

(29)





R11-4

(30)




GO20-5aP

(54)




CONST-8

(70)




R9-9

(80)





R9-11L

(81)





R9-11R

(82)



TYPE III MOVABLE BARRICADE
WITH SEQUENTAIL FLASHING
WARNING LIGHTS




DETECTABLE PEDESTRIAN
CHANNELIZING BARRICADE

## TRAFFIC CONTROL LEGEND

- PROPOSED SIGN (SINGLE SIDED)
- EXISTING SIGN (SINGLE SIDED)
- CHANNELIZER (TRIM LINE)
- TYPE III MOVEABLE BARRICADE
- SEQUENTIAL FLASHING WARNING LIGHT
- VEHICLE WITH TRAILER MOUNTED ATTENUATOR
- CHANGEABLE MESSAGE BOARD
- FLAGGER
- 3-2-1 CONE PROCEDURE
- DIRECTIONAL PEDESTRIAN CHANNELIZING BARRICADE
- DIRECTIONAL INDICATOR BARRICADE
- FLASHING ARROW PANEL

NOTES:

ANY EXISTING WARNING OR REGULATORY SIGNS (NOT SHOWN) THAT INTEREFERE WITH THE TRAFFIC CONTROL SIGNING SHALL BE REMOVED OR COMPLETELY COVERED.

ALL TRAFFIC CONTROL SIGNS ARE TO BE NON-PORTABLE UNLESS NOTED OTHERWISE.

MODIFICATIONS TO EXISTING SIGN LEGENDS MAY INCLUDE REMOVAL, COVERING AND UNCOVERING OF LEGENDS. NO DIRECT PAY WILL BE MADE FOR THE LABOR OR MATERIALS REQUIRED TO MAKE THESE MODIFICATIONS.

ALL SPACING AND DISTANCES SHOWN ARE APPROXIMATE. DISTANCES MAY BE ADJUSTED BY THE ENGINEER TO ACCOMODATE SPECIFIC FIELD CONDITIONS.

SEE STANDARD PLAN DRAWINGS 616.10, 903.02, AND 903.03 FOR ADDITIONAL DETAILS REGARDING TRAFFIC CONTROL AND HIGHWAY SIGNING.

ALL RELOCATED TRAFFIC SIGNS ARE TO BE NON-PORTABLE UNLESS NOTED OTHERWISE. EXISTING POST(S) & MOUNTINGS MAY BE USED FOR TEMPORARY SIGN RELOCATIONS. NO DIRECT PAY FOR RELOCATING TRAFFIC SIGNS AND DEVICES.

FLASHING ARROW PANELS SHALL BE INCIDENTAL TO TRUCK MOUNTED ATTENUATORS. WHEN USED, NO ADDITIONAL PAYMENT SHALL BE MADE FOR ARROW PANELS.

FLAGGING OPERATIONS SHALL BE DAYLIGHT ONLY.

TRAFFIC CONTROL QUANTITIES ASSUMES CONTRACTOR SHALL WORK IN ONE LOCATION AT A TIME. IF CONTRACTOR HAS MULTIPLE CREWS WORKING AT DIFFERENT LOCATIONS AND/OR CITIES, IT SHALL BE THE CONTRACTORS RESPONSIBILITY TO PROVIDE ADDITIONAL TRAFFIC CONTROL SIGNS AND DEVICES. NO DIRECT PAY.

ALL MOVEABLE BARRICADES SHALL HAVE TWO (2) SEQUENTIAL FLASHING WARNING LIGHTS ON TOP RAIL.

SIGN DETAILS

TRAFFIC CONTROL SHEETS
SHEET 1 OF 4

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 74 |

COUNTY: VARIES

JOB NO.: JCD0214

CONTRACT ID.:


PROJECT NO.:

BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347




LANE CLOSURE
PAVED APPROACH OR SHOULDER CONSTRUCTION

## SHOULDER WORK WITH MINOR ENCROACHMENT

| SPEED | SIGN SPACING (FT.) | TAPER LENGTH (FT.) | | RECOMMENDED | CHANNELIZER SPACING (FT.) | |
|---|---|---|---|---|---|---|
| PERMANENT POSTED (MPH) | UNDIVIDED (S) | SHOULDER (1) (T1) | LANE (2) (T2) | BUFFER LENGTH (FT.) (B) | TAPERS | BUFFER/ WORK AREAS |
| 0-35 | 200 | 35 | 100 | 250 | 25 | 40 |
| 40-45 | 350 | 35 | 100 | 360 | 25 | 80 |
| 50-55 | 500 | 35 | 100 | 495 | 25 | 80 |
| 60-70 | 1000 | 35 | 100 | 730 | 25 | 120 |

1. SHOULDER TAPER LENGTH BASED ON 8 FT. (STANDARD SHOULDER WIDTH) OFFSET.
2. LANE TAPER LENGTH BASED ON 12 FT. (STANDARD LANE WIDTH) OFFSET.

PROTECTIVE VEHICLE (REQUIRED)
WITH TRAILER MOUNTED ATTENUATOR (TMA) (OPTIONAL)
AND FLASHING ARROW PANNEL (F.A.P.) (OPTIONAL)

CHANNELIZERS

3-2-1 CONE PROCEDURE

FLAGGER

NOT TO SCALE. FOLLOW DIMENSIONS.

## TRAFFIC CONTROL LEGEND

- PROPOSED SIGN (SINGLE SIDED)
- EXISTING SIGN (SINGLE SIDED)
- CHANNELIZER
- TYPE III MOVEABLE BARRICADE
- SEQUENTIAL FLASHING WARNING LIGHT
- VEHICLE WITH TRAILER MOUNTED ATTENUATOR
- CHANGEABLE MESSAGE BOARD
- FLAGGER
- 3-2-1 CONE PROCEDURE
- DIRECTIONAL PEDESTRIAN CHANNELIZING BARRICADE
- DIRECTIONAL INDICATOR BARRICADE
- FLASHING ARROW PANEL

LANE CLOSURE

TRAFFIC CONTROL SHEETS
SHEET 2 OF 4


STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER


THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 75 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.


PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347




SIDE STREET CLOSURE

## TRAFFIC CONTROL LEGEND

- PROPOSED SIGN (SINGLE SIDED)
- EXISTING SIGN (SINGLE SIDED)
- CHANNELIZER
- TYPE III MOVEABLE BARRICADE
- SEQUENTIAL FLASHING WARNING LIGHT
- VEHICLE WITH TRAILER MOUNTED ATTENUATOR
- CHANGEABLE MESSAGE BOARD
- FLAGGER
- 3-2-1 CONE PROCEDURE
- DIRECTIONAL PEDESTRIAN CHANNELIZING BARRICADE
- DIRECTIONAL INDICATOR BARRICADE
- FLASHING ARROW PANEL

NOT TO SCALE. FOLLOW DIMENSIONS.

SIDE STREET CLOSURE

TRAFFIC CONTROL SHEETS
SHEET 3 OF 4

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026


| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 76 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:


| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347




SIDEWALK CLOSURE - CASE 1




SIDEWALK CLOSURE - CASE 2

NOTES:

INSTALL DETECTABLE PEDESTRIAN CHANNELIZING BARRICADES AND SIGNS AS DIRECTED BY THE ENGINEER.

ALL EXISTING SIGNS THAT CONFLICT WITH THE PROPOSED TRAFFIC CONTROL PLAN SHALL BE COVERED. NO DIRECT PAY.

NO DIRECT PAY FOR RELOCATION OF TRAFFIC CONTROL SIGNS AND DEVICES.

SIDEWALK SIGNS 81 & 82 ARE INCLUDED IN PROJECT TO BE INCLUDED AS NEEDED.

## TRAFFIC CONTROL LEGEND

- PROPOSED SIGN (SINGLE SIDED)
- EXISTING SIGN (SINGLE SIDED)
- CHANNELIZER
- TYPE III MOVEABLE BARRICADE
- SEQUENTIAL FLASHING WARNING LIGHT
- VEHICLE WITH TRAILER MOUNTED ATTENUATOR
- CHANGEABLE MESSAGE BOARD
- FLAGGER
- 3-2-1 CONE PROCEDURE
- DIRECTIONAL PEDESTRIAN CHANNELIZING BARRICADE
- DIRECTIONAL INDICATOR BARRICADE
- FLASHING ARROW PANEL

NOT TO SCALE. FOLLOW DIMENSIONS.

SIDEWALK CLOSURES

TRAFFIC CONTROL SHEETS
SHEET 4 OF 4

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 77 |


COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:


| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347


077_TC_04_JCD0214_I50_TrafficControl.dgn 4:45:52 PM 5/22/2026










## TEMPORARY EROSION CONTROL LEGEND

- (A) ALTERNATE DITCH CHECK
- (C) CURB INLET CHECK
- (R) ROCK DITCH CHECK
- SILT FENCE
- TEMPORARY BERM TYPE B




GENERAL NOTES:

1. SILT FENCE SHALL BE PLACED IN ALL GRASSY OR OTHER AREAS AS APPROVED BY THE ENGINEER. THE SILT FENCE SHALL BE LOCATED WITHIN THE RIGHT OF WAY EXCEPT AS NEEDED WHERE RIGHT OF ENTRY HAS BEEN ACQUIRED, OR AT LOCATIONS APPROVED BY THE ENGINEER.
2. ALTERNATIVES TO SLIT FENCE MAY BE USED ONLY WITH APPROVAL OF THE ENGINEER.
3. FOR DETIALS OF TEMPORARY EROSION CONTROL, SEE STANDARD PLAN 806.10.

ALL ROUTES
ALL LOCATIONS

EROSION CONTROL
SHEET 1 OF 1

TYPICAL EROSION CONTROL APPLICATIONS FOR NEW CURB RAMP AND SIDEWALK CONSTRUCTION

NOT TO SCALE. FOLLOW DIMENSIONS.


STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER


THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026


| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 78 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347




## TRAFFIC SIGNALS LEGEND

| | | | |
|---|---|---|---|
| | CONTROLLER (EXISTING) | | PUSH BUTTON DETECTOR |
| | EXIST. VIDEO DETECTOR | | 30 X 6 LOOP DETECTOR (EXISTING) |
| | SIGNAL HEAD (PEDESTRIAN) | | CONDUIT PUSHED |
| | EXIST. SIGNAL HEAD | | CONDUIT EXISTING |
| | EXIST. PULL BOX | | CONDUIT TRENCHED |
| | | | EXIST. MAST ARM |

GENERAL NOTES:

1. THE INSTALLATION OF TRAFFIC SIGNALS SHALL BE IN ACCORDANCE WITH THE MISSOURI HIGHWAY AND TRANSPORTATION COMMISSION'S STANDARD SPECIFICATIONS, LATEST EDITION.
2. ALL SIGNAL EQUIPMENT IS TO BE ASSUMED UIP UNLESS STATED OTHERWISE ON THE PLANS.
3. ALL PEDESTRIAN FACILITIES MUST COMPLY WITH CURRENT ADA STANDARDS.
4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR SPOTTING THE LOCATION OF ALL SIGNAL EQUIPMENT. THE CONTRACTOR SHALL NOTIFY THE MODOT INSPECTOR A MINIMUM OF ONE WEEK IN ADVANCE OF THE DESIRED DATE OF INSTALLATION.
5. EXISTING UNDERGROUND AND OVERHEAD FACILITIES, STRUCTURES, AND UTILITIES IF SHOWN ON THESE PLANS, SHALL BE CONSIDERED APPROXIMATE ONLY. VERIFICATION OF THE LOCATIONS OF ALL EXISTING UNDERGROUND FACILITIES, STRUCTURES, AND UTILITIES EITHER SHOWN OR NOT SHOWN ON THESE PLANS SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR, AND SHALL BE VERIFIED PRIOR TO ANY GRADING, EXCAVATION, OR CONSTRUCTION OF IMPROVEMENTS. CALL MISSOURI ONE-CALL SYSTEM AT 1-800-DIG-RITE (344-7483)
6. PAVEMENT MARKINGS NOT SHOWN FOR CLAIRTY. SEE PLAN SHEETS.

US 54
LOCATION 2 - CAMDENTON

SIGNAL SHEET
SHEET 1 OF 30

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 79 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DATE | DESCRIPTION |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue
Kansas City, Missouri 64157
816-781-6182
816-781-0643 (FAX)
Certificate of Authority No. 2002006347

079_SG_01_Camdenton_JCD0214_Signal.dgn 4:45:55 PM 5/22/2026

EFFECTIVE: 07-01-2018

| POST NUMBER | PULL BOX NUMBER | LOCATION: APPROACH | LOCATION: STATION | LOCATION: OFFSET | BASE: A 9 | A 9.5 | A 10 | A 10.5 | A 11 | A 12 | F 9 | F 9.5 | F 10 | F 10.5 | F 11 | F 12 | C CONCRETE** (CU. YDS.) | PULL BOX: PREFORMED CLASS 1 | CLASS 2 | CLASS 3 | CLASS 5 | CONCRETE STANDARD | DOUBLE, TYPE A | DOUBLE, TYPE B | DRAIN TYPE* I | DRAIN TYPE* II A | DRAIN TYPE* II B | DRAIN TYPE* II C | POST: TOP MOUNT POST 8 FT. | TOP MOUNT POST 15 FT. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | CONTROLLER | (AS REQ'D) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | USE EXISTING | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SUBTOTAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| POST: TYPE C & CL ARM LENGTH A | A | A | A | SIGNAL SPACING B | C | D | D' | SIGN SPACING B | C | D | D' | TYPE B & BL ARM LENGTH E | K | E | K | E | K | LEFT ARM E SIGNAL SPACING F | G | H | H' | SIGN SPACING F | G | H | H' | RIGHT ARM K SIGNAL SPACING L | M | N | N' | SIGN SPACING L | M | N | N' | INCLUDED ANGLE | LUMINAIRE BRACKET ARM* 4 FT. | 6 FT. | 8 FT. | 10 FT. | 12 FT. | 15 FT. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

SUBTOTAL
TOTAL

## SIGNAL HEADS

| SPAN NUMBER | POST NUMBER | FACE NUMBER | LUMINAIRE 150W SODIUM | INDICATIONS * 12" LENS CONVENTIONAL R | Y | YL | YRt | FYL | FYR | G | S | L | Rt | 12" LENS OPTICAL LIMITING R | Y | YL | YRt | YL | YRt | G | S | L | Rt | VISORS * 12" LENS | PED. | LOUVERS * A | B | C | D | E | F | BACKPLATE* LENSES 1 | 2 | 3 | 4 | 5 | RETROREFLECTIVE BACKPLATE* LENSES 1 | 2 | 3 | 4 | 5 | BRACKET* TYPE I | II | III | ONE-FACE SECTION 1- T | S | C | B | 3- T | S | C | B | 4- T | S | C | B | 5- T | S | C | B | TWO-FACE SECTIONS 11- T | S | B | 33- T | S | C | B | 34- S | B | 35- S | B | 44- S | B | 45- S | B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---

EFFECTIVE: 10-01-2015

## CONDUIT (WITH #14 TRACER WIRE)

| FROM | TO | CENTER TO CENTER DISTANCE | LOOP DET. | TRENCH | | | | PUSHED | | | MEDIAN | | | ON STRUCTURE | | | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1" | 2" | 3" | 4" | | 2" | 3" | 4" | 2" | 3" | 4" | 2" | 3" | | |
| | USE EXISTING | | | | | | | | | | | | | | | | |
| SUBTOTALS | | | | | | | | | | | | | | | | | |
| TOTALS | | | | | | | | | | | | | | | | | |

## CABLE

| FROM | TO | CENTER TO CENTER DISTANCE | POWER | | CONTROL | | | | CLOSED LOOP INTERCONNECT | LUMINAIRE | | DETECTOR | | FIBER | | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | 2c #16 | 5c #16 | 7c #16 | 3c #16 | 3 PAIR #16 | CONTROL 2c #12 | POLE & BRACKET 1c #10 | 1c #14 IN DUCT | 2c #14 LEAD-IN CABLE | SINGLE-MODE | MULTI-MODE | |
| | USE EXISTING | | | | | | | | | | | | | | | |
| SUBTOTALS | | | | | | | | | | | | | | | | |
| TOTALS | | | | | | | | | | | | | | | | |

INTERSECTION US 54 & BUSINESS 5

US 54
LOCATION 2 - CAMDENTON

SIGNAL SHEET
SHEET 3 OF 30

D-37B

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026
ROUTE: VAR.
STATE: MO
DISTRICT: CD
SHEET NO.: 81
COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue 816-781-6182
Kansas City, Missouri 64157 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

## POWER SUPPLY

| LOCATION | | | POWER SUPPLY ASSEMBLY | | CIRCUIT BREAKER TRIP RATING* | | | | LIGHTING CONTROL * (ON POWER SUPPLY) | | SERVICE POLE | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | CONTROLLER | | POWER SUPPLY DISCONNECT | | | | | |
| APPROACH | STATION | OFFSET | DRAWING 902.15 | DRAWING | AUXILIARY BREAKER | CONT & SIGNAL LAMPS | MAIN BREAKER | | 120 VOLT CONTROL CABINET | MAIN BREAKER | CONTRACT FURNISH | UTILITY COMPANY |
| | | | | | | | SIGNALS | LIGHTING | | | | |
| W QUAD (UIP) | | | Type | | 15 Amps | Amps | Amps | Amps | | Amps | Cl. Ft. | |
| | | | Type | | 15 Amps | Amps | Amps | Amps | | Amps | Cl. Ft. | |

## CONTROLLER ASSEMBLY AND AUXILIARY EQUIPMENT

| LOCATION | | | SYSTEM MASTER (CLOSED LOOP) | | ACTUATED | | ON-OFF* SWITCH | | COORDINATION INTERFACE * | | | | | TIME * CLOCK | NEMA CABINET TYPE * | | | 170 CABINET TYPE * | | 170 SOFTWARE * | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | TYPE | | 12C/7C HARDWIRE (1) | | TIME BASE | CLOSED LOOP | | FIBER | | | | | | | |
| APPROACH | STATION | OFFSET | NEMA | 170 | NEMA | 170 | I | II | MASTER | LOCAL | | NEMA | 170 | | | E | EV | DOUBLE | 332 | 336S | BITRAN | WAPITI |
| W QUAD (UIP) | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |

## NEMA DETECTOR ASSIGNMENT

| | | CARD POSITION | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| CHANNEL | 1 | | | | | | | | |
| | 2 | | | | | | | | |

TOTAL NUMBER OF DETECTOR CARDS(2-CHANNEL) = (2)

## NEMA LOAD SWITCH ASSIGNMENTS

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | |

## SIGNAL SIGNS (3)

| QUANTITY | MUTCD SIGN NUMBER | SIZE | AREA | SIGN TOTAL AREA ITEM NO. 90208.33 | SIGNAL SIGN MOUNTING HARDWARE ITEM NO. 90208.34 |
|---|---|---|---|---|---|
| | | INCHES | SQ.FT. | SQ.FT. | EA. |
| | R10-10L | 24 X 30 | 5.0 | | |
| | R10-10R | 24 X 30 | 5.0 | | |
| | R3-5L | 30 X 36 | 7.5 | | |
| | R3-5R | 30 X 36 | 7.5 | | |
| | R3-5A | 30 X 36 | 7.5 | | |
| | R3-6L | 30 X 36 | 7.5 | | |
| | R3-6R | 30 X 36 | 7.5 | | |
| | R3-2 | 24 X 24 | 4.0 | | |
| | R3-1 | 24 X 24 | 4.0 | | |
| | R3-3 | 24 X 24 | 4.0 | | |
| | D3-1 *** | VAR. X 18 | | | |
| | D3-1B *** | VAR. X 18 | | | |
| | R10-3E | 9 X 15 | 0.9 | | |
| | R10-11A | 24 X 30 | 5.0 | | |
| | R10-13 | 36 X 24 | 6.0 | | |
| | R10-27A | 30 X 36 | 7.5 | | |
| | | | SUBTOTAL | | |
| | | | TOTAL | | |

## DETECTOR SCHEDULE

| DETECTOR NUMBER | APPROACH | TYPE | | | | |
|---|---|---|---|---|---|---|
| | | PUSH BUTTON (APS) | INDUCTION LOOP (2) | | | VIDEO |
| | | | STANDARD | DELAY/ EXTEND * | CALL UNIT * | |
| 23 | E QUAD | 1 | | | | |
| 24 | N QUAD | 1 | | | | |
| 43 | N QUAD | 1 | | | | |
| 44 | W QUAD | 1 | | | | |
| 63 | W QUAD | 1 | | | | |
| 64 | S QUAD | 1 | | | | |
| 83 | S QUAD | 1 | | | | |
| 84 | E QUAD | 1 | | | | |
| TOTAL | | 8 | | | | |

## 170 INPUT FILE ASSIGNMENTS

| | CHANNEL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| "I" | U | | | | | | | | | | | | | | |
| | L | | | | | | | | | | | | | | |
| "J" | U | | | | | | | | | | | | | | |
| | L | | | | | | | | | | | | | | |

TOTAL NUMBER OF DETECTOR CARDS(2-CHANNEL) = (2)

* ITEMS FOR WHICH SEPARATE PAYMENT WILL NOT BE MADE.

*** USE D3-1 FOR ONE LINE. USE D3-1B FOR TWO LINE.

(1) MoDOT "D" PLUG SHALL BE WIRED INTO ALL NEMA CONTROLLERS WITH 7C HARDWIRE INTERCONNECT.

(2) PAYMENT IS MADE FOR THE NUMBER OF 2-CHANNEL DETECTOR CARDS AS SHOWN BELOW THE ASSIGNMENT CHART.

(3) FOR PEDESTRIAN SIGNS, BOTH SIGNS AND MOUNTING HARDWARE ARE INCLUDED IN PAY ITEM FOR DETECTOR PUSH BUTTON (APS).

## 170 OUTPUT FILE ASSIGNMENTS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| FR1 | | | | | | | MONITOR |
| FR2 | | | | | | | |
| FR3 | | | | | | | |
| FR4 | | | | | | | |

## 170 AUXILIARY OUTPUT FILE

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| FR5 | | | | | | | X |
| FR6 | | | | | | | |

US 54 & BUSINESS 5

INTERSECTION

US 54
LOCATION 2 - CAMDENTON

SIGNAL SHEET
SHEET 4 OF 30

D-37C

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 82 |

COUNTY: VARIES

JOB NO.: JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

082_SG_04_Camdenton_JCD0214_Signal-37C.dgn 4:45:57 PM 5/22/2026

# WIRING DIAGRAM

(NOT TO SCALE)




# LEGEND

| | |
|---|---|
| 3" | CONDUIT CONTAINING CABLE WITH SIZE |
| | CABLE |
| X-Xc | MULTI-CONDUCTOR CABLE #16 AWG (UNLESS OTHERWISE INDICATED) |
| LIC | #14 AWG DETECTOR LEAD-IN CABLE (2C TWISTED SHIELDED) |
| X | PULL BOX WITH NUMBER |
| X | POST WITH NUMBER |
| X | POST WITH MAST ARM |
| X | POST WITH MAST ARM AND LUMINAIRE |
| X | DETECTOR WITH NUMBER |
| X | SIGNAL HEAD WITH NUMBER |
| | SIGNAL CONTROLLER |
| | POWER SUPPLY |
| | LIGHTING CONTROLLER |

## US 54 & BUSINESS 5

INTERSECTION

US 54
LOCATION 2 - CAMDENTON

SIGNAL SHEET
SHEET 5 OF 30

D-37D

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 83 |


COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

## SIGNAL FACE LOCATION




## TRAFFIC PHASING AND COLOR SEQUENCE - ACTUATED CONTROLLERS




RING STRUCTURE

NOTE:

PHASING SHOWN FOR INFORMATION ONLY.
EXISTING TRAFFIC SIGNAL PHASING TO BE USED.

IF CALLED, ALL NON-CONFLICTING PHASES SHALL COMBINE AND TIME CONCURRENTLY. TIME TO BE DETERMINED BY THE ENGINEER AT SIGNAL TURN ON AND SET IN THE CONTROLLER BY THE CONTRACTOR.

## LEGEND

- ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED ACTUATED VEHICULAR MOVEMENT
- NON-ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED NON-ACTUATED VEHICULAR MOVEMENT
- ACTUATED PEDESTRIAN MOVEMENT
- NON-ACTUATED PEDESTRIAN MOVEMENT
- VEHICLE STOPPED

FDW — FLASHING DON'T WALK
W — WALK
DW — DON'T WALK
R/W — RIGHT OF WAY INTERVAL
YRt — YELLOW RIGHT ARROW
RT. — GREEN RIGHT ARROW
LY -YL — YELLOW LEFT ARROW
L — GREEN LEFT ARROW
S — GREEN STRAIGHT AHEAD ARROW
G — CIRCULAR GREEN
Y — CIRCULAR YELLOW
R — CIRCULAR RED
RL — RED LEFT ARROW
Ø — TRAFFIC PHASE
AO — ALL OTHERS
FR — FLASHING RED
FY — FLASHING CIRCULAR YELLOW
FYL — FLASHING YELLOW LEFT ARROW

| FLASHING OPERATION | |
|---|---|
| USE EXISTING | FR |
| USE EXISTING | FY |

| CONTROLLER TYPE | (UIP) |
|---|---|

## TRAFFIC SIGNAL CONTROL OPERATION

INTERSECTION OF US 54
WITH BUSINESS 5

US 54
LOCATION 2 - CAMDENTON

SIGNAL SHEET
SHEET 6 OF 30

D-38A


STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER
THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.


DATE PREPARED 05/18/2026


| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 84 |


COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347



## TRAFFIC SIGNALS LEGEND

| | | | |
|---|---|---|---|
| | CONTROLLER (EXISTING) | | PUSH BUTTON DETECTOR |
| | EXIST. VIDEO DETECTOR | | 30 X 6 LOOP DETECTOR (EXISTING) |
| | SIGNAL HEAD (PEDESTRIAN) | | CONDUIT PUSHED |
| | | | CONDUIT EXISTING |
| | EXIST. SIGNAL HEAD | | CONDUIT TRENCHED |
| | EXIST. PULL BOX | | EXIST. MAST ARM |




GENERAL NOTES:

1. THE INSTALLATION OF TRAFFIC SIGNALS SHALL BE IN ACCORDANCE WITH THE MISSOURI HIGHWAY AND TRANSPORTATION COMMISSION'S STANDARD SPECIFICATIONS, LATEST EDITION.

2. ALL SIGNAL EQUIPMENT IS TO BE ASSUMED UIP UNLESS STATED OTHERWISE ON THE PLANS.

3. ALL PEDESTRIAN FACILITIES MUST COMPLY WITH CURRENT ADA STANDARDS.

4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR SPOTTING THE LOCATION OF ALL SIGNAL EQUIPMENT. THE CONTRACTOR SHALL NOTIFY THE MODOT INSPECTOR A MINIMUM OF ONE WEEK IN ADVANCE OF THE DESIRED DATE OF INSTALLATION.

5. EXISTING UNDERGROUND AND OVERHEAD FACILITIES, STRUCTURES, AND UTILITIES IF SHOWN ON THESE PLANS, SHALL BE CONSIDERED APPROXIMATE ONLY. VERIFICATION OF THE LOCATIONS OF ALL EXISTING UNDERGROUND FACILITIES, STRUCTURES, AND UTILITIES EITHER SHOWN OR NOT SHOWN ON THESE PLANS SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR, AND SHALL BE VERIFIED PRIOR TO ANY GRADING, EXCAVATION, OR CONSTRUCTION OF IMPROVEMENTS. CALL MISSOURI ONE-CALL SYSTEM AT 1-800-DIG-RITE (344-7483)

6. PAVEMENT MARKINGS NOT SHOWN FOR CLAIRTY. SEE PLAN SHEETS.

US 54
LOCATION 2 - CAMDENTON

SIGNAL SHEET
SHEET 7 OF 30

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |

| DISTRICT | SHEET NO. |
|---|---|
| CD | 85 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DATE | DESCRIPTION |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

EFFECTIVE: 07-01-2018

| POST NUMBER | PULL BOX NUMBER | LOCATION: APPROACH | LOCATION: STATION | LOCATION: OFFSET | BASE: A (9 / 9.5 / 10 / 10.5 / 11 / 12) | BASE: F (9 / 9.5 / 10 / 10.5 / 11 / 12) | BASE: C | BASE: CONCRETE** (CU. YDS.) | PULL BOX: PREFORMED CLASS 1 | PREFORMED CLASS 2 | PREFORMED CLASS 3 | PREFORMED CLASS 5 | CONCRETE STANDARD | CONCRETE DOUBLE, TYPE A | CONCRETE DOUBLE, TYPE B | DRAIN TYPE* I | DRAIN TYPE* II A | DRAIN TYPE* II B | DRAIN TYPE* II C | POST: TOP MOUNT POST 8 FT. | TOP MOUNT POST 15 FT. | TYPE C & CL: ARM LENGTH A | A | A | A | SIGNAL SPACING B | C | D | D' | SIGN SPACING B | C | D | D' | TYPE B & BL: ARM LENGTH E | K | E | K | E | K | LEFT ARM E: SIGNAL SPACING F | G | H | H' | SIGN SPACING F | G | H | H' | RIGHT ARM K: SIGNAL SPACING L | M | N | N' | SIGN SPACING L | M | N | N' | INCLUDED ANGLE | LUMINAIRE BRACKET ARM* 4 FT. | 6 FT. | 8 FT. | 10 FT. | 12 FT. | 15 FT. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | CONTROLLER | (AS REQ'D) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | USE EXISTING | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | SUBTOTAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | TOTAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

## SIGNAL HEADS

| SPAN NUMBER | POST NUMBER | FACE NUMBER | LUMINAIRE 150W SODIUM | INDICATIONS * 12" LENS CONVENTIONAL R | Y | YL | YRt | FYL | FYR | G | S | L | Rt | | INDICATIONS * 12" LENS OPTICAL LIMITING R | Y | YL | YRt | YL | YL | G | S | L | Rt | VISORS * 12" LENS | PED. | LOUVERS * A | B | C | D | E | F | BACKPLATE* LENSES 1 | 2 | 3 | 4 | 5 | RETROREFLECTIVE BACKPLATE* LENSES 1 | 2 | 3 | 4 | 5 | BRACKET* TYPE I | II | III | ONE-FACE SECTION 1- T | S | C | B | 3- T | S | C | B | 4- T | S | C | B | 5- T | S | C | B | TWO-FACE SECTIONS 11- T | S | B | 33- T | S | C | B | 34- S | B | 35- S | B | 44- S | B | 45- S | B |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---

## CONDUIT (WITH #14 TRACER WIRE)

| FROM | TO | CENTER TO CENTER DISTANCE | LOOP DET. | TRENCH | | | | PUSHED | | | MEDIAN | | | ON STRUCTURE | | | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1" | 2" | 3" | 4" | | 2" | 3" | 4" | 2" | 3" | 4" | 2" | 3" | | |
| USE EXISTING | | | | | | | | | | | | | | | | | |
| SUBTOTALS | | | | | | | | | | | | | | | | | |
| TOTALS | | | | | | | | | | | | | | | | | |

## CABLE

| FROM | TO | CENTER TO CENTER DISTANCE | POWER | | CONTROL | | | | CLOSED LOOP INTERCONNECT | LUMINAIRE | | DETECTOR | | FIBER | | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | 2c #16 | 5c #16 | 7c #16 | 3c #16 | 3 PAIR #16 | CONTROL 2c #12 | POLE & BRACKET 1c #10 | 1c #14 IN DUCT | 2c #14 LEAD-IN CABLE | SINGLE-MODE | MULTI-MODE | |
| USE EXISTING | | | | | | | | | | | | | | | | |
| SUBTOTALS | | | | | | | | | | | | | | | | |
| TOTALS | | | | | | | | | | | | | | | | |

INTERSECTION US 54 & RAMP 3

US 54
LOCATION 2 - CAMDENTON

SIGNAL SHEET
SHEET 9 OF 30

D-37B

SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
STATE OF MISSOURI PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026
ROUTE: VAR. | STATE: MO
DISTRICT: CD | SHEET NO.: 87
COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue 816-781-6182
Kansas City, Missouri 64157 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

## POWER SUPPLY

| LOCATION | | | POWER SUPPLY ASSEMBLY | | CIRCUIT BREAKER TRIP RATING* | | | | LIGHTING CONTROL * (ON POWER SUPPLY) | | SERVICE POLE | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | CONTROLLER | | POWER SUPPLY DISCONNECT | | | | | |
| APPROACH | STATION | OFFSET | DRAWING 902.15 | DRAWING | AUXILIARY BREAKER | CONT & SIGNAL LAMPS | MAIN BREAKER | | 120 VOLT CONTROL CABINET | MAIN BREAKER | CONTRACT FURNISH | UTILITY COMPANY |
| | | | | | | | SIGNALS | LIGHTING | | | | |
| SW QUAD (UIP) | | | Type | | 15 Amps | Amps | Amps | Amps | | Amps | Cl. Ft. | |
| | | | Type | | 15 Amps | Amps | Amps | Amps | | Amps | Cl. Ft. | |

## CONTROLLER ASSEMBLY AND AUXILIARY EQUIPMENT

| LOCATION | | | SYSTEM MASTER (CLOSED LOOP) | | ACTUATED | | ON-OFF* SWITCH TYPE | | COORDINATION INTERFACE * | | | | | TIME * CLOCK | NEMA CABINET TYPE * | | | 170 CABINET TYPE * | | 170 SOFTWARE * | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | 12C/7C HARDWIRE (1) | | TIME BASE | CLOSED LOOP | | | | | | | | | |
| APPROACH | STATION | OFFSET | NEMA | 170 | NEMA | 170 | I | II | MASTER | LOCAL | | NEMA | 170 | FIBER | | E | EV | DOUBLE | 332 | 336S | BITRAN | WAPITI |
| SW QUAD (UIP) | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |

## NEMA DETECTOR ASSIGNMENT

| | | CARD POSITION | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| CHANNEL | 1 | | | | | | | | |
| | 2 | | | | | | | | |

TOTAL NUMBER OF DETECTOR CARDS(2-CHANNEL) = (2)

## NEMA LOAD SWITCH ASSIGNMENTS

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | |

## SIGNAL SIGNS (3)

| QUANTITY | MUTCD SIGN NUMBER | SIZE | AREA | SIGN TOTAL AREA ITEM NO. 90208.33 | SIGNAL SIGN MOUNTING HARDWARE ITEM NO. 90208.34 |
|---|---|---|---|---|---|
| | | INCHES | SQ.FT. | SQ.FT. | EA. |
| | R10-10L | 24 X 30 | 5.0 | | |
| | R10-10R | 24 X 30 | 5.0 | | |
| | R3-5L | 30 X 36 | 7.5 | | |
| | R3-5R | 30 X 36 | 7.5 | | |
| | R3-5A | 30 X 36 | 7.5 | | |
| | R3-6L | 30 X 36 | 7.5 | | |
| | R3-6R | 30 X 36 | 7.5 | | |
| | R3-2 | 24 X 24 | 4.0 | | |
| | R3-1 | 24 X 24 | 4.0 | | |
| | R3-3 | 24 X 24 | 4.0 | | |
| | D3-1 *** | VAR. X 18 | | | |
| | D3-1B *** | VAR. X 18 | | | |
| | R10-3E | 9 X 15 | 0.9 | | |
| | R10-11A | 24 X 30 | 5.0 | | |
| | R10-13 | 36 X 24 | 6.0 | | |
| | R10-27A | 30 X 36 | 7.5 | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | SUBTOTAL | | |
| | | | TOTAL | | |


## DETECTOR SCHEDULE

| DETECTOR NUMBER | APPROACH | TYPE | | | | |
|---|---|---|---|---|---|---|
| | | PUSH BUTTON (APS) | INDUCTION LOOP (2) | | | VIDEO |
| | | | STANDARD | DELAY/ EXTEND * | CALL UNIT * | |
| 63 | RAMP 3 ISLAND | 1 | | | | |
| 65 | SE QUAD | 1 | | | | |
| 66 | SW QUAD | 1 | | | | |
| | | | | | | |
| | | | | | | |
| | |

EFFECTIVE: 12-01-2017

## WIRING DIAGRAM

(NOT TO SCALE)




## LEGEND

| | |
|---|---|
| 3" | CONDUIT CONTAINING CABLE WITH SIZE |
| | CABLE |
| X-Xc | MULTI-CONDUCTOR CABLE #16 AWG (UNLESS OTHERWISE INDICATED) |
| LIC | #14 AWG DETECTOR LEAD-IN CABLE (2C TWISTED SHIELDED) |
| X | PULL BOX WITH NUMBER |
| X | POST WITH NUMBER |
| X | POST WITH MAST ARM |
| X | POST WITH MAST ARM AND LUMINAIRE |
| X | DETECTOR WITH NUMBER |
| X | SIGNAL HEAD WITH NUMBER |
| | SIGNAL CONTROLLER |
| | POWER SUPPLY |
| | LIGHTING CONTROLLER |

US 54 & RAMP 3

INTERSECTION

US 54
LOCATION 2 - CAMDENTON

SIGNAL SHEET
SHEET 11 OF 30

D-37D

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 89 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

089_SG_11_Camdenton_JCD0214_Signal-37D.dgn 4:46:03 PM 5/22/2026

EFFECTIVE: 12-01-2017

SIGNAL FACE LOCATION




## TRAFFIC PHASING AND COLOR SEQUENCE - ACTUATED CONTROLLERS

| | PHASE 1 | PHASE 2 | PHASE 3 | PHASE 4 | PHASE 5 | PHASE 6 | PHASE 7 | PHASE 8 | PED Ø 6 | PED Ø | PED Ø | PED Ø |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | NOT USED | | NOT USED | | NOT USED | | OVERLAP | OVERLAP | OVERLAP | OVERLAP |
| FACE NUMBERS | | | | | | | | | 63 65 | | | |
| | | | | | | | | | 64 66 | | | |
| SIGNAL INDICATIONS R | | | | | | | | | DW DW | | | |
| SIGNAL INDICATIONS Y | | | | | | | | | FDW FDW | | | |
| SIGNAL INDICATIONS FYA | | | | | | | | | | | | |
| SIGNAL INDICATIONS G | | | | | | | | | W W | | | |
| DETECTOR ASSIGNMENTS | | | | | | | | | | | | |
| DETECTOR ASSIGNMENTS (PEDS. ONLY) | | | | | | | | | | | | |
| OVERLAP PARENT PHASES | | | | | | | | | 6 | | | |

FACE NUMBERS
SIGNAL INDICATIONS R
SIGNAL INDICATIONS Y
SIGNAL INDICATIONS FYA
SIGNAL INDICATIONS G
DETECTOR ASSIGNMENTS

| | PHASE 1 | PHASE 2 | PHASE 3 | PHASE 4 |
|---|---|---|---|---|
| RING 1 | | | NOT USED | |
| RING 2 | NOT USED | | NOT USED | |
| | PHASE 5 | PHASE 6 | PHASE 7 | PHASE 8 |

BARRIER

RING STRUCTURE

NOTE:

PHASING SHOWN FOR INFORMATION ONLY.
EXISTING TRAFFIC SIGNAL PHASING TO BE USED.

IF CALLED, ALL NON-CONFLICTING PHASES SHALL COMBINE AND TIME CONCURRENTLY. TIME TO BE DETERMINED BY THE ENGINEER AT SIGNAL TURN ON AND SET IN THE CONTROLLER BY THE CONTRACTOR.

## LEGEND

- ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED ACTUATED VEHICULAR MOVEMENT
- NON-ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED NON-ACTUATED VEHICULAR MOVEMENT
- ACTUATED PEDESTRIAN MOVEMENT
- NON-ACTUATED PEDESTRIAN MOVEMENT
- VEHICLE STOPPED

| | |
|---|---|
| FDW | FLASHING DON'T WALK |
| W | WALK |
| DW | DON'T WALK |
| R/W | RIGHT OF WAY INTERVAL |
| YRt | YELLOW RIGHT ARROW |
| RT. | GREEN RIGHT ARROW |
| LY -YL | YELLOW LEFT ARROW |
| L | GREEN LEFT ARROW |
| S | GREEN STRAIGHT AHEAD ARROW |
| G | CIRCULAR GREEN |
| Y | CIRCULAR YELLOW |
| R | CIRCULAR RED |
| RL | RED LEFT ARROW |
| Ø | TRAFFIC PHASE |
| AO | ALL OTHERS |
| FR | FLASHING RED |
| FY | FLASHING CIRCULAR YELLOW |
| FYL | FLASHING YELLOW LEFT ARROW |

| FLASHING OPERATION | |
|---|---|
| USE EXISTING | FR |
| USE EXISTING | FY |

| CONTROLLER TYPE | (UIP) |
|---|---|

## TRAFFIC SIGNAL CONTROL OPERATION

INTERSECTION OF US 54

WITH RAMP 3

US 54
LOCATION 2 - CAMDENTON

SIGNAL SHEET
SHEET 12 OF 30

D-38A

SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER
STATE OF MISSOURI

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 90 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION

DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

SCALE

0 10 20 30

## TRAFFIC SIGNALS LEGEND

| | | | |
|---|---|---|---|
| | CONTROLLER (EXISTING) | | PUSH BUTTON DETECTOR |
| | EXIST. VIDEO DETECTOR | | 30 X 6 LOOP DETECTOR (EXISTING) |
| | SIGNAL HEAD (PEDESTRIAN) | | CONDUIT PUSHED |
| | | | CONDUIT EXISTING |
| | EXIST. SIGNAL HEAD | | CONDUIT TRENCHED |
| | EXIST. PULL BOX | | EXIST. MAST ARM |

℄ JACK CROWELL RD.

℄ HIGHWAY 54

℄ LAKER PRIDE RD.

733

732

731

PC STA 730+63.34

EX. PED. SIGNAL POST AND PED. SIGNAL HEAD (UIP)
EX. PED. PUSH BUTTON, SIGN, AND PUSH BUTTON EXTENSION (REM)
INSTALL NEW PED. PUSH BUTTON APS ON PUSH BUTTON EXTENSION

EX. PED. SIGNAL POST AND PED. SIGNAL HEAD (UIP)
EX. PED. PUSH BUTTON, SIGN, AND PUSH BUTTON EXTENSION (REM)
INSTALL NEW PED. PUSH BUTTON APS ON PUSH BUTTON EXTENSION

EX. SIGNAL MAST ARM & EQUIP. AND PED. SIGNAL HEAD (UIP)
EX. PED. PUSH BUTTON, SIGN, AND PUSH BUTTON EXTENSION (REM)
INSTALL NEW PED. PUSH BUTTON APS ON PUSH BUTTON EXTENSION

GENERAL NOTES:

1. THE INSTALLATION OF TRAFFIC SIGNALS SHALL BE IN ACCORDANCE WITH THE MISSOURI HIGHWAY AND TRANSPORTATION COMMISSION'S STANDARD SPECIFICATIONS, LATEST EDITION.
2. ALL SIGNAL EQUIPMENT IS TO BE ASSUMED UIP UNLESS STATED OTHERWISE ON THE PLANS.
3. ALL PEDESTRIAN FACILITIES MUST COMPLY WITH CURRENT ADA STANDARDS.
4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR SPOTTING THE LOCATION OF ALL SIGNAL EQUIPMENT. THE CONTRACTOR SHALL NOTIFY THE MODOT INSPECTOR A MINIMUM OF ONE WEEK IN ADVANCE OF THE DESIRED DATE OF INSTALLATION.
5. EXISTING UNDERGROUND AND OVERHEAD FACILITIES, STRUCTURES, AND UTILITIES IF SHOWN ON THESE PLANS, SHALL BE CONSIDERED APPROXIMATE ONLY. VERIFICATION OF THE LOCATIONS OF ALL EXISTING UNDERGROUND FACILITIES, STRUCTURES, AND UTILITIES EITHER SHOWN OR NOT SHOWN ON THESE PLANS SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR, AND SHALL BE VERIFIED PRIOR TO ANY GRADING, EXCAVATION, OR CONSTRUCTION OF IMPROVEMENTS. CALL MISSOURI ONE-CALL SYSTEM AT 1-800-DIG-RITE (344-7483)
6. PAVEMENT MARKINGS NOT SHOWN FOR CLAIRTY. SEE PLAN SHEETS.

US 54
LOCATION 2 - CAMDENTON

SIGNAL SHEET
SHEET 13 OF 30

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |

| DISTRICT | SHEET NO. |
|---|---|
| CD | 91 |

COUNTY: VARIES

JOB NO.: JCD0214

CONTRACT ID.:

PROJECT NO.:

BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

## LOCATION / BASE / PULL BOX / POST

| POST NUMBER | PULL BOX NUMBER | APPROACH | STATION | OFFSET | BASE A: 9 | 9.5 | 10 | 10.5 | 11 | 12 | BASE F: 9 | 9.5 | 10 | 10.5 | 11 | 12 | BASE C: CONCRETE** (CU. YDS.) | PULL BOX PREFORMED: CLASS 1 | CLASS 2 | CLASS 3 | CLASS 5 | PULL BOX CONCRETE: STANDARD | DOUBLE, TYPE A | DOUBLE, TYPE B | DRAIN TYPE*: I | II: A | B | C | POST: TOP MOUNT POST: 8 FT. | 15 FT. | TYPE C & CL: ARM LENGTH: A | A | A | A | SIGNAL SPACING: B | C | D | D' | SIGN SPACING: B | C | D | D' | TYPE B & BL: ARM LENGTH: E | K | E | K | E | K | LEFT ARM E: SIGNAL SPACING: F | G | H | H' | SIGN SPACING: F | G | H | H' | RIGHT ARM K: SIGNAL SPACING: L | M | N | N' | SIGN SPACING: L | M | N | N' | INCLUDED ANGLE | LUMINAIRE BRACKET ARM*: 4 FT. | 6 FT. | 8 FT. | 10 FT. | 12 FT. | 15 FT. |
|---|---|---

## CONDUIT (WITH #14 TRACER WIRE)

| FROM | TO | CENTER TO CENTER DISTANCE | LOOP DET. | TRENCH | | | | PUSHED | | | MEDIAN | | | ON STRUCTURE | | | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1" | 2" | 3" | 4" | | 2" | 3" | 4" | 2" | 3" | 4" | 2" | 3" | | |
| | USE EXISTING | | | | | | | | | | | | | | | | |
| SUBTOTALS | | | | | | | | | | | | | | | | | |
| TOTALS | | | | | | | | | | | | | | | | | |

## CABLE

| FROM | TO | CENTER TO CENTER DISTANCE | POWER | | CONTROL | | | | CLOSED LOOP INTERCONNECT | LUMINAIRE | | DETECTOR | | FIBER | | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | 2c #16 | 5c #16 | 7c #16 | 3c #16 | 3 PAIR #16 | CONTROL 2c #12 | POLE & BRACKET 1c #10 | 1c #14 IN DUCT | 2c #14 LEAD-IN CABLE | SINGLE-MODE | MULTI-MODE | |
| | USE EXISTING | | | | | | | | | | | | | | | |
| SUBTOTALS | | | | | | | | | | | | | | | | |
| TOTALS | | | | | | | | | | | | | | | | |

INTERSECTION US 54 & JACK CROWELL RD/LAKER PRIDE RD

US 54
LOCATION 2 - CAMDENTON

SIGNAL SHEET
SHEET 15 OF 30

D-37B

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026
ROUTE: VAR. | STATE: MO
DISTRICT: CD | SHEET NO.: 93
COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue 816-781-6182
Kansas City, Missouri 64157 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

## POWER SUPPLY

| LOCATION | | | POWER SUPPLY ASSEMBLY | | CIRCUIT BREAKER TRIP RATING* | | | | LIGHTING CONTROL * (ON POWER SUPPLY) | | SERVICE POLE | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | CONTROLLER | | POWER SUPPLY DISCONNECT | | | | | |
| APPROACH | STATION | OFFSET | DRAWING 902.15 | DRAWING | AUXILIARY BREAKER | CONT & SIGNAL LAMPS | MAIN BREAKER | | 120 VOLT CONTROL CABINET | MAIN BREAKER | CONTRACT FURNISH | UTILITY COMPANY |
| | | | | | | | SIGNALS | LIGHTING | | | | |
| E QUAD (UIP) | | | Type | | 15 Amps | Amps | Amps | Amps | | Amps | Cl. Ft. | |
| | | | Type | | 15 Amps | Amps | Amps | Amps | | Amps | Cl. Ft. | |

## CONTROLLER ASSEMBLY AND AUXILIARY EQUIPMENT

| LOCATION | | | SYSTEM MASTER (CLOSED LOOP) | | ACTUATED | | ON-OFF* SWITCH TYPE | | COORDINATION INTERFACE * | | | | | | TIME * CLOCK | NEMA CABINET TYPE * | | | 170 CABINET TYPE * | | 170 SOFTWARE * | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | 12C/7C HARDWIRE (1) | | TIME BASE | CLOSED LOOP | | FIBER | | | | | | | | |
| APPROACH | STATION | OFFSET | NEMA | 170 | NEMA | 170 | I | II | MASTER | LOCAL | | NEMA | 170 | | | E | EV | DOUBLE | 332 | 336S | BITRAN | WAPITI |
| E QUAD (UIP) | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |

## NEMA DETECTOR ASSIGNMENT

| | | CARD POSITION | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| CHANNEL | 1 | | | | | | | | |
| | 2 | | | | | | | | |

TOTAL NUMBER OF DETECTOR CARDS(2-CHANNEL) = (2)

## NEMA LOAD SWITCH ASSIGNMENTS

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | |

## SIGNAL SIGNS (3)

| QUANTITY | MUTCD SIGN NUMBER | SIZE | AREA | SIGN TOTAL AREA ITEM NO. 90208.33 | SIGNAL SIGN MOUNTING HARDWARE ITEM NO. 90208.34 |
|---|---|---|---|---|---|
| | | INCHES | SQ.FT. | SQ.FT. | EA. |
| | R10-10L | 24 X 30 | 5.0 | | |
| | R10-10R | 24 X 30 | 5.0 | | |
| | R3-5L | 30 X 36 | 7.5 | | |
| | R3-5R | 30 X 36 | 7.5 | | |
| | R3-5A | 30 X 36 | 7.5 | | |
| | R3-6L | 30 X 36 | 7.5 | | |
| | R3-6R | 30 X 36 | 7.5 | | |
| | R3-2 | 24 X 24 | 4.0 | | |
| | R3-1 | 24 X 24 | 4.0 | | |
| | R3-3 | 24 X 24 | 4.0 | | |
| | D3-1 *** | VAR. X 18 | | | |
| | D3-1B *** | VAR. X 18 | | | |
| | R10-3E | 9 X 15 | 0.9 | | |
| | R10-11A | 24 X 30 | 5.0 | | |
| | R10-13 | 36 X 24 | 6.0 | | |
| | R10-27A | 30 X 36 | 7.5 | | |
| | | | SUBTOTAL | | |
| | | | TOTAL | | |

## DETECTOR SCHEDULE

| DETECTOR NUMBER | APPROACH | TYPE | | | | |
|---|---|---|---|---|---|---|
| | | PUSH BUTTON (APS) | PUSH BUTTON EXTENSION | INDUCTION LOOP (2) STANDARD | INDUCTION LOOP (2) DELAY/ EXTEND * | INDUCTION LOOP (2) CALL UNIT * | VIDEO |
| 24 | S QUAD | 1 | 1 | | | | |
| 25 | E QUAD | 1 | 1 | | | | |
| 83 | E QUAD | 1 | 1 | | | | |
| 84 | N QUAD | 1 | 1 | | | | |
| TOTAL | | 4 | 4 | | | | |

## 170 INPUT FILE ASSIGNMENTS

| | CHANNEL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| "I" | U | | | | | | | | | | | | | | |
| | L | | | | | | | | | | | | | | |
| "J" | U | | | | | | | | | | | | | | |
| | L | | | | | | | | | | | | | | |

TOTAL NUMBER OF DETECTOR CARDS(2-CHANNEL) = (2)

* ITEMS FOR WHICH SEPARATE PAYMENT WILL NOT BE MADE.

*** USE D3-1 FOR ONE LINE. USE D3-1B FOR TWO LINE.

(1) MoDOT "D" PLUG SHALL BE WIRED INTO ALL NEMA CONTROLLERS WITH 7C HARDWIRE INTERCONNECT.

(2) PAYMENT IS MADE FOR THE NUMBER OF 2-CHANNEL DETECTOR CARDS AS SHOWN BELOW THE ASSIGNMENT CHART.

(3) FOR PEDESTRIAN SIGNS, BOTH SIGNS AND MOUNTING HARDWARE ARE INCLUDED IN PAY ITEM FOR DETECTOR PUSH BUTTON (APS).

## 170 OUTPUT FILE ASSIGNMENTS

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FR1 | | | | | | | | MONITOR |
| FR2 | | | | | | | | |
| FR3 | | | | | | | | |
| FR4 | | | | | | | | |

## 170 AUXILIARY OUTPUT FILE

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| FR5 | | | | | | | X |
| FR6 | | | | | | | |

US 54 &
JACK CROWELL RD / LAKER PRIDE RD
INTERSECTION

US 54
LOCATION 2 - CAMDENTON

SIGNAL SHEET
SHEET 16 OF 30

D-37C


STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER
THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.


DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 94 |


COUNTY VARIES
JOB NO. JCD0214
CONTRACT ID.
PROJECT NO.
BRIDGE NO.

DESCRIPTION | DATE


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)
VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

# WIRING DIAGRAM

(NOT TO SCALE)




US 54 & JACK CROWELL RD / LAKER PRIDE RD

INTERSECTION

# LEGEND

| | |
|---|---|
| 3" | CONDUIT CONTAINING CABLE WITH SIZE |
| | CABLE |
| X-Xc | MULTI-CONDUCTOR CABLE #16 AWG (UNLESS OTHERWISE INDICATED) |
| LIC | #14 AWG DETECTOR LEAD-IN CABLE (2C TWISTED SHIELDED) |
| X | PULL BOX WITH NUMBER |
| X | POST WITH NUMBER |
| X | POST WITH MAST ARM |
| X | POST WITH MAST ARM AND LUMINAIRE |
| X | DETECTOR WITH NUMBER |
| X | SIGNAL HEAD WITH NUMBER |
| | SIGNAL CONTROLLER |
| | POWER SUPPLY |
| | LIGHTING CONTROLLER |

US 54
LOCATION 2 - CAMDENTON

SIGNAL SHEET
SHEET 17 OF 30

D-37D

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 95 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:


| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

095_SG_17_Camdenton_JCD0214_Signal-37D.dgn 4:46:08 PM 5/22/2026

## SIGNAL FACE LOCATION




## TRAFFIC PHASING AND COLOR SEQUENCE - ACTUATED CONTROLLERS

| | PHASE 1 | PHASE 2 | PHASE 3 | PHASE 4 | PHASE 5 | PHASE 6 | PHASE 7 | PHASE 8 | PED Ø 2 | PED Ø 8 | PED Ø | PED Ø |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | NOT USED | | | | NOT USED | | | | | |
| | | | | | | | | | OVERLAP | OVERLAP | OVERLAP | OVERLAP |
| FACE NUMBERS | | | | | | | | | 24 25 | 83 84 | | |
| SIGNAL INDICATIONS R | | | | | | | | | DW DW | DW DW | | |
| SIGNAL INDICATIONS Y | | | | | | | | | FDW FDW | FDW FDW | | |
| SIGNAL INDICATIONS FYA | | | | | | | | | | | | |
| SIGNAL INDICATIONS G | | | | | | | | | W W | W W | | |
| DETECTOR ASSIGNMENTS | | | | | | | | | | | | |
| DETECTOR ASSIGNMENTS (PEDS. ONLY) | | | | | | | | | 24 25 | 83 84 | | |
| OVERLAP PARENT PHASES | | | | | | | | | 2 2 | 8 8 | | |

(FACE NUMBERS, SIGNAL INDICATIONS R/Y/FYA/G, and DETECTOR ASSIGNMENTS are duplicated at the right edge of the table.)

| RING 1 | | | | |
|---|---|---|---|---|
| | PHASE 1 | PHASE 2 | PHASE 3 | PHASE 4 |
| | | | NOT USED | |
| RING 2 | | | | |
| | PHASE 5 | PHASE 6 | PHASE 7 | PHASE 8 |
| | | | NOT USED | |

BARRIER

RING STRUCTURE

NOTE:

PHASING SHOWN FOR INFORMATION ONLY.
EXISTING TRAFFIC SIGNAL PHASING TO BE USED.

IF CALLED, ALL NON-CONFLICTING PHASES SHALL COMBINE AND TIME CONCURRENTLY. TIME TO BE DETERMINED BY THE ENGINEER AT SIGNAL TURN ON AND SET IN THE CONTROLLER BY THE CONTRACTOR.

## LEGEND

- ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED ACTUATED VEHICULAR MOVEMENT
- NON-ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED NON-ACTUATED VEHICULAR MOVEMENT
- ACTUATED PEDESTRIAN MOVEMENT
- NON-ACTUATED PEDESTRIAN MOVEMENT
- VEHICLE STOPPED
- FDW — FLASHING DON'T WALK
- W — WALK
- DW — DON'T WALK
- R/W — RIGHT OF WAY INTERVAL
- YRt — YELLOW RIGHT ARROW
- RT. — GREEN RIGHT ARROW
- LY -YL — YELLOW LEFT ARROW
- L — GREEN LEFT ARROW
- S — GREEN STRAIGHT AHEAD ARROW
- G — CIRCULAR GREEN
- Y — CIRCULAR YELLOW
- R — CIRCULAR RED
- RL — RED LEFT ARROW
- Ø — TRAFFIC PHASE
- AO — ALL OTHERS
- FR — FLASHING RED
- FY — FLASHING CIRCULAR YELLOW
- FYL — FLASHING YELLOW LEFT ARROW

| FLASHING OPERATION | |
|---|---|
| USE EXISTING | FR |
| USE EXISTING | FY |

| CONTROLLER TYPE | (UIP) |
|---|---|

## TRAFFIC SIGNAL CONTROL OPERATION

INTERSECTION OF US 54

WITH JACK CROWELL RD / LAKER PRIDE RD

US 54
LOCATION 2 - CAMDENTON

SIGNAL SHEET
SHEET 18 OF 30

D-38A

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 96 |


COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

096_SG_18_Camdenton_JCD0214_Signal-38A.dgn 4:46:09 PM 5/22/2026




GENERAL NOTES:

1. THE INSTALLATION OF TRAFFIC SIGNALS SHALL BE IN ACCORDANCE WITH THE MISSOURI HIGHWAY AND TRANSPORTATION COMMISSION'S STANDARD SPECIFICATIONS, LATEST EDITION.
2. ALL SIGNAL EQUIPMENT IS TO BE ASSUMED UIP UNLESS STATED OTHERWISE ON THE PLANS.
3. ALL PEDESTRIAN FACILITIES MUST COMPLY WITH CURRENT ADA STANDARDS.
4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR SPOTTING THE LOCATION OF ALL SIGNAL EQUIPMENT. THE CONTRACTOR SHALL NOTIFY THE MODOT INSPECTOR A MINIMUM OF ONE WEEK IN ADVANCE OF THE DESIRED DATE OF INSTALLATION.
5. EXISTING UNDERGROUND AND OVERHEAD FACILITIES, STRUCTURES, AND UTILITIES IF SHOWN ON THESE PLANS, SHALL BE CONSIDERED APPROXIMATE ONLY. VERIFICATION OF THE LOCATIONS OF ALL EXISTING UNDERGROUND FACILITIES, STRUCTURES, AND UTILITIES EITHER SHOWN OR NOT SHOWN ON THESE PLANS SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR, AND SHALL BE VERIFIED PRIOR TO ANY GRADING, EXCAVATION, OR CONSTRUCTION OF IMPROVEMENTS. CALL MISSOURI ONE-CALL SYSTEM AT 1-800-DIG-RITE (344-7483)
6. PAVEMENT MARKINGS NOT SHOWN FOR CLAIRTY. SEE PLAN SHEETS.

US 54
LOCATION 2 - CAMDENTON

SIGNAL SHEET
SHEET 19 OF 30

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER
THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026
ROUTE: VAR. | STATE: MO
DISTRICT: CD | SHEET NO.: 97
COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

097_SG_19_Camdenton_JCD0214_Signal.dgn 4:46:10 PM 5/22/2026

## LOCATION / BASE / PULL BOX / POST

| POST NUMBER | PULL BOX NUMBER | APPROACH | STATION | OFFSET | BASE A (9 / 9.5 / 10 / 10.5 / 11 / 12) | BASE F (9 / 9.5 / 10 / 10.5 / 11 / 12) | BASE C | CONCRETE** (CU. YDS.) | PULL BOX PREFORMED CLASS 1 | CLASS 2 | CLASS 3 | CLASS 5 | PULL BOX CONCRETE STANDARD | DOUBLE, TYPE A | DOUBLE, TYPE B | DRAIN TYPE* I | DRAIN TYPE* II A | II B | II C | TOP MOUNT POST 8 FT. | TOP MOUNT POST 15 FT. | TYPE C & CL ARM LENGTH A | A | A | A | TYPE C & CL SIGNAL SPACING B | C | D | D' | TYPE C & CL SIGN SPACING B | C | D | D' | TYPE B & BL ARM LENGTH E | K | E | K | E | K | TYPE B & BL LEFT ARM E SIGNAL SPACING F | G | H | H' | LEFT ARM E SIGN SPACING F | G | H | H' | TYPE B & BL RIGHT ARM K SIGNAL SPACING L | M | N | N' | RIGHT ARM K SIGN SPACING L | M | N | N' | INCLUDED ANGLE | LUMINAIRE BRACKET ARM* 4 FT. | 6 FT. | 8 FT. | 10 FT. | 12 FT. | 15 FT. |
|---|---|---

## CONDUIT (WITH #14 TRACER WIRE)

| FROM | TO | CENTER TO CENTER DISTANCE | LOOP DET. | TRENCH | | | | PUSHED | | | MEDIAN | | | ON STRUCTURE | | | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1" | 2" | 3" | 4" | | 2" | 3" | 4" | 2" | 3" | 4" | 2" | 3" | | |
| USE EXISTING | | | | | | | | | | | | | | | | | |
| SUBTOTALS | | | | | | | | | | | | | | | | | |
| TOTALS | | | | | | | | | | | | | | | | | |

## CABLE

| FROM | TO | CENTER TO CENTER DISTANCE | POWER | | CONTROL | | | | CLOSED LOOP INTERCONNECT | LUMINAIRE | | DETECTOR | | FIBER | | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | 2c #16 | 5c #16 | 7c #16 | 3c #16 | 3 PAIR #16 | CONTROL 2c #12 | POLE & BRACKET 1c #10 | 1c #14 IN DUCT | 2c #14 LEAD-IN CABLE | SINGLE-MODE | MULTI-MODE | |
| USE EXISTING | | | | | | | | | | | | | | | | |
| SUBTOTALS | | | | | | | | | | | | | | | | |
| TOTALS | | | | | | | | | | | | | | | | |

INTERSECTION US 54 & CECIL ST.

US 54
LOCATION 2 - CAMDENTON

SIGNAL SHEET
SHEET 21 OF 30

D-37B

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026
ROUTE: VAR. | STATE: MO
DISTRICT: CD | SHEET NO.: 99
COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

## POWER SUPPLY

| LOCATION | | | POWER SUPPLY ASSEMBLY | | CIRCUIT BREAKER TRIP RATING* | | | | LIGHTING CONTROL * (ON POWER SUPPLY) | | SERVICE POLE | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | CONTROLLER | | POWER SUPPLY DISCONNECT | | | | | |
| APPROACH | STATION | OFFSET | DRAWING 902.15 | DRAWING | AUXILIARY BREAKER | CONT & SIGNAL LAMPS | MAIN BREAKER | | 120 VOLT CONTROL CABINET | MAIN BREAKER | CONTRACT FURNISH | UTILITY COMPANY |
| | | | | | | | SIGNALS | LIGHTING | | | | |
| N QUAD (UIP) | | | Type | | 15 Amps | Amps | Amps | Amps | | Amps | Cl. Ft. | |
| | | | Type | | 15 Amps | Amps | Amps | Amps | | Amps | Cl. Ft. | |

## CONTROLLER ASSEMBLY AND AUXILIARY EQUIPMENT

| LOCATION | | | SYSTEM MASTER (CLOSED LOOP) | | ACTUATED | | ON-OFF* SWITCH TYPE | | COORDINATION INTERFACE * | | | | | | TIME * CLOCK | NEMA CABINET TYPE * | | | 170 CABINET TYPE * | | 170 SOFTWARE * | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | 12C/7C HARDWIRE (1) | | TIME BASE | CLOSED LOOP | | FIBER | | | | | | | | |
| APPROACH | STATION | OFFSET | NEMA | 170 | NEMA | 170 | I | II | MASTER | LOCAL | | NEMA | 170 | | | E | EV | DOUBLE | 332 | 336S | BITRAN | WAPITI |
| N QUAD (UIP) | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |

## NEMA DETECTOR ASSIGNMENT

| | | CARD POSITION | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| CHANNEL | 1 | | | | | | | | |
| | 2 | | | | | | | | |

TOTAL NUMBER OF DETECTOR CARDS(2-CHANNEL) = (2)

## NEMA LOAD SWITCH ASSIGNMENTS

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | |

## SIGNAL SIGNS (3)

| QUANTITY | MUTCD SIGN NUMBER | SIZE | AREA | SIGN TOTAL AREA ITEM NO. 90208.33 | SIGNAL SIGN MOUNTING HARDWARE ITEM NO. 90208.34 |
|---|---|---|---|---|---|
| | | INCHES | SQ.FT. | SQ.FT. | EA. |
| | R10-10L | 24 X 30 | 5.0 | | |
| | R10-10R | 24 X 30 | 5.0 | | |
| | R3-5L | 30 X 36 | 7.5 | | |
| | R3-5R | 30 X 36 | 7.5 | | |
| | R3-5A | 30 X 36 | 7.5 | | |
| | R3-6L | 30 X 36 | 7.5 | | |
| | R3-6R | 30 X 36 | 7.5 | | |
| | R3-2 | 24 X 24 | 4.0 | | |
| | R3-1 | 24 X 24 | 4.0 | | |
| | R3-3 | 24 X 24 | 4.0 | | |
| | D3-1 *** | VAR. X 18 | | | |
| | D3-1B *** | VAR. X 18 | | | |
| | R10-3E | 9 X 15 | 0.9 | | |
| | R10-11A | 24 X 30 | 5.0 | | |
| | R10-13 | 36 X 24 | 6.0 | | |
| | R10-27A | 30 X 36 | 7.5 | | |
| | | | SUBTOTAL | | |
| | | | TOTAL | | |

## DETECTOR SCHEDULE

| DETECTOR NUMBER | APPROACH | TYPE | | | | |
|---|---|---|---|---|---|---|
| | | PUSH BUTTON (APS) | PUSH BUTTON EXTENSION | INDUCTION LOOP (2) STANDARD | INDUCTION LOOP (2) DELAY/ EXTEND * | INDUCTION LOOP (2) CALL UNIT * | VIDEO |
| 64 | W ISLAND | 1 | 1 | | | | |
| 65 | N ISLAND | 1 | 1 | | | | |
| TOTAL | | 2 | 2 | | | | |

## 170 INPUT FILE ASSIGNMENTS

| | CHANNEL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| "I" | U | | | | | | | | | | | | | | |
| | L | | | | | | | | | | | | | | |
| "J" | U | | | | | | | | | | | | | | |
| | L | | | | | | | | | | | | | | |

TOTAL NUMBER OF DETECTOR CARDS(2-CHANNEL) = (2)

* ITEMS FOR WHICH SEPARATE PAYMENT WILL NOT BE MADE.

*** USE D3-1 FOR ONE LINE. USE D3-1B FOR TWO LINE.

(1) MoDOT "D" PLUG SHALL BE WIRED INTO ALL NEMA CONTROLLERS WITH 7C HARDWIRE INTERCONNECT.

(2) PAYMENT IS MADE FOR THE NUMBER OF 2-CHANNEL DETECTOR CARDS AS SHOWN BELOW THE ASSIGNMENT CHART.

(3) FOR PEDESTRIAN SIGNS, BOTH SIGNS AND MOUNTING HARDWARE ARE INCLUDED IN PAY ITEM FOR DETECTOR PUSH BUTTON (APS).

## 170 OUTPUT FILE ASSIGNMENTS

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FR1 | | | | | | | | MONITOR |
| FR2 | | | | | | | | |
| FR3 | | | | | | | | |
| FR4 | | | | | | | | |

## 170 AUXILIARY OUTPUT FILE

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| FR5 | | | | | | | X |
| FR6 | | | | | | | |

US 54 & CECIL ST.
INTERSECTION

US 54
LOCATION 2 - CAMDENTON

SIGNAL SHEET
SHEET 22 OF 30

D-37C

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 100 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:


| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue 816-781-6182
Kansas City, Missouri 64157 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

# WIRING DIAGRAM

(NOT TO SCALE)




## LEGEND

| | |
|---|---|
| 3" | CONDUIT CONTAINING CABLE WITH SIZE |
| | CABLE |
| X-Xc | MULTI-CONDUCTOR CABLE #16 AWG (UNLESS OTHERWISE INDICATED) |
| LIC | #14 AWG DETECTOR LEAD-IN CABLE (2C TWISTED SHIELDED) |
| X | PULL BOX WITH NUMBER |
| X | POST WITH NUMBER |
| X | POST WITH MAST ARM |
| X | POST WITH MAST ARM AND LUMINAIRE |
| X | DETECTOR WITH NUMBER |
| X | SIGNAL HEAD WITH NUMBER |
| | SIGNAL CONTROLLER |
| | POWER SUPPLY |
| | LIGHTING CONTROLLER |

US 54 & CECIL ST.

INTERSECTION

US 54
LOCATION 2 - CAMDENTON

SIGNAL SHEET
SHEET 23 OF 30

D-37D

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 101 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.


| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

101_SG_23_Camdenton_JCD0214_Signal-37D.dgn 4:46:13 PM 5/22/2026

SIGNAL FACE LOCATION




## TRAFFIC PHASING AND COLOR SEQUENCE - ACTUATED CONTROLLERS

| | PHASE 1 | PHASE 2 | PHASE 3 | PHASE 4 | PHASE 5 | PHASE 6 | PHASE 7 | PHASE 8 | PED Ø 6 OVERLAP | PED Ø OVERLAP | PED Ø OVERLAP | PED Ø OVERLAP |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NOT USED | | NOT USED | NOT USED | | | | NOT USED | | | | |
| FACE NUMBERS | | | | | | | | | 64 65 | | | |
| SIGNAL INDICATIONS R | | | | | | | | | DW DW | | | |
| SIGNAL INDICATIONS Y | | | | | | | | | FDW FDW | | | |
| SIGNAL INDICATIONS FYA | | | | | | | | | | | | |
| SIGNAL INDICATIONS G | | | | | | | | | W W | | | |
| DETECTOR ASSIGNMENTS | | | | | | | | | | | | |
| DETECTOR ASSIGNMENTS (PEDS. ONLY) | | | | | | | | | 64 65 | | | |
| OVERLAP PARENT PHASES | | | | | | | | | 6 6 | | | |

FACE NUMBERS, SIGNAL INDICATIONS (R, Y, FYA, G), and DETECTOR ASSIGNMENTS are repeated at the right side of the table.

| RING 1 | PHASE 1 | PHASE 2 | PHASE 3 | PHASE 4 |
|---|---|---|---|---|
| | NOT USED | | NOT USED | NOT USED |
| RING 2 | | | | NOT USED |
| | PHASE 5 | PHASE 6 | PHASE 7 | PHASE 8 |

BARRIER

RING STRUCTURE

NOTE:

PHASING SHOWN FOR INFORMATION ONLY.
EXISTING TRAFFIC SIGNAL PHASING TO BE USED.

IF CALLED, ALL NON-CONFLICTING PHASES SHALL COMBINE AND TIME CONCURRENTLY. TIME TO BE DETERMINED BY THE ENGINEER AT SIGNAL TURN ON AND SET IN THE CONTROLLER BY THE CONTRACTOR.

## LEGEND

- ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED ACTUATED VEHICULAR MOVEMENT
- NON-ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED NON-ACTUATED VEHICULAR MOVEMENT
- ACTUATED PEDESTRIAN MOVEMENT
- NON-ACTUATED PEDESTRIAN MOVEMENT
- VEHICLE STOPPED
- FDW — FLASHING DON'T WALK
- W — WALK
- DW — DON'T WALK
- R/W — RIGHT OF WAY INTERVAL
- YRt — YELLOW RIGHT ARROW
- RT. — GREEN RIGHT ARROW
- LY -YL — YELLOW LEFT ARROW
- L — GREEN LEFT ARROW
- S — GREEN STRAIGHT AHEAD ARROW
- G — CIRCULAR GREEN
- Y — CIRCULAR YELLOW
- R — CIRCULAR RED
- RL — RED LEFT ARROW
- Ø — TRAFFIC PHASE
- AO — ALL OTHERS
- FR — FLASHING RED
- FY — FLASHING CIRCULAR YELLOW
- FYL — FLASHING YELLOW LEFT ARROW

| FLASHING OPERATION | |
|---|---|
| USE EXISTING | FR |
| USE EXISTING | FY |

| CONTROLLER TYPE | (UIP) |
|---|---|

## TRAFFIC SIGNAL CONTROL OPERATION

INTERSECTION OF US 54

WITH CECIL ST

US 54
LOCATION 2 - CAMDENTON

SIGNAL SHEET
SHEET 24 OF 30

D-38A

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026


| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 102 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)


VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347




## TRAFFIC SIGNALS LEGEND

| | | | |
|---|---|---|---|
| | CONTROLLER (EXISTING) | | PUSH BUTTON DETECTOR |
| | EXIST. VIDEO DETECTOR | | 30 X 6 LOOP DETECTOR (EXISTING) |
| | SIGNAL HEAD (PEDESTRIAN) | | CONDUIT PUSHED |
| | | | CONDUIT EXISTING |
| | EXIST. SIGNAL HEAD | | CONDUIT TRENCHED |
| | EXIST. PULL BOX | | EXIST. MAST ARM |

GENERAL NOTES:

1. THE INSTALLATION OF TRAFFIC SIGNALS SHALL BE IN ACCORDANCE WITH THE MISSOURI HIGHWAY AND TRANSPORTATION COMMISSION'S STANDARD SPECIFICATIONS, LATEST EDITION.
2. ALL SIGNAL EQUIPMENT IS TO BE ASSUMED UIP UNLESS STATED OTHERWISE ON THE PLANS.
3. ALL PEDESTRIAN FACILITIES MUST COMPLY WITH CURRENT ADA STANDARDS.
4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR SPOTTING THE LOCATION OF ALL SIGNAL EQUIPMENT. THE CONTRACTOR SHALL NOTIFY THE MODOT INSPECTOR A MINIMUM OF ONE WEEK IN ADVANCE OF THE DESIRED DATE OF INSTALLATION.
5. EXISTING UNDERGROUND AND OVERHEAD FACILITIES, STRUCTURES, AND UTILITIES IF SHOWN ON THESE PLANS, SHALL BE CONSIDERED APPROXIMATE ONLY. VERIFICATION OF THE LOCATIONS OF ALL EXISTING UNDERGROUND FACILITIES, STRUCTURES, AND UTILITIES EITHER SHOWN OR NOT SHOWN ON THESE PLANS SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR, AND SHALL BE VERIFIED PRIOR TO ANY GRADING, EXCAVATION, OR CONSTRUCTION OF IMPROVEMENTS. CALL MISSOURI ONE-CALL SYSTEM AT 1-800-DIG-RITE (344-7483)
6. PAVEMENT MARKINGS NOT SHOWN FOR CLAIRTY. SEE PLAN SHEETS.

MO 133
LOCATION 9 - RICHLAND

SIGNAL SHEET
SHEET 25 OF 30

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 103 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DATE | DESCRIPTION |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

| POST NUMBER | PULL BOX NUMBER | LOCATION | | | BASE | | | | | | | | | | | | C | PULL BOX | | | | | | | | | POST | | | | | | | | | | | |

## CONDUIT (WITH #14 TRACER WIRE)

| FROM | TO | CENTER TO CENTER DISTANCE | LOOP DET. | TRENCH | | | | PUSHED | | | MEDIAN | | | ON STRUCTURE | | | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1" | 2" | 3" | 4" | | 2" | 3" | 4" | 2" | 3" | 4" | 2" | 3" | | |
| | USE EXISTING | | | | | | | | | | | | | | | | |
| SUBTOTALS | | | | | | | | | | | | | | | | | |
| TOTALS | | | | | | | | | | | | | | | | | |

## CABLE

| FROM | TO | CENTER TO CENTER DISTANCE | POWER | | CONTROL | | | | CLOSED LOOP INTERCONNECT | LUMINAIRE | | DETECTOR | | FIBER | | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | 2c #16 | 5c #16 | 7c #16 | 3c #16 | 3 PAIR #16 | CONTROL 2c #12 | POLE & BRACKET 1c #10 | 1c #14 IN DUCT | 2c #14 LEAD-IN CABLE | SINGLE-MODE | MULTI-MODE | |
| | USE EXISTING | | | | | | | | | | | | | | | |
| SUBTOTALS | | | | | | | | | | | | | | | | |
| TOTALS | | | | | | | | | | | | | | | | |

INTERSECTION MO 133 & MO 7/WASHINGTON AVE.

MO 133
LOCATION 9 - RICHLAND

SIGNAL SHEET
SHEET 27 OF 30

D-37B

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |

| DISTRICT | SHEET NO. |
|---|---|
| CD | 105 |

COUNTY: VARIES

JOB NO.: JCD0214

CONTRACT ID.:

PROJECT NO.:

BRIDGE NO.:

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue
816-781-6182
Kansas City, Missouri 64157
816-781-0643 (FAX)
Certificate of Authority No. 2002006347

105_SG_27_Richland_JCD0214_Signal-37B.dgn 4:46:17 PM 5/22/2026

## POWER SUPPLY

| LOCATION | | | POWER SUPPLY ASSEMBLY | | CIRCUIT BREAKER TRIP RATING* | | | | LIGHTING CONTROL * (ON POWER SUPPLY) | | SERVICE POLE | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | CONTROLLER | | POWER SUPPLY DISCONNECT | | | | | |
| APPROACH | STATION | OFFSET | DRAWING 902.15 | DRAWING | AUXILIARY BREAKER | CONT & SIGNAL LAMPS | MAIN BREAKER | | 120 VOLT CONTROL CABINET | MAIN BREAKER | CONTRACT FURNISH | UTILITY COMPANY |
| | | | | | | | SIGNALS | LIGHTING | | | | |
| N QUAD (UIP) | | | Type | | 15 Amps | Amps | Amps | Amps | | Amps | Cl. Ft. | |
| | | | Type | | 15 Amps | Amps | Amps | Amps | | Amps | Cl. Ft. | |

## CONTROLLER ASSEMBLY AND AUXILIARY EQUIPMENT

| LOCATION | | | SYSTEM MASTER (CLOSED LOOP) | | ACTUATED | | ON-OFF* SWITCH | | COORDINATION INTERFACE * | | | | | | TIME * CLOCK | NEMA CABINET TYPE * | | | 170 CABINET TYPE * | | 170 SOFTWARE * | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | TYPE | | 12C/7C HARDWIRE (1) | | TIME BASE | CLOSED LOOP | | FIBER | | | | | | | | |
| APPROACH | STATION | OFFSET | NEMA | 170 | NEMA | 170 | I | II | MASTER | LOCAL | | NEMA | 170 | | | E | EV | DOUBLE | 332 | 336S | BITRAN | WAPITI |
| N QUAD (UIP) | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |

## NEMA DETECTOR ASSIGNMENT

| | | CARD POSITION | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| CHANNEL | 1 | | | | | | | | |
| | 2 | | | | | | | | |

TOTAL NUMBER OF DETECTOR CARDS(2-CHANNEL) = (2)

## NEMA LOAD SWITCH ASSIGNMENTS

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | |

## SIGNAL SIGNS (3)

| QUANTITY | MUTCD SIGN NUMBER | SIZE | AREA | SIGN TOTAL AREA ITEM NO. 90208.33 | SIGNAL SIGN MOUNTING HARDWARE ITEM NO. 90208.34 |
|---|---|---|---|---|---|
| | | INCHES | SQ.FT. | SQ.FT. | EA. |
| | R10-10L | 24 X 30 | 5.0 | | |
| | R10-10R | 24 X 30 | 5.0 | | |
| | R3-5L | 30 X 36 | 7.5 | | |
| | R3-5R | 30 X 36 | 7.5 | | |
| | R3-5A | 30 X 36 | 7.5 | | |
| | R3-6L | 30 X 36 | 7.5 | | |
| | R3-6R | 30 X 36 | 7.5 | | |
| | R3-2 | 24 X 24 | 4.0 | | |
| | R3-1 | 24 X 24 | 4.0 | | |
| | R3-3 | 24 X 24 | 4.0 | | |
| | D3-1 *** | VAR. X 18 | | | |
| | D3-1B *** | VAR. X 18 | | | |
| | R10-3E | 9 X 15 | 0.9 | | |
| | R10-11A | 24 X 30 | 5.0 | | |
| | R10-13 | 36 X 24 | 6.0 | | |
| | R10-27A | 30 X 36 | 7.5 | | |
| | | | SUBTOTAL | | |
| | | | TOTAL | | |

## DETECTOR SCHEDULE

| DETECTOR NUMBER | APPROACH | TYPE | | | | | |
|---|---|---|---|---|---|---|---|
| | | PUSH BUTTON (APS) | PUSH BUTTON EXTENSION | INDUCTION LOOP (2) | | | VIDEO |
| | | | | STANDARD | DELAY/ EXTEND * | CALL UNIT * | |
| 22 | E QUAD | 1 | | | | | |
| 23 | N QUAD | 1 | | | | | |
| 42 | E QUAD | 1 | | | | | |
| 43 | S QUAD | 1 | | | | | |
| 62 | W QUAD | 1 | | | | | |
| 63 | S QUAD | 1 | | | | | |
| 82 | N QUAD | 1 | | | | | |
| 83 | W QUAD | 1 | 1 | | | | |
| TOTAL | | 8 | 1 | | | | |

## 170 INPUT FILE ASSIGNMENTS

| | CHANNEL | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| "I" | U | | | | | | | | | | | | | | |
| | L | | | | | | | | | | | | | | |
| "J" | U | | | | | | | | | | | | | | |
| | L | | | | | | | | | | | | | | |

TOTAL NUMBER OF DETECTOR CARDS(2-CHANNEL) = (2)

* ITEMS FOR WHICH SEPARATE PAYMENT WILL NOT BE MADE.

*** USE D3-1 FOR ONE LINE. USE D3-1B FOR TWO LINE.

(1) MoDOT "D" PLUG SHALL BE WIRED INTO ALL NEMA CONTROLLERS WITH 7C HARDWIRE INTERCONNECT.

(2) PAYMENT IS MADE FOR THE NUMBER OF 2-CHANNEL DETECTOR CARDS AS SHOWN BELOW THE ASSIGNMENT CHART.

(3) FOR PEDESTRIAN SIGNS, BOTH SIGNS AND MOUNTING HARDWARE ARE INCLUDED IN PAY ITEM FOR DETECTOR PUSH BUTTON (APS).

## 170 OUTPUT FILE ASSIGNMENTS

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FR1 | | | | | | | | MONITOR |
| FR2 | | | | | | | | |
| FR3 | | | | | | | | |
| FR4 | | | | | | | | |

## 170 AUXILIARY OUTPUT FILE

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| FR5 | | | | | | | X |
| FR6 | | | | | | | |

MO 133 & MO 7/WASHINGTON AVE.
INTERSECTION

MO 133
LOCATION 9 - RICHLAND

SIGNAL SHEET
SHEET 28 OF 30

D-37C

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED. SEALED AND DATED ELECTRONICALLY.

DATE PREPARED 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 106 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:

| DESCRIPTION | DATE |
|---|---|
| | |


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

106_SG_28_Richland_JCD0214_Signal-37C.dgn 4:46:18 PM 5/22/2026

# WIRING DIAGRAM

(NOT TO SCALE)




MO 133 & MO 7 / WASHINGTON AVE.

INTERSECTION

# LEGEND

| | |
|---|---|
| 3" | CONDUIT CONTAINING CABLE WITH SIZE |
| | CABLE |
| X-Xc | MULTI-CONDUCTOR CABLE #16 AWG (UNLESS OTHERWISE INDICATED) |
| LIC | #14 AWG DETECTOR LEAD-IN CABLE (2C TWISTED SHIELDED) |
| X | PULL BOX WITH NUMBER |
| X | POST WITH NUMBER |
| X | POST WITH MAST ARM |
| X | POST WITH MAST ARM AND LUMINAIRE |
| X | DETECTOR WITH NUMBER |
| X | SIGNAL HEAD WITH NUMBER |
| | SIGNAL CONTROLLER |
| | POWER SUPPLY |
| | LIGHTING CONTROLLER |

MO 133
LOCATION 9 - RICHLAND

SIGNAL SHEET
SHEET 29 OF 30

D-37D

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED: 05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 107 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:


| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347

107_SG_29_Richland_JCD0214_Signal-37D.dgn 4:46:18 PM 5/22/2026

## SIGNAL FACE LOCATION




## TRAFFIC PHASING AND COLOR SEQUENCE - ACTUATED CONTROLLERS

| | PHASE 1 | PHASE 2 | PHASE 3 | PHASE 4 | PHASE 5 | PHASE 6 | PHASE 7 | PHASE 8 | PED Ø 2 | PED Ø 4 | PED Ø 6 | PED Ø 8 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | NOT USED | | NOT USED | | NOT USED | | OVERLAP | OVERLAP | OVERLAP | OVERLAP |
| FACE NUMBERS | | | | | | | | | 22 23 | 42 43 | 62 63 | 82 83 |
| SIGNAL INDICATIONS R | | | | | | | | | DW DW | DW DW | DW DW | DW DW |
| SIGNAL INDICATIONS Y | | | | | | | | | FDW FDW | FDW FDW | FDW FDW | FDW FDW |
| SIGNAL INDICATIONS FYA | | | | | | | | | | | | |
| SIGNAL INDICATIONS G | | | | | | | | | W W | W W | W W | W W |
| DETECTOR ASSIGNMENTS | | | | | | | | | | | | |
| DETECTOR ASSIGNMENTS (PEDS. ONLY) | | | | | | | | | 22 23 | 42 43 | 62 63 | 82 83 |
| OVERLAP PARENT PHASES | | | | | | | | | | | | |

(FACE NUMBERS, SIGNAL INDICATIONS, and DETECTOR ASSIGNMENTS are repeated at the right edge of the table.)

## RING STRUCTURE

| | PHASE 1 | PHASE 2 | PHASE 3 | PHASE 4 |
|---|---|---|---|---|
| RING 1 | | | NOT USED | |
| RING 2 | NOT USED | | NOT USED | |
| | PHASE 5 | PHASE 6 | PHASE 7 | PHASE 8 |

BARRIER

NOTE:

PHASING SHOWN FOR INFORMATION ONLY.
EXISTING TRAFFIC SIGNAL PHASING TO BE USED.

IF CALLED, ALL NON-CONFLICTING PHASES SHALL COMBINE AND TIME CONCURRENTLY. TIME TO BE DETERMINED BY THE ENGINEER AT SIGNAL TURN ON AND SET IN THE CONTROLLER BY THE CONTRACTOR.

## LEGEND

- ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED ACTUATED VEHICULAR MOVEMENT
- NON-ACTUATED VEHICULAR MOVEMENT
- PARTIALLY RESTRICTED NON-ACTUATED VEHICULAR MOVEMENT
- ACTUATED PEDESTRIAN MOVEMENT
- NON-ACTUATED PEDESTRIAN MOVEMENT
- VEHICLE STOPPED
- FDW — FLASHING DON'T WALK
- W — WALK
- DW — DON'T WALK
- R/W — RIGHT OF WAY INTERVAL
- YRt — YELLOW RIGHT ARROW
- RT. — GREEN RIGHT ARROW
- LY-YL — YELLOW LEFT ARROW
- L — GREEN LEFT ARROW
- S — GREEN STRAIGHT AHEAD ARROW
- G — CIRCULAR GREEN
- Y — CIRCULAR YELLOW
- R — CIRCULAR RED
- RL — RED LEFT ARROW
- Ø — TRAFFIC PHASE
- AO — ALL OTHERS
- FR — FLASHING RED
- FY — FLASHING CIRCULAR YELLOW
- FYL — FLASHING YELLOW LEFT ARROW

| FLASHING OPERATION | |
|---|---|
| USE EXISTING | FR |
| | FY |

| CONTROLLER TYPE | (UIP) |
|---|---|

## TRAFFIC SIGNAL CONTROL OPERATION

INTERSECTION OF MO 133

WITH MO 7 / WASHINGTON AVE.

MO 133
LOCATION 9 - RICHLAND

SIGNAL SHEET
SHEET 30 OF 30

D-38A


STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.


DATE PREPARED 05/18/2026


| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 108 |

COUNTY: VARIES
JOB NO.: JCD0214
CONTRACT ID.:
PROJECT NO.:
BRIDGE NO.:


| DESCRIPTION | DATE |
|---|---|
| | |


MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347




NORTH SIDE MO 133 @ LOCUST ST.




SOUTH SIDE MO 133 @ LOCUST ST.

MO 133
LOCATION 9 - RICHLAND

CULVERT SECTIONS
SHEET 1 OF 1

STATE OF MISSOURI
SCOTT MICHAEL MCDONALD
NUMBER PE-2018000240
PROFESSIONAL ENGINEER

THIS SHEET HAS BEEN SIGNED, SEALED AND DATED ELECTRONICALLY.

DATE PREPARED
05/18/2026

| ROUTE | STATE |
|---|---|
| VAR. | MO |
| DISTRICT | SHEET NO. |
| CD | 109 |

COUNTY
VARIES

JOB NO.
JCD0214

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

| DESCRIPTION | DATE |
|---|---|
| | |

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION
105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

VEENSTRA & KIMM INC.
A Kleinfelder Company
9788 N Ash Avenue Kansas City, Missouri 64157
816-781-6182 816-781-0643 (FAX)
Certificate of Authority No. 2002006347