

**STATE OF MISSOURI
HIGHWAYS and TRANSPORTATION COMMISSION**

JEFFERSON CITY, MISSOURI

CONSTRUCTING OR IMPROVING
Contract I.D. 260918-F04

THIS JOB SHALL BE CONSTRUCTED UNDER
FEDERAL PROJECT NUMBER(S): IS 44-3(213)

Job JSL0038 Route I-44 FRANKLIN County

BIDDER CHECKLIST
FINAL CHECKLIST BEFORE SUBMITTING BID

1. Submit completed Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalification to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at www.bidx.com. Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
3. Please read all items in the bidding document carefully. The Bid form from Bidx website is used for the itemized bid.
4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid) at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

Below is a list of common mistakes made by bidders leading to non-responsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision
 - only used if bidding more than one project and should be in only one bid proposal
- d) Not obtaining a digital ID in advance of the letting
 - (obtaining a digital ID may take 5 business days)

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

TABLE OF CONTENTS

Notice to Contractors

Proposed Work.....	item (1)
Compliance With Contract Provisions.....	item (2)
Period of Performance.....	item (3)
Liquidated Damages.....	item (4)
Itemized Bid.....	item (5)
Trainees.....	item (6)
DBE Certification*.....	item (7)
Acceptance of Provision for Price Adjustment for Fuel.....	item (8a)
Acceptance of Provision for Asphalt Cement Price Index....	item (8b)
Max. Monetary Value of Awards Accepted this Bid Opening...	item (9)
Combination Bids.....	item (10)
Certification for Federal Jobs.....	item (11a)
Certification for State Jobs.....	item (11b)
Antidiscrimination.....	item (12)
Preference to Missouri Firms in Awarding of Contracts.....	item (13)
Subcontractor Disclosure Form*.....	item (14)
Signature and Identity of Bidder.....	item (15)
Bid Guaranty*.....	item (16)

*These forms are also available on MoDOT's Website, www.modot.org under Information on the Bid Opening Info page of the Contractor Resources site.

NOTICE TO CONTRACTORS

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 09/18/2026.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

(1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:

****(1): Job JSL0038 Route I-44 FRANKLIN County. Coldmill, resurface, ramp extensions, rest area and weigh scale site improvements on I-44 from the Crawford County line to 0.5 miles east of Route 30, the total length of improvement being 15.347 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

(2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876.

(3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.

(4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and

completion of the work, as follows:

Line Number	Item Number	Quantity	Unit	Unit Price	Extension Price
Section 0001					
I-44 Mainline Items - JSL0038					
0010	2013000	1.000	ACRE		
	CLEARING AND GRUBBING				
0020	2159910	16.000	100F		
	MISC. SHAPING SLOPES, CLASS III - MODIFIED MATERIAL REQUIREMENT				
0030	3109905	9776.000	SQYD		
	MISC. ASPHALT MILLINGS				
0040	4030109	1657.500	TONS		
	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125CLP MIX)				
0050	4039910	10981.200	TONS		
	MISC. SP125B HIMOD ASPHALT MIXTURE PG76E-28				
0060	4071007	9879.000	GAL		
	TACK COAT - NON-TRACKING				
0070	4133200	542301.000	SQYD		
	ULTRATHIN BONDED WEARING SURFACE, TYPE C				
0080	6061060	450.000	LF		
	MGS GUARDRAIL				
0090	6061061	3700.000	LF		
	MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 IN. SPACING				
0100	6061068	4.000	EA		
	MGS BRIDGE APPROACH TRANSITION SECTION (EXTENDED CURB)				
0110	6061069	6.000	EA		
	MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)				
0120	6061074	1.000	EA		
	MGS HEIGHT AND BLOCK TRANSITION				
0130	6061080	2.000	EA		
	MGS END ANCHOR				
0140	6063014	4.000	EA		
	TYPE A CRASHWORTHY END TERMINAL (MASH)				
0150	6092011	56.000	LF		
	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A				
0160	6131010	561.300	SQYD		
	FURNISHING AND PLACING CONCRETE MATERIAL FOR FULL DEPTH PAVEMENT REPAIR				
0170	6131012	56.000	SQYD		
	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)				
0180	6131013	56.000	SQYD		
	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)				
0190	6131014	2468.000	LF		
	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS)				
0200	6131015	1080.000	EA		
	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR				
0210	6131017	50.000	EA		
	DOWEL BAR (FURNISHING AND INSTALLATION WITH BASKETS) FOR FULL DEPTH PAVEMENT REPAIR				
0220	6131018	58.000	EA		
	TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR (TYPE L JOINTS)				

0230	6133020	52.400 TONS			
		FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS C PARTIAL DEPTH PAVEMENT REPAIR			
0240	6133021	319.700 SQYD			
		REMOVAL FOR CLASS C PARTIAL DEPTH PAVEMENT REPAIR			
0250	6161098A	4.000 EA			
		CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED / RETAINED			
0260	6181020	2.000 EA	\$600.00000		\$1,200.00
		ADDITIONAL MOBILIZATION FOR SEEDING			
0270	6200015	608.000 LF			
		PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE			
0280	6200018	471.000 LF			
		PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW			
0290	6200021	28.000 EA			
		PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW			
0300	6200024	4.000 EA			
		PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW			
0310	6200027	2.000 EA			
		PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT			
0320	6200030	2.000 EA			
		PREFORMED THERMOPLASTIC PAVEMENT MARKING, WORD (ONLY)			
0330	6200033	1.000 EA			
		PREFORMED THERMOPLASTIC PAVEMENT MARKING, R/R CROSSING MARKER			
0340	6200042A	5.000 EA			
		PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. X 36 IN., YIELD LINE TRIANGLE			
0350	6205301B	859.000 LF			
		TEMPORARY REMOVABLE MARKING TAPE 4 IN., WHITE			
0360	6205303B	2761.000 LF			
		TEMPORARY REMOVABLE MARKING TAPE 4 IN., YELLOW			
0370	6205901B	7891.000 LF			
		4 IN. YELLOW CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)			
0380	6205902B	217569.000 LF			
		6 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)			
0390	6205903B	166518.000 LF			
		6 IN. YELLOW CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)			
0400	6205906B	12427.000 LF			
		12 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)			
0410	6207001	8366.000 LF			
		PAVEMENT MARKING REMOVAL			
0420	6207002	26.000 EA			
		PAVEMENT MARKING REMOVAL (SYMBOLS)			
0430	6209902	3.000 EA			
		MISC. TIER II INLAID PAVEMENT ARROW SYSTEM			
0440	6221001	90922.000 SQYD			
		COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)			
0450	6221003	10938.000 SQYD			
		COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATER THAN 3 IN. THICK)			
0460	6224010	8992.000 SQYD			
		MODIFIED COLDMILLING (DEPTH TRANSITIONS)			
0470	6261000A	2920.200 STA			

BITUMINOUS SHOULDER RUMBLE STRIP		
0480	6262000A	2.600 STA
PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP		
0490	8025006	0.200 ACRE
MULCHING		
0500	8051000A	0.200 ACRE
SEEDING - COOL SEASON GRASSES		
0510	8061006	40.000 LF
ALTERNATE DITCH CHECK		
0520	8061016	4.000 CUYD
SEDIMENT REMOVAL		
0530	8061019	237.000 LF
SILT FENCE		
0540	9029902	25.000 EA
MISC. POT HOLING UTILITY FACILITIES		
0550	9031005	4.000 EA
SQUARE STEEL SIGN POST (4IN.) BASE		
0560	9031010	32.900 CUYD
CONCRETE FOOTINGS, EMBEDDED		
0570	9031210	11360.000 LB
I-BEAM POSTS		
0580	9031220	14240.000 LB
PIPE POSTS		
0590	9031230	77.000 LF
4 IN. SQUARE STEEL POST		
0600	9031270A	864.000 LF
2 IN. PSST POST - 12 GA.		
0610	9031273A	25.000 EA
DRIVEN POST ANCHOR FOR 2 IN. PSST - 7 GA.		
0620	9031274	59.000 EA
CONCRETE POST ANCHOR FOR 2 IN. PSST. - 7 GA.		
0630	9035004A	2120.000 SQFT
SH-FLAT SHEET		
0640	9035011A	1937.000 SQFT
ST-STRUCTURAL		
0650	9035030	406.000 LF
ALUMINUM BACKING BARS ALUMINUM BACKING BARS		
0660	9035069A	638.000 SQFT
SHF-FLAT SHEET FLUORESCENT		
0670	9035071A	415.000 SQFT
STF-STRUCTURAL FLUORESCENT		
0680	9039902	43.000 EA
MISC. REMOVE AND RELOCATE GROUND MOUNT SIGN		
0690	9109903	1500.000 LF
MISC. MODOT ITS ASSETS RELOCATION		

Section 0001 Total \$1,200.00

Section 0002

I-44 WB Rest Area Items - JSL0038

0700 2013000 1.000 ACRE

CLEARING AND GRUBBING			
0710	2035000	3575.000	CUYD
UNCLASSIFIED EXCAVATION			
0720	2036000	9558.000	CUYD
COMPACTING EMBANKMENT			
0730	2037075	20.600	STA
COMPACTING IN CUT			
0740	2051010	721.000	SQYD
MODIFIED SUBGRADE			
0750	2063000	329.000	CUYD
CLASS 3 EXCAVATION			
0760	2079909	16.000	STA
MISC. MODIFIED LINEAR GRADING			
0770	3030600	4853.000	SQYD
FURNISHING ROCK BASE MATERIAL			
0780	3030610A	4853.000	SQYD
PLACING ROCK BASE			
0790	3040504	1135.000	SQYD
TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)			
0800	4039910	1359.200	TONS
MISC. SP125B HIMOD ASPHALT MIXTURE PG76E-28			
0810	4071007	942.000	GAL
TACK COAT - NON-TRACKING			
0820	5021311	3262.300	SQYD
CONCRETE PAVEMENT (11 IN. NON-REINFORCED 15 FT. JOINTS)			
0830	6049902	5.000	EA
MISC. ADJUST TO GRADE UTILITY STRUCTURES			
0840	6061061	38.000	LF
MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 IN. SPACING			
0850	6061067	1275.000	LF
MGS DOUBLE FACED GUARDRAIL			
0860	6061080	1.000	EA
MGS END ANCHOR			
0870	6063013	3.000	EA
TYPE B CRASHWORTHY END TERMINAL (MASH)			
0880	6081012	80.000	SQFT
TRUNCATED DOMES			
0890	6082023	79.000	LF
HAND-RAILING FOR STEPS WITHOUT BALUSTERS			
0900	6083006	11.900	SQYD
6 IN. CONCRETE MEDIAN STRIP			
0910	6085008	83.500	SQYD
PAVED APPROACH, 8 IN.			
0920	6086004	1051.400	SQYD
CONCRETE SIDEWALK, 4 IN.			
0930	6089902	10.000	EA
MISC. ADA CURB RAMP			
0940	6091010	731.000	LF
CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S			
0950	6092011	172.000	LF
INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A			

0960	6096030A	303.000 CUYD		
	FURNISHING TYPE 3 ROCK DITCH LINER			
0970	6096043	303.000 CUYD		
	PLACING TYPE 3 ROCK DITCH LINER			
0980	6096050	110.000 CUYD		
	BEDDING MATERIAL FOR ROCK DITCH LINER			
0990	6099903	41.000 LF		
	MISC. CONCRETE CURB (OVER 6 IN. HEIGHT) MODIFIED TYPE S			
1000	6099903	9.000 LF		
	MISC. MODIFIED CURB AND GUTTER TYPE B			
1010	6122019	1.000 EA		
	IMPACT ATTENUATOR 70 MPH (SAND BARREL ARRAY)			
1020	6122020	2.000 EA		
	REPLACEMENT SAND BARREL			
1030	6122040	1.000 EA		
	WORK ZONE CRASH CUSHION (NARROW)			
1040	6143012	1.000 EA		
	MANHOLE FRAME AND COVER, TYPE 2			
1050	6143014	2.000 EA		
	MANHOLE FRAME AND COVER, TYPE 4			
1060	6161098A	1.000 EA		
	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED / RETAINED			
1070	6173600D	2613.000 LF		
	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED			
1080	6181020	2.000 EA	\$600.00000	\$1,200.00
	ADDITIONAL MOBILIZATION FOR SEEDING			
1090	6200003	271.000 LF		
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 4 IN., WHITE			
1100	6200009	112.000 LF		
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 6 IN. WHITE			
1110	6200015	188.000 LF		
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE			
1120	6200024	10.000 EA		
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW			
1130	6205902B	3897.000 LF		
	6 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)			
1140	6205903B	5988.000 LF		
	6 IN. YELLOW CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)			
1150	6205906B	242.000 LF		
	12 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)			
1160	6207001	12080.000 LF		
	PAVEMENT MARKING REMOVAL			
1170	6207002	5.000 EA		
	PAVEMENT MARKING REMOVAL (SYMBOLS)			
1180	6208076	11014.000 LF		
	4 IN TEMPORARY PAVEMENT MARKING PAINT			
1190	6209902	10.000 EA		
	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, INTERNATIONAL SYMBOL OF ACCESSIBILITY, BLUE			
1200	6209903	3495.000 LF		
	MISC. 4 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)			

1210	6209903	1014.000 LF
	MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, 4 N., BLUE	
1220	6221001	9414.000 SQYD
	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)	
1230	6240103A	619.000 SQYD
	PERMANENT EROSION CONTROL GEOTEXTILE	
1240	7032002	1.900 CUYD
	CLASS B CONCRETE (MISC)	
1250	7061000	130.000 LB
	REINFORCING STEEL	
1260	7261048	215.000 LF
	48 IN. PIPE GROUP A	
1270	7310048	3.000 FT
	PRECAST CONCRETE MANHOLE - 48 IN.	
1280	7319913	14.000 FT
	MISC. PRECAST CONCRETE MANHOLE - 84 IN.	
1290	7319913	10.000 FT
	MISC. PRECAST CONCRETE MANHOLE - 96 IN.	
1300	7320648A	1.000 EA
	48 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	
1310	8025006	2.300 ACRE
	MULCHING	
1320	8051000A	2.600 ACRE
	SEEDING - COOL SEASON GRASSES	
1330	8061005	538.000 LF
	ROCK DITCH CHECK	
1340	8061016	50.000 CUYD
	SEDIMENT REMOVAL	
1350	8061019	2204.000 LF
	SILT FENCE	
1360	8064128	1509.000 SQYD
	TYPE 1 TURF REINFORCEMENT MAT	
1370	9015010	1332.000 LF
	TRENCHING TYPE I	
1380	9015020	147.000 LF
	TRENCHING TYPE II	
1390	9016110	4.000 EA
	PULL BOX, PREFORMED CLASS 1	
1400	9017110	150.000 LF
	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	
1410	9017404	1610.000 LF
	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG	
1420	9018245	1.000 EA
	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)	
1430	9019902	1.000 EA
	MISC. 45 FT. TOP MOUNT LIGHT POLE	
1440	9019902	1.000 EA
	MISC. TOP MOUNTED LED-B LUMINAIRE	
1450	9031253A	41.000 EA
	7 FT. CHANNEL POST DELINEATOR, DOUBLE STACKED YELLOW	
1460	9031256	2.000 EA

7 FT. CHANNEL POST DELINEATOR, WHITE		
1470	9031257A	11.000 EA
7 FT. CHANNEL POST DELINEATOR, YELLOW		
1480	9031258	4.000 EA
7 FT. CHANNEL POST DELINEATOR, WHITE/RED		
1490	9031259A	14.000 EA
7 FT. CHANNEL POST DELINEATOR, YELLOW/RED		
Section 0002 Total		\$1,200.00

Section 0003

I-44 EB Rest Area Items - JSL0038

1500	2013000	2.000 ACRE
CLEARING AND GRUBBING		
1510	2035000	9804.000 CUYD
UNCLASSIFIED EXCAVATION		
1520	2035500	893.000 CUYD
EMBANKMENT IN PLACE		
1530	2036000	12634.000 CUYD
COMPACTING EMBANKMENT		
1540	2037075	41.500 STA
COMPACTING IN CUT		
1550	2051010	3054.000 SQYD
MODIFIED SUBGRADE		
1560	2063000	99.000 CUYD
CLASS 3 EXCAVATION		
1570	2063300	196.000 CUYD
CLASS 4 EXCAVATION		
1580	2079909	7.000 STA
MISC. MODIFIED LINEAR GRADING		
1590	3030600	14024.000 SQYD
FURNISHING ROCK BASE MATERIAL		
1600	3030610A	14024.000 SQYD
PLACING ROCK BASE		
1610	3040504	898.000 SQYD
TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)		
1620	3101003	157.000 SQYD
GRAVEL (A)		
1630	4030109	21.100 TONS
ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125CLP MIX)		
1640	4039910	1150.000 TONS
MISC. SP125B HIMOD ASPHALT MIXTURE PG76E-28		
1650	4071007	791.000 GAL
TACK COAT - NON-TRACKING		
1660	5021309	603.000 SQYD
CONCRETE PAVEMENT (9 IN. NON-REINFORCED 15 FT. JOINTS)		
1670	5021311	9668.500 SQYD
CONCRETE PAVEMENT (11 IN. NON-REINFORCED 15 FT. JOINTS)		
1680	5021340	228.800 SQYD
TYPE A2 SHOULDER		
1690	6042010	1.000 EA

ADJUSTING MANHOLE		
1700	6044013	2.000 EA
	PIPE COLLAR, TYPE C	
1710	6049902	3.000 EA
	MISC. ADJUST TO GRADE UTILITY STRUCTURES	
1720	6061061	1875.000 LF
	MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 IN. SPACING	
1730	6061070	1.000 EA
	MGS VERTICAL CONCRETE BARRIER TRANSITION	
1740	6061080	2.000 EA
	MGS END ANCHOR	
1750	6063014	1.000 EA
	TYPE A CRASHWORTHY END TERMINAL (MASH)	
1760	6071012A	870.000 LF
	CHAIN-LINK FENCE (60 IN.)	
1770	6079902	2.000 EA
	MISC. REMOVE AND RELOCATE FENCE POSTS	
1780	6081012	226.000 SQFT
	TRUNCATED DOMES	
1790	6082023	70.000 LF
	HAND-RAILING FOR STEPS WITHOUT BALUSTERS	
1800	6083006	237.900 SQYD
	6 IN. CONCRETE MEDIAN STRIP	
1810	6084023	44.000 LF
	SIDEWALK HAND-RAILING WITHOUT BALUSTERS	
1820	6085008	28.500 SQYD
	PAVED APPROACH, 8 IN.	
1830	6086004	869.800 SQYD
	CONCRETE SIDEWALK, 4 IN.	
1840	6089902	5.000 EA
	MISC. ADA CURB RAMP	
1850	6091010	379.000 LF
	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S	
1860	6092011	677.000 LF
	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A	
1870	6096010A	36.000 CUYD
	FURNISHING TYPE 1 ROCK DITCH LINER	
1880	6096030A	119.000 CUYD
	FURNISHING TYPE 3 ROCK DITCH LINER	
1890	6096041	36.000 CUYD
	PLACING TYPE 1 ROCK DITCH LINER	
1900	6096043	119.000 CUYD
	PLACING TYPE 3 ROCK DITCH LINER	
1910	6096050	43.000 CUYD
	BEDDING MATERIAL FOR ROCK DITCH LINER	
1920	6097000	300.000 CUYD
	ROCK LINING	
1930	6122019	2.000 EA
	IMPACT ATTENUATOR 70 MPH (SAND BARREL ARRAY)	
1940	6122020	4.000 EA
	REPLACEMENT SAND BARREL	

1950	6141022	1.000 EA		
		GRATE AND BEARING PLATE (3 FT. X 3 FT. OR 914 MM X 914 MM)		
1960	6141026	1.000 EA		
		GRATE AND BEARING PLATE (3 FT. 1 IN. X 3 FT. 1 IN. OR 940 MM X 940 MM)		
1970	6161098A	1.000 EA		
		CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED / RETAINED		
1980	6173000	127.000 LF		
		CONCRETE TRAFFIC BARRIER, TYPE C		
1990	6173600D	3025.000 LF		
		TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED		
2000	6179902	5.000 EA		
		MISC. 7 FT. PRECAST CONCRETE PARKING BLOCK		
2010	6179903	28.000 LF		
		MISC. CONCRETE TRAFFIC BARRIER, TYPE C, HEIGHT TRANSITION		
2020	6181020	2.000 EA	\$600.00000	\$1,200.00
		ADDITIONAL MOBILIZATION FOR SEEDING		
2030	6200003	297.000 LF		
		PREFORMED THERMOPLASTIC PAVEMENT MARKING, 4 IN., WHITE		
2040	6200015	327.000 LF		
		PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE		
2050	6200024	9.000 EA		
		PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW		
2060	6205902B	3043.000 LF		
		6 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)		
2070	6205903B	4194.000 LF		
		6 IN. YELLOW CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)		
2080	6205906B	246.000 LF		
		12 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)		
2090	6207001	12217.000 LF		
		PAVEMENT MARKING REMOVAL		
2100	6208076	14665.000 LF		
		4 IN TEMPORARY PAVEMENT MARKING PAINT		
2110	6209902	10.000 EA		
		MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, INTERNATIONAL SYMBOL OF ACCESSIBILITY, BLUE		
2120	6209903	1500.000 LF		
		MISC. 4 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)		
2130	6209903	1058.000 LF		
		MISC. PREFORMED THERMOPLASTIC PAVEMENT MARKING, 4 IN., BLUE		
2140	6221001	7310.000 SQYD		
		COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)		
2150	6240103A	1027.000 SQYD		
		PERMANENT EROSION CONTROL GEOTEXTILE		
2160	7032002	1.300 CUYD		
		CLASS B CONCRETE (MISC)		
2170	7034041	94.800 CUYD		
		CLASS B-1 CONCRETE (CULVERTS)		
2180	7061000	100.000 LB		
		REINFORCING STEEL		
2190	7061030	12800.000 LB		
		REINFORCING STEEL (CULVERTS)		

2200	7209901	1.000 LS
	MISC. GROUND IMPROVEMENTS	
2210	7261018	124.000 LF
	18 IN. PIPE GROUP A	
2220	7261048	66.000 LF
	48 IN. PIPE GROUP A	
2230	7311033	10.000 FT
	PRECAST CONCRETE DROP INLET 3 FT X 3 FT	
2240	7320618A	1.000 EA
	18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	
2250	7320648A	2.000 EA
	48 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	
2260	8025006	3.800 ACRE
	MULCHING	
2270	8051000A	4.200 ACRE
	SEEDING - COOL SEASON GRASSES	
2280	8061005	688.000 LF
	ROCK DITCH CHECK	
2290	8061006	30.000 LF
	ALTERNATE DITCH CHECK	
2300	8061016	83.000 CUYD
	SEDIMENT REMOVAL	
2310	8061019	5282.000 LF
	SILT FENCE	
2320	8064128	1823.000 SQYD
	TYPE 1 TURF REINFORCEMENT MAT	
2330	9013003	27.000 LF
	CONDUIT, 3 IN. RIGID, IN TRENCH	
2340	9013004	11.000 LF
	CONDUIT, 4 IN. RIGID, IN TRENCH	
2350	9014003	129.000 LF
	CONDUIT, 3 IN. RIGID, PUSHED	
2360	9015010	4115.000 LF
	TRENCHING TYPE I	
2370	9015020	457.000 LF
	TRENCHING TYPE II	
2380	9016110	11.000 EA
	PULL BOX, PREFORMED CLASS 1	
2390	9016112	1.000 EA
	PULL BOX, PREFORMED CLASS 3	
2400	9017110	3310.000 LF
	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	
2410	9017407	6720.000 LF
	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG	
2420	9018230	22.000 EA
	POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)	
2430	9018245	8.000 EA
	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)	
2440	9019902	22.000 EA
	MISC. 30 FT. TOP MOUNT LIGHT POLE	
2450	9019902	8.000 EA

MISC. 45 FT. TOP MOUNT LIGHT POLE		
2460	9019902	1.000 EA
MISC. PAD MOUNTED 240V/480 POWER SUPPLY AND LIGHTING CONTROLLER		
2470	9019902	22.000 EA
MISC. TOP MOUNTED LED-A LUMINAIRE		
2480	9019902	8.000 EA
MISC. TOP MOUNTED LED-B LUMINAIRE		
2490	9029100	0.900 CUYD
BASE, CONCRETE		
2500	9029902	2.000 EA
MISC. REMOVE AND RELOCATE TIER III WRONG WAY LED SYSTEM		
2510	9031253A	26.000 EA
7 FT. CHANNEL POST DELINEATOR, DOUBLE STACKED YELLOW		
2520	9031256	9.000 EA
7 FT. CHANNEL POST DELINEATOR, WHITE		
2530	9031257A	2.000 EA
7 FT. CHANNEL POST DELINEATOR, YELLOW		
2540	9031258	9.000 EA
7 FT. CHANNEL POST DELINEATOR, WHITE/RED		
2550	9031259A	13.000 EA
7 FT. CHANNEL POST DELINEATOR, YELLOW/RED		
Section 0003 Total		\$1,200.00

Section 0004

I-44 WB Weigh Station Items - JSL0038

2560	2013000	1.000 ACRE
CLEARING AND GRUBBING		
2570	2035000	9088.000 CUYD
UNCLASSIFIED EXCAVATION		
2580	2035500	316.000 CUYD
EMBANKMENT IN PLACE		
2590	2036000	6673.000 CUYD
COMPACTING EMBANKMENT		
2600	2037075	74.500 STA
COMPACTING IN CUT		
2610	2051010	7168.000 SQYD
MODIFIED SUBGRADE		
2620	2063000	546.000 CUYD
CLASS 3 EXCAVATION		
2630	3030600	11457.000 SQYD
FURNISHING ROCK BASE MATERIAL		
2640	3030610A	11457.000 SQYD
PLACING ROCK BASE		
2650	3049905	2749.000 SQYD
MISC. TYPE 5 AGGREGATE FOR BASE (12 IN. THICK)		
2660	4010151	2286.000 SQYD
TYPE A3 SHOULDER		
2670	4039910	371.200 TONS
MISC. SP125B HIMOD ASPHALT MIXTURE PG76E-28		
2680	4071007	321.000 GAL

TACK COAT - NON-TRACKING				
2690	4139903	18461.000 LF		
	MISC. ASPHALT PAVEMENT GRINDING SEALER			
2700	5021305	463.100 SQYD		
	CONCRETE PAVEMENT (5 3/4 IN. NON-REINFORCED, 15 FT. JOINTS)			
2710	5021311	7666.600 SQYD		
	CONCRETE PAVEMENT (11 IN. NON-REINFORCED 15 FT. JOINTS)			
2720	5021340	2351.600 SQYD		
	TYPE A2 SHOULDER			
2730	6044011	2.000 EA		
	PIPE COLLAR, TYPE A			
2740	6061061	13238.000 LF		
	MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 IN. SPACING			
2750	6061080	2.000 EA		
	MGS END ANCHOR			
2760	6063014	6.000 EA		
	TYPE A CRASHWORTHY END TERMINAL (MASH)			
2770	6092011	926.000 LF		
	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A			
2780	6096020	1486.000 CUYD		
	FURNISHING TYPE 2 ROCK DITCH LINER			
2790	6096042	1486.000 CUYD		
	PLACING TYPE 2 ROCK DITCH LINER			
2800	6122019	1.000 EA		
	IMPACT ATTENUATOR 70 MPH (SAND BARREL ARRAY)			
2810	6122020	2.000 EA		
	REPLACEMENT SAND BARREL			
2820	6122040	5.000 EA		
	WORK ZONE CRASH CUSHION (NARROW)			
2830	6141024	2.000 EA		
	GRATE AND BEARING PLATE (5 FT. X 3 FT. OR 1524 MM X 914 MM)			
2840	6141121	3.000 EA		
	CURVED VANE GRATE AND FRAME (4 FT. X 2 FT. OR 1200MM X 600MM)			
2850	6143012	1.000 EA		
	MANHOLE FRAME AND COVER, TYPE 2			
2860	6143014	2.000 EA		
	MANHOLE FRAME AND COVER, TYPE 4			
2870	6161098A	4.000 EA		
	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED / RETAINED			
2880	6173600D	5488.000 LF		
	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED			
2890	6173700B	7338.000 LF		
	TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED			
2900	6181020	2.000 EA	\$600.00000	\$1,200.00
	ADDITIONAL MOBILIZATION FOR SEEDING			
2910	6191000	7456.000 LF		
	PAVEMENT EDGE TREATMENT			
2920	6205901B	13257.000 LF		
	4 IN. YELLOW CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)			
2930	6205902B	16197.000 LF		
	6 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)			

2940	6205906B	248.000 LF
	12 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)	
2950	6207001	45881.000 LF
	PAVEMENT MARKING REMOVAL	
2960	6208076	49276.000 LF
	4 IN TEMPORARY PAVEMENT MARKING PAINT	
2970	6209903	13257.000 LF
	MISC. 4 IN. TEMPOARY PAVEMENT MARKING BLACKOUT PAINT (NO BEADS)	
2980	6221001	3217.000 SQYD
	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)	
2990	6240103A	4721.000 SQYD
	PERMANENT EROSION CONTROL GEOTEXTILE	
3000	7032002	1.900 CUYD
	CLASS B CONCRETE (MISC)	
3010	7061000	180.000 LB
	REINFORCING STEEL	
3020	7250315A	4.000 LF
	15 IN. PIPE GROUP B	
3030	7261012	273.000 LF
	12 IN. PIPE GROUP A	
3040	7261015	919.000 LF
	15 IN. PIPE GROUP A	
3050	7261018	5.000 LF
	18 IN. PIPE GROUP A	
3060	7261024	25.000 LF
	24 IN. PIPE GROUP A	
3070	7310048	15.000 FT
	PRECAST CONCRETE MANHOLE - 48 IN.	
3080	7311042	15.000 FT
	PRECAST CONCRETE DROP INLET 4 FT X 2 FT	
3090	7311053	8.000 FT
	PRECAST CONCRETE DROP INLET 5 FT X 3 FT	
3100	7320015A	1.000 EA
	15 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	
3110	7320615A	2.000 EA
	15 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	
3120	7320624A	1.000 EA
	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	
3130	8025006	1.500 ACRE
	MULCHING	
3140	8051000A	3.700 ACRE
	SEEDING - COOL SEASON GRASSES	
3150	8061005	1323.000 LF
	ROCK DITCH CHECK	
3160	8061006	44.000 LF
	ALTERNATE DITCH CHECK	
3170	8061007A	3.000 EA
	CURB INLET CHECK	
3180	8061016	85.000 CUYD
	SEDIMENT REMOVAL	
3190	8061019	184.000 LF

SILT FENCE

3200	8064128	7186.000	SQYD
	TYPE 1 TURF REINFORCEMENT MAT		
3210	8064134	4497.000	SQYD
	TYPE 1D EROSION CONTROL BLANKET		
3220	9013003	2967.000	LF
	CONDUIT, 3 IN. RIGID, IN TRENCH		
3230	9014003	51.000	LF
	CONDUIT, 3 IN. RIGID, PUSHED		
3240	9014502	12.000	LF
	CONDUIT, 2 IN. RIGID, EXTERNAL ON STRUCTURE		
3250	9015010	5779.000	LF
	TRENCHING TYPE I		
3260	9015020	643.000	LF
	TRENCHING TYPE II		
3270	9016110	21.000	EA
	PULL BOX, PREFORMED CLASS 1		
3280	9017110	290.000	LF
	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET		
3290	9017404	6970.000	LF
	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG		
3300	9017407	1370.000	LF
	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG		
3310	9018245	2.000	EA
	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)		
3320	9019902	2.000	EA
	MISC. 45 FT. TOP MOUNT LIGHT POLE		
3330	9019902	2.000	EA
	MISC. TOP MOUNTED LED-B LUMINAIRE		
3340	9031252	2.000	EA
	7 FT. CHANNEL POST DELINEATOR, DOUBLE STACKED WHITE		
3350	9031256	7.000	EA
	7 FT. CHANNEL POST DELINEATOR, WHITE		
3360	9031257A	9.000	EA
	7 FT. CHANNEL POST DELINEATOR, YELLOW		
3370	9031258	3.000	EA
	7 FT. CHANNEL POST DELINEATOR, WHITE/RED		
3380	9031259A	2.000	EA
	7 FT. CHANNEL POST DELINEATOR, YELLOW/RED		
Section 0004 Total			\$1,200.00

Section 0005

I-44 EB Weigh Station / Truck Parking Items - JSL0038

3390	2013000	1.000	ACRE
	CLEARING AND GRUBBING		
3400	2029902	1.000	EA
	MISC. CXT TIOGA, PRECAST DOUBLE VAULT RESTROOM WITH CHASE		
3410	2029950	1.000	LS
	DEMOLITION AND REMOVAL OF BUILDINGS DEMOLITION AND REMOVAL OF BUILDINGS		
3420	2035000	15891.000	CUYD

UNCLASSIFIED EXCAVATION			
3430	2036000	680.000	CUYD
COMPACTING EMBANKMENT			
3440	2037075	25.400	STA
COMPACTING IN CUT			
3450	2051010	15102.000	SQYD
MODIFIED SUBGRADE			
3460	2063000	14.000	CUYD
CLASS 3 EXCAVATION			
3470	2079909	0.400	STA
MISC. MODIFIED LINEAR GRADING			
3480	3030600	3204.000	SQYD
FURNISHING ROCK BASE MATERIAL			
3490	3030610A	3204.000	SQYD
PLACING ROCK BASE			
3500	3040504	98.000	SQYD
TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)			
3510	3040506	11888.000	SQYD
TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)			
3520	4039910	274.500	TONS
MISC. SP125B HIMOD ASPHALT MIXTURE PG76E-28			
3530	4071007	238.000	GAL
TACK COAT - NON-TRACKING			
3540	5021311	1909.300	SQYD
CONCRETE PAVEMENT (11 IN. NON-REINFORCED 15 FT. JOINTS)			
3550	5021334	11888.000	SQYD
CONCRETE PAVEMENT (10 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)			
3560	5021340	696.300	SQYD
TYPE A2 SHOULDER			
3570	6039902	1.000	EA
WATER CURB STOP VALVE WITH SMALL CURB BOX			
3580	6039902	1.000	EA
WATER FREEZELESS YARD HYDRANT			
3590	6039903	43.000	LF
WATER WATER SERVICE LINE, 2 IN.			
3600	6044011	1.000	EA
PIPE COLLAR, TYPE A			
3610	6044013	1.000	EA
PIPE COLLAR, TYPE C			
3620	6049902	8.000	EA
MISC. ADJUST TO GRADE UTILITY STRUCTURES			
3630	6081012	10.000	SQFT
TRUNCATED DOMES			
3640	6085008	33.300	SQYD
PAVED APPROACH, 8 IN.			
3650	6086004	64.700	SQYD
CONCRETE SIDEWALK, 4 IN.			
3660	6089902	1.000	EA
MISC. ADA CURB RAMP			
3670	6091011	32.000	LF
CONCRETE CURB (OVER 6 IN. HEIGHT) TYPE S			

3680	6096010A	16.000 CUYD		
	FURNISHING TYPE 1 ROCK DITCH LINER			
3690	6096041	16.000 CUYD		
	PLACING TYPE 1 ROCK DITCH LINER			
3700	6122019	2.000 EA		
	IMPACT ATTENUATOR 70 MPH (SAND BARREL ARRAY)			
3710	6122020	4.000 EA		
	REPLACEMENT SAND BARREL			
3720	6161098A	1.000 EA		
	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED / RETAINED			
3730	6173600D	2088.000 LF		
	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED			
3740	6181020	2.000 EA	\$600.00000	\$1,200.00
	ADDITIONAL MOBILIZATION FOR SEEDING			
3750	6200003	287.000 LF		
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 4 IN., WHITE			
3760	6200009	341.000 LF		
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 6 IN. WHITE			
3770	6200015	633.000 LF		
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE			
3780	6200024	4.000 EA		
	PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW			
3790	6205902B	3362.000 LF		
	6 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)			
3800	6205903B	935.000 LF		
	6 IN. YELLOW CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)			
3810	6205906B	447.000 LF		
	12 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)			
3820	6207001	9398.000 LF		
	PAVEMENT MARKING REMOVAL			
3830	6208076	11273.000 LF		
	4 IN TEMPORARY PAVEMENT MARKING PAINT			
3840	6209903	2736.000 LF		
	MISC. 4 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)			
3850	6221001	2377.000 SQYD		
	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)			
3860	6240103A	80.000 SQYD		
	PERMANENT EROSION CONTROL GEOTEXTILE			
3870	7261024	9.000 LF		
	24 IN. PIPE GROUP A			
3880	7261036	14.000 LF		
	36 IN. PIPE GROUP A			
3890	7320624A	1.000 EA		
	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION			
3900	7320636A	1.000 EA		
	36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION			
3910	8025006	3.000 ACRE		
	MULCHING			
3920	8051000A	4.200 ACRE		
	SEEDING - COOL SEASON GRASSES			
3930	8061005	535.000 LF		

ROCK DITCH CHECK			
3940	8061006	349.000	LF
ALTERNATE DITCH CHECK			
3950	8061016	67.000	CUYD
SEDIMENT REMOVAL			
3960	8061019	1603.000	LF
SILT FENCE			
3970	8064128	1681.000	SQYD
TYPE 1 TURF REINFORCEMENT MAT			
3980	8064134	4588.000	SQYD
TYPE 1D EROSION CONTROL BLANKET			
3990	9015010	1378.000	LF
TRENCHING TYPE I			
4000	9015020	154.000	LF
TRENCHING TYPE II			
4010	9016110	3.000	EA
PULL BOX, PREFORMED CLASS 1			
4020	9017110	150.000	LF
CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET			
4030	9017404	1670.000	LF
CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG			
4040	9018245	1.000	EA
POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)			
4050	9019902	1.000	EA
MISC. 45 FT. TOP MOUNT LIGHT POLE			
4060	9019902	1.000	EA
MISC. TOP MOUNTED LED-B LUMINAIRE			
4070	9031252	22.000	EA
7 FT. CHANNEL POST DELINEATOR, DOUBLE STACKED WHITE			
4080	9031256	23.000	EA
7 FT. CHANNEL POST DELINEATOR, WHITE			
4090	9031257A	7.000	EA
7 FT. CHANNEL POST DELINEATOR, YELLOW			
4100	9031258	3.000	EA
7 FT. CHANNEL POST DELINEATOR, WHITE/RED			
4110	9031259A	4.000	EA
7 FT. CHANNEL POST DELINEATOR, YELLOW/RED			
Section 0005 Total			\$1,200.00

Section 0006
I-44 Overall Project - Removal Of Improvements - JSL0038

4120	2022010	1.000	LS
REMOVAL OF IMPROVEMENTS			

Section 0006 Total

Section 0007
I-44 Overall Project - Truck Mounted Attenuator (TMA) - JSL0 038

4130	6123001	1.000	LS
TRUCK MOUNTED ATTENUATOR (TMA)			

Section 0007 Total

Section 0008

I-44 Overall Project - Lump Sum Temporary Traffic Control - JSL0038

4140	6169901	1.000 LS
	MISC. LUMP SUM TEMPORARY TRAFFIC CONTROL	

Section 0008 Total

Section 0009

I-44 Overall Project - Mobilization - JSL0038

4150	6181000	1.000 LS
	MOBILIZATION	

Section 0009 Total

Section 0010

I-44 Overall Project - Temporary Pavement Marking - JSL0038

4160	6209901	1.000 LS
	MISC. TEMPORARY PAVEMENT MARKING	

Section 0010 Total

Section 0011

I-44 Overall Project - Contractor Furnished Surveying And St aking - JSL0038

4170	6274000	1.000 LS
	CONTRACTOR FURNISHED SURVEYING AND STAKING	

Section 0011 Total

Section 0012

Bridge A20493 (Routes JJ & W Over I-44) Items - JSL0038

4180	7039902	2.000 EA
	MISC. BARRIER END MODIFICATION	

Section 0012 Total

Item Total

\$6,000.00

DBE CERTIFICATION

(6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 0 slots at 1000 hours per slot or 0 hours.

(7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

(A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 0 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, www.modot.org on the Bid Opening Info page of the Contractor Resources site.

(B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

CONTRACT PROVISIONS

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

\$

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

(10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.

(11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty and material misrepresentation or omission of fact within the bid submission.

(11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11(b)? **Yes** ☐ **No** ☐

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

SUBCONTRACTOR DISCLOSURE

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if requested by the Design Division or the engineer.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

SIGNATURE AND IDENTITY OF BIDDER

(15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

*** AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. ***

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

☐ Yes ☐ No

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

BID BOND

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

**Pay by: ☐ Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

ELECTRONIC BID BOND

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

**Bond ID:

**Surety Registry Agency:

**Bond Pct:

Surety State:

FIELDS WITH THE ** INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS