

| PAY ITEM | DESCRIPTION                                 | UNIT  | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|-------|------------------|----------|---------------|----------|---------|----------------|
| 2013000  | CLEARING AND GRUBBING                       | ACRE  | 1.05             | 16       | 5097.174404   | 24000    | 950     | 16.8           |
| 2022010  | REMOVAL OF IMPROVEMENTS                     | L.S.  | 1.00             | 33       | 28239.78636   | 173000   | 1300    | 33             |
| 2024043  | REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE)  | S.F.  | 30.00            | 1        | 165           | 165      | 165     | 30             |
| 2031000  | CLASS A EXCAVATION                          | C.Y.  | 1308.50          | 22       | 19.403622     | 142.73   | 4       | 28787.1        |
| 2035000  | UNCLASSIFIED EXCAVATION                     | C.Y.  | 6003.00          | 2        | 14.851104     | 16.54    | 8.5     | 12006          |
| 2035500  | EMBANKMENT IN PLACE                         | C.Y.  | 1090.07          | 14       | 19.384115     | 100      | 15.5    | 15261          |
| 2036000  | COMPACTING EMBANKMENT                       | C.Y.  | 483.39           | 23       | 10.153606     | 157.52   | 2.5     | 11118          |
| 2037075  | COMPACTING IN CUT                           | STA.  | 16.63            | 4        | 1407.947669   | 1500     | 935     | 66.5           |
| 2042010  | SETTLEMENT GAUGE                            | EACH  | 4.00             | 1        | 75            | 75       | 75      | 4              |
| 2051010  | MODIFIED SUBGRADE                           | S.Y.  | 12134.00         | 1        | 6             | 6        | 6       | 12134          |
| 2061000  | CLASS 1 EXCAVATION                          | C.Y.  | 84.29            | 7        | 34.533898     | 50       | 5.5     | 590            |
| 2063000  | CLASS 3 EXCAVATION                          | C.Y.  | 211.02           | 17       | 42.945265     | 110      | 5       | 3587.3         |
| 2063300  | CLASS 4 EXCAVATION                          | C.Y.  | 605.00           | 2        | 17.231404     | 18       | 15      | 1210           |
| 2063500  | CULVERT CLEANOUT                            | EACH  | 3.63             | 8        | 4722.413793   | 7589.1   | 2500    | 29             |
| 2071000  | LINEAR GRADING CLASS 1                      | STA.  | 35.50            | 7        | 442.981488    | 4000     | 41      | 248.5          |
| 2072000  | LINEAR GRADING CLASS 2                      | STA.  | 1.50             | 4        | 1984.025333   | 5000     | 1000    | 6              |
| 2142000  | FURNISHING ROCK FILL                        | C.Y.  | 4757.00          | 1        | 44.4          | 44.4     | 44.4    | 4757           |
| 2143000  | PLACING ROCK FILL                           | C.Y.  | 4757.00          | 1        | 5.2           | 5.2      | 5.2     | 4757           |
| 2153000  | SHAPING SLOPES, CLASS III                   | 100FT | 72.50            | 12       | 670.368206    | 1200     | 350     | 870            |
| 2160500  | REMOVAL OF BRIDGES                          | L.S.  | 1.00             | 9        | 34177.77778   | 75000    | 5500    | 9              |
| 2162500  | REMOVAL OF EXISTING BRIDGE DECKS            | S.F.  | 7317.80          | 5        | 7.761417      | 12       | 6.5     | 36589          |
| 2163502  | PARTIAL REMOVAL OF SUBSTRUCTURE CONCRETE    | L.S.  | 1.00             | 1        | 5620          | 5620     | 5620    | 1              |
| 3021311  | STABILIZED PERMEABLE BASE (4IN. THICK)      | S.Y.  | 234.33           | 3        | 15.9432       | 19.49    | 13.17   | 703            |
| 3030600  | FURNISHING ROCK BASE MATERIAL               | S.Y.  | 3289.00          | 1        | 13.45         | 13.45    | 13.45   | 3289           |
| 3030610A | PLACING ROCK BASE (18 IN. THICK)            | S.Y.  | 3289.00          | 1        | 4.9           | 4.9      | 4.9     | 3289           |
| 3040143  | TYPE 1 AGGREGATE FOR BASE (4 IN. THICK)     | S.Y.  | 2734.95          | 21       | 9.053888      | 35       | 7       | 57434          |
| 3040504  | TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)     | S.Y.  | 741.57           | 7        | 13.94973      | 34.45    | 10      | 5191           |
| 3101003  | GRAVEL (A)                                  | S.Y.  | 162.67           | 3        | 33.216311     | 61.21    | 11.75   | 488            |
| 3102002  | CRUSHED STONE (B)                           | TON   | 144.00           | 4        | 50.900937     | 100      | 32      | 576            |
| 3105002  | GRAVEL (A) OR CRUSHED STONE (B)             | TON   | 559.68           | 16       | 41.39686      | 84.25    | 31.56   | 8954.8         |
| 3105003  | GRAVEL (A) OR CRUSHED STONE (B)             | S.Y.  | 191.50           | 6        | 21.477563     | 43.38    | 7       | 1149           |
| 4010103  | 10 INCHES, BITUMINOUS PAVEMENT              | S.Y.  | 767.00           | 1        | 70            | 70       | 70      | 767            |
| 4010150  | TYPE A2 SHOULDER                            | S.Y.  | 8605.77          | 3        | 20.289508     | 115      | 16.95   | 25817.3        |
| 4011209  | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1) | TON   | 1956.79          | 20       | 70.959097     | 500      | 54.23   | 39135.8        |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 4011211  | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2)              | TON  | 3437.71          | 7        | 64.039213     | 291.49   | 58.35   | 24064          |
| 4011213  | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-3)              | TON  | 15491.70         | 1        | 60.18         | 60.18    | 60.18   | 15491.7        |
| 4013000  | BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE)               | TON  | 2954.74          | 17       | 65.445379     | 296      | 55.66   | 50230.6        |
| 4013010  | BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE WIDENING)      | TON  | 613.30           | 1        | 145           | 145      | 145     | 613.3          |
| 4020520  | BITUMINOUS PAVEMENT MIXTURE PG64-22                      | TON  | 7783.36          | 10       | 62.645621     | 78.17    | 57.75   | 77833.6        |
| 4030001  | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP095C MIX)         | TON  | 24744.90         | 1        | 62.68         | 62.68    | 62.68   | 24744.9        |
| 4030101  | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP125C MIX)         | TON  | 66397.90         | 1        | 62            | 62       | 62      | 66397.9        |
| 4030103  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125C MIX)         | TON  | 35926.30         | 2        | 54.584854     | 58.25    | 49.67   | 71852.6        |
| 4030116  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125B MIX)         | TON  | 29828.90         | 1        | 66.47         | 66.47    | 66.47   | 29828.9        |
| 4030208  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP190C MIX)         | TON  | 16553.90         | 1        | 51.12         | 51.12    | 51.12   | 16553.9        |
| 4071005  | TACK COAT  | GAL  | 11232.86         | 34       | 1.87845       | 45       | 1       | 381917.4       |
| 4132000  | SCRUB SEAL   | S.Y. | 250707.75        | 4        | 1.348782      | 1.41     | 1.19    | 1002831        |
| 4134000  | BITUMINOUS FOG SEAL                                      | GAL  | 8728.43          | 7        | 2.670094      | 35       | 2       | 61099          |
| 5021109  | CONCRETE PAVEMENT ( 9 IN. NON-REINF)                     | S.Y. | 142.20           | 1        | 110           | 110      | 110     | 142.2          |
| 5021112  | CONCRETE PAVEMENT (12 INCH NON-REINFORCED)               | S.Y. | 219.00           | 1        | 111.9         | 111.9    | 111.9   | 219            |
| 5021308  | CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS)  | S.Y. | 2077.10          | 2        | 65            | 65       | 65      | 4154.2         |
| 5021309  | CONCRETE PAVEMENT ( 9 IN. NON-REINFORCED, 15 FT. JOINTS) | S.Y. | 282.80           | 1        | 112.95        | 112.95   | 112.95  | 282.8          |
| 5031010A | BRIDGE APPROACH SLAB (MAJOR ROAD)                        | S.Y. | 215.00           | 1        | 265.4         | 265.4    | 265.4   | 215            |
| 5031011A | BRIDGE APPROACH SLAB (MINOR ROAD)                        | S.Y. | 118.90           | 10       | 200.574432    | 300      | 95      | 1189           |
| 5041000  | CONCRETE APPROACH PAVEMENT                               | S.Y. | 122.20           | 2        | 164.488543    | 200      | 145     | 244.4          |
| 5062033  | UNBONDED CONCRETE OVERLAY INTERLAYER                     | S.Y. | 14132.10         | 1        | 10.8          | 10.8     | 10.8    | 14132.1        |
| 6044011  | PIPE COLLAR, TYPE A                                      | EACH | 1.00             | 2        | 1750          | 2500     | 1000    | 2              |
| 6044013  | PIPE COLLAR, TYPE C                                      | EACH | 1.33             | 3        | 1581.5        | 1988     | 1000    | 4              |
| 6053030A | PIPE AGGREGATE PAVEMENT EDGE DRAIN                       | L.F. | 7044.00          | 1        | 11.32         | 11.32    | 11.32   | 7044           |
| 6054020  | OUTLET PIPES AND SPLASH PADS                             | EACH | 18.00            | 1        | 1065          | 1065     | 1065    | 18             |
| 6061060  | MGS GUARDRAIL  | L.F. | 6357.90          | 10       | 18.522783     | 22.65    | 17.5    | 63579          |
| 6061061  | MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 SPACING            | L.F. | 729.50           | 4        | 21.528786     | 22       | 21.3    | 2918           |
| 6061063  | MGS GUARDRAIL, 6 FT. POSTS, 3 FT. - SPACING              | L.F. | 200.00           | 1        | 28.5          | 28.5     | 28.5    | 200            |
| 6061065  | MGS GUARDRAIL, 6 FT. POSTS, 1 FT. - 6.75 IN. SPACING     | L.F. | 100.00           | 1        | 50.75         | 50.75    | 50.75   | 100            |
| 6061067  | MGS DOUBLE FACED GUARDRAIL                               | L.F. | 50.00            | 1        | 28            | 28       | 28      | 50             |
| 6061068  | MGS BRIDGE APPROACH TRANSITION SECTION (MAJOR ROUTE)     | EACH | 7.50             | 2        | 2550          | 2750     | 2500    | 15             |
| 6061069  | MGS BRIDGE APPROACH TRANSITION SECTION (MINOR ROUTE)     | EACH | 12.73            | 11       | 2717.294857   | 3175     | 2400    | 140            |
| 6061070  | MGS VERTICAL CONCRETE BARRIER TRANSITION                 | EACH | 8.50             | 2        | 2300          | 2300     | 2300    | 17             |
| 6061074  | MGS HEIGHT AND BLOCK TRANSITION                          | EACH | 3.25             | 4        | 623.846153    | 800      | 515     | 13             |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6061075  | MGS LONG SPAN GUARDRAIL SECTION                                       | EACH | 7.50             | 2        | 2345          | 2450     | 2225    | 15             |
| 6061078  | MGS EMBEDDED ANCHOR SECTION (WITH RUBRAIL)                            | L.F. | 125.00           | 1        | 55            | 55       | 55      | 125            |
| 6061080  | MGS END ANCHOR  | EACH | 16.43            | 7        | 881.130434    | 1050     | 800     | 115            |
| 6061081  | MGS BRIDGE APPROACH TRANSITION (THRIE-BEAM BRIDGE)                    | EACH | 4.00             | 1        | 3115          | 3115     | 3115    | 4              |
| 6062200A | BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY / | EACH | 10.00            | 1        | 1800          | 1800     | 1800    | 10             |
| 6063014  | TYPE A CRASHWORTHY END TERMINAL (MASH)                                | EACH | 17.75            | 12       | 2530.301784   | 3027.82  | 2350    | 213            |
| 6063016  | TYPE B CRASHWORTHY END TERMINAL                                       | EACH | 2.00             | 1        | 3900          | 3900     | 3900    | 2              |
| 6066400  | GUARDRAIL, RELOCATED AND MODIFIED                                     | L.F. | 100.00           | 1        | 18            | 18       | 18      | 100            |
| 6081010  | CONCRETE CURB RAMP  | S.Y. | 369.60           | 6        | 151.147382    | 158.35   | 125     | 2217.6         |
| 6081012  | TRUNCATED DOMES   | S.F. | 419.50           | 6        | 33.398967     | 35       | 30      | 2517           |
| 6082023  | HAND-RAILING FOR STEPS  | L.F. | 208.00           | 1        | 145           | 145      | 145     | 208            |
| 6083003  | 3 IN. CONCRETE MEDIAN STRIP   | S.Y. | 53.80            | 1        | 65            | 65       | 65      | 53.8           |
| 6085007  | PAVED APPROACH, 7 IN.   | S.Y. | 350.90           | 6        | 72.586064     | 89.75    | 70      | 2105.4         |
| 6085008  | PAVED APPROACH, 8 IN.   | S.Y. | 735.55           | 6        | 76.865769     | 80       | 75      | 4413.3         |
| 6086004  | CONCRETE SIDEWALK, 4 IN.  | S.Y. | 2712.73          | 3        | 53.501234     | 61.25    | 50      | 8138.2         |
| 6086008  | CONCRETE SIDEWALK, 8 IN.  | S.Y. | 5.00             | 1        | 211.15        | 211.15   | 211.15  | 5              |
| 6091010  | CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S                         | L.F. | 307.00           | 5        | 41.85654      | 119.73   | 35      | 1535           |
| 6091051  | CURB AND GUTTER TYPE A  | L.F. | 100.00           | 1        | 55.95         | 55.95    | 55.95   | 100            |
| 6091052  | CURB AND GUTTER TYPE B  | L.F. | 93.00            | 2        | 36.352419     | 36.95    | 35      | 186            |
| 6091060  | PAVED DITCH   | S.Y. | 289.00           | 1        | 69.9          | 69.9     | 69.9    | 289            |
| 6092012  | INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE B                         | L.F. | 2581.50          | 2        | 21.843695     | 23       | 21.5    | 5163           |
| 6092022  | INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE B                              | L.F. | 169.00           | 1        | 30            | 30       | 30      | 169            |
| 6096010A | FURNISHING TYPE 1 ROCK DITCH LINER                                    | C.Y. | 25.54            | 10       | 64.626781     | 150      | 45      | 255.4          |
| 6096020  | FURNISHING TYPE 2 ROCK DITCH LINER                                    | C.Y. | 137.00           | 2        | 63.001459     | 65.9     | 45      | 274            |
| 6096030A | FURNISHING TYPE 3 ROCK DITCH LINER                                    | C.Y. | 376.20           | 1        | 50            | 50       | 50      | 376.2          |
| 6096041  | PLACING TYPE 1 ROCK DITCH LINER                                       | C.Y. | 25.54            | 10       | 44.334573     | 246      | 22.85   | 255.4          |
| 6096042  | PLACING TYPE 2 ROCK DITCH LINER                                       | C.Y. | 137.00           | 2        | 20.564233     | 25       | 19.85   | 274            |
| 6096043  | PLACING TYPE 3 ROCK DITCH LINER                                       | C.Y. | 376.20           | 1        | 20            | 20       | 20      | 376.2          |
| 6096050  | BEDDING MATERIAL FOR ROCK DITCH LINER                                 | C.Y. | 142.80           | 1        | 65            | 65       | 65      | 142.8          |
| 6097000  | ROCK LINING   | C.Y. | 15.20            | 10       | 99.144736     | 295      | 65      | 152            |
| 6113010  | FURNISHING TYPE 1 ROCK BLANKET  | C.Y. | 46.00            | 1        | 66            | 66       | 66      | 46             |
| 6113020  | FURNISHING TYPE 2 ROCK BLANKET  | C.Y. | 629.48           | 11       | 50.241829     | 70       | 39      | 6924.3         |
| 6113030  | PLACING TYPE 1 ROCK BLANKET   | C.Y. | 46.00            | 1        | 20.75         | 20.75    | 20.75   | 46             |
| 6113040  | PLACING TYPE 2 ROCK BLANKET   | C.Y. | 629.48           | 11       | 19.455583     | 25       | 10.6    | 6924.3         |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6122012  | Impact Attenuator 55 MPH (Sand Barrels)                                 | EACH | 2.00             | 2        | 2650          | 3750     | 1550    | 4              |
| 6122017  | Impact Attenuator 65 MPH (Sand Barrels)                                 | EACH | 3.00             | 1        | 1683          | 1683     | 1683    | 3              |
| 6122019  | Impact Attenuator 70 MPH (Sand Barrels)                                 | EACH | 2.00             | 2        | 2275          | 2800     | 1750    | 4              |
| 6122020  | REPLACEMENT SAND BARREL   | EACH | 4.33             | 3        | 823.076923    | 980      | 200     | 13             |
| 6122030  | IMPACT ATTENUATOR (RELOCATION)  | EACH | 2.00             | 2        | 1150          | 1800     | 500     | 4              |
| 6123000A | TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)                               | EACH | 2.19             | 31       | 846.018823    | 7500     | 100     | 68             |
| 6131010  | FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A FULL DEPTH PA'S.Y. |      | 6795.70          | 5        | 118.232713    | 237.5    | 87.7    | 33978.5        |
| 6131012  | SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)                     | S.Y. | 399.20           | 5        | 1.202404      | 5        | 1       | 1996           |
| 6131013  | TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)          | S.Y. | 399.20           | 5        | 1.202404      | 5        | 1       | 1996           |
| 6131014  | FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW L.F. |      | 21940.20         | 5        | 3.047136      | 4.21     | 1.45    | 109701         |
| 6131015  | DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEI  | EACH | 9892.20          | 5        | 2.909136      | 9.74     | 2       | 49461          |
| 6131017  | DOWEL BAR (FURNISHING AND INSTALLATING WITH BASKETS) FOR FULL DEPTH     | EACH | 1976.00          | 3        | 9.109919      | 9.22     | 7       | 5928           |
| 6131018  | TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH  | EACH | 1244.00          | 3        | 6.194951      | 6.61     | 2       | 3732           |
| 6132018  | FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH C.Y. |      | 10.10            | 1        | 1281.95       | 1281.95  | 1281.95 | 10.1           |
| 6132019  | REMOVAL OF CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH CONCRETE P S.Y.  |      | 171.35           | 2        | 45.172308     | 167.35   | 1       | 342.7          |
| 6133018  | FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS B PARTIAL          | TON  | 5719.00          | 1        | 81.7          | 81.7     | 81.7    | 5719           |
| 6133019  | REMOVAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR                       | S.Y. | 50658.00         | 1        | 2.66          | 2.66     | 2.66    | 50658          |
| 6133020  | FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS C PARTIAL DEPT     | TON  | 1607.72          | 14       | 85.442544     | 1077.67  | 69.99   | 22508.1        |
| 6133021  | REMOVAL FOR CLASS C PARTIAL DEPTH PAVEMENT REPAIR                       | S.Y. | 5616.09          | 14       | 9.402173      | 207.95   | 4.55    | 78625.3        |
| 6141022  | GRATE AND BEARING PLATE (3 FT. X 3 FT. OR 914 MM X 914 MM)              | EACH | 1.00             | 2        | 1625          | 1750     | 1500    | 2              |
| 6141024  | GRATE AND BEARING PLATE (5 FT. X 3 FT. OR 1524 MM X 914 MM)             | EACH | 1.00             | 1        | 2000          | 2000     | 2000    | 1              |
| 6143012  | MANHOLE FRAME AND COVER, TYPE 2   | EACH | 1.00             | 2        | 475           | 500      | 450     | 2              |
| 6143013  | MANHOLE FRAME AND COVER, TYPE 3   | EACH | 15.00            | 3        | 387.222222    | 450      | 375     | 45             |
| 6161005  | CONSTRUCTION SIGNS  | S.F. | 996.00           | 49       | 6.714254      | 13       | 4       | 48804          |
| 6161008  | ADVANCED WARNING RAIL SYSTEM  | EACH | 4.84             | 25       | 56.33719      | 110.85   | 26      | 121            |
| 6161009  | FLAG ASSEMBLY   | EACH | 7.32             | 37       | 19.225239     | 50       | 12      | 271            |
| 6161010  | RELOCATED SIGNS   | S.F. | 360.00           | 2        | 12.6          | 13       | 8.5     | 720            |
| 6161012  | BUOYS (BOATS KEEP OUT)  | EACH | 8.00             | 1        | 822           | 822      | 822     | 8              |
| 6161013  | BUOYS (NO WAKE)   | EACH | 6.00             | 1        | 822           | 822      | 822     | 6              |
| 6161014  | SPECIAL SIGN ASSEMBLY (BOATS KEEP OUT)                                  | EACH | 4.00             | 1        | 822           | 822      | 822     | 4              |
| 6161024  | CHANNELIZER (TRIM LINE) WITH LIGHT                                      | EACH | 49.00            | 2        | 30.571428     | 38       | 25      | 98             |
| 6161025  | CHANNELIZER (TRIM LINE)   | EACH | 139.76           | 34       | 13.989911     | 50       | 5       | 4752           |
| 6161030  | TYPE III MOVEABLE BARRICADE   | EACH | 9.92             | 25       | 128.747177    | 360      | 70.55   | 248            |
| 6161031  | TYPE III MOVEABLE BARRICADE WITH LIGHT                                  | EACH | 6.20             | 15       | 182.394623    | 387.95   | 125     | 93             |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 6161033  | DIRECTIONAL INDICATOR BARRICADE                                      | EACH | 27.50            | 2        | 54.728181     | 70.55    | 24.75   | 55             |
| 6161040  | FLASHING ARROW PANEL   | EACH | 2.64             | 11       | 1229.37931    | 3500     | 650     | 29             |
| 6161052  | WARNING LIGHT, TYPE B  | EACH | 8.33             | 3        | 43.892        | 59.7     | 35      | 25             |
| 6161055  | SEQUENTIAL FLASHING WARNING LIGHT                                    | EACH | 43.00            | 2        | 51.976744     | 65       | 45      | 86             |
| 6161070  | TUBULAR MARKER   | EACH | 76.00            | 1        | 125           | 125      | 125     | 76             |
| 6161098A | CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRA      | EACH | 2.17             | 18       | 2888.327692   | 3800     | 1325    | 39             |
| 6161099  | CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTO      | EACH | 2.00             | 3        | 2583.333333   | 3500     | 2000    | 6              |
| 6162000A | WORK ZONE TRAFFIC SIGNAL SYSTEM                                      | EACH | 1.00             | 1        | 7500          | 7500     | 7500    | 1              |
| 6162004  | SHORT-TERM RUMBLE STRIPS   | EACH | 7.50             | 4        | 1935.188      | 3027.82  | 1750    | 30             |
| 6171000  | CONCRETE TRAFFIC BARRIER, TYPE A                                     | L.F. | 140.00           | 1        | 111           | 111      | 111     | 140            |
| 6172000  | CONCRETE TRAFFIC BARRIER, TYPE B                                     | L.F. | 170.00           | 1        | 590           | 590      | 590     | 170            |
| 6173103  | CONCRETE TRAFFIC BARRIER,  | L.F. | 640.00           | 1        | 223.7         | 223.7    | 223.7   | 640            |
| 6173600D | TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED           | L.F. | 461.25           | 4        | 27.694308     | 38.94    | 26      | 1845           |
| 6174000A | TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION                          | EACH | 2.00             | 1        | 1300          | 1300     | 1300    | 2              |
| 6175010A | RELOCATING TEMPORARY TRAFFIC BARRIER                                 | L.F. | 705.00           | 2        | 8.743262      | 9        | 7       | 1410           |
| 6181000  | MOBILIZATION   | L.S. | 1.00             | 51       | 80918.77667   | 700000   | 9000    | 51             |
| 6181020  | ADDITIONAL MOBILIZATION FOR  | EACH | 3.50             | 24       | 600           | 600      | 600     | 84             |
| 6191000  | PAVEMENT EDGE TREATMENT  | L.F. | 4068.00          | 2        | 4.139995      | 4.5      | 4       | 8136           |
| 6200009  | PREFORMED THERMOPLASTIC  | L.F. | 97.00            | 1        | 11            | 11       | 11      | 97             |
| 6200015  | PREFORMED THERMOPLASTIC  | L.F. | 49.50            | 10       | 33.126969     | 65       | 20      | 495            |
| 6200019  | COLD APPLIED TAPE PAVEMENT   | EACH | 2.00             | 1        | 375           | 375      | 375     | 2              |
| 6200021  | PREFORMED THERMOPLASTIC  | EACH | 12.60            | 5        | 330.730158    | 370      | 250     | 63             |
| 6200024  | PREFORMED THERMOPLASTIC  | EACH | 2.00             | 1        | 317           | 317      | 317     | 2              |
| 6200027  | PREFORMED THERMOPLASTIC  | EACH | 1.00             | 1        | 676           | 676      | 676     | 1              |
| 6200033  | PREFORMED THERMOPLASTIC  | EACH | 1.50             | 4        | 958.333333    | 1300     | 650     | 6              |
| 6200036  | PREFORMED THERMOPLASTIC  | EACH | 5.00             | 1        | 400           | 400      | 400     | 5              |
| 6200037  | COLD APPLIED TAPE PAVEMENT   | EACH | 6.00             | 1        | 1250          | 1250     | 1250    | 6              |
| 6200039  | PREFORMED THERMOPLASTIC  | EACH | 6.00             | 1        | 250           | 250      | 250     | 6              |
| 6205303B | PREFORMED REMOVABLE MARKING TAPE 4 IN., YELLOW                       | L.F. | 533.00           | 1        | 2             | 2        | 2       | 533            |
| 6205309  | PREFORMED REMOVABLE MARKING TAPE, 24 IN., WHITE                      | L.F. | 24.00            | 1        | 11            | 11       | 11      | 24             |
| 6205901A | 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE | L.F. | 59426.20         | 10       | 0.192218      | 4        | 0.08    | 594262         |
| 6205902A | 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE  | L.F. | 97960.21         | 14       | 0.220508      | 2.2      | 0.11    | 1371443        |
| 6205903A | 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE | L.F. | 86558.29         | 7        | 0.211074      | 0.54     | 0.16    | 605908         |
| 6205906A | 12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE | L.F. | 4817.00          | 4        | 0.72879       | 1.25     | 0.36    | 19268          |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6206000C | 4 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS               | L.F. | 28301.92         | 12       | 0.140655      | 1.5      | 0.05    | 339623         |
| 6206001C | 4 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS              | L.F. | 22856.89         | 35       | 0.18999       | 12       | 0.05    | 799991         |
| 6207001  | PAVEMENT MARKING REMOVAL  | L.F. | 9224.20          | 5        | 0.640935      | 2        | 0.5     | 46121          |
| 6208064A | TEMPORARY RAISED PAVEMENT MARKER, TYPE 1                                  | EACH | 2008.00          | 1        | 3             | 3        | 3       | 2008           |
| 6208076  | 4 IN TEMPORARY PAVEMENT   | L.F. | 5256.00          | 1        | 0.11          | 0.11     | 0.11    | 5256           |
| 6214600A | FLOWABLE BACKFILL   | C.Y. | 67.00            | 6        | 205.994402    | 950      | 105.65  | 402            |
| 6221001  | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THIC S.Y. |      | 90765.39         | 17       | 0.975946      | 134.22   | 0.79    | 1543011.6      |
| 6221003  | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATEF S.Y.    |      | 42369.80         | 5        | 1.780505      | 3.33     | 1.22    | 211849         |
| 6221011  | COLDMILLING CONCRETE PAVEMENT FOR REMOVAL OF SURFACE                      | C.Y. | 1015.00          | 1        | 1.22          | 1.22     | 1.22    | 1015           |
| 6224010  | MODIFIED COLD MILLING (DEPTH TRANSITIONS)                                 | S.Y. | 4651.39          | 27       | 3.304063      | 44       | 1.22    | 125587.4       |
| 6240103A | PERMANENT EROSION CONTROL GEOTEXTILE                                      | S.Y. | 667.36           | 14       | 2.839596      | 17.45    | 2       | 9343           |
| 6261000A | BITUMINOUS SHOULDER RUMBLE STRIP  | STA. | 1521.83          | 10       | 16.088624     | 421      | 12.62   | 15218.3        |
| 6261001  | BITUMINOUS CENTERLINE RUMBLE STRIP  | STA. | 795.33           | 3        | 16.969509     | 32.42    | 12.62   | 2386           |
| 6262000A | PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP                            | STA. | 235.35           | 2        | 84.599638     | 85       | 84.5    | 470.7          |
| 6274000  | CONTRACTOR FURNISHED SURVEYING AND STAKING                                | L.S. | 1.00             | 31       | 7084.838709   | 26960    | 100     | 31             |
| 7011106  | DRILLED SHAFTS (4 FT. 0 IN. DIA.)   | L.F. | 151.90           | 1        | 786.7         | 786.7    | 786.7   | 151.9          |
| 7011205  | ROCK SOCKETS (3 FT 6 IN. DIA.)  | L.F. | 60.00            | 1        | 678           | 678      | 678     | 60             |
| 7011300  | VIDEO CAMERA INSPECTION   | EACH | 4.00             | 1        | 650           | 650      | 650     | 4              |
| 7011400  | FOUNDATION INSPECTION HOLES   | L.F. | 100.00           | 1        | 140           | 140      | 140     | 100            |
| 7011600  | SONIC LOGGING TESTING   | EACH | 4.00             | 1        | 5100          | 5100     | 5100    | 4              |
| 7021212  | GALVANIZED STRUCTURAL STEEL PILES (12 IN)                                 | L.F. | 272.00           | 2        | 91.680147     | 100      | 84.5    | 544            |
| 7021214  | GALVANIZED STRUCTURAL STEEL PILES (14 IN)                                 | L.F. | 424.00           | 1        | 100           | 100      | 100     | 424            |
| 7021314  | GALVANIZED CAST-IN-PLACE CONCRETE PILES (14 IN)                           | L.F. | 578.50           | 2        | 107.878133    | 120      | 87      | 1157           |
| 7021316  | GALVANIZED CAST-IN-PLACE CONCRETE PILES (16 IN)                           | L.F. | 1007.00          | 3        | 98.943396     | 120      | 78      | 3021           |
| 7021320  | GALVANIZED CAST-IN-PLACE  | L.F. | 400.00           | 1        | 150           | 150      | 150     | 400            |
| 7021324  | GALVANIZED CAST-IN-PLACE CONCRETE PILES (24 IN)                           | L.F. | 728.00           | 1        | 140           | 140      | 140     | 728            |
| 7025001  | DYNAMIC PILE TESTING  | EACH | 3.60             | 5        | 1664.444444   | 2650     | 1115    | 18             |
| 7025004  | DYNAMIC PILE RESTRIKE TESTING   | EACH | 3.33             | 3        | 606           | 1150     | 465     | 10             |
| 7027000  | PILE POINT REINFORCEMENT  | EACH | 15.33            | 6        | 324.760869    | 480      | 105     | 92             |
| 7032002  | CLASS B CONCRETE (MISC)   | C.Y. | 7.60             | 1        | 900           | 900      | 900     | 7.6            |
| 7032003  | CLASS B CONCRETE (SUBSTRUCTURE)   | C.Y. | 47.46            | 7        | 960.785671    | 1500     | 750     | 332.2          |
| 7034040  | CLASS B-1 CONCRETE (CULVERTS-BRIDGE)                                      | C.Y. | 212.45           | 2        | 650           | 650      | 650     | 424.9          |
| 7034212  | SLAB ON STEEL   | S.Y. | 827.60           | 5        | 304.363218    | 485      | 275     | 4138           |
| 7034213  | SLAB ON CONCRETE I-GIRDER   | S.Y. | 412.00           | 1        | 325           | 325      | 325     | 412            |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 7034214  | CLASS B-2 CONCRETE  | C.Y. | 13.20            | 1        | 4300          | 4300     | 4300    | 13.2           |
| 7034215  | SAFETY BARRIER CURB   | L.F. | 362.71           | 7        | 84.261717     | 226      | 68.4    | 2539           |
| 7034216  | TYPE H BARRIER  | L.F. | 627.00           | 2        | 83.015948     | 85       | 81      | 1254           |
| 7034219A | BARRIER CURB (TYPE D)   | L.F. | 369.00           | 5        | 86.864498     | 135      | 70      | 1845           |
| 7034221  | SLAB ON CONCRETE NU-GIRDER  | S.Y. | 634.40           | 5        | 378.568726    | 495      | 265     | 3172           |
| 7034222  | SLAB ON CONCRETE BEAM   | S.Y. | 408.00           | 1        | 323.5         | 323.5    | 323.5   | 408            |
| 7034226  | REINFORCED CONCRETE SLAB OVERLAY                                    | S.Y. | 280.00           | 1        | 210           | 210      | 210     | 280            |
| 7040101  | SUBSTRUCTURE REPAIR (FORMED)  | S.F. | 195.00           | 5        | 132.76923     | 145      | 130     | 975            |
| 7040104  | REPAIRING CONCRETE DECK (HALF-SOLING)                               | S.F. | 960.00           | 1        | 47            | 47       | 47      | 960            |
| 7040110  | EPOXY PRESSURE INJECTING  | L.F. | 33.00            | 1        | 200           | 200      | 200     | 33             |
| 7056000  | TYPE 2 (32 IN.), PRESTRESSED CONCRETE I-GIRDER                      | L.F. | 409.00           | 1        | 170           | 170      | 170     | 409            |
| 7056021  | NU 35 (900), PRESTRESSED CONCRETE NU-GIRDER                         | L.F. | 419.00           | 1        | 270           | 270      | 270     | 419            |
| 7056022  | NU 43 (1100), PRESTRESSED CONCRETE NU-GIRDER                        | L.F. | 432.00           | 1        | 250           | 250      | 250     | 432            |
| 7056023  | NU 53 (1350), PRESTRESSED CONCRETE NU-GIRDER                        | L.F. | 1390.00          | 1        | 260           | 260      | 260     | 1390           |
| 7056024  | NU 63 (1600), PRESTRESSED CONCRETE NU-GIRDER                        | L.F. | 362.00           | 1        | 350           | 350      | 350     | 362            |
| 7056049  | 21 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM                        | L.F. | 401.00           | 1        | 300           | 300      | 300     | 401            |
| 7056060  | 16 IN., PRESTRESSED CONCRETE DOUBLE-TEE GIRDER                      | L.F. | 396.00           | 1        | 300           | 300      | 300     | 396            |
| 7061000  | REINFORCING STEEL   | LBS  | 510.00           | 1        | 5             | 5        | 5       | 510            |
| 7061020  | REINFORCING STEEL (CULVERTS-BRIDGE)                                 | LBS  | 34110.00         | 2        | 1.5           | 1.5      | 1.5     | 68220          |
| 7061060  | REINFORCING STEEL (BRIDGES)   | LBS  | 8080.00          | 5        | 1.193551      | 1.25     | 1.1     | 40400          |
| 7061070  | MECHANICAL BAR SPLICE   | EACH | 314.00           | 1        | 39            | 39       | 39      | 314            |
| 7101000  | REINFORCING STEEL (EPOXY COATED)                                    | LBS  | 5780.00          | 1        | 2             | 2        | 2       | 5780           |
| 7110200  | PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)               | L.S. | 1.00             | 4        | 7693.75       | 16000    | 3375    | 4              |
| 7121060  | FABRICATED SIGN SUPPORT BRACKETS                                    | L.S. | 1.00             | 1        | 4350          | 4350     | 4350    | 1              |
| 7121100  | FABRICATED STRUCTURAL LOW ALLOY STEEL (MISC)                        | LBS  | 11170.00         | 2        | 3.718442      | 4.5      | 3       | 22340          |
| 7121121  | FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE 50 | LBS  | 89310.00         | 1        | 3             | 3        | 3       | 89310          |
| 7121159  | SHEAR CONNECTORS  | EACH | 860.00           | 2        | 8.22093       | 8.5      | 8       | 1720           |
| 7123301  | STEEL INTERMEDIATE DIAPHRAGM FOR P/S CONCRETE GIRDERS               | EACH | 11.00            | 2        | 837.727272    | 1300     | 735     | 22             |
| 7123610  | SLAB DRAIN  | EACH | 32.17            | 12       | 397.590673    | 520      | 225     | 386            |
| 7125100  | SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL                  | L.S. | 1.00             | 1        | 17000         | 17000    | 17000   | 1              |
| 7125102  | SURFACE PREPARATION FOR APPLYING EPOXY-MASTIC PRIMER                | L.S. | 1.00             | 4        | 6337.5        | 10000    | 1850    | 4              |
| 7125110  | FIELD APPLICATION OF INORGANIC ZINC PRIMER                          | L.S. | 1.00             | 1        | 5500          | 5500     | 5500    | 1              |
| 7125111  | INTERMEDIATE FIELD COAT (SYSTEM G)                                  | L.S. | 1.00             | 1        | 2700          | 2700     | 2700    | 1              |
| 7125112  | FINISH FIELD COAT (SYSTEM G)  | L.S. | 1.00             | 1        | 2700          | 2700     | 2700    | 1              |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 7125200  | SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL                  | S.F. | 2100.00          | 3        | 52.420634     | 59.93    | 39.3    | 6300           |
| 7125210  | FIELD APPLICATION OF INORGANIC ZINC PRIMER                          | S.F. | 2100.00          | 3        | 2.43492       | 5        | 1       | 6300           |
| 7125365A | INTERMEDIATE FIELD COAT (SYSTEM G)                                  | S.F. | 1366.67          | 3        | 1.841463      | 2.5      | 1       | 4100           |
| 7125370A | FINISH FIELD COAT (SYSTEM G)  | S.F. | 1366.67          | 3        | 1.841463      | 2.5      | 1       | 4100           |
| 7125960  | ALUMINUM EPOXY-MASTIC PRIMER  | L.S. | 1.00             | 4        | 3712.5        | 6000     | 1850    | 4              |
| 7125961  | GRAY EPOXY-MASTIC PRIMER  | L.S. | 1.00             | 1        | 4994.07       | 4994.07  | 4994.07 | 1              |
| 7126000  | NON-DESTRUCTIVE TESTING   | L.F. | 61.50            | 2        | 52.652439     | 55       | 51.25   | 123            |
| 7151001  | VERTICAL DRAIN AT END BENTS   | EACH | 2.00             | 8        | 1852.5        | 3600     | 1120    | 16             |
| 7161000  | PLAIN NEOPRENE BEARING PAD  | EACH | 12.57            | 7        | 139.204545    | 310      | 75      | 88             |
| 7161002  | LAMINATED NEOPRENE BEARING PAD                                      | EACH | 12.80            | 5        | 213.125       | 250      | 185     | 64             |
| 7161003  | LAMINATED NEOPRENE BEARING PAD (TAPERED)                            | EACH | 6.00             | 1        | 360           | 360      | 360     | 6              |
| 7162000  | LAMINATED NEOPRENE BEARING PAD ASSEMBLY                             | EACH | 12.00            | 2        | 1600          | 1650     | 1500    | 24             |
| 7172001  | STRIP SEAL EXPANSION JOINT SYSTEM                                   | L.F. | 61.00            | 2        | 471.311475    | 500      | 450     | 122            |
| 7201200  | SELECT GRANULAR BACKFILL FOR STRUCTURAL SYSTEMS                     | C.Y. | 15.00            | 1        | 160           | 160      | 160     | 15             |
| 7250312A | 12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 60.67            | 3        | 43.48901      | 75       | 40      | 182            |
| 7250315A | 15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 561.80           | 5        | 49.340334     | 200      | 45      | 2809           |
| 7250318A | 18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 282.50           | 4        | 50.931504     | 56       | 49.35   | 1130           |
| 7250321A | 21 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 79.00            | 1        | 57            | 57       | 57      | 79             |
| 7250324A | 24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 497.00           | 2        | 55.676056     | 56       | 55      | 994            |
| 7250330A | 30 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 175.00           | 1        | 63            | 63       | 63      | 175            |
| 7250348A | 48 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 54.00            | 1        | 93            | 93       | 93      | 54             |
| 7250360A | 60 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 35.00            | 1        | 149.5         | 149.5    | 149.5   | 35             |
| 7250412  | 12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 169.00           | 2        | 65.295857     | 75       | 65      | 338            |
| 7250415  | 15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 23.00            | 1        | 80            | 80       | 80      | 23             |
| 7250418  | 18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 114.50           | 4        | 47.306877     | 75       | 30.49   | 458            |
| 7250424  | 24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 55.00            | 3        | 64.911515     | 75       | 34.4    | 165            |
| 7250436  | 36 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 68.33            | 3        | 125.667317    | 145.05   | 50      | 205            |
| 7250448  | 48 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 47.00            | 1        | 80            | 80       | 80      | 47             |
| 7252006  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-6/B-6A            | L.F. | 72.00            | 1        | 100           | 100      | 100     | 72             |
| 7252007  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-7/B-7A            | L.F. | 36.00            | 1        | 116           | 116      | 116     | 36             |
| 7252012  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-12/B-12A          | L.F. | 62.00            | 1        | 250           | 250      | 250     | 62             |
| 7261018  | 18 IN. PIPE GROUP A   | L.F. | 104.00           | 1        | 56            | 56       | 56      | 104            |
| 7310048  | PRECAST CONCRETE MANHOLE - 48 IN.                                   | L.F. | 3.00             | 1        | 1200          | 1200     | 1200    | 3              |
| 7310072  | PRECAST CONCRETE MANHOLE - 72 IN.                                   | L.F. | 5.00             | 1        | 1000          | 1000     | 1000    | 5              |



| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 7311030  | PRECAST CONCRETE DROP INLET 3 FT X 2 FT-6 IN.                     | L.F. | 52.50            | 2        | 783           | 785      | 750     | 105            |
| 7311033  | PRECAST CONCRETE DROP INLET 3 FT X 3 FT                           | L.F. | 7.00             | 2        | 744.285714    | 750      | 730     | 14             |
| 7311053  | PRECAST CONCRETE DROP INLET 5 FT X 3 FT                           | L.F. | 34.33            | 3        | 800.582524    | 805      | 750     | 103            |
| 7320012A | 12 IN. (300 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION  | EACH | 5.00             | 2        | 200           | 200      | 200     | 10             |
| 7320015A | 15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION  | EACH | 15.67            | 3        | 236.702127    | 350      | 225     | 47             |
| 7320018A | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION  | EACH | 5.25             | 4        | 397.619047    | 500      | 250     | 21             |
| 7320024A | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION  | EACH | 4.00             | 1        | 400           | 400      | 400     | 4              |
| 7320048A | 48 IN. (1200 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | EACH | 1.00             | 1        | 2250          | 2250     | 2250    | 1              |
| 7320060A | 60 IN. (1500 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | EACH | 2.00             | 1        | 4300          | 4300     | 4300    | 2              |
| 7320618A | 18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION           | EACH | 6.00             | 1        | 500           | 500      | 500     | 6              |
| 7320812A | 12 IN. (300 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION  | EACH | 4.00             | 1        | 300           | 300      | 300     | 4              |
| 7320815A | 15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION  | EACH | 1.00             | 1        | 325           | 325      | 325     | 1              |
| 7320818A | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION  | EACH | 2.25             | 4        | 411.722222    | 675      | 77.75   | 9              |
| 7320824A | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION  | EACH | 4.00             | 2        | 1062.5        | 1250     | 500     | 8              |
| 7320836A | 36 IN. (900 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION  | EACH | 2.00             | 1        | 650           | 650      | 650     | 2              |
| 7320848A | 48 IN. (1200 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | EACH | 2.00             | 1        | 1400          | 1400     | 1400    | 2              |
| 7321006  | B6 FLARED END SECTION   | EACH | 1.00             | 1        | 1750          | 1750     | 1750    | 1              |
| 7321007  | B7 FLARED END SECTION   | EACH | 2.00             | 1        | 2000          | 2000     | 2000    | 2              |
| 7321012  | B12 FLARED END SECTION  | EACH | 2.00             | 1        | 4900          | 4900     | 4900    | 2              |
| 8031000A | TURF TYPE TALL FESCUE SODDING                                     | S.Y. | 2600.00          | 3        | 7.275574      | 25.53    | 7       | 7800           |
| 8051000A | SEEDING - COOL SEASON MIXTURES                                    | ACRE | 3.82             | 32       | 2457.831423   | 8400     | 1755    | 122.2          |
| 8052000A | SEEDING - WARM SEASON MIXTURES                                    | ACRE | 1.10             | 2        | 3945.454545   | 4000     | 3900    | 2.2            |
| 8061003  | SEDIMENT TRAP EXCAVATION  | C.Y. | 12.50            | 3        | 39.083333     | 47.25    | 35      | 37.5           |
| 8061004  | SEDIMENT TRAP ROCK  | C.Y. | 20.15            | 13       | 118.489977    | 215      | 38.5    | 261.9          |
| 8061005  | ROCK DITCH CHECK  | L.F. | 134.91           | 11       | 24.254514     | 70       | 11.5    | 1484           |
| 8061006  | ALTERNATE DITCH CHECK   | L.F. | 300.11           | 9        | 8.091355      | 24       | 6       | 2701           |
| 8061007A | CURB INLET CHECK  | EACH | 13.50            | 4        | 100           | 100      | 100     | 54             |
| 8061016  | SEDIMENT REMOVAL  | C.Y. | 37.16            | 34       | 22.861302     | 100      | 1       | 1263.4         |
| 8061017  | TEMPORARY SEEDING AND MULCHING                                    | ACRE | 6.71             | 13       | 404.415137    | 11000    | 270     | 87.2           |
| 8061019  | SILT FENCE  | L.F. | 2350.41          | 32       | 1.916543      | 16       | 1.3     | 75213          |
| 8061050  | TYPE C BERM   | L.F. | 270.13           | 8        | 26.309578     | 35       | 10      | 2161           |
| 8064128  | TYPE 1 TURF REINFORCEMENT MAT                                     | S.Y. | 822.00           | 1        | 3.25          | 3.25     | 3.25    | 822            |
| 8064133  | TYPE 1C EROSION CONTROL   | S.Y. | 2370.00          | 1        | 2.2           | 2.2      | 2.2     | 2370           |
| 8064134  | TYPE 1D EROSION CONTROL   | S.Y. | 378.00           | 1        | 3.7           | 3.7      | 3.7     | 378            |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 8064140  | TYPE 3B EROSION CONTROL  | S.Y. | 8257.00          | 2        | 2.116685      | 3.3      | 2.05    | 16514          |
| 9016110  | PULL BOX, PREFORMED CLASS 1                                      | EACH | 1.00             | 1        | 5000          | 5000     | 5000    | 1              |
| 9022708  | POST, SIGNAL 8 FT. OR 2.4 M                                      | EACH | 7.00             | 1        | 950           | 950      | 950     | 7              |
| 9024283  | CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER                 | EACH | 2.00             | 1        | 19000         | 19000    | 19000   | 2              |
| 9024920  | DETECTOR, PUSHBUTTON   | EACH | 16.00            | 1        | 317           | 317      | 317     | 16             |
| 9024975  | VIDEO DETECTION SYSTEM   | EACH | 1.00             | 1        | 25336         | 25336    | 25336   | 1              |
| 9025200  | CONDUIT, 2 IN., TRENCH   | L.F. | 93.00            | 1        | 12.7          | 12.7     | 12.7    | 93             |
| 9028308  | CABLE, 16 AWG 2 CONDUCTOR  | L.F. | 1852.00          | 1        | 1.4           | 1.4      | 1.4     | 1852           |
| 9028500  | CABLE, LOOP DETECTOR, IN DUCT                                    | L.F. | 770.00           | 1        | 5.3           | 5.3      | 5.3     | 770            |
| 9029100  | BASE, CONCRETE   | C.Y. | 3.10             | 1        | 2956          | 2956     | 2956    | 3.1            |
| 9031010  | CONCRETE FOOTINGS, EMBEDDED                                      | C.Y. | 1.45             | 6        | 1587.643678   | 3750     | 1250    | 8.7            |
| 9031210  | STRUCTURAL STEEL POSTS   | LBS  | 40.00            | 2        | 30.125        | 35       | 22      | 80             |
| 9031241  | BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)                | EACH | 7.00             | 2        | 390           | 390      | 390     | 14             |
| 9031250A | U-CHANNEL POST, 3 LB   | L.F. | 102.67           | 6        | 19.931737     | 26.3     | 10      | 616            |
| 9031260  | WOOD POST, 4 IN. BY 4 IN.  | L.F. | 13.00            | 1        | 72.05         | 72.05    | 72.05   | 13             |
| 9031270A | PERFORATED SQUARE STEEL TUBE POST, 2 IN., 12 GA.                 | L.F. | 88.29            | 7        | 21.343365     | 100      | 9.25    | 618            |
| 9031271  | PERFORATED SQUARE STEEL TUBE POST ANCHOR SLEEVE, 2.5 IN., 12 GA. | L.F. | 20.14            | 7        | 41.47234      | 500      | 16      | 141            |
| 9031272  | PERFORATED SQUARE STEEL TUBE POST, 2.5 IN., 12 GA.               | L.F. | 32.00            | 1        | 17            | 17       | 17      | 32             |
| 9031280  | 2.5 IN. PSST POST - 12 GA.                                       | L.F. | 181.33           | 6        | 18.352941     | 24       | 17.6    | 1088           |
| 9031281  | POST ANCHOR FOR 2.5 IN. PSST - 7 GA.                             | L.F. | 34.00            | 6        | 59.117647     | 90       | 55      | 204            |
| 9035004A | SH-FLAT SHEET  | S.F. | 26.30            | 10       | 40.214258     | 66.51    | 12      | 263            |
| 9035069A | SHF-FLAT SHEET FLUORESCENT                                       | S.F. | 14.00            | 5        | 58.558571     | 77       | 24.75   | 70             |

| PAY ITEM | DESCRIPTION   | UNIT  | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|-------|------------------|----------|---------------|----------|---------|----------------|
| 1041000  | TEMPORARY SURFACING                                 | C.Y.  | 229.00           | 1        | 30            | 30       | 30      | 229            |
| 2013000  | CLEARING AND GRUBBING                               | ACRE  | 1.00             | 3        | 4750          | 5000     | 4450    | 3              |
| 2022010  | REMOVAL OF IMPROVEMENTS                             | L.S.  | 1.00             | 25       | 25211.326     | 140000   | 1192    | 25             |
| 2031000  | CLASS A EXCAVATION                                  | C.Y.  | 1282.38          | 13       | 18.974932     | 54.5     | 10      | 16671          |
| 2035500  | EMBANKMENT IN PLACE                                 | C.Y.  | 1871.13          | 8        | 23.923755     | 32       | 19      | 14969          |
| 2036000  | COMPACTING EMBANKMENT                               | C.Y.  | 620.31           | 13       | 8.971062      | 35       | 3       | 8064           |
| 2061000  | CLASS 1 EXCAVATION                                  | C.Y.  | 114.56           | 9        | 44.116896     | 78.52    | 25      | 1031           |
| 2061003  | CLASS 1 EXCAVATION IN ROCK                          | C.Y.  | 20.00            | 2        | 200           | 200      | 200     | 40             |
| 2062000  | CLASS 2 EXCAVATION                                  | C.Y.  | 32.00            | 1        | 85            | 85       | 85      | 32             |
| 2063000  | CLASS 3 EXCAVATION                                  | C.Y.  | 443.57           | 7        | 41.88628      | 89       | 5.7     | 3105           |
| 2071000  | LINEAR GRADING CLASS 1                              | STA.  | 21.84            | 5        | 1007.802197   | 1120     | 640     | 109.2          |
| 2072000  | LINEAR GRADING CLASS 2                              | STA.  | 1.30             | 2        | 1461.538461   | 1800     | 1000    | 2.6            |
| 2101006A | SUBGRADE COMPACTION (6-INCH DEPTH)                  | STA.  | 11.21            | 8        | 677.279821    | 1800     | 610     | 89.7           |
| 2142000  | FURNISHING ROCK FILL                                | C.Y.  | 74.00            | 1        | 20            | 20       | 20      | 74             |
| 2143000  | PLACING ROCK FILL                                   | C.Y.  | 74.00            | 1        | 37            | 37       | 37      | 74             |
| 2153000  | SHAPING SLOPES, CLASS III                           | 100FT | 7.83             | 6        | 1024.276595   | 1600     | 865     | 47             |
| 2160500  | REMOVAL OF BRIDGES                                  | L.S.  | 1.00             | 8        | 60550         | 125000   | 30000   | 8              |
| 2162500  | REMOVAL OF EXISTING BRIDGE DECKS                    | S.F.  | 10148.60         | 5        | 9.328835      | 13.5     | 7.81    | 50743          |
| 3040143  | TYPE 1 AGGREGATE FOR BASE (4 IN. THICK)             | S.Y.  | 1776.23          | 13       | 8.631005      | 27       | 6       | 23091          |
| 3040504  | TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)             | S.Y.  | 468.17           | 6        | 10.635243     | 100      | 10      | 2809           |
| 3040506  | TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)             | S.Y.  | 13514.00         | 1        | 9.45          | 9.45     | 9.45    | 13514          |
| 3102002  | CRUSHED STONE (B)                                   | TON   | 20.00            | 1        | 88            | 88       | 88      | 20             |
| 3105002  | GRAVEL (A) OR CRUSHED STONE (B)                     | TON   | 172.30           | 10       | 53.565803     | 78.75    | 21.3    | 1723           |
| 3105003  | GRAVEL (A) OR CRUSHED STONE (B)                     | S.Y.  | 209.40           | 5        | 9.969436      | 25       | 9       | 1047           |
| 4010150  | TYPE A2 SHOULDER                                    | S.Y.  | 457.70           | 1        | 115           | 115      | 115     | 457.7          |
| 4011209  | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)         | TON   | 4118.65          | 8        | 59.353751     | 430      | 54.8    | 32949.2        |
| 4013010  | BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE WIDENING) | TON   | 613.30           | 1        | 145           | 145      | 145     | 613.3          |
| 4020520  | BITUMINOUS PAVEMENT MIXTURE PG64-22                 | TON   | 9387.95          | 8        | 55.936379     | 66.5     | 45      | 75103.6        |
| 4030016  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP048F MIX)    | TON   | 5097.90          | 1        | 53.78         | 53.78    | 53.78   | 5097.9         |
| 4030103  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125C MIX)    | TON   | 6268.23          | 3        | 49.803127     | 425      | 48.18   | 18804.7        |
| 4030306  | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP250C MIX)    | TON   | 0.75             | 2        | 1000          | 1000     | 1000    | 1.5            |
| 4030308  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP250C MIX)    | TON   | 0.60             | 2        | 1000          | 1000     | 1000    | 1.2            |
| 4071005  | TACK COAT   | GAL   | 6290.17          | 18       | 2.175765      | 23       | 1.93    | 113223         |
| 4091048  | EMULSIFIED ASPHALT, SEAL COAT                       | GAL   | 47775.08         | 13       | 2.02685       | 2.17     | 1.85    | 621076         |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 4094002  | SEAL COAT AGGREGATE, GRADE A2  | S.Y. | 131351.20        | 5        | 0.685919      | 0.79     | 0.67    | 656756         |
| 4094012  | SEAL COAT AGGREGATE, GRADE B2  | S.Y. | 217010.86        | 7        | 0.686638      | 0.75     | 0.62    | 1519076        |
| 5021308  | CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS)                    | S.Y. | 2077.10          | 2        | 65            | 65       | 65      | 4154.2         |
| 5031011A | BRIDGE APPROACH SLAB (MINOR ROAD)  | S.Y. | 120.50           | 10       | 117.780912    | 170      | 75      | 1205           |
| 6042020  | ADJUSTING BASIN OR INLET   | EACH | 8.00             | 1        | 3920          | 3920     | 3920    | 8              |
| 6044011  | PIPE COLLAR, TYPE A  | EACH | 1.00             | 1        | 1000          | 1000     | 1000    | 1              |
| 6044013  | PIPE COLLAR, TYPE C  | EACH | 1.00             | 1        | 1000          | 1000     | 1000    | 1              |
| 6057000  | AGGREGATE DRAIN  | L.F. | 512.00           | 1        | 18.75         | 18.75    | 18.75   | 512            |
| 6061010  | GUARDRAIL TYPE A   | L.F. | 75.00            | 1        | 35            | 35       | 35      | 75             |
| 6061011A | GUARDRAIL TYPE A, 7 FT. POST, 3 FT. - 1 5 IN SPACING                       | L.F. | 38.00            | 1        | 36            | 36       | 36      | 38             |
| 6061060  | MGS GUARDRAIL  | L.F. | 362.78           | 9        | 21.974137     | 30       | 19.3    | 3265           |
| 6061061  | MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 SPACING                              | L.F. | 1025.00          | 1        | 23            | 23       | 23      | 1025           |
| 6061069  | MGS BRIDGE APPROACH TRANSITION SECTION (MINOR ROUTE)                       | EACH | 4.70             | 10       | 2927.659574   | 3400     | 2650    | 47             |
| 6061074  | MGS HEIGHT AND BLOCK TRANSITION  | EACH | 2.00             | 1        | 770           | 770      | 770     | 2              |
| 6061080  | MGS END ANCHOR   | EACH | 1.50             | 2        | 1200          | 1200     | 1200    | 3              |
| 6062202A | BRIDGE ANCHOR SECTION, 7.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY / EACH | EACH | 1.00             | 1        | 2015          | 2015     | 2015    | 1              |
| 6062204A | BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (NEW CONS` EACH | EACH | 2.33             | 3        | 2342.857142   | 2750     | 1800    | 7              |
| 6062303  | ASYMETRICAL TRANSITION SECTION, 6.5 FT. POSTS                              | EACH | 2.33             | 3        | 657.142857    | 700      | 600     | 7              |
| 6062304  | ASYMETRICAL TRANSITION SECTION, 7.5 FT. POSTS                              | EACH | 1.00             | 1        | 675           | 675      | 675     | 1              |
| 6063014  | TYPE A CRASHWORTHY END TERMINAL (MASH)                                     | EACH | 5.27             | 11       | 2760.431034   | 3135     | 2600    | 58             |
| 6063015  | TYPE A CRASHWORTHY END TERMINAL  | EACH | 2.00             | 3        | 2900          | 3200     | 2600    | 6              |
| 6063016  | TYPE B CRASHWORTHY END TERMINAL  | EACH | 2.00             | 1        | 6250          | 6250     | 6250    | 2              |
| 6066610  | END ANCHOR   | EACH | 1.00             | 2        | 1375          | 1400     | 1350    | 2              |
| 6071067  | (112 IN.) CURVED TOP PEDESTRIAN FENCE (STRUCTURES)                         | L.F. | 264.00           | 1        | 183.01        | 183.01   | 183.01  | 264            |
| 6081010  | CONCRETE CURB RAMP   | S.Y. | 142.48           | 8        | 147.908141    | 210      | 125     | 1139.8         |
| 6081012  | TRUNCATED DOMES  | S.F. | 219.00           | 8        | 34.932534     | 44.8     | 19.5    | 1752           |
| 6082023  | HAND-RAILING FOR STEPS   | L.F. | 208.00           | 1        | 145           | 145      | 145     | 208            |
| 6083003  | 3 IN. CONCRETE MEDIAN STRIP  | S.Y. | 148.47           | 3        | 72.25174      | 170      | 65      | 445.4          |
| 6084023  | SIDEWALK HAND-RAILING  | L.F. | 67.50            | 2        | 187.381481    | 231.75   | 170     | 135            |
| 6085007  | PAVED APPROACH, 7 IN.  | S.Y. | 381.00           | 5        | 70.780472     | 75       | 70      | 1905           |
| 6085008  | PAVED APPROACH, 8 IN.  | S.Y. | 493.25           | 6        | 75.941645     | 84       | 75      | 2959.5         |
| 6086004  | CONCRETE SIDEWALK, 4 IN.   | S.Y. | 1259.64          | 5        | 53.312636     | 104      | 50      | 6298.2         |
| 6086007  | CONCRETE SIDEWALK, 7 IN.   | S.Y. | 36.20            | 1        | 81            | 81       | 81      | 36.2           |
| 6091010  | CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S                              | L.F. | 311.60           | 5        | 41.124518     | 56       | 35      | 1558           |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6091042  | CONCRETE GUTTER TYPE B  | L.F. | 12.00            | 1        | 56            | 56       | 56      | 12             |
| 6091052  | CURB AND GUTTER TYPE B  | L.F. | 57.00            | 1        | 35            | 35       | 35      | 57             |
| 6092012  | INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE B                               | L.F. | 2581.50          | 2        | 21.843695     | 23       | 21.5    | 5163           |
| 6092022  | INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE B                                    | L.F. | 169.00           | 1        | 30            | 30       | 30      | 169            |
| 6096010A | FURNISHING TYPE 1 ROCK DITCH LINER  | C.Y. | 19.50            | 2        | 45.076923     | 50       | 42      | 39             |
| 6096020  | FURNISHING TYPE 2 ROCK DITCH LINER  | C.Y. | 149.00           | 2        | 44.19463      | 52.5     | 30      | 298            |
| 6096041  | PLACING TYPE 1 ROCK DITCH LINER   | C.Y. | 15.00            | 1        | 50            | 50       | 50      | 15             |
| 6096042  | PLACING TYPE 2 ROCK DITCH LINER   | C.Y. | 149.00           | 2        | 29.778523     | 35.5     | 20      | 298            |
| 6097000  | ROCK LINING   | C.Y. | 7.25             | 4        | 89.310344     | 150      | 75      | 29             |
| 6113020  | FURNISHING TYPE 2 ROCK BLANKET  | C.Y. | 542.89           | 13       | 36.552298     | 48.5     | 26.8    | 7057.6         |
| 6113040  | PLACING TYPE 2 ROCK BLANKET   | C.Y. | 542.89           | 13       | 18.080381     | 35       | 11.3    | 7057.6         |
| 6122009  | Impact Attenuator 45 MPH (Sand Barrels)                                     | EACH | 1.00             | 2        | 2500          | 2500     | 2500    | 2              |
| 6122012  | Impact Attenuator 55 MPH (Sand Barrels)                                     | EACH | 2.00             | 1        | 2850          | 2850     | 2850    | 2              |
| 6122019  | Impact Attenuator 70 MPH (Sand Barrels)                                     | EACH | 4.00             | 1        | 2850          | 2850     | 2850    | 4              |
| 6122020  | REPLACEMENT SAND BARREL   | EACH | 2.75             | 4        | 246.363636    | 510      | 150     | 11             |
| 6122030  | IMPACT ATTENUATOR (RELOCATION)  | EACH | 1.00             | 2        | 1000          | 1000     | 1000    | 2              |
| 6123000A | TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)                                   | EACH | 2.00             | 26       | 982.884615    | 7500     | 1       | 52             |
| 6131010  | FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A FULL DEPTH PA'S.Y.     |      | 1685.55          | 2        | 175.421286    | 197.5    | 139     | 3371.1         |
| 6131012  | SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)                         | S.Y. | 169.60           | 2        | 1             | 1        | 1       | 339.2          |
| 6131013  | TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)              | S.Y. | 169.60           | 2        | 1             | 1        | 1       | 339.2          |
| 6131014  | FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW L.F.     |      | 7753.50          | 2        | 4.15451       | 6.25     | 1.5     | 15507          |
| 6131015  | DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEI      | EACH | 3880.00          | 1        | 5.2           | 5.2      | 5.2     | 3880           |
| 6131017  | DOWEL BAR (FURNISHING AND INSTALLATING WITH BASKETS) FOR FULL DEPTH         | EACH | 120.00           | 1        | 9.75          | 9.75     | 9.75    | 120            |
| 6131018  | TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH      | EACH | 92.00            | 1        | 7.75          | 7.75     | 7.75    | 92             |
| 6133018  | FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS B PARTIAL              | TON  | 22.00            | 1        | 77.59         | 77.59    | 77.59   | 22             |
| 6133019  | REMOVAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR                           | S.Y. | 100.00           | 1        | 82.9          | 82.9     | 82.9    | 100            |
| 6141022  | GRATE AND BEARING PLATE (3 FT. X 3 FT. OR 914 MM X 914 MM)                  | EACH | 1.00             | 1        | 1500          | 1500     | 1500    | 1              |
| 6141024  | GRATE AND BEARING PLATE (5 FT. X 3 FT. OR 1524 MM X 914 MM)                 | EACH | 2.00             | 2        | 1700          | 2000     | 1600    | 4              |
| 6141028  | GRATE AND BEARING PLATE (5 FT. - 1 IN. X 3 FT. - 1 IN. OR 1549 MM X 940 MM) | EACH | 1.00             | 1        | 2500          | 2500     | 2500    | 1              |
| 6143012  | MANHOLE FRAME AND COVER, TYPE 2   | EACH | 1.00             | 2        | 475           | 500      | 450     | 2              |
| 6143013  | MANHOLE FRAME AND COVER, TYPE 3   | EACH | 15.00            | 3        | 387.222222    | 450      | 375     | 45             |
| 6161005  | CONSTRUCTION SIGNS  | S.F. | 968.63           | 48       | 5.486826      | 12       | 1       | 46494          |
| 6161008  | ADVANCED WARNING RAIL SYSTEM  | EACH | 5.73             | 26       | 60.405369     | 285      | 10      | 149            |
| 6161009  | FLAG ASSEMBLY   | EACH | 4.54             | 48       | 17.218256     | 30       | 8.47    | 218            |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 6161010  | RELOCATED SIGNS  | S.F. | 73.60            | 10       | 6.573913      | 10       | 1       | 736            |
| 6161012  | BUOYS (BOATS KEEP OUT)   | EACH | 4.00             | 2        | 795           | 800      | 790     | 8              |
| 6161014  | SPECIAL SIGN ASSEMBLY (BOATS KEEP OUT)   | EACH | 2.00             | 2        | 2900          | 2900     | 2900    | 4              |
| 6161025  | CHANNELIZER (TRIM LINE)  | EACH | 116.13           | 38       | 17.779854     | 50       | 1       | 4413           |
| 6161030  | TYPE III MOVEABLE BARRICADE  | EACH | 11.57            | 23       | 110.518045    | 150      | 10      | 266            |
| 6161031  | TYPE III MOVEABLE BARRICADE WITH LIGHT   | EACH | 3.80             | 5        | 165           | 165      | 165     | 19             |
| 6161033  | DIRECTIONAL INDICATOR BARRICADE  | EACH | 21.30            | 10       | 40.511737     | 95       | 22      | 213            |
| 6161040  | FLASHING ARROW PANEL   | EACH | 1.67             | 12       | 1005.8        | 3500     | 400     | 20             |
| 6161055  | SEQUENTIAL FLASHING WARNING LIGHT  | EACH | 30.00            | 1        | 75            | 75       | 75      | 30             |
| 6161098A | CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED / RETAINED | EACH | 2.13             | 16       | 2793.294117   | 3500     | 1500    | 34             |
| 6161099  | CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED / RETAINED    | EACH | 2.00             | 1        | 3500          | 3500     | 3500    | 2              |
| 6162000A | WORK ZONE TRAFFIC SIGNAL SYSTEM  | EACH | 1.00             | 1        | 7500          | 7500     | 7500    | 1              |
| 6162002  | TEMPORARY LONG-TERM  | EACH | 4.00             | 2        | 825           | 850      | 800     | 8              |
| 6162004  | SHORT-TERM RUMBLE STRIPS   | EACH | 3.60             | 5        | 743.777777    | 1122     | 100     | 18             |
| 6173600D | TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED                               | L.F. | 757.00           | 4        | 18.98745      | 20       | 18      | 3028           |
| 6173700B | TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED                      | L.F. | 487.50           | 2        | 22            | 22       | 22      | 975            |
| 6173706  | TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED  | L.F. | 213.00           | 2        | 20            | 20       | 20      | 426            |
| 6175010A | RELOCATING TEMPORARY TRAFFIC BARRIER   | L.F. | 281.50           | 2        | 10            | 10       | 10      | 563            |
| 6175013  | RELOCATING TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION                        | L.F. | 213.00           | 2        | 15            | 15       | 15      | 426            |
| 6181000  | MOBILIZATION   | L.S. | 1.00             | 50       | 45027.1626    | 191000   | 2000    | 50             |
| 6181020  | ADDITIONAL MOBILIZATION FOR  | EACH | 3.43             | 7        | 600           | 600      | 600     | 24             |
| 6191000  | PAVEMENT EDGE TREATMENT  | L.F. | 4685.67          | 3        | 6.608309      | 10       | 4       | 14057          |
| 6200009  | PREFORMED THERMOPLASTIC  | L.F. | 353.50           | 2        | 7.333097      | 11       | 6.75    | 707            |
| 6200015  | PREFORMED THERMOPLASTIC  | L.F. | 164.29           | 7        | 22.913826     | 43       | 20      | 1150           |
| 6200018  | PREFORMED THERMOPLASTIC  | L.F. | 703.00           | 1        | 25            | 25       | 25      | 703            |
| 6200021  | PREFORMED THERMOPLASTIC  | EACH | 18.00            | 5        | 218.366666    | 350      | 190     | 90             |
| 6200027  | PREFORMED THERMOPLASTIC  | EACH | 2.00             | 2        | 687           | 950      | 424     | 4              |
| 6200033  | PREFORMED THERMOPLASTIC  | EACH | 2.00             | 2        | 1270.5        | 1271     | 1270    | 4              |
| 6200036  | PREFORMED THERMOPLASTIC  | EACH | 16.50            | 2        | 317.696969    | 400      | 303     | 33             |
| 6200042  | PREFORMED THERMOPLASTIC  | EACH | 24.00            | 1        | 51            | 51       | 51      | 24             |
| 6205301B | PREFORMED REMOVABLE MARKING TAPE 4 IN., WHITE  | L.F. | 1248.00          | 2        | 1.25          | 1.25     | 1.25    | 2496           |
| 6205303B | PREFORMED REMOVABLE MARKING TAPE 4 IN., YELLOW   | L.F. | 1248.00          | 2        | 1.25          | 1.25     | 1.25    | 2496           |
| 6205309  | PREFORMED REMOVABLE MARKING TAPE, 24 IN., WHITE  | L.F. | 24.00            | 1        | 11            | 11       | 11      | 24             |
| 6205901A | 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE                     | L.F. | 20475.63         | 3        | 0.228769      | 4        | 0.1     | 61426.9        |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6205902A | 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEA/L.F. | L.F. | 21333.71         | 7        | 0.199944      | 2.2      | 0.14    | 149336         |
| 6205903A | 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE/L.F. | L.F. | 10942.75         | 4        | 0.249475      | 2        | 0.16    | 43771          |
| 6205906A | 12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE/L.F. | L.F. | 1802.00          | 2        | 1.472169      | 2.3      | 0.35    | 3604           |
| 6206000C | 4 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS               | L.F. | 83768.52         | 29       | 0.107437      | 2.3      | 0.09    | 2429287        |
| 6206001C | 4 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS              | L.F. | 52394.67         | 33       | 0.111219      | 4.6      | 0.09    | 1729024        |
| 6206124A | 24 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS              | L.F. | 98.00            | 4        | 2.934693      | 10.6     | 1       | 392            |
| 6206125A | 24 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS             | L.F. | 230.00           | 1        | 4.5           | 4.5      | 4.5     | 230            |
| 6207001  | PAVEMENT MARKING REMOVAL  | L.F. | 2345.00          | 3        | 0.631272      | 1.15     | 0.6     | 7035           |
| 6214600A | FLOWABLE BACKFILL   | C.Y. | 79.00            | 2        | 311.70886     | 350      | 300     | 158            |
| 6221001  | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THIC S.Y. | S.Y. | 13758.71         | 14       | 1.589785      | 20       | 0.8     | 192622         |
| 6221003  | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATER S.Y.    | S.Y. | 998.00           | 2        | 12.559919     | 17.7     | 12.5    | 1996           |
| 6224010  | MODIFIED COLD MILLING (DEPTH TRANSITIONS)                                 | S.Y. | 1359.08          | 12       | 6.288609      | 16       | 0.82    | 16309          |
| 6240103A | PERMANENT EROSION CONTROL GEOTEXTILE                                      | S.Y. | 830.26           | 13       | 3.381436      | 8        | 2.3     | 10793.4        |
| 6240104A | SEPARATION GEOTEXTILE   | S.Y. | 1272.00          | 1        | 1.45          | 1.45     | 1.45    | 1272           |
| 6261000A | BITUMINOUS SHOULDER RUMBLE STRIP  | STA. | 1018.60          | 2        | 22.203976     | 22.95    | 19.97   | 2037.2         |
| 6261001  | BITUMINOUS CENTERLINE RUMBLE STRIP  | STA. | 275.90           | 1        | 22.23         | 22.23    | 22.23   | 275.9          |
| 6274000  | CONTRACTOR FURNISHED SURVEYING AND STAKING                                | L.S. | 1.00             | 22       | 6098.16409    | 14500    | 1000    | 22             |
| 7011104  | DRILLED SHAFTS (3 FT. 0 IN. DIA.)   | L.F. | 59.05            | 2        | 472.240474    | 676      | 300     | 118.1          |
| 7011203  | ROCK SOCKETS (2 FT 6 IN. DIA.)  | L.F. | 36.00            | 2        | 782.5         | 850      | 715     | 72             |
| 7011300  | VIDEO CAMERA INSPECTION   | EACH | 4.00             | 2        | 900           | 1100     | 700     | 8              |
| 7011400  | FOUNDATION INSPECTION HOLES   | L.F. | 76.00            | 2        | 116           | 128      | 104     | 152            |
| 7011600  | SONIC LOGGING TESTING   | EACH | 4.00             | 2        | 2375          | 2950     | 1800    | 8              |
| 7021212  | GALVANIZED STRUCTURAL STEEL PILES (12 IN)                                 | L.F. | 378.00           | 9        | 70.266225     | 104      | 55      | 3402           |
| 7021214  | GALVANIZED STRUCTURAL STEEL PILES (14 IN)                                 | L.F. | 300.00           | 1        | 85            | 85       | 85      | 300            |
| 7025001  | DYNAMIC PILE TESTING  | EACH | 2.00             | 1        | 1600          | 1600     | 1600    | 2              |
| 7026000  | PRE-BORE FOR PILING   | L.F. | 157.00           | 4        | 101.43949     | 150      | 75      | 628            |
| 7027000  | PILE POINT REINFORCEMENT  | EACH | 13.44            | 9        | 149.173553    | 500      | 95      | 121            |
| 7032002  | CLASS B CONCRETE (MISC)   | C.Y. | 4.83             | 3        | 1164.062068   | 1938     | 900     | 14.5           |
| 7032003  | CLASS B CONCRETE (SUBSTRUCTURE)   | C.Y. | 54.82            | 9        | 916.148763    | 1255     | 625     | 493.4          |
| 7032009  | CLASS B CONCRETE (RETAINING WALLS)  | C.Y. | 9.90             | 1        | 2775          | 2775     | 2775    | 9.9            |
| 7034003  | CLASS B-1 CONCRETE (SUBSTRUCTURE)   | C.Y. | 55.27            | 3        | 826.149577    | 1120     | 714     | 165.8          |
| 7034208  | CLASS B-2 CONCRETE (SUPERSTRUCTURE SOLID SLAB)                            | C.Y. | 244.40           | 1        | 956           | 956      | 956     | 244.4          |
| 7034212  | SLAB ON STEEL   | S.Y. | 1076.40          | 5        | 320.521018    | 480      | 246.74  | 5382           |
| 7034213  | SLAB ON CONCRETE I-GIRDER   | S.Y. | 476.00           | 2        | 311.428571    | 340      | 290     | 952            |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 7034215  | SAFETY BARRIER CURB   | L.F. | 554.86           | 7        | 73.668254     | 113      | 62.5    | 3884           |
| 7034219A | BARRIER CURB (TYPE D)   | L.F. | 393.20           | 5        | 88.404374     | 117      | 80      | 1966           |
| 7034221  | SLAB ON CONCRETE NU-GIRDER  | S.Y. | 480.00           | 4        | 331.11927     | 380      | 275     | 1920           |
| 7034222  | SLAB ON CONCRETE BEAM   | S.Y. | 934.00           | 1        | 314           | 314      | 314     | 934            |
| 7034630  | CONCRETE CURB (BRIDGE RAIL)   | L.F. | 268.00           | 1        | 42.5          | 42.5     | 42.5    | 268            |
| 7040101  | SUBSTRUCTURE REPAIR (FORMED)  | S.F. | 28.33            | 3        | 152.941176    | 250      | 120     | 85             |
| 7040102  | SUBSTRUCTURE REPAIR (UNFORMED)                                      | S.F. | 68.33            | 3        | 152.804878    | 200      | 135     | 205            |
| 7056001  | TYPE 3 (39 IN.), PRESTRESSED CONCRETE I-GIRDER                      | L.F. | 515.50           | 2        | 172.539282    | 192      | 160     | 1031           |
| 7056021  | NU 35 (900), PRESTRESSED CONCRETE NU-GIRDER                         | L.F. | 916.00           | 1        | 225           | 225      | 225     | 916            |
| 7056022  | NU 43 (1100), PRESTRESSED CONCRETE NU-GIRDER                        | L.F. | 303.00           | 1        | 245           | 245      | 245     | 303            |
| 7056023  | NU 53 (1350), PRESTRESSED CONCRETE NU-GIRDER                        | L.F. | 506.00           | 1        | 275           | 275      | 275     | 506            |
| 7056024  | NU 63 (1600), PRESTRESSED CONCRETE NU-GIRDER                        | L.F. | 378.00           | 1        | 265           | 265      | 265     | 378            |
| 7056050A | 27 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM                        | L.F. | 1128.00          | 1        | 279           | 279      | 279     | 1128           |
| 7061000  | REINFORCING STEEL   | LBS  | 510.00           | 1        | 5             | 5        | 5       | 510            |
| 7061060  | REINFORCING STEEL (BRIDGES)   | LBS  | 16400.00         | 4        | 1.344039      | 2.25     | 1.2     | 65600          |
| 7061070  | MECHANICAL BAR SPLICE   | EACH | 759.00           | 2        | 48            | 48       | 48      | 1518           |
| 7071000  | CONDUIT SYSTEM ON STRUCTURE   | L.S. | 1.00             | 2        | 7425          | 8000     | 6850    | 2              |
| 7101000  | REINFORCING STEEL (EPOXY COATED)                                    | LBS  | 19322.50         | 4        | 1.192133      | 2.6      | 1.1     | 77290          |
| 7110200  | PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)               | L.S. | 1.00             | 4        | 4275          | 6600     | 3300    | 4              |
| 7110500  | TEMPORARY COATING - CONCRETE BENTS AND PIERS (WEATHERING STEEL)     | L.S. | 1.00             | 1        | 13000         | 13000    | 13000   | 1              |
| 7121113  | FABRICATED STRUCTURAL LOW ALLOY STEEL (I-BEAM) A709, GRADE 5        | LBS  | 53380.00         | 1        | 4.58          | 4.58     | 4.58    | 53380          |
| 7121122  | FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE 50 | LBS  | 57180.00         | 1        | 4.19          | 4.19     | 4.19    | 57180          |
| 7121251  | HINGE MODIFICATION  | EACH | 8.00             | 1        | 21260         | 21260    | 21260   | 8              |
| 7123301  | STEEL INTERMEDIATE DIAPHRAGM FOR P/S CONCRETE GIRDERS               | EACH | 5.25             | 4        | 1203.571428   | 2250     | 850     | 21             |
| 7123610  | SLAB DRAIN  | EACH | 29.43            | 7        | 293.650485    | 360      | 250     | 206            |
| 7125102  | SURFACE PREPARATION FOR APPLYING EPOXY-MASTIC PRIMER                | L.S. | 1.00             | 1        | 3800          | 3800     | 3800    | 1              |
| 7125200  | SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL                  | S.F. | 4075.00          | 4        | 9.22546       | 9.25     | 9       | 16300          |
| 7125210  | FIELD APPLICATION OF INORGANIC ZINC PRIMER                          | S.F. | 4075.00          | 4        | 5             | 5        | 5       | 16300          |
| 7125365A | INTERMEDIATE FIELD COAT (SYSTEM G)                                  | S.F. | 975.00           | 4        | 3.5           | 3.5      | 3.5     | 3900           |
| 7125370A | FINISH FIELD COAT (SYSTEM G)  | S.F. | 975.00           | 4        | 3.5           | 3.5      | 3.5     | 3900           |
| 7125961  | GRAY EPOXY-MASTIC PRIMER  | L.S. | 1.00             | 1        | 4100          | 4100     | 4100    | 1              |
| 7126000  | NON-DESTRUCTIVE TESTING   | L.F. | 51.67            | 3        | 80.774193     | 315      | 50      | 155            |
| 7151001  | VERTICAL DRAIN AT END BENTS   | EACH | 2.00             | 10       | 2300          | 3350     | 1500    | 20             |
| 7161000  | PLAIN NEOPRENE BEARING PAD  | EACH | 7.50             | 4        | 269.333333    | 565      | 120     | 30             |



| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 7161002  | LAMINATED NEOPRENE BEARING PAD                                      | EACH | 16.00            | 4        | 237.1875      | 310      | 115     | 64             |
| 7161003  | LAMINATED NEOPRENE BEARING PAD (TAPERED)                            | EACH | 10.00            | 3        | 359.333333    | 530      | 300     | 30             |
| 7162000  | LAMINATED NEOPRENE BEARING PAD ASSEMBLY                             | EACH | 10.00            | 2        | 1326          | 1500     | 1065    | 20             |
| 7163000  | TYPE N PTFE BEARING   | EACH | 6.00             | 2        | 1808.333333   | 2225     | 1600    | 12             |
| 7172001  | STRIP SEAL EXPANSION JOINT SYSTEM                                   | L.F. | 56.50            | 2        | 400           | 400      | 400     | 113            |
| 7250312A | 12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 48.75            | 4        | 43.589743     | 75       | 40      | 195            |
| 7250315A | 15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 905.00           | 3        | 46.334069     | 75       | 45      | 2715           |
| 7250318A | 18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 357.00           | 3        | 47.754061     | 50       | 40      | 1071           |
| 7250324A | 24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 333.67           | 3        | 55.881118     | 85       | 55      | 1001           |
| 7250330A | 30 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 91.00            | 2        | 64.230769     | 95       | 63      | 182            |
| 7250412  | 12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 169.00           | 2        | 65.295857     | 75       | 65      | 338            |
| 7250415  | 15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 23.00            | 1        | 80            | 80       | 80      | 23             |
| 7250418  | 18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 13.00            | 1        | 75            | 75       | 75      | 13             |
| 7250424  | 24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 32.00            | 2        | 61.25         | 75       | 55      | 64             |
| 7252006  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-6/B-6A            | L.F. | 72.00            | 1        | 100           | 100      | 100     | 72             |
| 7261018  | 18 IN. PIPE GROUP A   | L.F. | 213.00           | 1        | 138           | 138      | 138     | 213            |
| 7310048  | PRECAST CONCRETE MANHOLE - 48 IN.                                   | L.F. | 3.00             | 1        | 1200          | 1200     | 1200    | 3              |
| 7310072  | PRECAST CONCRETE MANHOLE - 72 IN.                                   | L.F. | 5.00             | 1        | 1000          | 1000     | 1000    | 5              |
| 7311030  | PRECAST CONCRETE DROP INLET 3 FT X 2 FT-6 IN.                       | L.F. | 52.50            | 2        | 783           | 785      | 750     | 105            |
| 7311033  | PRECAST CONCRETE DROP INLET 3 FT X 3 FT                             | L.F. | 10.00            | 1        | 750           | 750      | 750     | 10             |
| 7311053  | PRECAST CONCRETE DROP INLET 5 FT X 3 FT                             | L.F. | 22.80            | 5        | 810.087719    | 1750     | 710     | 114            |
| 7320012A | 12 IN. (300 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION    | EACH | 5.00             | 2        | 200           | 200      | 200     | 10             |
| 7320015A | 15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION    | EACH | 22.50            | 2        | 231.666666    | 300      | 225     | 45             |
| 7320018A | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION    | EACH | 5.50             | 2        | 304.545454    | 350      | 250     | 11             |
| 7320024A | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION    | EACH | 4.00             | 1        | 400           | 400      | 400     | 4              |
| 7320618A | 18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION             | EACH | 2.00             | 1        | 580           | 580      | 580     | 2              |
| 7320812A | 12 IN. (300 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION    | EACH | 4.00             | 1        | 300           | 300      | 300     | 4              |
| 7320815A | 15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION    | EACH | 1.00             | 1        | 325           | 325      | 325     | 1              |
| 7320818A | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION    | EACH | 1.00             | 1        | 400           | 400      | 400     | 1              |
| 7320824A | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION    | EACH | 2.00             | 1        | 500           | 500      | 500     | 2              |
| 7321006  | B6 FLARED END SECTION   | EACH | 1.00             | 1        | 1750          | 1750     | 1750    | 1              |
| 7321014A | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION      | EACH | 1.00             | 1        | 975           | 975      | 975     | 1              |
| 8031000A | TURF TYPE TALL FESCUE SODDING                                       | S.Y. | 3842.00          | 2        | 7             | 7        | 7       | 7684           |
| 8051000A | SEEDING - COOL SEASON MIXTURES                                      | ACRE | 1.70             | 3        | 2729.411764   | 3100     | 2400    | 5.1            |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 8061004  | SEDIMENT TRAP ROCK   | C.Y. | 4.60             | 2        | 167.173913    | 170      | 150     | 9.2            |
| 8061005  | ROCK DITCH CHECK   | L.F. | 180.36           | 11       | 19.169556     | 110      | 13.6    | 1984           |
| 8061006  | ALTERNATE DITCH CHECK  | L.F. | 264.00           | 6        | 6.66856       | 11.5     | 6       | 1584           |
| 8061007A | CURB INLET CHECK   | EACH | 16.40            | 5        | 123.219512    | 168      | 100     | 82             |
| 8061016  | SEDIMENT REMOVAL   | C.Y. | 29.00            | 18       | 25.467432     | 50       | 1       | 522            |
| 8061017  | TEMPORARY SEEDING AND MULCHING                                   | ACRE | 1.20             | 1        | 850           | 850      | 850     | 1.2            |
| 8061019  | SILT FENCE   | L.F. | 572.17           | 18       | 2.909505      | 5.75     | 2.25    | 10299          |
| 8061050  | TYPE C BERM  | L.F. | 223.63           | 8        | 26.266629     | 43       | 15      | 1789           |
| 9013003  | CONDUIT, 3 IN. RIGID, IN TRENCH                                  | L.F. | 20.00            | 1        | 13.65         | 13.65    | 13.65   | 20             |
| 9014004  | CONDUIT, 4 IN. RIGID, PUSHED                                     | L.F. | 530.00           | 2        | 21.584905     | 23       | 21      | 1060           |
| 9015010  | TRENCHING TYPE I   | L.F. | 3396.00          | 2        | 4.538015      | 5.1      | 4       | 6792           |
| 9016110  | PULL BOX, PREFORMED CLASS 1                                      | EACH | 10.00            | 2        | 947.8         | 1255     | 743     | 20             |
| 9017110  | CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET                      | L.F. | 630.00           | 2        | 0.835714      | 1.15     | 0.6     | 1260           |
| 9017407  | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG     | L.F. | 5235.00          | 2        | 3.101719      | 4        | 2.5     | 10470          |
| 9018245  | POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)               | EACH | 5.50             | 2        | 1280.272727   | 1368     | 1175    | 11             |
| 9031010  | CONCRETE FOOTINGS, EMBEDDED                                      | C.Y. | 2.59             | 10       | 1884.073359   | 2700     | 1250    | 25.9           |
| 9031210  | STRUCTURAL STEEL POSTS   | LBS  | 1735.00          | 2        | 5.642651      | 22       | 5.5     | 3470           |
| 9031220  | PIPE POSTS   | LBS  | 1700.00          | 1        | 5.5           | 5.5      | 5.5     | 1700           |
| 9031241  | BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)                | EACH | 9.00             | 4        | 303.75        | 390      | 237.5   | 36             |
| 9031242  | 36 IN. SURFACE-MOUNT   | EACH | 6.00             | 1        | 114           | 114      | 114     | 6              |
| 9031270A | PERFORATED SQUARE STEEL TUBE POST, 2 IN., 12 GA.                 | L.F. | 165.00           | 7        | 16.339532     | 18       | 9.83    | 1155           |
| 9031271  | PERFORATED SQUARE STEEL TUBE POST ANCHOR SLEEVE, 2.5 IN., 12 GA. | L.F. | 19.50            | 2        | 46.692307     | 55       | 46      | 39             |
| 9031272  | PERFORATED SQUARE STEEL TUBE POST, 2.5 IN., 12 GA.               | L.F. | 80.00            | 2        | 18.6          | 19       | 17      | 160            |
| 9031273  | PERFORATED SQUARE STEEL TUBE POST ANCHOR, 7 GA.                  | L.F. | 32.50            | 6        | 36.224615     | 45       | 30      | 195            |
| 9031280  | 2.5 IN. PSST POST - 12 GA.                                       | L.F. | 268.80           | 5        | 18.428571     | 20.5     | 17.6    | 1344           |
| 9031281  | POST ANCHOR FOR 2.5 IN. PSST - 7 GA.                             | L.F. | 50.40            | 5        | 49.714285     | 55       | 36.5    | 252            |
| 9035004A | SH-FLAT SHEET  | S.F. | 155.00           | 5        | 27.754838     | 45       | 24      | 775            |
| 9035011A | ST-STRUCTURAL  | S.F. | 254.00           | 1        | 29.5          | 29.5     | 29.5    | 254            |
| 9035069A | SHF-FLAT SHEET FLUORESCENT                                       | S.F. | 19.67            | 3        | 32.84322      | 35       | 28      | 59             |

| PAY ITEM | DESCRIPTION                                   | UNIT  | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|-------|------------------|----------|---------------|----------|---------|----------------|
| 2013000  | CLEARING AND GRUBBING                         | ACRE  | 3.33             | 12       | 5467.92725    | 19600    | 1493.39 | 40             |
| 2022010  | REMOVAL OF IMPROVEMENTS                       | L.S.  | 1.00             | 48       | 50051.36938   | 637211   | 1500    | 48             |
| 2024038  | REMOVAL OF TRANSITE (CATEGORY II NON-FRIABLE) | S.F.  | 70.00            | 1        | 125           | 125      | 125     | 70             |
| 2024043  | REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE)    | S.F.  | 50.00            | 2        | 87.2648       | 175      | 18.33   | 100            |
| 2031000  | CLASS A EXCAVATION                            | C.Y.  | 7157.96          | 20       | 11.294138     | 80       | 4.8     | 143159.2       |
| 2035000  | UNCLASSIFIED EXCAVATION                       | C.Y.  | 2195.00          | 2        | 18.093872     | 22       | 8.9     | 4390           |
| 2035500  | EMBANKMENT IN PLACE                           | C.Y.  | 7429.67          | 11       | 10.001358     | 114.01   | 0.01    | 81726.4        |
| 2036000  | COMPACTING EMBANKMENT                         | C.Y.  | 2772.20          | 21       | 2.003756      | 65       | 0.01    | 58216.3        |
| 2037075  | COMPACTING IN CUT                             | STA.  | 16.83            | 9        | 922.196039    | 2000     | 275     | 151.5          |
| 2061000  | CLASS 1 EXCAVATION                            | C.Y.  | 345.50           | 10       | 21.962648     | 60       | 16      | 3455           |
| 2063000  | CLASS 3 EXCAVATION                            | C.Y.  | 443.61           | 23       | 14.484748     | 75       | 3.69    | 10203          |
| 2063300  | CLASS 4 EXCAVATION                            | C.Y.  | 411.44           | 9        | 25.37027      | 190      | 5.65    | 3703           |
| 2063500  | CULVERT CLEANOUT                              | EACH  | 10.13            | 8        | 2879.232839   | 7881.24  | 954     | 81             |
| 2065500  | TEMPORARY SHORING                             | L.S.  | 1.00             | 5        | 34798         | 60000    | 4200    | 5              |
| 2071000  | LINEAR GRADING CLASS 1                        | STA.  | 13.04            | 16       | 1077.114947   | 9830     | 250     | 208.6          |
| 2072000  | LINEAR GRADING CLASS 2                        | STA.  | 8.51             | 8        | 3492.582599   | 9800     | 300     | 68.1           |
| 2101006A | SUBGRADE COMPACTION (6-INCH DEPTH)            | STA.  | 15.67            | 3        | 255.297872    | 277.5    | 222     | 47             |
| 2122000A | SUBGRADING AND SHOULDERING CLASS 2            | STA.  | 6.00             | 1        | 756           | 756      | 756     | 6              |
| 2142000  | FURNISHING ROCK FILL                          | C.Y.  | 1135.50          | 2        | 26            | 26       | 26      | 2271           |
| 2143000  | PLACING ROCK FILL                             | C.Y.  | 1135.50          | 2        | 11.714222     | 13       | 9       | 2271           |
| 2151000A | SHAPING SLOPES, CLASS I                       | 100FT | 1.00             | 1        | 2441.75       | 2441.75  | 2441.75 | 1              |
| 2152000A | SHAPING SLOPES, CLASS II                      | 100FT | 1.00             | 1        | 2167          | 2167     | 2167    | 1              |
| 2153000  | SHAPING SLOPES, CLASS III                     | 100FT | 17.10            | 20       | 775.252997    | 1400     | 610     | 341.9          |
| 2160500  | REMOVAL OF BRIDGES                            | L.S.  | 1.00             | 13       | 39546.89      | 85000    | 10000   | 13             |
| 2161502  | REMOVAL OF CONCRETE WEARING SURFACE           | S.F.  | 6238.00          | 1        | 3.5           | 3.5      | 3.5     | 6238           |
| 2162500  | REMOVAL OF EXISTING BRIDGE DECKS              | S.F.  | 16559.67         | 3        | 6.80377       | 7        | 6.5     | 49679          |
| 2163500  | PARTIAL REMOVAL OF CULVERT CONCRETE           | L.S.  | 1.00             | 1        | 40705         | 40705    | 40705   | 1              |
| 2163501  | PARTIAL REMOVAL OF CULVERT-BRIDGE CONCRETE    | L.S.  | 1.00             | 4        | 5150          | 6400     | 4400    | 4              |
| 3040143  | TYPE 1 AGGREGATE FOR BASE (4 IN. THICK)       | S.Y.  | 1804.88          | 8        | 8.247983      | 10.65    | 6.61    | 14439          |
| 3040163  | TYPE 1 AGGREGATE FOR BASE (6 IN. THICK)       | S.Y.  | 36.00            | 1        | 23.75         | 23.75    | 23.75   | 36             |
| 3040504  | TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)       | S.Y.  | 4516.71          | 14       | 8.699778      | 52.95    | 5.55    | 63233.9        |
| 3040506  | TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)       | S.Y.  | 13455.98         | 15       | 9.278032      | 56       | 6.74    | 201839.7       |
| 3101002  | GRAVEL (A)                                    | TON   | 300.00           | 2        | 51.462083     | 81.11    | 47.86   | 600            |
| 3101003  | GRAVEL (A)                                    | S.Y.  | 839.00           | 1        | 15            | 15       | 15      | 839            |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 3102002  | CRUSHED STONE (B)   | TON  | 100.00           | 1        | 36.75         | 36.75    | 36.75   | 100            |
| 3102003  | CRUSHED STONE (B)   | S.Y. | 80439.00         | 1        | 2.46          | 2.46     | 2.46    | 80439          |
| 3105002  | GRAVEL (A) OR CRUSHED STONE (B)                             | TON  | 184.20           | 5        | 33.324288     | 73.05    | 22.23   | 921            |
| 3105003  | GRAVEL (A) OR CRUSHED STONE (B)                             | S.Y. | 827.20           | 5        | 10.99814      | 23       | 9.53    | 4136           |
| 3107002  | GRAVEL (A) OR CRUSHED STONE (B) OR CHAT (C)                 | TON  | 1090.00          | 1        | 34.4          | 34.4     | 34.4    | 1090           |
| 4010150  | TYPE A2 SHOULDER  | S.Y. | 2183.03          | 4        | 33.190564     | 300.68   | 25.86   | 8732.1         |
| 4010151  | TYPE A3 SHOULDER  | S.Y. | 533.00           | 1        | 51.25         | 51.25    | 51.25   | 533            |
| 4011208  | BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-2)                 | TON  | 935.00           | 1        | 69.41         | 69.41    | 69.41   | 935            |
| 4011209  | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)                 | TON  | 4141.69          | 16       | 64.107216     | 1043.17  | 51.15   | 66267.1        |
| 4011211  | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2)                 | TON  | 6143.85          | 2        | 60.804649     | 64.53    | 57.98   | 12287.7        |
| 4011213  | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-3)                 | TON  | 40.30            | 1        | 250           | 250      | 250     | 40.3           |
| 4013000  | BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE)                  | TON  | 2190.51          | 7        | 78.332905     | 161.56   | 59.02   | 15333.6        |
| 4020520  | BITUMINOUS PAVEMENT MIXTURE PG64-22                         | TON  | 5407.12          | 9        | 70.852054     | 115.5    | 57.27   | 48664.1        |
| 4030001  | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP095C MIX)            | TON  | 241.60           | 1        | 145           | 145      | 145     | 241.6          |
| 4030003  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095C MIX)            | TON  | 11986.40         | 2        | 56.843924     | 57.2     | 56.61   | 23972.8        |
| 4030005  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095C MIX)            | TON  | 12363.00         | 1        | 64.98         | 64.98    | 64.98   | 12363          |
| 4030009  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095BSM MIX)          | TON  | 30494.70         | 1        | 82.14         | 82.14    | 82.14   | 30494.7        |
| 4030016  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP048F MIX)            | TON  | 43.40            | 1        | 304.1         | 304.1    | 304.1   | 43.4           |
| 4030101  | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP125C MIX)            | TON  | 13060.00         | 2        | 63.748474     | 89.95    | 59.3    | 26120          |
| 4030103  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125C MIX)            | TON  | 6981.67          | 10       | 59.193705     | 2000     | 52.5    | 69816.7        |
| 4030114  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125B MIX)            | TON  | 44254.00         | 1        | 54.44         | 54.44    | 54.44   | 44254          |
| 4030116  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125B MIX)            | TON  | 634.30           | 1        | 130           | 130      | 130     | 634.3          |
| 4030132  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BSM MIX)          | TON  | 36582.20         | 1        | 81.2          | 81.2     | 81.2    | 36582.2        |
| 4030403  | 10 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C               | S.Y. | 17908.30         | 1        | 35            | 35       | 35      | 17908.3        |
| 4071005  | TACK COAT   | GAL  | 11312.55         | 31       | 2.201821      | 5        | 1.94    | 350689         |
| 4071006  | TACK COAT - POLYMER MODIFIED                                | GAL  | 640.00           | 1        | 2.15          | 2.15     | 2.15    | 640            |
| 4133100  | ULTRATHIN BONDED WEARING SURFACE, TYPE B                    | S.Y. | 27112.00         | 1        | 5.17          | 5.17     | 5.17    | 27112          |
| 4134000  | BITUMINOUS FOG SEAL   | GAL  | 625.00           | 1        | 2.19          | 2.19     | 2.19    | 625            |
| 5021106  | CONCRETE PAVEMENT ( 6 IN. NON-REINF)                        | S.Y. | 270.30           | 1        | 46.3          | 46.3     | 46.3    | 270.3          |
| 5021107  | CONCRETE PAVEMENT ( 7 IN. NON-REINF)                        | S.Y. | 17.80            | 1        | 125           | 125      | 125     | 17.8           |
| 5021108  | CONCRETE PAVEMENT ( 8 IN. NON-REINF)                        | S.Y. | 15.77            | 3        | 148.782241    | 200.6    | 126     | 47.3           |
| 5021308  | CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS)     | S.Y. | 2957.00          | 1        | 57.2          | 57.2     | 57.2    | 2957           |
| 5021312  | CONCRETE PAVEMENT (12 IN. NON-REINFORCED, 15 FT. JOINTS)    | S.Y. | 343.60           | 1        | 115           | 115      | 115     | 343.6          |
| 5021333  | CONCRETE PAVEMENT (9 1/2 IN. NON-REINFORCED, 15 FT. JOINTS) | S.Y. | 22516.00         | 1        | 59.18         | 59.18    | 59.18   | 22516          |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 5021340  | TYPE A2 SHOULDER   | S.Y. | 27963.57         | 3        | 17.210536     | 39.64    | 15.53   | 83890.7        |
| 5031010A | BRIDGE APPROACH SLAB (MAJOR ROAD)  | S.Y. | 203.89           | 9        | 248.775171    | 280      | 181.44  | 1835           |
| 5031011A | BRIDGE APPROACH SLAB (MINOR ROAD)  | S.Y. | 143.29           | 7        | 139.104007    | 195      | 66      | 1003           |
| 5041000  | CONCRETE APPROACH PAVEMENT   | S.Y. | 380.52           | 5        | 134.464123    | 150      | 120     | 1902.6         |
| 5062030A | FURNISHING UNBONDED CONCRETE OVERLAY                                       | C.Y. | 2026.80          | 1        | 132           | 132      | 132     | 2026.8         |
| 6042010  | ADJUSTING MANHOLE  | EACH | 6.00             | 3        | 1180.569444   | 2600     | 400     | 18             |
| 6044011  | PIPE COLLAR, TYPE A  | EACH | 4.67             | 9        | 1292.563095   | 2200     | 850     | 42             |
| 6044012  | PIPE COLLAR, TYPE B  | EACH | 3.00             | 2        | 1380.25       | 1900     | 1276.3  | 6              |
| 6044013  | PIPE COLLAR, TYPE C  | EACH | 1.00             | 1        | 1788.05       | 1788.05  | 1788.05 | 1              |
| 6046030A | 30 IN. SLOTTED DRAIN   | L.F. | 167.00           | 1        | 140           | 140      | 140     | 167            |
| 6053030A | PIPE AGGREGATE PAVEMENT EDGE DRAIN   | L.F. | 174.00           | 2        | 24.074712     | 34.8     | 17.6    | 348            |
| 6054020  | OUTLET PIPES AND SPLASH PADS   | EACH | 1.00             | 2        | 1325.2        | 1775.4   | 875     | 2              |
| 6061010  | GUARDRAIL TYPE A   | L.F. | 985.10           | 5        | 18.708098     | 18.98    | 16      | 4925.5         |
| 6061014  | GUARDRAIL TYPE A WITH RUBRAIL  | L.F. | 113.00           | 1        | 23.5          | 23.5     | 23.5    | 113            |
| 6061050  | GUARDRAIL TYPE E, 6 FT. POST, 3 FT.-1.5 IN. SPACING                        | L.F. | 138.00           | 1        | 23.5          | 23.5     | 23.5    | 138            |
| 6061060  | MGS GUARDRAIL  | L.F. | 2430.69          | 27       | 18.198348     | 27       | 16.25   | 65628.5        |
| 6061061  | MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 SPACING                              | L.F. | 3780.63          | 16       | 20.994185     | 26       | 19.5    | 60490          |
| 6061063  | MGS GUARDRAIL, 6 FT. POSTS, 3 FT. - SPACING                                | L.F. | 240.20           | 5        | 27.812239     | 28.5     | 27      | 1201           |
| 6061065  | MGS GUARDRAIL, 6 FT. POSTS, 1 FT. - 6.75 IN. SPACING                       | L.F. | 37.50            | 1        | 50            | 50       | 50      | 37.5           |
| 6061067  | MGS DOUBLE FACED GUARDRAIL   | L.F. | 375.00           | 1        | 29.5          | 29.5     | 29.5    | 375            |
| 6061068  | MGS BRIDGE APPROACH TRANSITION SECTION (MAJOR ROUTE)                       | EACH | 13.00            | 3        | 2794.358974   | 2800     | 2745    | 39             |
| 6061069  | MGS BRIDGE APPROACH TRANSITION SECTION (MINOR ROUTE)                       | EACH | 7.17             | 23       | 2617.387939   | 3210     | 2400    | 165            |
| 6061074  | MGS HEIGHT AND BLOCK TRANSITION  | EACH | 2.67             | 3        | 566.155       | 588      | 527.24  | 8              |
| 6061075  | MGS LONG SPAN GUARDRAIL SECTION  | EACH | 2.33             | 3        | 2085.714285   | 2500     | 1925    | 7              |
| 6061079  | MGS EMBEDDED ANCHOR SECTION (WITHOUT RUBRAIL)                              | L.F. | 250.00           | 1        | 30            | 30       | 30      | 250            |
| 6061080  | MGS END ANCHOR   | EACH | 9.38             | 13       | 820.563606    | 953      | 800     | 122            |
| 6061081  | MGS BRIDGE APPROACH TRANSITION (THRIE-BEAM BRIDGE)                         | EACH | 3.33             | 3        | 3159.2        | 3250     | 3023    | 10             |
| 6062100  | BRIDGE ANCHOR SECTION (CURB TYPE)  | EACH | 2.50             | 2        | 1856.264      | 1900     | 1845.33 | 5              |
| 6062200A | BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY / EACH | EACH | 6.00             | 1        | 1775          | 1775     | 1775    | 6              |
| 6062202A | BRIDGE ANCHOR SECTION, 7.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY / EACH | EACH | 4.00             | 1        | 1870          | 1870     | 1870    | 4              |
| 6062204A | BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (NEW CONS` EACH | EACH | 2.50             | 2        | 1551          | 1995     | 1440    | 5              |
| 6062300A | TRANSITION SECTION, 6.5 FT. POSTS  | EACH | 3.67             | 3        | 339.090909    | 350      | 320     | 11             |
| 6062303  | ASYMETRICAL TRANSITION SECTION, 6.5 FT. POSTS                              | EACH | 3.67             | 3        | 359.207272    | 375      | 350     | 11             |
| 6063014  | TYPE A CRASHWORTHY END TERMINAL (MASH)                                     | EACH | 10.41            | 32       | 2444.88072    | 3210     | 2200    | 333            |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6063015  | TYPE A CRASHWORTHY END TERMINAL                                 | EACH | 3.33             | 6        | 2423.9005     | 2478.01  | 2200    | 20             |
| 6063017  | TYPE C CRASHWORTHY END TERMINAL                                 | EACH | 3.00             | 1        | 18000         | 18000    | 18000   | 3              |
| 6064111  | ANCHOR ASSEMBLY, GUARD CABLE 3 - STRAND TO GUARDRAIL TRANSITION | EACH | 1.00             | 1        | 3163.42       | 3163.42  | 3163.42 | 1              |
| 6066610  | END ANCHOR  | EACH | 5.33             | 3        | 805.4475      | 843.58   | 800     | 16             |
| 6066620  | GUARDRAIL ANCHOR, EMBEDDED                                      | EACH | 1.00             | 1        | 4000          | 4000     | 4000    | 1              |
| 6066640  | GUARDRAIL DELINEATOR, WHITE                                     | EACH | 24.00            | 1        | 25            | 25       | 25      | 24             |
| 6066641A | GUARDRAIL DELINEATOR, YELLOW                                    | EACH | 24.00            | 1        | 25            | 25       | 25      | 24             |
| 6071050  | CHAIN-LINK FENCE (RETAINING WALLS)                              | L.F. | 375.00           | 2        | 51.7218       | 55.15    | 46      | 750            |
| 6071060  | PEDESTRIAN FENCE (STRUCTURES)                                   | L.F. | 164.00           | 2        | 139.390243    | 152      | 105     | 328            |
| 6071101  | MODIFIED CONCRETE GUTTER TYPE A                                 | L.F. | 30.00            | 1        | 258           | 258      | 258     | 30             |
| 6071102  | MODIFIED CONCRETE GUTTER TYPE B                                 | L.F. | 199.00           | 3        | 36.71072      | 53.35    | 25.8    | 597            |
| 6081000  | CONCRETE MEDIAN   | S.Y. | 234.87           | 3        | 90.131808     | 115.28   | 74      | 704.6          |
| 6081010  | CONCRETE CURB RAMP  | S.Y. | 153.25           | 10       | 129.552923    | 445.8    | 47.25   | 1532.5         |
| 6081012  | TRUNCATED DOMES   | S.F. | 217.73           | 12       | 26.030656     | 40       | 13      | 2612.8         |
| 6083004  | 4 IN. CONCRETE MEDIAN STRIP                                     | S.Y. | 1708.90          | 1        | 33.05         | 33.05    | 33.05   | 1708.9         |
| 6083006  | 6 IN. CONCRETE MEDIAN STRIP                                     | S.Y. | 80.88            | 5        | 92.489094     | 222.35   | 66.05   | 404.4          |
| 6084023  | SIDEWALK HAND-RAILING   | L.F. | 399.50           | 2        | 100.969962    | 125      | 95      | 799            |
| 6085007  | PAVED APPROACH, 7 IN.   | S.Y. | 130.48           | 4        | 66.62806      | 87       | 57.65   | 521.9          |
| 6085008  | PAVED APPROACH, 8 IN.   | S.Y. | 510.15           | 8        | 74.904762     | 115      | 65      | 4081.2         |
| 6086004  | CONCRETE SIDEWALK, 4 IN.  | S.Y. | 1317.72          | 9        | 48.861973     | 75       | 31.3    | 11859.5        |
| 6086007  | CONCRETE SIDEWALK, 7 IN.  | S.Y. | 17.00            | 1        | 65.98         | 65.98    | 65.98   | 17             |
| 6086008  | CONCRETE SIDEWALK, 8 IN.  | S.Y. | 25.23            | 3        | 83.983896     | 115      | 65.98   | 75.7           |
| 6091010  | CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S                   | L.F. | 92.95            | 4        | 46.555271     | 89.85    | 26      | 371.8          |
| 6091011  | CONCRETE CURB (OVER 6 IN. HEIGHT) TYPE S                        | L.F. | 62.25            | 2        | 56.53012      | 60       | 36      | 124.5          |
| 6091041  | CONCRETE GUTTER TYPE A  | L.F. | 25.50            | 2        | 60.423529     | 84.3     | 28.95   | 51             |
| 6091042  | CONCRETE GUTTER TYPE B  | L.F. | 114.50           | 2        | 41.909475     | 120      | 33.61   | 229            |
| 6091051  | CURB AND GUTTER TYPE A  | L.F. | 248.00           | 1        | 36.75         | 36.75    | 36.75   | 248            |
| 6091052  | CURB AND GUTTER TYPE B  | L.F. | 1276.00          | 6        | 23.669592     | 51.4     | 21      | 7656           |
| 6091060  | PAVED DITCH   | S.Y. | 26.95            | 2        | 91.200092     | 95       | 88.15   | 53.9           |
| 6092011  | INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A                   | L.F. | 196.29           | 8        | 26.239603     | 51.15    | 12      | 1570.3         |
| 6092012  | INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE B                   | L.F. | 97.00            | 1        | 21.7          | 21.7     | 21.7    | 97             |
| 6092031  | CONCRETE CURB LOW PROFILE TYPE E                                | L.F. | 614.00           | 1        | 17.5          | 17.5     | 17.5    | 614            |
| 6096010A | FURNISHING TYPE 1 ROCK DITCH LINER                              | C.Y. | 46.00            | 3        | 37.019927     | 58       | 18.5    | 138            |
| 6096020  | FURNISHING TYPE 2 ROCK DITCH LINER                              | C.Y. | 149.50           | 4        | 48.300668     | 50       | 35.1    | 598            |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6096030A | FURNISHING TYPE 3 ROCK DITCH LINER  | C.Y. | 144.50           | 2        | 46.859342     | 55       | 44.45   | 289            |
| 6096041  | PLACING TYPE 1 ROCK DITCH LINER   | C.Y. | 46.00            | 3        | 31.100434     | 51       | 10.51   | 138            |
| 6096042  | PLACING TYPE 2 ROCK DITCH LINER   | C.Y. | 149.50           | 4        | 20.183946     | 50       | 18      | 598            |
| 6096043  | PLACING TYPE 3 ROCK DITCH LINER   | C.Y. | 144.50           | 2        | 27.793425     | 30.1     | 20      | 289            |
| 6096050  | BEDDING MATERIAL FOR ROCK DITCH LINER   | C.Y. | 53.00            | 2        | 50.995283     | 52.75    | 45      | 106            |
| 6097000  | ROCK LINING   | C.Y. | 215.89           | 9        | 68.960483     | 501      | 50.15   | 1943           |
| 6113010  | FURNISHING TYPE 1 ROCK BLANKET  | C.Y. | 125.00           | 1        | 62.21         | 62.21    | 62.21   | 125            |
| 6113020  | FURNISHING TYPE 2 ROCK BLANKET  | C.Y. | 747.00           | 10       | 46.300101     | 60.92    | 29      | 7470           |
| 6113030  | PLACING TYPE 1 ROCK BLANKET   | C.Y. | 125.00           | 1        | 10.51         | 10.51    | 10.51   | 125            |
| 6113040  | PLACING TYPE 2 ROCK BLANKET   | C.Y. | 808.10           | 10       | 19.080002     | 31       | 13.25   | 8081           |
| 6122012  | Impact Attenuator 55 MPH (Sand Barrels)                                       | EACH | 1.25             | 4        | 2090          | 2250     | 2000    | 5              |
| 6122014  | Impact Attenuator 60 MPH (Sand Barrels)                                       | EACH | 2.00             | 2        | 2110          | 2110     | 2110    | 4              |
| 6122017  | Impact Attenuator 65 MPH (Sand Barrels)                                       | EACH | 1.00             | 1        | 2500          | 2500     | 2500    | 1              |
| 6122019  | Impact Attenuator 70 MPH (Sand Barrels)                                       | EACH | 3.00             | 2        | 3229.24       | 3268.86  | 3150    | 6              |
| 6122020  | REPLACEMENT SAND BARREL   | EACH | 4.25             | 4        | 278.17647     | 316.5    | 250     | 17             |
| 6122030  | IMPACT ATTENUATOR (RELOCATION)  | EACH | 1.50             | 2        | 870           | 1055     | 500     | 3              |
| 6123000A | TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)                                     | EACH | 2.00             | 28       | 1025.405357   | 5000     | 100     | 56             |
| 6131010  | FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A FULL DEPTH PA'S.Y.       |      | 697.48           | 14       | 240.871848    | 480.3    | 142.5   | 9764.7         |
| 6131012  | SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)                           | S.Y. | 106.36           | 14       | 2.547051      | 5.57     | 1       | 1489.1         |
| 6131013  | TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)                | S.Y. | 106.36           | 14       | 8.367648      | 23.08    | 1       | 1489.1         |
| 6131014  | FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW L.F.       |      | 2014.21          | 14       | 2.703915      | 5        | 1.45    | 28199          |
| 6131015  | DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH EACH |      | 754.42           | 12       | 4.668689      | 5.45     | 4       | 9053           |
| 6131017  | DOWEL BAR (FURNISHING AND INSTALLATING WITH BASKETS) FOR FULL DEPTH EACH      |      | 879.80           | 5        | 5.824221      | 8.25     | 4.7     | 4399           |
| 6131018  | TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH EACH   |      | 271.00           | 2        | 7.250922      | 7.5      | 3       | 542            |
| 6133018  | FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS B PARTIAL                | TON  | 101.76           | 5        | 182.801896    | 245.99   | 60      | 508.8          |
| 6133019  | REMOVAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR                             | S.Y. | 525.06           | 5        | 88.238313     | 121.73   | 70.9    | 2625.3         |
| 6133020  | FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS C PARTIAL DEPT           | TON  | 317.14           | 14       | 122.058818    | 500      | 56.78   | 4439.9         |
| 6133021  | REMOVAL FOR CLASS C PARTIAL DEPTH PAVEMENT REPAIR                             | S.Y. | 1141.25          | 14       | 60.50571      | 325      | 15.4    | 15977.5        |
| 6141021  | GRATE AND BEARING PLATE (3 FT. X 2 FT. OR 914 MM X 610 MM)                    | EACH | 1.00             | 3        | 983.666666    | 1300     | 725     | 3              |
| 6141022  | GRATE AND BEARING PLATE (3 FT. X 3 FT. OR 914 MM X 914 MM)                    | EACH | 1.00             | 1        | 967.41        | 967.41   | 967.41  | 1              |
| 6141024  | GRATE AND BEARING PLATE (5 FT. X 3 FT. OR 1524 MM X 914 MM)                   | EACH | 1.00             | 4        | 2570.8        | 3340.2   | 1950    | 4              |
| 6141028  | GRATE AND BEARING PLATE (5 FT. - 1 IN. X 3 FT. - 1 IN. OR 1549 MM X 940 MM)   | EACH | 39.00            | 1        | 2380.89       | 2380.89  | 2380.89 | 39             |
| 6141120  | CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MMX600MM)                    | EACH | 3.00             | 2        | 709.816666    | 2558.9   | 340     | 6              |
| 6141121  | CURVED VANE GRATE AND FRAME (4 FT X 2 FT OR 1200MM X 600MM)                   | EACH | 1.00             | 1        | 650           | 650      | 650     | 1              |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID  | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|-----------|---------|----------------|
| 6143012  | MANHOLE FRAME AND COVER, TYPE 2                                     | EACH | 3.50             | 2        | 520.714285    | 525       | 495     | 7              |
| 6143013  | MANHOLE FRAME AND COVER, TYPE 3                                     | EACH | 9.60             | 5        | 244.761041    | 628       | 180     | 48             |
| 6143014  | MANHOLE FRAME AND COVER, TYPE 4                                     | EACH | 4.00             | 1        | 1510.05       | 1510.05   | 1510.05 | 4              |
| 6161005  | CONSTRUCTION SIGNS  | S.F. | 1165.40          | 47       | 6.15759       | 12        | 3       | 54773.75       |
| 6161008  | ADVANCED WARNING RAIL SYSTEM  | EACH | 6.00             | 34       | 62.884117     | 200       | 20      | 204            |
| 6161009  | FLAG ASSEMBLY   | EACH | 8.02             | 46       | 26.650433     | 50        | 15      | 369            |
| 6161010  | RELOCATED SIGNS   | S.F. | 297.00           | 1        | 7.9           | 7.9       | 7.9     | 297            |
| 6161024  | CHANNELIZER (TRIM LINE) WITH LIGHT                                  | EACH | 335.50           | 2        | 37.079582     | 38        | 28.35   | 671            |
| 6161025  | CHANNELIZER (TRIM LINE)   | EACH | 194.05           | 41       | 13.483222     | 45        | 1       | 7956           |
| 6161028  | CHANNELIZER   | EACH | 10.00            | 1        | 15            | 15        | 15      | 10             |
| 6161030  | TYPE III MOVEABLE BARRICADE   | EACH | 10.48            | 23       | 170.19917     | 228       | 90      | 241            |
| 6161031  | TYPE III MOVEABLE BARRICADE WITH LIGHT                              | EACH | 21.38            | 8        | 164.694619    | 240       | 50      | 171            |
| 6161033  | DIRECTIONAL INDICATOR BARRICADE                                     | EACH | 45.00            | 3        | 64.668296     | 98.78     | 40      | 135            |
| 6161034  | DIRECTIONAL INDICATOR BARRICADE WITH LIGHT                          | EACH | 53.50            | 2        | 84.971962     | 94        | 25      | 107            |
| 6161040  | FLASHING ARROW PANEL  | EACH | 2.68             | 25       | 1325.920597   | 4000      | 50      | 67             |
| 6161055  | SEQUENTIAL FLASHING WARNING LIGHT                                   | EACH | 39.60            | 5        | 65.878585     | 95        | 55      | 198            |
| 6161070  | TUBULAR MARKER  | EACH | 142.33           | 3        | 75.995222     | 80        | 70      | 427            |
| 6161098A | CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR | EACH | 3.33             | 30       | 3612.22       | 8500      | 950     | 100            |
| 6161099  | CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR    | EACH | 4.20             | 10       | 4132.701428   | 6500      | 1600    | 42             |
| 6162002  | TEMPORARY LONG-TERM   | EACH | 9.25             | 4        | 600.53081     | 1160.31   | 380     | 37             |
| 6162004  | SHORT-TERM RUMBLE STRIPS  | EACH | 15.00            | 2        | 1164.4        | 2190      | 908     | 30             |
| 6171000  | CONCRETE TRAFFIC BARRIER, TYPE A                                    | L.F. | 50.00            | 1        | 315.18        | 315.18    | 315.18  | 50             |
| 6172000  | CONCRETE TRAFFIC BARRIER, TYPE B                                    | L.F. | 150.00           | 1        | 162           | 162       | 162     | 150            |
| 6172001  | CONCRETE TRAFFIC BARRIER, TYPE B (MODIFIED)                         | L.F. | 105.00           | 1        | 399           | 399       | 399     | 105            |
| 6173000  | CONCRETE TRAFFIC BARRIER, TYPE C                                    | L.F. | 32.00            | 1        | 298.5         | 298.5     | 298.5   | 32             |
| 6173103  | CONCRETE TRAFFIC BARRIER,   | L.F. | 40.00            | 1        | 1300          | 1300      | 1300    | 40             |
| 6173600D | TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED          | L.F. | 352.33           | 9        | 26.911497     | 56        | 20      | 3171           |
| 6173700B | TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED | L.F. | 1215.00          | 1        | 41.61         | 41.61     | 41.61   | 1215           |
| 6175010A | RELOCATING TEMPORARY TRAFFIC BARRIER                                | L.F. | 85.00            | 2        | 16.5          | 25        | 10.55   | 170            |
| 6181000  | MOBILIZATION  | L.S. | 1.00             | 52       | 140278.3858   | 792280.27 | 1935    | 52             |
| 6181020  | ADDITIONAL MOBILIZATION FOR   | EACH | 3.50             | 14       | 600           | 600       | 600     | 49             |
| 6191000  | PAVEMENT EDGE TREATMENT   | L.F. | 6718.40          | 5        | 1.302144      | 4.8       | 0.01    | 33592          |
| 6200003  | PREFORMED THERMOPLASTIC   | L.F. | 1999.25          | 8        | 2.743144      | 4.5       | 2       | 15994          |
| 6200006  | PREFORMED THERMOPLASTIC   | L.F. | 210.00           | 1        | 4.5           | 4.5       | 4.5     | 210            |



| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 6200009  | PREFORMED THERMOPLASTIC  | L.F. | 4616.11          | 9        | 3.38995       | 9.45     | 1.7     | 41545          |
| 6200012  | PREFORMED THERMOPLASTIC  | L.F. | 522.00           | 2        | 7.957854      | 12       | 7       | 1044           |
| 6200015  | PREFORMED THERMOPLASTIC  | L.F. | 496.80           | 25       | 15.002727     | 32       | 8       | 12420          |
| 6200018  | PREFORMED THERMOPLASTIC  | L.F. | 606.94           | 16       | 11.148898     | 21.84    | 0.26    | 9711           |
| 6200021  | PREFORMED THERMOPLASTIC  | EACH | 26.44            | 27       | 201.249327    | 700      | 135     | 714            |
| 6200024  | PREFORMED THERMOPLASTIC  | EACH | 3.43             | 7        | 195.208333    | 300      | 180     | 24             |
| 6200027  | PREFORMED THERMOPLASTIC  | EACH | 3.50             | 8        | 395.535714    | 450      | 350     | 28             |
| 6200030  | PREFORMED THERMOPLASTIC  | EACH | 4.50             | 4        | 382.222222    | 405      | 275     | 18             |
| 6200033  | PREFORMED THERMOPLASTIC  | EACH | 1.50             | 2        | 953.666666    | 1161     | 850     | 3              |
| 6200036  | PREFORMED THERMOPLASTIC  | EACH | 90.40            | 15       | 135.837758    | 220      | 90      | 1356           |
| 6200042  | PREFORMED THERMOPLASTIC  | EACH | 59.50            | 2        | 25.067226     | 36.75    | 20      | 119            |
| 6200045  | PREFORMED THERMOPLASTIC  | EACH | 4.00             | 1        | 450           | 450      | 450     | 4              |
| 6205301B | PREFORMED REMOVABLE MARKING TAPE 4 IN., WHITE                        | L.F. | 7393.25          | 4        | 1.117272      | 1.4      | 0.85    | 29573          |
| 6205303B | PREFORMED REMOVABLE MARKING TAPE 4 IN., YELLOW                       | L.F. | 5820.67          | 3        | 1.752957      | 2.2      | 0.85    | 17462          |
| 6205440A | PREFORMED SHORT TERM MARKING TAPE LEFT/RIGHT ARROW                   | EACH | 33.00            | 1        | 100           | 100      | 100     | 33             |
| 6205901A | 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE | L.F. | 29078.00         | 11       | 0.149189      | 0.65     | 0.14    | 319858         |
| 6205902A | 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE  | L.F. | 41351.61         | 23       | 0.192551      | 1.05     | 0.16    | 951087         |
| 6205903A | 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE | L.F. | 28965.94         | 16       | 0.197293      | 1.05     | 0.16    | 463455         |
| 6205906A | 12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE | L.F. | 3316.00          | 10       | 0.622696      | 2.5      | 0.3     | 33160          |
| 6206000C | 4 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS          | L.F. | 24650.70         | 33       | 0.128563      | 2.32     | 0.06    | 813473         |
| 6206001C | 4 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS         | L.F. | 22946.22         | 32       | 0.132168      | 2.32     | 0.06    | 734279         |
| 6206124A | 24 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS         | L.F. | 118.50           | 4        | 3.329113      | 10       | 3       | 474            |
| 6206125A | 24 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS        | L.F. | 729.67           | 3        | 3.067153      | 10       | 3       | 2189           |
| 6206150A | 4 IN. WHITE ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT        | L.F. | 4022.00          | 1        | 0.25          | 0.25     | 0.25    | 4022           |
| 6206151A | 4 IN. YELLOW ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT       | L.F. | 13218.00         | 1        | 0.25          | 0.25     | 0.25    | 13218          |
| 6207001  | PAVEMENT MARKING REMOVAL   | L.F. | 8460.79          | 14       | 0.503429      | 2        | 0.36    | 118451         |
| 6207002  | PAVEMENT MARKING REMOVAL (SYMBOLS)                                   | EACH | 25.25            | 4        | 51.821485     | 300      | 45      | 101            |
| 6208064A | TEMPORARY RAISED PAVEMENT MARKER, TYPE 1                             | EACH | 70.00            | 1        | 3             | 3        | 3       | 70             |
| 6208076  | 4 IN TEMPORARY PAVEMENT  | L.F. | 295.00           | 1        | 3.7           | 3.7      | 3.7     | 295            |
| 6214600A | FLOWABLE BACKFILL  | C.Y. | 29.67            | 3        | 168.674157    | 1005     | 148.85  | 89             |
| 6221001  | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THIC | S.Y. | 111648.82        | 25       | 1.017469      | 22.98    | 0.05    | 2791220.5      |
| 6221003  | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATEF    | S.Y. | 6698.00          | 2        | 12.980143     | 113      | 12      | 13396          |
| 6224010  | MODIFIED COLD MILLING (DEPTH TRANSITIONS)                            | S.Y. | 4625.22          | 18       | 4.506481      | 30.05    | 0.81    | 83254          |
| 6240103A | PERMANENT EROSION CONTROL GEOTEXTILE                                 | S.Y. | 1242.50          | 10       | 2.848675      | 5.2      | 2.13    | 12425          |

| PAY ITEM | DESCRIPTION                                     | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6240104A | SEPARATION GEOTEXTILE                           | S.Y. | 4884.67          | 3        | 1.223829      | 3.5      | 1       | 14654          |
| 6261000A | BITUMINOUS SHOULDER RUMBLE STRIP                | STA. | 788.22           | 13       | 19.011456     | 648.9    | 11.95   | 10246.8        |
| 6261001  | BITUMINOUS CENTERLINE RUMBLE STRIP              | STA. | 443.90           | 5        | 17.581792     | 28.5     | 11.95   | 2219.5         |
| 6262000A | PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP  | STA. | 1.60             | 1        | 1200          | 1200     | 1200    | 1.6            |
| 6274000  | CONTRACTOR FURNISHED SURVEYING AND STAKING      | L.S. | 1.00             | 29       | 11735.65448   | 57750    | 940     | 29             |
| 7011104  | DRILLED SHAFTS (3 FT. 0 IN. DIA.)               | L.F. | 45.40            | 1        | 766.23        | 766.23   | 766.23  | 45.4           |
| 7011105  | DRILLED SHAFTS (3 FT. 6 IN. DIA.)               | L.F. | 129.00           | 1        | 555           | 555      | 555     | 129            |
| 7011106  | DRILLED SHAFTS (4 FT. 0 IN. DIA.)               | L.F. | 22.20            | 1        | 865           | 865      | 865     | 22.2           |
| 7011203  | ROCK SOCKETS (2 FT 6 IN. DIA.)                  | L.F. | 87.50            | 1        | 158.17        | 158.17   | 158.17  | 87.5           |
| 7011204  | ROCK SOCKETS (3 FT 0 IN. DIA.)                  | L.F. | 36.00            | 1        | 555           | 555      | 555     | 36             |
| 7011205  | ROCK SOCKETS (3 FT 6 IN. DIA.)                  | L.F. | 19.80            | 1        | 840           | 840      | 840     | 19.8           |
| 7011300  | VIDEO CAMERA INSPECTION                         | EACH | 4.33             | 3        | 533.838461    | 800      | 347.98  | 13             |
| 7011400  | FOUNDATION INSPECTION HOLES                     | L.F. | 91.10            | 3        | 133.989206    | 220      | 109     | 273.3          |
| 7011600  | SONIC LOGGING TESTING                           | EACH | 4.33             | 3        | 1371.388461   | 2240     | 437.61  | 13             |
| 7021212  | GALVANIZED STRUCTURAL STEEL PILES (12 IN)       | L.F. | 1076.91          | 11       | 69.075953     | 102      | 59.64   | 11846          |
| 7021214  | GALVANIZED STRUCTURAL STEEL PILES (14 IN)       | L.F. | 1120.00          | 1        | 75            | 75       | 75      | 1120           |
| 7021314  | GALVANIZED CAST-IN-PLACE CONCRETE PILES (14 IN) | L.F. | 464.00           | 1        | 57            | 57       | 57      | 464            |
| 7021316  | GALVANIZED CAST-IN-PLACE CONCRETE PILES (16 IN) | L.F. | 600.00           | 1        | 76            | 76       | 76      | 600            |
| 7025001  | DYNAMIC PILE TESTING                            | EACH | 3.00             | 2        | 1533.333333   | 1600     | 1400    | 6              |
| 7025002  | PILE WAVE ANALYSIS                              | EACH | 2.00             | 4        | 712.5         | 750      | 700     | 8              |
| 7026000  | PRE-BORE FOR PILING                             | L.F. | 96.00            | 2        | 141.020833    | 238      | 105     | 192            |
| 7027000  | PILE POINT REINFORCEMENT                        | EACH | 17.08            | 12       | 145.313365    | 600      | 94.9    | 205            |
| 7032003  | CLASS B CONCRETE (SUBSTRUCTURE)                 | C.Y. | 80.04            | 9        | 715.854962    | 1070     | 600     | 720.4          |
| 7034003  | CLASS B-1 CONCRETE (SUBSTRUCTURE)               | C.Y. | 38.73            | 4        | 1304.863137   | 1500     | 843     | 154.9          |
| 7034009  | CLASS B-1 CONCRETE (RETAINING WALLS)            | C.Y. | 15.80            | 1        | 1825          | 1825     | 1825    | 15.8           |
| 7034040  | CLASS B-1 CONCRETE (CULVERTS-BRIDGE)            | C.Y. | 102.08           | 5        | 844.501959    | 1625     | 550     | 510.4          |
| 7034041  | CLASS B-1 CONCRETE (CULVERTS)                   | C.Y. | 231.43           | 3        | 940.779094    | 1592     | 803     | 694.3          |
| 7034208  | CLASS B-2 CONCRETE (SUPERSTRUCTURE SOLID SLAB)  | C.Y. | 242.37           | 3        | 907.338742    | 960      | 820     | 727.1          |
| 7034212  | SLAB ON STEEL                                   | S.Y. | 1836.00          | 3        | 270.953522    | 300      | 226     | 5508           |
| 7034213  | SLAB ON CONCRETE I-GIRDER                       | S.Y. | 618.33           | 3        | 370.001423    | 400      | 355     | 1855           |
| 7034215  | SAFETY BARRIER CURB                             | L.F. | 268.60           | 5        | 97.608592     | 175      | 60.14   | 1343           |
| 7034216  | TYPE H BARRIER                                  | L.F. | 226.00           | 1        | 99.41         | 99.41    | 99.41   | 226            |
| 7034219A | BARRIER CURB (TYPE D)                           | L.F. | 482.56           | 9        | 100.633237    | 130      | 87.45   | 4343           |
| 7034221  | SLAB ON CONCRETE NU-GIRDER                      | S.Y. | 1152.00          | 1        | 325           | 325      | 325     | 1152           |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID  | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|----------|----------------|
| 7034222  | SLAB ON CONCRETE BEAM   | S.Y. | 438.60           | 5        | 329.436794    | 363      | 305      | 2193           |
| 7034600  | CURB BLOCKOUT   | L.F. | 364.00           | 1        | 86.5          | 86.5     | 86.5     | 364            |
| 7034610  | CORRAL CURB   | L.F. | 369.00           | 1        | 273.5         | 273.5    | 273.5    | 369            |
| 7034620  | FORM LINERS   | S.Y. | 113.00           | 1        | 192.57        | 192.57   | 192.57   | 113            |
| 7040101  | SUBSTRUCTURE REPAIR (FORMED)  | S.F. | 83.33            | 3        | 131           | 140      | 125      | 250            |
| 7040102  | SUBSTRUCTURE REPAIR (UNFORMED)                                      | S.F. | 10.00            | 1        | 154.65        | 154.65   | 154.65   | 10             |
| 7040104  | REPAIRING CONCRETE DECK (HALF-SOLING)                               | S.F. | 650.00           | 2        | 62.538461     | 75       | 48       | 1300           |
| 7040106  | FULL DEPTH REPAIR   | S.F. | 75.00            | 2        | 79.333333     | 100      | 69       | 150            |
| 7040164  | FIBER REINFORCED POLYMER  | S.F. | 237.00           | 2        | 56            | 56       | 56       | 474            |
| 7056000  | TYPE 2 (32 IN.), PRESTRESSED CONCRETE I-GIRDER                      | L.F. | 638.50           | 2        | 183.602192    | 230      | 155      | 1277           |
| 7056001  | TYPE 3 (39 IN.), PRESTRESSED CONCRETE I-GIRDER                      | L.F. | 854.00           | 1        | 206.36        | 206.36   | 206.36   | 854            |
| 7056021  | NU 35 (900), PRESTRESSED CONCRETE NU-GIRDER                         | L.F. | 1258.00          | 1        | 250           | 250      | 250      | 1258           |
| 7056050A | 27 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM                        | L.F. | 620.50           | 2        | 347.740531    | 362      | 334      | 1241           |
| 7056051A | 33 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM                        | L.F. | 603.00           | 1        | 350           | 350      | 350      | 603            |
| 7056065  | 17 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM                        | L.F. | 299.00           | 1        | 358.49        | 358.49   | 358.49   | 299            |
| 7061020  | REINFORCING STEEL (CULVERTS-BRIDGE)                                 | LBS  | 14378.00         | 5        | 1.529179      | 2        | 1.27     | 71890          |
| 7061030  | REINFORCING STEEL (CULVERTS)  | LBS  | 40000.00         | 3        | 1.360982      | 1.44     | 1.3      | 120000         |
| 7061040  | REINFORCING STEEL (RETAINING WALL)                                  | LBS  | 1110.00          | 1        | 2             | 2        | 2        | 1110           |
| 7061060  | REINFORCING STEEL (BRIDGES)   | LBS  | 14245.71         | 7        | 1.450616      | 2.04     | 1.21     | 99720          |
| 7071000  | CONDUIT SYSTEM ON STRUCTURE   | L.S. | 1.00             | 3        | 15140.38      | 21974    | 8500     | 3              |
| 7101000  | REINFORCING STEEL (EPOXY COATED)                                    | LBS  | 45876.67         | 3        | 1.13562       | 1.17     | 1.11     | 137630         |
| 7110200  | PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)               | L.S. | 1.00             | 4        | 3592.5        | 4500     | 1870     | 4              |
| 7110300  | CONCRETE AND MASONRY PROTECTION SYSTEM                              | L.S. | 1.00             | 2        | 2465.315      | 2718.65  | 2211.98  | 2              |
| 7110400  | SACRIFICIAL GRAFFITI PROTECTION SYSTEM                              | L.S. | 1.00             | 3        | 3399.86       | 5268.95  | 2211.98  | 3              |
| 7121060  | FABRICATED SIGN SUPPORT BRACKETS                                    | L.S. | 1.00             | 2        | 19811.63      | 22564.01 | 17059.25 | 2              |
| 7121121  | FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE 50 | LBS  | 19230.00         | 2        | 6.5           | 6.5      | 6.5      | 38460          |
| 7121250  | STRENGTHENING EXISTING STRINGERS                                    | L.S. | 1.00             | 1        | 34150         | 34150    | 34150    | 1              |
| 7123301  | STEEL INTERMEDIATE DIAPHRAGM FOR P/S CONCRETE GIRDERS               | EACH | 7.50             | 2        | 675.033333    | 700      | 662.55   | 15             |
| 7123610  | SLAB DRAIN  | EACH | 25.17            | 12       | 459.484768    | 1600     | 210      | 302            |
| 7123620  | DRAINAGE SYSTEM (ON STRUCTURE)                                      | L.S. | 1.00             | 1        | 43000         | 43000    | 43000    | 1              |
| 7125200  | SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL                  | S.F. | 2100.00          | 1        | 45            | 45       | 45       | 2100           |
| 7125210  | FIELD APPLICATION OF INORGANIC ZINC PRIMER                          | S.F. | 2100.00          | 1        | 5.5           | 5.5      | 5.5      | 2100           |
| 7125365A | INTERMEDIATE FIELD COAT (SYSTEM G)                                  | S.F. | 833.33           | 3        | 8.71          | 40       | 2.75     | 2500           |
| 7125370A | FINISH FIELD COAT (SYSTEM G)  | S.F. | 833.33           | 3        | 3.91          | 10       | 2.75     | 2500           |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 7126000  | NON-DESTRUCTIVE TESTING   | L.F. | 62.00            | 1        | 35            | 35       | 35      | 62             |
| 7134000  | BRIDGE GUARD RAIL (THRIE BEAM)                                      | L.F. | 54.67            | 3        | 273.384146    | 315      | 240     | 164            |
| 7151001  | VERTICAL DRAIN AT END BENTS   | EACH | 2.00             | 13       | 1951.336153   | 3400     | 1000    | 26             |
| 7161000  | PLAIN NEOPRENE BEARING PAD  | EACH | 10.13            | 8        | 301.470617    | 500      | 140     | 81             |
| 7161002  | LAMINATED NEOPRENE BEARING PAD                                      | EACH | 15.20            | 5        | 217.670526    | 290      | 200     | 76             |
| 7161003  | LAMINATED NEOPRENE BEARING PAD (TAPERED)                            | EACH | 15.50            | 2        | 346.612903    | 395      | 332.5   | 31             |
| 7162000  | LAMINATED NEOPRENE BEARING PAD ASSEMBLY                             | EACH | 7.33             | 3        | 2700          | 3000     | 2450    | 22             |
| 7172001  | STRIP SEAL EXPANSION JOINT SYSTEM                                   | L.F. | 124.00           | 1        | 619           | 619      | 619     | 124            |
| 7201000  | MECHANICALLY STABILIZED EARTH WALL SYSTEMS                          | S.F. | 2943.40          | 5        | 69.928775     | 78.75    | 65.75   | 14717          |
| 7201100  | FORM LINERS FOR MSE WALL SYSTEMS                                    | S.Y. | 476.00           | 1        | 1.15          | 1.15     | 1.15    | 476            |
| 7201300  | PILE SPACERS  | EACH | 13.00            | 2        | 359.193076    | 778.24   | 0.01    | 26             |
| 7250312A | 12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 1069.80          | 3        | 59.494154     | 175      | 57.97   | 3209.4         |
| 7250315A | 15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 346.00           | 2        | 59.806358     | 70.25    | 52      | 692            |
| 7250318A | 18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 318.75           | 4        | 112.12349     | 147      | 60.85   | 1275           |
| 7250321A | 21 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 59.00            | 1        | 79.75         | 79.75    | 79.75   | 59             |
| 7250324A | 24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 158.80           | 5        | 80.54345      | 209      | 52      | 794            |
| 7250330A | 30 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 249.00           | 2        | 86.843473     | 94.35    | 55      | 498            |
| 7250336A | 36 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 136.00           | 2        | 67.011029     | 130.15   | 62      | 272            |
| 7250342A | 42 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 43.00            | 1        | 117.2         | 117.2    | 117.2   | 43             |
| 7250348A | 48 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 161.50           | 2        | 124.246439    | 136.6    | 122.55  | 323            |
| 7250412  | 12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 46.00            | 1        | 51.4          | 51.4     | 51.4    | 46             |
| 7250415  | 15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 1031.33          | 3        | 64.527262     | 69.15    | 54.95   | 3094           |
| 7250418  | 18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 311.00           | 5        | 65.437684     | 81       | 40.45   | 1555           |
| 7250424  | 24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 52.33            | 3        | 67.897452     | 83.75    | 55      | 157            |
| 7250430  | 30 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 26.00            | 1        | 76.95         | 76.95    | 76.95   | 26             |
| 7250436  | 36 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 43.00            | 1        | 86.25         | 86.25    | 86.25   | 43             |
| 7261012  | 12 IN. PIPE GROUP A   | L.F. | 58.67            | 3        | 59.5125       | 70       | 54.05   | 176            |
| 7261015  | 15 IN. PIPE GROUP A   | L.F. | 153.33           | 6        | 64.196032     | 269      | 44      | 920            |
| 7261018  | 18 IN. PIPE GROUP A   | L.F. | 91.33            | 6        | 64.707208     | 72.3     | 55      | 548            |
| 7261021  | 21 IN. PIPE GROUP A   | L.F. | 77.00            | 2        | 78.197402     | 122      | 67.6    | 154            |
| 7261024  | 24 IN. PIPE GROUP A   | L.F. | 85.40            | 5        | 89.214871     | 205      | 74.7    | 427            |
| 7261030  | 30 IN. PIPE GROUP A   | L.F. | 176.00           | 1        | 85.35         | 85.35    | 85.35   | 176            |
| 7261036  | 36 IN. PIPE GROUP A   | L.F. | 37.00            | 3        | 156.171171    | 235      | 125     | 111            |
| 7310048  | PRECAST CONCRETE MANHOLE - 48 IN.                                   | L.F. | 8.50             | 2        | 494.341176    | 545.75   | 466.3   | 17             |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 7310060  | PRECAST CONCRETE MANHOLE - 60 IN.                                 | L.F. | 16.50            | 2        | 670           | 990      | 550     | 33             |
| 7310072  | PRECAST CONCRETE MANHOLE - 72 IN.                                 | L.F. | 45.00            | 1        | 650.4         | 650.4    | 650.4   | 45             |
| 7311022  | PRECAST CONCRETE DROP INLET 2 FT X 2 FT                           | L.F. | 7.50             | 2        | 779.906666    | 1219.65  | 620     | 15             |
| 7311032  | PRECAST CONCRETE DROP INLET 3 FT X 2 FT                           | L.F. | 3.50             | 2        | 816.571428    | 1472     | 325     | 7              |
| 7311033  | PRECAST CONCRETE DROP INLET 3 FT X 3 FT                           | L.F. | 4.50             | 2        | 849.711111    | 1180     | 585.48  | 9              |
| 7311042  | PRECAST CONCRETE DROP INLET 4 FT X 2 FT                           | L.F. | 13.00            | 1        | 540           | 540      | 540     | 13             |
| 7311053  | PRECAST CONCRETE DROP INLET 5 FT X 3 FT                           | L.F. | 31.17            | 6        | 1151.954812   | 1850     | 835     | 187            |
| 7320012A | 12 IN. (300 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION  | EACH | 6.00             | 1        | 470.15        | 470.15   | 470.15  | 6              |
| 7320015A | 15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION  | EACH | 3.00             | 2        | 911.25        | 1037.5   | 785     | 6              |
| 7320018A | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION  | EACH | 9.33             | 3        | 798.521428    | 1072.35  | 470     | 28             |
| 7320021A | 21 IN. (525 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION  | EACH | 4.00             | 1        | 851.95        | 851.95   | 851.95  | 4              |
| 7320024A | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION  | EACH | 7.00             | 2        | 846.285714    | 871      | 525     | 14             |
| 7320030A | 30 IN. (750 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION  | EACH | 20.00            | 1        | 1040.3        | 1040.3   | 1040.3  | 20             |
| 7320036A | 36 IN. (900 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION  | EACH | 1.00             | 1        | 1590.35       | 1590.35  | 1590.35 | 1              |
| 7320048A | 48 IN. (1200 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | EACH | 1.50             | 2        | 1876.466666   | 2391.9   | 1618.75 | 3              |
| 7320612A | 12 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION           | EACH | 2.00             | 1        | 475           | 475      | 475     | 2              |
| 7320615A | 15 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION           | EACH | 3.33             | 3        | 296.9         | 1190     | 193     | 10             |
| 7320618A | 18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION           | EACH | 4.50             | 6        | 836.758518    | 2400     | 163     | 27             |
| 7320621A | 21 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION           | EACH | 2.00             | 2        | 1023.8        | 1432.6   | 615     | 4              |
| 7320624A | 24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION           | EACH | 2.75             | 4        | 771.6         | 1432.6   | 615     | 11             |
| 7320630A | 30 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION           | EACH | 4.00             | 1        | 980           | 980      | 980     | 4              |
| 7320636A | 36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION           | EACH | 1.00             | 2        | 910           | 1045     | 775     | 2              |
| 7320812A | 12 IN. (300 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION  | EACH | 2.00             | 1        | 425           | 425      | 425     | 2              |
| 7320815A | 15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION  | EACH | 56.67            | 3        | 674.52        | 945      | 440     | 170            |
| 7320818A | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION  | EACH | 14.80            | 5        | 588.433783    | 840      | 288     | 74             |
| 7320824A | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION  | EACH | 3.33             | 3        | 601.2         | 871      | 525     | 10             |
| 7320830A | 30 IN. (750 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION  | EACH | 2.00             | 1        | 815           | 815      | 815     | 2              |
| 7320836A | 36 IN. (900 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION  | EACH | 2.00             | 1        | 970           | 970      | 970     | 2              |
| 7321018A | 36 IN. (900 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION    | EACH | 2.00             | 1        | 4912          | 4912     | 4912    | 2              |
| 7321019A | 42 IN. (1050 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION   | EACH | 2.00             | 1        | 6020.7        | 6020.7   | 6020.7  | 2              |
| 8031000A | TURF TYPE TALL FESCUE SODDING                                     | S.Y. | 625.00           | 2        | 7.168128      | 8.48     | 7       | 1250           |
| 8032000A | KENTUCKY BLUEGRASS SODDING  | S.Y. | 860.00           | 1        | 7.3           | 7.3      | 7.3     | 860            |
| 8034000  | BUFFALOGRASS SODDING  | S.Y. | 404.00           | 1        | 18.55         | 18.55    | 18.55   | 404            |
| 8051000A | SEEDING - COOL SEASON MIXTURES                                    | ACRE | 3.94             | 28       | 1988.067459   | 30800    | 1452    | 110.2          |

| PAY ITEM | DESCRIPTION                                       | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 8052000A | SEEDING - WARM SEASON MIXTURES                    | ACRE | 0.10             | 1        | 14000         | 14000    | 14000   | 0.1            |
| 8061003  | SEDIMENT TRAP EXCAVATION                          | C.Y. | 125.43           | 4        | 34.162694     | 37.6     | 11.4    | 501.7          |
| 8061004  | SEDIMENT TRAP ROCK                                | C.Y. | 76.46            | 8        | 99.345568     | 210.95   | 66.3    | 611.7          |
| 8061005  | ROCK DITCH CHECK                                  | L.F. | 237.64           | 11       | 16.682654     | 50       | 13      | 2614           |
| 8061006  | ALTERNATE DITCH CHECK                             | L.F. | 2595.17          | 24       | 6.585752      | 21       | 5       | 62284          |
| 8061007A | CURB INLET CHECK                                  | EACH | 12.70            | 10       | 99.759842     | 210      | 68.25   | 127            |
| 8061016  | SEDIMENT REMOVAL                                  | C.Y. | 338.07           | 27       | 22.149586     | 175      | 1       | 9128           |
| 8061017  | TEMPORARY SEEDING AND MULCHING                    | ACRE | 1.23             | 13       | 1804.460687   | 10500    | 1000    | 16             |
| 8061019  | SILT FENCE  | L.F. | 3548.12          | 27       | 1.56168       | 5.85     | 0.95    | 95799.3        |
| 8061020  | TEMPORARY PIPE                                    | L.F. | 22.00            | 1        | 55.35         | 55.35    | 55.35   | 22             |
| 8061050  | TYPE C BERM                                       | L.F. | 286.14           | 7        | 18.685511     | 30       | 11      | 2003           |
| 8064128  | TYPE 1 TURF REINFORCEMENT MAT                     | S.Y. | 3412.67          | 3        | 3.196024      | 6.3      | 2.8     | 10238          |
| 8064129  | TYPE 2 TURF REINFORCEMENT MAT                     | S.Y. | 8942.71          | 7        | 3.546659      | 6.85     | 3.1     | 62599          |
| 8064130  | TYPE 3 TURF REINFORCEMENT MAT                     | S.Y. | 4760.33          | 3        | 4.214092      | 6.25     | 4.15    | 14281          |
| 8064131  | TYPE 1A EROSION CONTROL                           | S.Y. | 153.00           | 1        | 2             | 2        | 2       | 153            |
| 8064132  | TYPE 1B EROSION CONTROL                           | S.Y. | 4297.00          | 1        | 1.69          | 1.69     | 1.69    | 4297           |
| 8064133  | TYPE 1C EROSION CONTROL                           | S.Y. | 17054.00         | 1        | 1.9           | 1.9      | 1.9     | 17054          |
| 8064138  | TYPE 2D EROSION CONTROL                           | S.Y. | 4890.00          | 1        | 2.35          | 2.35     | 2.35    | 4890           |
| 8064139  | TYPE 3A EROSION CONTROL                           | S.Y. | 1709.00          | 3        | 2.378915      | 3.4      | 2.1     | 5127           |
| 8064140  | TYPE 3B EROSION CONTROL                           | S.Y. | 4994.50          | 6        | 1.842812      | 3.5      | 1.48    | 29967          |
| 9011030  | LIGHTING POLE, 30 FT. OR 9.0 M, TYPE AT           | EACH | 3.00             | 3        | 1807.666666   | 3525     | 1571    | 9              |
| 9011068  | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 5 | EACH | 5.00             | 1        | 2172.8        | 2172.8   | 2172.8  | 5              |
| 9011104  | BRACKET ARM, 4 FT. OR 1.2 M                       | EACH | 1.00             | 1        | 301           | 301      | 301     | 1              |
| 9011106  | BRACKET ARM, 6 FT. OR 1.8 M                       | EACH | 1.00             | 2        | 342.625       | 345.25   | 340     | 2              |
| 9011108  | BRACKET ARM, 8 FT. OR 2.4 M                       | EACH | 1.00             | 1        | 345.25        | 345.25   | 345.25  | 1              |
| 9011110  | BRACKET ARM, 10 FT. OR 3.0 M                      | EACH | 1.00             | 1        | 875           | 875      | 875     | 1              |
| 9011112  | BRACKET ARM, 12 FT. OR 3.6 M                      | EACH | 2.00             | 1        | 915           | 915      | 915     | 2              |
| 9011115  | BRACKET ARM, 15 FT. OR 4.6 M                      | EACH | 3.33             | 3        | 669.38        | 800      | 621     | 10             |
| 9011311  | LUMINAIRE, LED-A                                  | EACH | 3.67             | 3        | 669.818181    | 775      | 518     | 11             |
| 9011312  | LUMINAIRE, LED-B                                  | EACH | 6.00             | 2        | 666.645833    | 713      | 601.75  | 12             |
| 9012230  | BASE MOUNTED CONTROL STATION 240 VOLT-4 CIRCUIT   | EACH | 1.00             | 1        | 6841          | 6841     | 6841    | 1              |
| 9013003  | CONDUIT, 3 IN. RIGID, IN TRENCH                   | L.F. | 4554.00          | 1        | 8.5           | 8.5      | 8.5     | 4554           |
| 9013004  | CONDUIT, 4 IN. RIGID, IN TRENCH                   | L.F. | 7.00             | 1        | 31            | 31       | 31      | 7              |
| 9014003  | CONDUIT, 3 IN. RIGID, PUSHED                      | L.F. | 321.00           | 2        | 22.439719     | 43.5     | 18.6    | 642            |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 9015010  | TRENCHING TYPE I   | L.F. | 11.00            | 1        | 12            | 12       | 12      | 11             |
| 9016110  | PULL BOX, PREFORMED CLASS 1  | EACH | 25.00            | 1        | 961           | 961      | 961     | 25             |
| 9017002  | CABLE, 2 AWG 1 CONDUCTOR   | L.F. | 98.50            | 2        | 5.223857      | 5.3      | 5       | 197            |
| 9017008  | CABLE, 8 AWG 1 CONDUCTOR   | L.F. | 7139.00          | 3        | 1.365956      | 8        | 1.3     | 21417          |
| 9017110  | CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET                            | L.F. | 315.00           | 4        | 1.346031      | 1.6      | 1       | 1260           |
| 9017202  | WIRE, 2 AWG, BARE NEUTRAL  | L.F. | 30.00            | 1        | 4.7           | 4.7      | 4.7     | 30             |
| 9017208  | WIRE, 8 AWG, BARE NEUTRAL  | L.F. | 5347.50          | 2        | 1.240906      | 1.45     | 1.2     | 10695          |
| 9017407  | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG           | L.F. | 80.00            | 2        | 7.946875      | 8.8      | 4.25    | 160            |
| 9018230  | POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)                      | EACH | 3.00             | 3        | 1033.222222   | 1220     | 785     | 9              |
| 9018245  | POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)                     | EACH | 5.00             | 1        | 1417.6        | 1417.6   | 1417.6  | 5              |
| 9018613  | POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING AND SIGN | EACH | 1.00             | 2        | 9379.4        | 13122.8  | 5636    | 2              |
| 9020113  | SIGNAL HEAD, TYPE 3T   | EACH | 1.00             | 1        | 735           | 735      | 735     | 1              |
| 9020211  | SIGNAL HEAD, TYPE 1S   | EACH | 5.00             | 2        | 620.4         | 663      | 450     | 10             |
| 9020213  | SIGNAL HEAD, TYPE 3S   | EACH | 1.00             | 4        | 1269.25       | 2449     | 700     | 4              |
| 9020214  | SIGNAL HEAD, TYPE 4S   | EACH | 1.50             | 2        | 878.333333    | 1095     | 770     | 3              |
| 9020414  | SIGNAL HEAD, TYPE 4C   | EACH | 3.00             | 2        | 2232.666666   | 2860     | 978     | 6              |
| 9020513  | SIGNAL HEAD, TYPE 3B   | EACH | 9.60             | 5        | 978.9375      | 1220     | 845     | 48             |
| 9020514  | SIGNAL HEAD, TYPE 4B   | EACH | 15.50            | 4        | 953.5         | 1530     | 885     | 62             |
| 9020515  | SIGNAL HEAD, TYPE 5B   | EACH | 1.50             | 2        | 1494          | 1660     | 1411    | 3              |
| 9020811  | SIGNAL HEAD, TYPE 1S, PEDESTRIAN                                       | EACH | 6.50             | 6        | 977.230769    | 1964     | 525     | 39             |
| 9020833  | SH-FLAT SHEET - SIGNAL SIGN  | EACH | 67.81            | 10       | 33.49034      | 277      | 14      | 678.1          |
| 9020834  | SIGNAL SIGN, MOUNTING  | EACH | 15.44            | 9        | 121.769784    | 270      | 11      | 139            |
| 9021413  | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 3B                                | EACH | 10.00            | 1        | 1397.35       | 1397.35  | 1397.35 | 10             |
| 9021414  | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 4B                                | EACH | 2.00             | 1        | 1666.05       | 1666.05  | 1666.05 | 2              |
| 9022651  | LUMINAIRE LED-A, 120 VOLT  | EACH | 2.00             | 1        | 550           | 550      | 550     | 2              |
| 9022708  | POST, SIGNAL 8 FT. OR 2.4 M  | EACH | 4.86             | 7        | 1189.705882   | 2241     | 570     | 34             |
| 9022715  | POST, SIGNAL 15 FT. OR 4.6 M   | EACH | 1.00             | 1        | 785           | 785      | 785     | 1              |
| 9023130  | POST, TYPE CL, 30 FT. ARM OR 9.1 M ARM                                 | EACH | 1.00             | 1        | 7808          | 7808     | 7808    | 1              |
| 9023140  | POST, TYPE CL, 40 FT. ARM OR 12.2 M ARM                                | EACH | 1.00             | 1        | 10238         | 10238    | 10238   | 1              |
| 9023225  | POST, TYPE C, 25 FT. ARM OR 7.6 M ARM                                  | EACH | 1.00             | 1        | 6660          | 6660     | 6660    | 1              |
| 9023230  | POST, TYPE C, 30 FT. ARM OR 9.1 M ARM                                  | EACH | 1.00             | 1        | 6683          | 6683     | 6683    | 1              |
| 9023240  | POST, TYPE C, 40 FT. ARM OR 12.2 M ARM                                 | EACH | 1.00             | 1        | 8685          | 8685     | 8685    | 1              |
| 9023245  | POST, TYPE C, 45 FT. ARM OR 13.7 M ARM                                 | EACH | 1.00             | 2        | 9057.5        | 9100     | 9015    | 2              |
| 9023250  | POST, TYPE C, 50 FT. ARM OR 15.2 M ARM                                 | EACH | 4.00             | 1        | 10232         | 10232    | 10232   | 4              |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID  | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|----------|----------------|
| 9023345  | POST, TYPE B, LONGEST ARM 45 FT. OR 13.7 M                       | EACH | 1.00             | 1        | 12910         | 12910    | 12910    | 1              |
| 9023350  | POST, TYPE B, LONGEST ARM 50 FT. OR 15.2 M                       | EACH | 1.00             | 1        | 18447.75      | 18447.75 | 18447.75 | 1              |
| 9023355  | POST, TYPE B, LONGEST ARM 55 FT.                                 | EACH | 1.00             | 1        | 20776.3       | 20776.3  | 20776.3  | 1              |
| 9023450  | POST, TYPE BL, LONGEST ARM 50 FT. OR 15.2 M                      | EACH | 1.00             | 1        | 21220         | 21220    | 21220    | 1              |
| 9023455  | POST, TYPE BL, LONGEST ARM 55 FT.                                | EACH | 2.00             | 1        | 23650         | 23650    | 23650    | 2              |
| 9024283  | CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER                 | EACH | 3.00             | 5        | 14349.19      | 21167.85 | 13294    | 15             |
| 9024920  | DETECTOR, PUSHBUTTON   | EACH | 14.00            | 2        | 1287.714285   | 1448     | 887      | 28             |
| 9024944  | DETECTOR, VEHICLE INDUCTION LOOP (2 CHANNEL-RACK MOUNTED)        | EACH | 6.00             | 2        | 233.666666    | 245      | 177      | 12             |
| 9024975  | VIDEO DETECTION SYSTEM   | EACH | 1.00             | 1        | 20135         | 20135    | 20135    | 1              |
| 9025020  | CONDUIT, 1 IN., LOOP DETECTOR                                    | L.F. | 13.00            | 1        | 14            | 14       | 14       | 13             |
| 9025200  | CONDUIT, 2 IN., TRENCH   | L.F. | 141.67           | 3        | 18.729176     | 21       | 17.3     | 425            |
| 9025300  | CONDUIT, 3 IN., TRENCH   | L.F. | 539.14           | 7        | 18.632061     | 41.4     | 14.8     | 3774           |
| 9025400  | CONDUIT, 4 IN., TRENCH   | L.F. | 133.40           | 5        | 22.397901     | 75       | 18.6     | 667            |
| 9026300  | CONDUIT, 3 IN., MEDIAN   | L.F. | 8.00             | 1        | 24            | 24       | 24       | 8              |
| 9027300  | CONDUIT, 3 IN., PUSHED   | L.F. | 223.17           | 6        | 26.380283     | 130      | 17       | 1339           |
| 9027400  | CONDUIT, 4 IN., PUSHED   | L.F. | 290.25           | 4        | 36.521102     | 44.1     | 21       | 1161           |
| 9027506  | CONDUIT, 4 IN., EXTERNAL ON STRUCTURE                            | L.F. | 383.00           | 1        | 37            | 37       | 37       | 383            |
| 9028100  | CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET                      | L.F. | 135.00           | 2        | 2.056666      | 2.85     | 1.66     | 270            |
| 9028208  | CABLE, 8 AWG 1 CONDUCTOR, POWER                                  | L.F. | 117.75           | 4        | 1.645435      | 3        | 1.25     | 471            |
| 9028219  | CABLE, 10 AWG 1 CONDUCTOR, POWER                                 | L.F. | 4197.00          | 1        | 1.1           | 1.1      | 1.1      | 4197           |
| 9028302  | CABLE, 12 AWG 2 CONDUCTOR  | L.F. | 1655.00          | 3        | 2.027492      | 2.1      | 1.2      | 4965           |
| 9028308  | CABLE, 16 AWG 2 CONDUCTOR  | L.F. | 945.57           | 7        | 1.660145      | 3.5      | 0.45     | 6619           |
| 9028310  | CABLE, 16 AWG 5 CONDUCTOR  | L.F. | 950.29           | 7        | 1.954239      | 3.9      | 1.15     | 6652           |
| 9028311  | CABLE, 16 AWG 7 CONDUCTOR  | L.F. | 2529.75          | 8        | 2.180566      | 37       | 1.6      | 20238          |
| 9028350  | FIBER OPTIC CABLE, 6 - FIBER, SINGLE MODE                        | L.F. | 1825.00          | 2        | 3.49863       | 13.3     | 2.05     | 3650           |
| 9028500  | CABLE, LOOP DETECTOR, IN DUCT                                    | L.F. | 1597.71          | 7        | 10.049061     | 32.1     | 4        | 11184          |
| 9028510  | CABLE, LOOP DETECTOR, LEAD-IN                                    | L.F. | 177.50           | 4        | 2.654366      | 3.6      | 1        | 710            |
| 9028611  | POWER SUPPLY ASSEMBLY, TYPE 1 WITH 120V LIGHTING CONTROL CABINET | EACH | 1.00             | 1        | 5935          | 5935     | 5935     | 1              |
| 9028620  | POWER SUPPLY ASSEMBLY, TYPE 2                                    | EACH | 1.00             | 1        | 6474          | 6474     | 6474     | 1              |
| 9028621  | POWER SUPPLY ASSEMBLY, TYPE-2 WITH 120V LIGHTING CONTROL CABINET | EACH | 1.00             | 2        | 6767.5        | 7250     | 6285     | 2              |
| 9028810  | PULL BOX, PREFORMED CLASS 1                                      | EACH | 2.00             | 2        | 1203.2875     | 1396.05  | 625      | 4              |
| 9028811  | PULL BOX, PREFORMED CLASS 2                                      | EACH | 3.86             | 7        | 1562.311111   | 2341     | 750      | 27             |
| 9028812  | PULL BOX, PREFORMED CLASS 3                                      | EACH | 1.67             | 3        | 1764.74       | 2436.85  | 1100     | 5              |
| 9028816  | PULL BOX, PREFORMED CLASS 5                                      | EACH | 2.00             | 2        | 2151.05       | 2335.1   | 1967     | 4              |



| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 9028820  | PULL BOX, CONCRETE, STANDARD                                     | EACH | 1.00             | 2        | 3424.5        | 3977     | 2872    | 2              |
| 9029100  | BASE, CONCRETE   | C.Y. | 8.77             | 9        | 1735.446491   | 4033     | 1045    | 78.96          |
| 9029400  | TEMPORARY TRAFFIC SIGNALS  | EACH | 1.00             | 1        | 44792         | 44792    | 44792   | 1              |
| 9031010  | CONCRETE FOOTINGS, EMBEDDED                                      | C.Y. | 2.86             | 12       | 1174.484324   | 2400     | 845.77  | 34.324         |
| 9031210  | STRUCTURAL STEEL POSTS   | LBS  | 2863.33          | 3        | 3.732747      | 6.5      | 3.43    | 8590           |
| 9031220  | PIPE POSTS   | LBS  | 1543.33          | 6        | 4.342138      | 11.35    | 3.37    | 9260           |
| 9031241  | BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)                | EACH | 10.14            | 7        | 257.451267    | 411      | 250     | 71             |
| 9031256  | 7 FT. CHANNEL POST DELINEATOR, WHITE                             | EACH | 29.00            | 1        | 35            | 35       | 35      | 29             |
| 9031257A | 7 FT. CHANNEL POST DELINEATOR, YELLOW                            | EACH | 13.00            | 1        | 35            | 35       | 35      | 13             |
| 9031270A | PERFORATED SQUARE STEEL TUBE POST, 2 IN., 12 GA.                 | L.F. | 255.09           | 14       | 13.050015     | 42.38    | 9.75    | 3571.3         |
| 9031271  | PERFORATED SQUARE STEEL TUBE POST ANCHOR SLEEVE, 2.5 IN., 12 GA. | L.F. | 87.67            | 9        | 27.47076      | 50       | 11.08   | 789            |
| 9031272  | PERFORATED SQUARE STEEL TUBE POST, 2.5 IN., 12 GA.               | L.F. | 20.00            | 2        | 12.528        | 12.6     | 12.36   | 40             |
| 9031273  | PERFORATED SQUARE STEEL TUBE POST ANCHOR, 7 GA.                  | L.F. | 7.50             | 4        | 27.506        | 39.54    | 17.91   | 30             |
| 9031279  | OMNIDIRECTIONAL POST   | L.F. | 33.00            | 2        | 64.102272     | 68.25    | 50      | 66             |
| 9031280  | 2.5 IN. PSST POST - 12 GA.                                       | L.F. | 174.79           | 9        | 14.151878     | 16       | 11.34   | 1573.1         |
| 9031281  | POST ANCHOR FOR 2.5 IN. PSST - 7 GA.                             | L.F. | 41.25            | 8        | 48.544727     | 53.3     | 39.54   | 330            |
| 9031282  | OMNIDIRECTIONAL POST   | L.F. | 3.00             | 1        | 60            | 60       | 60      | 3              |
| 9035004A | SH-FLAT SHEET  | S.F. | 362.43           | 12       | 19.111471     | 32       | 16.76   | 4349.2         |
| 9035011A | ST-STRUCTURAL  | S.F. | 5731.67          | 3        | 21.029553     | 21.09    | 20.6    | 17195          |
| 9035069A | SHF-FLAT SHEET FLUORESCENT                                       | S.F. | 72.67            | 6        | 28.215137     | 36.75    | 20.6    | 436            |
| 9035071A | STF-STRUCTURAL FLUORESCENT                                       | S.F. | 408.00           | 1        | 27.03         | 27.03    | 27.03   | 408            |
| 9103700  | CCTV CAMERA ASSEMBLY, INSTALLED                                  | EACH | 1.50             | 2        | 6221.8        | 6913     | 4839.4  | 3              |
| 9105201  | CONDUIT, 3 IN., RIGID, IN TRENCH                                 | L.F. | 745.00           | 1        | 16.26         | 16.26    | 16.26   | 745            |
| 9107201  | CONDUIT, 3 IN., RIGID, PUSHED                                    | L.F. | 536.00           | 1        | 34.96         | 34.96    | 34.96   | 536            |
| 9108353  | FIBER OPTIC CABLE, 12-STRAND, SINGLE MODE                        | L.F. | 1666.00          | 1        | 3.25          | 3.25     | 3.25    | 1666           |
| 9108810  | PULL BOX, PREFORMED CLASS 1                                      | EACH | 8.00             | 1        | 625           | 625      | 625     | 8              |
| 9108816  | PULL BOX, PREFORMED CLASS 5                                      | EACH | 2.00             | 1        | 1400          | 1400     | 1400    | 2              |

| PAY ITEM | DESCRIPTION                                 | UNIT  | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|-------|------------------|----------|---------------|----------|---------|----------------|
| 2013000  | CLEARING AND GRUBBING                       | ACRE  | 1.00             | 8        | 4707.065      | 10000    | 1669.94 | 8              |
| 2022010  | REMOVAL OF IMPROVEMENTS                     | L.S.  | 1.00             | 34       | 15064.55706   | 115000   | 1000    | 34             |
| 2024043  | REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE)  | S.F.  | 17.67            | 3        | 160.122641    | 200      | 80.5    | 53             |
| 2031000  | CLASS A EXCAVATION                          | C.Y.  | 621.44           | 9        | 9.814616      | 22.5     | 6.45    | 5593           |
| 2035000  | UNCLASSIFIED EXCAVATION                     | C.Y.  | 2516.00          | 4        | 14.013811     | 75       | 10      | 10064          |
| 2035500  | EMBANKMENT IN PLACE                         | C.Y.  | 784.75           | 8        | 17.101592     | 45       | 13.5    | 6278           |
| 2036000  | COMPACTING EMBANKMENT                       | C.Y.  | 778.17           | 12       | 5.938689      | 25       | 2       | 9338           |
| 2037075  | COMPACTING IN CUT                           | STA.  | 3.97             | 3        | 532.016806    | 750      | 453     | 11.9           |
| 2061000  | CLASS 1 EXCAVATION                          | C.Y.  | 93.57            | 7        | 49.493129     | 120      | 28.2    | 655            |
| 2061003  | CLASS 1 EXCAVATION IN ROCK                  | C.Y.  | 30.00            | 1        | 125           | 125      | 125     | 30             |
| 2063000  | CLASS 3 EXCAVATION                          | C.Y.  | 295.00           | 4        | 44.897728     | 100      | 14.32   | 1180           |
| 2063300  | CLASS 4 EXCAVATION                          | C.Y.  | 433.67           | 3        | 11.87548      | 12       | 10      | 1301           |
| 2063400  | CLASS 4 EXCAVATION IN ROCK                  | C.Y.  | 47.00            | 1        | 50            | 50       | 50      | 47             |
| 2063500  | CULVERT CLEANOUT                            | EACH  | 1.00             | 1        | 2500          | 2500     | 2500    | 1              |
| 2065500  | TEMPORARY SHORING                           | L.S.  | 1.00             | 1        | 1             | 1        | 1       | 1              |
| 2071000  | LINEAR GRADING CLASS 1                      | STA.  | 0.30             | 1        | 2200          | 2200     | 2200    | 0.3            |
| 2101006A | SUBGRADE COMPACTION (6-INCH DEPTH)          | STA.  | 32.33            | 3        | 107.394329    | 850      | 26.47   | 97             |
| 2121000A | SUBGRADING AND SHOULDERING CLASS 1          | STA.  | 1.00             | 1        | 2500          | 2500     | 2500    | 1              |
| 2142000  | FURNISHING ROCK FILL                        | C.Y.  | 839.50           | 4        | 37.692078     | 40       | 25      | 3358           |
| 2143000  | PLACING ROCK FILL                           | C.Y.  | 839.50           | 4        | 24.739428     | 37.5     | 20      | 3358           |
| 2151000A | SHAPING SLOPES, CLASS I                     | 100FT | 85.00            | 1        | 136.47        | 136.47   | 136.47  | 85             |
| 2152000A | SHAPING SLOPES, CLASS II                    | 100FT | 206.00           | 1        | 67.73         | 67.73    | 67.73   | 206            |
| 2153000  | SHAPING SLOPES, CLASS III                   | 100FT | 23.66            | 18       | 871.779384    | 2250     | 600     | 425.9          |
| 2160500  | REMOVAL OF BRIDGES                          | L.S.  | 1.00             | 8        | 39466.7175    | 75000    | 12000   | 8              |
| 2162500  | REMOVAL OF EXISTING BRIDGE DECKS            | S.F.  | 8530.33          | 3        | 6.674127      | 11.8     | 4       | 25591          |
| 2163500  | PARTIAL REMOVAL OF CULVERT CONCRETE         | L.S.  | 1.00             | 1        | 18170         | 18170    | 18170   | 1              |
| 3030600  | FURNISHING ROCK BASE MATERIAL               | S.Y.  | 8540.00          | 1        | 7.5           | 7.5      | 7.5     | 8540           |
| 3030610A | PLACING ROCK BASE (18 IN. THICK)            | S.Y.  | 8540.00          | 1        | 7.5           | 7.5      | 7.5     | 8540           |
| 3040143  | TYPE 1 AGGREGATE FOR BASE (4 IN. THICK)     | S.Y.  | 3542.00          | 10       | 6.923272      | 14       | 6       | 35420          |
| 3040163  | TYPE 1 AGGREGATE FOR BASE (6 IN. THICK)     | S.Y.  | 144.00           | 1        | 12            | 12       | 12      | 144            |
| 3040504  | TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)     | S.Y.  | 733.67           | 6        | 8.218105      | 120      | 4.5     | 4402           |
| 3105002  | GRAVEL (A) OR CRUSHED STONE (B)             | TON   | 262.88           | 8        | 30.341093     | 98.18    | 20      | 2103           |
| 3105003  | GRAVEL (A) OR CRUSHED STONE (B)             | S.Y.  | 102.00           | 2        | 12            | 12       | 12      | 204            |
| 3107002  | GRAVEL (A) OR CRUSHED STONE (B) OR CHAT (C) | TON   | 251.40           | 5        | 50.439093     | 105.38   | 15.94   | 1257           |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 4010105  | 5 3/4 INCHES, BITUMINOUS PAVEMENT                           | S.Y. | 31.10            | 1        | 13.86         | 13.86    | 13.86   | 31.1           |
| 4010150  | TYPE A2 SHOULDER  | S.Y. | 406.80           | 1        | 44            | 44       | 44      | 406.8          |
| 4010151  | TYPE A3 SHOULDER  | S.Y. | 202.00           | 1        | 49.25         | 49.25    | 49.25   | 202            |
| 4011209  | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)                 | TON  | 2961.93          | 8        | 57.230122     | 300      | 54.15   | 23695.4        |
| 4011211  | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2)                 | TON  | 3508.90          | 1        | 61.02         | 61.02    | 61.02   | 3508.9         |
| 4011213  | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-3)                 | TON  | 3496.70          | 1        | 53.08         | 53.08    | 53.08   | 3496.7         |
| 4013000  | BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE)                  | TON  | 9619.60          | 4        | 46.902093     | 521      | 43.75   | 38478.4        |
| 4013010  | BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE WIDENING)         | TON  | 7549.60          | 3        | 49.213342     | 240      | 48.48   | 22648.8        |
| 4020520  | BITUMINOUS PAVEMENT MIXTURE PG64-22                         | TON  | 9099.83          | 9        | 55.366808     | 68.88    | 37.95   | 81898.5        |
| 4030003  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095C MIX)            | TON  | 6928.00          | 1        | 75            | 75       | 75      | 6928           |
| 4030005  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095C MIX)            | TON  | 23671.90         | 1        | 62.43         | 62.43    | 62.43   | 23671.9        |
| 4030016  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP048F MIX)            | TON  | 2987.50          | 1        | 96.54         | 96.54    | 96.54   | 2987.5         |
| 4030103  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125C MIX)            | TON  | 24823.40         | 4        | 55.068715     | 61.51    | 51.33   | 99293.6        |
| 4030132  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BSM MIX)          | TON  | 42942.40         | 1        | 78            | 78       | 78      | 42942.4        |
| 4030208  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP190C MIX)            | TON  | 454.00           | 1        | 52.37         | 52.37    | 52.37   | 454            |
| 4071005  | TACK COAT   | GAL  | 13562.88         | 16       | 2.127869      | 3.5      | 0.38    | 217006         |
| 4071007  | TACK COAT - LOW OR NON-                                     | GAL  | 4320.00          | 1        | 2.8           | 2.8      | 2.8     | 4320           |
| 4091048  | EMULSIFIED ASPHALT, SEAL COAT                               | GAL  | 74244.50         | 6        | 2.033956      | 2.14     | 1.92    | 445467         |
| 4094012  | SEAL COAT AGGREGATE, GRADE B2                               | S.Y. | 265159.17        | 6        | 0.718484      | 0.855    | 0.65    | 1590955        |
| 4135000  | BITUMINOUS PAVEMENT CRACK SEALING                           | L.F. | 1838.00          | 4        | 10.488098     | 16.1     | 1.25    | 7352           |
| 4136000  | PCCP JOINT/CRACK SEALING                                    | L.F. | 32092.00         | 1        | 1.1           | 1.1      | 1.1     | 32092          |
| 4138000  | PCCP CRACK FILLING  | L.F. | 119180.00        | 1        | 1.1           | 1.1      | 1.1     | 119180         |
| 5021305  | CONCRETE PAVEMENT (5 3/4 IN. NON-REINFORCED, 15 FT. JOINTS) | S.Y. | 41.80            | 1        | 39.23         | 39.23    | 39.23   | 41.8           |
| 5031011A | BRIDGE APPROACH SLAB (MINOR ROAD)                           | S.Y. | 116.45           | 11       | 145.127462    | 250      | 49.08   | 1281           |
| 6061010  | GUARDRAIL TYPE A  | L.F. | 37.67            | 3        | 21.814159     | 30       | 17.5    | 113            |
| 6061060  | MGS GUARDRAIL   | L.F. | 806.07           | 15       | 21.115969     | 40       | 18      | 12091          |
| 6061061  | MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 SPACING               | L.F. | 2846.57          | 7        | 22.56155      | 29.92    | 21.13   | 19926          |
| 6061068  | MGS BRIDGE APPROACH TRANSITION SECTION (MAJOR ROUTE)        | EACH | 4.00             | 2        | 3077.5        | 3155     | 3000    | 8              |
| 6061069  | MGS BRIDGE APPROACH TRANSITION SECTION (MINOR ROUTE)        | EACH | 5.11             | 19       | 2863.971134   | 3610.8   | 2100    | 97             |
| 6061074  | MGS HEIGHT AND BLOCK TRANSITION                             | EACH | 2.25             | 8        | 638           | 1000     | 536     | 18             |
| 6061078  | MGS EMBEDDED ANCHOR SECTION (WITH RUBRAIL)                  | L.F. | 250.00           | 1        | 30.14         | 30.14    | 30.14   | 250            |
| 6061080  | MGS END ANCHOR  | EACH | 7.50             | 6        | 915           | 1200     | 850     | 45             |
| 6061081  | MGS BRIDGE APPROACH TRANSITION (THRIE-BEAM BRIDGE)          | EACH | 4.00             | 1        | 3200          | 3200     | 3200    | 4              |
| 6062100  | BRIDGE ANCHOR SECTION (CURB TYPE)                           | EACH | 1.00             | 1        | 2100          | 2100     | 2100    | 1              |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6062200A | BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY /   | EACH | 2.50             | 2        | 1800          | 1800     | 1800    | 5              |
| 6062303  | ASYMETRICAL TRANSITION SECTION, 6.5 FT. POSTS                           | EACH | 2.00             | 3        | 400           | 400      | 400     | 6              |
| 6062304  | ASYMETRICAL TRANSITION SECTION, 7.5 FT. POSTS                           | EACH | 1.00             | 1        | 350           | 350      | 350     | 1              |
| 6062400  | BRIDGE ANCHOR SECTION (THRIE BEAM)                                      | EACH | 1.00             | 1        | 1900          | 1900     | 1900    | 1              |
| 6063014  | TYPE A CRASHWORTHY END TERMINAL (MASH)                                  | EACH | 7.46             | 24       | 2717.515083   | 3610.8   | 2500    | 179            |
| 6066400  | GUARDRAIL, RELOCATED AND MODIFIED                                       | L.F. | 75.00            | 2        | 25.156666     | 35.47    | 20      | 150            |
| 6066610  | END ANCHOR  | EACH | 1.00             | 1        | 1200          | 1200     | 1200    | 1              |
| 6072010  | WOVEN WIRE FENCE  | L.F. | 184.00           | 1        | 25            | 25       | 25      | 184            |
| 6081000  | CONCRETE MEDIAN   | S.Y. | 22.00            | 1        | 190           | 190      | 190     | 22             |
| 6081012  | TRUNCATED DOMES   | S.F. | 24.00            | 1        | 39.75         | 39.75    | 39.75   | 24             |
| 6083006  | 6 IN. CONCRETE MEDIAN STRIP   | S.Y. | 2.40             | 1        | 600           | 600      | 600     | 2.4            |
| 6086004  | CONCRETE SIDEWALK, 4 IN.  | S.Y. | 26.60            | 1        | 200           | 200      | 200     | 26.6           |
| 6096010A | FURNISHING TYPE 1 ROCK DITCH LINER                                      | C.Y. | 10.00            | 3        | 104.166666    | 125      | 100     | 30             |
| 6096020  | FURNISHING TYPE 2 ROCK DITCH LINER                                      | C.Y. | 68.00            | 4        | 33.309191     | 100      | 25      | 272            |
| 6096030A | FURNISHING TYPE 3 ROCK DITCH LINER                                      | C.Y. | 41.00            | 1        | 45            | 45       | 45      | 41             |
| 6096041  | PLACING TYPE 1 ROCK DITCH LINER   | C.Y. | 10.00            | 3        | 91.666666     | 100      | 50      | 30             |
| 6096042  | PLACING TYPE 2 ROCK DITCH LINER   | C.Y. | 68.00            | 4        | 32.046323     | 100      | 25      | 272            |
| 6096043  | PLACING TYPE 3 ROCK DITCH LINER   | C.Y. | 41.00            | 1        | 30            | 30       | 30      | 41             |
| 6096050  | BEDDING MATERIAL FOR ROCK DITCH LINER                                   | C.Y. | 15.00            | 1        | 120           | 120      | 120     | 15             |
| 6097000  | ROCK LINING   | C.Y. | 49.50            | 2        | 50            | 50       | 50      | 99             |
| 6113010  | FURNISHING TYPE 1 ROCK BLANKET  | C.Y. | 121.00           | 1        | 25            | 25       | 25      | 121            |
| 6113020  | FURNISHING TYPE 2 ROCK BLANKET  | C.Y. | 690.73           | 11       | 38.764206     | 45.45    | 30      | 7598           |
| 6113030  | PLACING TYPE 1 ROCK BLANKET   | C.Y. | 121.00           | 1        | 25            | 25       | 25      | 121            |
| 6113040  | PLACING TYPE 2 ROCK BLANKET   | C.Y. | 690.73           | 11       | 14.881355     | 28       | 9       | 7598           |
| 6123000A | TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)                               | EACH | 1.97             | 29       | 629.947368    | 1635     | 1       | 57             |
| 6131010  | FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A FULL DEPTH PA'S Y. |      | 3598.67          | 3        | 232.347091    | 250      | 152     | 10796          |
| 6131012  | SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)                     | S.Y. | 359.70           | 3        | 2.051802      | 21       | 1       | 1079.1         |
| 6131013  | TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)          | S.Y. | 22.10            | 1        | 40            | 40       | 40      | 22.1           |
| 6131014  | FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW L.F. |      | 6447.87          | 3        | 5.498376      | 9        | 5       | 19343.6        |
| 6131015  | DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEI  | EACH | 1730.67          | 3        | 4.51483       | 5.75     | 4       | 5192           |
| 6131017  | DOWEL BAR (FURNISHING AND INSTALLATING WITH BASKETS) FOR FULL DEPTH     | EACH | 3850.00          | 1        | 7.5           | 7.5      | 7.5     | 3850           |
| 6131018  | TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH  | EACH | 2528.00          | 1        | 4             | 4        | 4       | 2528           |
| 6161005  | CONSTRUCTION SIGNS  | S.F. | 1243.95          | 42       | 6.983355      | 10.5     | 5       | 52246          |
| 6161008  | ADVANCED WARNING RAIL SYSTEM  | EACH | 4.89             | 27       | 45.275        | 100      | 25      | 132            |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID  | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|-----------|---------|----------------|
| 6161009  | FLAG ASSEMBLY   | EACH | 10.44            | 39       | 23.32371      | 50        | 7       | 407            |
| 6161010  | RELOCATED SIGNS   | S.F. | 471.00           | 3        | 6.966029      | 7         | 6.25    | 1413           |
| 6161022  | CHANNELIZER (CONES)   | EACH | 33.00            | 1        | 18            | 18        | 18      | 33             |
| 6161024  | CHANNELIZER (TRIM LINE) WITH LIGHT                              | EACH | 421.00           | 1        | 20            | 20        | 20      | 421            |
| 6161025  | CHANNELIZER (TRIM LINE)   | EACH | 175.68           | 31       | 18.356279     | 30        | 1       | 5446           |
| 6161028  | CHANNELIZER   | EACH | 262.00           | 2        | 17.286259     | 20        | 17      | 524            |
| 6161030  | TYPE III MOVEABLE BARRICADE                                     | EACH | 8.00             | 8        | 128.65625     | 165       | 100     | 64             |
| 6161031  | TYPE III MOVEABLE BARRICADE WITH LIGHT                          | EACH | 8.80             | 15       | 175.151515    | 215       | 110     | 132            |
| 6161033  | DIRECTIONAL INDICATOR BARRICADE                                 | EACH | 40.60            | 5        | 66.625615     | 95        | 20      | 203            |
| 6161034  | DIRECTIONAL INDICATOR BARRICADE WITH LIGHT                      | EACH | 39.00            | 2        | 44.743589     | 95        | 25      | 78             |
| 6161040  | FLASHING ARROW PANEL  | EACH | 2.90             | 10       | 658.275862    | 1100      | 245     | 29             |
| 6161047  | TYPE III OBJECT MARKER  | EACH | 8.00             | 2        | 339.5025      | 407.67    | 135     | 16             |
| 6161055  | SEQUENTIAL FLASHING WARNING LIGHT                               | EACH | 41.67            | 3        | 69            | 75        | 50      | 125            |
| 6161098A | CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRA | EACH | 2.46             | 26       | 3121.16875    | 6300      | 1500    | 64             |
| 6161099  | CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTO | EACH | 3.90             | 10       | 3279.487179   | 6200      | 2000    | 39             |
| 6162002  | TEMPORARY LONG-TERM   | EACH | 4.00             | 1        | 1000          | 1000      | 1000    | 4              |
| 6162004  | SHORT-TERM RUMBLE STRIPS  | EACH | 5.67             | 18       | 546.803921    | 1200      | 1       | 102            |
| 6178001  | TRAFFIC BARRIER DELINEATOR, WHITE                               | EACH | 13.00            | 1        | 24            | 24        | 24      | 13             |
| 6181000  | MOBILIZATION  | L.S. | 1.00             | 41       | 59125.27      | 330616.16 | 1       | 41             |
| 6181020  | ADDITIONAL MOBILIZATION FOR                                     | EACH | 4.40             | 10       | 600           | 600       | 600     | 44             |
| 6191000  | PAVEMENT EDGE TREATMENT   | L.F. | 900.00           | 1        | 3.5           | 3.5       | 3.5     | 900            |
| 6200006  | PREFORMED THERMOPLASTIC   | L.F. | 704.00           | 1        | 4             | 4         | 4       | 704            |
| 6200009  | PREFORMED THERMOPLASTIC   | L.F. | 3343.00          | 4        | 6.20599       | 7         | 1       | 13372          |
| 6200012  | PREFORMED THERMOPLASTIC   | L.F. | 213.50           | 2        | 11.40281      | 13        | 7.5     | 427            |
| 6200015  | PREFORMED THERMOPLASTIC   | L.F. | 351.36           | 14       | 14.995161     | 35        | 13      | 4919           |
| 6200018  | PREFORMED THERMOPLASTIC   | L.F. | 734.20           | 5        | 10.872187     | 18        | 0.35    | 3671           |
| 6200021  | PREFORMED THERMOPLASTIC   | EACH | 30.27            | 11       | 231.366366    | 350       | 200     | 333            |
| 6200024  | PREFORMED THERMOPLASTIC   | EACH | 11.50            | 2        | 384.782608    | 450       | 200     | 23             |
| 6200027  | PREFORMED THERMOPLASTIC   | EACH | 3.50             | 2        | 471.428571    | 500       | 450     | 7              |
| 6200030  | PREFORMED THERMOPLASTIC   | EACH | 6.00             | 3        | 400           | 450       | 375     | 18             |
| 6200033  | PREFORMED THERMOPLASTIC   | EACH | 2.80             | 5        | 1198.857142   | 1500      | 1021    | 14             |
| 6200036  | PREFORMED THERMOPLASTIC   | EACH | 10.40            | 5        | 73.177884     | 100       | 35      | 52             |
| 6200042  | PREFORMED THERMOPLASTIC   | EACH | 43.33            | 3        | 26.823076     | 30        | 0.5     | 130            |
| 6205301B | PREFORMED REMOVABLE MARKING TAPE 4 IN., WHITE                   | L.F. | 14420.00         | 1        | 1.25          | 1.25      | 1.25    | 14420          |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6205303B | PREFORMED REMOVABLE MARKING TAPE 4 IN., YELLOW                            | L.F. | 13732.50         | 2        | 1.231649      | 1.25     | 0.45    | 27465          |
| 6205901A | 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE L.F. | L.F. | 28007.75         | 4        | 0.155735      | 0.18     | 0.15    | 112031         |
| 6205902A | 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE L.F.  | L.F. | 143728.89        | 9        | 0.154733      | 1        | 0.1     | 1293560        |
| 6205903A | 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE L.F. | L.F. | 128937.71        | 7        | 0.165431      | 0.3      | 0.12    | 902564         |
| 6205906A | 12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE L.F. | L.F. | 9247.25          | 4        | 1.051196      | 13       | 0.6     | 36989          |
| 6206000C | 4 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS               | L.F. | 71239.55         | 29       | 0.113505      | 3.5      | 0.09    | 2065947        |
| 6206001C | 4 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS              | L.F. | 65785.59         | 32       | 0.116735      | 4.5      | 0.1     | 2105139        |
| 6206108A | 8 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS               | L.F. | 95.00            | 3        | 2.894736      | 5.5      | 1       | 285            |
| 6206124A | 24 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS              | L.F. | 302.00           | 2        | 3.591059      | 3.75     | 1.75    | 604            |
| 6206125A | 24 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS             | L.F. | 973.00           | 2        | 3.85483       | 8        | 3.75    | 1946           |
| 6207001  | PAVEMENT MARKING REMOVAL  | L.F. | 3923.82          | 11       | 0.344058      | 15       | 0.15    | 43162          |
| 6207002  | PAVEMENT MARKING REMOVAL (SYMBOLS)  | EACH | 5.14             | 7        | 80.343055     | 150      | 51.05   | 36             |
| 6208064A | TEMPORARY RAISED PAVEMENT MARKER, TYPE 1                                  | EACH | 316.00           | 1        | 4             | 4        | 4       | 316            |
| 6208076  | 4 IN TEMPORARY PAVEMENT   | L.F. | 31040.00         | 1        | 0.15          | 0.15     | 0.15    | 31040          |
| 6214600A | FLOWABLE BACKFILL   | C.Y. | 13.00            | 2        | 322.773846    | 350      | 308.36  | 26             |
| 6221001  | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THIC S.Y. | S.Y. | 88952.92         | 13       | 0.911355      | 35       | 0.18    | 1156388        |
| 6221011  | COLDMILLING CONCRETE PAVEMENT FOR REMOVAL OF SURFACE                      | C.Y. | 109763.00        | 1        | 1.07          | 1.07     | 1.07    | 109763         |
| 6224010  | MODIFIED COLD MILLING (DEPTH TRANSITIONS)                                 | S.Y. | 3329.87          | 15       | 4.12391       | 60.83    | 0.58    | 49948          |
| 6235000  | MMA POLYMER SLURRY WEARING  | S.Y. | 11236.00         | 1        | 81            | 81       | 81      | 11236          |
| 6240103A | PERMANENT EROSION CONTROL GEOTEXTILE                                      | S.Y. | 866.69           | 13       | 3.028556      | 35       | 1.95    | 11267          |
| 6240104A | SEPARATION GEOTEXTILE   | S.Y. | 122.00           | 1        | 4.1           | 4.1      | 4.1     | 122            |
| 6261000A | BITUMINOUS SHOULDER RUMBLE STRIP  | STA. | 1351.00          | 9        | 12.23436      | 24       | 9.5     | 12159          |
| 6261001  | BITUMINOUS CENTERLINE RUMBLE STRIP  | STA. | 748.46           | 7        | 12.63259      | 23       | 9.5     | 5239.2         |
| 6274000  | CONTRACTOR FURNISHED SURVEYING AND STAKING                                | L.S. | 1.00             | 20       | 5035.886      | 12200    | 100     | 20             |
| 7011104  | DRILLED SHAFTS (3 FT. 0 IN. DIA.)   | L.F. | 56.00            | 1        | 600           | 600      | 600     | 56             |
| 7011105  | DRILLED SHAFTS (3 FT. 6 IN. DIA.)   | L.F. | 34.70            | 2        | 861.426512    | 940      | 845     | 69.4           |
| 7011106  | DRILLED SHAFTS (4 FT. 0 IN. DIA.)   | L.F. | 98.00            | 1        | 750           | 750      | 750     | 98             |
| 7011203  | ROCK SOCKETS (2 FT 6 IN. DIA.)  | L.F. | 24.00            | 1        | 700           | 700      | 700     | 24             |
| 7011204  | ROCK SOCKETS (3 FT 0 IN. DIA.)  | L.F. | 34.00            | 2        | 526.17647     | 620      | 475     | 68             |
| 7011205  | ROCK SOCKETS (3 FT 6 IN. DIA.)  | L.F. | 38.00            | 1        | 1000          | 1000     | 1000    | 38             |
| 7011300  | VIDEO CAMERA INSPECTION   | EACH | 3.50             | 4        | 557.142857    | 800      | 200     | 14             |
| 7011400  | FOUNDATION INSPECTION HOLES   | L.F. | 67.50            | 4        | 127.725925    | 145      | 107     | 270            |
| 7011600  | SONIC LOGGING TESTING   | EACH | 3.50             | 4        | 1764.285714   | 2550     | 1200    | 14             |
| 7021212  | GALVANIZED STRUCTURAL STEEL PILES (12 IN)                                 | L.F. | 201.50           | 4        | 85.878411     | 140      | 65      | 806            |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 7021214  | GALVANIZED STRUCTURAL STEEL PILES (14 IN)                       | L.F. | 631.50           | 2        | 85.480601     | 103      | 81.2    | 1263           |
| 7021314  | GALVANIZED CAST-IN-PLACE CONCRETE PILES (14 IN)                 | L.F. | 284.00           | 1        | 140.59        | 140.59   | 140.59  | 284            |
| 7021320  | GALVANIZED CAST-IN-PLACE  | L.F. | 300.00           | 1        | 187.82        | 187.82   | 187.82  | 300            |
| 7025001  | DYNAMIC PILE TESTING  | EACH | 3.00             | 1        | 2448          | 2448     | 2448    | 3              |
| 7025002  | PILE WAVE ANALYSIS  | EACH | 2.00             | 2        | 575           | 750      | 400     | 4              |
| 7026000  | PRE-BORE FOR PILING   | L.F. | 68.00            | 5        | 144.647058    | 155      | 105     | 340            |
| 7027000  | PILE POINT REINFORCEMENT  | EACH | 9.25             | 8        | 239.996621    | 1145.15  | 100     | 74             |
| 7032003  | CLASS B CONCRETE (SUBSTRUCTURE)                                 | C.Y. | 52.17            | 7        | 835.980495    | 993.17   | 732     | 365.2          |
| 7034040  | CLASS B-1 CONCRETE (CULVERTS-BRIDGE)                            | C.Y. | 154.90           | 2        | 626.856036    | 1000     | 600     | 309.8          |
| 7034041  | CLASS B-1 CONCRETE (CULVERTS)                                   | C.Y. | 45.00            | 2        | 1041.666666   | 1050     | 1000    | 90             |
| 7034212  | SLAB ON STEEL   | S.Y. | 830.50           | 4        | 257.537627    | 295      | 235     | 3322           |
| 7034213  | SLAB ON CONCRETE I-GIRDER                                       | S.Y. | 596.67           | 3        | 296.140782    | 312      | 285     | 1790           |
| 7034215  | SAFETY BARRIER CURB   | L.F. | 441.89           | 9        | 71.388893     | 91.95    | 50      | 3977           |
| 7034216  | TYPE H BARRIER  | L.F. | 300.00           | 2        | 62.4          | 65       | 60      | 600            |
| 7034219A | BARRIER CURB (TYPE D)   | L.F. | 631.00           | 1        | 58            | 58       | 58      | 631            |
| 7034221  | SLAB ON CONCRETE NU-GIRDER                                      | S.Y. | 555.67           | 3        | 283.236352    | 294.16   | 270     | 1667           |
| 7034222  | SLAB ON CONCRETE BEAM   | S.Y. | 423.00           | 1        | 329           | 329      | 329     | 423            |
| 7034600  | CURB BLOCKOUT   | L.F. | 236.00           | 1        | 121.75        | 121.75   | 121.75  | 236            |
| 7040101  | SUBSTRUCTURE REPAIR (FORMED)                                    | S.F. | 20.00            | 1        | 200           | 200      | 200     | 20             |
| 7040102  | SUBSTRUCTURE REPAIR (UNFORMED)                                  | S.F. | 250.00           | 1        | 125           | 125      | 125     | 250            |
| 7056000  | TYPE 2 (32 IN.), PRESTRESSED CONCRETE I-GIRDER                  | L.F. | 784.50           | 2        | 179.190567    | 200      | 150     | 1569           |
| 7056001  | TYPE 3 (39 IN.), PRESTRESSED CONCRETE I-GIRDER                  | L.F. | 554.00           | 1        | 280           | 280      | 280     | 554            |
| 7056021  | NU 35 (900), PRESTRESSED CONCRETE NU-GIRDER                     | L.F. | 574.00           | 2        | 255.021515    | 313.26   | 230     | 1148           |
| 7056024  | NU 63 (1600), PRESTRESSED CONCRETE NU-GIRDER                    | L.F. | 568.00           | 1        | 285           | 285      | 285     | 568            |
| 7056050A | 27 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM                    | L.F. | 421.00           | 1        | 312           | 312      | 312     | 421            |
| 7061020  | REINFORCING STEEL (CULVERTS-BRIDGE)                             | LBS  | 24600.00         | 2        | 1.239674      | 2        | 1.2     | 49200          |
| 7061030  | REINFORCING STEEL (CULVERTS)                                    | LBS  | 8210.00          | 2        | 1.5           | 1.5      | 1.5     | 16420          |
| 7061060  | REINFORCING STEEL (BRIDGES)                                     | LBS  | 10986.67         | 6        | 1.261791      | 1.6      | 1       | 65920          |
| 7071000  | CONDUIT SYSTEM ON STRUCTURE                                     | L.S. | 1.00             | 2        | 14010         | 14800    | 13220   | 2              |
| 7110200  | PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)           | L.S. | 1.00             | 4        | 6018.4075     | 16000    | 1250    | 4              |
| 7110500  | TEMPORARY COATING - CONCRETE BENTS AND PIERS (WEATHERING STEEL) | L.S. | 1.00             | 1        | 7342          | 7342     | 7342    | 1              |
| 7120900  | EXPANSION DEVICE (FINGER PLATE)                                 | L.F. | 28.00            | 1        | 3000          | 3000     | 3000    | 28             |
| 7121100  | FABRICATED STRUCTURAL LOW ALLOY STEEL (MISC)                    | LBS  | 770.00           | 1        | 25            | 25       | 25      | 770            |
| 7121113  | FABRICATED STRUCTURAL LOW ALLOY STEEL (I-BEAM) A709, GRADE 5    | LBS  | 57760.00         | 2        | 2.610131      | 2.7      | 2.51    | 115520         |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 7121251  | HINGE MODIFICATION  | EACH | 4.00             | 1        | 43500         | 43500    | 43500   | 4              |
| 7123301  | STEEL INTERMEDIATE DIAPHRAGM FOR P/S CONCRETE GIRDERS               | EACH | 9.00             | 4        | 915.833333    | 1300     | 550     | 36             |
| 7123610  | SLAB DRAIN  | EACH | 20.20            | 10       | 295.10495     | 420      | 225     | 202            |
| 7123620  | DRAINAGE SYSTEM (ON STRUCTURE)                                      | L.S. | 1.00             | 1        | 76500         | 76500    | 76500   | 1              |
| 7125102  | SURFACE PREPARATION FOR APPLYING EPOXY-MASTIC PRIMER                | L.S. | 1.00             | 2        | 1712.5        | 2925     | 500     | 2              |
| 7125200  | SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL                  | S.F. | 500.00           | 2        | 74.528        | 80       | 61.76   | 1000           |
| 7125210  | FIELD APPLICATION OF INORGANIC ZINC PRIMER                          | S.F. | 500.00           | 2        | 8.641         | 26.47    | 1       | 1000           |
| 7125365A | INTERMEDIATE FIELD COAT (SYSTEM G)                                  | S.F. | 900.00           | 1        | 1             | 1        | 1       | 900            |
| 7125370A | FINISH FIELD COAT (SYSTEM G)  | S.F. | 900.00           | 1        | 1             | 1        | 1       | 900            |
| 7125960  | ALUMINUM EPOXY-MASTIC PRIMER  | L.S. | 1.00             | 1        | 1550          | 1550     | 1550    | 1              |
| 7125961  | GRAY EPOXY-MASTIC PRIMER  | L.S. | 1.00             | 1        | 500           | 500      | 500     | 1              |
| 7126000  | NON-DESTRUCTIVE TESTING   | L.F. | 53.33            | 3        | 48.5625       | 70       | 35      | 160            |
| 7134000  | BRIDGE GUARD RAIL (THRIE BEAM)                                      | L.F. | 112.00           | 2        | 250           | 250      | 250     | 224            |
| 7151001  | VERTICAL DRAIN AT END BENTS   | EACH | 2.00             | 10       | 1542.767      | 2902.67  | 975     | 20             |
| 7161000  | PLAIN NEOPRENE BEARING PAD  | EACH | 14.00            | 4        | 167.1825      | 220.37   | 150     | 56             |
| 7161002  | LAMINATED NEOPRENE BEARING PAD                                      | EACH | 15.00            | 2        | 236.272       | 321.36   | 215     | 30             |
| 7161003  | LAMINATED NEOPRENE BEARING PAD (TAPERED)                            | EACH | 10.00            | 5        | 566           | 750      | 300     | 50             |
| 7162000  | LAMINATED NEOPRENE BEARING PAD ASSEMBLY                             | EACH | 8.00             | 3        | 1676.666666   | 2000     | 1200    | 24             |
| 7163000  | TYPE N PTFE BEARING   | EACH | 4.00             | 1        | 2750          | 2750     | 2750    | 4              |
| 7201200  | SELECT GRANULAR BACKFILL FOR STRUCTURAL SYSTEMS                     | C.Y. | 360.00           | 1        | 48            | 48       | 48      | 360            |
| 7250315A | 15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 52.00            | 1        | 50            | 50       | 50      | 52             |
| 7250318A | 18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 256.00           | 1        | 70            | 70       | 70      | 256            |
| 7250324A | 24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 42.00            | 1        | 80            | 80       | 80      | 42             |
| 7250330A | 30 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 42.00            | 1        | 100           | 100      | 100     | 42             |
| 7250336A | 36 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 88.00            | 1        | 110           | 110      | 110     | 88             |
| 7250342A | 42 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 108.00           | 1        | 130           | 130      | 130     | 108            |
| 7250348A | 48 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 92.00            | 1        | 150           | 150      | 150     | 92             |
| 7250415  | 15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 92.33            | 3        | 40.794223     | 65       | 30      | 277            |
| 7250418  | 18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 4.00             | 1        | 75            | 75       | 75      | 4              |
| 7250424  | 24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 129.50           | 2        | 40.068108     | 85       | 38.82   | 259            |
| 7250442  | 42 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 20.00            | 1        | 100           | 100      | 100     | 20             |
| 7261024  | 24 IN. PIPE GROUP A   | L.F. | 35.00            | 1        | 40            | 40       | 40      | 35             |
| 7261036  | 36 IN. PIPE GROUP A   | L.F. | 29.00            | 1        | 75            | 75       | 75      | 29             |
| 7320015A | 15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION    | EACH | 2.00             | 1        | 150           | 150      | 150     | 2              |



| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 7320018A | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION  | EACH | 8.00             | 1        | 200           | 200      | 200     | 8              |
| 7320024A | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION  | EACH | 2.00             | 1        | 275           | 275      | 275     | 2              |
| 7320030A | 30 IN. (750 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION  | EACH | 2.00             | 1        | 500           | 500      | 500     | 2              |
| 7320036A | 36 IN. (900 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION  | EACH | 4.00             | 1        | 600           | 600      | 600     | 4              |
| 7320042A | 42 IN. (1050 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | EACH | 4.00             | 1        | 850           | 850      | 850     | 4              |
| 7320048A | 48 IN. (1200 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | EACH | 4.00             | 1        | 1000          | 1000     | 1000    | 4              |
| 7320624A | 24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION           | EACH | 1.00             | 1        | 1000          | 1000     | 1000    | 1              |
| 7320636A | 36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION           | EACH | 1.00             | 1        | 2500          | 2500     | 2500    | 1              |
| 7320815A | 15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION  | EACH | 5.33             | 3        | 178.125       | 400      | 125     | 16             |
| 7320818A | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION  | EACH | 1.00             | 1        | 250           | 250      | 250     | 1              |
| 7320824A | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION  | EACH | 2.00             | 1        | 300           | 300      | 300     | 2              |
| 8051000A | SEEDING - COOL SEASON MIXTURES                                    | ACRE | 5.32             | 20       | 2450.091815   | 26250    | 1750    | 106.3          |
| 8061001  | SEDIMENT BASIN EXCAVATION   | C.Y. | 59.90            | 1        | 2             | 2        | 2       | 59.9           |
| 8061002  | SEDIMENT BASIN ROCK   | C.Y. | 59.90            | 1        | 25            | 25       | 25      | 59.9           |
| 8061003  | SEDIMENT TRAP EXCAVATION  | C.Y. | 9.75             | 2        | 32.871794     | 45       | 2       | 19.5           |
| 8061004  | SEDIMENT TRAP ROCK  | C.Y. | 55.89            | 11       | 72.983978     | 250      | 25      | 614.8          |
| 8061005  | ROCK DITCH CHECK  | L.F. | 958.39           | 23       | 11.106135     | 45       | 8       | 22043          |
| 8061006  | ALTERNATE DITCH CHECK   | L.F. | 572.14           | 7        | 8.622347      | 13       | 6       | 4005           |
| 8061007A | CURB INLET CHECK  | EACH | 12.00            | 2        | 140           | 250      | 130     | 24             |
| 8061010A | TYPE B BERM   | L.F. | 311.67           | 3        | 5.75401       | 12       | 2       | 935            |
| 8061016  | SEDIMENT REMOVAL  | C.Y. | 132.60           | 25       | 12.131119     | 100      | 1       | 3315           |
| 8061017  | TEMPORARY SEEDING AND MULCHING                                    | ACRE | 1.43             | 9        | 2988.849612   | 30000    | 1750    | 12.9           |
| 8061019  | SILT FENCE  | L.F. | 2720.50          | 22       | 2.078664      | 10       | 1.5     | 59851          |
| 8061050  | TYPE C BERM   | L.F. | 344.18           | 11       | 14.714342     | 45       | 8.5     | 3786           |
| 8064133  | TYPE 1C EROSION CONTROL   | S.Y. | 136.00           | 1        | 5             | 5        | 5       | 136            |
| 8064134  | TYPE 1D EROSION CONTROL   | S.Y. | 560.00           | 1        | 2.5           | 2.5      | 2.5     | 560            |
| 8064138  | TYPE 2D EROSION CONTROL   | S.Y. | 882.00           | 1        | 3             | 3        | 3       | 882            |
| 9011010  | RELOCATED POLE  | EACH | 1.00             | 1        | 1350          | 1350     | 1350    | 1              |
| 9011030  | LIGHTING POLE, 30 FT. OR 9.0 M, TYPE AT                           | EACH | 4.00             | 1        | 2150          | 2150     | 2150    | 4              |
| 9011060  | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 1                 | EACH | 3.00             | 1        | 2742          | 2742     | 2742    | 3              |
| 9011062  | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2                 | EACH | 1.00             | 1        | 2313          | 2313     | 2313    | 1              |
| 9011115  | BRACKET ARM, 15 FT. OR 4.6 M                                      | EACH | 4.00             | 2        | 721.5         | 760      | 683     | 8              |
| 9011311  | LUMINAIRE, LED-A  | EACH | 8.00             | 3        | 558.666666    | 650      | 525     | 24             |
| 9011312  | LUMINAIRE, LED-B  | EACH | 4.00             | 1        | 610           | 610      | 610     | 4              |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 9012230  | BASE MOUNTED CONTROL STATION 240 VOLT-4 CIRCUIT                        | EACH | 1.00             | 1        | 5300          | 5300     | 5300    | 1              |
| 9013002  | CONDUIT, 2 IN. RIGID, IN TRENCH  | L.F. | 63.00            | 1        | 10            | 10       | 10      | 63             |
| 9013003  | CONDUIT, 3 IN. RIGID, IN TRENCH  | L.F. | 67.50            | 2        | 11.562962     | 15       | 11      | 135            |
| 9013004  | CONDUIT, 4 IN. RIGID, IN TRENCH  | L.F. | 56.00            | 1        | 12            | 12       | 12      | 56             |
| 9014003  | CONDUIT, 3 IN. RIGID, PUSHED   | L.F. | 177.00           | 1        | 29            | 29       | 29      | 177            |
| 9014004  | CONDUIT, 4 IN. RIGID, PUSHED   | L.F. | 266.00           | 1        | 18            | 18       | 18      | 266            |
| 9015010  | TRENCHING TYPE I   | L.F. | 150.00           | 1        | 5.25          | 5.25     | 5.25    | 150            |
| 9016110  | PULL BOX, PREFORMED CLASS 1  | EACH | 3.67             | 3        | 1102.272727   | 1200     | 925     | 11             |
| 9016111  | PULL BOX, PREFORMED CLASS 2  | EACH | 3.00             | 1        | 1299          | 1299     | 1299    | 3              |
| 9016112  | PULL BOX, PREFORMED CLASS 3  | EACH | 1.00             | 1        | 1600          | 1600     | 1600    | 1              |
| 9017002  | CABLE, 2 AWG 1 CONDUCTOR   | L.F. | 240.00           | 1        | 2.1           | 2.1      | 2.1     | 240            |
| 9017008  | CABLE, 8 AWG 1 CONDUCTOR   | L.F. | 775.00           | 2        | 1.16258       | 1.2      | 1       | 1550           |
| 9017110  | CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET                            | L.F. | 280.00           | 2        | 0.871428      | 1        | 0.85    | 560            |
| 9017407  | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG           | L.F. | 340.00           | 2        | 2.816176      | 3        | 2.5     | 680            |
| 9018230  | POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)                      | EACH | 2.50             | 2        | 1525.8        | 1676     | 925     | 5              |
| 9018245  | POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)                     | EACH | 4.00             | 1        | 1200          | 1200     | 1200    | 4              |
| 9018613  | POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING AND SIGN | EACH | 2.00             | 2        | 4278.75       | 6930     | 3395    | 4              |
| 9020111  | SIGNAL HEAD, TYPE 1T   | EACH | 4.00             | 1        | 700           | 700      | 700     | 4              |
| 9020113  | SIGNAL HEAD, TYPE 3T   | EACH | 1.00             | 1        | 739           | 739      | 739     | 1              |
| 9020213  | SIGNAL HEAD, TYPE 3S   | EACH | 4.33             | 3        | 717.307692    | 825      | 707     | 13             |
| 9020513  | SIGNAL HEAD, TYPE 3B   | EACH | 13.50            | 2        | 858.851851    | 867      | 857     | 27             |
| 9020514  | SIGNAL HEAD, TYPE 4B   | EACH | 2.50             | 2        | 980.6         | 987      | 971     | 5              |
| 9020811  | SIGNAL HEAD, TYPE 1S, PEDESTRIAN                                       | EACH | 6.00             | 1        | 407           | 407      | 407     | 6              |
| 9020833  | SH-FLAT SHEET - SIGNAL SIGN  | EACH | 167.00           | 2        | 39.769461     | 40       | 39      | 334            |
| 9020834  | SIGNAL SIGN, MOUNTING  | EACH | 25.50            | 2        | 167.607843    | 195      | 68      | 51             |
| 9022708  | POST, SIGNAL 8 FT. OR 2.4 M  | EACH | 5.00             | 1        | 607           | 607      | 607     | 5              |
| 9022715  | POST, SIGNAL 15 FT. OR 4.6 M   | EACH | 1.00             | 1        | 790           | 790      | 790     | 1              |
| 9023115  | POST, TYPE CL, 15 FT. ARM OR 4.6 M ARM                                 | EACH | 1.00             | 1        | 6639          | 6639     | 6639    | 1              |
| 9023120  | POST, TYPE CL, 20 FT. ARM OR 6.1 M ARM                                 | EACH | 1.00             | 1        | 6717          | 6717     | 6717    | 1              |
| 9023125  | POST, TYPE CL, 25 FT. ARM OR 7.6 M ARM                                 | EACH | 2.00             | 1        | 6742          | 6742     | 6742    | 2              |
| 9023130  | POST, TYPE CL, 30 FT. ARM OR 9.1 M ARM                                 | EACH | 1.00             | 1        | 8289          | 8289     | 8289    | 1              |
| 9023135  | POST, TYPE CL, 35 FT. ARM OR 10.7 M ARM                                | EACH | 3.00             | 1        | 7600          | 7600     | 7600    | 3              |
| 9023140  | POST, TYPE CL, 40 FT. ARM OR 12.2 M ARM                                | EACH | 2.00             | 1        | 9711          | 9711     | 9711    | 2              |
| 9023225  | POST, TYPE C, 25 FT. ARM OR 7.6 M ARM                                  | EACH | 2.00             | 1        | 6432          | 6432     | 6432    | 2              |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 9023235  | POST, TYPE C, 35 FT. ARM OR 10.7 M ARM                           | EACH | 1.00             | 1        | 7316          | 7316     | 7316    | 1              |
| 9023240  | POST, TYPE C, 40 FT. ARM OR 12.2 M ARM                           | EACH | 1.00             | 1        | 8390          | 8390     | 8390    | 1              |
| 9023445  | POST, TYPE BL, LONGEST ARM 45 FT. OR 13.7 M                      | EACH | 1.00             | 1        | 14515         | 14515    | 14515   | 1              |
| 9024281  | CONTROLLER ASSEMBLY HOUSING, KEYBOARD ENTRY, 8 PHASE NEMA CONTRC | EACH | 3.00             | 1        | 15554         | 15554    | 15554   | 3              |
| 9024283  | CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER                 | EACH | 1.00             | 1        | 14800         | 14800    | 14800   | 1              |
| 9024920  | DETECTOR, PUSHBUTTON   | EACH | 6.00             | 1        | 206           | 206      | 206     | 6              |
| 9024944  | DETECTOR, VEHICLE INDUCTION LOOP (2 CHANNEL-RACK MOUNTED)        | EACH | 2.00             | 1        | 125           | 125      | 125     | 2              |
| 9025020  | CONDUIT, 1 IN., LOOP DETECTOR                                    | L.F. | 390.50           | 2        | 8             | 8        | 8       | 781            |
| 9025200  | CONDUIT, 2 IN., TRENCH   | L.F. | 14896.50         | 4        | 7.453252      | 9.5      | 6       | 59586          |
| 9025300  | CONDUIT, 3 IN., TRENCH   | L.F. | 730.33           | 3        | 9.174121      | 15       | 8.5     | 2191           |
| 9027200  | CONDUIT, 2 IN., PUSHED   | L.F. | 4552.00          | 2        | 13.891036     | 25       | 13      | 9104           |
| 9027300  | CONDUIT, 3 IN., PUSHED   | L.F. | 372.67           | 3        | 25.85152      | 32       | 24      | 1118           |
| 9027501  | CONDUIT, 1 1/4 IN., ON STRUCTURE                                 | L.F. | 27.00            | 1        | 40            | 40       | 40      | 27             |
| 9028100  | CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET                      | L.F. | 640.00           | 1        | 0.85          | 0.85     | 0.85    | 640            |
| 9028202  | CABLE, 2 AWG 1 CONDUCTOR, POWER                                  | L.F. | 305.00           | 2        | 1.937704      | 2.85     | 1.8     | 610            |
| 9028208  | CABLE, 8 AWG 1 CONDUCTOR, POWER                                  | L.F. | 230.00           | 1        | 1.1           | 1.1      | 1.1     | 230            |
| 9028302  | CABLE, 12 AWG 2 CONDUCTOR  | L.F. | 1170.00          | 1        | 1.1           | 1.1      | 1.1     | 1170           |
| 9028308  | CABLE, 16 AWG 2 CONDUCTOR  | L.F. | 1500.00          | 1        | 1.05          | 1.05     | 1.05    | 1500           |
| 9028310  | CABLE, 16 AWG 5 CONDUCTOR  | L.F. | 1500.00          | 1        | 1.12          | 1.12     | 1.12    | 1500           |
| 9028311  | CABLE, 16 AWG 7 CONDUCTOR  | L.F. | 2330.00          | 3        | 1.351573      | 2.25     | 1.2     | 6990           |
| 9028350  | FIBER OPTIC CABLE, 6 - FIBER, SINGLE MODE                        | L.F. | 620.00           | 1        | 3.25          | 3.25     | 3.25    | 620            |
| 9028500  | CABLE, LOOP DETECTOR, IN DUCT                                    | L.F. | 4773.33          | 3        | 4.867807      | 6        | 4.85    | 14320          |
| 9028510  | CABLE, LOOP DETECTOR, LEAD-IN                                    | L.F. | 1100.00          | 4        | 1.648863      | 1.85     | 1.2     | 4400           |
| 9028620  | POWER SUPPLY ASSEMBLY, TYPE 2                                    | EACH | 1.00             | 1        | 2600          | 2600     | 2600    | 1              |
| 9028810  | PULL BOX, PREFORMED CLASS 1                                      | EACH | 3.50             | 2        | 1149.285714   | 1215     | 985     | 7              |
| 9028811  | PULL BOX, PREFORMED CLASS 2                                      | EACH | 6.00             | 2        | 1344.5        | 1350     | 1328    | 12             |
| 9028812  | PULL BOX, PREFORMED CLASS 3                                      | EACH | 2.00             | 2        | 1593          | 1600     | 1586    | 4              |
| 9028816  | PULL BOX, PREFORMED CLASS 5                                      | EACH | 1.00             | 1        | 1600          | 1600     | 1600    | 1              |
| 9028824  | PULL BOX, CONCRETE, DOUBLE TYPE B                                | EACH | 2.00             | 1        | 2900          | 2900     | 2900    | 2              |
| 9029100  | BASE, CONCRETE   | C.Y. | 27.10            | 2        | 1421.955719   | 1675     | 1350    | 54.2           |
| 9031010  | CONCRETE FOOTINGS, EMBEDDED                                      | C.Y. | 0.77             | 9        | 1905.596843   | 2500     | 1500    | 6.97           |
| 9031210  | STRUCTURAL STEEL POSTS   | LBS  | 660.00           | 2        | 5.757575      | 25       | 5       | 1320           |
| 9031241  | BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)                | EACH | 6.50             | 4        | 211.692307    | 250      | 202     | 26             |
| 9031242  | 36 IN. SURFACE-MOUNT   | EACH | 6.00             | 1        | 120           | 120      | 120     | 6              |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 9031250A | U-CHANNEL POST, 3 LB   | L.F. | 561.33           | 3        | 20.869358     | 23       | 10      | 1684           |
| 9031270A | PERFORATED SQUARE STEEL TUBE POST, 2 IN., 12 GA.                 | L.F. | 68.00            | 6        | 11.375686     | 14.75    | 9.5     | 408            |
| 9031271  | PERFORATED SQUARE STEEL TUBE POST ANCHOR SLEEVE, 2.5 IN., 12 GA. | L.F. | 9.00             | 2        | 24.766666     | 30       | 14.3    | 18             |
| 9031273  | PERFORATED SQUARE STEEL TUBE POST ANCHOR, 7 GA.                  | L.F. | 24.00            | 4        | 34.009375     | 43.15    | 30      | 96             |
| 9031280  | 2.5 IN. PSST POST - 12 GA.                                       | L.F. | 65.83            | 6        | 14.033265     | 16       | 10.26   | 395            |
| 9031281  | POST ANCHOR FOR 2.5 IN. PSST - 7 GA.                             | L.F. | 12.50            | 6        | 39.5644       | 62.69    | 30      | 75             |
| 9035004A | SH-FLAT SHEET  | S.F. | 49.21            | 7        | 27.228722     | 39.91    | 20      | 344.5          |
| 9035069A | SHF-FLAT SHEET FLUORESCENT                                       | S.F. | 70.56            | 8        | 26.900531     | 50.2     | 12      | 564.5          |
| 9105020  | CONDUIT, 1 IN., LOOP DETECTOR                                    | L.F. | 642.00           | 1        | 6             | 6        | 6       | 642            |
| 9108353  | FIBER OPTIC CABLE, 12-STRAND, SINGLE MODE                        | L.F. | 38195.00         | 2        | 2.258522      | 2.75     | 2.1     | 76390          |
| 9108811  | PULL BOX, PREFORMED CLASS 2                                      | EACH | 39.50            | 2        | 1307.088607   | 1328     | 1300    | 79             |
| 9108816  | PULL BOX, PREFORMED CLASS 5                                      | EACH | 14.50            | 2        | 1606.965517   | 1650     | 1442    | 29             |

| PAY ITEM | DESCRIPTION  | UNIT  | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|-------|------------------|----------|---------------|----------|---------|----------------|
| 2013000  | CLEARING AND GRUBBING                                    | ACRE  | 1.51             | 8        | 12089.4124    | 25000    | 1       | 12.1           |
| 2022010  | REMOVAL OF IMPROVEMENTS                                  | L.S.  | 1.00             | 38       | 103353.5118   | 1191442  | 0.01    | 38             |
| 2024043  | REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE)               | S.F.  | 155.00           | 1        | 140.5         | 140.5    | 140.5   | 155            |
| 2031000  | CLASS A EXCAVATION                                       | C.Y.  | 17756.91         | 11       | 15.710815     | 33.6     | 7.7     | 195326         |
| 2035000  | UNCLASSIFIED EXCAVATION                                  | C.Y.  | 14948.33         | 3        | 28.533091     | 47       | 21.25   | 44845          |
| 2035500  | EMBANKMENT IN PLACE                                      | C.Y.  | 3498.57          | 7        | 24.379329     | 49.75    | 4.75    | 24490          |
| 2036000  | COMPACTING EMBANKMENT                                    | C.Y.  | 12882.10         | 10       | 3.549034      | 18       | 2.5     | 128821         |
| 2037075  | COMPACTING IN CUT  | STA.  | 23.00            | 5        | 51.812173     | 1000     | 1       | 115            |
| 2042010  | SETTLEMENT GAUGE   | EACH  | 10.00            | 1        | 1500          | 1500     | 1500    | 10             |
| 2043010  | PORE PRESSURE MEASURING DEVICE                           | EACH  | 3.00             | 1        | 4000          | 4000     | 4000    | 3              |
| 2051010  | MODIFIED SUBGRADE  | S.Y.  | 7963.00          | 2        | 4.112388      | 5.05     | 2.25    | 15926          |
| 2061000  | CLASS 1 EXCAVATION                                       | C.Y.  | 110.00           | 1        | 34            | 34       | 34      | 110            |
| 2062000  | CLASS 2 EXCAVATION                                       | C.Y.  | 24.00            | 4        | 466.520833    | 850      | 81      | 96             |
| 2063000  | CLASS 3 EXCAVATION                                       | C.Y.  | 1024.00          | 15       | 13.787893     | 75       | 0.01    | 15360          |
| 2063300  | CLASS 4 EXCAVATION                                       | C.Y.  | 70.75            | 4        | 100.81272     | 150      | 62      | 283            |
| 2063500  | CULVERT CLEANOUT   | EACH  | 3.33             | 6        | 1085          | 2900     | 600     | 20             |
| 2065500  | TEMPORARY SHORING  | L.S.  | 1.00             | 8        | 20700.375     | 150000   | 1       | 8              |
| 2071000  | LINEAR GRADING CLASS 1                                   | STA.  | 7.78             | 6        | 534.850107    | 6850     | 150     | 46.7           |
| 2072000  | LINEAR GRADING CLASS 2                                   | STA.  | 62.78            | 6        | 386.655163    | 2700     | 250     | 376.7          |
| 2142000  | FURNISHING ROCK FILL                                     | C.Y.  | 797.00           | 5        | 22.165583     | 28.75    | 16.3    | 3985           |
| 2143000  | PLACING ROCK FILL  | C.Y.  | 791.83           | 6        | 13.253283     | 52.9     | 5       | 4751           |
| 2151000A | SHAPING SLOPES, CLASS I                                  | 100FT | 2.00             | 1        | 1120          | 1120     | 1120    | 2              |
| 2153000  | SHAPING SLOPES, CLASS III                                | 100FT | 44.10            | 10       | 894.730158    | 1800     | 392     | 441            |
| 2160500  | REMOVAL OF BRIDGES                                       | L.S.  | 1.00             | 4        | 212200        | 655000   | 13300   | 4              |
| 2161000  | SCARIFICATION OF BRIDGE DECKS                            | S.Y.  | 3003.00          | 1        | 6.67          | 6.67     | 6.67    | 3003           |
| 2161501  | REMOVAL OF ASPHALT WEARING SURFACE                       | S.F.  | 8080.00          | 1        | 1.4           | 1.4      | 1.4     | 8080           |
| 2161503  | REMOVAL OF EXISTING DECK                                 | S.F.  | 25.00            | 1        | 71            | 71       | 71      | 25             |
| 2163000  | PARTIAL REMOVAL OF EXISTING BRIDGE DECKS                 | S.F.  | 1543.50          | 2        | 18.535795     | 35       | 10      | 3087           |
| 2163500  | PARTIAL REMOVAL OF CULVERT CONCRETE                      | L.S.  | 1.00             | 1        | 14500         | 14500    | 14500   | 1              |
| 2163501  | PARTIAL REMOVAL OF CULVERT-BRIDGE CONCRETE               | L.S.  | 1.00             | 2        | 2200          | 2200     | 2200    | 2              |
| 2163502  | PARTIAL REMOVAL OF SUBSTRUCTURE CONCRETE                 | L.S.  | 1.00             | 1        | 9200          | 9200     | 9200    | 1              |
| 2164000  | CURB REMOVAL   | L.F.  | 20.00            | 2        | 453.75        | 1200     | 6       | 40             |
| 2164500  | REMOVAL OF EXISTING EXPANSION JOINTS & ADJACENT CONCRETE | L.F.  | 41.00            | 1        | 425           | 425      | 425     | 41             |
| 2165000  | REMOVAL OF EXISTING EXPANSION JOINT SEAL OR SEALANT      | L.F.  | 219.00           | 6        | 13.847792     | 15       | 13      | 1314           |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 3030600  | FURNISHING ROCK BASE MATERIAL                      | S.Y. | 6671.00          | 3        | 5.500349      | 10.5     | 3.5     | 20013          |
| 3030610A | PLACING ROCK BASE (18 IN. THICK)                   | S.Y. | 6671.00          | 3        | 2.849073      | 5.5      | 1.5     | 20013          |
| 3040143  | TYPE 1 AGGREGATE FOR BASE (4 IN. THICK)            | S.Y. | 4574.20          | 5        | 5.706722      | 11       | 2.5     | 22871          |
| 3040504  | TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)            | S.Y. | 6609.63          | 8        | 4.60938       | 30       | 2.5     | 52877          |
| 3040506  | TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)            | S.Y. | 4743.04          | 8        | 7.334051      | 22       | 6.5     | 37944.3        |
| 3102002  | CRUSHED STONE (B)                                  | TON  | 30.50            | 2        | 258.278688    | 260      | 255     | 61             |
| 3102003  | CRUSHED STONE (B)                                  | S.Y. | 2330.50          | 2        | 11.158399     | 13.3     | 8.7     | 4661           |
| 3105002  | GRAVEL (A) OR CRUSHED STONE (B)                    | TON  | 222.25           | 4        | 36.680539     | 40       | 30      | 889            |
| 3105003  | GRAVEL (A) OR CRUSHED STONE (B)                    | S.Y. | 300.50           | 2        | 11.725956     | 12       | 9.3     | 601            |
| 4010102  | 9 INCHES, BITUMINOUS PAVEMENT                      | S.Y. | 418.80           | 1        | 85            | 85       | 85      | 418.8          |
| 4010150  | TYPE A2 SHOULDER                                   | S.Y. | 1295.08          | 5        | 32.029409     | 51.75    | 29      | 6475.4         |
| 4010151  | TYPE A3 SHOULDER                                   | S.Y. | 355.60           | 1        | 27            | 27       | 27      | 355.6          |
| 4011207  | BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-1)        | TON  | 979.15           | 2        | 79.175662     | 450      | 77.75   | 1958.3         |
| 4011209  | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)        | TON  | 4513.56          | 8        | 59.40733      | 125      | 51.5    | 36108.5        |
| 4011211  | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2)        | TON  | 304.00           | 1        | 207.45        | 207.45   | 207.45  | 304            |
| 4013000  | BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE)         | TON  | 3374.20          | 4        | 56.049759     | 200      | 50      | 13496.8        |
| 4020520  | BITUMINOUS PAVEMENT MIXTURE PG64-22                | TON  | 5337.77          | 3        | 78.758608     | 83.5     | 72.45   | 16013.3        |
| 4030006  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095B MIX)   | TON  | 5299.00          | 1        | 69.25         | 69.25    | 69.25   | 5299           |
| 4030009  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095BSM MIX) | TON  | 20074.00         | 1        | 109.88        | 109.88   | 109.88  | 20074          |
| 4030103  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125C MIX)   | TON  | 674.33           | 3        | 111.127286    | 125      | 104.5   | 2023           |
| 4030105  | ASPHALTIC CONCRETE MIXTURE                         | TON  | 96.60            | 1        | 93            | 93       | 93      | 96.6           |
| 4030109  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125CLP MIX) | TON  | 5650.80          | 4        | 98.605472     | 246      | 77.35   | 22603.2        |
| 4030132  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BSM MIX) | TON  | 13605.00         | 1        | 85.5          | 85.5     | 85.5    | 13605          |
| 4030217  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP190B MIX)   | TON  | 30426.00         | 1        | 75.37         | 75.37    | 75.37   | 30426          |
| 4030308  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP250C MIX)   | TON  | 223.30           | 1        | 86.8          | 86.8     | 86.8    | 223.3          |
| 4071005  | TACK COAT  | GAL  | 10501.60         | 15       | 2.388131      | 30       | 1.94    | 157524         |
| 4091048  | EMULSIFIED ASPHALT, SEAL COAT                      | GAL  | 35653.33         | 3        | 2.173097      | 2.6      | 2.05    | 106960         |
| 4094001  | SEAL COAT AGGREGATE, GRADE A1                      | S.Y. | 116794.00        | 1        | 0.85          | 0.85     | 0.85    | 116794         |
| 4094002  | SEAL COAT AGGREGATE, GRADE A2                      | S.Y. | 170166.00        | 2        | 0.637059      | 0.74     | 0.58    | 340332         |
| 4131000  | MICROSURFACING, TYPE II                            | S.Y. | 79666.50         | 2        | 4.071062      | 8.26     | 3.98    | 159333         |
| 4135000  | BITUMINOUS PAVEMENT CRACK SEALING                  | L.F. | 55232.00         | 2        | 0.960015      | 24       | 0.95    | 110464         |
| 4136000  | PCCP JOINT/CRACK SEALING                           | L.F. | 718869.00        | 1        | 0.75          | 0.75     | 0.75    | 718869         |
| 4137000  | BITUMINOUS PAVEMENT CRACK FILLING                  | L.F. | 510165.50        | 2        | 0.518687      | 0.58     | 0.51    | 1020331        |
| 4138000  | PCCP CRACK FILLING                                 | L.F. | 17564.00         | 1        | 1.1           | 1.1      | 1.1     | 17564          |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 5021106  | CONCRETE PAVEMENT ( 6 IN. NON-REINF)                        | S.Y. | 573.60           | 1        | 135           | 135      | 135     | 573.6          |
| 5021108  | CONCRETE PAVEMENT ( 8 IN. NON-REINF)                        | S.Y. | 366.30           | 1        | 49            | 49       | 49      | 366.3          |
| 5021308  | CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS)     | S.Y. | 6859.00          | 1        | 51            | 51       | 51      | 6859           |
| 5021309  | CONCRETE PAVEMENT ( 9 IN. NON-REINFORCED, 15 FT. JOINTS)    | S.Y. | 10939.00         | 1        | 54            | 54       | 54      | 10939          |
| 5021310  | CONCRETE PAVEMENT (10 IN. NON-REINFORCED, 15 FT. JOINTS)    | S.Y. | 4383.30          | 2        | 60.273268     | 63.4     | 60      | 8766.6         |
| 5021331  | CONCRETE PAVEMENT (7 1/2 IN. NON-REINFORCED, 15 FT. JOINTS) | S.Y. | 389.00           | 2        | 61.958226     | 70       | 59.25   | 778            |
| 5021332  | CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 15 FT. JOINTS) | S.Y. | 1210.15          | 2        | 62.336074     | 130      | 51      | 2420.3         |
| 5021340  | TYPE A2 SHOULDER  | S.Y. | 1649.93          | 4        | 41.262519     | 73.75    | 35      | 6599.7         |
| 5024008  | CONCRETE BASE ( 8 IN. NON-REINF)                            | S.Y. | 4360.20          | 1        | 61.2          | 61.2     | 61.2    | 4360.2         |
| 5031010A | BRIDGE APPROACH SLAB (MAJOR ROAD)                           | S.Y. | 156.67           | 3        | 272.117021    | 355      | 200     | 470            |
| 5031011A | BRIDGE APPROACH SLAB (MINOR ROAD)                           | S.Y. | 196.50           | 4        | 190.819338    | 400      | 108     | 786            |
| 5041000  | CONCRETE APPROACH PAVEMENT                                  | S.Y. | 512.75           | 2        | 82.693807     | 150      | 75      | 1025.5         |
| 5052000  | LATEX MODIFIED CONCRETE WEARING SURFACE                     | S.Y. | 3003.00          | 1        | 85            | 85       | 85      | 3003           |
| 6042010  | ADJUSTING MANHOLE   | EACH | 15.50            | 2        | 1422.580645   | 1600     | 500     | 31             |
| 6042020  | ADJUSTING BASIN OR INLET                                    | EACH | 6.67             | 3        | 728           | 1430     | 400     | 20             |
| 6044011  | PIPE COLLAR, TYPE A   | EACH | 6.20             | 5        | 756.838709    | 3386     | 300     | 31             |
| 6051018A | PIPE AGGREGATE PAVEMENT CROSS DRAIN                         | L.F. | 120.00           | 1        | 72            | 72       | 72      | 120            |
| 6053020A | FRENCH UNDERDRAIN   | L.F. | 192.50           | 2        | 25.75         | 25.75    | 25.75   | 385            |
| 6054020  | OUTLET PIPES AND SPLASH PADS                                | EACH | 2.00             | 1        | 2800          | 2800     | 2800    | 2              |
| 6061040  | GUARDRAIL TYPE D  | L.F. | 25.00            | 1        | 25            | 25       | 25      | 25             |
| 6061060  | MGS GUARDRAIL   | L.F. | 2561.81          | 21       | 20.82874      | 29       | 19      | 53798          |
| 6061061  | MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 SPACING               | L.F. | 2847.97          | 13       | 23.79271      | 28       | 22      | 37023.6        |
| 6061063  | MGS GUARDRAIL, 6 FT. POSTS, 3 FT. - SPACING                 | L.F. | 177.22           | 9        | 35.470532     | 40       | 32      | 1595           |
| 6061065  | MGS GUARDRAIL, 6 FT. POSTS, 1 FT. - 6.75 IN. SPACING        | L.F. | 256.60           | 5        | 52.461418     | 58       | 45      | 1283           |
| 6061068  | MGS BRIDGE APPROACH TRANSITION SECTION (MAJOR ROUTE)        | EACH | 5.40             | 10       | 3081.481481   | 3200     | 2850    | 54             |
| 6061069  | MGS BRIDGE APPROACH TRANSITION SECTION (MINOR ROUTE)        | EACH | 5.31             | 13       | 2912.347826   | 3100     | 552     | 69             |
| 6061070  | MGS VERTICAL CONCRETE BARRIER TRANSITION                    | EACH | 8.00             | 2        | 2828.125      | 3000     | 2750    | 16             |
| 6061074  | MGS HEIGHT AND BLOCK TRANSITION                             | EACH | 3.00             | 7        | 668.095238    | 700      | 550     | 21             |
| 6061075  | MGS LONG SPAN GUARDRAIL SECTION                             | EACH | 3.67             | 3        | 3109.090909   | 3600     | 2900    | 11             |
| 6061080  | MGS END ANCHOR  | EACH | 6.78             | 18       | 1030          | 1200     | 950     | 122            |
| 6061081  | MGS BRIDGE APPROACH TRANSITION (THRIE-BEAM BRIDGE)          | EACH | 4.00             | 1        | 3000          | 3000     | 3000    | 4              |
| 6062301A | TRANSITION SECTION, 7.5 FT. POSTS                           | EACH | 4.00             | 1        | 600           | 600      | 600     | 4              |
| 6062303  | ASYMETRICAL TRANSITION SECTION, 6.5 FT. POSTS               | EACH | 5.00             | 3        | 466.666666    | 600      | 400     | 15             |
| 6062400  | BRIDGE ANCHOR SECTION (THRIE BEAM)                          | EACH | 4.00             | 1        | 2800          | 2800     | 2800    | 4              |

| PAY ITEM | DESCRIPTION                                   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6063014  | TYPE A CRASHWORTHY END TERMINAL (MASH)        | EACH | 12.17            | 24       | 2754.452054   | 3200     | 2500    | 292            |
| 6063015  | TYPE A CRASHWORTHY END TERMINAL               | EACH | 4.00             | 1        | 2950          | 2950     | 2950    | 4              |
| 6063016  | TYPE B CRASHWORTHY END TERMINAL               | EACH | 1.50             | 2        | 5725          | 5875     | 5650    | 3              |
| 6063017  | TYPE C CRASHWORTHY END TERMINAL               | EACH | 1.00             | 1        | 17600         | 17600    | 17600   | 1              |
| 6063019  | TYPE E CRASHWORTHY END TERMINAL               | EACH | 1.00             | 3        | 26800         | 27500    | 26400   | 3              |
| 6064110  | ANCHOR ASSEMBLY, GUARD CABLE 3-STRAND         | EACH | 1.00             | 1        | 3200          | 3200     | 3200    | 1              |
| 6064500  | AGGREGATE BEDDING FOR 3 - STRAND GUARD CABLE  | C.Y. | 22.00            | 1        | 140           | 140      | 140     | 22             |
| 6066400  | GUARDRAIL, RELOCATED AND MODIFIED             | L.F. | 343.60           | 1        | 18            | 18       | 18      | 343.6          |
| 6071012A | CHAIN-LINK FENCE (60 IN.)                     | L.F. | 359.00           | 2        | 28            | 28       | 28      | 718            |
| 6071013A | CHAIN-LINK FENCE (72 IN.)                     | L.F. | 360.00           | 1        | 32            | 32       | 32      | 360            |
| 6071040  | DRIVE GATE (CHAIN-LINK)                       | EACH | 2.00             | 1        | 1200          | 1200     | 1200    | 2              |
| 6071050  | CHAIN-LINK FENCE (RETAINING WALLS)            | L.F. | 1077.50          | 2        | 24            | 24       | 24      | 2155           |
| 6071101  | MODIFIED CONCRETE GUTTER TYPE A               | L.F. | 355.00           | 1        | 74.5          | 74.5     | 74.5    | 355            |
| 6071102  | MODIFIED CONCRETE GUTTER TYPE B               | L.F. | 2038.00          | 1        | 34            | 34       | 34      | 2038           |
| 6081000  | CONCRETE MEDIAN                               | S.Y. | 652.13           | 3        | 64.070128     | 90       | 47.5    | 1956.4         |
| 6081010  | CONCRETE CURB RAMP                            | S.Y. | 5.00             | 1        | 507.25        | 507.25   | 507.25  | 5              |
| 6081012  | TRUNCATED DOMES                               | S.F. | 657.50           | 6        | 25.088086     | 35       | 24      | 3945           |
| 6082023  | HAND-RAILING FOR STEPS                        | L.F. | 12.00            | 1        | 2400          | 2400     | 2400    | 12             |
| 6083006  | 6 IN. CONCRETE MEDIAN STRIP                   | S.Y. | 2808.19          | 7        | 50.69074      | 100      | 16.5    | 19657.3        |
| 6083008  | 8 IN. CONCRETE MEDIAN STRIP                   | S.Y. | 1898.60          | 1        | 55            | 55       | 55      | 1898.6         |
| 6085007  | PAVED APPROACH, 7 IN.                         | S.Y. | 5438.00          | 1        | 80            | 80       | 80      | 5438           |
| 6085008  | PAVED APPROACH, 8 IN.                         | S.Y. | 364.28           | 5        | 69.408943     | 125      | 56.75   | 1821.4         |
| 6086004  | CONCRETE SIDEWALK, 4 IN.                      | S.Y. | 1939.11          | 8        | 40.041575     | 104      | 36      | 15512.9        |
| 6086007  | CONCRETE SIDEWALK, 7 IN.                      | S.Y. | 15.30            | 1        | 65            | 65       | 65      | 15.3           |
| 6091010  | CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S | L.F. | 493.00           | 4        | 30.094624     | 45       | 15.2    | 1972           |
| 6091011  | CONCRETE CURB (OVER 6 IN. HEIGHT) TYPE S      | L.F. | 25.00            | 1        | 60            | 60       | 60      | 25             |
| 6091041  | CONCRETE GUTTER TYPE A                        | L.F. | 8.00             | 1        | 200           | 200      | 200     | 8              |
| 6091042  | CONCRETE GUTTER TYPE B                        | L.F. | 2007.00          | 1        | 30            | 30       | 30      | 2007           |
| 6091051  | CURB AND GUTTER TYPE A                        | L.F. | 256.50           | 1        | 40.5          | 40.5     | 40.5    | 256.5          |
| 6091052  | CURB AND GUTTER TYPE B                        | L.F. | 512.50           | 4        | 27.107902     | 75       | 26      | 2050           |
| 6091060  | PAVED DITCH                                   | S.Y. | 105.53           | 3        | 110.610457    | 200      | 81      | 316.6          |
| 6092011  | INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A | L.F. | 847.43           | 7        | 15.694369     | 150      | 15      | 5932           |
| 6092013  | INTEGRAL CURB TYPE M                          | L.F. | 110.00           | 1        | 20            | 20       | 20      | 110            |
| 6092021  | INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE A      | L.F. | 577.00           | 1        | 15            | 15       | 15      | 577            |



| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6094010  | DRAIN BASIN   | EACH | 2.00             | 1        | 4400          | 4400     | 4400    | 2              |
| 6096010A | FURNISHING TYPE 1 ROCK DITCH LINER  | C.Y. | 24.60            | 5        | 68.113821     | 600      | 27      | 123            |
| 6096020  | FURNISHING TYPE 2 ROCK DITCH LINER  | C.Y. | 183.00           | 5        | 33.825409     | 100      | 27.5    | 915            |
| 6096030A | FURNISHING TYPE 3 ROCK DITCH LINER  | C.Y. | 91.00            | 1        | 42.05         | 42.05    | 42.05   | 91             |
| 6096040A | FURNISHING TYPE 4 ROCK DITCH LINER  | C.Y. | 48.00            | 1        | 50            | 50       | 50      | 48             |
| 6096041  | PLACING TYPE 1 ROCK DITCH LINER   | C.Y. | 24.60            | 5        | 69.113821     | 700      | 26      | 123            |
| 6096042  | PLACING TYPE 2 ROCK DITCH LINER   | C.Y. | 183.00           | 5        | 23.619125     | 100      | 14      | 915            |
| 6096043  | PLACING TYPE 3 ROCK DITCH LINER   | C.Y. | 91.00            | 1        | 26.1          | 26.1     | 26.1    | 91             |
| 6096044  | PLACING TYPE 4 ROCK DITCH LINER   | C.Y. | 48.00            | 1        | 30            | 30       | 30      | 48             |
| 6096050  | BEDDING MATERIAL FOR ROCK DITCH LINER   | C.Y. | 26.00            | 2        | 69.874038     | 105      | 49.65   | 52             |
| 6097000  | ROCK LINING   | C.Y. | 27.18            | 11       | 128.354515    | 1000     | 73.15   | 299            |
| 6113010  | FURNISHING TYPE 1 ROCK BLANKET  | C.Y. | 2092.00          | 2        | 34.945028     | 38       | 34.5    | 4184           |
| 6113020  | FURNISHING TYPE 2 ROCK BLANKET  | C.Y. | 506.50           | 8        | 38.605488     | 300      | 31      | 4052           |
| 6113030  | PLACING TYPE 1 ROCK BLANKET   | C.Y. | 2092.00          | 2        | 16.254302     | 18       | 16      | 4184           |
| 6113040  | PLACING TYPE 2 ROCK BLANKET   | C.Y. | 506.50           | 8        | 18.735194     | 200      | 12.6    | 4052           |
| 6116010A | CONCRETE SLOPE PROTECTION   | S.Y. | 425.75           | 4        | 83.268643     | 300      | 76.3    | 1703           |
| 6122008  | Impact Attenuator 40 MPH (Sand Barrels)                                       | EACH | 5.33             | 3        | 770.3125      | 2350     | 300     | 16             |
| 6122012  | Impact Attenuator 55 MPH (Sand Barrels)                                       | EACH | 2.67             | 3        | 2891.875      | 3010     | 2823    | 8              |
| 6122014  | Impact Attenuator 60 MPH (Sand Barrels)                                       | EACH | 1.00             | 2        | 3025          | 3150     | 2900    | 2              |
| 6122017  | Impact Attenuator 65 MPH (Sand Barrels)                                       | EACH | 2.00             | 1        | 1             | 1        | 1       | 2              |
| 6122019  | Impact Attenuator 70 MPH (Sand Barrels)                                       | EACH | 1.33             | 3        | 3761.25       | 4435     | 2850    | 4              |
| 6122020  | REPLACEMENT SAND BARREL   | EACH | 8.33             | 9        | 317.16        | 432      | 1       | 75             |
| 6122030  | IMPACT ATTENUATOR (RELOCATION)  | EACH | 6.83             | 6        | 328.04878     | 877      | 1       | 41             |
| 6123000A | TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)                                     | EACH | 2.21             | 14       | 1762.58129    | 6000     | 0.01    | 31             |
| 6131010  | FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A FULL DEPTH PA'S Y.       | S.Y. | 1952.05          | 10       | 193.946748    | 1200     | 87      | 19520.5        |
| 6131012  | SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)                           | S.Y. | 778.01           | 11       | 3.749379      | 400      | 0.01    | 8558.1         |
| 6131013  | TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)                | S.Y. | 798.81           | 10       | 7.916845      | 1200     | 2.5     | 7988.1         |
| 6131014  | FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW L.F.       | S.Y. | 6984.77          | 11       | 3.264587      | 15       | 0.01    | 76832.43       |
| 6131015  | DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH EACH | EACH | 2750.38          | 8        | 3.806778      | 8.85     | 0.01    | 22003          |
| 6131017  | DOWEL BAR (FURNISHING AND INSTALLATING WITH BASKETS) FOR FULL DEPTH EACH      | EACH | 125.00           | 6        | 7.624106      | 100      | 0.01    | 750            |
| 6131018  | TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH EACH   | EACH | 338.50           | 4        | 3.484822      | 6.75     | 2.45    | 1354           |
| 6132018  | FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH C.Y.       | C.Y. | 6.15             | 2        | 1307.05691    | 2150     | 1047    | 12.3           |
| 6132019  | REMOVAL OF CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH CONCRETE P S.Y.        | S.Y. | 72.90            | 2        | 248.916323    | 300      | 233.5   | 145.8          |
| 6133018  | FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS B PARTIAL                | TON  | 310.05           | 2        | 2.773746      | 11000    | 1       | 620.1          |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID   | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|------------|---------|----------------|
| 6133019  | REMOVAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR                                     | S.Y. | 159.20           | 2        | 141.036432    | 215        | 140     | 318.4          |
| 6133020  | FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS C PARTIAL DEPT TON               |      | 628.54           | 9        | 99.239855     | 1000       | 35.5    | 5656.9         |
| 6133021  | REMOVAL FOR CLASS C PARTIAL DEPTH PAVEMENT REPAIR                                     | S.Y. | 4980.20          | 9        | 9.660418      | 80         | 5.5     | 44821.8        |
| 6141024  | GRATE AND BEARING PLATE (5 FT. X 3 FT. OR 1524 MM X 914 MM)                           | EACH | 10.00            | 1        | 1400          | 1400       | 1400    | 10             |
| 6141028  | GRATE AND BEARING PLATE (5 FT. - 1 IN. X 3 FT. - 1 IN. OR 1549 MM X 940 MM)           | EACH | 1.00             | 1        | 1310          | 1310       | 1310    | 1              |
| 6141120  | CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MMX600MM)                            | EACH | 42.33            | 3        | 788.582677    | 1000       | 475     | 127            |
| 6141121  | CURVED VANE GRATE AND FRAME (4 FT X 2 FT OR 1200MM X 600MM)                           | EACH | 8.25             | 4        | 1264.166666   | 1350       | 667.5   | 33             |
| 6143010  | MANHOLE FRAME AND COVER, TYPE 1-A   | EACH | 1.00             | 5        | 433.3         | 500        | 350     | 5              |
| 6143011  | MANHOLE FRAME AND COVER, TYPE 1-B   | EACH | 26.00            | 1        | 500           | 500        | 500     | 26             |
| 6143012  | MANHOLE FRAME AND COVER, TYPE 2   | EACH | 1.00             | 2        | 423.25        | 446.5      | 400     | 2              |
| 6143014  | MANHOLE FRAME AND COVER, TYPE 4   | EACH | 1.00             | 2        | 285           | 300        | 270     | 2              |
| 6161005  | CONSTRUCTION SIGNS  | S.F. | 1281.57          | 7        | 7.421134      | 8.5        | 5.5     | 8971           |
| 6161008  | ADVANCED WARNING RAIL SYSTEM  | EACH | 29.86            | 7        | 47.081339     | 55         | 35      | 209            |
| 6161009  | FLAG ASSEMBLY   | EACH | 14.17            | 6        | 17.258823     | 25         | 5       | 85             |
| 6161025  | CHANNELIZER (TRIM LINE)   | EACH | 252.86           | 7        | 22.132768     | 25         | 18      | 1770           |
| 6161030  | TYPE III MOVEABLE BARRICADE   | EACH | 10.17            | 6        | 87.786885     | 200        | 25      | 61             |
| 6161033  | DIRECTIONAL INDICATOR BARRICADE   | EACH | 53.60            | 5        | 46.194029     | 75         | 10      | 268            |
| 6161040  | FLASHING ARROW PANEL  | EACH | 2.75             | 12       | 685.30303     | 1200       | 170     | 33             |
| 6161047  | TYPE III OBJECT MARKER  | EACH | 16.00            | 1        | 200           | 200        | 200     | 16             |
| 6161070  | TUBULAR MARKER  | EACH | 12.00            | 1        | 80            | 80         | 80      | 12             |
| 6161095  | RADAR SPEED ADVISORY SYSTEM   | EACH | 2.00             | 1        | 5000          | 5000       | 5000    | 2              |
| 6161096  | CHANGEABLE MESSAGE SIGN, COMMISSION FURNISHED / RETAINED                              | EACH | 2.00             | 1        | 886           | 886        | 886     | 2              |
| 6161099  | CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED / RETAINED | EACH | 3.20             | 5        | 2136.25       | 3500       | 500     | 16             |
| 6162002  | TEMPORARY LONG-TERM   | EACH | 8.00             | 4        | 1383.125      | 3500       | 560     | 32             |
| 6162004  | SHORT-TERM RUMBLE STRIPS  | EACH | 10.33            | 3        | 240.32258     | 250        | 225     | 31             |
| 6171000  | CONCRETE TRAFFIC BARRIER, TYPE A  | L.F. | 16.00            | 1        | 300           | 300        | 300     | 16             |
| 6173000  | CONCRETE TRAFFIC BARRIER, TYPE C  | L.F. | 200.75           | 4        | 176.571606    | 315        | 115     | 803            |
| 6173100  | CONCRETE TRAFFIC BARRIER, TYPE D  | L.F. | 664.00           | 4        | 99.505647     | 285        | 90      | 2656           |
| 6173102  | CONCRETE TRAFFIC BARRIER, TYPE D (RETAINING WALL)                                     | L.F. | 1221.50          | 2        | 88.536635     | 373        | 85      | 2443           |
| 6173103  | CONCRETE TRAFFIC BARRIER,   | L.F. | 440.00           | 1        | 110           | 110        | 110     | 440            |
| 6173600D | TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED                            | L.F. | 1509.38          | 8        | 19.201548     | 25.9       | 1       | 12075          |
| 6173700B | TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED                   | L.F. | 3525.00          | 1        | 34.6          | 34.6       | 34.6    | 3525           |
| 6175010A | RELOCATING TEMPORARY TRAFFIC BARRIER  | L.F. | 2166.50          | 6        | 7.251084      | 11.95      | 1       | 12999          |
| 6181000  | MOBILIZATION  | L.S. | 1.00             | 54       | 188523.2306   | 2269999.84 | 1500    | 54             |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6181020  | ADDITIONAL MOBILIZATION FOR   | EACH | 3.56             | 9        | 600           | 600      | 600     | 32             |
| 6191000  | PAVEMENT EDGE TREATMENT   | L.F. | 24545.00         | 6        | 0.183233      | 14.1     | 0.01    | 147270         |
| 6200003  | PREFORMED THERMOPLASTIC   | L.F. | 2340.00          | 1        | 5             | 5        | 5       | 2340           |
| 6200006  | PREFORMED THERMOPLASTIC   | L.F. | 412.50           | 2        | 4.770909      | 5        | 3.5     | 825            |
| 6200009  | PREFORMED THERMOPLASTIC   | L.F. | 1039.83          | 6        | 5.872094      | 10       | 4.5     | 6239           |
| 6200012  | PREFORMED THERMOPLASTIC   | L.F. | 367.00           | 1        | 12            | 12       | 12      | 367            |
| 6200015  | PREFORMED THERMOPLASTIC   | L.F. | 380.64           | 22       | 20.300334     | 30       | 18      | 8374           |
| 6200018  | PREFORMED THERMOPLASTIC   | L.F. | 214.25           | 8        | 19.927654     | 24       | 18      | 1714           |
| 6200021  | PREFORMED THERMOPLASTIC   | EACH | 34.81            | 21       | 280.471956    | 350      | 175     | 731            |
| 6200024  | PREFORMED THERMOPLASTIC   | EACH | 3.57             | 7        | 260           | 300      | 200     | 25             |
| 6200027  | PREFORMED THERMOPLASTIC   | EACH | 4.30             | 10       | 472.093023    | 750      | 250     | 43             |
| 6200030  | PREFORMED THERMOPLASTIC   | EACH | 5.33             | 6        | 455.46875     | 650      | 425     | 32             |
| 6200033  | PREFORMED THERMOPLASTIC   | EACH | 2.00             | 3        | 1210.666666   | 1532     | 900     | 6              |
| 6200036  | PREFORMED THERMOPLASTIC   | EACH | 275.43           | 7        | 168.14834     | 200      | 145     | 1928           |
| 6200042  | PREFORMED THERMOPLASTIC   | EACH | 62.50            | 14       | 41.474285     | 50       | 25      | 875            |
| 6205301B | PREFORMED REMOVABLE MARKING TAPE 4 IN., WHITE                         | L.F. | 5511.00          | 1        | 1             | 1        | 1       | 5511           |
| 6205303B | PREFORMED REMOVABLE MARKING TAPE 4 IN., YELLOW                        | L.F. | 8663.00          | 1        | 1             | 1        | 1       | 8663           |
| 6205440A | PREFORMED SHORT TERM MARKING TAPE LEFT/RIGHT ARROW                    | EACH | 1.00             | 1        | 300           | 300      | 300     | 1              |
| 6205901A | 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE  | L.F. | 14211.00         | 7        | 0.195293      | 1        | 0.15    | 99477          |
| 6205902A | 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEA  | L.F. | 39827.80         | 25       | 0.246492      | 5        | 0.15    | 995695         |
| 6205903A | 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE  | L.F. | 28177.42         | 19       | 0.236285      | 1.05     | 0.19    | 535371         |
| 6205906A | 12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE/ | L.F. | 6414.30          | 10       | 0.851544      | 1        | 0.6     | 64143          |
| 6206000C | 4 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS           | L.F. | 39060.71         | 21       | 0.137819      | 10       | 0.11    | 820275         |
| 6206001C | 4 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS          | L.F. | 40905.15         | 20       | 0.136496      | 10       | 0.09    | 818103         |
| 6206124A | 24 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS          | L.F. | 1541.20          | 5        | 5.947313      | 10       | 5       | 7706           |
| 6206125A | 24 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS         | L.F. | 667.00           | 2        | 4.143553      | 10       | 3.75    | 1334           |
| 6207001  | PAVEMENT MARKING REMOVAL  | L.F. | 20739.67         | 15       | 0.50365       | 3        | 0.1     | 311095         |
| 6207002  | PAVEMENT MARKING REMOVAL (SYMBOLS)                                    | EACH | 71.47            | 17       | 42.798353     | 125      | 10      | 1215           |
| 6208070  | REMOVAL OF SNOWPLOWABLE RAISED PAVEMENT MARKER                        | EACH | 60.00            | 1        | 1             | 1        | 1       | 60             |
| 6208076  | 4 IN TEMPORARY PAVEMENT   | L.F. | 74860.00         | 1        | 0.05          | 0.05     | 0.05    | 74860          |
| 6214600A | FLOWABLE BACKFILL   | C.Y. | 10.75            | 4        | 338.372093    | 725      | 150     | 43             |
| 6221001  | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THIC  | S.Y. | 30946.64         | 14       | 2.000329      | 27       | 1.05    | 433253         |
| 6221003  | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATEF     | S.Y. | 102324.00        | 3        | 3.083442      | 7.85     | 3.03    | 306972         |
| 6223010  | DIAMOND GRINDING (CONCRETE PAVEMENT)                                  | S.Y. | 15775.00         | 1        | 5.75          | 5.75     | 5.75    | 15775          |

| PAY ITEM | DESCRIPTION                                     | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6224010  | MODIFIED COLD MILLING (DEPTH TRANSITIONS)       | S.Y. | 4760.08          | 12       | 3.60907       | 13.5     | 2.76    | 57121          |
| 6233000  | EPOXY POLYMER CONCRETE OVERLAY                  | S.Y. | 2074.96          | 28       | 31.504068     | 65       | 27.75   | 58099          |
| 6240101A | SUBSURFACE DRAINAGE GEOTEXTILE                  | S.Y. | 1708.00          | 2        | 3.798375      | 5        | 3.05    | 3416           |
| 6240103A | PERMANENT EROSION CONTROL GEOTEXTILE            | S.Y. | 1165.71          | 7        | 2.665894      | 10       | 2       | 8160           |
| 6240104A | SEPARATION GEOTEXTILE                           | S.Y. | 1405.63          | 4        | 1.382865      | 4        | 0.78    | 5622.5         |
| 6252001  | UNDERSEALING MATERIAL HIGH DENSITY POLYURETHANE | LBS  | 12000.00         | 1        | 3.95          | 3.95     | 3.95    | 12000          |
| 6252003  | SLAB JACKING MATERIAL HIGH DENSITY POLYURETHANE | LBS  | 39708.00         | 4        | 4.03172       | 4.1      | 3.95    | 158832         |
| 6261000A | BITUMINOUS SHOULDER RUMBLE STRIP                | STA. | 265.07           | 7        | 30.637213     | 723.75   | 15      | 1855.5         |
| 6261001  | BITUMINOUS CENTERLINE RUMBLE STRIP              | STA. | 259.88           | 4        | 27.889754     | 40       | 24      | 1039.5         |
| 6262000A | PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP  | STA. | 47.20            | 1        | 320           | 320      | 320     | 47.2           |
| 6274000  | CONTRACTOR FURNISHED SURVEYING AND STAKING      | L.S. | 1.00             | 32       | 16572.59656   | 125000   | 100     | 32             |
| 7011105  | DRILLED SHAFTS (3 FT. 6 IN. DIA.)               | L.F. | 30.00            | 2        | 452.5         | 490      | 415     | 60             |
| 7011107  | DRILLED SHAFTS (4 FT. 6 IN. DIA.)               | L.F. | 39.00            | 1        | 415           | 415      | 415     | 39             |
| 7011110  | DRILLED SHAFTS (6 FT. 0 IN. DIA.)               | L.F. | 380.40           | 1        | 485           | 485      | 485     | 380.4          |
| 7011204  | ROCK SOCKETS (3 FT 0 IN. DIA.)                  | L.F. | 30.00            | 1        | 815           | 815      | 815     | 30             |
| 7011207  | ROCK SOCKETS (4 FT 6 IN. DIA.)                  | L.F. | 6.00             | 1        | 415           | 415      | 415     | 6              |
| 7011209  | ROCK SOCKETS (5 FT 6 IN. DIA.)                  | L.F. | 108.00           | 1        | 2555          | 2555     | 2555    | 108            |
| 7011300  | VIDEO CAMERA INSPECTION                         | EACH | 4.50             | 2        | 516.666666    | 550      | 450     | 9              |
| 7011400  | FOUNDATION INSPECTION HOLES                     | L.F. | 117.00           | 2        | 151.153846    | 155      | 140     | 234            |
| 7011600  | SONIC LOGGING TESTING                           | EACH | 3.33             | 3        | 3280          | 4250     | 1000    | 10             |
| 7021212  | GALVANIZED STRUCTURAL STEEL PILES (12 IN)       | L.F. | 626.00           | 4        | 73.476038     | 85       | 68      | 2504           |
| 7025001  | DYNAMIC PILE TESTING                            | EACH | 1.67             | 3        | 2410          | 2700     | 2325    | 5              |
| 7026000  | PRE-BORE FOR PILING                             | L.F. | 210.00           | 2        | 156.4         | 180      | 121     | 420            |
| 7027000  | PILE POINT REINFORCEMENT                        | EACH | 15.25            | 4        | 91.475409     | 105      | 80      | 61             |
| 7031004  | DIAMOND GRINDING                                | S.Y. | 3003.00          | 1        | 6.32          | 6.32     | 6.32    | 3003           |
| 7032002  | CLASS B CONCRETE (MISC)                         | C.Y. | 6.13             | 3        | 849.543478    | 14500    | 574.5   | 18.4           |
| 7032003  | CLASS B CONCRETE (SUBSTRUCTURE)                 | C.Y. | 58.74            | 5        | 636.065713    | 5050     | 565     | 293.7          |
| 7033009  | AESTHETIC CONCRETE STAIN                        | S.Y. | 1.00             | 7        | 8990.782857   | 17530.5  | 3654    | 7              |
| 7034001  | CLASS B-1 CONCRETE                              | C.Y. | 0.70             | 1        | 12650         | 12650    | 12650   | 0.7            |
| 7034003  | CLASS B-1 CONCRETE (SUBSTRUCTURE)               | C.Y. | 219.90           | 2        | 757.302182    | 1055     | 710     | 439.8          |
| 7034040  | CLASS B-1 CONCRETE (CULVERTS-BRIDGE)            | C.Y. | 76.20            | 2        | 806.948818    | 900      | 755     | 152.4          |
| 7034041  | CLASS B-1 CONCRETE (CULVERTS)                   | C.Y. | 62.90            | 1        | 1075          | 1075     | 1075    | 62.9           |
| 7034212  | SLAB ON STEEL                                   | S.Y. | 258.00           | 2        | 390.465116    | 470      | 335     | 516            |
| 7034213  | SLAB ON CONCRETE I-GIRDER                       | S.Y. | 653.00           | 1        | 328           | 328      | 328     | 653            |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 7034214  | CLASS B-2 CONCRETE  | C.Y. | 3.50             | 1        | 6530          | 6530     | 6530    | 3.5            |
| 7034215  | SAFETY BARRIER CURB   | L.F. | 179.67           | 3        | 131.205009    | 1400     | 86.5    | 539            |
| 7034219A | BARRIER CURB (TYPE D)   | L.F. | 823.67           | 3        | 76.415216     | 130      | 58      | 2471           |
| 7034221  | SLAB ON CONCRETE NU-GIRDER  | S.Y. | 1455.00          | 3        | 325.670103    | 340      | 290     | 4365           |
| 7034610  | CORRAL CURB   | L.F. | 182.00           | 1        | 117           | 117      | 117     | 182            |
| 7034620  | FORM LINERS   | S.Y. | 172.00           | 1        | 321.5         | 321.5    | 321.5   | 172            |
| 7034630  | CONCRETE CURB (BRIDGE RAIL)   | L.F. | 376.50           | 2        | 67.282868     | 75       | 62      | 753            |
| 7040101  | SUBSTRUCTURE REPAIR (FORMED)  | S.F. | 5.00             | 1        | 350           | 350      | 350     | 5              |
| 7040102  | SUBSTRUCTURE REPAIR (UNFORMED)                                      | S.F. | 98.25            | 4        | 288.676844    | 650      | 15      | 393            |
| 7040103  | SUPERSTRUCTURE REPAIR (UNFORMED)                                    | S.F. | 1379.00          | 2        | 158           | 158      | 158     | 2758           |
| 7040104  | REPAIRING CONCRETE DECK (HALF-SOLING)                               | S.F. | 96.38            | 21       | 162.490118    | 450      | 66      | 2024           |
| 7040106  | FULL DEPTH REPAIR   | S.F. | 105.00           | 2        | 64.285714     | 550      | 40      | 210            |
| 7040107  | SLAB EDGE REPAIR (BRIDGES)  | L.F. | 6.00             | 1        | 400           | 400      | 400     | 6              |
| 7040109  | TOTAL SURFACE HYDRO DEMOLITION                                      | S.Y. | 3003.00          | 1        | 43            | 43       | 43      | 3003           |
| 7040113  | CLEAN AND EPOXY SEAL  | S.F. | 1349.08          | 12       | 6.473264      | 200      | 3.04    | 16189          |
| 7040117  | MONOLITHIC DECK REPAIR  | C.Y. | 41.00            | 1        | 700           | 700      | 700     | 41             |
| 7056001  | TYPE 3 (39 IN.), PRESTRESSED CONCRETE I-GIRDER                      | L.F. | 744.00           | 1        | 224           | 224      | 224     | 744            |
| 7056021  | NU 35 (900), PRESTRESSED CONCRETE NU-GIRDER                         | L.F. | 1268.00          | 1        | 210           | 210      | 210     | 1268           |
| 7056022  | NU 43 (1100), PRESTRESSED CONCRETE NU-GIRDER                        | L.F. | 894.00           | 1        | 215           | 215      | 215     | 894            |
| 7056023  | NU 53 (1350), PRESTRESSED CONCRETE NU-GIRDER                        | L.F. | 1504.00          | 1        | 270           | 270      | 270     | 1504           |
| 7056025  | NU 70 (1800), PRESTRESSED CONCRETE NU-GIRDER                        | L.F. | 1151.00          | 1        | 270           | 270      | 270     | 1151           |
| 7061000  | REINFORCING STEEL   | LBS  | 1936.67          | 3        | 1.616437      | 3        | 1.6     | 5810           |
| 7061020  | REINFORCING STEEL (CULVERTS-BRIDGE)                                 | LBS  | 8410.00          | 2        | 1.750891      | 2.05     | 1.15    | 16820          |
| 7061030  | REINFORCING STEEL (CULVERTS)  | LBS  | 10500.00         | 1        | 1.9           | 1.9      | 1.9     | 10500          |
| 7061060  | REINFORCING STEEL (BRIDGES)   | LBS  | 65736.67         | 3        | 0.899956      | 1.7      | 0.85    | 197210         |
| 7061070  | MECHANICAL BAR SPLICE   | EACH | 384.50           | 2        | 74.706111     | 95       | 41      | 769            |
| 7071000  | CONDUIT SYSTEM ON STRUCTURE   | L.S. | 1.00             | 3        | 16336.66667   | 26383    | 5927    | 3              |
| 7101000  | REINFORCING STEEL (EPOXY COATED)                                    | LBS  | 8470.00          | 3        | 1.211885      | 3        | 1.15    | 25410          |
| 7110200  | PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)               | L.S. | 1.00             | 4        | 5834.43       | 9744.8   | 1584.52 | 4              |
| 7120900  | EXPANSION DEVICE (FINGER PLATE)                                     | L.F. | 23.00            | 1        | 2400          | 2400     | 2400    | 23             |
| 7121000  | FABRICATED STRUCTURAL CARBON STEEL (MISC)                           | LBS  | 290.00           | 1        | 23            | 23       | 23      | 290            |
| 7121060  | FABRICATED SIGN SUPPORT BRACKETS                                    | L.S. | 1.00             | 5        | 10100         | 27500    | 2500    | 5              |
| 7121121  | FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE 50 | LBS  | 79550.00         | 1        | 3.19          | 3.19     | 3.19    | 79550          |
| 7123130  | REHABILITATE BEARING  | EACH | 6.50             | 2        | 3273.076923   | 3712.5   | 2570    | 13             |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 7123210  | EARTH QUAKE RESTRAINER ASSEMBLIES                                   | EACH | 3.00             | 1        | 13125         | 13125    | 13125   | 3              |
| 7123301  | STEEL INTERMEDIATE DIAPHRAGM FOR P/S CONCRETE GIRDERS               | EACH | 19.50            | 2        | 740           | 940      | 680     | 39             |
| 7123610  | SLAB DRAIN  | EACH | 6.00             | 2        | 347.5         | 355      | 325     | 12             |
| 7123620  | DRAINAGE SYSTEM (ON STRUCTURE)                                      | L.S. | 1.00             | 4        | 42485         | 80000    | 10500   | 4              |
| 7125102  | SURFACE PREPARATION FOR APPLYING EPOXY-MASTIC PRIMER                | L.S. | 1.00             | 4        | 9300          | 11900    | 2000    | 4              |
| 7125111  | INTERMEDIATE FIELD COAT (SYSTEM G)                                  | L.S. | 1.00             | 1        | 1330.8        | 1330.8   | 1330.8  | 1              |
| 7125112  | FINISH FIELD COAT (SYSTEM G)  | L.S. | 1.00             | 1        | 475.2         | 475.2    | 475.2   | 1              |
| 7125200  | SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL                  | S.F. | 500.00           | 1        | 81.4          | 81.4     | 81.4    | 500            |
| 7125210  | FIELD APPLICATION OF INORGANIC ZINC PRIMER                          | S.F. | 500.00           | 1        | 2             | 2        | 2       | 500            |
| 7125365A | INTERMEDIATE FIELD COAT (SYSTEM G)                                  | S.F. | 5000.00          | 1        | 6.65          | 6.65     | 6.65    | 5000           |
| 7125370A | FINISH FIELD COAT (SYSTEM G)  | S.F. | 2700.00          | 1        | 2.38          | 2.38     | 2.38    | 2700           |
| 7125961  | GRAY EPOXY-MASTIC PRIMER  | L.S. | 1.00             | 4        | 4350          | 5300     | 1500    | 4              |
| 7134000  | BRIDGE GUARD RAIL (THRIE BEAM)                                      | L.F. | 69.00            | 2        | 188.586956    | 200      | 175     | 138            |
| 7151001  | VERTICAL DRAIN AT END BENTS   | EACH | 1.75             | 4        | 2214.285714   | 2500     | 1500    | 7              |
| 7161000  | PLAIN NEOPRENE BEARING PAD  | EACH | 10.67            | 3        | 201.25        | 225      | 180     | 32             |
| 7161002  | LAMINATED NEOPRENE BEARING PAD                                      | EACH | 7.00             | 3        | 236.190476    | 425      | 210     | 21             |
| 7161003  | LAMINATED NEOPRENE BEARING PAD (TAPERED)                            | EACH | 24.50            | 2        | 380           | 425      | 320     | 49             |
| 7162000  | LAMINATED NEOPRENE BEARING PAD ASSEMBLY                             | EACH | 16.00            | 1        | 1520          | 1520     | 1520    | 16             |
| 7163000  | TYPE N PTFE BEARING   | EACH | 3.00             | 1        | 2500          | 2500     | 2500    | 3              |
| 7172001  | STRIP SEAL EXPANSION JOINT SYSTEM                                   | L.F. | 32.50            | 2        | 497.384615    | 510      | 490     | 65             |
| 7172054  | OPEN CELL FOAM JOINT SEAL   | L.F. | 255.86           | 7        | 33.355667     | 35       | 32      | 1791           |
| 7173002  | SILICONE EXPANSION JOINT SEALANT                                    | L.F. | 68.89            | 18       | 60.317177     | 125      | 32.5    | 1240           |
| 7174002  | PREFORMED SILICONE OR EPDM EXPANSION JOINT SEAL                     | L.F. | 149.00           | 4        | 48.657718     | 57       | 46      | 596            |
| 7201000  | MECHANICALLY STABILIZED EARTH WALL SYSTEMS                          | S.F. | 4969.33          | 6        | 83.748658     | 110      | 60      | 29816          |
| 7201200  | SELECT GRANULAR BACKFILL FOR STRUCTURAL SYSTEMS                     | C.Y. | 12416.00         | 1        | 30            | 30       | 30      | 12416          |
| 7201300  | PILE SPACERS  | EACH | 14.00            | 2        | 927.5         | 1000     | 855     | 28             |
| 7250312A | 12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 117.00           | 1        | 60            | 60       | 60      | 117            |
| 7250318A | 18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 49.00            | 1        | 53.55         | 53.55    | 53.55   | 49             |
| 7250415  | 15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 1571.50          | 2        | 41.453229     | 45       | 36.25   | 3143           |
| 7250418  | 18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 454.00           | 1        | 48            | 48       | 48      | 454            |
| 7250424  | 24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 130.00           | 2        | 52.95923      | 60       | 43.8    | 260            |
| 7250430  | 30 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 33.00            | 1        | 57            | 57       | 57      | 33             |
| 7250436  | 36 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 115.00           | 1        | 70            | 70       | 70      | 115            |
| 7252005  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-5                 | L.F. | 42.00            | 1        | 135           | 135      | 135     | 42             |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 7252006  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-6/B-6A                   | L.F. | 52.00            | 1        | 118           | 118      | 118     | 52             |
| 7252008  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-8/B-8A                   | L.F. | 12.00            | 1        | 480           | 480      | 480     | 12             |
| 7252010  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-10/B-10A                 | L.F. | 7.00             | 1        | 450           | 450      | 450     | 7              |
| 7252019  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-19/B-19A                 | L.F. | 119.00           | 1        | 680           | 680      | 680     | 119            |
| 7261012  | 12 IN. PIPE GROUP A  | L.F. | 155.00           | 2        | 109.48387     | 310      | 70      | 310            |
| 7261015  | 15 IN. PIPE GROUP A  | L.F. | 1841.50          | 4        | 69.508932     | 80       | 53.6    | 7366           |
| 7261018  | 18 IN. PIPE GROUP A  | L.F. | 300.89           | 9        | 88.335949     | 220      | 62.8    | 2708           |
| 7261021  | 21 IN. PIPE GROUP A  | L.F. | 50.50            | 2        | 77.960396     | 190      | 67      | 101            |
| 7261024  | 24 IN. PIPE GROUP A  | L.F. | 266.71           | 7        | 125.182913    | 230      | 83      | 1867           |
| 7261030  | 30 IN. PIPE GROUP A  | L.F. | 101.33           | 6        | 210.486513    | 250      | 91      | 608            |
| 7261036  | 36 IN. PIPE GROUP A  | L.F. | 171.00           | 4        | 184.981286    | 400      | 130     | 684            |
| 7261042  | 42 IN. PIPE GROUP A  | L.F. | 38.50            | 2        | 185.844155    | 250      | 155     | 77             |
| 7261048  | 48 IN. PIPE GROUP A  | L.F. | 25.50            | 2        | 223.108823    | 1550     | 168.95  | 51             |
| 7265036  | JACKED 36 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE L.F. | L.F. | 119.00           | 1        | 886.15        | 886.15   | 886.15  | 119            |
| 7265430  | JACKED 30 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)L.F.   | L.F. | 173.00           | 1        | 1120          | 1120     | 1120    | 173            |
| 7310048  | PRECAST CONCRETE MANHOLE - 48 IN.  | L.F. | 24.00            | 4        | 705.677083    | 850      | 255     | 96             |
| 7310060  | PRECAST CONCRETE MANHOLE - 60 IN.  | L.F. | 7.50             | 2        | 310           | 325      | 250     | 15             |
| 7310072  | PRECAST CONCRETE MANHOLE - 72 IN.  | L.F. | 14.00            | 1        | 625           | 625      | 625     | 14             |
| 7311022  | PRECAST CONCRETE DROP INLET 2 FT X 2 FT                                    | L.F. | 95.67            | 3        | 532.462717    | 605      | 350     | 287            |
| 7311042  | PRECAST CONCRETE DROP INLET 4 FT X 2 FT                                    | L.F. | 52.40            | 5        | 486.60687     | 1179     | 350     | 262            |
| 7311053  | PRECAST CONCRETE DROP INLET 5 FT X 3 FT                                    | L.F. | 17.75            | 4        | 640.791549    | 730      | 545     | 71             |
| 7320012A | 12 IN. (300 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION           | EACH | 1.00             | 1        | 1034          | 1034     | 1034    | 1              |
| 7320015A | 15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION           | EACH | 1.00             | 1        | 500           | 500      | 500     | 1              |
| 7320018A | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION           | EACH | 2.00             | 1        | 450           | 450      | 450     | 2              |
| 7320615A | 15 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION                    | EACH | 6.67             | 3        | 441.5         | 800      | 410     | 20             |
| 7320618A | 18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION                    | EACH | 4.67             | 6        | 657.25        | 1100     | 400     | 28             |
| 7320621A | 21 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION                    | EACH | 2.00             | 2        | 595           | 690      | 500     | 4              |
| 7320624A | 24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION                    | EACH | 7.00             | 4        | 766.25        | 1200     | 500     | 28             |
| 7320630A | 30 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION                    | EACH | 2.17             | 6        | 1160          | 1940     | 660     | 13             |
| 7320636A | 36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION                    | EACH | 5.33             | 3        | 1355.625      | 1750     | 1200    | 16             |
| 7320642A | 42 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION                    | EACH | 3.00             | 2        | 1941.666666   | 2400     | 1850    | 6              |
| 7320648A | 48 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION                    | EACH | 2.00             | 2        | 1823.75       | 2000     | 1765    | 4              |
| 7320815A | 15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION           | EACH | 38.00            | 2        | 224.078947    | 375      | 220     | 76             |
| 7320824A | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION           | EACH | 4.00             | 1        | 275           | 275      | 275     | 4              |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 7320830A | 30 IN. (750 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION     | EACH | 2.00             | 1        | 370           | 370      | 370     | 2              |
| 7321006  | B6 FLARED END SECTION  | EACH | 1.00             | 1        | 1025          | 1025     | 1025    | 1              |
| 7321008  | B8 FLARED END SECTION  | EACH | 3.00             | 1        | 1950          | 1950     | 1950    | 3              |
| 7321014A | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION       | EACH | 1.00             | 1        | 1500          | 1500     | 1500    | 1              |
| 7321016A | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION       | EACH | 10.00            | 1        | 1000          | 1000     | 1000    | 10             |
| 7321017A | 30 IN. (750 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION       | EACH | 2.50             | 2        | 1820          | 2500     | 1650    | 5              |
| 7321018A | 36 IN. (900 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION       | EACH | 2.00             | 2        | 2487.5        | 3200     | 2250    | 4              |
| 7322015A | BEVELED PIPE END TREATMENT FOR 15 IN. (375 MM) OR ALLOWED SUB        | EACH | 94.00            | 1        | 575           | 575      | 575     | 94             |
| 7322018A | BEVELED PIPE END TREATMENT FOR 18 IN. (450 MM) OR ALLOWED SUB        | EACH | 20.00            | 1        | 625           | 625      | 625     | 20             |
| 7322024A | BEVELED PIPE END TREATMENT FOR 24 IN. (600 MM) OR ALLOWED SUB        | EACH | 6.00             | 1        | 650           | 650      | 650     | 6              |
| 7322036A | BEVELED PIPE END TREATMENT FOR 36 IN. (900 MM) OR ALLOWED SUBSTITUTE | EACH | 8.00             | 1        | 790           | 790      | 790     | 8              |
| 7350001  | PIPE LINER FOR EXISTING CULVERT                                      | L.F. | 129.50           | 2        | 352.57915     | 410      | 72      | 259            |
| 8031000A | TURF TYPE TALL FESCUE SODDING  | S.Y. | 1326.50          | 4        | 9.56992       | 30       | 8.5     | 5306           |
| 8041000  | TOPSOIL  | C.Y. | 1609.00          | 1        | 35            | 35       | 35      | 1609           |
| 8051000A | SEEDING - COOL SEASON MIXTURES                                       | ACRE | 3.69             | 14       | 2634.526112   | 14000    | 1800    | 51.7           |
| 8052000A | SEEDING - WARM SEASON MIXTURES                                       | ACRE | 1.00             | 1        | 5000          | 5000     | 5000    | 1              |
| 8061002  | SEDIMENT BASIN ROCK  | C.Y. | 11.70            | 1        | 75            | 75       | 75      | 11.7           |
| 8061003  | SEDIMENT TRAP EXCAVATION   | C.Y. | 107.92           | 6        | 26.018131     | 75       | 0.01    | 647.5          |
| 8061004  | SEDIMENT TRAP ROCK   | C.Y. | 42.35            | 6        | 71.343959     | 250      | 55      | 254.1          |
| 8061005  | ROCK DITCH CHECK   | L.F. | 1687.94          | 18       | 8.740022      | 75       | 1       | 30383          |
| 8061006  | ALTERNATE DITCH CHECK  | L.F. | 252.00           | 5        | 10.316666     | 15       | 8       | 1260           |
| 8061007A | CURB INLET CHECK   | EACH | 64.00            | 5        | 61.703125     | 250      | 1       | 320            |
| 8061010A | TYPE B BERM  | L.F. | 340.00           | 1        | 11.4          | 11.4     | 11.4    | 340            |
| 8061011  | SLOPE DRAINS   | L.F. | 50.00            | 1        | 25            | 25       | 25      | 50             |
| 8061016  | SEDIMENT REMOVAL   | C.Y. | 411.16           | 19       | 7.912919      | 114.5    | 0.01    | 7812           |
| 8061017  | TEMPORARY SEEDING AND MULCHING                                       | ACRE | 4.45             | 11       | 1317.755265   | 3000     | 0.01    | 49             |
| 8061019  | SILT FENCE   | L.F. | 10914.80         | 20       | 1.72131       | 5        | 0.01    | 218296         |
| 8061050  | TYPE C BERM  | L.F. | 828.00           | 3        | 9.888888      | 50       | 4       | 2484           |
| 8064128  | TYPE 1 TURF REINFORCEMENT MAT  | S.Y. | 3380.50          | 2        | 5.452736      | 5.5      | 5.15    | 6761           |
| 8064129  | TYPE 2 TURF REINFORCEMENT MAT  | S.Y. | 1323.00          | 1        | 5.2           | 5.2      | 5.2     | 1323           |
| 8064133  | TYPE 1C EROSION CONTROL  | S.Y. | 250.00           | 1        | 5             | 5        | 5       | 250            |
| 8064140  | TYPE 3B EROSION CONTROL  | S.Y. | 1086.00          | 1        | 2.9           | 2.9      | 2.9     | 1086           |
| 8064141  | TYPE 4 EROSION CONTROL   | S.Y. | 121.00           | 2        | 7.842975      | 10       | 7       | 242            |
| 9011062  | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2                    | EACH | 10.50            | 2        | 2227.142857   | 2828     | 2127    | 21             |



| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 9011108  | BRACKET ARM, 8 FT. OR 2.4 M  | EACH | 2.00             | 3        | 310           | 619      | 1       | 6              |
| 9011110  | BRACKET ARM, 10 FT. OR 3.0 M   | EACH | 6.00             | 2        | 184.25        | 734      | 1       | 12             |
| 9011112  | BRACKET ARM, 12 FT. OR 3.6 M   | EACH | 5.00             | 1        | 754           | 754      | 754     | 5              |
| 9011115  | BRACKET ARM, 15 FT. OR 4.6 M   | EACH | 8.00             | 2        | 474.75        | 759      | 1       | 16             |
| 9011311  | LUMINAIRE, LED-A   | EACH | 7.00             | 1        | 374           | 374      | 374     | 7              |
| 9011312  | LUMINAIRE, LED-B   | EACH | 4.00             | 4        | 536.3125      | 758      | 388     | 16             |
| 9011313  | LUMINAIRE, LED-C   | EACH | 16.00            | 2        | 542.625       | 618      | 484     | 32             |
| 9011330  | LUMINAIRE, 1000 WATT HIGH PRESSURE SODIUM HIGH MAST                    | EACH | 16.00            | 1        | 1018          | 1018     | 1018    | 16             |
| 9012230  | BASE MOUNTED CONTROL STATION 240 VOLT-4 CIRCUIT                        | EACH | 4.00             | 1        | 3104          | 3104     | 3104    | 4              |
| 9012231  | BASE MOUNTED CONTROL STATION 480 VOLT-4 CIRCUIT                        | EACH | 1.00             | 1        | 350           | 350      | 350     | 1              |
| 9013002  | CONDUIT, 2 IN. RIGID, IN TRENCH  | L.F. | 53.00            | 2        | 12.751886     | 13.5     | 10.45   | 106            |
| 9013003  | CONDUIT, 3 IN. RIGID, IN TRENCH  | L.F. | 285.25           | 4        | 12.196932     | 13.12    | 10.7    | 1141           |
| 9013004  | CONDUIT, 4 IN. RIGID, IN TRENCH  | L.F. | 23.00            | 1        | 12.35         | 12.35    | 12.35   | 23             |
| 9014003  | CONDUIT, 3 IN. RIGID, PUSHED   | L.F. | 553.80           | 5        | 23.596894     | 32       | 17.25   | 2769           |
| 9014004  | CONDUIT, 4 IN. RIGID, PUSHED   | L.F. | 202.00           | 2        | 26.342574     | 26.6     | 25      | 404            |
| 9015010  | TRENCHING TYPE I   | L.F. | 943.00           | 7        | 4.175261      | 10.3     | 3.7     | 6601           |
| 9015020  | TRENCHING TYPE II  | L.F. | 1187.75          | 4        | 4.020564      | 50       | 3.8     | 4751           |
| 9016110  | PULL BOX, PREFORMED CLASS 1  | EACH | 6.86             | 7        | 818.166666    | 1210     | 733     | 48             |
| 9016112  | PULL BOX, PREFORMED CLASS 3  | EACH | 1.67             | 3        | 1317          | 1343     | 1298    | 5              |
| 9017003  | CABLE, 3 AWG 1 CONDUCTOR   | L.F. | 260.00           | 1        | 1.5           | 1.5      | 1.5     | 260            |
| 9017006  | CABLE, 6 AWG 1 CONDUCTOR   | L.F. | 140.00           | 1        | 1.1           | 1.1      | 1.1     | 140            |
| 9017008  | CABLE, 8 AWG 1 CONDUCTOR   | L.F. | 160.00           | 1        | 2             | 2        | 2       | 160            |
| 9017110  | CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET                            | L.F. | 1040.00          | 5        | 0.55798       | 0.65     | 0.25    | 5200           |
| 9017203  | WIRE, 3 AWG, BARE NEUTRAL  | L.F. | 110.00           | 1        | 1.5           | 1.5      | 1.5     | 110            |
| 9017206  | WIRE, 6 AWG, BARE NEUTRAL  | L.F. | 70.00            | 1        | 0.65          | 0.65     | 0.65    | 70             |
| 9017208  | WIRE, 8 AWG, BARE NEUTRAL  | L.F. | 290.00           | 2        | 0.913793      | 1        | 0.9     | 580            |
| 9017401  | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 2 AWG           | L.F. | 755.00           | 2        | 6             | 6        | 6       | 1510           |
| 9017404  | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG           | L.F. | 2430.00          | 3        | 3.527297      | 4.38     | 3.4     | 7290           |
| 9017407  | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG           | L.F. | 1804.29          | 7        | 2.782897      | 3.75     | 2.5     | 12630          |
| 9018245  | POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)                     | EACH | 8.50             | 6        | 1214.509803   | 1445     | 1026    | 51             |
| 9018613  | POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING AND SIGN | EACH | 2.00             | 1        | 1             | 1        | 1       | 2              |
| 9018622  | POWER SUPPLY ASSEMBLY, TYPE 2, 480 VOLT SERVICE, LIGHTING ONLY         | EACH | 1.00             | 1        | 3500          | 3500     | 3500    | 1              |
| 9020111  | SIGNAL HEAD, TYPE 1T   | EACH | 3.00             | 1        | 367           | 367      | 367     | 3              |
| 9020113  | SIGNAL HEAD, TYPE 3T   | EACH | 1.00             | 1        | 780           | 780      | 780     | 1              |

| PAY ITEM | DESCRIPTION                                      | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 9020213  | SIGNAL HEAD, TYPE 3S                             | EACH | 3.00             | 5        | 740.6         | 780      | 685     | 15             |
| 9020215  | SIGNAL HEAD, TYPE 5S                             | EACH | 1.00             | 2        | 950.5         | 1068     | 833     | 2              |
| 9020511  | SIGNAL HEAD, TYPE 1B                             | EACH | 2.00             | 1        | 660           | 660      | 660     | 2              |
| 9020513  | SIGNAL HEAD, TYPE 3B                             | EACH | 19.57            | 7        | 882.948905    | 1015     | 822     | 137            |
| 9020514  | SIGNAL HEAD, TYPE 4B                             | EACH | 6.00             | 6        | 995.722222    | 1074     | 898     | 36             |
| 9020515  | SIGNAL HEAD, TYPE 5B                             | EACH | 1.00             | 1        | 1167          | 1167     | 1167    | 1              |
| 9020811  | SIGNAL HEAD, TYPE 1S, PEDESTRIAN                 | EACH | 24.00            | 2        | 448.333333    | 456      | 410     | 48             |
| 9020833  | SH-FLAT SHEET - SIGNAL SIGN                      | EACH | 86.13            | 8        | 29.506023     | 96.62    | 12.5    | 689            |
| 9020834  | SIGNAL SIGN, MOUNTING                            | EACH | 25.22            | 9        | 49.580616     | 183      | 17.3    | 227            |
| 9022651  | LUMINAIRE LED-A, 120 VOLT                        | EACH | 12.00            | 1        | 368           | 368      | 368     | 12             |
| 9022708  | POST, SIGNAL 8 FT. OR 2.4 M                      | EACH | 10.33            | 6        | 614.822258    | 807      | 530     | 62             |
| 9022715  | POST, SIGNAL 15 FT. OR 4.6 M                     | EACH | 2.25             | 4        | 993.111111    | 1070     | 942     | 9              |
| 9023115  | POST, TYPE CL, 15 FT. ARM OR 4.6 M ARM           | EACH | 1.00             | 1        | 5109          | 5109     | 5109    | 1              |
| 9023120  | POST, TYPE CL, 20 FT. ARM OR 6.1 M ARM           | EACH | 1.00             | 1        | 5260          | 5260     | 5260    | 1              |
| 9023125  | POST, TYPE CL, 25 FT. ARM OR 7.6 M ARM           | EACH | 3.00             | 1        | 6050          | 6050     | 6050    | 3              |
| 9023130  | POST, TYPE CL, 30 FT. ARM OR 9.1 M ARM           | EACH | 1.00             | 1        | 6806          | 6806     | 6806    | 1              |
| 9023135  | POST, TYPE CL, 35 FT. ARM OR 10.7 M ARM          | EACH | 1.00             | 2        | 7397.5        | 7817     | 6978    | 2              |
| 9023140  | POST, TYPE CL, 40 FT. ARM OR 12.2 M ARM          | EACH | 1.00             | 2        | 8438.5        | 8831     | 8046    | 2              |
| 9023145  | POST, TYPE CL, 45 FT. ARM OR 13.7 M ARM          | EACH | 2.00             | 1        | 8823          | 8823     | 8823    | 2              |
| 9023150  | POST, TYPE CL, 50 FT. ARM OR 15.2 M ARM          | EACH | 1.00             | 1        | 10190         | 10190    | 10190   | 1              |
| 9023155  | POST, TYPE CL, 55 FT. ARM                        | EACH | 3.00             | 1        | 11020         | 11020    | 11020   | 3              |
| 9023215  | POST, TYPE C, 15 FT. ARM OR 4.6 M ARM            | EACH | 1.00             | 1        | 5525          | 5525     | 5525    | 1              |
| 9023225  | POST, TYPE C, 25 FT. ARM OR 7.6 M ARM            | EACH | 1.00             | 2        | 5140          | 5430     | 4850    | 2              |
| 9023230  | POST, TYPE C, 30 FT. ARM OR 9.1 M ARM            | EACH | 1.00             | 2        | 7209.5        | 7324     | 7095    | 2              |
| 9023235  | POST, TYPE C, 35 FT. ARM OR 10.7 M ARM           | EACH | 2.33             | 3        | 6257.142857   | 7532     | 5913    | 7              |
| 9023240  | POST, TYPE C, 40 FT. ARM OR 12.2 M ARM           | EACH | 2.00             | 3        | 7671.666666   | 8310     | 7499    | 6              |
| 9023245  | POST, TYPE C, 45 FT. ARM OR 13.7 M ARM           | EACH | 1.50             | 2        | 8216.666666   | 8670     | 7990    | 3              |
| 9023250  | POST, TYPE C, 50 FT. ARM OR 15.2 M ARM           | EACH | 1.20             | 5        | 9578.166666   | 10610    | 7770    | 6              |
| 9023255  | POST, TYPE C, 55 FT. ARM                         | EACH | 2.33             | 3        | 11890.28571   | 14664    | 10424   | 7              |
| 9023335  | POST, TYPE B, LONGEST ARM 35 FT. OR 10.7 M       | EACH | 1.00             | 1        | 12945         | 12945    | 12945   | 1              |
| 9023345  | POST, TYPE B, LONGEST ARM 45 FT. OR 13.7 M       | EACH | 1.00             | 2        | 11980         | 12439    | 11521   | 2              |
| 9023450  | POST, TYPE BL, LONGEST ARM 50 FT. OR 15.2 M      | EACH | 1.00             | 1        | 12497         | 12497    | 12497   | 1              |
| 9023455  | POST, TYPE BL, LONGEST ARM 55 FT.                | EACH | 1.00             | 1        | 12535         | 12535    | 12535   | 1              |
| 9024283  | CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER | EACH | 2.00             | 7        | 15107.85714   | 18454    | 13109   | 14             |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 9024975  | VIDEO DETECTION SYSTEM   | EACH | 2.33             | 3        | 15542.71429   | 20990    | 12698   | 7              |
| 9025200  | CONDUIT, 2 IN., TRENCH   | L.F. | 700.50           | 4        | 5.753497      | 9.75     | 5       | 2802           |
| 9025300  | CONDUIT, 3 IN., TRENCH   | L.F. | 511.14           | 7        | 10.984376     | 12       | 8       | 3578           |
| 9025400  | CONDUIT, 4 IN., TRENCH   | L.F. | 14.00            | 1        | 15.75         | 15.75    | 15.75   | 14             |
| 9027200  | CONDUIT, 2 IN., PUSHED   | L.F. | 662.00           | 2        | 17.919561     | 18.85    | 14      | 1324           |
| 9027300  | CONDUIT, 3 IN., PUSHED   | L.F. | 781.43           | 7        | 23.991864     | 32.8     | 2.45    | 5470           |
| 9027400  | CONDUIT, 4 IN., PUSHED   | L.F. | 623.00           | 1        | 33            | 33       | 33      | 623            |
| 9028100  | CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET                      | L.F. | 905.00           | 2        | 0.568508      | 0.6      | 0.55    | 1810           |
| 9028200A | CABLE, 1/0 AWG 1 CONDUCTOR, POWER                                | L.F. | 3120.00          | 1        | 3.15          | 3.15     | 3.15    | 3120           |
| 9028202  | CABLE, 2 AWG 1 CONDUCTOR, POWER                                  | L.F. | 12000.00         | 1        | 1.3           | 1.3      | 1.3     | 12000          |
| 9028203  | CABLE, 3 AWG 1 CONDUCTOR, POWER                                  | L.F. | 190.00           | 1        | 2.1           | 2.1      | 2.1     | 190            |
| 9028206  | CABLE, 6 AWG 1 CONDUCTOR, POWER                                  | L.F. | 410.00           | 2        | 0.979268      | 1.75     | 0.95    | 820            |
| 9028208  | CABLE, 8 AWG 1 CONDUCTOR, POWER                                  | L.F. | 651.67           | 6        | 0.9367        | 1        | 0.75    | 3910           |
| 9028302  | CABLE, 12 AWG 2 CONDUCTOR  | L.F. | 3946.67          | 3        | 0.845059      | 0.85     | 0.8     | 11840          |
| 9028308  | CABLE, 16 AWG 2 CONDUCTOR  | L.F. | 3290.00          | 6        | 0.593115      | 1.49     | 0.45    | 19740          |
| 9028309  | CABLE, 16 AWG 3 CONDUCTOR  | L.F. | 1370.00          | 1        | 0.88          | 0.88     | 0.88    | 1370           |
| 9028310  | CABLE, 16 AWG 5 CONDUCTOR  | L.F. | 3353.33          | 6        | 1.130815      | 1.75     | 1.05    | 20120          |
| 9028311  | CABLE, 16 AWG 7 CONDUCTOR  | L.F. | 5190.00          | 8        | 1.54375       | 2        | 1.5     | 41520          |
| 9028340  | RG-8/U COAXIAL CABLE   | EACH | 1367.00          | 1        | 1             | 1        | 1       | 1367           |
| 9028500  | CABLE, LOOP DETECTOR, IN DUCT                                    | L.F. | 2435.00          | 2        | 5.584332      | 7.19     | 5.46    | 4870           |
| 9028621  | POWER SUPPLY ASSEMBLY, TYPE-2 WITH 120V LIGHTING CONTROL CABINET | EACH | 2.00             | 1        | 12495         | 12495    | 12495   | 2              |
| 9028810  | PULL BOX, PREFORMED CLASS 1                                      | EACH | 14.25            | 4        | 842.45614     | 1195     | 602     | 57             |
| 9028811  | PULL BOX, PREFORMED CLASS 2                                      | EACH | 7.71             | 7        | 1221.74074    | 1303     | 1206    | 54             |
| 9028812  | PULL BOX, PREFORMED CLASS 3                                      | EACH | 2.14             | 7        | 1613.8        | 1650     | 1503    | 15             |
| 9028821  | PULL BOX, CONCRETE, DOUBLE, TYPE A                               | EACH | 1.00             | 1        | 3630          | 3630     | 3630    | 1              |
| 9028824  | PULL BOX, CONCRETE, DOUBLE TYPE B                                | EACH | 1.00             | 1        | 2800          | 2800     | 2800    | 1              |
| 9029100  | BASE, CONCRETE   | C.Y. | 26.01            | 9        | 1305.404955   | 4530     | 1100    | 234.1          |
| 9031010  | CONCRETE FOOTINGS, EMBEDDED                                      | C.Y. | 22.89            | 12       | 1258.548057   | 2400     | 1093.76 | 274.65         |
| 9031020  | CONCRETE FOOTINGS, BOLT DOWN                                     | C.Y. | 41.40            | 5        | 1173.381642   | 1600     | 1100    | 207            |
| 9031210  | STRUCTURAL STEEL POSTS   | LBS  | 15142.22         | 9        | 2.98422       | 12       | 2.89    | 136280         |
| 9031220  | PIPE POSTS   | LBS  | 2579.50          | 10       | 4.522585      | 8        | 3.75    | 25795          |
| 9031241  | BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)                | EACH | 12.00            | 1        | 250           | 250      | 250     | 12             |
| 9031242  | 36 IN. SURFACE-MOUNT   | EACH | 69.00            | 1        | 60            | 60       | 60      | 69             |
| 9031250A | U-CHANNEL POST, 3 LB   | L.F. | 96.00            | 1        | 12            | 12       | 12      | 96             |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 9031270A | PERFORATED SQUARE STEEL TUBE POST, 2 IN., 12 GA.                 | L.F. | 588.78           | 8        | 14.485749     | 30       | 12      | 4710.25        |
| 9031271  | PERFORATED SQUARE STEEL TUBE POST ANCHOR SLEEVE, 2.5 IN., 12 GA. | L.F. | 108.43           | 7        | 30.750988     | 40       | 30      | 759            |
| 9031272  | PERFORATED SQUARE STEEL TUBE POST, 2.5 IN., 12 GA.               | L.F. | 164.00           | 1        | 13            | 13       | 13      | 164            |
| 9031273  | PERFORATED SQUARE STEEL TUBE POST ANCHOR, 7 GA.                  | L.F. | 283.50           | 2        | 32.063492     | 40       | 30      | 567            |
| 9031280  | 2.5 IN. PSST POST - 12 GA.                                       | L.F. | 240.00           | 5        | 15.1625       | 17       | 14      | 1200           |
| 9031281  | POST ANCHOR FOR 2.5 IN. PSST - 7 GA.                             | L.F. | 232.80           | 5        | 64.984536     | 70       | 40      | 1164           |
| 9035004A | SH-FLAT SHEET  | S.F. | 266.00           | 14       | 24.09479      | 40       | 14      | 3724           |
| 9035011A | ST-STRUCTURAL  | S.F. | 4534.88          | 8        | 20.472322     | 28       | 19.82   | 36279          |
| 9035069A | SHF-FLAT SHEET FLUORESCENT                                       | S.F. | 188.91           | 11       | 25.714148     | 28       | 24      | 2078           |
| 9035071A | STF-STRUCTURAL FLUORESCENT                                       | S.F. | 412.60           | 5        | 22.969757     | 40       | 21.27   | 2063           |
| 9036036  | TUBULAR SUPPORT, TYPE C-2315-20                                  | EACH | 2.00             | 1        | 12950         | 12950    | 12950   | 2              |
| 9036042  | TUBULAR SUPPORT, TYPE C-2018-28                                  | EACH | 2.00             | 1        | 20000         | 20000    | 20000   | 2              |
| 9103700  | CCTV CAMERA ASSEMBLY, INSTALLED                                  | EACH | 8.50             | 4        | 1114.852941   | 6900     | 765     | 34             |
| 9103715  | CCTV POLE FOUNDATION, 50 FT OR 15.2M MOUNTING HEIGHT, INSTALLED  | EACH | 1.00             | 1        | 9600          | 9600     | 9600    | 1              |
| 9103745  | CCTV POLE, 50 FT OR 15.2M MOUNTING HEIGHT, INSTALLED             | EACH | 1.00             | 1        | 19827         | 19827    | 19827   | 1              |
| 9105200  | CONDUIT, 2 IN., RIGID, IN TRENCH                                 | L.F. | 2679.00          | 2        | 7.618663      | 8        | 7.6     | 5358           |
| 9105201  | CONDUIT, 3 IN., RIGID, IN TRENCH                                 | L.F. | 1175.00          | 2        | 11.957446     | 12       | 11      | 2350           |
| 9105202  | CONDUIT, 4 IN., RIGID, IN TRENCH                                 | L.F. | 100.00           | 1        | 12            | 12       | 12      | 100            |
| 9107201  | CONDUIT, 3 IN., RIGID, PUSHED                                    | L.F. | 50.00            | 1        | 21.27         | 21.27    | 21.27   | 50             |
| 9107202  | CONDUIT, 4 IN., RIGID, PUSHED                                    | L.F. | 50.00            | 1        | 22            | 22       | 22      | 50             |
| 9108202  | CABLE, 2 AWG, 1 CONDUCTOR, POWER                                 | L.F. | 1100.00          | 1        | 2.6           | 2.6      | 2.6     | 1100           |
| 9108208  | CABLE, 8 AWG, 1 CONDUCTOR, POWER                                 | L.F. | 2510.00          | 1        | 1             | 1        | 1       | 2510           |
| 9108348  | COAXIAL CABLE, RG-8/U  | L.F. | 410.00           | 1        | 1             | 1        | 1       | 410            |
| 9108352  | FIBER OPTIC CABLE, 24-STRAND, 18 SINGLE MODE, 6 MULTIMODE        | L.F. | 3286.67          | 3        | 2.396044      | 3.33     | 1.9     | 9860           |
| 9108402  | WIRE, 2 AWG, BARE NEUTRAL  | L.F. | 370.00           | 1        | 2             | 2        | 2       | 370            |
| 9108408  | WIRE, 8 AWG, BARE NEUTRAL  | L.F. | 1010.00          | 1        | 1             | 1        | 1       | 1010           |
| 9108811  | PULL BOX, PREFORMED CLASS 2                                      | EACH | 1.00             | 1        | 1665          | 1665     | 1665    | 1              |
| 9108816  | PULL BOX, PREFORMED CLASS 5                                      | EACH | 2.00             | 1        | 1498          | 1498     | 1498    | 2              |
| 9109100  | BASE, CONCRETE   | C.Y. | 5.00             | 2        | 2213.2        | 2335     | 1726    | 10             |
| 9109230  | DYNAMIC MESSAGE SIGN ASSEMBLY, INSTALLED                         | EACH | 1.00             | 1        | 9413          | 9413     | 9413    | 1              |

| PAY ITEM | DESCRIPTION                                   | UNIT  | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|-------|------------------|----------|---------------|----------|---------|----------------|
| 1041000  | TEMPORARY SURFACING                           | C.Y.  | 184.00           | 3        | 42.490289     | 77.28    | 41      | 552            |
| 2013000  | CLEARING AND GRUBBING                         | ACRE  | 27.50            | 8        | 3111.374      | 7000     | 1180.14 | 220            |
| 2022010  | REMOVAL OF IMPROVEMENTS                       | L.S.  | 1.00             | 65       | 39335.43554   | 578379.4 | 0.01    | 65             |
| 2024038  | REMOVAL OF TRANSITE (CATEGORY II NON-FRIABLE) | S.F.  | 47.00            | 1        | 221           | 221      | 221     | 47             |
| 2024043  | REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE)    | S.F.  | 83.60            | 10       | 126.99043     | 210      | 20      | 836            |
| 2031000  | CLASS A EXCAVATION                            | C.Y.  | 3793.50          | 6        | 15.238785     | 18.34    | 4.46    | 22761          |
| 2035000  | UNCLASSIFIED EXCAVATION                       | C.Y.  | 311528.58        | 12       | 5.955615      | 58.77    | 4.84    | 3738343        |
| 2035500  | EMBANKMENT IN PLACE                           | C.Y.  | 1929.58          | 12       | 12.982054     | 38.1     | 4.62    | 23155          |
| 2036000  | COMPACTING EMBANKMENT                         | C.Y.  | 201567.89        | 18       | 0.912918      | 16.25    | 0.85    | 3628222        |
| 2037075  | COMPACTING IN CUT                             | STA.  | 28.07            | 10       | 571.708026    | 800      | 100     | 280.7          |
| 2061000  | CLASS 1 EXCAVATION                            | C.Y.  | 136.50           | 6        | 64.289865     | 155      | 10.66   | 819            |
| 2063000  | CLASS 3 EXCAVATION                            | C.Y.  | 998.26           | 23       | 11.519459     | 253      | 7.96    | 22960          |
| 2063100  | CLASS 3 EXCAVATION IN ROCK                    | C.Y.  | 1503.00          | 4        | 100.041054    | 212      | 95      | 6012           |
| 2063300  | CLASS 4 EXCAVATION                            | C.Y.  | 1612.00          | 13       | 22.294026     | 50       | 7.92    | 20956          |
| 2063400  | CLASS 4 EXCAVATION IN ROCK                    | C.Y.  | 106.50           | 2        | 111.807511    | 250      | 105     | 213            |
| 2063500  | CULVERT CLEANOUT                              | EACH  | 3.60             | 5        | 1077.856111   | 1500     | 678.68  | 18             |
| 2065500  | TEMPORARY SHORING                             | L.S.  | 1.00             | 3        | 15827.15667   | 25000    | 1939.42 | 3              |
| 2071000  | LINEAR GRADING CLASS 1                        | STA.  | 13.98            | 12       | 321.651973    | 1893.5   | 123.6   | 167.7          |
| 2072000  | LINEAR GRADING CLASS 2                        | STA.  | 111.07           | 9        | 131.607222    | 1342     | 69.15   | 999.6          |
| 2081000  | INTERCEPTION DITCH                            | 100FT | 80.00            | 1        | 300           | 300      | 300     | 80             |
| 2101006A | SUBGRADE COMPACTION (6-INCH DEPTH)            | STA.  | 165.33           | 3        | 245.66008     | 521.85   | 239     | 496            |
| 2121000A | SUBGRADING AND SHOULDERING CLASS 1            | STA.  | 6.50             | 2        | 1355.384615   | 2500     | 1260    | 13             |
| 2122000A | SUBGRADING AND SHOULDERING CLASS 2            | STA.  | 480.00           | 1        | 690           | 690      | 690     | 480            |
| 2152000A | SHAPING SLOPES, CLASS II                      | 100FT | 9.00             | 1        | 857           | 857      | 857     | 9              |
| 2153000  | SHAPING SLOPES, CLASS III                     | 100FT | 17.27            | 30       | 963.448108    | 4300     | 530.6   | 518            |
| 2160500  | REMOVAL OF BRIDGES                            | L.S.  | 1.00             | 6        | 23648.12167   | 62000    | 4500    | 6              |
| 2161000  | SCARIFICATION OF BRIDGE DECKS                 | S.Y.  | 5051.00          | 2        | 5.991411      | 6.14     | 5.85    | 10102          |
| 2161001  | TOTAL SURFACE HYDRO                           | S.Y.  | 3493.00          | 2        | 24.214929     | 24.5     | 24      | 6986           |
| 2161500  | REMOVAL OF SEAL COAT                          | S.F.  | 23645.75         | 4        | 0.724053      | 1        | 0.35    | 94583          |
| 2161503  | REMOVAL OF EXISTING DECK                      | S.F.  | 627.78           | 9        | 19.837168     | 45.3     | 10      | 5650           |
| 2162000  | REMOVAL AND STORAGE OF EXISTING BRIDGE RAILS  | L.F.  | 529.00           | 1        | 8.06          | 8.06     | 8.06    | 529            |
| 2162500  | REMOVAL OF EXISTING BRIDGE DECKS              | S.F.  | 22928.67         | 6        | 7.617118      | 9.25     | 6.5     | 137572         |
| 2163501  | PARTIAL REMOVAL OF CULVERT-BRIDGE CONCRETE    | L.S.  | 1.00             | 1        | 7433.05       | 7433.05  | 7433.05 | 1              |
| 2163502  | PARTIAL REMOVAL OF SUBSTRUCTURE CONCRETE      | L.S.  | 1.00             | 1        | 11500         | 11500    | 11500   | 1              |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 2164000  | CURB REMOVAL   | L.F. | 221.00           | 1        | 20.45         | 20.45    | 20.45   | 221            |
| 2164500  | REMOVAL OF EXISTING EXPANSION JOINTS & ADJACENT CONCRETE | L.F. | 105.86           | 7        | 361.673414    | 537      | 214     | 741            |
| 2165000  | REMOVAL OF EXISTING EXPANSION JOINT SEAL OR SEALANT      | L.F. | 120.50           | 2        | 19            | 19       | 19      | 241            |
| 3030600  | FURNISHING ROCK BASE MATERIAL                            | S.Y. | 28223.00         | 2        | 9.970834      | 10.06    | 8.75    | 56446          |
| 3030610A | PLACING ROCK BASE (18 IN. THICK)                         | S.Y. | 84323.50         | 4        | 1.220909      | 4.85     | 0.75    | 337294         |
| 3040143  | TYPE 1 AGGREGATE FOR BASE (4 IN. THICK)                  | S.Y. | 893.82           | 22       | 9.176676      | 40.45    | 1.05    | 19664          |
| 3040163  | TYPE 1 AGGREGATE FOR BASE (6 IN. THICK)                  | S.Y. | 354.00           | 2        | 11.308898     | 12       | 11.3    | 708            |
| 3040183  | TYPE 1 AGGREGATE FOR BASE (8 IN. THICK)                  | S.Y. | 197.00           | 1        | 12            | 12       | 12      | 197            |
| 3040504  | TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)                  | S.Y. | 3912.80          | 16       | 7.708635      | 14.8     | 5.7     | 62604.8        |
| 3040506  | TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)                  | S.Y. | 20894.09         | 8        | 7.227463      | 12       | 6.3     | 167152.7       |
| 3105002  | GRAVEL (A) OR CRUSHED STONE (B)                          | TON  | 255.12           | 30       | 36.323271     | 328.94   | 30      | 7653.6         |
| 3105003  | GRAVEL (A) OR CRUSHED STONE (B)                          | S.Y. | 2384.50          | 2        | 5.737785      | 9.55     | 5.5     | 4769           |
| 3107003  | GRAVEL (A) OR CRUSHED STONE (B) OR CHAT (C)              | S.Y. | 13.00            | 1        | 16            | 16       | 16      | 13             |
| 4010150  | TYPE A2 SHOULDER   | S.Y. | 8132.03          | 8        | 26.865608     | 40.1     | 24.2    | 65056.2        |
| 4011209  | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)              | TON  | 806.44           | 15       | 54.748478     | 259.83   | 43.1    | 12096.6        |
| 4011211  | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2)              | TON  | 9123.30          | 6        | 52.540515     | 58.22    | 46      | 54739.8        |
| 4013000  | BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE)               | TON  | 2230.45          | 6        | 58.414217     | 108      | 53.61   | 13382.7        |
| 4020520  | BITUMINOUS PAVEMENT MIXTURE PG64-22                      | TON  | 6043.21          | 20       | 58.74124      | 413.6    | 48      | 120864.2       |
| 4030003  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095C MIX)         | TON  | 33577.14         | 5        | 54.40362      | 304.2    | 47.63   | 167885.7       |
| 4030101  | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP125C MIX)         | TON  | 5190.47          | 3        | 48.003921     | 58       | 44.1    | 15571.4        |
| 4030103  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125C MIX)         | TON  | 6108.57          | 16       | 55.551128     | 200      | 48.91   | 97737.1        |
| 4030114  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125B MIX)         | TON  | 16575.30         | 1        | 53.9          | 53.9     | 53.9    | 16575.3        |
| 4030116  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125B MIX)         | TON  | 1022.17          | 3        | 81.770593     | 250      | 74.78   | 3066.5         |
| 4030132  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BSM MIX)       | TON  | 1161.60          | 1        | 115.8         | 115.8    | 115.8   | 1161.6         |
| 4030217  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP190B MIX)         | TON  | 1856.15          | 2        | 80.161324     | 91.4     | 75.75   | 3712.3         |
| 4030317  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP250B MIX)         | TON  | 533.60           | 1        | 71.88         | 71.88    | 71.88   | 533.6          |
| 4030403  | 10 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C            | S.Y. | 14452.60         | 1        | 40            | 40       | 40      | 14452.6        |
| 4030404  | 11 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C            | S.Y. | 7018.05          | 2        | 45.082101     | 45.58    | 44.31   | 14036.1        |
| 4030410  | 13 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C            | S.Y. | 48766.40         | 1        | 35.4          | 35.4     | 35.4    | 48766.4        |
| 4071005  | TACK COAT  | GAL  | 10827.26         | 53       | 2.149009      | 3.65     | 0.24    | 573845         |
| 4081018  | PRIME-LIQUID ASPHALT MC 800                              | GAL  | 4127.03          | 30       | 2.624563      | 30       | 0.45    | 123811         |
| 4133200  | ULTRATHIN BONDED WEARING SURFACE, TYPE C                 | S.Y. | 19400.00         | 2        | 5.615512      | 5.65     | 5.6     | 38800          |
| 4134000  | BITUMINOUS FOG SEAL                                      | GAL  | 12389.50         | 14       | 2.537251      | 3.5      | 2.37    | 173453         |
| 5021108  | CONCRETE PAVEMENT ( 8 IN. NON-REINF)                     | S.Y. | 196.85           | 4        | 54.761315     | 126      | 49      | 787.4          |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 5021305  | CONCRETE PAVEMENT (5 3/4 IN. NON-REINFORCED, 15 FT. JOINTS)                | S.Y. | 2211.50          | 1        | 43.6          | 43.6     | 43.6    | 2211.5         |
| 5021308  | CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS)                    | S.Y. | 2862.45          | 2        | 44.825311     | 73       | 44.55   | 5724.9         |
| 5021309  | CONCRETE PAVEMENT ( 9 IN. NON-REINFORCED, 15 FT. JOINTS)                   | S.Y. | 184663.30        | 1        | 44            | 44       | 44      | 184663.3       |
| 5021312  | CONCRETE PAVEMENT (12 IN. NON-REINFORCED, 15 FT. JOINTS)                   | S.Y. | 2889.60          | 1        | 79.5          | 79.5     | 79.5    | 2889.6         |
| 5021314  | CONCRETE PAVEMENT (14 IN. NON-REINFORCED, 15 FT. JOINTS)                   | S.Y. | 41188.20         | 1        | 70            | 70       | 70      | 41188.2        |
| 5021333  | CONCRETE PAVEMENT (9 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)                | S.Y. | 758.80           | 1        | 78.13         | 78.13    | 78.13   | 758.8          |
| 5021340  | TYPE A2 SHOULDER   | S.Y. | 52242.00         | 1        | 28            | 28       | 28      | 52242          |
| 5031010A | BRIDGE APPROACH SLAB (MAJOR ROAD)  | S.Y. | 179.71           | 7        | 268.462241    | 315      | 234     | 1258           |
| 5031011A | BRIDGE APPROACH SLAB (MINOR ROAD)  | S.Y. | 126.38           | 8        | 181.867299    | 225      | 114.48  | 1011           |
| 5041000  | CONCRETE APPROACH PAVEMENT   | S.Y. | 272.52           | 5        | 125.425172    | 152      | 49.7    | 1362.6         |
| 5050004  | SUPPLEMENTARY WEARING SURFACE MATERIAL                                     | C.Y. | 7.00             | 2        | 700           | 700      | 700     | 14             |
| 5052000  | LATEX MODIFIED CONCRETE WEARING SURFACE                                    | S.Y. | 2705.30          | 10       | 100.329608    | 125.5    | 83.51   | 27053          |
| 6011000A | TYPE 2 FIELD LABORATORIES  | L.S. | 1.00             | 1        | 33500         | 33500    | 33500   | 1              |
| 6042010  | ADJUSTING MANHOLE  | EACH | 1.00             | 1        | 1000          | 1000     | 1000    | 1              |
| 6044011  | PIPE COLLAR, TYPE A  | EACH | 2.90             | 10       | 1116.986206   | 2333.8   | 325     | 29             |
| 6044012  | PIPE COLLAR, TYPE B  | EACH | 5.50             | 4        | 673.89909     | 1482.52  | 435     | 22             |
| 6044013  | PIPE COLLAR, TYPE C  | EACH | 1.00             | 2        | 2024.895      | 3049.79  | 1000    | 2              |
| 6046012A | 12 IN. SLOTTED DRAIN   | L.F. | 32.00            | 2        | 144.5         | 146      | 142     | 64             |
| 6046015A | 15 IN. SLOTTED DRAIN   | L.F. | 140.00           | 1        | 160           | 160      | 160     | 140            |
| 6061010  | GUARDRAIL TYPE A   | L.F. | 325.00           | 2        | 22.338461     | 22.5     | 22.08   | 650            |
| 6061040  | GUARDRAIL TYPE D   | L.F. | 38.00            | 1        | 24            | 24       | 24      | 38             |
| 6061054  | GUARDRAIL TYPE E, 6 FT POST, 6 FT.-3 IN. SPACING                           | L.F. | 400.00           | 1        | 25.15         | 25.15    | 25.15   | 400            |
| 6061060  | MGS GUARDRAIL  | L.F. | 2464.12          | 33       | 21.091414     | 29       | 17.31   | 81316          |
| 6061061  | MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 SPACING                              | L.F. | 1004.33          | 9        | 23.554855     | 30       | 21.32   | 9039           |
| 6061068  | MGS BRIDGE APPROACH TRANSITION SECTION (MAJOR ROUTE)                       | EACH | 3.75             | 8        | 2739.621666   | 3150     | 2520    | 30             |
| 6061069  | MGS BRIDGE APPROACH TRANSITION SECTION (MINOR ROUTE)                       | EACH | 5.32             | 25       | 2721.005864   | 3678     | 2500    | 133            |
| 6061070  | MGS VERTICAL CONCRETE BARRIER TRANSITION                                   | EACH | 4.50             | 2        | 2410          | 2685     | 2190    | 9              |
| 6061074  | MGS HEIGHT AND BLOCK TRANSITION  | EACH | 5.00             | 3        | 569.013333    | 703.8    | 512.5   | 15             |
| 6061075  | MGS LONG SPAN GUARDRAIL SECTION  | EACH | 2.00             | 2        | 2057.21       | 2078.84  | 2050    | 4              |
| 6061078  | MGS EMBEDDED ANCHOR SECTION (WITH RUBRAIL)                                 | L.F. | 100.00           | 1        | 35            | 35       | 35      | 100            |
| 6061080  | MGS END ANCHOR   | EACH | 4.82             | 11       | 1023.75283    | 1270     | 900     | 53             |
| 6061081  | MGS BRIDGE APPROACH TRANSITION (THRIE-BEAM BRIDGE)                         | EACH | 6.00             | 2        | 3318.533333   | 3855.6   | 3050    | 12             |
| 6062200A | BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY / EACH |      | 3.00             | 1        | 3673          | 3673     | 3673    | 3              |
| 6062204A | BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (NEW CONS' EACH |      | 4.00             | 1        | 1548          | 1548     | 1548    | 4              |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 6062304  | ASYMETRICAL TRANSITION SECTION, 7.5 FT. POSTS      | EACH | 4.00             | 1        | 436.31        | 436.31   | 436.31  | 4              |
| 6063014  | TYPE A CRASHWORTHY END TERMINAL (MASH)             | EACH | 6.85             | 39       | 2659.150037   | 3678     | 2400    | 267            |
| 6063015  | TYPE A CRASHWORTHY END TERMINAL                    | EACH | 3.00             | 1        | 2650          | 2650     | 2650    | 3              |
| 6063018  | TYPE D CRASHWORTHY END TERMINAL                    | EACH | 1.00             | 1        | 31300         | 31300    | 31300   | 1              |
| 6063019  | TYPE E CRASHWORTHY END TERMINAL                    | EACH | 1.00             | 1        | 29500         | 29500    | 29500   | 1              |
| 6066610  | END ANCHOR   | EACH | 1.00             | 2        | 1095          | 1250     | 940     | 2              |
| 6066630  | GUARDRAIL ANCHOR, ROCK FACE                        | EACH | 2.00             | 1        | 4600          | 4600     | 4600    | 2              |
| 6071011A | CHAIN-LINK FENCE (48 IN.)                          | L.F. | 227.50           | 2        | 49.905934     | 50.8     | 49      | 455            |
| 6071060  | PEDESTRIAN FENCE (STRUCTURES)                      | L.F. | 300.00           | 1        | 130           | 130      | 130     | 300            |
| 6071067  | (112 IN.) CURVED TOP PEDESTRIAN FENCE (STRUCTURES) | L.F. | 783.00           | 1        | 154.9         | 154.9    | 154.9   | 783            |
| 6071101  | MODIFIED CONCRETE GUTTER TYPE A                    | L.F. | 110.00           | 2        | 54.18         | 61.25    | 32.97   | 220            |
| 6081000  | CONCRETE MEDIAN                                    | S.Y. | 1601.97          | 3        | 62.593994     | 153.2    | 58      | 4805.9         |
| 6081010  | CONCRETE CURB RAMP                                 | S.Y. | 238.36           | 16       | 106.427987    | 161.05   | 84      | 3813.8         |
| 6081012  | TRUNCATED DOMES                                    | S.F. | 164.90           | 20       | 27.162583     | 50.55    | 15.14   | 3298           |
| 6082024  | HAND-RAILING FOR STEPS WITH                        | L.F. | 397.00           | 1        | 177.68        | 177.68   | 177.68  | 397            |
| 6083003  | 3 IN. CONCRETE MEDIAN STRIP                        | S.Y. | 112.30           | 2        | 54.670828     | 59.5     | 48.99   | 224.6          |
| 6083006  | 6 IN. CONCRETE MEDIAN STRIP                        | S.Y. | 19.40            | 2        | 110.592783    | 122.5    | 70      | 38.8           |
| 6083008  | 8 IN. CONCRETE MEDIAN STRIP                        | S.Y. | 235.69           | 8        | 57.181623     | 144.91   | 29.2    | 1885.5         |
| 6084023  | SIDEWALK HAND-RAILING                              | L.F. | 70.50            | 2        | 176.382978    | 180      | 165     | 141            |
| 6084024  | SIDEWALK HAND-RAILING WITH                         | L.F. | 92.00            | 1        | 197.1         | 197.1    | 197.1   | 92             |
| 6085007  | PAVED APPROACH, 7 IN.                              | S.Y. | 193.74           | 5        | 69.51791      | 70       | 65      | 968.7          |
| 6085008  | PAVED APPROACH, 8 IN.                              | S.Y. | 1004.01          | 11       | 64.433944     | 93.32    | 58.13   | 11044.1        |
| 6086004  | CONCRETE SIDEWALK, 4 IN.                           | S.Y. | 774.69           | 20       | 46.792012     | 101.1    | 28.35   | 15493.8        |
| 6086007  | CONCRETE SIDEWALK, 7 IN.                           | S.Y. | 17.00            | 1        | 65.98         | 65.98    | 65.98   | 17             |
| 6086008  | CONCRETE SIDEWALK, 8 IN.                           | S.Y. | 56.90            | 6        | 78.902727     | 202.15   | 65.98   | 341.4          |
| 6091010  | CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S      | L.F. | 334.00           | 5        | 36.857029     | 40       | 24.12   | 1670           |
| 6091011  | CONCRETE CURB (OVER 6 IN. HEIGHT) TYPE S           | L.F. | 288.40           | 5        | 33.147621     | 50       | 20.45   | 1442           |
| 6091041  | CONCRETE GUTTER TYPE A                             | L.F. | 21.33            | 3        | 78.734375     | 138      | 63.25   | 64             |
| 6091042  | CONCRETE GUTTER TYPE B                             | L.F. | 836.00           | 1        | 62.95         | 62.95    | 62.95   | 836            |
| 6091051  | CURB AND GUTTER TYPE A                             | L.F. | 202.00           | 2        | 35.074257     | 44.1     | 33.5    | 404            |
| 6091052  | CURB AND GUTTER TYPE B                             | L.F. | 1865.83          | 12       | 28.370148     | 46       | 25.3    | 22390          |
| 6091060  | PAVED DITCH  | S.Y. | 72.30            | 5        | 82.089903     | 205      | 70      | 361.5          |
| 6092011  | INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A      | L.F. | 166.00           | 4        | 16.133945     | 20       | 11.78   | 664            |
| 6092012  | INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE B      | L.F. | 361.00           | 1        | 13.5          | 13.5     | 13.5    | 361            |



| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 6092013  | INTEGRAL CURB TYPE M   | L.F. | 1067.00          | 1        | 40            | 40       | 40      | 1067           |
| 6092021  | INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE A                                   | L.F. | 56.00            | 1        | 10.25         | 10.25    | 10.25   | 56             |
| 6092031  | CONCRETE CURB LOW PROFILE TYPE E   | L.F. | 181.00           | 1        | 8.5           | 8.5      | 8.5     | 181            |
| 6092032  | CONCRETE CURB LOW PROFILE TYPE F   | L.F. | 344.33           | 3        | 34.209099     | 40       | 31      | 1033           |
| 6094010  | DRAIN BASIN  | EACH | 4.00             | 1        | 5325          | 5325     | 5325    | 4              |
| 6096010A | FURNISHING TYPE 1 ROCK DITCH LINER   | C.Y. | 9.75             | 4        | 47.700512     | 100      | 32.5    | 39             |
| 6096020  | FURNISHING TYPE 2 ROCK DITCH LINER   | C.Y. | 135.50           | 2        | 41.076752     | 50       | 39.3    | 271            |
| 6096030A | FURNISHING TYPE 3 ROCK DITCH LINER   | C.Y. | 30.00            | 2        | 38.363333     | 46.1     | 25      | 60             |
| 6096041  | PLACING TYPE 1 ROCK DITCH LINER  | C.Y. | 9.75             | 4        | 94.407179     | 120      | 57.4    | 39             |
| 6096042  | PLACING TYPE 2 ROCK DITCH LINER  | C.Y. | 810.00           | 3        | 24.704691     | 50       | 24      | 2430           |
| 6096043  | PLACING TYPE 3 ROCK DITCH LINER  | C.Y. | 1266.00          | 3        | 24.03981      | 27.4     | 24      | 3798           |
| 6096044  | PLACING TYPE 4 ROCK DITCH LINER  | C.Y. | 4795.00          | 1        | 24            | 24       | 24      | 4795           |
| 6096050  | BEDDING MATERIAL FOR ROCK DITCH LINER                                      | C.Y. | 1095.00          | 3        | 45.436834     | 120      | 45      | 3285           |
| 6097000  | ROCK LINING  | C.Y. | 61.66            | 14       | 68.71691      | 224.25   | 49      | 863.3          |
| 6113010  | FURNISHING TYPE 1 ROCK BLANKET   | C.Y. | 282.00           | 1        | 48.85         | 48.85    | 48.85   | 282            |
| 6113020  | FURNISHING TYPE 2 ROCK BLANKET   | C.Y. | 604.00           | 9        | 44.553833     | 61.1     | 30      | 5436           |
| 6113030  | PLACING TYPE 1 ROCK BLANKET  | C.Y. | 302.00           | 1        | 34.5          | 34.5     | 34.5    | 302            |
| 6113040  | PLACING TYPE 2 ROCK BLANKET  | C.Y. | 995.40           | 10       | 18.10869      | 30       | 6.93    | 9954           |
| 6116010A | CONCRETE SLOPE PROTECTION  | S.Y. | 66.00            | 2        | 116.372727    | 120      | 51.6    | 132            |
| 6117000A | GABIONS  | C.Y. | 78.00            | 1        | 348.06        | 348.06   | 348.06  | 78             |
| 6122008  | Impact Attenuator 40 MPH (Sand Barrels)                                    | EACH | 6.00             | 3        | 550           | 1850     | 387.5   | 18             |
| 6122012  | Impact Attenuator 55 MPH (Sand Barrels)                                    | EACH | 2.00             | 1        | 1100          | 1100     | 1100    | 2              |
| 6122014  | Impact Attenuator 60 MPH (Sand Barrels)                                    | EACH | 4.00             | 1        | 3230          | 3230     | 3230    | 4              |
| 6122017  | Impact Attenuator 65 MPH (Sand Barrels)                                    | EACH | 1.50             | 2        | 3819.333333   | 3833     | 3792    | 3              |
| 6122019  | Impact Attenuator 70 MPH (Sand Barrels)                                    | EACH | 1.67             | 3        | 3468.8        | 5702     | 2800    | 5              |
| 6122020  | REPLACEMENT SAND BARREL  | EACH | 4.86             | 7        | 262.735294    | 368      | 179.5   | 34             |
| 6122030  | IMPACT ATTENUATOR (RELOCATION)   | EACH | 5.00             | 8        | 491.3125      | 1200     | 150     | 40             |
| 6123000A | TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)                                  | EACH | 1.79             | 70       | 1509.66104    | 21000    | 1       | 125            |
| 6131010  | FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A FULL DEPTH PA' S.Y.   |      | 879.23           | 4        | 232.236606    | 245      | 150     | 3516.9         |
| 6131012  | SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)                        | S.Y. | 363.00           | 4        | 3.752782      | 20       | 1       | 1452           |
| 6131013  | TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)             | S.Y. | 363.00           | 4        | 5.395792      | 20       | 1       | 1452           |
| 6131014  | FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW L.F.    |      | 5627.00          | 2        | 5.103118      | 5.75     | 4       | 11254          |
| 6131015  | DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DE/EACH |      | 1345.67          | 3        | 4.909772      | 64.47    | 4       | 4037           |
| 6131017  | DOWEL BAR (FURNISHING AND INSTALLATING WITH BASKETS) FOR FULL DEPTH EACH   |      | 680.50           | 2        | 5.873254      | 8.5      | 5.75    | 1361           |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6131018  | TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH  | EACH | 435.00           | 2        | 3.413793      | 7        | 3       | 870            |
| 6132018  | FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH C.Y. |      | 18.00            | 3        | 1810.897777   | 4425.2   | 1550    | 54             |
| 6132019  | REMOVAL OF CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH CONCRETE P.S.Y.  |      | 305.27           | 3        | 163.040074    | 360.5    | 119     | 915.8          |
| 6133018  | FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS B PARTIAL          | TON  | 6.50             | 1        | 1023          | 1023     | 1023    | 6.5            |
| 6133019  | REMOVAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR                       | S.Y. | 29.30            | 1        | 331.5         | 331.5    | 331.5   | 29.3           |
| 6141021  | GRATE AND BEARING PLATE (3 FT. X 2 FT. OR 914 MM X 610 MM)              | EACH | 2.57             | 7        | 1299.915555   | 1700     | 1097.41 | 18             |
| 6141022  | GRATE AND BEARING PLATE (3 FT. X 3 FT. OR 914 MM X 914 MM)              | EACH | 2.00             | 3        | 1561.216666   | 1890     | 1243.65 | 6              |
| 6141023  | GRATE AND BEARING PLATE (5 FT. X 2 FT. OR 1524 MM X 610 MM)             | EACH | 1.00             | 1        | 1500          | 1500     | 1500    | 1              |
| 6141024  | GRATE AND BEARING PLATE (5 FT. X 3 FT. OR 1524 MM X 914 MM)             | EACH | 2.67             | 3        | 1608.62       | 1767.24  | 1450    | 8              |
| 6141120  | CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MMX600MM)              | EACH | 14.20            | 10       | 1022.091619   | 1500     | 541.21  | 142            |
| 6141121  | CURVED VANE GRATE AND FRAME (4 FT X 2 FT OR 1200MM X 600MM)             | EACH | 20.80            | 5        | 890.849615    | 1703.48  | 753.5   | 104            |
| 6143010  | MANHOLE FRAME AND COVER, TYPE 1-A                                       | EACH | 1.50             | 2        | 622.666666    | 634      | 600     | 3              |
| 6143011  | MANHOLE FRAME AND COVER, TYPE 1-B                                       | EACH | 8.33             | 3        | 447.122       | 600      | 440.5   | 25             |
| 6143013  | MANHOLE FRAME AND COVER, TYPE 3   | EACH | 17.25            | 4        | 301.447826    | 491.07   | 221.04  | 69             |
| 6143014  | MANHOLE FRAME AND COVER, TYPE 4   | EACH | 2.00             | 1        | 241.14        | 241.14   | 241.14  | 2              |
| 6143020  | CURB INLET  | EACH | 2.00             | 3        | 1535.146666   | 2500     | 1052.72 | 6              |
| 6161005  | CONSTRUCTION SIGNS  | S.F. | 1110.58          | 86       | 6.315618      | 10       | 3       | 95510          |
| 6161007  | SPEED LIMIT AND STROBE LIGHT  | EACH | 2.00             | 1        | 5600          | 5600     | 5600    | 2              |
| 6161008  | ADVANCED WARNING RAIL SYSTEM  | EACH | 5.42             | 72       | 88.870205     | 400      | 35      | 390            |
| 6161009  | FLAG ASSEMBLY   | EACH | 5.56             | 75       | 23.71669      | 50       | 2.5     | 417            |
| 6161010  | RELOCATED SIGNS   | S.F. | 136.67           | 3        | 4.285365      | 6.15     | 3.7     | 410            |
| 6161012  | BUOYS (BOATS KEEP OUT)  | EACH | 16.80            | 5        | 218.571428    | 246      | 125     | 84             |
| 6161013  | BUOYS (NO WAKE)   | EACH | 18.80            | 5        | 220.510638    | 246      | 125     | 94             |
| 6161014  | SPECIAL SIGN ASSEMBLY (BOATS KEEP OUT)                                  | EACH | 4.00             | 5        | 1165.6        | 1289     | 1000    | 20             |
| 6161024  | CHANNELIZER (TRIM LINE) WITH LIGHT                                      | EACH | 108.50           | 2        | 37.769585     | 38       | 37      | 217            |
| 6161025  | CHANNELIZER (TRIM LINE)   | EACH | 179.40           | 78       | 14.083259     | 45       | 5.2     | 13993          |
| 6161028  | CHANNELIZER   | EACH | 168.00           | 1        | 18            | 18       | 18      | 168            |
| 6161030  | TYPE III MOVEABLE BARRICADE   | EACH | 16.69            | 16       | 148.048689    | 194.21   | 50      | 267            |
| 6161031  | TYPE III MOVEABLE BARRICADE WITH LIGHT                                  | EACH | 14.20            | 20       | 184.245774    | 250      | 150     | 284            |
| 6161033  | DIRECTIONAL INDICATOR BARRICADE   | EACH | 26.40            | 10       | 69.7675       | 91       | 40.73   | 264            |
| 6161034  | DIRECTIONAL INDICATOR BARRICADE WITH LIGHT                              | EACH | 35.50            | 4        | 84.377464     | 86.2     | 80      | 142            |
| 6161040  | FLASHING ARROW PANEL  | EACH | 2.20             | 45       | 815.185858    | 2500     | 125     | 99             |
| 6161047  | TYPE III OBJECT MARKER  | EACH | 6.00             | 2        | 171.433333    | 234.3    | 140     | 12             |
| 6161055  | SEQUENTIAL FLASHING WARNING LIGHT                                       | EACH | 28.18            | 11       | 69.279741     | 101      | 50      | 310            |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 6161070  | TUBULAR MARKER   | EACH | 172.00           | 5        | 62.29779      | 102.1    | 50      | 860            |
| 6161096  | CHANGEABLE MESSAGE SIGN, COMMISSION FURNISHED / RETAINED                                 | EACH | 3.50             | 2        | 4250          | 4250     | 4250    | 7              |
| 6161098A | CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED / RETAINED | EACH | 2.67             | 9        | 3101          | 4550     | 750     | 24             |
| 6161099  | CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED / RETAINED    | EACH | 3.03             | 70       | 2700.870188   | 6437     | 663.7   | 212            |
| 6162002  | TEMPORARY LONG-TERM  | EACH | 6.55             | 11       | 666.021111    | 900      | 600     | 72             |
| 6162004  | SHORT-TERM RUMBLE STRIPS   | EACH | 5.17             | 41       | 1273.714811   | 4200     | 254     | 212            |
| 6172000  | CONCRETE TRAFFIC BARRIER, TYPE B   | L.F. | 190.00           | 1        | 95            | 95       | 95      | 190            |
| 6173000  | CONCRETE TRAFFIC BARRIER, TYPE C   | L.F. | 15989.50         | 2        | 73.728822     | 74       | 73      | 31979          |
| 6173100  | CONCRETE TRAFFIC BARRIER, TYPE D   | L.F. | 331.00           | 2        | 94.431419     | 185      | 72.3    | 662            |
| 6173101  | CONCRETE TRAFFIC BARRIER, TYPE D (MODIFIED)  | L.F. | 3665.00          | 1        | 83.4          | 83.4     | 83.4    | 3665           |
| 6173600D | TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED                               | L.F. | 712.00           | 8        | 29.458391     | 47.2     | 24.4    | 5696           |
| 6173700B | TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED                      | L.F. | 3091.25          | 4        | 34.727901     | 100      | 32.8    | 12365          |
| 6173706  | TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED  | L.F. | 187.50           | 2        | 44.050133     | 52.7     | 32.8    | 375            |
| 6174000A | TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION  | EACH | 1.67             | 3        | 1298          | 1565     | 1000    | 5              |
| 6175010A | RELOCATING TEMPORARY TRAFFIC BARRIER   | L.F. | 797.33           | 6        | 12.90556      | 39       | 7.5     | 4784           |
| 6175011B | RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED  | L.F. | 10495.00         | 3        | 14.548753     | 50       | 14.2    | 31485          |
| 6175020A | RELOCATING TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION                                   | EACH | 1.50             | 2        | 662.8         | 744.2    | 500     | 3              |
| 6178003A | TRAFFIC BARRIER DELINEATOR, YELLOW/YELLOW  | EACH | 20.00            | 1        | 8.2           | 8.2      | 8.2     | 20             |
| 6181000  | MOBILIZATION   | L.S. | 1.00             | 88       | 134470.9367   | 5982000  | 1835.98 | 88             |
| 6181010  | RAILROAD ENGINEERING   | L.S. | 1.00             | 2        | 93375         | 150000   | 36750   | 2              |
| 6181020  | ADDITIONAL MOBILIZATION FOR  | EACH | 3.47             | 17       | 598.98305     | 600      | 570     | 59             |
| 6191000  | PAVEMENT EDGE TREATMENT  | L.F. | 8256.00          | 9        | 1.377269      | 5.75     | 0.3     | 74304          |
| 6200003  | PREFORMED THERMOPLASTIC  | L.F. | 1758.00          | 1        | 2.5           | 2.5      | 2.5     | 1758           |
| 6200006  | PREFORMED THERMOPLASTIC  | L.F. | 3624.00          | 1        | 2.5           | 2.5      | 2.5     | 3624           |
| 6200009  | PREFORMED THERMOPLASTIC  | L.F. | 769.00           | 2        | 5.857717      | 6.31     | 5       | 1538           |
| 6200015  | PREFORMED THERMOPLASTIC  | L.F. | 169.23           | 35       | 21.125672     | 40       | 15      | 5923           |
| 6200018  | PREFORMED THERMOPLASTIC  | L.F. | 372.67           | 21       | 19.606848     | 30       | 15      | 7826           |
| 6200021  | PREFORMED THERMOPLASTIC  | EACH | 22.97            | 29       | 263.883693    | 400      | 199.05  | 666            |
| 6200024  | PREFORMED THERMOPLASTIC  | EACH | 3.75             | 4        | 417.6         | 1100     | 300     | 15             |
| 6200027  | PREFORMED THERMOPLASTIC  | EACH | 3.40             | 5        | 505.181764    | 620      | 450     | 17             |
| 6200030  | PREFORMED THERMOPLASTIC  | EACH | 4.00             | 3        | 456.5875      | 577.5    | 306.35  | 12             |
| 6200033  | PREFORMED THERMOPLASTIC  | EACH | 3.00             | 6        | 829.983333    | 1265     | 306.25  | 18             |
| 6200034  | COLD APPLIED TAPE PAVEMENT   | EACH | 6.00             | 2        | 500           | 500      | 500     | 12             |
| 6200036  | PREFORMED THERMOPLASTIC  | EACH | 26.75            | 12       | 205.347975    | 826.85   | 135     | 321            |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6200042  | PREFORMED THERMOPLASTIC   | EACH | 62.63            | 8        | 42.701097     | 50       | 35      | 501            |
| 6205301B | PREFORMED REMOVABLE MARKING TAPE 4 IN., WHITE                             | L.F. | 13647.56         | 9        | 1.188433      | 2.1      | 0.85    | 122828         |
| 6205303B | PREFORMED REMOVABLE MARKING TAPE 4 IN., YELLOW                            | L.F. | 16718.44         | 9        | 1.140118      | 2.1      | 0.85    | 150466         |
| 6205309  | PREFORMED REMOVABLE MARKING TAPE, 24 IN., WHITE                           | L.F. | 96.00            | 1        | 6.6           | 6.6      | 6.6     | 96             |
| 6205440A | PREFORMED SHORT TERM MARKING TAPE LEFT/RIGHT ARROW                        | EACH | 5.40             | 5        | 91.977777     | 269.2    | 55      | 27             |
| 6205443A | PREFORMED SHORT TERM MARKING TAPE COMBINATION STRAIGHT- LEFT ARR(EACH     |      | 2.50             | 2        | 125           | 125      | 125     | 5              |
| 6205901A | 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE L.F. |      | 43946.93         | 14       | 0.163082      | 3        | 0.11    | 615257         |
| 6205902A | 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEAL.F.  |      | 46650.31         | 36       | 0.224617      | 8        | 0.18    | 1679411        |
| 6205903A | 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE L.F. |      | 32853.29         | 28       | 0.22315       | 1.5      | 0.17    | 919892         |
| 6205906A | 12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE/L.F. |      | 3102.78          | 9        | 1.09096       | 4        | 0.75    | 27925          |
| 6206000C | 4 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS               | L.F. | 51590.07         | 42       | 0.120956      | 2.5      | 0.09    | 2166783        |
| 6206001C | 4 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS              | L.F. | 54865.74         | 39       | 0.11517       | 2.5      | 0.08    | 2139764        |
| 6206108A | 8 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS               | L.F. | 3207.00          | 1        | 0.26          | 0.26     | 0.26    | 3207           |
| 6206124A | 24 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS              | L.F. | 24.00            | 1        | 8             | 8        | 8       | 24             |
| 6206125A | 24 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS             | L.F. | 314.00           | 1        | 4.05          | 4.05     | 4.05    | 314            |
| 6207001  | PAVEMENT MARKING REMOVAL  | L.F. | 11474.84         | 19       | 0.660199      | 3.16     | 0.37    | 218022         |
| 6207002  | PAVEMENT MARKING REMOVAL (SYMBOLS)  | EACH | 13.09            | 11       | 95.42125      | 113      | 55      | 144            |
| 6208064A | TEMPORARY RAISED PAVEMENT MARKER, TYPE 1                                  | EACH | 372.00           | 2        | 2             | 2        | 2       | 744            |
| 6208076  | 4 IN TEMPORARY PAVEMENT   | L.F. | 17919.00         | 3        | 0.276029      | 0.78     | 0.12    | 53757          |
| 6214600A | FLOWABLE BACKFILL   | C.Y. | 8.00             | 4        | 351.79375     | 860      | 107.1   | 32             |
| 6221001  | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THIC S.Y. |      | 93546.13         | 34       | 0.796506      | 38.65    | 0.24    | 3180568.5      |
| 6221003  | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATEF S.Y.    |      | 12039.00         | 1        | 4.6           | 4.6      | 4.6     | 12039          |
| 6224010  | MODIFIED COLD MILLING (DEPTH TRANSITIONS)                                 | S.Y. | 1946.30          | 37       | 6.379327      | 50       | 2.26    | 72013          |
| 6233000  | EPOXY POLYMER CONCRETE OVERLAY  | S.Y. | 1813.00          | 4        | 33            | 33       | 33      | 7252           |
| 6235000  | MMA POLYMER SLURRY WEARING  | S.Y. | 2698.33          | 3        | 89            | 89       | 89      | 8095           |
| 6240103A | PERMANENT EROSION CONTROL GEOTEXTILE                                      | S.Y. | 794.00           | 10       | 3.216756      | 8.3      | 1.61    | 7940           |
| 6240104A | SEPARATION GEOTEXTILE   | S.Y. | 96348.50         | 2        | 1.647787      | 1.65     | 1.16    | 192697         |
| 6261000A | BITUMINOUS SHOULDER RUMBLE STRIP  | STA. | 697.04           | 22       | 21.072573     | 731.19   | 9       | 15334.9        |
| 6261001  | BITUMINOUS CENTERLINE RUMBLE STRIP  | STA. | 575.20           | 6        | 19.958288     | 731.19   | 14      | 3451.2         |
| 6262000A | PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP                            | STA. | 732.77           | 3        | 57.079757     | 73.3     | 51      | 2198.3         |
| 6274000  | CONTRACTOR FURNISHED SURVEYING AND STAKING                                | L.S. | 1.00             | 86       | 10925.71291   | 384300   | 210     | 86             |
| 7011104  | DRILLED SHAFTS (3 FT. 0 IN. DIA.)   | L.F. | 177.00           | 2        | 190           | 190      | 190     | 354            |
| 7011108  | DRILLED SHAFTS (5 FT. 0 IN. DIA.)   | L.F. | 32.00            | 1        | 1530          | 1530     | 1530    | 32             |
| 7011203  | ROCK SOCKETS (2 FT 6 IN. DIA.)  | L.F. | 70.00            | 2        | 331.428571    | 340      | 325     | 140            |

| PAY ITEM | DESCRIPTION                                    | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 7011207  | ROCK SOCKETS (4 FT 6 IN. DIA.)                 | L.F. | 48.00            | 1        | 715           | 715      | 715     | 48             |
| 7011300  | VIDEO CAMERA INSPECTION                        | EACH | 4.00             | 3        | 116.666666    | 250      | 50      | 12             |
| 7011400  | FOUNDATION INSPECTION HOLES                    | L.F. | 69.33            | 3        | 75.226923     | 91.9     | 63      | 208            |
| 7011600  | SONIC LOGGING TESTING                          | EACH | 4.00             | 1        | 1500          | 1500     | 1500    | 4              |
| 7021012  | STRUCTURAL STEEL PILES (12 IN.)                | L.F. | 641.00           | 2        | 54            | 54       | 54      | 1282           |
| 7021212  | GALVANIZED STRUCTURAL STEEL PILES (12 IN)      | L.F. | 356.60           | 5        | 70.223387     | 123.99   | 47      | 1783           |
| 7021214  | GALVANIZED STRUCTURAL STEEL PILES (14 IN)      | L.F. | 848.00           | 1        | 84.61         | 84.61    | 84.61   | 848            |
| 7026000  | PRE-BORE FOR PILING                            | L.F. | 114.00           | 4        | 247.601271    | 350      | 178.5   | 456            |
| 7027000  | PILE POINT REINFORCEMENT                       | EACH | 16.80            | 5        | 114.71619     | 141      | 100     | 84             |
| 7032003  | CLASS B CONCRETE (SUBSTRUCTURE)                | C.Y. | 90.96            | 7        | 700.177059    | 1460     | 605     | 636.7          |
| 7034001  | CLASS B-1 CONCRETE                             | C.Y. | 5.40             | 1        | 516.16        | 516.16   | 516.16  | 5.4            |
| 7034003  | CLASS B-1 CONCRETE (SUBSTRUCTURE)              | C.Y. | 40.20            | 1        | 834.15        | 834.15   | 834.15  | 40.2           |
| 7034040  | CLASS B-1 CONCRETE (CULVERTS-BRIDGE)           | C.Y. | 966.64           | 5        | 602.191008    | 1500     | 570     | 4833.2         |
| 7034041  | CLASS B-1 CONCRETE (CULVERTS)                  | C.Y. | 1016.19          | 8        | 562.145094    | 1390     | 500     | 8129.5         |
| 7034212  | SLAB ON STEEL                                  | S.Y. | 2525.00          | 6        | 268.236132    | 278.5    | 261     | 15150          |
| 7034213  | SLAB ON CONCRETE I-GIRDER                      | S.Y. | 514.00           | 2        | 376.133268    | 435      | 340     | 1028           |
| 7034214  | CLASS B-2 CONCRETE                             | C.Y. | 30.85            | 8        | 2104.801458   | 6000     | 800     | 246.8          |
| 7034215  | SAFETY BARRIER CURB                            | L.F. | 625.43           | 7        | 80.604796     | 97.55    | 60      | 4378           |
| 7034219A | BARRIER CURB (TYPE D)                          | L.F. | 1028.20          | 5        | 83.537658     | 120      | 75      | 5141           |
| 7034221  | SLAB ON CONCRETE NU-GIRDER                     | S.Y. | 627.33           | 3        | 330.553645    | 352.47   | 320     | 1882           |
| 7034222  | SLAB ON CONCRETE BEAM                          | S.Y. | 407.00           | 1        | 313.11        | 313.11   | 313.11  | 407            |
| 7034430  | SIDEWALK (BRIDGES)                             | S.F. | 5050.00          | 1        | 26.05         | 26.05    | 26.05   | 5050           |
| 7034600  | CURB BLOCKOUT                                  | L.F. | 1348.17          | 12       | 66.705114     | 183      | 50.48   | 16178          |
| 7040101  | SUBSTRUCTURE REPAIR (FORMED)                   | S.F. | 122.00           | 5        | 86.672131     | 257      | 70      | 610            |
| 7040106  | FULL DEPTH REPAIR                              | S.F. | 522.50           | 10       | 49.498564     | 182      | 34      | 5225           |
| 7040108  | MODIFIED DECK REPAIR                           | S.F. | 550.00           | 1        | 49.2          | 49.2     | 49.2    | 550            |
| 7040109  | TOTAL SURFACE HYDRO DEMOLITION                 | S.Y. | 2511.88          | 8        | 32.33863      | 41.5     | 28      | 20095          |
| 7040113  | CLEAN AND EPOXY SEAL                           | S.F. | 3336.82          | 11       | 6.98136       | 32       | 3       | 36705          |
| 7040117  | MONOLITHIC DECK REPAIR                         | C.Y. | 40.88            | 8        | 700           | 700      | 700     | 327            |
| 7056003  | TYPE 6 (54 IN.), PRESTRESSED CONCRETE I-GIRDER | L.F. | 532.50           | 2        | 230           | 230      | 230     | 1065           |
| 7056021  | NU 35 (900), PRESTRESSED CONCRETE NU-GIRDER    | L.F. | 267.00           | 1        | 359.55        | 359.55   | 359.55  | 267            |
| 7056022  | NU 43 (1100), PRESTRESSED CONCRETE NU-GIRDER   | L.F. | 1283.00          | 1        | 270           | 270      | 270     | 1283           |
| 7056023  | NU 53 (1350), PRESTRESSED CONCRETE NU-GIRDER   | L.F. | 344.00           | 1        | 340.5         | 340.5    | 340.5   | 344            |
| 7056049  | 21 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM   | L.F. | 403.00           | 1        | 385.88        | 385.88   | 385.88  | 403            |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 7061000  | REINFORCING STEEL  | LBS  | 870.00           | 1        | 2.8           | 2.8      | 2.8     | 870            |
| 7061020  | REINFORCING STEEL (CULVERTS-BRIDGE)                      | LBS  | 105124.00        | 5        | 1.340686      | 2        | 0.56    | 525620         |
| 7061030  | REINFORCING STEEL (CULVERTS)                             | LBS  | 163751.43        | 7        | 0.350803      | 2.05     | 0.01    | 1146260        |
| 7061060  | REINFORCING STEEL (BRIDGES)                              | LBS  | 19736.67         | 3        | 1.361413      | 1.4      | 0.73    | 59210          |
| 7061070  | MECHANICAL BAR SPLICE                                    | EACH | 2867.00          | 1        | 29.25         | 29.25    | 29.25   | 2867           |
| 7071000  | CONDUIT SYSTEM ON STRUCTURE                              | L.S. | 1.00             | 1        | 12127.5       | 12127.5  | 12127.5 | 1              |
| 7101000  | REINFORCING STEEL (EPOXY COATED)                         | LBS  | 5016.36          | 11       | 2.209113      | 5        | 1.5     | 55180          |
| 7101010  | EPOXY COATED TIE BARS (DRILLED AND INSTALLED)            | LBS  | 10.00            | 1        | 31.08         | 31.08    | 31.08   | 10             |
| 7110100  | PROTECTIVE COATING - CONCRETE BENTS AND PIERS (URETHENE) | L.S. | 1.00             | 2        | 3000          | 3000     | 3000    | 2              |
| 7110200  | PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)    | L.S. | 1.00             | 12       | 7474.166666   | 26250    | 3510    | 12             |
| 7120900  | EXPANSION DEVICE (FINGER PLATE)                          | L.F. | 52.33            | 3        | 1817.555414   | 1996     | 1467.4  | 157            |
| 7120915  | EXPANSION DEVICE (FLAT PLATE)                            | L.F. | 39.00            | 2        | 809.5         | 822      | 797     | 78             |
| 7121000  | FABRICATED STRUCTURAL CARBON STEEL (MISC)                | LBS  | 1820.00          | 1        | 4.56          | 4.56     | 4.56    | 1820           |
| 7121100  | FABRICATED STRUCTURAL LOW ALLOY STEEL (MISC)             | LBS  | 650.00           | 2        | 17.7          | 17.7     | 17.7    | 1300           |
| 7121251  | HINGE MODIFICATION                                       | EACH | 6.75             | 4        | 40123.76667   | 43500    | 35019.1 | 27             |
| 7123000  | STEEL BAR DAM  | EACH | 2.00             | 1        | 10200         | 10200    | 10200   | 2              |
| 7123300  | EXISTING DIAPHRAGM CONNECTIONS TO FLANGE                 | L.S. | 1.00             | 4        | 53631         | 64035    | 46398   | 4              |
| 7123301  | STEEL INTERMEDIATE DIAPHRAGM FOR P/S CONCRETE GIRDERS    | EACH | 4.67             | 3        | 611.571428    | 915.5    | 490     | 14             |
| 7123610  | SLAB DRAIN   | EACH | 69.50            | 8        | 382.500683    | 435      | 267.75  | 556            |
| 7125200  | SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL       | S.F. | 2744.44          | 9        | 63.987408     | 124.8    | 13.55   | 24700          |
| 7125210  | FIELD APPLICATION OF INORGANIC ZINC PRIMER               | S.F. | 2744.44          | 9        | 2.702388      | 6.14     | 1       | 24700          |
| 7125365A | INTERMEDIATE FIELD COAT (SYSTEM G)                       | S.F. | 2775.00          | 4        | 2.838378      | 3.15     | 2.47    | 11100          |
| 7125370A | FINISH FIELD COAT (SYSTEM G)                             | S.F. | 2520.00          | 5        | 2.342142      | 2.87     | 2.1     | 12600          |
| 7125385A | INTERMEDIATE FIELD COAT (SYSTEM H)                       | S.F. | 3260.00          | 5        | 1.292822      | 2.87     | 1       | 16300          |
| 7125390A | FINISH FIELD COAT (SYSTEM H)                             | S.F. | 3700.00          | 4        | 1.132972      | 1.24     | 1       | 14800          |
| 7126000  | NON-DESTRUCTIVE TESTING                                  | L.F. | 95.00            | 1        | 40            | 40       | 40      | 95             |
| 7134000  | BRIDGE GUARD RAIL (THRIE BEAM)                           | L.F. | 65.33            | 3        | 285.074285    | 290.36   | 280     | 196            |
| 7151001  | VERTICAL DRAIN AT END BENTS                              | EACH | 1.88             | 8        | 1734.666666   | 3715.7   | 1387.51 | 15             |
| 7161000  | PLAIN NEOPRENE BEARING PAD                               | EACH | 6.00             | 2        | 244.65        | 256.89   | 232.41  | 12             |
| 7161002  | LAMINATED NEOPRENE BEARING PAD                           | EACH | 19.33            | 3        | 223.610344    | 410.5    | 134.78  | 58             |
| 7161003  | LAMINATED NEOPRENE BEARING PAD (TAPERED)                 | EACH | 8.00             | 2        | 601.3125      | 878.5    | 435     | 16             |
| 7162000  | LAMINATED NEOPRENE BEARING PAD ASSEMBLY                  | EACH | 8.13             | 8        | 2700.172307   | 4011     | 1660    | 65             |
| 7163000  | TYPE N PTFE BEARING                                      | EACH | 6.67             | 6        | 3274.43125    | 4889.75  | 2233    | 40             |
| 7172001  | STRIP SEAL EXPANSION JOINT SYSTEM                        | L.F. | 70.67            | 12       | 473.088325    | 744      | 415     | 848            |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 7172054  | OPEN CELL FOAM JOINT SEAL   | L.F. | 120.50           | 2        | 67            | 67       | 67      | 241            |
| 7201000  | MECHANICALLY STABILIZED EARTH WALL SYSTEMS                          | S.F. | 3698.60          | 5        | 70.984416     | 79       | 48.73   | 18493          |
| 7201300  | PILE SPACERS  | EACH | 15.00            | 2        | 1410.666666   | 1560     | 1280    | 30             |
| 7250312A | 12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 30.80            | 5        | 45.340129     | 69.42    | 30      | 154            |
| 7250315A | 15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 1382.83          | 6        | 41.566204     | 63.46    | 35      | 8297           |
| 7250318A | 18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 319.67           | 6        | 55.715015     | 63       | 40      | 1918           |
| 7250324A | 24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 305.40           | 5        | 75.287655     | 460      | 60      | 1527           |
| 7250412  | 12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 99.00            | 3        | 32.413468     | 38.96    | 30      | 297            |
| 7250415  | 15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 72.00            | 4        | 45.448194     | 82       | 35      | 288            |
| 7250418  | 18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 39.67            | 3        | 58.361344     | 100      | 40      | 119            |
| 7250424  | 24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 22.00            | 2        | 70.454545     | 75       | 70      | 44             |
| 7252002  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-2                 | L.F. | 20.00            | 1        | 101.1         | 101.1    | 101.1   | 20             |
| 7252003  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-3                 | L.F. | 94.00            | 1        | 70            | 70       | 70      | 94             |
| 7261012  | 12 IN. PIPE GROUP A   | L.F. | 531.33           | 3        | 46.51217      | 50       | 35      | 1594           |
| 7261015  | 15 IN. PIPE GROUP A   | L.F. | 1055.57          | 7        | 59.533207     | 94.4     | 35      | 7389           |
| 7261018  | 18 IN. PIPE GROUP A   | L.F. | 712.78           | 9        | 54.393323     | 100      | 36.9    | 6415           |
| 7261021  | 21 IN. PIPE GROUP A   | L.F. | 199.50           | 2        | 69.799649     | 174.5    | 67.93   | 399            |
| 7261024  | 24 IN. PIPE GROUP A   | L.F. | 709.43           | 7        | 68.938076     | 75       | 44.1    | 4966           |
| 7261030  | 30 IN. PIPE GROUP A   | L.F. | 239.67           | 6        | 86.656286     | 146      | 63.62   | 1438           |
| 7261036  | 36 IN. PIPE GROUP A   | L.F. | 431.00           | 3        | 111.271585    | 119.78   | 105     | 1293           |
| 7261048  | 48 IN. PIPE GROUP A   | L.F. | 166.75           | 4        | 148.040884    | 264.5    | 144.97  | 667            |
| 7310048  | PRECAST CONCRETE MANHOLE - 48 IN.                                   | L.F. | 42.00            | 2        | 637.616309    | 638.5    | 632.79  | 84             |
| 7310060  | PRECAST CONCRETE MANHOLE - 60 IN.                                   | L.F. | 11.67            | 3        | 746.973142    | 815      | 642.07  | 35             |
| 7310072  | PRECAST CONCRETE MANHOLE - 72 IN.                                   | L.F. | 6.00             | 1        | 1000          | 1000     | 1000    | 6              |
| 7311022  | PRECAST CONCRETE DROP INLET 2 FT X 2 FT                             | L.F. | 45.80            | 10       | 726.030109    | 1860     | 630     | 458            |
| 7311030  | PRECAST CONCRETE DROP INLET 3 FT X 2 FT-6 IN.                       | L.F. | 40.50            | 4        | 645.433703    | 858      | 489.57  | 162            |
| 7311032  | PRECAST CONCRETE DROP INLET 3 FT X 2 FT                             | L.F. | 11.29            | 7        | 665.087721    | 1200     | 484.21  | 79             |
| 7311033  | PRECAST CONCRETE DROP INLET 3 FT X 3 FT                             | L.F. | 8.25             | 4        | 972.741818    | 1860     | 650     | 33             |
| 7311042  | PRECAST CONCRETE DROP INLET 4 FT X 2 FT                             | L.F. | 76.00            | 5        | 779.927631    | 1000.29  | 680     | 380            |
| 7311052  | PRECAST CONCRETE DROP INLET 5 FT X 2 FT                             | L.F. | 2.00             | 1        | 1000          | 1000     | 1000    | 2              |
| 7311053  | PRECAST CONCRETE DROP INLET 5 FT X 3 FT                             | L.F. | 26.00            | 7        | 933.767032    | 1056.04  | 720     | 182            |
| 7320012A | 12 IN. (300 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION    | EACH | 3.67             | 3        | 610.205454    | 1031.13  | 250     | 11             |
| 7320015A | 15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION    | EACH | 3.67             | 6        | 503.726363    | 949.49   | 325     | 22             |
| 7320018A | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION    | EACH | 2.67             | 6        | 721.549375    | 1170.93  | 330     | 16             |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 7320024A | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | EACH | 3.33             | 3        | 712           | 1510     | 500     | 10             |
| 7320030A | 30 IN. (750 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | EACH | 1.00             | 1        | 1200          | 1200     | 1200    | 1              |
| 7320612A | 12 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION          | EACH | 4.00             | 2        | 887.1875      | 942.5    | 500     | 8              |
| 7320615A | 15 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION          | EACH | 3.60             | 5        | 511.972777    | 600      | 450     | 18             |
| 7320618A | 18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION          | EACH | 3.29             | 7        | 727.196956    | 1000     | 180     | 23             |
| 7320624A | 24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION          | EACH | 2.60             | 5        | 930.323846    | 1470     | 268     | 13             |
| 7320630A | 30 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION          | EACH | 1.75             | 4        | 1324.811428   | 1840     | 1131.67 | 7              |
| 7320636A | 36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION          | EACH | 2.50             | 2        | 1648.036      | 1700     | 1570.09 | 5              |
| 7320648A | 48 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION          | EACH | 1.75             | 4        | 2201.252857   | 2820     | 1318.83 | 7              |
| 7320812A | 12 IN. (300 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | EACH | 4.00             | 2        | 352.5475      | 386.73   | 250     | 8              |
| 7320815A | 15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | EACH | 2.00             | 1        | 325           | 325      | 325     | 2              |
| 7320818A | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | EACH | 1.50             | 2        | 646.666666    | 1280     | 330     | 3              |
| 7320824A | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | EACH | 2.50             | 2        | 510           | 550      | 500     | 5              |
| 7321016A | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION   | EACH | 4.00             | 1        | 1620          | 1620     | 1620    | 4              |
| 7321017A | 30 IN. (750 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION   | EACH | 4.00             | 1        | 1350          | 1350     | 1350    | 4              |
| 8031000A | TURF TYPE TALL FESCUE SODDING                                    | S.Y. | 770.80           | 10       | 6.120612      | 26.3     | 5       | 7708           |
| 8033000  | K-31 TALL FESCUE SODDING   | S.Y. | 1888.00          | 1        | 6             | 6        | 6       | 1888           |
| 8051000A | SEEDING - COOL SEASON MIXTURES                                   | ACRE | 3.54             | 34       | 2739.230798   | 31037.7  | 2183    | 120.2          |
| 8052000A | SEEDING - WARM SEASON MIXTURES                                   | ACRE | 1.80             | 2        | 3176.666666   | 5110     | 2790    | 3.6            |
| 8061001  | SEDIMENT BASIN EXCAVATION  | C.Y. | 7175.00          | 1        | 6             | 6        | 6       | 7175           |
| 8061002  | SEDIMENT BASIN ROCK  | C.Y. | 7175.00          | 1        | 13            | 13       | 13      | 7175           |
| 8061003  | SEDIMENT TRAP EXCAVATION   | C.Y. | 87.69            | 7        | 17.110377     | 68       | 12      | 613.8          |
| 8061004  | SEDIMENT TRAP ROCK   | C.Y. | 87.76            | 7        | 61.6622       | 154      | 40.6    | 614.3          |
| 8061005  | ROCK DITCH CHECK   | L.F. | 1551.67          | 30       | 9.954692      | 55       | 1       | 46550          |
| 8061006  | ALTERNATE DITCH CHECK  | L.F. | 897.00           | 10       | 6.719955      | 28.5     | 5.1     | 8970           |
| 8061007A | CURB INLET CHECK   | EACH | 171.53           | 15       | 83.28424      | 178.65   | 80      | 2573           |
| 8061010A | TYPE B BERM  | L.F. | 20530.00         | 1        | 2             | 2        | 2       | 20530          |
| 8061011  | SLOPE DRAINS   | L.F. | 6817.00          | 1        | 7             | 7        | 7       | 6817           |
| 8061016  | SEDIMENT REMOVAL   | C.Y. | 148.34           | 47       | 19.83939      | 247.1    | 2.75    | 6971.9         |
| 8061017  | TEMPORARY SEEDING AND MULCHING                                   | ACRE | 1.57             | 14       | 1560.387636   | 6026.16  | 1000    | 22             |
| 8061019  | SILT FENCE   | L.F. | 2782.15          | 41       | 2.784617      | 8        | 2.3     | 114068         |
| 8061050  | TYPE C BERM  | L.F. | 435.50           | 10       | 26.438151     | 42       | 7.29    | 4355           |
| 8064129  | TYPE 2 TURF REINFORCEMENT MAT                                    | S.Y. | 165.00           | 1        | 5             | 5        | 5       | 165            |
| 8064130  | TYPE 3 TURF REINFORCEMENT MAT                                    | S.Y. | 360.00           | 1        | 3.5           | 3.5      | 3.5     | 360            |



| PAY ITEM | DESCRIPTION                                       | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 8064134  | TYPE 1D EROSION CONTROL                           | S.Y. | 803.00           | 1        | 3.7           | 3.7      | 3.7     | 803            |
| 8064138  | TYPE 2D EROSION CONTROL                           | S.Y. | 3022.50          | 2        | 2             | 2        | 2       | 6045           |
| 8064140  | TYPE 3B EROSION CONTROL                           | S.Y. | 2468.00          | 1        | 2             | 2        | 2       | 2468           |
| 9011030  | LIGHTING POLE, 30 FT. OR 9.0 M, TYPE AT           | EACH | 13.00            | 1        | 2350          | 2350     | 2350    | 13             |
| 9011060  | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 1 | EACH | 11.00            | 2        | 3778.636363   | 3790     | 3740    | 22             |
| 9011062  | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2 | EACH | 3.75             | 4        | 3518.190666   | 3960     | 3265    | 15             |
| 9011064  | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 3 | EACH | 7.00             | 2        | 3214.285714   | 3300     | 3000    | 14             |
| 9011106  | BRACKET ARM, 6 FT. OR 1.8 M                       | EACH | 1.33             | 3        | 494.0075      | 540      | 393     | 4              |
| 9011108  | BRACKET ARM, 8 FT. OR 2.4 M                       | EACH | 3.00             | 1        | 405           | 405      | 405     | 3              |
| 9011110  | BRACKET ARM, 10 FT. OR 3.0 M                      | EACH | 5.00             | 2        | 789.03        | 840      | 585.15  | 10             |
| 9011112  | BRACKET ARM, 12 FT. OR 3.6 M                      | EACH | 7.50             | 2        | 832.666666    | 850      | 830     | 15             |
| 9011115  | BRACKET ARM, 15 FT. OR 4.6 M                      | EACH | 4.57             | 7        | 844.51375     | 900      | 636.48  | 32             |
| 9011311  | LUMINAIRE, LED-A                                  | EACH | 7.00             | 2        | 295.927142    | 307.98   | 295     | 14             |
| 9011312  | LUMINAIRE, LED-B                                  | EACH | 9.43             | 7        | 457.893636    | 495      | 420     | 66             |
| 9011313  | LUMINAIRE, LED-C                                  | EACH | 2.50             | 2        | 480           | 480      | 480     | 5              |
| 9012230  | BASE MOUNTED CONTROL STATION 240 VOLT-4 CIRCUIT   | EACH | 1.25             | 8        | 6922.612      | 9116.12  | 6005    | 10             |
| 9012330  | SERVICE POLE, 30 FT. OR 9.0 M, CLASS 4            | EACH | 1.00             | 1        | 1305          | 1305     | 1305    | 1              |
| 9013002  | CONDUIT, 2 IN. RIGID, IN TRENCH                   | L.F. | 388.75           | 8        | 8.902176      | 15.75    | 8.21    | 3110           |
| 9013003  | CONDUIT, 3 IN. RIGID, IN TRENCH                   | L.F. | 176.00           | 5        | 10.329545     | 14.75    | 9.5     | 880            |
| 9013004  | CONDUIT, 4 IN. RIGID, IN TRENCH                   | L.F. | 215.33           | 3        | 16.037275     | 16.94    | 15      | 646            |
| 9014003  | CONDUIT, 3 IN. RIGID, PUSHED                      | L.F. | 331.33           | 6        | 22.414486     | 24       | 22      | 1988           |
| 9014004  | CONDUIT, 4 IN. RIGID, PUSHED                      | L.F. | 305.60           | 5        | 24.961675     | 28       | 24      | 1528           |
| 9015010  | TRENCHING TYPE I                                  | L.F. | 1942.38          | 8        | 5.164392      | 5.95     | 4.8     | 15539          |
| 9015030  | TRENCHING TYPE III                                | L.F. | 702.00           | 1        | 15.1          | 15.1     | 15.1    | 702            |
| 9016110  | PULL BOX, PREFORMED CLASS 1                       | EACH | 5.50             | 2        | 835           | 835      | 835     | 11             |
| 9016111  | PULL BOX, PREFORMED CLASS 2                       | EACH | 13.33            | 3        | 1114          | 1522.5   | 1085    | 40             |
| 9016112  | PULL BOX, PREFORMED CLASS 3                       | EACH | 2.00             | 1        | 1400          | 1400     | 1400    | 2              |
| 9016120  | PULL BOX, CONCRETE, STANDARD                      | EACH | 6.80             | 5        | 2361.8        | 2515.15  | 2200    | 34             |
| 9017002  | CABLE, 2 AWG 1 CONDUCTOR                          | L.F. | 195.00           | 6        | 1.999145      | 2.15     | 1.95    | 1170           |
| 9017006  | CABLE, 6 AWG 1 CONDUCTOR                          | L.F. | 360.00           | 1        | 1.3           | 1.3      | 1.3     | 360            |
| 9017008  | CABLE, 8 AWG 1 CONDUCTOR                          | L.F. | 1330.80          | 5        | 1.144304      | 1.15     | 1.1     | 6654           |
| 9017110  | CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET       | L.F. | 822.00           | 9        | 1.03801       | 1.1      | 1       | 7398           |
| 9017202  | WIRE, 2 AWG, BARE NEUTRAL                         | L.F. | 30.00            | 1        | 1.75          | 1.75     | 1.75    | 30             |
| 9017206  | WIRE, 6 AWG, BARE NEUTRAL                         | L.F. | 140.00           | 1        | 1             | 1        | 1       | 140            |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID  | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|----------|----------------|
| 9017208  | WIRE, 8 AWG, BARE NEUTRAL  | L.F. | 808.00           | 4        | 1.028558      | 1.13     | 1        | 3232           |
| 9017404  | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG           | L.F. | 4845.00          | 2        | 3.261764      | 3.55     | 3.25     | 9690           |
| 9017407  | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG           | L.F. | 1712.33          | 6        | 3.245298      | 3.7      | 2.9      | 10274          |
| 9018230  | POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)                      | EACH | 7.00             | 2        | 1212.665      | 1247.31  | 1210     | 14             |
| 9018245  | POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)                     | EACH | 7.11             | 9        | 1422.931875   | 1800     | 1200     | 64             |
| 9018610  | POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, LIGHTING ONLY     | EACH | 1.00             | 1        | 4210          | 4210     | 4210     | 1              |
| 9018611  | POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, LIGHTING AND SIGN | EACH | 1.00             | 1        | 2850          | 2850     | 2850     | 1              |
| 9018612  | POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY     | EACH | 1.33             | 3        | 1865          | 3100     | 1160     | 4              |
| 9019400  | TEMPORARY LIGHTING   | L.S. | 1.00             | 1        | 37500         | 37500    | 37500    | 1              |
| 9020211  | SIGNAL HEAD, TYPE 1S   | EACH | 4.00             | 2        | 482.5         | 500      | 465      | 8              |
| 9020213  | SIGNAL HEAD, TYPE 3S   | EACH | 2.00             | 3        | 884.768333    | 980      | 670      | 6              |
| 9020214  | SIGNAL HEAD, TYPE 4S   | EACH | 1.50             | 2        | 936.62        | 959.86   | 925      | 3              |
| 9020513  | SIGNAL HEAD, TYPE 3B   | EACH | 7.83             | 6        | 863.761063    | 908.53   | 850      | 47             |
| 9020514  | SIGNAL HEAD, TYPE 4B   | EACH | 3.00             | 6        | 1130.098333   | 1180.59  | 1120     | 18             |
| 9020811  | SIGNAL HEAD, TYPE 1S, PEDESTRIAN                                       | EACH | 6.67             | 3        | 450.628       | 495      | 445      | 20             |
| 9020833  | SH-FLAT SHEET - SIGNAL SIGN  | EACH | 53.50            | 6        | 23.594392     | 25.67    | 17.8     | 321            |
| 9020834  | SIGNAL SIGN, MOUNTING  | EACH | 12.00            | 6        | 161.218055    | 220      | 75       | 72             |
| 9022651  | LUMINAIRE LED-A, 120 VOLT  | EACH | 5.00             | 2        | 298           | 310      | 280      | 10             |
| 9022708  | POST, SIGNAL 8 FT. OR 2.4 M  | EACH | 3.00             | 4        | 926.576666    | 954.73   | 905      | 12             |
| 9022715  | POST, SIGNAL 15 FT. OR 4.6 M   | EACH | 2.00             | 1        | 1350          | 1350     | 1350     | 2              |
| 9023135  | POST, TYPE CL, 35 FT. ARM OR 10.7 M ARM                                | EACH | 2.00             | 1        | 10100         | 10100    | 10100    | 2              |
| 9023140  | POST, TYPE CL, 40 FT. ARM OR 12.2 M ARM                                | EACH | 2.00             | 1        | 10522         | 10522    | 10522    | 2              |
| 9023145  | POST, TYPE CL, 45 FT. ARM OR 13.7 M ARM                                | EACH | 1.33             | 3        | 11737.5       | 12050    | 11100    | 4              |
| 9023150  | POST, TYPE CL, 50 FT. ARM OR 15.2 M ARM                                | EACH | 1.00             | 2        | 13062.5       | 13300    | 12825    | 2              |
| 9023155  | POST, TYPE CL, 55 FT. ARM  | EACH | 1.00             | 2        | 13425         | 14750    | 12100    | 2              |
| 9023230  | POST, TYPE C, 30 FT. ARM OR 9.1 M ARM                                  | EACH | 1.00             | 1        | 8250          | 8250     | 8250     | 1              |
| 9023235  | POST, TYPE C, 35 FT. ARM OR 10.7 M ARM                                 | EACH | 1.00             | 1        | 8675          | 8675     | 8675     | 1              |
| 9023240  | POST, TYPE C, 40 FT. ARM OR 12.2 M ARM                                 | EACH | 3.00             | 1        | 10050         | 10050    | 10050    | 3              |
| 9023245  | POST, TYPE C, 45 FT. ARM OR 13.7 M ARM                                 | EACH | 1.00             | 2        | 10236.28      | 10522.56 | 9950     | 2              |
| 9023250  | POST, TYPE C, 50 FT. ARM OR 15.2 M ARM                                 | EACH | 1.50             | 2        | 12296.05333   | 12319.08 | 12250    | 3              |
| 9023255  | POST, TYPE C, 55 FT. ARM   | EACH | 1.00             | 1        | 13448.32      | 13448.32 | 13448.32 | 1              |
| 9024295  | SPLICE CABINET   | EACH | 4.50             | 2        | 6889.916666   | 10009.25 | 6500     | 9              |
| 9024920  | DETECTOR, PUSHBUTTON   | EACH | 5.50             | 4        | 198.181818    | 265      | 160      | 22             |
| 9024944  | DETECTOR, VEHICLE INDUCTION LOOP (2 CHANNEL-RACK MOUNTED)              | EACH | 6.00             | 1        | 120           | 120      | 120      | 6              |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID  | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|----------|----------------|
| 9025020  | CONDUIT, 1 IN., LOOP DETECTOR                                    | L.F. | 95.75            | 4        | 6.160469      | 8        | 6        | 383            |
| 9025200  | CONDUIT, 2 IN., TRENCH   | L.F. | 3845.83          | 6        | 6.76711       | 9.8      | 6.25     | 23075          |
| 9025300  | CONDUIT, 3 IN., TRENCH   | L.F. | 196.43           | 7        | 10.64736      | 14       | 10       | 1375           |
| 9025400  | CONDUIT, 4 IN., TRENCH   | L.F. | 75.00            | 1        | 20            | 20       | 20       | 75             |
| 9027200  | CONDUIT, 2 IN., PUSHED   | L.F. | 922.50           | 2        | 16.589376     | 20       | 16.35    | 1845           |
| 9027300  | CONDUIT, 3 IN., PUSHED   | L.F. | 306.50           | 6        | 22.865008     | 25.15    | 22       | 1839           |
| 9027400  | CONDUIT, 4 IN., PUSHED   | L.F. | 340.00           | 2        | 24.352941     | 30       | 22       | 680            |
| 9027502  | CONDUIT, 2 IN., EXTERNAL ON STRUCTURE                            | L.F. | 582.00           | 1        | 27.5          | 27.5     | 27.5     | 582            |
| 9028100  | CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET                      | L.F. | 335.00           | 2        | 1.043283      | 1.1      | 1        | 670            |
| 9028206  | CABLE, 6 AWG 1 CONDUCTOR, POWER                                  | L.F. | 1500.00          | 1        | 1.3           | 1.3      | 1.3      | 1500           |
| 9028208  | CABLE, 8 AWG 1 CONDUCTOR, POWER                                  | L.F. | 124.00           | 5        | 1.160645      | 1.18     | 1.15     | 620            |
| 9028302  | CABLE, 12 AWG 2 CONDUCTOR  | L.F. | 1262.50          | 4        | 1.258811      | 1.5      | 1.2      | 5050           |
| 9028308  | CABLE, 16 AWG 2 CONDUCTOR  | L.F. | 1024.29          | 7        | 1.226722      | 1.5      | 1        | 7170           |
| 9028309  | CABLE, 16 AWG 3 CONDUCTOR  | L.F. | 70.00            | 1        | 1.2           | 1.2      | 1.2      | 70             |
| 9028310  | CABLE, 16 AWG 5 CONDUCTOR  | L.F. | 1024.29          | 7        | 1.415048      | 1.5      | 1.2      | 7170           |
| 9028311  | CABLE, 16 AWG 7 CONDUCTOR  | L.F. | 2052.86          | 7        | 1.575038      | 2        | 1.3      | 14370          |
| 9028315  | CABLE, 16 AWG 3-PAIR CONDUCTOR, INTERCONNECT                     | L.F. | 380.00           | 1        | 2.95          | 2.95     | 2.95     | 380            |
| 9028500  | CABLE, LOOP DETECTOR, IN DUCT                                    | L.F. | 2357.78          | 9        | 4.170226      | 5.85     | 2.7      | 21220          |
| 9028510  | CABLE, LOOP DETECTOR, LEAD-IN                                    | L.F. | 1017.50          | 4        | 1.123341      | 1.5      | 1        | 4070           |
| 9028620  | POWER SUPPLY ASSEMBLY, TYPE 2                                    | EACH | 1.00             | 3        | 3357.533333   | 5312.6   | 1160     | 3              |
| 9028621  | POWER SUPPLY ASSEMBLY, TYPE-2 WITH 120V LIGHTING CONTROL CABINET | EACH | 1.00             | 1        | 6650          | 6650     | 6650     | 1              |
| 9028810  | PULL BOX, PREFORMED CLASS 1                                      | EACH | 3.50             | 2        | 835           | 835      | 835      | 7              |
| 9028811  | PULL BOX, PREFORMED CLASS 2                                      | EACH | 4.86             | 7        | 999.058235    | 1118.99  | 950      | 34             |
| 9028812  | PULL BOX, PREFORMED CLASS 3                                      | EACH | 1.50             | 6        | 1421.086666   | 1550     | 1350     | 9              |
| 9028816  | PULL BOX, PREFORMED CLASS 5                                      | EACH | 4.50             | 4        | 1289.271111   | 1616.88  | 1260     | 18             |
| 9028820  | PULL BOX, CONCRETE, STANDARD                                     | EACH | 3.33             | 3        | 2374.292      | 2463.82  | 2200     | 10             |
| 9028821  | PULL BOX, CONCRETE, DOUBLE, TYPE A                               | EACH | 1.00             | 3        | 4011.56       | 4234.68  | 3900     | 3              |
| 9029100  | BASE, CONCRETE   | C.Y. | 10.21            | 8        | 1114.204357   | 1170     | 715      | 81.7           |
| 9029400  | TEMPORARY TRAFFIC SIGNALS  | EACH | 1.00             | 2        | 55013.95      | 95027.9  | 15000    | 2              |
| 9029401  | TEMPORARY TRAFFIC SIGNALS AND LIGHTING                           | L.S. | 1.00             | 1        | 15912.15      | 15912.15 | 15912.15 | 1              |
| 9031010  | CONCRETE FOOTINGS, EMBEDDED                                      | C.Y. | 2.33             | 27       | 1168.588984   | 4905     | 875      | 63             |
| 9031020  | CONCRETE FOOTINGS, BOLT DOWN                                     | C.Y. | 101.00           | 3        | 576.681508    | 1213.27  | 529      | 303            |
| 9031210  | STRUCTURAL STEEL POSTS   | LBS  | 1936.25          | 8        | 4.8559        | 24.3     | 4.25     | 15490          |
| 9031220  | PIPE POSTS   | LBS  | 2723.33          | 3        | 6.006156      | 9        | 3.86     | 8170           |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 9031241  | BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)                | EACH | 9.83             | 12       | 239.341779    | 418.5    | 165.86  | 118            |
| 9031242  | 36 IN. SURFACE-MOUNT   | EACH | 10.67            | 3        | 70.211875     | 85       | 54.79   | 32             |
| 9031250A | U-CHANNEL POST, 3 LB   | L.F. | 101.00           | 1        | 9             | 9        | 9       | 101            |
| 9031252  | 7 FT. CHANNEL POST DELINEATOR, DOUBLE STACKED WHITE              | EACH | 29.50            | 2        | 70.311864     | 99.6     | 42      | 59             |
| 9031256  | 7 FT. CHANNEL POST DELINEATOR, WHITE                             | EACH | 49.50            | 2        | 56.030303     | 73       | 31      | 99             |
| 9031257A | 7 FT. CHANNEL POST DELINEATOR, YELLOW                            | EACH | 10.00            | 2        | 56.2          | 73       | 31      | 20             |
| 9031258  | 7 FT. CHANNEL POST DELINEATOR, WHITE/RED                         | EACH | 15.00            | 2        | 52.18         | 92.9     | 42      | 30             |
| 9031259A | 7 FT. CHANNEL POST DELINEATOR, YELLOW/RED                        | EACH | 6.00             | 2        | 58.966666     | 92.9     | 42      | 12             |
| 9031270A | PERFORATED SQUARE STEEL TUBE POST, 2 IN., 12 GA.                 | L.F. | 131.71           | 19       | 12.865409     | 42.38    | 6.5     | 2502.4         |
| 9031271  | PERFORATED SQUARE STEEL TUBE POST ANCHOR SLEEVE, 2.5 IN., 12 GA. | L.F. | 50.00            | 6        | 28.9232       | 42.38    | 25      | 300            |
| 9031272  | PERFORATED SQUARE STEEL TUBE POST, 2.5 IN., 12 GA.               | L.F. | 32.00            | 3        | 9.815         | 12.8     | 6       | 96             |
| 9031273  | PERFORATED SQUARE STEEL TUBE POST ANCHOR, 7 GA.                  | L.F. | 16.50            | 14       | 48.964025     | 88.7     | 17.91   | 231            |
| 9031280  | 2.5 IN. PSST POST - 12 GA.                                       | L.F. | 144.06           | 20       | 11.124951     | 42.38    | 7       | 2881.1         |
| 9031281  | POST ANCHOR FOR 2.5 IN. PSST - 7 GA.                             | L.F. | 27.95            | 20       | 54.22728      | 104      | 17.91   | 559            |
| 9035004A | SH-FLAT SHEET  | S.F. | 174.78           | 19       | 18.601443     | 48.9     | 13      | 3320.8         |
| 9035011A | ST-STRUCTURAL  | S.F. | 2596.00          | 3        | 22.935824     | 28       | 19.7    | 7788           |
| 9035069A | SHF-FLAT SHEET FLUORESCENT                                       | S.F. | 128.00           | 4        | 20.057226     | 30       | 18.1    | 512            |
| 9035071A | STF-STRUCTURAL FLUORESCENT                                       | S.F. | 210.00           | 2        | 24.8          | 35       | 23.1    | 420            |
| 9036036  | TUBULAR SUPPORT, TYPE C-2315-20                                  | EACH | 1.00             | 1        | 26600         | 26600    | 26600   | 1              |
| 9036042  | TUBULAR SUPPORT, TYPE C-2018-28                                  | EACH | 1.00             | 1        | 21600         | 21600    | 21600   | 1              |
| 9104920  | DETECTOR, PUSH BUTTON, INSTALLED                                 | EACH | 4.00             | 1        | 160           | 160      | 160     | 4              |
| 9107604  | CABLE-CONDUIT, 1 IN., 6 AWG, 2 CONDUCTORS AND 1 BARE NEUTRAL     | L.F. | 380.00           | 1        | 3.55          | 3.55     | 3.55    | 380            |
| 9108610  | POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, ITS         | EACH | 2.00             | 1        | 2562.5        | 2562.5   | 2562.5  | 2              |
| 9108621  | POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, ITS         | EACH | 1.00             | 1        | 3002          | 3002     | 3002    | 1              |
| 9108824  | PULL BOX, CONCRETE, DOUBLE,                                      | EACH | 1.00             | 1        | 3900          | 3900     | 3900    | 1              |

| PAY ITEM | DESCRIPTION  | UNIT  | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|-------|------------------|----------|---------------|----------|---------|----------------|
| 1041000  | TEMPORARY SURFACING                                      | C.Y.  | 24.00            | 1        | 45            | 45       | 45      | 24             |
| 2013000  | CLEARING AND GRUBBING                                    | ACRE  | 1.14             | 7        | 3062.5        | 5000     | 2000    | 8              |
| 2022010  | REMOVAL OF IMPROVEMENTS                                  | L.S.  | 1.00             | 32       | 12938.30625   | 58420.05 | 100     | 32             |
| 2031000  | CLASS A EXCAVATION                                       | C.Y.  | 3092.30          | 10       | 15.399912     | 20       | 6       | 30923          |
| 2035500  | EMBANKMENT IN PLACE                                      | C.Y.  | 2156.00          | 7        | 13.180559     | 46.5     | 1       | 15092          |
| 2036000  | COMPACTING EMBANKMENT                                    | C.Y.  | 2227.67          | 9        | 7.943363      | 17       | 1.5     | 20049          |
| 2037075  | COMPACTING IN CUT  | STA.  | 2.40             | 1        | 650           | 650      | 650     | 2.4            |
| 2061000  | CLASS 1 EXCAVATION                                       | C.Y.  | 109.38           | 16       | 27.757142     | 56       | 20      | 1750           |
| 2061003  | CLASS 1 EXCAVATION IN ROCK                               | C.Y.  | 14.00            | 1        | 140           | 140      | 140     | 14             |
| 2063000  | CLASS 3 EXCAVATION                                       | C.Y.  | 116.25           | 4        | 13.473118     | 50       | 10      | 465            |
| 2063300  | CLASS 4 EXCAVATION                                       | C.Y.  | 97.50            | 2        | 35            | 35       | 35      | 195            |
| 2064000  | POROUS BACKFILL  | C.Y.  | 62.80            | 20       | 71.539808     | 90       | 50      | 1256           |
| 2065500  | TEMPORARY SHORING  | L.S.  | 1.00             | 1        | 10500         | 10500    | 10500   | 1              |
| 2071000  | LINEAR GRADING CLASS 1                                   | STA.  | 2.80             | 2        | 1178.571428   | 2000     | 1000    | 5.6            |
| 2072000  | LINEAR GRADING CLASS 2                                   | STA.  | 2.10             | 1        | 3800          | 3800     | 3800    | 2.1            |
| 2101006A | SUBGRADE COMPACTION (6-INCH DEPTH)                       | STA.  | 3.47             | 3        | 612.5         | 1200     | 350     | 10.4           |
| 2142000  | FURNISHING ROCK FILL                                     | C.Y.  | 2327.50          | 2        | 22.062298     | 30       | 20      | 4655           |
| 2143000  | PLACING ROCK FILL  | C.Y.  | 2327.50          | 2        | 10.155746     | 30       | 5       | 4655           |
| 2153000  | SHAPING SLOPES, CLASS III                                | 100FT | 34.00            | 1        | 985           | 985      | 985     | 34             |
| 2160500  | REMOVAL OF BRIDGES                                       | L.S.  | 1.00             | 16       | 44468.75      | 145000   | 20000   | 16             |
| 2161501  | REMOVAL OF ASPHALT WEARING SURFACE                       | S.F.  | 7612.00          | 2        | 1.36          | 1.36     | 1.36    | 15224          |
| 2164500  | REMOVAL OF EXISTING EXPANSION JOINTS & ADJACENT CONCRETE | L.F.  | 117.25           | 4        | 407.132196    | 475      | 310     | 469            |
| 2165000  | REMOVAL OF EXISTING EXPANSION JOINT SEAL OR SEALANT      | L.F.  | 44.00            | 1        | 27.5          | 27.5     | 27.5    | 44             |
| 3030600  | FURNISHING ROCK BASE MATERIAL                            | S.Y.  | 2692.00          | 1        | 5             | 5        | 5       | 2692           |
| 3030610A | PLACING ROCK BASE (18 IN. THICK)                         | S.Y.  | 2692.00          | 1        | 5             | 5        | 5       | 2692           |
| 3040143  | TYPE 1 AGGREGATE FOR BASE (4 IN. THICK)                  | S.Y.  | 2823.00          | 2        | 6.098122      | 8        | 2.8     | 5646           |
| 3040163  | TYPE 1 AGGREGATE FOR BASE (6 IN. THICK)                  | S.Y.  | 1011.75          | 4        | 12.31999      | 31       | 10      | 4047           |
| 3040506  | TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)                  | S.Y.  | 827.65           | 19       | 14.078805     | 25.25    | 9.5     | 15725.4        |
| 3105002  | GRAVEL (A) OR CRUSHED STONE (B)                          | TON   | 116.13           | 23       | 49.754545     | 145      | 18.91   | 2671           |
| 3105003  | GRAVEL (A) OR CRUSHED STONE (B)                          | S.Y.  | 248.00           | 3        | 17.405913     | 55       | 10      | 744            |
| 4010150  | TYPE A2 SHOULDER   | S.Y.  | 292.70           | 2        | 51.584386     | 55       | 40      | 585.4          |
| 4010151  | TYPE A3 SHOULDER   | S.Y.  | 50.20            | 1        | 112           | 112      | 112     | 50.2           |
| 4011207  | BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-1)              | TON   | 4217.37          | 3        | 65.953114     | 118      | 64      | 12652.1        |
| 4011209  | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)              | TON   | 5800.71          | 11       | 59.407655     | 130.7    | 56.26   | 63807.8        |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 4011211  | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2)          | TON  | 21756.90         | 4        | 51.88401      | 88.15    | 42.43   | 87027.6        |
| 4013000  | BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE)           | TON  | 37.30            | 1        | 109.61        | 109.61   | 109.61  | 37.3           |
| 4013010  | BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE WIDENING)  | TON  | 11.80            | 1        | 112           | 112      | 112     | 11.8           |
| 4020520  | BITUMINOUS PAVEMENT MIXTURE PG64-22                  | TON  | 2103.30          | 1        | 66            | 66       | 66      | 2103.3         |
| 4030103  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125C MIX)     | TON  | 37282.44         | 7        | 56.654919     | 64.69    | 51.02   | 260977.1       |
| 4030132  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BSM MIX)   | TON  | 54886.40         | 1        | 73.46         | 73.46    | 73.46   | 54886.4        |
| 4071005  | TACK COAT  | GAL  | 19669.00         | 19       | 2.030211      | 28.66    | 1.8     | 373711         |
| 4091048  | EMULSIFIED ASPHALT, SEAL COAT                        | GAL  | 9560.38          | 13       | 2.201778      | 5        | 2.14    | 124285         |
| 4094011  | SEAL COAT AGGREGATE, GRADE B1                        | S.Y. | 477.27           | 11       | 5             | 5        | 5       | 5250           |
| 4094012  | SEAL COAT AGGREGATE, GRADE B2                        | S.Y. | 433165.00        | 1        | 0.65          | 0.65     | 0.65    | 433165         |
| 4094021  | SEAL COAT AGGREGATE, GRADE C                         | S.Y. | 2365.00          | 1        | 4.5           | 4.5      | 4.5     | 2365           |
| 4134000  | BITUMINOUS FOG SEAL                                  | GAL  | 8918.00          | 7        | 2.800849      | 5.11     | 2.34    | 62426          |
| 4135000  | BITUMINOUS PAVEMENT CRACK SEALING                    | L.F. | 3546.00          | 1        | 13.1          | 13.1     | 13.1    | 3546           |
| 5031011A | BRIDGE APPROACH SLAB (MINOR ROAD)                    | S.Y. | 118.24           | 17       | 139.583582    | 290      | 77      | 2010           |
| 6044012  | PIPE COLLAR, TYPE B                                  | EACH | 2.00             | 1        | 1000          | 1000     | 1000    | 2              |
| 6057000  | AGGREGATE DRAIN                                      | L.F. | 31.00            | 1        | 25            | 25       | 25      | 31             |
| 6061060  | MGS GUARDRAIL  | L.F. | 2332.08          | 13       | 20.100244     | 30       | 18      | 30317          |
| 6061061  | MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 SPACING        | L.F. | 2025.25          | 4        | 23.424373     | 27       | 22.21   | 8101           |
| 6061068  | MGS BRIDGE APPROACH TRANSITION SECTION (MAJOR ROUTE) | EACH | 4.00             | 1        | 2725          | 2725     | 2725    | 4              |
| 6061069  | MGS BRIDGE APPROACH TRANSITION SECTION (MINOR ROUTE) | EACH | 11.31            | 16       | 2853.235469   | 3581.92  | 2450    | 181            |
| 6061070  | MGS VERTICAL CONCRETE BARRIER TRANSITION             | EACH | 3.00             | 2        | 2975          | 3000     | 2950    | 6              |
| 6061074  | MGS HEIGHT AND BLOCK TRANSITION                      | EACH | 2.00             | 1        | 545           | 545      | 545     | 2              |
| 6061080  | MGS END ANCHOR                                       | EACH | 15.00            | 2        | 960           | 1000     | 950     | 30             |
| 6061081  | MGS BRIDGE APPROACH TRANSITION (THRIE-BEAM BRIDGE)   | EACH | 4.00             | 1        | 2950          | 2950     | 2950    | 4              |
| 6063014  | TYPE A CRASHWORTHY END TERMINAL (MASH)               | EACH | 13.76            | 17       | 2730.470427   | 3595.34  | 2350    | 234            |
| 6063016  | TYPE B CRASHWORTHY END TERMINAL                      | EACH | 1.00             | 1        | 15900         | 15900    | 15900   | 1              |
| 6063017  | TYPE C CRASHWORTHY END TERMINAL                      | EACH | 4.29             | 7        | 15670.66667   | 18000    | 14920   | 30             |
| 6071060  | PEDESTRIAN FENCE (STRUCTURES)                        | L.F. | 358.00           | 2        | 116.497653    | 125.27   | 102.43  | 716            |
| 6071067  | (112 IN.) CURVED TOP PEDESTRIAN FENCE (STRUCTURES)   | L.F. | 289.00           | 1        | 168.43        | 168.43   | 168.43  | 289            |
| 6081010  | CONCRETE CURB RAMP                                   | S.Y. | 22.50            | 1        | 130           | 130      | 130     | 22.5           |
| 6081012  | TRUNCATED DOMES                                      | S.F. | 9.00             | 1        | 20            | 20       | 20      | 9              |
| 6083003  | 3 IN. CONCRETE MEDIAN STRIP                          | S.Y. | 2330.00          | 1        | 67.62         | 67.62    | 67.62   | 2330           |
| 6084023  | SIDEWALK HAND-RAILING                                | L.F. | 146.00           | 1        | 117.39        | 117.39   | 117.39  | 146            |
| 6086004  | CONCRETE SIDEWALK, 4 IN.                             | S.Y. | 87.25            | 2        | 46.50957      | 58       | 11.8    | 174.5          |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6092011  | INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A                                 | L.F. | 186.00           | 1        | 80            | 80       | 80      | 186            |
| 6096010A | FURNISHING TYPE 1 ROCK DITCH LINER  | C.Y. | 224.83           | 6        | 21.424017     | 50       | 20      | 1349           |
| 6096020  | FURNISHING TYPE 2 ROCK DITCH LINER  | C.Y. | 145.40           | 5        | 30.431636     | 73.4     | 20      | 727            |
| 6096041  | PLACING TYPE 1 ROCK DITCH LINER   | C.Y. | 224.83           | 6        | 35.318013     | 50       | 20      | 1349           |
| 6096042  | PLACING TYPE 2 ROCK DITCH LINER   | C.Y. | 145.40           | 5        | 31.278266     | 51.9     | 15      | 727            |
| 6097000  | ROCK LINING   | C.Y. | 165.33           | 6        | 55.504032     | 105      | 55      | 992            |
| 6113020  | FURNISHING TYPE 2 ROCK BLANKET  | C.Y. | 525.91           | 22       | 32.071305     | 40       | 20      | 11570          |
| 6113040  | PLACING TYPE 2 ROCK BLANKET   | C.Y. | 525.91           | 22       | 26.071045     | 38       | 12      | 11570          |
| 6122008  | Impact Attenuator 40 MPH (Sand Barrels)                                       | EACH | 2.00             | 1        | 1600          | 1600     | 1600    | 2              |
| 6122012  | Impact Attenuator 55 MPH (Sand Barrels)                                       | EACH | 2.00             | 2        | 2820          | 2975     | 2665    | 4              |
| 6122014  | Impact Attenuator 60 MPH (Sand Barrels)                                       | EACH | 2.00             | 1        | 4250          | 4250     | 4250    | 2              |
| 6122020  | REPLACEMENT SAND BARREL   | EACH | 4.33             | 3        | 283.461538    | 300      | 200     | 13             |
| 6122030  | IMPACT ATTENUATOR (RELOCATION)  | EACH | 2.00             | 3        | 945.666666    | 1350     | 687     | 6              |
| 6123000A | TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)                                     | EACH | 2.27             | 15       | 587.352941    | 1635     | 250     | 34             |
| 6131010  | FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A FULL DEPTH PA'S.Y.       |      | 272.00           | 3        | 222.954156    | 462.62   | 185.16  | 816            |
| 6131012  | SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)                           | S.Y. | 27.33            | 3        | 12.804878     | 30       | 10      | 82             |
| 6131013  | TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)                | S.Y. | 27.33            | 3        | 16.951219     | 98       | 10      | 82             |
| 6131014  | FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW L.F.       |      | 1001.67          | 3        | 6.397337      | 8        | 6       | 3005           |
| 6131015  | DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH EACH |      | 500.00           | 3        | 10.68         | 18.5     | 10      | 1500           |
| 6131017  | DOWEL BAR (FURNISHING AND INSTALLATING WITH BASKETS) FOR FULL DEPTH EACH      |      | 10.00            | 1        | 10            | 10       | 10      | 10             |
| 6133020  | FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS C PARTIAL DEPT TON       |      | 229.68           | 4        | 149.919123    | 532.33   | 122.5   | 918.7          |
| 6133021  | REMOVAL FOR CLASS C PARTIAL DEPTH PAVEMENT REPAIR                             | S.Y. | 968.48           | 4        | 18.615044     | 103.8    | 13.35   | 3873.9         |
| 6161005  | CONSTRUCTION SIGNS  | S.F. | 1167.67          | 42       | 6.36594       | 15       | 4       | 49042          |
| 6161008  | ADVANCED WARNING RAIL SYSTEM  | EACH | 4.96             | 27       | 43.880597     | 100      | 35      | 134            |
| 6161009  | FLAG ASSEMBLY   | EACH | 5.70             | 40       | 21.076315     | 30       | 20      | 228            |
| 6161010  | RELOCATED SIGNS   | S.F. | 331.50           | 2        | 6             | 6        | 6       | 663            |
| 6161025  | CHANNELIZER (TRIM LINE)   | EACH | 185.43           | 23       | 16.313903     | 36       | 12      | 4265           |
| 6161030  | TYPE III MOVEABLE BARRICADE   | EACH | 9.00             | 20       | 133.333333    | 1000     | 100     | 180            |
| 6161031  | TYPE III MOVEABLE BARRICADE WITH LIGHT  | EACH | 6.91             | 11       | 183.68421     | 250      | 135     | 76             |
| 6161033  | DIRECTIONAL INDICATOR BARRICADE   | EACH | 78.83            | 6        | 46.987315     | 55       | 35      | 473            |
| 6161040  | FLASHING ARROW PANEL  | EACH | 3.88             | 8        | 754.032258    | 2700     | 400     | 31             |
| 6161052  | WARNING LIGHT, TYPE B   | EACH | 4.67             | 6        | 80.714285     | 100      | 65      | 28             |
| 6161055  | SEQUENTIAL FLASHING WARNING LIGHT   | EACH | 46.00            | 1        | 80            | 80       | 80      | 46             |
| 6161098A | CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRA               | EACH | 2.32             | 25       | 2929.827586   | 4500     | 1200    | 58             |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 6161099  | CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED | EACH | 2.00             | 3        | 2933.333333   | 3500     | 2500    | 6              |
| 6162000A | WORK ZONE TRAFFIC SIGNAL SYSTEM  | EACH | 1.00             | 2        | 25450         | 42500    | 8400    | 2              |
| 6162002  | TEMPORARY LONG-TERM  | EACH | 3.00             | 2        | 1000          | 1800     | 600     | 6              |
| 6162004  | SHORT-TERM RUMBLE STRIPS   | EACH | 10.00            | 2        | 2000          | 2000     | 2000    | 20             |
| 6172000  | CONCRETE TRAFFIC BARRIER, TYPE B   | L.F. | 270.00           | 1        | 258.03        | 258.03   | 258.03  | 270            |
| 6173100  | CONCRETE TRAFFIC BARRIER, TYPE D   | L.F. | 65.00            | 1        | 100           | 100      | 100     | 65             |
| 6173102  | CONCRETE TRAFFIC BARRIER, TYPE D (RETAINING WALL)                          | L.F. | 85.00            | 1        | 100           | 100      | 100     | 85             |
| 6173600D | TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED                 | L.F. | 686.00           | 2        | 32.558002     | 38       | 31.89   | 1372           |
| 6175010A | RELOCATING TEMPORARY TRAFFIC BARRIER                                       | L.F. | 686.00           | 2        | 11.722332     | 15       | 11.32   | 1372           |
| 6181000  | MOBILIZATION   | L.S. | 1.00             | 42       | 89918.29952   | 428000   | 1000    | 42             |
| 6181020  | ADDITIONAL MOBILIZATION FOR  | EACH | 3.00             | 3        | 600           | 600      | 600     | 9              |
| 6200009  | PREFORMED THERMOPLASTIC  | L.F. | 452.00           | 2        | 6             | 6        | 6       | 904            |
| 6200015  | PREFORMED THERMOPLASTIC  | L.F. | 116.63           | 8        | 20.683386     | 25       | 18      | 933            |
| 6200018  | PREFORMED THERMOPLASTIC  | L.F. | 359.00           | 2        | 20            | 20       | 20      | 718            |
| 6200021  | PREFORMED THERMOPLASTIC  | EACH | 15.25            | 8        | 249.590163    | 350      | 195     | 122            |
| 6200027  | PREFORMED THERMOPLASTIC  | EACH | 4.00             | 1        | 500           | 500      | 500     | 4              |
| 6200033  | PREFORMED THERMOPLASTIC  | EACH | 4.00             | 1        | 1021          | 1021     | 1021    | 4              |
| 6200036  | PREFORMED THERMOPLASTIC  | EACH | 5.00             | 1        | 51.05         | 51.05    | 51.05   | 5              |
| 6200039  | PREFORMED THERMOPLASTIC  | EACH | 3.00             | 1        | 1800          | 1800     | 1800    | 3              |
| 6205301B | PREFORMED REMOVABLE MARKING TAPE 4 IN., WHITE                              | L.F. | 3811.00          | 4        | 1.269286      | 2        | 1.1     | 15244          |
| 6205303B | PREFORMED REMOVABLE MARKING TAPE 4 IN., YELLOW                             | L.F. | 1542.00          | 3        | 1.541828      | 2        | 1.1     | 4626           |
| 6205309  | PREFORMED REMOVABLE MARKING TAPE, 24 IN., WHITE                            | L.F. | 24.00            | 2        | 8.3           | 10       | 6.6     | 48             |
| 6205320  | PREFORMED REMOVABLE MARKING TAPE, 12 IN., WHITE                            | L.F. | 36.00            | 1        | 3.75          | 3.75     | 3.75    | 36             |
| 6205901A | 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE       | L.F. | 154964.00        | 2        | 0.16591       | 0.17     | 0.15    | 309928         |
| 6205902A | 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE        | L.F. | 153773.33        | 6        | 0.212088      | 0.23     | 0.2     | 922640         |
| 6205903A | 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE       | L.F. | 106674.25        | 4        | 0.214972      | 0.23     | 0.2     | 426697         |
| 6205906A | 12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE       | L.F. | 2814.00          | 2        | 0.856609      | 1        | 0.75    | 5628           |
| 6206000C | 4 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS                | L.F. | 49633.32         | 28       | 0.125496      | 10       | 0.08    | 1389733        |
| 6206001C | 4 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS               | L.F. | 30664.50         | 30       | 0.127964      | 8.75     | 0.09    | 919935         |
| 6206125A | 24 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS              | L.F. | 3751.00          | 1        | 2             | 2        | 2       | 3751           |
| 6207001  | PAVEMENT MARKING REMOVAL   | L.F. | 2456.46          | 13       | 0.784495      | 5.11     | 0.5     | 31934          |
| 6207002  | PAVEMENT MARKING REMOVAL (SYMBOLS)   | EACH | 5.50             | 2        | 68.85         | 100      | 51.05   | 11             |
| 6221001  | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THIC S.Y.  |      | 54189.78         | 18       | 1.061758      | 29.09    | 0.6     | 975416         |
| 6221003  | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATEF S.Y.     |      | 26619.40         | 1        | 2.06          | 2.06     | 2.06    | 26619.4        |



| PAY ITEM | DESCRIPTION                                     | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6224010  | MODIFIED COLD MILLING (DEPTH TRANSITIONS)       | S.Y. | 10601.32         | 12       | 3.834967      | 9.25     | 1.37    | 127215.8       |
| 6240103A | PERMANENT EROSION CONTROL GEOTEXTILE            | S.Y. | 1078.00          | 22       | 2.603019      | 3.2      | 2       | 23716          |
| 6240104A | SEPARATION GEOTEXTILE                           | S.Y. | 1208.67          | 3        | 3             | 3        | 3       | 3626           |
| 6261000A | BITUMINOUS SHOULDER RUMBLE STRIP                | STA. | 1959.65          | 9        | 20.697723     | 725      | 15.5    | 17636.87       |
| 6261001  | BITUMINOUS CENTERLINE RUMBLE STRIP              | STA. | 1389.89          | 4        | 19.809951     | 22.31    | 15.5    | 5559.57        |
| 6274000  | CONTRACTOR FURNISHED SURVEYING AND STAKING      | L.S. | 1.00             | 23       | 7173.913043   | 18500    | 3000    | 23             |
| 7011105  | DRILLED SHAFTS (3 FT. 6 IN. DIA.)               | L.F. | 55.00            | 2        | 927.090909    | 950      | 920     | 110            |
| 7011108  | DRILLED SHAFTS (5 FT. 0 IN. DIA.)               | L.F. | 44.00            | 1        | 1970          | 1970     | 1970    | 44             |
| 7011204  | ROCK SOCKETS (3 FT 0 IN. DIA.)                  | L.F. | 50.00            | 2        | 585           | 750      | 475     | 100            |
| 7011207  | ROCK SOCKETS (4 FT 6 IN. DIA.)                  | L.F. | 98.00            | 1        | 620           | 620      | 620     | 98             |
| 7011300  | VIDEO CAMERA INSPECTION                         | EACH | 5.33             | 3        | 737.5         | 800      | 700     | 16             |
| 7011400  | FOUNDATION INSPECTION HOLES                     | L.F. | 119.33           | 3        | 105.525139    | 150      | 91      | 358            |
| 7011600  | SONIC LOGGING TESTING                           | EACH | 5.33             | 3        | 1437.5        | 2000     | 1200    | 16             |
| 7021212  | GALVANIZED STRUCTURAL STEEL PILES (12 IN)       | L.F. | 304.80           | 5        | 103.342519    | 125      | 82      | 1524           |
| 7021214  | GALVANIZED STRUCTURAL STEEL PILES (14 IN)       | L.F. | 406.50           | 2        | 117.546125    | 135      | 92      | 813            |
| 7021314  | GALVANIZED CAST-IN-PLACE CONCRETE PILES (14 IN) | L.F. | 393.75           | 8        | 88.368253     | 125      | 75      | 3150           |
| 7021316  | GALVANIZED CAST-IN-PLACE CONCRETE PILES (16 IN) | L.F. | 1546.00          | 3        | 86.970677     | 102      | 85      | 4638           |
| 7025001  | DYNAMIC PILE TESTING                            | EACH | 2.27             | 11       | 3430          | 3750     | 1500    | 25             |
| 7025002  | PILE WAVE ANALYSIS                              | EACH | 2.00             | 2        | 400           | 400      | 400     | 4              |
| 7026000  | PRE-BORE FOR PILING                             | L.F. | 106.67           | 3        | 187.625       | 350      | 150     | 320            |
| 7027000  | PILE POINT REINFORCEMENT                        | EACH | 12.18            | 11       | 335.507462    | 650      | 95      | 134            |
| 7032003  | CLASS B CONCRETE (SUBSTRUCTURE)                 | C.Y. | 60.03            | 16       | 920.115773    | 1000     | 850     | 960.5          |
| 7034001  | CLASS B-1 CONCRETE                              | C.Y. | 3.30             | 1        | 2400          | 2400     | 2400    | 3.3            |
| 7034041  | CLASS B-1 CONCRETE (CULVERTS)                   | C.Y. | 127.60           | 2        | 800           | 800      | 800     | 255.2          |
| 7034212  | SLAB ON STEEL                                   | S.Y. | 229.60           | 5        | 374.472996    | 425      | 340     | 1148           |
| 7034213  | SLAB ON CONCRETE I-GIRDER                       | S.Y. | 331.20           | 5        | 365.985507    | 425      | 340     | 1656           |
| 7034214  | CLASS B-2 CONCRETE                              | C.Y. | 15.73            | 4        | 4869.113895   | 5218.44  | 3940    | 62.9           |
| 7034215  | SAFETY BARRIER CURB                             | L.F. | 209.13           | 16       | 96.016885     | 120      | 75      | 3346           |
| 7034216  | TYPE H BARRIER                                  | L.F. | 129.00           | 1        | 125           | 125      | 125     | 129            |
| 7034219A | BARRIER CURB (TYPE D)                           | L.F. | 416.25           | 4        | 106.276276    | 125      | 90      | 1665           |
| 7034221  | SLAB ON CONCRETE NU-GIRDER                      | S.Y. | 698.25           | 4        | 372.159326    | 406      | 335     | 2793           |
| 7034222  | SLAB ON CONCRETE BEAM                           | S.Y. | 345.86           | 7        | 372.090045    | 405      | 345     | 2421           |
| 7034430  | SIDEWALK (BRIDGES)                              | S.F. | 2505.00          | 1        | 13.5          | 13.5     | 13.5    | 2505           |
| 7034535  | CURB MODIFICATION                               | L.F. | 3.00             | 1        | 9165          | 9165     | 9165    | 3              |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 7034600  | CURB BLOCKOUT  | L.F. | 337.22           | 9        | 155.594981    | 199.15   | 120     | 3035           |
| 7040101  | SUBSTRUCTURE REPAIR (FORMED)                                 | S.F. | 26.67            | 3        | 78.75         | 115      | 50      | 80             |
| 7040103  | SUPERSTRUCTURE REPAIR (UNFORMED)                             | S.F. | 20.00            | 1        | 311.16        | 311.16   | 311.16  | 20             |
| 7040104  | REPAIRING CONCRETE DECK (HALF-SOLING)                        | S.F. | 369.09           | 11       | 91.763349     | 145      | 50.5    | 4060           |
| 7040106  | FULL DEPTH REPAIR  | S.F. | 200.00           | 2        | 70            | 70       | 70      | 400            |
| 7040107  | SLAB EDGE REPAIR (BRIDGES)                                   | L.F. | 60.00            | 1        | 245.39        | 245.39   | 245.39  | 60             |
| 7040113  | CLEAN AND EPOXY SEAL   | S.F. | 854.11           | 9        | 13            | 13       | 13      | 7687           |
| 7056000  | TYPE 2 (32 IN.), PRESTRESSED CONCRETE I-GIRDER               | L.F. | 290.67           | 3        | 189.057339    | 240      | 155     | 872            |
| 7056002  | TYPE 4 (45 IN.), PRESTRESSED CONCRETE I-GIRDER               | L.F. | 195.00           | 1        | 248           | 248      | 248     | 195            |
| 7056003  | TYPE 6 (54 IN.), PRESTRESSED CONCRETE I-GIRDER               | L.F. | 879.00           | 1        | 225           | 225      | 225     | 879            |
| 7056021  | NU 35 (900), PRESTRESSED CONCRETE NU-GIRDER                  | L.F. | 242.00           | 1        | 305           | 305      | 305     | 242            |
| 7056022  | NU 43 (1100), PRESTRESSED CONCRETE NU-GIRDER                 | L.F. | 960.67           | 3        | 261.797362    | 300      | 245     | 2882           |
| 7056049  | 21 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM                 | L.F. | 351.20           | 5        | 294.497722    | 329      | 275     | 1756           |
| 7056050A | 27 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM                 | L.F. | 398.50           | 2        | 276.900878    | 280      | 275     | 797            |
| 7061030  | REINFORCING STEEL (CULVERTS)                                 | LBS  | 15530.00         | 2        | 1.5           | 1.5      | 1.5     | 31060          |
| 7061060  | REINFORCING STEEL (BRIDGES)                                  | LBS  | 23120.00         | 6        | 1.316097      | 1.95     | 1.25    | 138720         |
| 7071000  | CONDUIT SYSTEM ON STRUCTURE                                  | L.S. | 1.00             | 1        | 7000          | 7000     | 7000    | 1              |
| 7101000  | REINFORCING STEEL (EPOXY COATED)                             | LBS  | 1882.50          | 4        | 3.949535      | 6.25     | 3       | 7530           |
| 7110200  | PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)        | L.S. | 1.00             | 7        | 5857.142857   | 6000     | 5000    | 7              |
| 7121100  | FABRICATED STRUCTURAL LOW ALLOY STEEL (MISC)                 | LBS  | 890.00           | 1        | 4.3           | 4.3      | 4.3     | 890            |
| 7121111  | FABRICATED STRUCTURAL LOW ALLOY STEEL (I-BEAM) A709, GRADE 5 | LBS  | 23432.00         | 5        | 2.290175      | 2.7      | 2.2     | 117160         |
| 7123000  | STEEL BAR DAM  | EACH | 2.00             | 1        | 6700          | 6700     | 6700    | 2              |
| 7123301  | STEEL INTERMEDIATE DIAPHRAGM FOR P/S CONCRETE GIRDERS        | EACH | 8.00             | 5        | 693.25        | 750      | 535     | 40             |
| 7123610  | SLAB DRAIN   | EACH | 14.89            | 18       | 330.597014    | 550      | 250     | 268            |
| 7125102  | SURFACE PREPARATION FOR APPLYING EPOXY-MASTIC PRIMER         | L.S. | 1.00             | 3        | 11533.33333   | 30000    | 2300    | 3              |
| 7125200  | SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL           | S.F. | 23300.00         | 1        | 21.5          | 21.5     | 21.5    | 23300          |
| 7125210  | FIELD APPLICATION OF INORGANIC ZINC PRIMER                   | S.F. | 23300.00         | 1        | 1             | 1        | 1       | 23300          |
| 7125365A | INTERMEDIATE FIELD COAT (SYSTEM G)                           | S.F. | 6000.00          | 1        | 1             | 1        | 1       | 6000           |
| 7125370A | FINISH FIELD COAT (SYSTEM G)                                 | S.F. | 6000.00          | 1        | 1             | 1        | 1       | 6000           |
| 7125960  | ALUMINUM EPOXY-MASTIC PRIMER                                 | L.S. | 1.00             | 3        | 11533.33333   | 30000    | 2300    | 3              |
| 7134000  | BRIDGE GUARD RAIL (THRIE BEAM)                               | L.F. | 178.00           | 1        | 286.43        | 286.43   | 286.43  | 178            |
| 7151001  | VERTICAL DRAIN AT END BENTS                                  | EACH | 2.00             | 16       | 1568.75       | 2300     | 950     | 32             |
| 7161000  | PLAIN NEOPRENE BEARING PAD                                   | EACH | 7.60             | 15       | 654.91228     | 14000    | 120     | 114            |
| 7161002  | LAMINATED NEOPRENE BEARING PAD                               | EACH | 10.56            | 9        | 192.210526    | 300      | 150     | 95             |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 7161003  | LAMINATED NEOPRENE BEARING PAD (TAPERED)                            | EACH | 26.33            | 3        | 272.278481    | 330      | 180     | 79             |
| 7162000  | LAMINATED NEOPRENE BEARING PAD ASSEMBLY                             | EACH | 8.00             | 5        | 1140          | 1200     | 900     | 40             |
| 7163000  | TYPE N PTFE BEARING   | EACH | 12.00            | 1        | 4500          | 4500     | 4500    | 12             |
| 7172001  | STRIP SEAL EXPANSION JOINT SYSTEM                                   | L.F. | 137.67           | 3        | 442.191283    | 475      | 425     | 413            |
| 7172054  | OPEN CELL FOAM JOINT SEAL   | L.F. | 59.00            | 1        | 90            | 90       | 90      | 59             |
| 7174001  | PREFORMED SILICONE OR EPDM  | L.F. | 56.00            | 1        | 75            | 75       | 75      | 56             |
| 7250324A | 24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 66.00            | 1        | 50            | 50       | 50      | 66             |
| 7250415  | 15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 63.00            | 3        | 41.772486     | 50       | 32      | 189            |
| 7250418  | 18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 77.33            | 3        | 36.422413     | 45       | 35      | 232            |
| 7250424  | 24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 99.86            | 7        | 41.454935     | 45       | 35      | 699            |
| 7250430  | 30 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 118.50           | 6        | 51.257383     | 60       | 45      | 711            |
| 7250436  | 36 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 117.50           | 4        | 61.489361     | 65       | 60      | 470            |
| 7250448  | 48 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 91.00            | 1        | 67            | 67       | 67      | 91             |
| 7250460  | 60 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 74.00            | 1        | 100           | 100      | 100     | 74             |
| 7250472  | 72 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU | L.F. | 723.00           | 1        | 140           | 140      | 140     | 723            |
| 7261012  | 12 IN. PIPE GROUP A   | L.F. | 26.00            | 1        | 90            | 90       | 90      | 26             |
| 7320024A | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION    | EACH | 4.00             | 1        | 400           | 400      | 400     | 4              |
| 7320612A | 12 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION             | EACH | 2.00             | 1        | 740           | 740      | 740     | 2              |
| 7320815A | 15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION    | EACH | 2.50             | 2        | 354           | 380      | 250     | 5              |
| 7320818A | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION    | EACH | 1.00             | 2        | 285           | 285      | 285     | 2              |
| 7320824A | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION    | EACH | 2.50             | 4        | 323.5         | 385      | 300     | 10             |
| 7320830A | 30 IN. (750 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION    | EACH | 3.00             | 4        | 483.333333    | 575      | 400     | 12             |
| 7320848A | 48 IN. (1200 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION   | EACH | 1.00             | 1        | 1575          | 1575     | 1575    | 1              |
| 7321022A | 60 IN. (1500 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION     | EACH | 2.00             | 1        | 7500          | 7500     | 7500    | 2              |
| 8051000A | SEEDING - COOL SEASON MIXTURES                                      | ACRE | 1.21             | 26       | 3116.401273   | 9800     | 1500    | 31.4           |
| 8061003  | SEDIMENT TRAP EXCAVATION  | C.Y. | 4.00             | 1        | 55            | 55       | 55      | 4              |
| 8061004  | SEDIMENT TRAP ROCK  | C.Y. | 3.20             | 2        | 64.375        | 85       | 30      | 6.4            |
| 8061005  | ROCK DITCH CHECK  | L.F. | 110.79           | 24       | 18.385859     | 200      | 10      | 2659           |
| 8061006  | ALTERNATE DITCH CHECK   | L.F. | 48.00            | 1        | 11.25         | 11.25    | 11.25   | 48             |
| 8061016  | SEDIMENT REMOVAL  | C.Y. | 16.35            | 17       | 4.870503      | 20       | 1       | 278            |
| 8061017  | TEMPORARY SEEDING AND MULCHING                                      | ACRE | 0.93             | 12       | 1468.513513   | 5000     | 1       | 11.1           |
| 8061019  | SILT FENCE  | L.F. | 691.19           | 26       | 3.473846      | 6        | 2       | 17971          |
| 8061050  | TYPE C BERM   | L.F. | 336.78           | 18       | 16.719564     | 36       | 5       | 6062           |
| 8064138  | TYPE 2D EROSION CONTROL   | S.Y. | 1024.00          | 2        | 2.407226      | 2.75     | 2.25    | 2048           |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 8064140  | TYPE 3B EROSION CONTROL  | S.Y. | 3017.67          | 3        | 2.209737      | 3        | 2.1     | 9053           |
| 8065000  | GEOSYNTHETIC REINFORCED SOIL SLOPE SYSTEM                          | S.F. | 1500.00          | 1        | 40            | 40       | 40      | 1500           |
| 9011062  | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2                  | EACH | 25.00            | 2        | 1883          | 1885     | 1880    | 50             |
| 9011106  | BRACKET ARM, 6 FT. OR 1.8 M  | EACH | 17.50            | 2        | 350           | 350      | 350     | 35             |
| 9011115  | BRACKET ARM, 15 FT. OR 4.6 M                                       | EACH | 7.50             | 2        | 680           | 680      | 680     | 15             |
| 9011312  | LUMINAIRE, LED-B   | EACH | 25.00            | 2        | 320           | 320      | 320     | 50             |
| 9012230  | BASE MOUNTED CONTROL STATION 240 VOLT-4 CIRCUIT                    | EACH | 3.00             | 2        | 2750          | 2750     | 2750    | 6              |
| 9013003  | CONDUIT, 3 IN. RIGID, IN TRENCH                                    | L.F. | 451.00           | 2        | 15            | 15       | 15      | 902            |
| 9013004  | CONDUIT, 4 IN. RIGID, IN TRENCH                                    | L.F. | 209.00           | 2        | 16            | 16       | 16      | 418            |
| 9014004  | CONDUIT, 4 IN. RIGID, PUSHED                                       | L.F. | 1473.00          | 2        | 16            | 16       | 16      | 2946           |
| 9015010  | TRENCHING TYPE I   | L.F. | 9800.00          | 3        | 3.218836      | 4.5      | 3.2     | 29400          |
| 9016110  | PULL BOX, PREFORMED CLASS 1  | EACH | 33.67            | 3        | 582.425742    | 950      | 575     | 101            |
| 9017002  | CABLE, 2 AWG 1 CONDUCTOR   | L.F. | 1680.00          | 2        | 2.5           | 2.5      | 2.5     | 3360           |
| 9017110  | CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET                        | L.F. | 2900.00          | 2        | 0.9           | 0.9      | 0.9     | 5800           |
| 9017404  | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG       | L.F. | 3795.00          | 2        | 3.560606      | 4.5      | 3.5     | 7590           |
| 9017407  | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG       | L.F. | 14330.00         | 2        | 3.25          | 3.25     | 3.25    | 28660          |
| 9018245  | POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)                 | EACH | 25.00            | 2        | 850           | 850      | 850     | 50             |
| 9018610  | POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, LIGHTING ONLY | EACH | 3.00             | 1        | 2750          | 2750     | 2750    | 3              |
| 9018612  | POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY | EACH | 1.50             | 2        | 2750          | 2750     | 2750    | 3              |
| 9028500  | CABLE, LOOP DETECTOR, IN DUCT                                      | L.F. | 1730.00          | 2        | 4.280346      | 5.5      | 3.5     | 3460           |
| 9028811  | PULL BOX, PREFORMED CLASS 2  | EACH | 15.00            | 2        | 850.3         | 1000     | 501     | 30             |
| 9031010  | CONCRETE FOOTINGS, EMBEDDED  | C.Y. | 0.85             | 2        | 4036.48       | 4138.76  | 2400    | 1.7            |
| 9031210  | STRUCTURAL STEEL POSTS   | LBS  | 1030.00          | 1        | 3.83          | 3.83     | 3.83    | 1030           |
| 9031220  | PIPE POSTS   | LBS  | 515.00           | 2        | 5.751262      | 6        | 4.78    | 1030           |
| 9031241  | BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)                  | EACH | 1.00             | 1        | 250           | 250      | 250     | 1              |
| 9031250A | U-CHANNEL POST, 3 LB   | L.F. | 26.00            | 1        | 30.41         | 30.41    | 30.41   | 26             |
| 9031260  | WOOD POST, 4 IN. BY 4 IN.  | L.F. | 12.00            | 1        | 20            | 20       | 20      | 12             |
| 9031270A | PERFORATED SQUARE STEEL TUBE POST, 2 IN., 12 GA.                   | L.F. | 100.56           | 9        | 12.141436     | 20       | 7       | 905            |
| 9031271  | PERFORATED SQUARE STEEL TUBE POST ANCHOR SLEEVE, 2.5 IN., 12 GA.   | L.F. | 51.33            | 9        | 23.492207     | 45       | 12      | 462            |
| 9031280  | 2.5 IN. PSST POST - 12 GA.   | L.F. | 14.50            | 2        | 20            | 20       | 20      | 29             |
| 9031281  | POST ANCHOR FOR 2.5 IN. PSST - 7 GA.                               | L.F. | 3.00             | 2        | 48            | 48       | 48      | 6              |
| 9035004A | SH-FLAT SHEET  | S.F. | 10.00            | 2        | 30            | 30       | 30      | 20             |
| 9035069A | SHF-FLAT SHEET FLUORESCENT   | S.F. | 53.44            | 9        | 25.34054      | 50.2     | 18      | 481            |

| PAY ITEM | DESCRIPTION                                   | UNIT  | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|-------|------------------|----------|---------------|----------|---------|----------------|
| 1041000  | TEMPORARY SURFACING                           | C.Y.  | 136.67           | 6        | 38.561756     | 77.28    | 14.4    | 820            |
| 2013000  | CLEARING AND GRUBBING                         | ACRE  | 4.97             | 62       | 3934.849983   | 25000    | 1       | 307.9          |
| 2022010  | REMOVAL OF IMPROVEMENTS                       | L.S.  | 1.00             | 281      | 40889.86947   | 1191442  | 0.01    | 281            |
| 2024038  | REMOVAL OF TRANSITE (CATEGORY II NON-FRIABLE) | S.F.  | 58.50            | 2        | 163.564102    | 221      | 125     | 117            |
| 2024043  | REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE)    | S.F.  | 73.72            | 18       | 120.880957    | 210      | 18.33   | 1327           |
| 2031000  | CLASS A EXCAVATION                            | C.Y.  | 4926.53          | 89       | 14.412846     | 142.73   | 4       | 438461.3       |
| 2035000  | UNCLASSIFIED EXCAVATION                       | C.Y.  | 165636.87        | 23       | 6.284693      | 75       | 4.84    | 3809648        |
| 2035500  | EMBANKMENT IN PLACE                           | C.Y.  | 2701.07          | 67       | 14.782693     | 114.01   | 0.01    | 180971.4       |
| 2036000  | COMPACTING EMBANKMENT                         | C.Y.  | 37122.23         | 104      | 1.098065      | 157.52   | 0.01    | 3860712.3      |
| 2037075  | COMPACTING IN CUT                             | STA.  | 19.63            | 32       | 649.154558    | 2000     | 1       | 628            |
| 2042010  | SETTLEMENT GAUGE                              | EACH  | 7.00             | 2        | 1092.857142   | 1500     | 75      | 14             |
| 2043010  | PORE PRESSURE MEASURING DEVICE                | EACH  | 3.00             | 1        | 4000          | 4000     | 4000    | 3              |
| 2051010  | MODIFIED SUBGRADE                             | S.Y.  | 9353.33          | 3        | 4.928649      | 6        | 2.25    | 28060          |
| 2061000  | CLASS 1 EXCAVATION                            | C.Y.  | 150.18           | 56       | 33.189877     | 155      | 5.5     | 8410           |
| 2061003  | CLASS 1 EXCAVATION IN ROCK                    | C.Y.  | 21.00            | 4        | 163.214285    | 200      | 125     | 84             |
| 2062000  | CLASS 2 EXCAVATION                            | C.Y.  | 25.60            | 5        | 371.140625    | 850      | 81      | 128            |
| 2063000  | CLASS 3 EXCAVATION                            | C.Y.  | 602.95           | 90       | 15.516185     | 253      | 0.01    | 54265.3        |
| 2063100  | CLASS 3 EXCAVATION IN ROCK                    | C.Y.  | 1503.00          | 4        | 100.041054    | 212      | 95      | 6012           |
| 2063300  | CLASS 4 EXCAVATION                            | C.Y.  | 837.82           | 33       | 22.88754      | 190      | 5.65    | 27648          |
| 2063400  | CLASS 4 EXCAVATION IN ROCK                    | C.Y.  | 86.67            | 3        | 100.634615    | 250      | 50      | 260            |
| 2063500  | CULVERT CLEANOUT                              | EACH  | 5.32             | 28       | 2776.974966   | 7881.24  | 600     | 149            |
| 2064000  | POROUS BACKFILL                               | C.Y.  | 62.80            | 20       | 71.539808     | 90       | 50      | 1256           |
| 2065500  | TEMPORARY SHORING                             | L.S.  | 1.00             | 18       | 22087.52611   | 150000   | 1       | 18             |
| 2071000  | LINEAR GRADING CLASS 1                        | STA.  | 15.45            | 44       | 648.236491    | 9830     | 41      | 680            |
| 2072000  | LINEAR GRADING CLASS 2                        | STA.  | 52.96            | 30       | 362.370086    | 9800     | 69.15   | 1588.7         |
| 2081000  | INTERCEPTION DITCH                            | 100FT | 80.00            | 1        | 300           | 300      | 300     | 80             |
| 2101006A | SUBGRADE COMPACTION (6-INCH DEPTH)            | STA.  | 37.01            | 20       | 285.617686    | 1800     | 26.47   | 740.1          |
| 2121000A | SUBGRADING AND SHOULDERING CLASS 1            | STA.  | 4.67             | 3        | 1437.142857   | 2500     | 1260    | 14             |
| 2122000A | SUBGRADING AND SHOULDERING CLASS 2            | STA.  | 243.00           | 2        | 690.814814    | 756      | 690     | 486            |
| 2142000  | FURNISHING ROCK FILL                          | C.Y.  | 1273.33          | 15       | 30.855321     | 44.4     | 16.3    | 19100          |
| 2143000  | PLACING ROCK FILL                             | C.Y.  | 1241.63          | 16       | 12.453123     | 52.9     | 5       | 19866          |
| 2151000A | SHAPING SLOPES, CLASS I                       | 100FT | 29.33            | 3        | 185.019318    | 2441.75  | 136.47  | 88             |
| 2152000A | SHAPING SLOPES, CLASS II                      | 100FT | 72.00            | 3        | 110.335092    | 2167     | 67.73   | 216            |
| 2153000  | SHAPING SLOPES, CLASS III                     | 100FT | 27.56            | 96       | 818.060065    | 4300     | 350     | 2645.8         |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 2160500  | REMOVAL OF BRIDGES                                       | L.S. | 1.00             | 64       | 51938.00063   | 655000   | 4500    | 64             |
| 2161000  | SCARIFICATION OF BRIDGE DECKS                            | S.Y. | 4368.33          | 3        | 6.146909      | 6.67     | 5.85    | 13105          |
| 2161001  | TOTAL SURFACE HYDRO                                      | S.Y. | 3493.00          | 2        | 24.214929     | 24.5     | 24      | 6986           |
| 2161500  | REMOVAL OF SEAL COAT                                     | S.F. | 21111.60         | 5        | 0.681003      | 1        | 0.31    | 105558         |
| 2161501  | REMOVAL OF ASPHALT WEARING SURFACE                       | S.F. | 7625.00          | 8        | 1.673727      | 2.4      | 1.36    | 61000          |
| 2161502  | REMOVAL OF CONCRETE WEARING SURFACE                      | S.F. | 8222.20          | 10       | 2.890255      | 4.35     | 2.05    | 82222          |
| 2161503  | REMOVAL OF EXISTING DECK                                 | S.F. | 567.50           | 10       | 20.062555     | 71       | 10      | 5675           |
| 2162000  | REMOVAL AND STORAGE OF EXISTING BRIDGE RAILS             | L.F. | 529.00           | 1        | 8.06          | 8.06     | 8.06    | 529            |
| 2162500  | REMOVAL OF EXISTING BRIDGE DECKS                         | S.F. | 13644.27         | 22       | 7.709061      | 13.5     | 4       | 300174         |
| 2163000  | PARTIAL REMOVAL OF EXISTING BRIDGE DECKS                 | S.F. | 1543.50          | 2        | 18.535795     | 35       | 10      | 3087           |
| 2163500  | PARTIAL REMOVAL OF CULVERT CONCRETE                      | L.S. | 1.00             | 3        | 24458.33333   | 40705    | 14500   | 3              |
| 2163501  | PARTIAL REMOVAL OF CULVERT-BRIDGE CONCRETE               | L.S. | 1.00             | 7        | 4633.292857   | 7433.05  | 2200    | 7              |
| 2163502  | PARTIAL REMOVAL OF SUBSTRUCTURE CONCRETE                 | L.S. | 1.00             | 4        | 9515.6625     | 11742.65 | 5620    | 4              |
| 2164000  | CURB REMOVAL   | L.F. | 113.29           | 7        | 160.320239    | 1200     | 6       | 793            |
| 2164500  | REMOVAL OF EXISTING EXPANSION JOINTS & ADJACENT CONCRETE | L.F. | 94.69            | 29       | 370.719373    | 704.6    | 214     | 2746           |
| 2165000  | REMOVAL OF EXISTING EXPANSION JOINT SEAL OR SEALANT      | L.F. | 156.24           | 17       | 28.068128     | 85       | 13      | 2656           |
| 2165500  | REMOVAL OF CATHODIC PROTECTION SYSTEM                    | L.S. | 1.00             | 4        | 1818.4        | 1818.4   | 1818.4  | 4              |
| 3021311  | STABILIZED PERMEABLE BASE (4IN. THICK)                   | S.Y. | 234.33           | 3        | 15.9432       | 19.49    | 13.17   | 703            |
| 3030600  | FURNISHING ROCK BASE MATERIAL                            | S.Y. | 11372.50         | 8        | 8.734219      | 13.45    | 3.5     | 90980          |
| 3030610A | PLACING ROCK BASE (18 IN. THICK)                         | S.Y. | 37182.80         | 10       | 1.512662      | 7.5      | 0.75    | 371828         |
| 3040143  | TYPE 1 AGGREGATE FOR BASE (4 IN. THICK)                  | S.Y. | 2079.64          | 78       | 7.929422      | 40.45    | 1.05    | 162212         |
| 3040163  | TYPE 1 AGGREGATE FOR BASE (6 IN. THICK)                  | S.Y. | 616.88           | 8        | 12.248976     | 31       | 10      | 4935           |
| 3040183  | TYPE 1 AGGREGATE FOR BASE (8 IN. THICK)                  | S.Y. | 197.00           | 1        | 12            | 12       | 12      | 197            |
| 3040504  | TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)                  | S.Y. | 3569.52          | 53       | 7.376872      | 120      | 2.5     | 189184.7       |
| 3040506  | TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)                  | S.Y. | 8552.47          | 51       | 8.501504      | 56       | 6.3     | 436176.1       |
| 3101002  | GRAVEL (A)   | TON  | 300.00           | 2        | 51.462083     | 81.11    | 47.86   | 600            |
| 3101003  | GRAVEL (A)   | S.Y. | 331.75           | 4        | 21.69899      | 61.21    | 11.75   | 1327           |
| 3102002  | CRUSHED STONE (B)  | TON  | 94.63            | 8        | 66.722509     | 260      | 32      | 757            |
| 3102003  | CRUSHED STONE (B)  | S.Y. | 28366.67         | 3        | 2.936418      | 13.3     | 2.46    | 85100          |
| 3105002  | GRAVEL (A) OR CRUSHED STONE (B)                          | TON  | 271.28           | 109      | 36.610854     | 328.94   | 8       | 29569.4        |
| 3105003  | GRAVEL (A) OR CRUSHED STONE (B)                          | S.Y. | 625.23           | 22       | 9.364041      | 55       | 2.97    | 13755          |
| 3107002  | GRAVEL (A) OR CRUSHED STONE (B) OR CHAT (C)              | TON  | 391.17           | 6        | 42.990174     | 105.38   | 15.94   | 2347           |
| 3107003  | GRAVEL (A) OR CRUSHED STONE (B) OR CHAT (C)              | S.Y. | 13.00            | 1        | 16            | 16       | 16      | 13             |
| 4010102  | 9 INCHES, BITUMINOUS PAVEMENT                            | S.Y. | 418.80           | 1        | 85            | 85       | 85      | 418.8          |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 4010103  | 10 INCHES, BITUMINOUS PAVEMENT                      | S.Y. | 767.00           | 1        | 70            | 70       | 70      | 767            |
| 4010105  | 5 3/4 INCHES, BITUMINOUS PAVEMENT                   | S.Y. | 31.10            | 1        | 13.86         | 13.86    | 13.86   | 31.1           |
| 4010150  | TYPE A2 SHOULDER                                    | S.Y. | 4655.36          | 23       | 26.308338     | 300.68   | 16.95   | 107073.2       |
| 4010151  | TYPE A3 SHOULDER                                    | S.Y. | 285.20           | 4        | 46.010124     | 112      | 27      | 1140.8         |
| 4011207  | BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-1)         | TON  | 2922.08          | 5        | 67.725394     | 450      | 64      | 14610.4        |
| 4011208  | BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-2)         | TON  | 935.00           | 1        | 69.41         | 69.41    | 69.41   | 935            |
| 4011209  | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)         | TON  | 3508.83          | 86       | 59.904376     | 1043.17  | 43.1    | 301759.8       |
| 4011211  | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2)         | TON  | 8663.43          | 21       | 54.727947     | 291.49   | 42.43   | 181932         |
| 4011213  | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-3)         | TON  | 6342.90          | 3        | 59.27732      | 250      | 53.08   | 19028.7        |
| 4013000  | BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE)          | TON  | 3357.93          | 39       | 59.831706     | 521      | 43.75   | 130959.4       |
| 4013010  | BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE WIDENING) | TON  | 4654.78          | 5        | 51.769289     | 240      | 48.48   | 23273.9        |
| 4020520  | BITUMINOUS PAVEMENT MIXTURE PG64-22                 | TON  | 7665.41          | 70       | 61.656021     | 413.6    | 37.95   | 536578.4       |
| 4030001  | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP095C MIX)    | TON  | 12493.25         | 2        | 63.47597      | 145      | 62.68   | 24986.5        |
| 4030003  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095C MIX)    | TON  | 24848.31         | 8        | 55.415724     | 304.2    | 47.63   | 198786.5       |
| 4030005  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095C MIX)    | TON  | 18017.45         | 2        | 63.304864     | 64.98    | 62.43   | 36034.9        |
| 4030006  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095B MIX)    | TON  | 5299.00          | 1        | 69.25         | 69.25    | 69.25   | 5299           |
| 4030007  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095BSM MIX)  | TON  | 231.20           | 1        | 432.8         | 432.8    | 432.8   | 231.2          |
| 4030009  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095BSM MIX)  | TON  | 25284.35         | 2        | 93.151806     | 109.88   | 82.14   | 50568.7        |
| 4030016  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP048F MIX)    | TON  | 2709.60          | 3        | 70.831642     | 304.1    | 53.78   | 8128.8         |
| 4030101  | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP125C MIX)    | TON  | 18014.88         | 6        | 60.40624      | 89.95    | 44.1    | 108089.3       |
| 4030103  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125C MIX)    | TON  | 13595.33         | 46       | 56.370622     | 2000     | 48.18   | 625385.4       |
| 4030105  | ASPHALTIC CONCRETE MIXTURE                          | TON  | 96.60            | 1        | 93            | 93       | 93      | 96.6           |
| 4030109  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125CLP MIX)  | TON  | 5650.80          | 4        | 98.605472     | 246      | 77.35   | 22603.2        |
| 4030114  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125B MIX)    | TON  | 30414.65         | 2        | 54.292856     | 54.44    | 53.9    | 60829.3        |
| 4030116  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125B MIX)    | TON  | 6705.94          | 5        | 69.071167     | 250      | 66.47   | 33529.7        |
| 4030132  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BSM MIX)  | TON  | 39992.71         | 7        | 77.316174     | 115.8    | 73.46   | 279949         |
| 4030208  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP190C MIX)    | TON  | 8503.95          | 2        | 51.153366     | 52.37    | 51.12   | 17007.9        |
| 4030217  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP190B MIX)    | TON  | 11379.43         | 3        | 75.891022     | 91.4     | 75.37   | 34138.3        |
| 4030306  | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP250C MIX)    | TON  | 0.75             | 2        | 1000          | 1000     | 1000    | 1.5            |
| 4030308  | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP250C MIX)    | TON  | 74.83            | 3        | 91.681247     | 1000     | 86.8    | 224.5          |
| 4030317  | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP250B MIX)    | TON  | 533.60           | 1        | 71.88         | 71.88    | 71.88   | 533.6          |
| 4030403  | 10 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C       | S.Y. | 16180.45         | 2        | 37.233034     | 40       | 35      | 32360.9        |
| 4030404  | 11 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C       | S.Y. | 7018.05          | 2        | 45.082101     | 45.58    | 44.31   | 14036.1        |
| 4030410  | 13 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C       | S.Y. | 48766.40         | 1        | 35.4          | 35.4     | 35.4    | 48766.4        |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 4071005  | TACK COAT   | GAL  | 12526.70         | 197      | 2.094599      | 45       | 0.24    | 2467760.4      |
| 4071006  | TACK COAT - POLYMER MODIFIED                                | GAL  | 640.00           | 1        | 2.15          | 2.15     | 2.15    | 640            |
| 4071007  | TACK COAT - LOW OR NON-                                     | GAL  | 4320.00          | 1        | 2.8           | 2.8      | 2.8     | 4320           |
| 4081018  | PRIME-LIQUID ASPHALT MC 800                                 | GAL  | 4127.03          | 30       | 2.624563      | 30       | 0.45    | 123811         |
| 4091048  | EMULSIFIED ASPHALT, SEAL COAT                               | GAL  | 43832.43         | 47       | 2.036358      | 5        | 1.85    | 2060124        |
| 4094001  | SEAL COAT AGGREGATE, GRADE A1                               | S.Y. | 404372.00        | 5        | 0.55349       | 0.85     | 0.48    | 2021860        |
| 4094002  | SEAL COAT AGGREGATE, GRADE A2                               | S.Y. | 124724.88        | 8        | 0.672328      | 5        | 0.58    | 997799         |
| 4094011  | SEAL COAT AGGREGATE, GRADE B1                               | S.Y. | 29669.48         | 21       | 0.681918      | 10       | 0.46    | 623059         |
| 4094012  | SEAL COAT AGGREGATE, GRADE B2                               | S.Y. | 239233.15        | 13       | 0.702929      | 0.855    | 0.62    | 3110031        |
| 4094021  | SEAL COAT AGGREGATE, GRADE C                                | S.Y. | 2365.00          | 1        | 4.5           | 4.5      | 4.5     | 2365           |
| 4131000  | MICROSURFACING, TYPE II                                     | S.Y. | 79666.50         | 2        | 4.071062      | 8.26     | 3.98    | 159333         |
| 4132000  | SCRUB SEAL  | S.Y. | 250707.75        | 4        | 1.348782      | 1.41     | 1.19    | 1002831        |
| 4133100  | ULTRATHIN BONDED WEARING SURFACE, TYPE B                    | S.Y. | 27112.00         | 1        | 5.17          | 5.17     | 5.17    | 27112          |
| 4133200  | ULTRATHIN BONDED WEARING SURFACE, TYPE C                    | S.Y. | 19400.00         | 2        | 5.615512      | 5.65     | 5.6     | 38800          |
| 4134000  | BITUMINOUS FOG SEAL   | GAL  | 8969.62          | 39       | 2.903895      | 35       | 2       | 349815         |
| 4135000  | BITUMINOUS PAVEMENT CRACK SEALING                           | L.F. | 19636.00         | 6        | 1.554591      | 24       | 0.95    | 117816         |
| 4136000  | PCCP JOINT/CRACK SEALING                                    | L.F. | 375480.50        | 2        | 0.764957      | 1.1      | 0.75    | 750961         |
| 4137000  | BITUMINOUS PAVEMENT CRACK FILLING                           | L.F. | 510165.50        | 2        | 0.518687      | 0.58     | 0.51    | 1020331        |
| 4138000  | PCCP CRACK FILLING  | L.F. | 68372.00         | 2        | 1.1           | 1.1      | 1.1     | 136744         |
| 5021106  | CONCRETE PAVEMENT ( 6 IN. NON-REINF)                        | S.Y. | 421.95           | 2        | 106.589512    | 135      | 46.3    | 843.9          |
| 5021107  | CONCRETE PAVEMENT ( 7 IN. NON-REINF)                        | S.Y. | 17.80            | 1        | 125           | 125      | 125     | 17.8           |
| 5021108  | CONCRETE PAVEMENT ( 8 IN. NON-REINF)                        | S.Y. | 167.39           | 7        | 54.974276     | 200.6    | 49      | 1171.7         |
| 5021109  | CONCRETE PAVEMENT ( 9 IN. NON-REINF)                        | S.Y. | 142.20           | 1        | 110           | 110      | 110     | 142.2          |
| 5021112  | CONCRETE PAVEMENT (12 INCH NON-REINFORCED)                  | S.Y. | 219.00           | 1        | 111.9         | 111.9    | 111.9   | 219            |
| 5021305  | CONCRETE PAVEMENT (5 3/4 IN. NON-REINFORCED, 15 FT. JOINTS) | S.Y. | 1126.65          | 2        | 43.518934     | 43.6     | 39.23   | 2253.3         |
| 5021308  | CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS)     | S.Y. | 3282.52          | 6        | 53.088982     | 73       | 44.55   | 19695.1        |
| 5021309  | CONCRETE PAVEMENT ( 9 IN. NON-REINFORCED, 15 FT. JOINTS)    | S.Y. | 65295.03         | 3        | 44.657982     | 112.95   | 44      | 195885.1       |
| 5021310  | CONCRETE PAVEMENT (10 IN. NON-REINFORCED, 15 FT. JOINTS)    | S.Y. | 4383.30          | 2        | 60.273268     | 63.4     | 60      | 8766.6         |
| 5021312  | CONCRETE PAVEMENT (12 IN. NON-REINFORCED, 15 FT. JOINTS)    | S.Y. | 1616.60          | 2        | 83.272671     | 115      | 79.5    | 3233.2         |
| 5021314  | CONCRETE PAVEMENT (14 IN. NON-REINFORCED, 15 FT. JOINTS)    | S.Y. | 41188.20         | 1        | 70            | 70       | 70      | 41188.2        |
| 5021331  | CONCRETE PAVEMENT (7 1/2 IN. NON-REINFORCED, 15 FT. JOINTS) | S.Y. | 389.00           | 2        | 61.958226     | 70       | 59.25   | 778            |
| 5021332  | CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 15 FT. JOINTS) | S.Y. | 1210.15          | 2        | 62.336074     | 130      | 51      | 2420.3         |
| 5021333  | CONCRETE PAVEMENT (9 1/2 IN. NON-REINFORCED, 15 FT. JOINTS) | S.Y. | 11637.40         | 2        | 59.797803     | 78.13    | 59.18   | 23274.8        |
| 5021340  | TYPE A2 SHOULDER  | S.Y. | 17841.55         | 8        | 22.271749     | 73.75    | 15.53   | 142732.4       |



| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 5024008  | CONCRETE BASE ( 8 IN. NON-REINF)                     | S.Y. | 4360.20          | 1        | 61.2          | 61.2     | 61.2    | 4360.2         |
| 5031010A | BRIDGE APPROACH SLAB (MAJOR ROAD)                    | S.Y. | 188.90           | 20       | 259.180502    | 355      | 181.44  | 3778           |
| 5031011A | BRIDGE APPROACH SLAB (MINOR ROAD)                    | S.Y. | 126.64           | 67       | 155.598519    | 400      | 49.08   | 8485           |
| 5041000  | CONCRETE APPROACH PAVEMENT                           | S.Y. | 323.94           | 14       | 121.659783    | 200      | 49.7    | 4535.1         |
| 5050001  | ALTERNATE CONCRETE WEARING SURFACE                   | S.Y. | 882.38           | 8        | 91.8          | 91.8     | 91.8    | 7059           |
| 5050004  | SUPPLEMENTARY WEARING SURFACE MATERIAL               | C.Y. | 7.00             | 2        | 700           | 700      | 700     | 14             |
| 5052000  | LATEX MODIFIED CONCRETE WEARING SURFACE              | S.Y. | 2619.33          | 12       | 100.483478    | 137.3    | 83.51   | 31432          |
| 5062030A | FURNISHING UNBONDED CONCRETE OVERLAY                 | C.Y. | 2026.80          | 1        | 132           | 132      | 132     | 2026.8         |
| 5062033  | UNBONDED CONCRETE OVERLAY INTERLAYER                 | S.Y. | 14132.10         | 1        | 10.8          | 10.8     | 10.8    | 14132.1        |
| 6011000A | TYPE 2 FIELD LABORATORIES                            | L.S. | 1.00             | 1        | 33500         | 33500    | 33500   | 1              |
| 6042010  | ADJUSTING MANHOLE                                    | EACH | 8.33             | 6        | 1327.005      | 2600     | 400     | 50             |
| 6042020  | ADJUSTING BASIN OR INLET                             | EACH | 7.00             | 4        | 1640          | 3920     | 400     | 28             |
| 6044011  | PIPE COLLAR, TYPE A                                  | EACH | 4.00             | 26       | 1092.713942   | 3386     | 300     | 104            |
| 6044012  | PIPE COLLAR, TYPE B                                  | EACH | 4.00             | 8        | 790.8525      | 1900     | 100     | 32             |
| 6044013  | PIPE COLLAR, TYPE C                                  | EACH | 1.17             | 6        | 1737.691428   | 3049.79  | 1000    | 7              |
| 6046012A | 12 IN. SLOTTED DRAIN                                 | L.F. | 32.00            | 2        | 144.5         | 146      | 142     | 64             |
| 6046015A | 15 IN. SLOTTED DRAIN                                 | L.F. | 140.00           | 1        | 160           | 160      | 160     | 140            |
| 6046030A | 30 IN. SLOTTED DRAIN                                 | L.F. | 167.00           | 1        | 140           | 140      | 140     | 167            |
| 6051018A | PIPE AGGREGATE PAVEMENT CROSS DRAIN                  | L.F. | 120.00           | 1        | 72            | 72       | 72      | 120            |
| 6053020A | FRENCH UNDERDRAIN                                    | L.F. | 192.50           | 2        | 25.75         | 25.75    | 25.75   | 385            |
| 6053030A | PIPE AGGREGATE PAVEMENT EDGE DRAIN                   | L.F. | 2464.00          | 3        | 11.920465     | 34.8     | 11.32   | 7392           |
| 6054020  | OUTLET PIPES AND SPLASH PADS                         | EACH | 5.50             | 4        | 1246.381818   | 2800     | 875     | 22             |
| 6057000  | AGGREGATE DRAIN                                      | L.F. | 271.50           | 2        | 19.106813     | 25       | 18.75   | 543            |
| 6061010  | GUARDRAIL TYPE A                                     | L.F. | 523.95           | 11       | 19.390429     | 35       | 16      | 5763.5         |
| 6061011A | GUARDRAIL TYPE A, 7 FT. POST, 3 FT. - 1 5 IN SPACING | L.F. | 38.00            | 1        | 36            | 36       | 36      | 38             |
| 6061014  | GUARDRAIL TYPE A WITH RUBRAIL                        | L.F. | 113.00           | 1        | 23.5          | 23.5     | 23.5    | 113            |
| 6061040  | GUARDRAIL TYPE D                                     | L.F. | 31.50            | 2        | 24.396825     | 25       | 24      | 63             |
| 6061050  | GUARDRAIL TYPE E, 6 FT. POST, 3 FT.-1.5 IN. SPACING  | L.F. | 138.00           | 1        | 23.5          | 23.5     | 23.5    | 138            |
| 6061054  | GUARDRAIL TYPE E, 6 FT POST, 6 FT.-3 IN. SPACING     | L.F. | 400.00           | 1        | 25.15         | 25.15    | 25.15   | 400            |
| 6061060  | MGS GUARDRAIL  | L.F. | 2600.06          | 132      | 19.860514     | 40       | 16.25   | 343207.5       |
| 6061061  | MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 SPACING        | L.F. | 2620.71          | 56       | 22.424768     | 40       | 19.5    | 146759.6       |
| 6061063  | MGS GUARDRAIL, 6 FT. POSTS, 3 FT. - SPACING          | L.F. | 199.73           | 15       | 31.935246     | 40       | 27      | 2996           |
| 6061065  | MGS GUARDRAIL, 6 FT. POSTS, 1 FT. - 6.75 IN. SPACING | L.F. | 202.93           | 7        | 52.275959     | 58       | 45      | 1420.5         |
| 6061067  | MGS DOUBLE FACED GUARDRAIL                           | L.F. | 212.50           | 2        | 29.323529     | 29.5     | 28      | 425            |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 6061068  | MGS BRIDGE APPROACH TRANSITION SECTION (MAJOR ROUTE)                       | EACH | 5.70             | 27       | 2884.017207   | 3200     | 2500    | 154            |
| 6061069  | MGS BRIDGE APPROACH TRANSITION SECTION (MINOR ROUTE)                       | EACH | 7.60             | 124      | 2788.399575   | 3678     | 552     | 943            |
| 6061070  | MGS VERTICAL CONCRETE BARRIER TRANSITION                                   | EACH | 6.00             | 8        | 2581.041666   | 3000     | 2190    | 48             |
| 6061074  | MGS HEIGHT AND BLOCK TRANSITION  | EACH | 2.96             | 26       | 626.343376    | 1000     | 512.5   | 77             |
| 6061075  | MGS LONG SPAN GUARDRAIL SECTION  | EACH | 3.70             | 10       | 2491.995675   | 3600     | 1925    | 37             |
| 6061078  | MGS EMBEDDED ANCHOR SECTION (WITH RUBRAIL)                                 | L.F. | 158.33           | 3        | 37.705263     | 55       | 30.14   | 475            |
| 6061079  | MGS EMBEDDED ANCHOR SECTION (WITHOUT RUBRAIL)                              | L.F. | 250.00           | 1        | 30            | 30       | 30      | 250            |
| 6061080  | MGS END ANCHOR   | EACH | 8.92             | 62       | 937.344213    | 1270     | 800     | 553            |
| 6061081  | MGS BRIDGE APPROACH TRANSITION (THRIE-BEAM BRIDGE)                         | EACH | 4.22             | 9        | 3170.378947   | 3855.6   | 2950    | 38             |
| 6062100  | BRIDGE ANCHOR SECTION (CURB TYPE)  | EACH | 2.00             | 3        | 1896.886666   | 2100     | 1845.33 | 6              |
| 6062200A | BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY / EACH | EACH | 4.80             | 5        | 2027.875      | 3673     | 1775    | 24             |
| 6062202A | BRIDGE ANCHOR SECTION, 7.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY / EACH | EACH | 2.50             | 2        | 1899          | 2015     | 1870    | 5              |
| 6062204A | BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (NEW CONS` EACH | EACH | 2.67             | 6        | 1896.6875     | 2750     | 1440    | 16             |
| 6062300A | TRANSITION SECTION, 6.5 FT. POSTS  | EACH | 3.67             | 3        | 339.090909    | 350      | 320     | 11             |
| 6062301A | TRANSITION SECTION, 7.5 FT. POSTS  | EACH | 4.00             | 1        | 600           | 600      | 600     | 4              |
| 6062303  | ASYMETRICAL TRANSITION SECTION, 6.5 FT. POSTS                              | EACH | 3.25             | 12       | 460.28923     | 700      | 350     | 39             |
| 6062304  | ASYMETRICAL TRANSITION SECTION, 7.5 FT. POSTS                              | EACH | 2.00             | 3        | 461.706666    | 675      | 350     | 6              |
| 6062400  | BRIDGE ANCHOR SECTION (THRIE BEAM)   | EACH | 2.50             | 2        | 2620          | 2800     | 1900    | 5              |
| 6063014  | TYPE A CRASHWORTHY END TERMINAL (MASH)                                     | EACH | 10.20            | 165      | 2647.120178   | 3678     | 2200    | 1683           |
| 6063015  | TYPE A CRASHWORTHY END TERMINAL  | EACH | 3.00             | 11       | 2594.788181   | 3200     | 2200    | 33             |
| 6063016  | TYPE B CRASHWORTHY END TERMINAL  | EACH | 1.60             | 5        | 6671.875      | 15900    | 3900    | 8              |
| 6063017  | TYPE C CRASHWORTHY END TERMINAL  | EACH | 3.55             | 11       | 16364.61538   | 23500    | 14920   | 39             |
| 6063018  | TYPE D CRASHWORTHY END TERMINAL  | EACH | 1.00             | 1        | 31300         | 31300    | 31300   | 1              |
| 6063019  | TYPE E CRASHWORTHY END TERMINAL  | EACH | 1.00             | 4        | 27475         | 29500    | 26400   | 4              |
| 6064110  | ANCHOR ASSEMBLY, GUARD CABLE 3-STRAND                                      | EACH | 1.00             | 1        | 3200          | 3200     | 3200    | 1              |
| 6064111  | ANCHOR ASSEMBLY, GUARD CABLE 3 - STRAND TO GUARDRAIL TRANSITION            | EACH | 1.00             | 1        | 3163.42       | 3163.42  | 3163.42 | 1              |
| 6064500  | AGGREGATE BEDDING FOR 3 - STRAND GUARD CABLE                               | C.Y. | 22.00            | 1        | 140           | 140      | 140     | 22             |
| 6066400  | GUARDRAIL, RELOCATED AND MODIFIED  | L.F. | 148.40           | 4        | 19.808456     | 35.47    | 18      | 593.6          |
| 6066610  | END ANCHOR   | EACH | 2.63             | 8        | 906.055238    | 1400     | 800     | 21             |
| 6066620  | GUARDRAIL ANCHOR, EMBEDDED   | EACH | 1.00             | 1        | 4000          | 4000     | 4000    | 1              |
| 6066630  | GUARDRAIL ANCHOR, ROCK FACE  | EACH | 2.00             | 1        | 4600          | 4600     | 4600    | 2              |
| 6066640  | GUARDRAIL DELINEATOR, WHITE  | EACH | 24.00            | 1        | 25            | 25       | 25      | 24             |
| 6066641A | GUARDRAIL DELINEATOR, YELLOW   | EACH | 24.00            | 1        | 25            | 25       | 25      | 24             |
| 6071011A | CHAIN-LINK FENCE (48 IN.)  | L.F. | 227.50           | 2        | 49.905934     | 50.8     | 49      | 455            |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 6071012A | CHAIN-LINK FENCE (60 IN.)                          | L.F. | 359.00           | 2        | 28            | 28       | 28      | 718            |
| 6071013A | CHAIN-LINK FENCE (72 IN.)                          | L.F. | 360.00           | 1        | 32            | 32       | 32      | 360            |
| 6071040  | DRIVE GATE (CHAIN-LINK)                            | EACH | 2.00             | 1        | 1200          | 1200     | 1200    | 2              |
| 6071050  | CHAIN-LINK FENCE (RETAINING WALLS)                 | L.F. | 726.25           | 4        | 31.157091     | 55.15    | 24      | 2905           |
| 6071060  | PEDESTRIAN FENCE (STRUCTURES)                      | L.F. | 268.80           | 5        | 125.098452    | 152      | 102.43  | 1344           |
| 6071067  | (112 IN.) CURVED TOP PEDESTRIAN FENCE (STRUCTURES) | L.F. | 445.33           | 3        | 163.381444    | 183.01   | 154.9   | 1336           |
| 6071101  | MODIFIED CONCRETE GUTTER TYPE A                    | L.F. | 151.25           | 4        | 76.210082     | 258      | 32.97   | 605            |
| 6071102  | MODIFIED CONCRETE GUTTER TYPE B                    | L.F. | 658.75           | 4        | 34.614155     | 53.35    | 25.8    | 2635           |
| 6072010  | WOVEN WIRE FENCE                                   | L.F. | 184.00           | 1        | 25            | 25       | 25      | 184            |
| 6081000  | CONCRETE MEDIAN                                    | S.Y. | 748.89           | 10       | 65.944818     | 190      | 47.5    | 7488.9         |
| 6081010  | CONCRETE CURB RAMP                                 | S.Y. | 216.02           | 36       | 126.371251    | 507.25   | 47.25   | 7776.7         |
| 6081012  | TRUNCATED DOMES                                    | S.F. | 271.27           | 47       | 28.202293     | 50.55    | 13      | 12749.8        |
| 6082023  | HAND-RAILING FOR STEPS                             | L.F. | 110.00           | 2        | 268           | 2400     | 145     | 220            |
| 6082024  | HAND-RAILING FOR STEPS WITH                        | L.F. | 397.00           | 1        | 177.68        | 177.68   | 177.68  | 397            |
| 6083003  | 3 IN. CONCRETE MEDIAN STRIP                        | S.Y. | 554.29           | 7        | 62.033657     | 170      | 43.95   | 3880           |
| 6083004  | 4 IN. CONCRETE MEDIAN STRIP                        | S.Y. | 1708.90          | 1        | 33.05         | 33.05    | 33.05   | 1708.9         |
| 6083006  | 6 IN. CONCRETE MEDIAN STRIP                        | S.Y. | 1340.19          | 15       | 51.712772     | 600      | 16.5    | 20102.9        |
| 6083008  | 8 IN. CONCRETE MEDIAN STRIP                        | S.Y. | 420.46           | 9        | 56.087035     | 144.91   | 29.2    | 3784.1         |
| 6084023  | SIDEWALK HAND-RAILING                              | L.F. | 174.43           | 7        | 121.196101    | 231.75   | 95      | 1221           |
| 6084024  | SIDEWALK HAND-RAILING WITH                         | L.F. | 92.00            | 1        | 197.1         | 197.1    | 197.1   | 92             |
| 6085007  | PAVED APPROACH, 7 IN.                              | S.Y. | 564.63           | 16       | 76.375679     | 89.75    | 57.65   | 9034           |
| 6085008  | PAVED APPROACH, 8 IN.                              | S.Y. | 715.94           | 30       | 69.499247     | 125      | 56.75   | 21478.1        |
| 6086004  | CONCRETE SIDEWALK, 4 IN.                           | S.Y. | 1151.07          | 44       | 46.843692     | 200      | 11.8    | 50646.9        |
| 6086007  | CONCRETE SIDEWALK, 7 IN.                           | S.Y. | 22.83            | 3        | 73.698686     | 81       | 65      | 68.5           |
| 6086008  | CONCRETE SIDEWALK, 8 IN.                           | S.Y. | 46.78            | 8        | 83.351525     | 211.15   | 65.98   | 374.2          |
| 6091010  | CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S      | L.F. | 294.46           | 19       | 36.647043     | 119.73   | 15.2    | 5594.8         |
| 6091011  | CONCRETE CURB (OVER 6 IN. HEIGHT) TYPE S           | L.F. | 224.79           | 7        | 35.391719     | 60       | 20.45   | 1573.5         |
| 6091041  | CONCRETE GUTTER TYPE A                             | L.F. | 20.50            | 6        | 79.029268     | 200      | 28.95   | 123            |
| 6091042  | CONCRETE GUTTER TYPE B                             | L.F. | 616.80           | 5        | 39.917467     | 120      | 30      | 3084           |
| 6091051  | CURB AND GUTTER TYPE A                             | L.F. | 201.70           | 5        | 38.936291     | 55.95    | 33.5    | 1008.5         |
| 6091052  | CURB AND GUTTER TYPE B                             | L.F. | 1345.08          | 24       | 27.221199     | 75       | 21      | 32282          |
| 6091060  | PAVED DITCH  | S.Y. | 92.82            | 11       | 87.964305     | 205      | 69.9    | 1021           |
| 6092011  | INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A      | L.F. | 417.62           | 20       | 19.143947     | 150      | 11.78   | 8352.3         |
| 6092012  | INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE B      | L.F. | 1405.25          | 4        | 21.305354     | 23       | 13.5    | 5621           |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6092013  | INTEGRAL CURB TYPE M  | L.F. | 588.50           | 2        | 38.130841     | 40       | 20      | 1177           |
| 6092021  | INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE A                                | L.F. | 316.50           | 2        | 14.579778     | 15       | 10.25   | 633            |
| 6092022  | INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE B                                | L.F. | 169.00           | 1        | 30            | 30       | 30      | 169            |
| 6092031  | CONCRETE CURB LOW PROFILE TYPE E  | L.F. | 397.50           | 2        | 15.450943     | 17.5     | 8.5     | 795            |
| 6092032  | CONCRETE CURB LOW PROFILE TYPE F  | L.F. | 344.33           | 3        | 34.209099     | 40       | 31      | 1033           |
| 6094010  | DRAIN BASIN   | EACH | 3.00             | 2        | 5016.666666   | 5325     | 4400    | 6              |
| 6096010A | FURNISHING TYPE 1 ROCK DITCH LINER                                      | C.Y. | 59.80            | 33       | 33.260742     | 600      | 18.5    | 1973.4         |
| 6096020  | FURNISHING TYPE 2 ROCK DITCH LINER                                      | C.Y. | 139.79           | 24       | 39.517779     | 100      | 20      | 3355           |
| 6096030A | FURNISHING TYPE 3 ROCK DITCH LINER                                      | C.Y. | 122.46           | 7        | 47.043513     | 55       | 25      | 857.2          |
| 6096040A | FURNISHING TYPE 4 ROCK DITCH LINER                                      | C.Y. | 48.00            | 1        | 50            | 50       | 50      | 48             |
| 6096041  | PLACING TYPE 1 ROCK DITCH LINER   | C.Y. | 60.92            | 32       | 40.495429     | 700      | 10.51   | 1949.4         |
| 6096042  | PLACING TYPE 2 ROCK DITCH LINER   | C.Y. | 220.56           | 25       | 25.331592     | 100      | 14      | 5514           |
| 6096043  | PLACING TYPE 3 ROCK DITCH LINER   | C.Y. | 574.40           | 8        | 24.039127     | 30.1     | 20      | 4595.2         |
| 6096044  | PLACING TYPE 4 ROCK DITCH LINER   | C.Y. | 2421.50          | 2        | 24.059467     | 30       | 24      | 4843           |
| 6096050  | BEDDING MATERIAL FOR ROCK DITCH LINER                                   | C.Y. | 400.09           | 9        | 47.03981      | 120      | 45      | 3600.8         |
| 6097000  | ROCK LINING   | C.Y. | 82.12            | 53       | 70.62278      | 1000     | 49      | 4352.3         |
| 6113010  | FURNISHING TYPE 1 ROCK BLANKET  | C.Y. | 793.00           | 6        | 36.532776     | 66       | 25      | 4758           |
| 6113020  | FURNISHING TYPE 2 ROCK BLANKET  | C.Y. | 596.52           | 84       | 40.232024     | 300      | 20      | 50107.9        |
| 6113030  | PLACING TYPE 1 ROCK BLANKET   | C.Y. | 796.33           | 6        | 17.522028     | 34.5     | 10.51   | 4778           |
| 6113040  | PLACING TYPE 2 ROCK BLANKET   | C.Y. | 649.85           | 85       | 19.68585      | 200      | 6.93    | 55236.9        |
| 6116010A | CONCRETE SLOPE PROTECTION   | S.Y. | 305.83           | 6        | 85.649972     | 300      | 51.6    | 1835           |
| 6117000A | GABIONS   | C.Y. | 78.00            | 1        | 348.06        | 348.06   | 348.06  | 78             |
| 6122008  | Impact Attenuator 40 MPH (Sand Barrels)                                 | EACH | 5.14             | 7        | 706.25        | 2350     | 300     | 36             |
| 6122009  | Impact Attenuator 45 MPH (Sand Barrels)                                 | EACH | 1.00             | 2        | 2500          | 2500     | 2500    | 2              |
| 6122012  | Impact Attenuator 55 MPH (Sand Barrels)                                 | EACH | 1.93             | 14       | 2595          | 3750     | 1100    | 27             |
| 6122014  | Impact Attenuator 60 MPH (Sand Barrels)                                 | EACH | 2.00             | 6        | 2992.5        | 4250     | 2110    | 12             |
| 6122017  | Impact Attenuator 65 MPH (Sand Barrels)                                 | EACH | 1.80             | 5        | 2112.111111   | 3833     | 1       | 9              |
| 6122019  | Impact Attenuator 70 MPH (Sand Barrels)                                 | EACH | 2.07             | 14       | 3199.062068   | 5702     | 1750    | 29             |
| 6122020  | REPLACEMENT SAND BARREL   | EACH | 6.59             | 32       | 329.023696    | 980      | 1       | 211            |
| 6122030  | IMPACT ATTENUATOR (RELOCATION)  | EACH | 4.54             | 26       | 597.34322     | 1800     | 1       | 118            |
| 6123000A | TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)                               | EACH | 1.97             | 234      | 1117.038939   | 21000    | 0.01    | 462            |
| 6131010  | FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A FULL DEPTH PA'S.Y. | S.Y. | 1904.09          | 43       | 174.671685    | 1200     | 87      | 81875.7        |
| 6131012  | SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)                     | S.Y. | 341.06           | 44       | 3.15488       | 400      | 0.01    | 15006.5        |
| 6131013  | TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)          | S.Y. | 326.33           | 41       | 6.619059      | 1200     | 1       | 13379.5        |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6131014  | FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW L.F.       |      | 6292.81          | 42       | 3.453149      | 15       | 0.01    | 264298.03      |
| 6131015  | DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH EACH |      | 2578.54          | 37       | 3.680593      | 64.47    | 0.01    | 95406          |
| 6131017  | DOWEL BAR (FURNISHING AND INSTALLATING WITH BASKETS) FOR FULL DEPTH EACH      |      | 864.11           | 19       | 7.52107       | 100      | 0.01    | 16418          |
| 6131018  | TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH EACH   |      | 701.38           | 13       | 4.997039      | 7.75     | 2       | 9118           |
| 6132018  | FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH C.Y.       |      | 12.73            | 6        | 1659.855693   | 4425.2   | 1047    | 76.4           |
| 6132019  | REMOVAL OF CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH CONCRETE P.S.Y.        |      | 200.61           | 7        | 143.192088    | 360.5    | 1       | 1404.3         |
| 6133018  | FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS B PARTIAL                | TON  | 687.64           | 10       | 82.939966     | 11000    | 1       | 6876.4         |
| 6133019  | REMOVAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR                             | S.Y. | 5373.10          | 10       | 7.99001       | 331.5    | 2.66    | 53731          |
| 6133020  | FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS C PARTIAL DEPT           | TON  | 793.38           | 43       | 94.168736     | 1077.67  | 35.5    | 34115.5        |
| 6133021  | REMOVAL FOR CLASS C PARTIAL DEPTH PAVEMENT REPAIR                             | S.Y. | 3363.09          | 43       | 15.950074     | 325      | 4.55    | 144612.8       |
| 6141021  | GRATE AND BEARING PLATE (3 FT. X 2 FT. OR 914 MM X 610 MM)                    | EACH | 2.10             | 10       | 1254.737142   | 1700     | 725     | 21             |
| 6141022  | GRATE AND BEARING PLATE (3 FT. X 3 FT. OR 914 MM X 914 MM)                    | EACH | 1.50             | 6        | 1509.412222   | 1890     | 967.41  | 9              |
| 6141023  | GRATE AND BEARING PLATE (5 FT. X 2 FT. OR 1524 MM X 610 MM)                   | EACH | 1.00             | 1        | 1500          | 1500     | 1500    | 1              |
| 6141024  | GRATE AND BEARING PLATE (5 FT. X 3 FT. OR 1524 MM X 914 MM)                   | EACH | 2.60             | 10       | 1690.467692   | 3340.2   | 1400    | 26             |
| 6141028  | GRATE AND BEARING PLATE (5 FT. - 1 IN. X 3 FT. - 1 IN. OR 1549 MM X 940 MM)   | EACH | 13.67            | 3        | 2357.675853   | 2500     | 1310    | 41             |
| 6141120  | CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MMX600MM)                    | EACH | 18.33            | 15       | 907.439672    | 2558.9   | 340     | 275            |
| 6141121  | CURVED VANE GRATE AND FRAME (4 FT X 2 FT OR 1200MM X 600MM)                   | EACH | 13.80            | 10       | 978.375797    | 1703.48  | 650     | 138            |
| 6143010  | MANHOLE FRAME AND COVER, TYPE 1-A   | EACH | 1.14             | 7        | 504.3125      | 634      | 350     | 8              |
| 6143011  | MANHOLE FRAME AND COVER, TYPE 1-B   | EACH | 12.75            | 4        | 474.079411    | 600      | 440.5   | 51             |
| 6143012  | MANHOLE FRAME AND COVER, TYPE 2   | EACH | 1.83             | 6        | 494.681818    | 525      | 400     | 11             |
| 6143013  | MANHOLE FRAME AND COVER, TYPE 3   | EACH | 13.50            | 12       | 308.477962    | 628      | 180     | 162            |
| 6143014  | MANHOLE FRAME AND COVER, TYPE 4   | EACH | 2.00             | 4        | 886.56        | 1510.05  | 241.14  | 8              |
| 6143020  | CURB INLET  | EACH | 2.00             | 3        | 1535.146666   | 2500     | 1052.72 | 6              |
| 6161005  | CONSTRUCTION SIGNS  | S.F. | 1147.53          | 341      | 6.437564      | 19.6     | 0.01    | 391307.75      |
| 6161007  | SPEED LIMIT AND STROBE LIGHT  | EACH | 2.00             | 1        | 5600          | 5600     | 5600    | 2              |
| 6161008  | ADVANCED WARNING RAIL SYSTEM  | EACH | 6.55             | 225      | 63.486546     | 400      | 0.01    | 1474           |
| 6161009  | FLAG ASSEMBLY   | EACH | 6.89             | 307      | 22.376338     | 103.05   | 0.01    | 2114           |
| 6161010  | RELOCATED SIGNS   | S.F. | 201.50           | 22       | 7.204493      | 13       | 0.53    | 4433           |
| 6161012  | BUOYS (BOATS KEEP OUT)  | EACH | 12.50            | 8        | 312.96        | 822      | 125     | 100            |
| 6161013  | BUOYS (NO WAKE)   | EACH | 16.67            | 6        | 256.6         | 822      | 125     | 100            |
| 6161014  | SPECIAL SIGN ASSEMBLY (BOATS KEEP OUT)  | EACH | 3.50             | 8        | 1364.285714   | 2900     | 822     | 28             |
| 6161022  | CHANNELIZER (CONES)   | EACH | 33.00            | 1        | 18            | 18       | 18      | 33             |
| 6161024  | CHANNELIZER (TRIM LINE) WITH LIGHT  | EACH | 178.88           | 8        | 31.460796     | 38       | 20      | 1431           |
| 6161025  | CHANNELIZER (TRIM LINE)   | EACH | 174.77           | 268      | 15.86452      | 51.5     | 0.01    | 46838          |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 6161028  | CHANNELIZER  | EACH | 175.50           | 4        | 17.424501     | 20       | 15      | 702            |
| 6161030  | TYPE III MOVEABLE BARRICADE  | EACH | 11.27            | 117      | 139.058605    | 1000     | 10      | 1319           |
| 6161031  | TYPE III MOVEABLE BARRICADE WITH LIGHT   | EACH | 11.10            | 70       | 175.168957    | 387.95   | 50      | 777            |
| 6161033  | DIRECTIONAL INDICATOR BARRICADE  | EACH | 44.28            | 47       | 46.901975     | 98.78    | 0.01    | 2081           |
| 6161034  | DIRECTIONAL INDICATOR BARRICADE WITH LIGHT   | EACH | 40.00            | 9        | 72.357222     | 95       | 25      | 360            |
| 6161040  | FLASHING ARROW PANEL   | EACH | 2.63             | 134      | 931.780738    | 5152.3   | 0.01    | 352            |
| 6161047  | TYPE III OBJECT MARKER   | EACH | 8.80             | 5        | 242.937272    | 407.67   | 135     | 44             |
| 6161052  | WARNING LIGHT, TYPE B  | EACH | 5.89             | 9        | 63.345283     | 100      | 35      | 53             |
| 6161053  | WARNING LIGHT, TYPE C  | EACH | 31.00            | 1        | 21.34         | 21.34    | 21.34   | 31             |
| 6161055  | SEQUENTIAL FLASHING WARNING LIGHT  | EACH | 33.00            | 25       | 67.26749      | 101      | 45      | 825            |
| 6161070  | TUBULAR MARKER   | EACH | 137.50           | 10       | 70.17168      | 125      | 50      | 1375           |
| 6161095  | RADAR SPEED ADVISORY SYSTEM  | EACH | 2.00             | 1        | 5000          | 5000     | 5000    | 2              |
| 6161096  | CHANGEABLE MESSAGE SIGN, COMMISSION FURNISHED / RETAINED                                 | EACH | 3.00             | 3        | 3502.444444   | 4250     | 886     | 9              |
| 6161098A | CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED / RETAINED | EACH | 2.53             | 132      | 3507.095778   | 20700    | 750     | 334            |
| 6161099  | CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED / RETAINED    | EACH | 3.21             | 107      | 2901.680058   | 6500     | 500     | 344            |
| 6162000A | WORK ZONE TRAFFIC SIGNAL SYSTEM  | EACH | 1.14             | 7        | 13708.55625   | 42500    | 5500    | 8              |
| 6162002  | TEMPORARY LONG-TERM  | EACH | 6.63             | 24       | 824.107924    | 3500     | 380     | 159            |
| 6162004  | SHORT-TERM RUMBLE STRIPS   | EACH | 6.11             | 81       | 1051.844808   | 4200     | 1       | 495            |
| 6171000  | CONCRETE TRAFFIC BARRIER, TYPE A   | L.F. | 68.67            | 3        | 175.237864    | 315.18   | 111     | 206            |
| 6172000  | CONCRETE TRAFFIC BARRIER, TYPE B   | L.F. | 253.60           | 5        | 233.31175     | 590      | 95      | 1268           |
| 6172001  | CONCRETE TRAFFIC BARRIER, TYPE B (MODIFIED)  | L.F. | 105.00           | 1        | 399           | 399      | 399     | 105            |
| 6173000  | CONCRETE TRAFFIC BARRIER, TYPE C   | L.F. | 4687.71          | 7        | 76.46471      | 315      | 73      | 32814          |
| 6173100  | CONCRETE TRAFFIC BARRIER, TYPE D   | L.F. | 483.29           | 7        | 98.522199     | 285      | 72.3    | 3383           |
| 6173101  | CONCRETE TRAFFIC BARRIER, TYPE D (MODIFIED)  | L.F. | 3665.00          | 1        | 83.4          | 83.4     | 83.4    | 3665           |
| 6173102  | CONCRETE TRAFFIC BARRIER, TYPE D (RETAINING WALL)  | L.F. | 842.67           | 3        | 88.922072     | 373      | 85      | 2528           |
| 6173103  | CONCRETE TRAFFIC BARRIER,  | L.F. | 373.33           | 3        | 217.471428    | 1300     | 110     | 1120           |
| 6173600D | TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED                               | L.F. | 791.38           | 40       | 23.612637     | 60       | 1       | 31655          |
| 6173700B | TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED                      | L.F. | 2152.11          | 9        | 34.164355     | 100      | 22      | 19369          |
| 6173706  | TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED  | L.F. | 200.25           | 4        | 31.259425     | 52.7     | 20      | 801            |
| 6174000A | TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION  | EACH | 2.60             | 5        | 929.007692    | 1565     | 497.85  | 13             |
| 6175010A | RELOCATING TEMPORARY TRAFFIC BARRIER   | L.F. | 1621.50          | 24       | 9.464939      | 39       | 1       | 38916          |
| 6175011B | RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED  | L.F. | 10495.00         | 3        | 14.548753     | 50       | 14.2    | 31485          |
| 6175013  | RELOCATING TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION                        | L.F. | 213.00           | 2        | 15            | 15       | 15      | 426            |
| 6175020A | RELOCATING TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION                                   | EACH | 1.50             | 2        | 662.8         | 744.2    | 500     | 3              |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 6178001  | TRAFFIC BARRIER DELINEATOR, WHITE                                    | EACH | 13.00            | 1        | 24            | 24       | 24      | 13             |
| 6178003A | TRAFFIC BARRIER DELINEATOR, YELLOW/YELLOW                            | EACH | 20.00            | 1        | 8.2           | 8.2      | 8.2     | 20             |
| 6181000  | MOBILIZATION   | L.S. | 1.00             | 401      | 110651.543    | 5982000  | 1       | 401            |
| 6181010  | RAILROAD ENGINEERING   | L.S. | 1.00             | 2        | 93375         | 150000   | 36750   | 2              |
| 6181020  | ADDITIONAL MOBILIZATION FOR  | EACH | 3.58             | 81       | 599.793103    | 600      | 570     | 290            |
| 6191000  | PAVEMENT EDGE TREATMENT  | L.F. | 11255.13         | 24       | 0.996235      | 14.1     | 0.01    | 270123         |
| 6200003  | PREFORMED THERMOPLASTIC  | L.F. | 2009.20          | 10       | 2.984712      | 5        | 2       | 20092          |
| 6200006  | PREFORMED THERMOPLASTIC  | L.F. | 1072.60          | 5        | 3.124557      | 5        | 2.5     | 5363           |
| 6200009  | PREFORMED THERMOPLASTIC  | L.F. | 2572.20          | 25       | 4.355426      | 11       | 1       | 64305          |
| 6200012  | PREFORMED THERMOPLASTIC  | L.F. | 367.60           | 5        | 9.565288      | 13       | 7       | 1838           |
| 6200015  | PREFORMED THERMOPLASTIC  | L.F. | 280.92           | 122      | 18.022162     | 65       | 8       | 34272          |
| 6200018  | PREFORMED THERMOPLASTIC  | L.F. | 459.30           | 53       | 15.10549      | 30       | 0.26    | 24343          |
| 6200019  | COLD APPLIED TAPE PAVEMENT   | EACH | 2.00             | 1        | 375           | 375      | 375     | 2              |
| 6200021  | PREFORMED THERMOPLASTIC  | EACH | 24.72            | 113      | 247.064736    | 700      | 135     | 2793           |
| 6200024  | PREFORMED THERMOPLASTIC  | EACH | 4.24             | 21       | 302.617977    | 1100     | 180     | 89             |
| 6200027  | PREFORMED THERMOPLASTIC  | EACH | 3.59             | 29       | 468.145096    | 950      | 250     | 104            |
| 6200030  | PREFORMED THERMOPLASTIC  | EACH | 5.00             | 16       | 426.675625    | 650      | 275     | 80             |
| 6200033  | PREFORMED THERMOPLASTIC  | EACH | 2.29             | 24       | 1045.830909   | 1532     | 306.25  | 55             |
| 6200034  | COLD APPLIED TAPE PAVEMENT   | EACH | 6.00             | 2        | 500           | 500      | 500     | 12             |
| 6200036  | PREFORMED THERMOPLASTIC  | EACH | 86.23            | 43       | 159.619188    | 826.85   | 35      | 3708           |
| 6200037  | COLD APPLIED TAPE PAVEMENT   | EACH | 6.00             | 1        | 1250          | 1250     | 1250    | 6              |
| 6200039  | PREFORMED THERMOPLASTIC  | EACH | 4.50             | 2        | 766.666666    | 1800     | 250     | 9              |
| 6200042  | PREFORMED THERMOPLASTIC  | EACH | 57.55            | 29       | 39.852756     | 56.85    | 0.5     | 1669           |
| 6200045  | PREFORMED THERMOPLASTIC  | EACH | 2.50             | 2        | 760           | 2000     | 450     | 5              |
| 6205301B | PREFORMED REMOVABLE MARKING TAPE 4 IN., WHITE                        | L.F. | 8685.39          | 23       | 1.242317      | 3.1      | 0.85    | 199764         |
| 6205303B | PREFORMED REMOVABLE MARKING TAPE 4 IN., YELLOW                       | L.F. | 9714.14          | 22       | 1.22674       | 3.1      | 0.45    | 213711         |
| 6205309  | PREFORMED REMOVABLE MARKING TAPE, 24 IN., WHITE                      | L.F. | 45.60            | 5        | 10.578947     | 18.6     | 6.6     | 228            |
| 6205320  | PREFORMED REMOVABLE MARKING TAPE, 12 IN., WHITE                      | L.F. | 36.00            | 1        | 3.75          | 3.75     | 3.75    | 36             |
| 6205440A | PREFORMED SHORT TERM MARKING TAPE LEFT/RIGHT ARROW                   | EACH | 8.71             | 7        | 99.727868     | 300      | 55      | 61             |
| 6205443A | PREFORMED SHORT TERM MARKING TAPE COMBINATION STRAIGHT- LEFT ARR     | EACH | 2.50             | 2        | 125           | 125      | 125     | 5              |
| 6205901A | 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE | L.F. | 43040.26         | 49       | 0.16899       | 4        | 0.08    | 2108972.9      |
| 6205902A | 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE  | L.F. | 94744.21         | 124      | 0.19974       | 8        | 0.1     | 11748282       |
| 6205903A | 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE | L.F. | 82988.46         | 89       | 0.196064      | 2        | 0.12    | 7385973        |
| 6205906A | 12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE | L.F. | 5897.43          | 44       | 0.903751      | 13       | 0.3     | 259487         |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 6206000C | 4 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS               | L.F. | 66685.17         | 209      | 0.108542      | 10       | 0.05    | 13937200       |
| 6206001C | 4 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS              | L.F. | 53562.75         | 238      | 0.108485      | 12       | 0.05    | 12747935       |
| 6206108A | 8 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS               | L.F. | 1152.40          | 5        | 0.386379      | 5.5      | 0.25    | 5762           |
| 6206124A | 24 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS              | L.F. | 516.44           | 18       | 5.63453       | 15.2     | 1       | 9296           |
| 6206125A | 24 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS             | L.F. | 719.50           | 14       | 3.252531      | 15.2     | 1.05    | 10073          |
| 6206150A | 4 IN. WHITE ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT             | L.F. | 4022.00          | 1        | 0.25          | 0.25     | 0.25    | 4022           |
| 6206151A | 4 IN. YELLOW ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT            | L.F. | 13218.00         | 1        | 0.25          | 0.25     | 0.25    | 13218          |
| 6207001  | PAVEMENT MARKING REMOVAL  | L.F. | 9946.24          | 84       | 0.630236      | 15       | 0.1     | 835484         |
| 6207002  | PAVEMENT MARKING REMOVAL (SYMBOLS)  | EACH | 36.88            | 41       | 49.832658     | 300      | 10      | 1512           |
| 6208064A | TEMPORARY RAISED PAVEMENT MARKER, TYPE 1                                  | EACH | 627.60           | 5        | 2.863607      | 4        | 2       | 3138           |
| 6208070  | REMOVAL OF SNOWPLOWABLE RAISED PAVEMENT MARKER                            | EACH | 60.00            | 1        | 1             | 1        | 1       | 60             |
| 6208076  | 4 IN TEMPORARY PAVEMENT   | L.F. | 22983.88         | 8        | 0.363836      | 3.7      | 0.05    | 183871         |
| 6214600A | FLOWABLE BACKFILL   | C.Y. | 31.16            | 19       | 223.008902    | 1005     | 105.65  | 592            |
| 6221001  | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THIC S.Y. |      | 76187.26         | 145      | 0.958497      | 134.22   | 0.05    | 11047152.6     |
| 6221003  | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATER S.Y.    |      | 40919.39         | 14       | 2.85037       | 113      | 1.22    | 572871.4       |
| 6221011  | COLDMILLING CONCRETE PAVEMENT FOR REMOVAL OF SURFACE                      | C.Y. | 55389.00         | 2        | 1.071374      | 1.22     | 1.07    | 110778         |
| 6223010  | DIAMOND GRINDING (CONCRETE PAVEMENT)                                      | S.Y. | 15775.00         | 1        | 5.75          | 5.75     | 5.75    | 15775          |
| 6224010  | MODIFIED COLD MILLING (DEPTH TRANSITIONS)                                 | S.Y. | 4057.08          | 146      | 4.265489      | 60.83    | 0.58    | 592333.2       |
| 6233000  | EPOXY POLYMER CONCRETE OVERLAY  | S.Y. | 2042.22          | 32       | 31.670072     | 65       | 27.75   | 65351          |
| 6235000  | MMA POLYMER SLURRY WEARING  | S.Y. | 4832.75          | 4        | 84.350059     | 89       | 81      | 19331          |
| 6240101A | SUBSURFACE DRAINAGE GEOTEXTILE  | S.Y. | 1708.00          | 2        | 3.798375      | 5        | 3.05    | 3416           |
| 6240103A | PERMANENT EROSION CONTROL GEOTEXTILE                                      | S.Y. | 960.88           | 90       | 2.858981      | 35       | 1.61    | 86479.4        |
| 6240104A | SEPARATION GEOTEXTILE   | S.Y. | 15570.96         | 14       | 1.635165      | 4.1      | 0.78    | 217993.5       |
| 6252001  | UNDERSEALING MATERIAL HIGH DENSITY POLYURETHANE                           | LBS  | 12000.00         | 1        | 3.95          | 3.95     | 3.95    | 12000          |
| 6252003  | SLAB JACKING MATERIAL HIGH DENSITY POLYURETHANE                           | LBS  | 39708.00         | 4        | 4.03172       | 4.1      | 3.95    | 158832         |
| 6261000A | BITUMINOUS SHOULDER RUMBLE STRIP  | STA. | 1090.93          | 74       | 17.982288     | 731.19   | 9       | 80728.47       |
| 6261001  | BITUMINOUS CENTERLINE RUMBLE STRIP  | STA. | 672.36           | 30       | 17.839399     | 731.19   | 9.5     | 20170.87       |
| 6262000A | PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP                            | STA. | 388.26           | 7        | 67.084951     | 1200     | 51      | 2717.8         |
| 6274000  | CONTRACTOR FURNISHED SURVEYING AND STAKING                                | L.S. | 1.00             | 241      | 9966.691742   | 384300   | 100     | 241            |
| 7011104  | DRILLED SHAFTS (3 FT. 0 IN. DIA.)   | L.F. | 95.58            | 6        | 333.772348    | 766.23   | 190     | 573.5          |
| 7011105  | DRILLED SHAFTS (3 FT. 6 IN. DIA.)   | L.F. | 52.63            | 7        | 707.13355     | 950      | 415     | 368.4          |
| 7011106  | DRILLED SHAFTS (4 FT. 0 IN. DIA.)   | L.F. | 90.70            | 3        | 779.870378    | 865      | 750     | 272.1          |
| 7011107  | DRILLED SHAFTS (4 FT. 6 IN. DIA.)   | L.F. | 39.00            | 1        | 415           | 415      | 415     | 39             |
| 7011108  | DRILLED SHAFTS (5 FT. 0 IN. DIA.)   | L.F. | 38.00            | 2        | 1784.736842   | 1970     | 1530    | 76             |



| PAY ITEM | DESCRIPTION                                     | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 7011110  | DRILLED SHAFTS (6 FT. 0 IN. DIA.)               | L.F. | 380.40           | 1        | 485           | 485      | 485     | 380.4          |
| 7011203  | ROCK SOCKETS (2 FT 6 IN. DIA.)                  | L.F. | 53.92            | 6        | 412.30255     | 850      | 158.17  | 323.5          |
| 7011204  | ROCK SOCKETS (3 FT 0 IN. DIA.)                  | L.F. | 39.00            | 6        | 592.777777    | 815      | 475     | 234            |
| 7011205  | ROCK SOCKETS (3 FT 6 IN. DIA.)                  | L.F. | 39.27            | 3        | 809.100169    | 1000     | 678     | 117.8          |
| 7011207  | ROCK SOCKETS (4 FT 6 IN. DIA.)                  | L.F. | 50.67            | 3        | 641.907894    | 715      | 415     | 152            |
| 7011209  | ROCK SOCKETS (5 FT 6 IN. DIA.)                  | L.F. | 108.00           | 1        | 2555          | 2555     | 2555    | 108            |
| 7011300  | VIDEO CAMERA INSPECTION                         | EACH | 4.22             | 18       | 557.761842    | 1100     | 50      | 76             |
| 7011400  | FOUNDATION INSPECTION HOLES                     | L.F. | 88.63            | 18       | 120.060458    | 220      | 63      | 1595.3         |
| 7011600  | SONIC LOGGING TESTING                           | EACH | 4.06             | 17       | 2083.015217   | 5100     | 437.61  | 69             |
| 7021012  | STRUCTURAL STEEL PILES (12 IN.)                 | L.F. | 641.00           | 2        | 54            | 54       | 54      | 1282           |
| 7021212  | GALVANIZED STRUCTURAL STEEL PILES (12 IN)       | L.F. | 560.23           | 40       | 73.323117     | 140      | 47      | 22409          |
| 7021214  | GALVANIZED STRUCTURAL STEEL PILES (14 IN)       | L.F. | 596.00           | 8        | 89.59234      | 135      | 75      | 4768           |
| 7021314  | GALVANIZED CAST-IN-PLACE CONCRETE PILES (14 IN) | L.F. | 421.25           | 12       | 92.88834      | 140.59   | 57      | 5055           |
| 7021316  | GALVANIZED CAST-IN-PLACE CONCRETE PILES (16 IN) | L.F. | 1179.86          | 7        | 90.553093     | 120      | 76      | 8259           |
| 7021320  | GALVANIZED CAST-IN-PLACE                        | L.F. | 350.00           | 2        | 166.208571    | 187.82   | 150     | 700            |
| 7021324  | GALVANIZED CAST-IN-PLACE CONCRETE PILES (24 IN) | L.F. | 728.00           | 1        | 140           | 140      | 140     | 728            |
| 7025001  | DYNAMIC PILE TESTING                            | EACH | 2.57             | 23       | 2500.067796   | 3750     | 1115    | 59             |
| 7025002  | PILE WAVE ANALYSIS                              | EACH | 2.00             | 8        | 600           | 750      | 400     | 16             |
| 7025004  | DYNAMIC PILE RESTRIKE TESTING                   | EACH | 3.33             | 3        | 606           | 1150     | 465     | 10             |
| 7026000  | PRE-BORE FOR PILING                             | L.F. | 117.80           | 20       | 160.693624    | 350      | 75      | 2356           |
| 7027000  | PILE POINT REINFORCEMENT                        | EACH | 14.02            | 55       | 201.882166    | 1145.15  | 80      | 771            |
| 7031004  | DIAMOND GRINDING                                | S.Y. | 3003.00          | 1        | 6.32          | 6.32     | 6.32    | 3003           |
| 7032002  | CLASS B CONCRETE (MISC)                         | C.Y. | 5.48             | 6        | 988.161094    | 14500    | 574.5   | 32.9           |
| 7032003  | CLASS B CONCRETE (SUBSTRUCTURE)                 | C.Y. | 63.37            | 60       | 817.597965    | 5050     | 565     | 3802.1         |
| 7032009  | CLASS B CONCRETE (RETAINING WALLS)              | C.Y. | 9.90             | 1        | 2775          | 2775     | 2775    | 9.9            |
| 7033009  | AESTHETIC CONCRETE STAIN                        | S.Y. | 1.00             | 7        | 8990.782857   | 17530.5  | 3654    | 7              |
| 7034001  | CLASS B-1 CONCRETE                              | C.Y. | 5.98             | 5        | 3004.704481   | 12650    | 516.16  | 29.9           |
| 7034003  | CLASS B-1 CONCRETE (SUBSTRUCTURE)               | C.Y. | 80.07            | 10       | 881.34536     | 1500     | 710     | 800.7          |
| 7034009  | CLASS B-1 CONCRETE (RETAINING WALLS)            | C.Y. | 15.80            | 1        | 1825          | 1825     | 1825    | 15.8           |
| 7034040  | CLASS B-1 CONCRETE (CULVERTS-BRIDGE)            | C.Y. | 389.42           | 16       | 631.535361    | 1625     | 550     | 6230.7         |
| 7034041  | CLASS B-1 CONCRETE (CULVERTS)                   | C.Y. | 576.99           | 16       | 605.364981    | 1592     | 500     | 9231.9         |
| 7034208  | CLASS B-2 CONCRETE (SUPERSTRUCTURE SOLID SLAB)  | C.Y. | 242.88           | 4        | 919.580442    | 960      | 820     | 971.5          |
| 7034212  | SLAB ON STEEL                                   | S.Y. | 1172.13          | 30       | 285.166747    | 485      | 226     | 35164          |
| 7034213  | SLAB ON CONCRETE I-GIRDER                       | S.Y. | 490.94           | 17       | 341.929743    | 435      | 285     | 8346           |

| PAY ITEM | DESCRIPTION                                    | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 7034214  | CLASS B-2 CONCRETE                             | C.Y. | 14.79            | 30       | 2707.009294   | 6530     | 800     | 443.7          |
| 7034215  | SAFETY BARRIER CURB                            | L.F. | 370.48           | 54       | 82.972596     | 1400     | 50      | 20006          |
| 7034216  | TYPE H BARRIER                                 | L.F. | 368.17           | 6        | 81.545341     | 125      | 60      | 2209           |
| 7034219A | BARRIER CURB (TYPE D)                          | L.F. | 564.44           | 32       | 88.747384     | 135      | 58      | 18062          |
| 7034221  | SLAB ON CONCRETE NU-GIRDER                     | S.Y. | 737.00           | 23       | 340.169722    | 495      | 265     | 16951          |
| 7034222  | SLAB ON CONCRETE BEAM                          | S.Y. | 424.13           | 16       | 341.165879    | 405      | 305     | 6786           |
| 7034226  | REINFORCED CONCRETE SLAB OVERLAY               | S.Y. | 280.00           | 1        | 210           | 210      | 210     | 280            |
| 7034430  | SIDEWALK (BRIDGES)                             | S.F. | 3777.50          | 2        | 21.888815     | 26.05    | 13.5    | 7555           |
| 7034535  | CURB MODIFICATION                              | L.F. | 3.00             | 1        | 9165          | 9165     | 9165    | 3              |
| 7034600  | CURB BLOCKOUT                                  | L.F. | 647.18           | 45       | 88.892504     | 314.05   | 50.48   | 29123          |
| 7034610  | CORRAL CURB                                    | L.F. | 275.50           | 2        | 221.806715    | 273.5    | 117     | 551            |
| 7034620  | FORM LINERS                                    | S.Y. | 142.50           | 2        | 270.380385    | 321.5    | 192.57  | 285            |
| 7034630  | CONCRETE CURB (BRIDGE RAIL)                    | L.F. | 340.33           | 3        | 60.777668     | 75       | 42.5    | 1021           |
| 7040101  | SUBSTRUCTURE REPAIR (FORMED)                   | S.F. | 97.17            | 23       | 123.112751    | 350      | 50      | 2235           |
| 7040102  | SUBSTRUCTURE REPAIR (UNFORMED)                 | S.F. | 95.33            | 9        | 206.95979     | 650      | 15      | 858            |
| 7040103  | SUPERSTRUCTURE REPAIR (UNFORMED)               | S.F. | 480.75           | 8        | 143.238221    | 311.16   | 49      | 3846           |
| 7040104  | REPAIRING CONCRETE DECK (HALF-SOLING)          | S.F. | 396.11           | 53       | 64.985934     | 450      | 39.45   | 20994          |
| 7040106  | FULL DEPTH REPAIR                              | S.F. | 320.21           | 24       | 56.709173     | 550      | 34      | 7685           |
| 7040107  | SLAB EDGE REPAIR (BRIDGES)                     | L.F. | 58.33            | 6        | 133.393714    | 400      | 104.1   | 350            |
| 7040108  | MODIFIED DECK REPAIR                           | S.F. | 550.00           | 1        | 49.2          | 49.2     | 49.2    | 550            |
| 7040109  | TOTAL SURFACE HYDRO DEMOLITION                 | S.Y. | 2566.44          | 9        | 33.724728     | 43       | 28      | 23098          |
| 7040110  | EPOXY PRESSURE INJECTING                       | L.F. | 33.00            | 1        | 200           | 200      | 200     | 33             |
| 7040112  | DECK REPAIR WITH VOID TUBE REPLACEMENT         | S.F. | 350.00           | 4        | 75.5          | 75.5     | 75.5    | 1400           |
| 7040113  | CLEAN AND EPOXY SEAL                           | S.F. | 1729.50          | 44       | 9.047494      | 200      | 3       | 76098          |
| 7040117  | MONOLITHIC DECK REPAIR                         | C.Y. | 40.89            | 9        | 700           | 700      | 700     | 368            |
| 7040164  | FIBER REINFORCED POLYMER                       | S.F. | 237.00           | 2        | 56            | 56       | 56      | 474            |
| 7056000  | TYPE 2 (32 IN.), PRESTRESSED CONCRETE I-GIRDER | L.F. | 515.88           | 8        | 181.729585    | 240      | 150     | 4127           |
| 7056001  | TYPE 3 (39 IN.), PRESTRESSED CONCRETE I-GIRDER | L.F. | 636.60           | 5        | 212.345409    | 280      | 160     | 3183           |
| 7056002  | TYPE 4 (45 IN.), PRESTRESSED CONCRETE I-GIRDER | L.F. | 195.00           | 1        | 248           | 248      | 248     | 195            |
| 7056003  | TYPE 6 (54 IN.), PRESTRESSED CONCRETE I-GIRDER | L.F. | 648.00           | 3        | 227.739197    | 230      | 225     | 1944           |
| 7056021  | NU 35 (900), PRESTRESSED CONCRETE NU-GIRDER    | L.F. | 689.75           | 8        | 246.934496    | 359.55   | 210     | 5518           |
| 7056022  | NU 43 (1100), PRESTRESSED CONCRETE NU-GIRDER   | L.F. | 827.71           | 7        | 254.634967    | 300      | 215     | 5794           |
| 7056023  | NU 53 (1350), PRESTRESSED CONCRETE NU-GIRDER   | L.F. | 936.00           | 4        | 273.440705    | 340.5    | 260     | 3744           |
| 7056024  | NU 63 (1600), PRESTRESSED CONCRETE NU-GIRDER   | L.F. | 436.00           | 3        | 297.20948     | 350      | 265     | 1308           |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 7056025  | NU 70 (1800), PRESTRESSED CONCRETE NU-GIRDER                        | L.F. | 1151.00          | 1        | 270           | 270      | 270     | 1151           |
| 7056049  | 21 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM                        | L.F. | 365.71           | 7        | 309.745171    | 385.88   | 275     | 2560           |
| 7056050A | 27 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM                        | L.F. | 597.83           | 6        | 306.189015    | 362      | 275     | 3587           |
| 7056051A | 33 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM                        | L.F. | 603.00           | 1        | 350           | 350      | 350     | 603            |
| 7056060  | 16 IN., PRESTRESSED CONCRETE DOUBLE-TEE GIRDER                      | L.F. | 396.00           | 1        | 300           | 300      | 300     | 396            |
| 7056065  | 17 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM                        | L.F. | 299.00           | 1        | 358.49        | 358.49   | 358.49  | 299            |
| 7061000  | REINFORCING STEEL   | LBS  | 1438.00          | 5        | 1.999652      | 5        | 1.6     | 7190           |
| 7061020  | REINFORCING STEEL (CULVERTS-BRIDGE)                                 | LBS  | 45734.38         | 16       | 1.376694      | 2.05     | 0.56    | 731750         |
| 7061030  | REINFORCING STEEL (CULVERTS)  | LBS  | 88282.67         | 15       | 0.495831      | 2.05     | 0.01    | 1324240        |
| 7061040  | REINFORCING STEEL (RETAINING WALL)                                  | LBS  | 1110.00          | 1        | 2             | 2        | 2       | 1110           |
| 7061060  | REINFORCING STEEL (BRIDGES)   | LBS  | 19611.18         | 34       | 1.207114      | 2.25     | 0.73    | 666780         |
| 7061070  | MECHANICAL BAR SPLICE   | EACH | 911.33           | 6        | 41.407964     | 95       | 29.25   | 5468           |
| 7071000  | CONDUIT SYSTEM ON STRUCTURE   | L.S. | 1.00             | 12       | 13035.72      | 26383    | 5927    | 12             |
| 7101000  | REINFORCING STEEL (EPOXY COATED)                                    | LBS  | 7448.41          | 44       | 1.511226      | 6.25     | 1.1     | 327730         |
| 7101010  | EPOXY COATED TIE BARS (DRILLED AND INSTALLED)                       | LBS  | 10.00            | 1        | 31.08         | 31.08    | 31.08   | 10             |
| 7110100  | PROTECTIVE COATING - CONCRETE BENTS AND PIERS (URETHENE)            | L.S. | 1.00             | 2        | 3000          | 3000     | 3000    | 2              |
| 7110200  | PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)               | L.S. | 1.00             | 47       | 6116.764893   | 26250    | 1250    | 47             |
| 7110300  | CONCRETE AND MASONRY PROTECTION SYSTEM                              | L.S. | 1.00             | 2        | 2465.315      | 2718.65  | 2211.98 | 2              |
| 7110400  | SACRIFICIAL GRAFFITI PROTECTION SYSTEM                              | L.S. | 1.00             | 3        | 3399.86       | 5268.95  | 2211.98 | 3              |
| 7110500  | TEMPORARY COATING - CONCRETE BENTS AND PIERS (WEATHERING STEEL)     | L.S. | 1.00             | 2        | 10171         | 13000    | 7342    | 2              |
| 7120900  | EXPANSION DEVICE (FINGER PLATE)                                     | L.F. | 41.60            | 5        | 2041.135576   | 3000     | 1467.4  | 208            |
| 7120915  | EXPANSION DEVICE (FLAT PLATE)                                       | L.F. | 39.00            | 2        | 809.5         | 822      | 797     | 78             |
| 7121000  | FABRICATED STRUCTURAL CARBON STEEL (MISC)                           | LBS  | 1050.00          | 3        | 10.034666     | 23       | 4.56    | 3150           |
| 7121060  | FABRICATED SIGN SUPPORT BRACKETS                                    | L.S. | 1.00             | 8        | 11809.1575    | 27500    | 2500    | 8              |
| 7121100  | FABRICATED STRUCTURAL LOW ALLOY STEEL (MISC)                        | LBS  | 4216.67          | 6        | 5.105019      | 25       | 3       | 25300          |
| 7121111  | FABRICATED STRUCTURAL LOW ALLOY STEEL (I-BEAM) A709, GRADE 5        | LBS  | 23432.00         | 5        | 2.290175      | 2.7      | 2.2     | 117160         |
| 7121113  | FABRICATED STRUCTURAL LOW ALLOY STEEL (I-BEAM) A709, GRADE 5        | LBS  | 56300.00         | 3        | 3.232698      | 4.58     | 2.51    | 168900         |
| 7121121  | FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE 50 | LBS  | 51830.00         | 4        | 3.72219       | 6.5      | 3       | 207320         |
| 7121122  | FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE 50 | LBS  | 57180.00         | 1        | 4.19          | 4.19     | 4.19    | 57180          |
| 7121159  | SHEAR CONNECTORS  | EACH | 860.00           | 2        | 8.22093       | 8.5      | 8       | 1720           |
| 7121250  | STRENGTHENING EXISTING STRINGERS                                    | L.S. | 1.00             | 1        | 34150         | 34150    | 34150   | 1              |
| 7121251  | HINGE MODIFICATION  | EACH | 6.50             | 6        | 36600.55641   | 43500    | 21260   | 39             |
| 7122300  | BRIDGE RAIL (TWO TUBE STRUCTURAL STEEL)                             | L.F. | 176.33           | 3        | 408.484461    | 452.06   | 380.23  | 529            |
| 7123000  | STEEL BAR DAM   | EACH | 2.00             | 2        | 8450          | 10200    | 6700    | 4              |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 7123130  | REHABILITATE BEARING                                  | EACH | 6.50             | 2        | 3273.076923   | 3712.5   | 2570    | 13             |
| 7123210  | EARTH QUAKE RESTRAINER ASSEMBLIES                     | EACH | 3.00             | 1        | 13125         | 13125    | 13125   | 3              |
| 7123300  | EXISTING DIAPHRAGM CONNECTIONS TO FLANGE              | L.S. | 1.00             | 4        | 53631         | 64035    | 46398   | 4              |
| 7123301  | STEEL INTERMEDIATE DIAPHRAGM FOR P/S CONCRETE GIRDERS | EACH | 8.50             | 22       | 812.580213    | 2250     | 490     | 187            |
| 7123610  | SLAB DRAIN  | EACH | 28.00            | 69       | 371.520693    | 1600     | 210     | 1932           |
| 7123620  | DRAINAGE SYSTEM (ON STRUCTURE)                        | L.S. | 1.00             | 6        | 48240         | 80000    | 10500   | 6              |
| 7125100  | SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL    | L.S. | 1.00             | 2        | 28500         | 40000    | 17000   | 2              |
| 7125102  | SURFACE PREPARATION FOR APPLYING EPOXY-MASTIC PRIMER  | L.S. | 1.00             | 14       | 7455.357142   | 30000    | 500     | 14             |
| 7125110  | FIELD APPLICATION OF INORGANIC ZINC PRIMER            | L.S. | 1.00             | 2        | 6250          | 7000     | 5500    | 2              |
| 7125111  | INTERMEDIATE FIELD COAT (SYSTEM G)                    | L.S. | 1.00             | 3        | 3676.933333   | 7000     | 1330.8  | 3              |
| 7125112  | FINISH FIELD COAT (SYSTEM G)                          | L.S. | 1.00             | 3        | 3391.733333   | 7000     | 475.2   | 3              |
| 7125200  | SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL    | S.F. | 3533.33          | 21       | 37.355687     | 124.8    | 9       | 74200          |
| 7125210  | FIELD APPLICATION OF INORGANIC ZINC PRIMER            | S.F. | 3533.33          | 21       | 2.804312      | 26.47    | 1       | 74200          |
| 7125365A | INTERMEDIATE FIELD COAT (SYSTEM G)                    | S.F. | 1970.59          | 17       | 3.42182       | 40       | 1       | 33500          |
| 7125370A | FINISH FIELD COAT (SYSTEM G)                          | S.F. | 1816.67          | 18       | 2.257247      | 10       | 1       | 32700          |
| 7125385A | INTERMEDIATE FIELD COAT (SYSTEM H)                    | S.F. | 3260.00          | 5        | 1.292822      | 2.87     | 1       | 16300          |
| 7125390A | FINISH FIELD COAT (SYSTEM H)                          | S.F. | 3700.00          | 4        | 1.132972      | 1.24     | 1       | 14800          |
| 7125960  | ALUMINUM EPOXY-MASTIC PRIMER                          | L.S. | 1.00             | 8        | 6375          | 30000    | 1550    | 8              |
| 7125961  | GRAY EPOXY-MASTIC PRIMER                              | L.S. | 1.00             | 7        | 3856.295714   | 5300     | 500     | 7              |
| 7126000  | NON-DESTRUCTIVE TESTING                               | L.F. | 59.50            | 10       | 55.018907     | 315      | 35      | 595            |
| 7134000  | BRIDGE GUARD RAIL (THRIE BEAM)                        | L.F. | 81.82            | 11       | 259.687888    | 315      | 175     | 900            |
| 7151001  | VERTICAL DRAIN AT END BENTS                           | EACH | 1.97             | 69       | 1830.515294   | 3715.7   | 950     | 136            |
| 7161000  | PLAIN NEOPRENE BEARING PAD                            | EACH | 9.60             | 43       | 334.496707    | 14000    | 75      | 413            |
| 7161002  | LAMINATED NEOPRENE BEARING PAD                        | EACH | 13.16            | 31       | 217.256176    | 425      | 115     | 408            |
| 7161003  | LAMINATED NEOPRENE BEARING PAD (TAPERED)              | EACH | 14.50            | 18       | 389.793103    | 878.5    | 180     | 261            |
| 7162000  | LAMINATED NEOPRENE BEARING PAD ASSEMBLY               | EACH | 8.79             | 24       | 1943.086255   | 4011     | 900     | 211            |
| 7163000  | TYPE N PTFE BEARING                                   | EACH | 6.45             | 11       | 3171.510563   | 4889.75  | 1600    | 71             |
| 7171002  | PREFORMED COMPRESSION SEAL                            | L.F. | 139.33           | 6        | 95.15         | 95.15    | 95.15   | 836            |
| 7172001  | STRIP SEAL EXPANSION JOINT SYSTEM                     | L.F. | 75.71            | 38       | 440.800191    | 744      | 380.05  | 2877           |
| 7172054  | OPEN CELL FOAM JOINT SEAL                             | L.F. | 196.27           | 11       | 40.252709     | 90       | 32      | 2159           |
| 7173002  | SILICONE EXPANSION JOINT SEALANT                      | L.F. | 68.89            | 18       | 60.317177     | 125      | 32.5    | 1240           |
| 7174001  | PREFORMED SILICONE OR EPDM                            | L.F. | 56.00            | 1        | 75            | 75       | 75      | 56             |
| 7174002  | PREFORMED SILICONE OR EPDM EXPANSION JOINT SEAL       | L.F. | 136.80           | 5        | 53.333333     | 85       | 46      | 684            |
| 7201000  | MECHANICALLY STABILIZED EARTH WALL SYSTEMS            | S.F. | 3939.13          | 16       | 76.776355     | 110      | 48.73   | 63026          |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 7201100  | FORM LINERS FOR MSE WALL SYSTEMS   | S.Y. | 476.00           | 1        | 1.15          | 1.15     | 1.15    | 476            |
| 7201200  | SELECT GRANULAR BACKFILL FOR STRUCTURAL SYSTEMS                          | C.Y. | 4263.67          | 3        | 30.659057     | 160      | 30      | 12791          |
| 7201300  | PILE SPACERS   | EACH | 14.00            | 6        | 924.155       | 1560     | 0.01    | 84             |
| 7250312A | 12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 282.72           | 13       | 58.073384     | 175      | 30      | 3675.4         |
| 7250315A | 15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 846.43           | 14       | 44.511206     | 200      | 35      | 11850          |
| 7250318A | 18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 283.65           | 17       | 69.613313     | 147      | 40      | 4822           |
| 7250321A | 21 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 69.00            | 2        | 66.726449     | 79.75    | 57      | 138            |
| 7250324A | 24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 216.56           | 16       | 70.878427     | 460      | 50      | 3465           |
| 7250330A | 30 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 144.40           | 5        | 81.908656     | 100      | 55      | 722            |
| 7250336A | 36 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 98.75            | 4        | 82.069493     | 130.15   | 62      | 395            |
| 7250342A | 42 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 75.50            | 2        | 126.354966    | 130      | 117.2   | 151            |
| 7250348A | 48 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 117.25           | 4        | 125.700639    | 150      | 93      | 469            |
| 7250360A | 60 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 35.00            | 1        | 149.5         | 149.5    | 149.5   | 35             |
| 7250412  | 12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 113.50           | 6        | 50.016446     | 75       | 30      | 681            |
| 7250415  | 15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 438.38           | 16       | 51.904609     | 82       | 30      | 7014           |
| 7250418  | 18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 166.00           | 17       | 57.019542     | 100      | 30.49   | 2822           |
| 7250424  | 24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 81.40            | 20       | 49.148857     | 85       | 34.4    | 1628           |
| 7250430  | 30 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 96.25            | 8        | 52.371038     | 76.95    | 45      | 770            |
| 7250436  | 36 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 92.56            | 9        | 79.736554     | 145.05   | 50      | 833            |
| 7250442  | 42 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 20.00            | 1        | 100           | 100      | 100     | 20             |
| 7250448  | 48 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 69.00            | 2        | 71.427536     | 80       | 67      | 138            |
| 7250460  | 60 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 74.00            | 1        | 100           | 100      | 100     | 74             |
| 7250472  | 72 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F. |      | 723.00           | 1        | 140           | 140      | 140     | 723            |
| 7252002  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-2                      | L.F. | 20.00            | 1        | 101.1         | 101.1    | 101.1   | 20             |
| 7252003  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-3                      | L.F. | 94.00            | 1        | 70            | 70       | 70      | 94             |
| 7252005  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-5                      | L.F. | 42.00            | 1        | 135           | 135      | 135     | 42             |
| 7252006  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-6/B-6A                 | L.F. | 62.00            | 2        | 107.548387    | 118      | 100     | 124            |
| 7252007  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-7/B-7A                 | L.F. | 36.00            | 1        | 116           | 116      | 116     | 36             |
| 7252008  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-8/B-8A                 | L.F. | 12.00            | 1        | 480           | 480      | 480     | 12             |
| 7252010  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-10/B-10A               | L.F. | 7.00             | 1        | 450           | 450      | 450     | 7              |
| 7252012  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-12/B-12A               | L.F. | 62.00            | 1        | 250           | 250      | 250     | 62             |
| 7252019  | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-19/B-19A               | L.F. | 119.00           | 1        | 680           | 680      | 680     | 119            |
| 7261012  | 12 IN. PIPE GROUP A  | L.F. | 234.00           | 9        | 57.404843     | 310      | 35      | 2106           |
| 7261015  | 15 IN. PIPE GROUP A  | L.F. | 922.06           | 17       | 64.494674     | 269      | 35      | 15675          |

| PAY ITEM | DESCRIPTION   | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 7261018  | 18 IN. PIPE GROUP A   | L.F. | 384.15           | 26       | 65.9616       | 220      | 36.9    | 9988           |
| 7261021  | 21 IN. PIPE GROUP A   | L.F. | 109.00           | 6        | 73.0374       | 190      | 67      | 654            |
| 7261024  | 24 IN. PIPE GROUP A   | L.F. | 364.75           | 20       | 84.380773     | 230      | 40      | 7295           |
| 7261030  | 30 IN. PIPE GROUP A   | L.F. | 170.92           | 13       | 120.436156    | 250      | 63.62   | 2222           |
| 7261036  | 36 IN. PIPE GROUP A   | L.F. | 192.45           | 11       | 136.94443     | 400      | 75      | 2117           |
| 7261042  | 42 IN. PIPE GROUP A   | L.F. | 38.50            | 2        | 185.844155    | 250      | 155     | 77             |
| 7261048  | 48 IN. PIPE GROUP A   | L.F. | 119.67           | 6        | 153.373008    | 1550     | 144.97  | 718            |
| 7265036  | JACKED 36 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE | L.F. | 119.00           | 1        | 886.15        | 886.15   | 886.15  | 119            |
| 7265430  | JACKED 30 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)  | L.F. | 173.00           | 1        | 1120          | 1120     | 1120    | 173            |
| 7310048  | PRECAST CONCRETE MANHOLE - 48 IN.                                     | L.F. | 22.22            | 9        | 666.54285     | 1200     | 255     | 200            |
| 7310060  | PRECAST CONCRETE MANHOLE - 60 IN.                                     | L.F. | 11.86            | 7        | 637.398313    | 990      | 250     | 83             |
| 7310072  | PRECAST CONCRETE MANHOLE - 72 IN.                                     | L.F. | 17.50            | 4        | 700.257142    | 1000     | 625     | 70             |
| 7311022  | PRECAST CONCRETE DROP INLET 2 FT X 2 FT                               | L.F. | 50.67            | 15       | 653.996302    | 1860     | 350     | 760            |
| 7311030  | PRECAST CONCRETE DROP INLET 3 FT X 2 FT-6 IN.                         | L.F. | 44.50            | 6        | 699.532808    | 858      | 489.57  | 267            |
| 7311032  | PRECAST CONCRETE DROP INLET 3 FT X 2 FT                               | L.F. | 9.56             | 9        | 677.41779     | 1472     | 325     | 86             |
| 7311033  | PRECAST CONCRETE DROP INLET 3 FT X 3 FT                               | L.F. | 7.00             | 8        | 895.855       | 1860     | 585.48  | 56             |
| 7311042  | PRECAST CONCRETE DROP INLET 4 FT X 2 FT                               | L.F. | 59.55            | 11       | 657.837404    | 1179     | 350     | 655            |
| 7311052  | PRECAST CONCRETE DROP INLET 5 FT X 2 FT                               | L.F. | 2.00             | 1        | 1000          | 1000     | 1000    | 2              |
| 7311053  | PRECAST CONCRETE DROP INLET 5 FT X 3 FT                               | L.F. | 25.18            | 22       | 944.417599    | 1850     | 545     | 554            |
| 7320012A | 12 IN. (300 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION      | EACH | 4.00             | 7        | 448.827142    | 1034     | 200     | 28             |
| 7320015A | 15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION      | EACH | 6.00             | 13       | 365.057435    | 1037.5   | 150     | 78             |
| 7320018A | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION      | EACH | 5.00             | 15       | 596.711866    | 1170.93  | 200     | 75             |
| 7320021A | 21 IN. (525 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION      | EACH | 4.00             | 1        | 851.95        | 851.95   | 851.95  | 4              |
| 7320024A | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION      | EACH | 4.25             | 8        | 668.17647     | 1510     | 275     | 34             |
| 7320030A | 30 IN. (750 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION      | EACH | 7.67             | 3        | 1000.260869   | 1200     | 500     | 23             |
| 7320036A | 36 IN. (900 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION      | EACH | 2.50             | 2        | 798.07        | 1590.35  | 600     | 5              |
| 7320042A | 42 IN. (1050 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION     | EACH | 4.00             | 1        | 850           | 850      | 850     | 4              |
| 7320048A | 48 IN. (1200 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION     | EACH | 2.00             | 4        | 1484.925      | 2391.9   | 1000    | 8              |
| 7320060A | 60 IN. (1500 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION     | EACH | 2.00             | 1        | 4300          | 4300     | 4300    | 2              |
| 7320612A | 12 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION               | EACH | 3.00             | 4        | 793.958333    | 942.5    | 475     | 12             |
| 7320615A | 15 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION               | EACH | 4.36             | 11       | 437.802291    | 1190     | 193     | 48             |
| 7320618A | 18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION               | EACH | 4.10             | 21       | 719.546627    | 2400     | 163     | 86             |
| 7320621A | 21 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION               | EACH | 2.00             | 4        | 809.4         | 1432.6   | 500     | 8              |
| 7320624A | 24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION               | EACH | 3.79             | 14       | 812.015283    | 1470     | 268     | 53             |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 7320630A | 30 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION              | EACH | 2.18             | 11       | 1178.07       | 1940     | 660     | 24             |
| 7320636A | 36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION              | EACH | 3.00             | 8        | 1427.090833   | 2500     | 775     | 24             |
| 7320642A | 42 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION              | EACH | 3.00             | 2        | 1941.666666   | 2400     | 1850    | 6              |
| 7320648A | 48 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION              | EACH | 1.83             | 6        | 2063.97909    | 2820     | 1318.83 | 11             |
| 7320812A | 12 IN. (300 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION     | EACH | 3.50             | 4        | 347.884285    | 425      | 250     | 14             |
| 7320815A | 15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION     | EACH | 22.50            | 12       | 508.494074    | 945      | 125     | 270            |
| 7320818A | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION     | EACH | 6.36             | 14       | 561.905617    | 1280     | 77.75   | 89             |
| 7320824A | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION     | EACH | 3.00             | 13       | 564.025641    | 1250     | 275     | 39             |
| 7320830A | 30 IN. (750 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION     | EACH | 2.67             | 6        | 510.625       | 815      | 370     | 16             |
| 7320836A | 36 IN. (900 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION     | EACH | 2.00             | 2        | 810           | 970      | 650     | 4              |
| 7320848A | 48 IN. (1200 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION    | EACH | 1.50             | 2        | 1458.333333   | 1575     | 1400    | 3              |
| 7321006  | B6 FLARED END SECTION  | EACH | 1.00             | 2        | 1387.5        | 1750     | 1025    | 2              |
| 7321007  | B7 FLARED END SECTION  | EACH | 2.00             | 1        | 2000          | 2000     | 2000    | 2              |
| 7321008  | B8 FLARED END SECTION  | EACH | 3.00             | 1        | 1950          | 1950     | 1950    | 3              |
| 7321012  | B12 FLARED END SECTION   | EACH | 2.00             | 1        | 4900          | 4900     | 4900    | 2              |
| 7321014A | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION       | EACH | 1.00             | 2        | 1237.5        | 1500     | 975     | 2              |
| 7321016A | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION       | EACH | 7.00             | 2        | 1177.142857   | 1620     | 1000    | 14             |
| 7321017A | 30 IN. (750 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION       | EACH | 3.00             | 3        | 1611.111111   | 2500     | 1350    | 9              |
| 7321018A | 36 IN. (900 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION       | EACH | 2.00             | 3        | 3295.666666   | 4912     | 2250    | 6              |
| 7321019A | 42 IN. (1050 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION      | EACH | 2.00             | 1        | 6020.7        | 6020.7   | 6020.7  | 2              |
| 7321022A | 60 IN. (1500 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION      | EACH | 2.00             | 1        | 7500          | 7500     | 7500    | 2              |
| 7322015A | BEVELED PIPE END TREATMENT FOR 15 IN. (375 MM) OR ALLOWED SUB        | EACH | 94.00            | 1        | 575           | 575      | 575     | 94             |
| 7322018A | BEVELED PIPE END TREATMENT FOR 18 IN. (450 MM) OR ALLOWED SUB        | EACH | 20.00            | 1        | 625           | 625      | 625     | 20             |
| 7322024A | BEVELED PIPE END TREATMENT FOR 24 IN. (600 MM) OR ALLOWED SUB        | EACH | 6.00             | 1        | 650           | 650      | 650     | 6              |
| 7322036A | BEVELED PIPE END TREATMENT FOR 36 IN. (900 MM) OR ALLOWED SUBSTITUTE | EACH | 8.00             | 1        | 790           | 790      | 790     | 8              |
| 7350001  | PIPE LINER FOR EXISTING CULVERT                                      | L.F. | 129.50           | 2        | 352.57915     | 410      | 72      | 259            |
| 8031000A | TURF TYPE TALL FESCUE SODDING  | S.Y. | 1217.89          | 18       | 7.410873      | 30       | 5       | 21922          |
| 8032000A | KENTUCKY BLUEGRASS SODDING   | S.Y. | 860.00           | 1        | 7.3           | 7.3      | 7.3     | 860            |
| 8033000  | K-31 TALL FESCUE SODDING   | S.Y. | 1888.00          | 1        | 6             | 6        | 6       | 1888           |
| 8034000  | BUFFALOGRASS SODDING   | S.Y. | 404.00           | 1        | 18.55         | 18.55    | 18.55   | 404            |
| 8041000  | TOPSOIL  | C.Y. | 1609.00          | 1        | 35            | 35       | 35      | 1609           |
| 8051000A | SEEDING - COOL SEASON MIXTURES                                       | ACRE | 3.52             | 156      | 2478.986593   | 31037.7  | 1452    | 549.3          |
| 8052000A | SEEDING - WARM SEASON MIXTURES                                       | ACRE | 3.69             | 7        | 2492.868217   | 14000    | 2000    | 25.8           |
| 8061001  | SEDIMENT BASIN EXCAVATION  | C.Y. | 3617.45          | 2        | 5.966882      | 6        | 2       | 7234.9         |

| PAY ITEM | DESCRIPTION                                       | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|---|------|------------------|----------|---------------|----------|---------|----------------|
| 8061002  | SEDIMENT BASIN ROCK                               | C.Y. | 2415.53          | 3        | 13.199293     | 75       | 13      | 7246.6         |
| 8061003  | SEDIMENT TRAP EXCAVATION                          | C.Y. | 79.30            | 23       | 25.666194     | 75       | 0.01    | 1824           |
| 8061004  | SEDIMENT TRAP ROCK                                | C.Y. | 49.40            | 48       | 82.002171     | 250      | 25      | 2371.1         |
| 8061005  | ROCK DITCH CHECK                                  | L.F. | 847.74           | 128      | 10.618408     | 200      | 1       | 108511         |
| 8061006  | ALTERNATE DITCH CHECK                             | L.F. | 1372.64          | 59       | 6.875833      | 28.5     | 5       | 80986          |
| 8061007A | CURB INLET CHECK                                  | EACH | 86.64            | 36       | 83.111205     | 250      | 1       | 3119           |
| 8061010A | TYPE B BERM                                       | L.F. | 4361.00          | 5        | 2.307544      | 12       | 2       | 21805          |
| 8061011  | SLOPE DRAINS                                      | L.F. | 3433.50          | 2        | 7.131061      | 25       | 7       | 6867           |
| 8061016  | SEDIMENT REMOVAL                                  | C.Y. | 161.41           | 180      | 16.570702     | 247.1    | 0.01    | 29054.3        |
| 8061017  | TEMPORARY SEEDING AND MULCHING                    | ACRE | 2.71             | 74       | 1110.933633   | 30000    | 0.01    | 200.9          |
| 8061019  | SILT FENCE  | L.F. | 3414.68          | 181      | 2.035909      | 16       | 0.01    | 618056.3       |
| 8061020  | TEMPORARY PIPE                                    | L.F. | 22.00            | 1        | 55.35         | 55.35    | 55.35   | 22             |
| 8061050  | TYPE C BERM                                       | L.F. | 348.31           | 65       | 19.347956     | 50       | 4       | 22640          |
| 8064128  | TYPE 1 TURF REINFORCEMENT MAT                     | S.Y. | 2970.17          | 6        | 4.054674      | 6.3      | 2.8     | 17821          |
| 8064129  | TYPE 2 TURF REINFORCEMENT MAT                     | S.Y. | 7120.78          | 9        | 3.584532      | 6.85     | 3.1     | 64087          |
| 8064130  | TYPE 3 TURF REINFORCEMENT MAT                     | S.Y. | 3660.25          | 4        | 4.196533      | 6.25     | 3.5     | 14641          |
| 8064131  | TYPE 1A EROSION CONTROL                           | S.Y. | 153.00           | 1        | 2             | 2        | 2       | 153            |
| 8064132  | TYPE 1B EROSION CONTROL                           | S.Y. | 4297.00          | 1        | 1.69          | 1.69     | 1.69    | 4297           |
| 8064133  | TYPE 1C EROSION CONTROL                           | S.Y. | 4952.50          | 4        | 1.996294      | 5        | 1.9     | 19810          |
| 8064134  | TYPE 1D EROSION CONTROL                           | S.Y. | 580.33           | 3        | 3.314014      | 3.7      | 2.5     | 1741           |
| 8064138  | TYPE 2D EROSION CONTROL                           | S.Y. | 2310.83          | 6        | 2.247205      | 3        | 2       | 13865          |
| 8064139  | TYPE 3A EROSION CONTROL                           | S.Y. | 1709.00          | 3        | 2.378915      | 3.4      | 2.1     | 5127           |
| 8064140  | TYPE 3B EROSION CONTROL                           | S.Y. | 4545.23          | 13       | 2.001568      | 3.5      | 1.48    | 59088          |
| 8064141  | TYPE 4 EROSION CONTROL                            | S.Y. | 541.67           | 3        | 7.976615      | 10       | 7       | 1625           |
| 8065000  | GEOSYNTHETIC REINFORCED SOIL SLOPE SYSTEM         | S.F. | 1500.00          | 1        | 40            | 40       | 40      | 1500           |
| 9011010  | RELOCATED POLE                                    | EACH | 1.00             | 1        | 1350          | 1350     | 1350    | 1              |
| 9011030  | LIGHTING POLE, 30 FT. OR 9.0 M, TYPE AT           | EACH | 5.20             | 5        | 2131.5        | 3525     | 1571    | 26             |
| 9011060  | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 1 | EACH | 8.33             | 3        | 3654.24       | 3790     | 2742    | 25             |
| 9011062  | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2 | EACH | 9.67             | 9        | 2252.940919   | 3960     | 1880    | 87             |
| 9011064  | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 3 | EACH | 7.00             | 2        | 3214.285714   | 3300     | 3000    | 14             |
| 9011068  | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 5 | EACH | 5.00             | 1        | 2172.8        | 2172.8   | 2172.8  | 5              |
| 9011104  | BRACKET ARM, 4 FT. OR 1.2 M                       | EACH | 1.00             | 1        | 301           | 301      | 301     | 1              |
| 9011106  | BRACKET ARM, 6 FT. OR 1.8 M                       | EACH | 5.86             | 7        | 363.689756    | 540      | 340     | 41             |
| 9011108  | BRACKET ARM, 8 FT. OR 2.4 M                       | EACH | 2.00             | 5        | 342.025       | 619      | 1       | 10             |



| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 9011110  | BRACKET ARM, 10 FT. OR 3.0 M                                 | EACH | 4.60             | 5        | 477.230434    | 875      | 1       | 23             |
| 9011112  | BRACKET ARM, 12 FT. OR 3.6 M                                 | EACH | 5.50             | 4        | 822.272727    | 915      | 754     | 22             |
| 9011115  | BRACKET ARM, 15 FT. OR 4.6 M                                 | EACH | 5.06             | 16       | 707.23753     | 900      | 1       | 81             |
| 9011311  | LUMINAIRE, LED-A   | EACH | 6.22             | 9        | 491.731785    | 775      | 295     | 56             |
| 9011312  | LUMINAIRE, LED-B   | EACH | 9.25             | 16       | 440.8225      | 758      | 320     | 148            |
| 9011313  | LUMINAIRE, LED-C   | EACH | 9.25             | 4        | 534.162162    | 618      | 480     | 37             |
| 9011330  | LUMINAIRE, 1000 WATT HIGH PRESSURE SODIUM HIGH MAST          | EACH | 16.00            | 1        | 1018          | 1018     | 1018    | 16             |
| 9012230  | BASE MOUNTED CONTROL STATION 240 VOLT-4 CIRCUIT              | EACH | 1.69             | 13       | 5012.86909    | 9116.12  | 2750    | 22             |
| 9012231  | BASE MOUNTED CONTROL STATION 480 VOLT-4 CIRCUIT              | EACH | 1.00             | 1        | 350           | 350      | 350     | 1              |
| 9012330  | SERVICE POLE, 30 FT. OR 9.0 M, CLASS 4                       | EACH | 1.00             | 1        | 1305          | 1305     | 1305    | 1              |
| 9013002  | CONDUIT, 2 IN. RIGID, IN TRENCH                              | L.F. | 298.09           | 11       | 9.047718      | 15.75    | 8.21    | 3279           |
| 9013003  | CONDUIT, 3 IN. RIGID, IN TRENCH                              | L.F. | 508.80           | 15       | 10.099541     | 15       | 8.5     | 7632           |
| 9013004  | CONDUIT, 4 IN. RIGID, IN TRENCH                              | L.F. | 143.75           | 8        | 15.84446      | 31       | 12      | 1150           |
| 9014003  | CONDUIT, 3 IN. RIGID, PUSHED                                 | L.F. | 378.93           | 15       | 23.310826     | 43.5     | 17.25   | 5684           |
| 9014004  | CONDUIT, 4 IN. RIGID, PUSHED                                 | L.F. | 517.00           | 12       | 19.92067      | 28       | 16      | 6204           |
| 9015010  | TRENCHING TYPE I   | L.F. | 2658.77          | 22       | 4.003656      | 12       | 3.2     | 58493          |
| 9015020  | TRENCHING TYPE II  | L.F. | 1187.75          | 4        | 4.020564      | 50       | 3.8     | 4751           |
| 9015030  | TRENCHING TYPE III   | L.F. | 702.00           | 1        | 15.1          | 15.1     | 15.1    | 702            |
| 9016110  | PULL BOX, PREFORMED CLASS 1                                  | EACH | 11.42            | 19       | 771.373271    | 5000     | 575     | 217            |
| 9016111  | PULL BOX, PREFORMED CLASS 2                                  | EACH | 10.75            | 4        | 1126.906976   | 1522.5   | 1085    | 43             |
| 9016112  | PULL BOX, PREFORMED CLASS 3                                  | EACH | 1.60             | 5        | 1373.125      | 1600     | 1298    | 8              |
| 9016120  | PULL BOX, CONCRETE, STANDARD                                 | EACH | 6.80             | 5        | 2361.8        | 2515.15  | 2200    | 34             |
| 9017002  | CABLE, 2 AWG 1 CONDUCTOR                                     | L.F. | 610.58           | 12       | 2.409294      | 5.3      | 1.95    | 7327           |
| 9017003  | CABLE, 3 AWG 1 CONDUCTOR                                     | L.F. | 260.00           | 1        | 1.5           | 1.5      | 1.5     | 260            |
| 9017004  | CABLE, 4 AWG 1 CONDUCTOR                                     | L.F. | 5160.00          | 1        | 1.79          | 1.79     | 1.79    | 5160           |
| 9017006  | CABLE, 6 AWG 1 CONDUCTOR                                     | L.F. | 460.00           | 3        | 1.541159      | 1.71     | 1.1     | 1380           |
| 9017008  | CABLE, 8 AWG 1 CONDUCTOR                                     | L.F. | 2707.36          | 11       | 1.309254      | 8        | 1       | 29781          |
| 9017110  | CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET                  | L.F. | 863.92           | 25       | 0.943962      | 11.25    | 0.25    | 21598          |
| 9017202  | WIRE, 2 AWG, BARE NEUTRAL                                    | L.F. | 283.33           | 3        | 2.337411      | 4.7      | 1.75    | 850            |
| 9017203  | WIRE, 3 AWG, BARE NEUTRAL                                    | L.F. | 110.00           | 1        | 1.5           | 1.5      | 1.5     | 110            |
| 9017204  | WIRE, 4 AWG, BARE NEUTRAL                                    | L.F. | 2380.00          | 1        | 1.91          | 1.91     | 1.91    | 2380           |
| 9017206  | WIRE, 6 AWG, BARE NEUTRAL                                    | L.F. | 210.00           | 3        | 1.401111      | 1.66     | 0.65    | 630            |
| 9017208  | WIRE, 8 AWG, BARE NEUTRAL                                    | L.F. | 1813.38          | 8        | 1.180519      | 1.45     | 0.9     | 14507          |
| 9017401  | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 2 AWG | L.F. | 755.00           | 2        | 6             | 6        | 6       | 1510           |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 9017404  | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG           | L.F. | 3510.00          | 7        | 3.432865      | 4.5      | 3.25    | 24570          |
| 9017407  | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG           | L.F. | 2994.00          | 21       | 3.137969      | 8.8      | 2.5     | 62874          |
| 9018230  | POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)                      | EACH | 4.00             | 7        | 1210.903928   | 1676     | 785     | 28             |
| 9018245  | POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)                     | EACH | 8.81             | 21       | 1197.181837   | 1800     | 850     | 185            |
| 9018610  | POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, LIGHTING ONLY     | EACH | 2.00             | 2        | 3115          | 4210     | 2750    | 4              |
| 9018611  | POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, LIGHTING AND SIGN | EACH | 1.00             | 1        | 2850          | 2850     | 2850    | 1              |
| 9018612  | POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY     | EACH | 1.40             | 5        | 2244.285714   | 3100     | 1160    | 7              |
| 9018613  | POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING AND SIGN | EACH | 1.60             | 5        | 4484.475      | 13122.8  | 1       | 8              |
| 9018622  | POWER SUPPLY ASSEMBLY, TYPE 2, 480 VOLT SERVICE, LIGHTING ONLY         | EACH | 1.00             | 1        | 3500          | 3500     | 3500    | 1              |
| 9019400  | TEMPORARY LIGHTING   | L.S. | 1.00             | 1        | 37500         | 37500    | 37500   | 1              |
| 9020111  | SIGNAL HEAD, TYPE 1T   | EACH | 3.50             | 2        | 557.285714    | 700      | 367     | 7              |
| 9020113  | SIGNAL HEAD, TYPE 3T   | EACH | 1.00             | 3        | 751.333333    | 780      | 735     | 3              |
| 9020211  | SIGNAL HEAD, TYPE 1S   | EACH | 4.50             | 4        | 559.111111    | 663      | 450     | 18             |
| 9020213  | SIGNAL HEAD, TYPE 3S   | EACH | 2.53             | 15       | 811.042368    | 2449     | 670     | 38             |
| 9020214  | SIGNAL HEAD, TYPE 4S   | EACH | 1.50             | 4        | 907.476666    | 1095     | 770     | 6              |
| 9020215  | SIGNAL HEAD, TYPE 5S   | EACH | 1.00             | 2        | 950.5         | 1068     | 833     | 2              |
| 9020413  | SIGNAL HEAD, TYPE 3C   | EACH | 8.00             | 1        | 820           | 820      | 820     | 8              |
| 9020414  | SIGNAL HEAD, TYPE 4C   | EACH | 3.50             | 4        | 1611.142857   | 2860     | 978     | 14             |
| 9020511  | SIGNAL HEAD, TYPE 1B   | EACH | 2.00             | 1        | 660           | 660      | 660     | 2              |
| 9020513  | SIGNAL HEAD, TYPE 3B   | EACH | 12.95            | 20       | 894.744285    | 1220     | 822     | 259            |
| 9020514  | SIGNAL HEAD, TYPE 4B   | EACH | 6.84             | 19       | 1024.021307   | 1530     | 885     | 130            |
| 9020515  | SIGNAL HEAD, TYPE 5B   | EACH | 1.33             | 3        | 1412.25       | 1660     | 1167    | 4              |
| 9020811  | SIGNAL HEAD, TYPE 1S, PEDESTRIAN                                       | EACH | 9.42             | 12       | 629.084601    | 1964     | 407     | 113            |
| 9020833  | SH-FLAT SHEET - SIGNAL SIGN  | EACH | 79.34            | 27       | 33.021917     | 277      | 12.5    | 2142.1         |
| 9020834  | SIGNAL SIGN, MOUNTING  | EACH | 18.70            | 27       | 101.10198     | 270      | 11      | 505            |
| 9021413  | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 3B                                | EACH | 10.00            | 1        | 1397.35       | 1397.35  | 1397.35 | 10             |
| 9021414  | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 4B                                | EACH | 2.00             | 1        | 1666.05       | 1666.05  | 1666.05 | 2              |
| 9022651  | LUMINAIRE LED-A, 120 VOLT  | EACH | 6.00             | 4        | 354           | 550      | 280     | 24             |
| 9022708  | POST, SIGNAL 8 FT. OR 2.4 M  | EACH | 6.10             | 20       | 830.43377     | 2241     | 530     | 122            |
| 9022715  | POST, SIGNAL 15 FT. OR 4.6 M   | EACH | 1.86             | 7        | 1016.384615   | 1350     | 785     | 13             |
| 9023115  | POST, TYPE CL, 15 FT. ARM OR 4.6 M ARM                                 | EACH | 1.00             | 2        | 5874          | 6639     | 5109    | 2              |
| 9023120  | POST, TYPE CL, 20 FT. ARM OR 6.1 M ARM                                 | EACH | 1.00             | 2        | 5988.5        | 6717     | 5260    | 2              |
| 9023125  | POST, TYPE CL, 25 FT. ARM OR 7.6 M ARM                                 | EACH | 2.50             | 2        | 6326.8        | 6742     | 6050    | 5              |
| 9023130  | POST, TYPE CL, 30 FT. ARM OR 9.1 M ARM                                 | EACH | 1.00             | 3        | 7634.333333   | 8289     | 6806    | 3              |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID  | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|----------|----------------|
| 9023135  | POST, TYPE CL, 35 FT. ARM OR 10.7 M ARM                          | EACH | 1.75             | 4        | 8256.428571   | 10100    | 6978     | 7              |
| 9023140  | POST, TYPE CL, 40 FT. ARM OR 12.2 M ARM                          | EACH | 1.40             | 5        | 9654.428571   | 10522    | 8046     | 7              |
| 9023145  | POST, TYPE CL, 45 FT. ARM OR 13.7 M ARM                          | EACH | 1.50             | 4        | 10766         | 12050    | 8823     | 6              |
| 9023150  | POST, TYPE CL, 50 FT. ARM OR 15.2 M ARM                          | EACH | 1.00             | 3        | 12105         | 13300    | 10190    | 3              |
| 9023155  | POST, TYPE CL, 55 FT. ARM  | EACH | 1.67             | 3        | 11982         | 14750    | 11020    | 5              |
| 9023215  | POST, TYPE C, 15 FT. ARM OR 4.6 M ARM                            | EACH | 1.00             | 1        | 5525          | 5525     | 5525     | 1              |
| 9023225  | POST, TYPE C, 25 FT. ARM OR 7.6 M ARM                            | EACH | 1.25             | 4        | 5960.8        | 6660     | 4850     | 5              |
| 9023230  | POST, TYPE C, 30 FT. ARM OR 9.1 M ARM                            | EACH | 1.00             | 4        | 7338          | 8250     | 6683     | 4              |
| 9023235  | POST, TYPE C, 35 FT. ARM OR 10.7 M ARM                           | EACH | 1.80             | 5        | 6643.444444   | 8675     | 5913     | 9              |
| 9023240  | POST, TYPE C, 40 FT. ARM OR 12.2 M ARM                           | EACH | 1.83             | 6        | 8477.727272   | 10050    | 7499     | 11             |
| 9023245  | POST, TYPE C, 45 FT. ARM OR 13.7 M ARM                           | EACH | 1.17             | 6        | 9033.937142   | 10522.56 | 7990     | 7              |
| 9023250  | POST, TYPE C, 50 FT. ARM OR 15.2 M ARM                           | EACH | 1.63             | 8        | 10406.55077   | 12319.08 | 7770     | 13             |
| 9023255  | POST, TYPE C, 55 FT. ARM   | EACH | 2.00             | 4        | 12085.04      | 14664    | 10424    | 8              |
| 9023335  | POST, TYPE B, LONGEST ARM 35 FT. OR 10.7 M                       | EACH | 1.00             | 1        | 12945         | 12945    | 12945    | 1              |
| 9023345  | POST, TYPE B, LONGEST ARM 45 FT. OR 13.7 M                       | EACH | 1.00             | 3        | 12290         | 12910    | 11521    | 3              |
| 9023350  | POST, TYPE B, LONGEST ARM 50 FT. OR 15.2 M                       | EACH | 1.00             | 1        | 18447.75      | 18447.75 | 18447.75 | 1              |
| 9023355  | POST, TYPE B, LONGEST ARM 55 FT.                                 | EACH | 1.00             | 1        | 20776.3       | 20776.3  | 20776.3  | 1              |
| 9023445  | POST, TYPE BL, LONGEST ARM 45 FT. OR 13.7 M                      | EACH | 1.00             | 1        | 14515         | 14515    | 14515    | 1              |
| 9023450  | POST, TYPE BL, LONGEST ARM 50 FT. OR 15.2 M                      | EACH | 1.00             | 2        | 16858.5       | 21220    | 12497    | 2              |
| 9023455  | POST, TYPE BL, LONGEST ARM 55 FT.                                | EACH | 1.50             | 2        | 19945         | 23650    | 12535    | 3              |
| 9023602  | SPAN WIRE ASSEMBLY, MESSENGER WITH TETHER                        | L.F. | 365.00           | 1        | 7.4           | 7.4      | 7.4      | 365            |
| 9024281  | CONTROLLER ASSEMBLY HOUSING, KEYBOARD ENTRY, 8 PHASE NEMA CONTRC | EACH | 3.00             | 1        | 15554         | 15554    | 15554    | 3              |
| 9024283  | CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER                 | EACH | 2.63             | 16       | 15030.6631    | 21167.85 | 13109    | 42             |
| 9024295  | SPLICE CABINET   | EACH | 4.50             | 2        | 6889.916666   | 10009.25 | 6500     | 9              |
| 9024920  | DETECTOR, PUSHBUTTON   | EACH | 9.00             | 8        | 648.944444    | 1448     | 160      | 72             |
| 9024944  | DETECTOR, VEHICLE INDUCTION LOOP (2 CHANNEL-RACK MOUNTED)        | EACH | 5.00             | 4        | 188.7         | 245      | 120      | 20             |
| 9024975  | VIDEO DETECTION SYSTEM   | EACH | 1.80             | 5        | 17141.11111   | 25336    | 12698    | 9              |
| 9025020  | CONDUIT, 1 IN., LOOP DETECTOR                                    | L.F. | 168.14           | 7        | 7.46768       | 14       | 6        | 1177           |
| 9025200  | CONDUIT, 2 IN., TRENCH   | L.F. | 4426.90          | 20       | 7.391396      | 23       | 5        | 88538          |
| 9025300  | CONDUIT, 3 IN., TRENCH   | L.F. | 432.33           | 27       | 14.791323     | 49.7     | 8        | 11673          |
| 9025400  | CONDUIT, 4 IN., TRENCH   | L.F. | 96.38            | 8        | 23.553696     | 100      | 15.75    | 771            |
| 9026300  | CONDUIT, 3 IN., MEDIAN   | L.F. | 8.00             | 1        | 24            | 24       | 24       | 8              |
| 9027200  | CONDUIT, 2 IN., PUSHED   | L.F. | 1620.13          | 8        | 14.927081     | 25       | 13       | 12961          |
| 9027300  | CONDUIT, 3 IN., PUSHED   | L.F. | 395.16           | 25       | 24.5666       | 130      | 2.45     | 9879           |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID  | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|----------|----------------|
| 9027400  | CONDUIT, 4 IN., PUSHED   | L.F. | 352.00           | 7        | 32.272727     | 44.1     | 21       | 2464           |
| 9027501  | CONDUIT, 1 1/4 IN., ON STRUCTURE                                 | L.F. | 27.00            | 1        | 40            | 40       | 40       | 27             |
| 9027502  | CONDUIT, 2 IN., EXTERNAL ON STRUCTURE                            | L.F. | 582.00           | 1        | 27.5          | 27.5     | 27.5     | 582            |
| 9027506  | CONDUIT, 4 IN., EXTERNAL ON STRUCTURE                            | L.F. | 383.00           | 1        | 37            | 37       | 37       | 383            |
| 9028100  | CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET                      | L.F. | 484.29           | 7        | 0.834011      | 2.85     | 0.55     | 3390           |
| 9028200A | CABLE, 1/0 AWG 1 CONDUCTOR, POWER                                | L.F. | 3120.00          | 1        | 3.15          | 3.15     | 3.15     | 3120           |
| 9028202  | CABLE, 2 AWG 1 CONDUCTOR, POWER                                  | L.F. | 4203.33          | 3        | 1.330848      | 2.85     | 1.3      | 12610          |
| 9028203  | CABLE, 3 AWG 1 CONDUCTOR, POWER                                  | L.F. | 190.00           | 1        | 2.1           | 2.1      | 2.1      | 190            |
| 9028206  | CABLE, 6 AWG 1 CONDUCTOR, POWER                                  | L.F. | 773.33           | 3        | 1.186637      | 1.75     | 0.95     | 2320           |
| 9028208  | CABLE, 8 AWG 1 CONDUCTOR, POWER                                  | L.F. | 348.94           | 18       | 1.340964      | 4        | 0.75     | 6281           |
| 9028219  | CABLE, 10 AWG 1 CONDUCTOR, POWER                                 | L.F. | 4197.00          | 1        | 1.1           | 1.1      | 1.1      | 4197           |
| 9028302  | CABLE, 12 AWG 2 CONDUCTOR  | L.F. | 1972.92          | 12       | 1.273643      | 3.75     | 0.8      | 23675          |
| 9028308  | CABLE, 16 AWG 2 CONDUCTOR  | L.F. | 1579.63          | 24       | 0.99992       | 3.5      | 0.45     | 37911          |
| 9028309  | CABLE, 16 AWG 3 CONDUCTOR  | L.F. | 720.00           | 2        | 0.895555      | 1.2      | 0.88     | 1440           |
| 9028310  | CABLE, 16 AWG 5 CONDUCTOR  | L.F. | 1586.17          | 23       | 1.386848      | 4.25     | 1.05     | 36482          |
| 9028311  | CABLE, 16 AWG 7 CONDUCTOR  | L.F. | 3139.21          | 28       | 1.799695      | 37       | 1.2      | 87898          |
| 9028315  | CABLE, 16 AWG 3-PAIR CONDUCTOR, INTERCONNECT                     | L.F. | 380.00           | 1        | 2.95          | 2.95     | 2.95     | 380            |
| 9028340  | RG-8/U COAXIAL CABLE   | EACH | 1367.00          | 1        | 1             | 1        | 1        | 1367           |
| 9028350  | FIBER OPTIC CABLE, 6 - FIBER, SINGLE MODE                        | L.F. | 1423.33          | 3        | 3.462529      | 13.3     | 2.05     | 4270           |
| 9028500  | CABLE, LOOP DETECTOR, IN DUCT                                    | L.F. | 2234.96          | 25       | 5.676604      | 32.1     | 2.7      | 55874          |
| 9028510  | CABLE, LOOP DETECTOR, LEAD-IN                                    | L.F. | 825.38           | 13       | 1.870139      | 4.1      | 1        | 10730          |
| 9028611  | POWER SUPPLY ASSEMBLY, TYPE 1 WITH 120V LIGHTING CONTROL CABINET | EACH | 1.00             | 1        | 5935          | 5935     | 5935     | 1              |
| 9028620  | POWER SUPPLY ASSEMBLY, TYPE 2                                    | EACH | 1.00             | 5        | 3829.32       | 6474     | 1160     | 5              |
| 9028621  | POWER SUPPLY ASSEMBLY, TYPE-2 WITH 120V LIGHTING CONTROL CABINET | EACH | 1.67             | 6        | 7102.5        | 12495    | 4650     | 10             |
| 9028810  | PULL BOX, PREFORMED CLASS 1                                      | EACH | 6.91             | 11       | 886.731973    | 1396.05  | 602      | 76             |
| 9028811  | PULL BOX, PREFORMED CLASS 2                                      | EACH | 6.42             | 26       | 1207.463952   | 2341     | 501      | 167            |
| 9028812  | PULL BOX, PREFORMED CLASS 3                                      | EACH | 1.90             | 21       | 1691.062      | 2436.85  | 1100     | 40             |
| 9028816  | PULL BOX, PREFORMED CLASS 5                                      | EACH | 3.29             | 7        | 1452.655652   | 2335.1   | 1260     | 23             |
| 9028820  | PULL BOX, CONCRETE, STANDARD                                     | EACH | 2.40             | 5        | 2549.326666   | 3977     | 2200     | 12             |
| 9028821  | PULL BOX, CONCRETE, DOUBLE, TYPE A                               | EACH | 1.00             | 4        | 3916.17       | 4234.68  | 3630     | 4              |
| 9028824  | PULL BOX, CONCRETE, DOUBLE TYPE B                                | EACH | 1.50             | 2        | 2866.666666   | 2900     | 2800     | 3              |
| 9029100  | BASE, CONCRETE   | C.Y. | 15.45            | 31       | 1389.63439    | 4530     | 715      | 479.06         |
| 9029400  | TEMPORARY TRAFFIC SIGNALS  | EACH | 1.00             | 3        | 51606.63333   | 95027.9  | 15000    | 3              |
| 9029401  | TEMPORARY TRAFFIC SIGNALS AND LIGHTING                           | L.S. | 1.00             | 1        | 15912.15      | 15912.15 | 15912.15 | 1              |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 9031010  | CONCRETE FOOTINGS, EMBEDDED                                      | C.Y. | 6.43             | 77       | 1414.794331   | 4905     | 509     | 494.744        |
| 9031020  | CONCRETE FOOTINGS, BOLT DOWN                                     | C.Y. | 67.60            | 9        | 874.315925    | 1600     | 529     | 608.4          |
| 9031210  | STRUCTURAL STEEL POSTS   | LBS  | 6074.14          | 29       | 3.32664       | 35       | 2.89    | 176150         |
| 9031220  | PIPE POSTS   | LBS  | 4278.75          | 28       | 4.403605      | 11.35    | 3.32    | 119805         |
| 9031241  | BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)                | EACH | 24.87            | 30       | 197.815509    | 418.5    | 147     | 746            |
| 9031242  | 36 IN. SURFACE-MOUNT   | EACH | 18.83            | 6        | 68.944955     | 120      | 54.79   | 113            |
| 9031250A | U-CHANNEL POST, 3 LB   | L.F. | 210.25           | 12       | 19.926123     | 30.41    | 9       | 2523           |
| 9031252  | 7 FT. CHANNEL POST DELINEATOR, DOUBLE STACKED WHITE              | EACH | 29.50            | 2        | 70.311864     | 99.6     | 42      | 59             |
| 9031256  | 7 FT. CHANNEL POST DELINEATOR, WHITE                             | EACH | 42.67            | 3        | 51.265625     | 73       | 31      | 128            |
| 9031257A | 7 FT. CHANNEL POST DELINEATOR, YELLOW                            | EACH | 11.00            | 3        | 47.848484     | 73       | 31      | 33             |
| 9031258  | 7 FT. CHANNEL POST DELINEATOR, WHITE/RED                         | EACH | 14.33            | 3        | 48.914883     | 92.9     | 41.38   | 43             |
| 9031259A | 7 FT. CHANNEL POST DELINEATOR, YELLOW/RED                        | EACH | 6.00             | 2        | 58.966666     | 92.9     | 42      | 12             |
| 9031260  | WOOD POST, 4 IN. BY 4 IN.  | L.F. | 12.50            | 2        | 47.066        | 72.05    | 20      | 25             |
| 9031270A | PERFORATED SQUARE STEEL TUBE POST, 2 IN., 12 GA.                 | L.F. | 203.84           | 68       | 13.988883     | 100      | 6.5     | 13860.95       |
| 9031271  | PERFORATED SQUARE STEEL TUBE POST ANCHOR SLEEVE, 2.5 IN., 12 GA. | L.F. | 61.83            | 41       | 29.146449     | 500      | 11.08   | 2535           |
| 9031272  | PERFORATED SQUARE STEEL TUBE POST, 2.5 IN., 12 GA.               | L.F. | 57.50            | 8        | 14.242086     | 19       | 6       | 460            |
| 9031273  | PERFORATED SQUARE STEEL TUBE POST ANCHOR, 7 GA.                  | L.F. | 39.64            | 28       | 36.471513     | 88.7     | 17.91   | 1110           |
| 9031279  | OMNIDIRECTIONAL POST   | L.F. | 33.00            | 2        | 64.102272     | 68.25    | 50      | 66             |
| 9031280  | 2.5 IN. PSST POST - 12 GA.                                       | L.F. | 319.24           | 51       | 11.518558     | 42.38    | 7       | 16281.2        |
| 9031281  | POST ANCHOR FOR 2.5 IN. PSST - 7 GA.                             | L.F. | 92.06            | 50       | 42.708522     | 104      | 17.91   | 4603           |
| 9031282  | OMNIDIRECTIONAL POST   | L.F. | 3.00             | 1        | 60            | 60       | 60      | 3              |
| 9035004A | SH-FLAT SHEET  | S.F. | 434.59           | 72       | 18.241255     | 66.51    | 12      | 31290.5        |
| 9035011A | ST-STRUCTURAL  | S.F. | 4684.50          | 16       | 21.698363     | 29.5     | 19.7    | 74952          |
| 9035069A | SHF-FLAT SHEET FLUORESCENT                                       | S.F. | 91.55            | 46       | 25.938762     | 77       | 12      | 4211.5         |
| 9035071A | STF-STRUCTURAL FLUORESCENT                                       | S.F. | 456.00           | 9        | 27.412        | 40       | 21.27   | 4104           |
| 9036036  | TUBULAR SUPPORT, TYPE C-2315-20                                  | EACH | 1.50             | 2        | 17500         | 26600    | 12950   | 3              |
| 9036042  | TUBULAR SUPPORT, TYPE C-2018-28                                  | EACH | 1.50             | 2        | 20533.33333   | 21600    | 20000   | 3              |
| 9103700  | CCTV CAMERA ASSEMBLY, INSTALLED                                  | EACH | 6.17             | 6        | 1528.929729   | 6913     | 765     | 37             |
| 9103714  | CCTV POLE FOUNDATION, 45 FT OR 13.7M MOUNTING HEIGHT, INSTALL    | EACH | 1.00             | 1        | 7488.5        | 7488.5   | 7488.5  | 1              |
| 9103715  | CCTV POLE FOUNDATION, 50 FT OR 15.2M MOUNTING HEIGHT, INSTALLED  | EACH | 1.00             | 1        | 9600          | 9600     | 9600    | 1              |
| 9103745  | CCTV POLE, 50 FT OR 15.2M MOUNTING HEIGHT, INSTALLED             | EACH | 1.00             | 1        | 19827         | 19827    | 19827   | 1              |
| 9104920  | DETECTOR, PUSH BUTTON, INSTALLED                                 | EACH | 4.00             | 1        | 160           | 160      | 160     | 4              |
| 9105020  | CONDUIT, 1 IN., LOOP DETECTOR                                    | L.F. | 642.00           | 1        | 6             | 6        | 6       | 642            |
| 9105200  | CONDUIT, 2 IN., RIGID, IN TRENCH                                 | L.F. | 2544.33          | 3        | 9.085457      | 12.54    | 7.6     | 7633           |

| PAY ITEM | DESCRIPTION  | UNIT | AVERAGE QUANTITY | #OF BIDS | AVERAGE PRICE | HIGH BID | LOW BID | TOTAL QUANTITY |
|----------|--|------|------------------|----------|---------------|----------|---------|----------------|
| 9105201  | CONDUIT, 3 IN., RIGID, IN TRENCH                             | L.F. | 824.75           | 4        | 13.237799     | 16.95    | 11      | 3299           |
| 9105202  | CONDUIT, 4 IN., RIGID, IN TRENCH                             | L.F. | 100.00           | 1        | 12            | 12       | 12      | 100            |
| 9107201  | CONDUIT, 3 IN., RIGID, PUSHED                                | L.F. | 293.00           | 2        | 33.791911     | 34.96    | 21.27   | 586            |
| 9107202  | CONDUIT, 4 IN., RIGID, PUSHED                                | L.F. | 50.00            | 1        | 22            | 22       | 22      | 50             |
| 9107604  | CABLE-CONDUIT, 1 IN., 6 AWG, 2 CONDUCTORS AND 1 BARE NEUTRAL | L.F. | 380.00           | 1        | 3.55          | 3.55     | 3.55    | 380            |
| 9108202  | CABLE, 2 AWG, 1 CONDUCTOR, POWER                             | L.F. | 1100.00          | 1        | 2.6           | 2.6      | 2.6     | 1100           |
| 9108208  | CABLE, 8 AWG, 1 CONDUCTOR, POWER                             | L.F. | 2510.00          | 1        | 1             | 1        | 1       | 2510           |
| 9108348  | COAXIAL CABLE, RG-8/U  | L.F. | 410.00           | 1        | 1             | 1        | 1       | 410            |
| 9108352  | FIBER OPTIC CABLE, 24-STRAND, 18 SINGLE MODE, 6 MULTIMODE    | L.F. | 3286.67          | 3        | 2.396044      | 3.33     | 1.9     | 9860           |
| 9108353  | FIBER OPTIC CABLE, 12-STRAND, SINGLE MODE                    | L.F. | 15334.33         | 6        | 2.40872       | 26       | 2.1     | 92006          |
| 9108402  | WIRE, 2 AWG, BARE NEUTRAL                                    | L.F. | 370.00           | 1        | 2             | 2        | 2       | 370            |
| 9108408  | WIRE, 8 AWG, BARE NEUTRAL                                    | L.F. | 1010.00          | 1        | 1             | 1        | 1       | 1010           |
| 9108610  | POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, ITS     | EACH | 1.50             | 2        | 4275.276666   | 7700.83  | 2562.5  | 3              |
| 9108621  | POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, ITS     | EACH | 1.00             | 2        | 5109.98       | 7217.96  | 3002    | 2              |
| 9108810  | PULL BOX, PREFORMED CLASS 1                                  | EACH | 8.00             | 1        | 625           | 625      | 625     | 8              |
| 9108811  | PULL BOX, PREFORMED CLASS 2                                  | EACH | 26.67            | 3        | 1311.5625     | 1665     | 1300    | 80             |
| 9108812  | PULL BOX, PREFORMED CLASS 3                                  | EACH | 9.00             | 1        | 2065          | 2065     | 2065    | 9              |
| 9108816  | PULL BOX, PREFORMED CLASS 5                                  | EACH | 7.80             | 5        | 1608.153846   | 1720     | 1400    | 39             |
| 9108824  | PULL BOX, CONCRETE, DOUBLE,                                  | EACH | 1.00             | 1        | 3900          | 3900     | 3900    | 1              |
| 9109100  | BASE, CONCRETE   | C.Y. | 5.00             | 2        | 2213.2        | 2335     | 1726    | 10             |
| 9109230  | DYNAMIC MESSAGE SIGN ASSEMBLY, INSTALLED                     | EACH | 1.00             | 1        | 9413          | 9413     | 9413    | 1              |