



**STATE OF MISSOURI  
HIGHWAYS and TRANSPORTATION COMMISSION**

JEFFERSON CITY, MISSOURI

**CONSTRUCTING OR IMPROVING**  
**Contract I.D.** 260618-F01

THIS JOB SHALL BE CONSTRUCTED UNDER  
FEDERAL PROJECT NUMBER(S): I270-5 (370), 379, IS- 270-5 374

Job J6I3020D Route I-270 ST LOUIS County  
Job J6I3580B Route I-270 ST LOUIS County  
Job JSL0021 Route I-270 ST LOUIS County

BIDDER CHECKLIST  
FINAL CHECKLIST BEFORE SUBMITTING BID

1. Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Missouri Standard Specifications for Highway Construction, and Rule 7 CSR 10-15.010, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website.
2. All bids shall be submitted electronically using "Bid Express Secure Internet Bidding" at [www.bidx.com](http://www.bidx.com). Any paper bid submitted will be considered irregular per section 102.8 of the Missouri Standard Specifications for Highway Construction.
3. Please read all items in the bidding document carefully. The EBSX files from Bidx website is used for the itemized bid.
4. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation.
5. The bidder shall submit a Bid Guaranty meeting the requirements of Sec 102 of the Missouri Standard Specifications for Highway Construction. If submitting a project specific or annual bid bond, bidders must use the MoDOT provided bid bond forms. The project specific bond form is included in the request for bid. The project specific and annual bid bond forms are also available on MoDOT's website. Annual bid bonds shall be executed by June 15th of each year.
6. Submit the Subcontractor Disclosure Form in accordance with the bidding documents. For bids of more than \$2,000,000, each bidder shall submit with each bid a disclosure of the subcontracts that have a subcontract value that is equal or greater than twenty percent of the total project bid or subcontracts that are greater than or equal to \$2,000,000. If that information is not available at the time of bid the bidder shall submit the "Subcontractor Disclosure Form" pages with MoDOT on or before 4:00 p.m. of the third business day after the bid opening date.
7. Submit the DBE Identification Submittal in accordance with the bidding documents for Federal Projects Only.
8. Alternate Pavements; to exercise this option, separate pay items, descriptions and quantities are included in the itemized proposal for each of the two alternates. The bidder shall bid only one of the two alternates and leave the contract unit price column blank for any pay item listed for the other alternate.
9. When submitting a bid, your bid will still come through with "red" folders. You should make sure that it is not the Schedule of Items folder or the Signature and Identity of Bidder folder. Click on the yellow checkmark (Check

Bid)at the top and it will list any errors in the bid. To view itemized folders, click the Tree View. This will show the status of the individual folders.

\*\*\*\*\*

Below is a list of common mistakes made by bidders leading to non-responsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Submitting a paper bid for a project
- b) Using a different bid bond form than the one provided
- c) Improper use of the Maximum Monetary Value Award Provision  
-only used if bidding more than one project and should be  
in only one bid proposal
- d) Not obtaining a digital ID in advance of the letting  
(obtaining a digital ID may take 5 business days)

\*\*\*\*\*

All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876. Project specific questions shall be directed to the project contact listed in the Job Special Provisions.

**TABLE OF CONTENTS**

Notice to Contractors

Proposed Work..... item (1)

Compliance With Contract Provisions..... item (2)

Period of Performance..... item (3)

Liquidated Damages..... item (4)

Itemized Bid..... item (5)

Trainees..... item (6)

DBE Certification\*..... item (7)

Acceptance of Provision for Price Adjustment for Fuel..... item (8a)

Acceptance of Provision for Asphalt Cement Price Index.... item (8b)

Max. Monetary Value of Awards Accepted this Bid Opening... item (9)

Combination Bids..... item (10)

Certification for Federal Jobs..... item (11a)

Certification for State Jobs..... item (11b)

Antidiscrimination..... item (12)

Preference to Missouri Firms in Awarding of Contracts..... item (13)

Subcontractor Disclosure Form\*.....item (14)

Signature and Identity of Bidder..... item (15)

Bid Guaranty\*..... item (16)

\*These forms are also available on MoDOT's Website, [www.modot.org](http://www.modot.org) under Information on the Bid Opening Info page of the Contractor Resources site.

**NOTICE TO CONTRACTORS**

Electronic bids submitted through the Bid Express website for the proposed work will be received by the Missouri Highways and Transportation Commission until 11:00 o'clock a.m. (prevailing local time) on 06/18/2026.

Bid bonds will be received at the office of the Secretary to the Commission in the Missouri Department of Transportation Central Office Building, 105 West Capitol Avenue, Jefferson City, Missouri; delivered by US Mail should be mailed to: Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, P.O. Box 270, Jefferson City, MO 65102 or delivered by parcel delivery services, (such as UPS, Fed Ex, DHL, etc.) should be shipped to Missouri Highways and Transportation Commission, Attention: State Design Engineer/Bid Bond, 105 West Capitol Avenue, Jefferson City, MO 65102.

(1) PROPOSED WORK: The proposed work, hereinafter called the work, includes:

\*\*\*\*(1): Job J6I3020D Route I-270 ST LOUIS County. Bridge replacement, 2 walls, add pavement widening and ADA from west of Lilac Avenue to Riverview Drive in St. Louis, the total length of improvement being 0.938 miles.\*\*\*\*(2): Job J6I3580B Route I-270 ST LOUIS County. Coldmill and resurface from west of Route 367 to east of Lilac Avenue in St. Louis, the total length of improvement being 2.375 miles.\*\*\*\*(3): Job JSL0021 Route I-270 ST LOUIS County. 4 Bridge replacements, 2 walls and pavement widening from west of Route 367 to east of Bellefontaine Road in St. Louis, the total length of improvement being 1.719 miles.

If more than one Job Number is listed for this call, then combination bids will be required on the Jobs listed above.

(2) COMPLIANCE WITH CONTRACT PROVISIONS: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the current version of Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction" and "Missouri Standard Plans for Highway Construction", their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted. All questions concerning the bid document preparation shall be directed to the Central Office - Design Division at (573) 751-2876.

(3) PERIOD OF PERFORMANCE: If the bid is accepted, the bidder shall continuously and diligently prosecute the work in such order and manner as will ensure the completion of the work within the time specified in the Job Special Provisions in accordance with Sec 108.

(4) LIQUIDATED DAMAGES: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages

as specified in the Job Special Provisions to be recovered in accordance with Sec 108.

(5) ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

Line Number	Item Number	Quantity	Unit	Unit Price	Extension Price
Section 0001					
ROADWAY ITEMS - J6I3020D					
0010	2013000	6.000	ACRE		
	CLEARING AND GRUBBING				
0020	2022010	1.000	LS		
	REMOVAL OF IMPROVEMENTS				
<b>1</b> REVISED	2035000	22549.000	CUYD		
	UNCLASSIFIED EXCAVATION				
<b>1</b> REVISED	2036000	16208.000	CUYD		
	COMPACTING EMBANKMENT				
<b>1</b> REVISED	2037075	92.700	STA		
	COMPACTING IN CUT				
0070	2063000	3699.000	CUYD		
	CLASS 3 EXCAVATION				
0080	2151000A	17.000	100F		
	SHAPING SLOPES, CLASS I				
<b>1</b> REVISED	3030600	16251.000	SQYD		
	FURNISHING ROCK BASE MATERIAL				
<b>1</b> REVISED	3030610A	16251.000	SQYD		
	PLACING ROCK BASE				
0110	3040504	688.000	SQYD		
	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)				
0120	3040506	832.000	SQYD		
	TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)				
0130	4011209	143.100	TONS		
	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)				
0140	4030109	721.500	TONS		
	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125CLP MIX)				
0150	4071005	1027.000	GAL		
	TACK COAT				
0160	5021311	1115.300	SQYD		
	CONCRETE PAVEMENT (11 IN. NON-REINFORCED 15 FT. JOINTS)				
0170	5041000	269.800	SQYD		
	CONCRETE APPROACH PAVEMENT				
0180	6044011	3.000	EA		
	PIPE COLLAR, TYPE A				
0190	6049902	2.000	EA		
	MISC. ADJUSTING VALVES				
0200	6049902	3.000	EA		
	MISC. CONNECTION TO EXISTING SEWERS				
0210	6071012A	167.000	LF		
	CHAIN-LINK FENCE (60 IN.)				
0220	6071030	1.000	EA		
	WALK GATE (CHAIN-LINK)				
0230	6071040	1.000	EA		
	DRIVE GATE (CHAIN-LINK)				
0240	6071050	225.000	LF		
	CHAIN-LINK FENCE (RETAINING WALLS)				

0250	6071102	374.000 LF	MODIFIED CONCRETE GUTTER TYPE B	
0260	6079903	412.000 LF	MISC. BLACK POWDER COATED CHAIN-LINK FENCE (60 IN.)	
0270	6081012	390.000 SQFT	TRUNCATED DOMES	
0280	6086004	688.600 SQYD	CONCRETE SIDEWALK, 4 IN.	
0290	6089902	23.000 EA	MISC. CONCRETE CURB RAMP	
0300	6091041	783.000 LF	CONCRETE GUTTER TYPE A	
0310	6091052	938.000 LF	CURB AND GUTTER TYPE B	
0320	6096020	499.000 CUYD	FURNISHING TYPE 2 ROCK DITCH LINER	
0330	6096030A	162.000 CUYD	FURNISHING TYPE 3 ROCK DITCH LINER	
0340	6096042	499.000 CUYD	PLACING TYPE 2 ROCK DITCH LINER	
0350	6096043	162.000 CUYD	PLACING TYPE 3 ROCK DITCH LINER	
0360	6096050	59.000 CUYD	BEDDING MATERIAL FOR ROCK DITCH LINER	
0370	6097000	24.000 CUYD	ROCK LINING	
0380	6113010	2900.000 CUYD	FURNISHING TYPE 1 ROCK BLANKET	
0390	6113030	2900.000 CUYD	PLACING TYPE 1 ROCK BLANKET	
0400	6116010A	114.000 SQYD	SLOPE PROTECTION	
1 REVIS	0410	6122014	3.000 EA	IMPACT ATTENUATOR 60 MPH (SAND BARREL ARRAY)
1 REVIS	0420	6122020	30.000 EA	REPLACEMENT SAND BARREL
0430	6122030	1.000 EA	IMPACT ATTENUATOR (RELOCATION)	
0440	6141022	8.000 EA	GRATE AND BEARING PLATE (3 FT. X 3 FT. OR 914 MM X 914 MM)	
0450	6141024	1.000 EA	GRATE AND BEARING PLATE (5 FT. X 3 FT. OR 1524 MM X 914 MM)	
0460	6141120	10.000 EA	CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MM X 600MM)	
0470	6141121	25.000 EA	CURVED VANE GRATE AND FRAME (4 FT. X 2 FT. OR 1200MM X 600MM)	
0480	6143010	2.000 EA	MANHOLE FRAME AND COVER, TYPE 1-A	
0490	6149902	3.000 EA	MISC. GUTTER SCUPPER	
0500	6149902	1.000 EA		

## MISC. SHALLOW GRATE INLET

0510	6161098A	7.000 EA		
			CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED / RETAINED NTCIP COMPLIANT CHANGEABLE MESSAGE SIGN (CONTRACTOR FURNISHED AND RETAINED)	
0520	6162002	12.000 EA		
			TEMPORARY LONG-TERM RUMBLE STRIPS	
0530	6169901	1.000 LS		
			MISC. LUMP SUM TEMPORARY TRAFFIC CONTROL	
0540	6173000	3579.000 LF		
			CONCRETE TRAFFIC BARRIER, TYPE C	
0550	6173102	783.000 LF		
			CONCRETE TRAFFIC BARRIER, TYPE D (RETAINING WALL)	
0560	6173600D	933.000 LF		
<b>1</b>	<b>REVISED</b>		TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED	
0570	6173700B	7563.000 LF		
			TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED	
0580	6173706	213.000 LF		
			TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED	
0590	6179903	235.000 LF		
			MISC. CONCRETE TRAFFIC BARRIER, TYPE C (MODIFIED)	
0600	6181000	1.000 LS		
			MOBILIZATION	
0610	6181020	2.000 EA	\$600.00000	\$1,200.00
			ADDITIONAL MOBILIZATION FOR SEEDING	
0615	6191000	1588.000 LF		
<b>2</b>	<b>ADDED</b>		PAVEMENT EDGE TREATMENT	
0620	6200015	275.000 LF		
			PERFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE	
0630	6200021	9.000 EA		
			PERFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW	
0640	6200027	3.000 EA		
			PERFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT	
0650	6205902B	202.000 LF		
			6 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)	
0660	6205903B	90.000 LF		
			6 IN. YELLOW CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)	
0670	6206000D	3755.000 LF		
			4 IN. WHITE CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS)	
0680	6206001D	1639.000 LF		
			4 IN. YELLOW CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS)	
0690	6207001	44578.000 LF		
<b>1</b>	<b>REVISED</b>		PAVEMENT MARKING REMOVAL	
0700	6208076	32178.000 LF		
			4 IN TEMPORARY PAVEMENT MARKING PAINT	
0710	6209902	135.000 EA		
			MISC. PERFORMED THERMOPLASTIC PAVEMENT MARKING, 2 X 6' CROSSWALK MARKING	
0720	6221001	7888.000 SQYD		
			COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)	
0730	6240103A	8047.000 SQYD		
			PERMANENT EROSION CONTROL GEOTEXTILE	

0740	6240104A	1705.000	SQYD	SEPARATION GEOTEXTILE
0750	6262000A	9.200	STA	PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP
0760	6274000	1.000	LS	CONTRACTOR FURNISHED SURVEYING AND STAKING
0770	7039901	1.000	LS	MISC. BOX CULVERT EXTENSION (5' x 4')
0780	7201200	1805.000	CUYD	SELECT GRANULAR BACKFILL FOR STRUCTURAL SYSTEMS
0790	7209901	1.000	LS	MISC. GROUND IMPROVEMENTS
0800	7261012	77.000	LF	12 IN. PIPE GROUP A
0810	7261018	3654.000	LF	18 IN. PIPE GROUP A
1	REVISED			
0820	7261024	511.000	LF	24 IN. PIPE GROUP A
0825	7265018	80.000	LF	JACKED 18 IN. CLASS III REINFORCED CONCRETE PIPE CULVERTS (GASKET TYPE)
1	ADDED			
0830	7310048	10.000	FT	PRECAST CONCRETE MANHOLE - 48 IN.
0840	7311022	27.000	FT	PRECAST CONCRETE DROP INLET 2 FT X 2 FT
0850	7311033	29.000	FT	PRECAST CONCRETE DROP INLET 3 FT X 3 FT
0860	7311042	84.000	FT	PRECAST CONCRETE DROP INLET 4 FT X 2 FT
0870	7311053	4.000	FT	PRECAST CONCRETE DROP INLET 5 FT X 3 FT
0880	7320612A	2.000	EA	12 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0890	7320618A	8.000	EA	18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0900	7320624A	2.000	EA	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
0910	8025006	3.700	ACRE	MULCHING
0920	8031000A	19.000	SQYD	TURF TYPE TALL FESCUE SODDING
0930	8051000A	4.600	ACRE	SEEDING - COOL SEASON GRASSES
0940	8061003	14.000	CUYD	SEDIMENT TRAP EXCAVATION
0950	8061004	14.000	CUYD	SEDIMENT TRAP ROCK
0960	8061005	70.000	LF	ROCK DITCH CHECK
0970	8061006	644.000	LF	ALTERNATE DITCH CHECK
0980	8061007A	50.000	EA	

CURB INLET CHECK

0990 8061016 530.000 CUYD

SEDIMENT REMOVAL

1000 8061017 3.700 ACRE

TEMPORARY SEEDING

1010 8061019 2428.000 LF

SILT FENCE

Section 0001 Total \$1,200.00

Section 0002 AA1
Alt Pvmt A - Mainline I-270 - Asphalt - J6I3020D

1020 4039905 10916.300 SQYD
MISC. 14.5 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125BSM

Section 0002 Total

Section 0003 AA2
Alt Pvmt B - Mainline I-270 - Concrete - J6I3020D

1030 5021311 10916.300 SQYD
CONCRETE PAVEMENT (11 IN. NON-REINFORCED 15 FT. JOINTS)

Section 0003 Total

Section 0004 BB1
Alt Pvmt C - Shoulder I-270 - Asphalt - J6I3020D

1040 4039905 3556.700 SQYD
MISC. 14.5 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125BSM

1050 6261000A 70.100 STA
BITUMINOUS SHOULDER RUMBLE STRIP

Section 0004 Total

Section 0005 BB2
Alt Pvmt D - Shoulder I-270 - Concrete - J6I3020D

1060 5021311 3556.700 SQYD
CONCRETE PAVEMENT (11 IN. NON-REINFORCED 15 FT. JOINTS)

1070 6262000A 70.100 STA
PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP

Section 0005 Total

Section 0006 CC1
Alt Pvmt E - A2 Asphalt Shoulder I-270 - J6I3020D

1080 4010150 661.000 SQYD
TYPE A2 SHOULDER

Section 0006 Total



REVISED



REVISED

Section 0007 CC2  
Alt Pvmt F - A2 Concrete Shoulder I-270 - J6I3020D

1090 5021340 661.000 SQYD  
TYPE A2 SHOULDER

Section 0007 Total

Section 0008 DD1  
Alt Pvmt G - Mainline Lilac Ave - Asphalt - J6I3020D

1100 4039905 831.900 SQYD  
MISC. 11.5 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP

1110 6091010 253.000 LF  
CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S

Section 0008 Total

Section 0009 DD2  
Alt Pvmt H - Mainline Lilac Ave - Concrete - J6I3020D

1120 5021311 831.900 SQYD  
CONCRETE PAVEMENT (11 IN. NON-REINFORCED 15 FT. JOINTS)

1130 6092011 253.000 LF  
INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A

Section 0009 Total

Section 0010  
GUARDRAIL ITEMS - J6I3020D

1140 6061060 3388.000 LF  
MGS GUARDRAIL

1150 6061069 5.000 EA  
MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)

1160 6061070 1.000 EA  
MGS VERTICAL CONCRETE BARRIER TRANSITION

1170 6061080 3.000 EA  
MGS END ANCHOR

1180 6063014 8.000 EA  
TYPE A CRASHWORTHY END TERMINAL (MASH)

Section 0010 Total

Section 0011  
LIGHTING ITEMS - J6I3020D

1190 9013004 36.000 LF  
CONDUIT, 4 IN. RIGID, IN TRENCH

1200 9014003 1221.000 LF  
CONDUIT, 3 IN. RIGID, PUSHED

1210 9015010 3944.000 LF  
TRENCHING TYPE I

1220 9016110 13.000 EA  
PULL BOX, PREFORMED CLASS 1

1230	9016112	1.000 EA	PULL BOX, PREFORMED CLASS 3
1240	9017006	1060.000 LF	CABLE, 6 AWG 1 CONDUCTOR
1250	9017110	2580.000 LF	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET
1260	9017404	5810.000 LF	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG
1270	9018245	19.000 EA	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)
1280	9019902	19.000 EA	MISC. 170W TOP MOUNTED LED-B LUMINAIRE
1290	9019902	19.000 EA	MISC. MISC. 45 FT. TOP MOUNT LIGHT POLE
1300	9019902	10.000 EA	MISC. ORNAMENTAL LUMINAIRE (BRIDGE MOUNTED)

Section 0011 Total

Section 0012

SIGNAL ITEMS - J6I3020D

1310	9020213	5.000 EA	SIGNAL HEAD, TYPE 3S
1320	9020513	10.000 EA	SIGNAL HEAD, TYPE 3B
1330	9020514	2.000 EA	SIGNAL HEAD, TYPE 4B
1340	9020833	78.000 SQFT	SH-FLAT SHEET - SIGNAL SIGN
1350	9020834	10.000 EA	SIGNAL SIGN, MOUNTING HARDWARE
1360	9022708	6.000 EA	POST, SIGNAL 8 FT.
1370	9023230	1.000 EA	POST, TYPE C, 30 FT. ARM OR 9.1 M ARM
1380	9023245	3.000 EA	POST, TYPE C, 45 FT. ARM OR 13.7 M ARM
1390	9023250	2.000 EA	POST, TYPE C, 50 FT. ARM OR 15.2 M ARM
1400	9024283	2.000 EA	CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER
1410	9025200	63.000 LF	CONDUIT, 2 IN., TRENCH WITH TRACER WIRE
1420	9025300	155.000 LF	CONDUIT, 3 IN., TRENCH WITH TRACER WIRE
1430	9025400	72.000 LF	CONDUIT, 4 IN., TRENCH WITH TRACER WIRE
1440	9027200	796.000 LF	CONDUIT, 2 IN., PUSHED WITH TRACER WIRE
1450	9027400	483.000 LF	CONDUIT, 4 IN., PUSHED WITH TRACER WIRE

1460	9028202	2650.000	LF	CABLE, 2 AWG 1 CONDUCTOR, POWER
1470	9028308	1550.000	LF	CABLE, 16 AWG 2 CONDUCTOR
1480	9028310	1570.000	LF	CABLE, 16 AWG 5 CONDUCTOR
1490	9028311	2390.000	LF	CABLE, 16 AWG 7 CONDUCTOR
1500	9028820	7.000	EA	PULL BOX, CONCRETE, STANDARD
1510	9028821	2.000	EA	PULL BOX, CONCRETE, DOUBLE, TYPE A
1520	9029100	24.700	CUYD	BASE, CONCRETE
1530	9029400	1.000	LS	TEMPORARY TRAFFIC SIGNALS
1540	9029901	1.000	LS	MISC. TRAFFIC SIGNAL MAINTENANCE AND PROGRAMMING
1550	9029902	2.000	EA	MISC. ATC TRAFFIC SIGNAL CONTROLLER
1560	9029902	12.000	EA	MISC. AUDIBLE PEDESTRIAN PUSHBUTTONS AND SIGNING
1570	9029902	12.000	EA	MISC. COUNTDOWN PEDESTRIAN SIGNAL HEAD, TYPE 1S
1580	9029902	2.000	EA	MISC. DISTRICT TRAFFIC SIGNAL DETECTION SYSTEM
1590	9029902	2.000	EA	MISC. NETWORK CONNECTED SIGNAL MONITOR
1600	9029902	1.000	EA	MISC. PAD MNT 120V/240V SIGNAL PS & LIGHTING CONTROLLER W/ UPS
1610	9029902	1.000	EA	MISC. TEMPORARY GENERATOR FOR SIGNAL POWER
1620	9029903	180.000	LF	MISC. CAT-5e/CAT-6 ETHERNET CABLE

Section 0012 Total

Section 0013

SIGNING ITEMS - J6I3020D

1630	9031010	6.500	CUYD	CONCRETE FOOTINGS, EMBEDDED
1640	9031020	10.600	CUYD	CONCRETE FOOTINGS, BOLT DOWN
1650	9031210	810.000	LB	I-BEAM POSTS
1660	9031220	3600.000	LB	PIPE POSTS
1670	9035004A	390.000	SQFT	SH-FLAT SHEET
1680	9035011A	344.000	SQFT	ST-STRUCTURAL

1690	9035069A	28.000 SQFT
		SHF-FLAT SHEET FLUORESCENT
1700	9039902	1.000 EA
		MISC. CANTILEVER SIGN TRUSS NO. 22
1710	9039902	1.000 EA
		MISC. CANTILEVER SIGN TRUSS NO. 7
1720	9039902	2.000 EA
		MISC. COVER EXISTING OVERHEAD SIGNS
1730	9039902	2.000 EA
		MISC. REMOVAL AND RELOCATION OF OVERHEAD SIGNS
1740	9039902	2.000 EA
		MISC. SIGN MOUNTING BRACKET FOR BARRIER WALL

Section 0013 Total

Section 0014

ITS ITEMS - J6I3020D

1750	9105200	616.000 LF
		CONDUIT, 2 IN., RIGID, IN TRENCH
1760	9105201	10.000 LF
		CONDUIT, 3 IN., RIGID, IN TRENCH
1770	9107201	651.000 LF
		CONDUIT, 3 IN., RIGID, PUSHED
1780	9108811	1.000 EA
		PULL BOX, PREFORMED CLASS 2
1790	9109901	1.000 LS
		MISC. ITS ASSET MANAGEMENT TOOL UPDATE
1800	9109901	1.000 LS
		MISC. ST. LOUIS COUNTY FIBER OPTIC CABLE RELOCATION
1810	9109902	162.000 EA
		MISC. FIBER OPTIC FUSION SPLICE
1820	9109902	1.000 EA
		MISC. IN-GROUND SPLICE CLOSURE
1830	9109902	1.000 EA
		MISC. INSTALL CCTV CAMERA ASSEMBLY
1840	9109902	2.000 EA
		MISC. INSTALL CONDUIT INTO EXISTING PULL BOX
1850	9109902	3.000 EA
		MISC. INSTALL OR RELOCATE EXISTING COMMUNICATION EQUIPMENT
1860	9109902	2.000 EA
		MISC. INTERCEPT CONDUIT WITH PULL BOX
1870	9109902	4.000 EA
		MISC. ITS PULL BOX WITH CONCRETE PAD, PREFORMED CLASS 5
1880	9109902	2.000 EA
		MISC. MM FIBER OPTIC JUMPER
1890	9109902	2.000 EA
		MISC. MM FIBER OPTIC PIGTAIL
1900	9109902	33.000 EA
		MISC. MODOT BURIED CABLE DRIVEABLE POST
1910	9109902	16.000 EA
		MISC. SM FIBER OPTIC JUMPER

1920	9109902	22.000 EA
	MISC. SM FIBER OPTIC PIGTAIL	
1930	9109902	2.000 EA
	MISC. WALL-MOUNTED FIBER INTERCONNECT CENTER	
1940	9109903	17886.000 LF
	MISC. 24F SINGLE MODE FIBER OPTIC CABLE	
1950	9109903	16980.000 LF
	MISC. REMOVAL OF EXISTING FIBER OPTIC CABLE	

## Section 0014 Total

## Section 0015

## Bridge A9398 Items - J6I3020D

1960	2024043	16.000 SQFT
	REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE)	
1970	2160500	1.000 LS
	REMOVAL OF BRIDGES	
1980	5031010A	332.000 SQYD
	BRIDGE APPROACH SLAB (MAJOR)	
1990	6073002	313.000 LF
	(60 IN.) DECORATIVE PEDESTRIAN FENCE (STRUCTURES)	
2000	7011105	285.000 LF
	DRILLED SHAFTS (3 FT. 6 IN. DIA.)	
2010	7011204	100.000 LF
	ROCK SOCKETS (3 FT 0 IN. DIA.)	
2020	7011300	5.000 EA
	VIDEO CAMERA INSPECTION	
2030	7011400	150.000 LF
	FOUNDATION INSPECTION HOLES	
2040	7011600	5.000 EA
	SONIC LOGGING TESTING	
2050	7021212	1860.000 LF
	GALVANIZED STRUCTURAL STEEL PILES (12 IN)	
2060	7027000	24.000 EA
	PILE POINT REINFORCEMENT	
2070	7032003	138.500 CUYD
	CLASS B CONCRETE (SUBSTRUCTURE)	
2080	7034216	316.000 LF
	TYPE H BARRIER	
2090	7034221	1197.000 SQYD
	SLAB ON CONCRETE NU-GIRDER	
2100	7034610	361.000 LF
	CORRAL CURB	
2110	7056021	1242.000 LF
	NU 35, PRESTRESSED CONCRETE NU-GIRDER	
2120	7071000	1.000 LS
	CONDUIT SYSTEM ON STRUCTURE	
2130	7109911	49840.000 LB
	MISC. REINFORCING STEEL (GALVANIZED)	
2140	7110200	1.000 LS
	PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)	

2150	7121060	1.000 LS	FABRICATED SIGN SUPPORT BRACKETS
2160	7151001	2.000 EA	VERTICAL DRAIN AT END BENTS
2170	7161000	9.000 EA	PLAIN NEOPRENE BEARING PAD
2180	7161002	9.000 EA	LAMINATED NEOPRENE BEARING PAD
2190	7161003	18.000 EA	LAMINATED NEOPRENE BEARING PAD (TAPERED)
2200	7201300	24.000 EA	PIPE PILE SPACERS

Section 0015 Total

Section 0016  
MSE Wall A9498 Items - J6I3020D

2210	7033009	1.000 LS	AESTHETIC CONCRETE STAIN
2220	7201000	2182.000 SQFT	MECHANICALLY STABILIZED EARTH WALL SYSTEMS

Section 0016 Total

Section 0017  
MSE Wall A9501 Items - J6I3020D

2230	7033009	1.000 LS	AESTHETIC CONCRETE STAIN
2240	7201000	3476.000 SQFT	MECHANICALLY STABILIZED EARTH WALL SYSTEMS

Section 0017 Total

Section 0018  
ROADWAY ITEMS - J6I3580B

2250	2022010	1.000 LS	REMOVAL OF IMPROVEMENTS
2260	4011209	2067.500 TONS	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)
2270	4030132	9623.600 TONS	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BSM MIX)
2280	4071005	13821.000 GAL	TACK COAT
2290	6123001	1.000 LS	TRUCK MOUNTED ATTENUATOR (TMA)
2300	6161098A	2.000 EA	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED / RETAINED
2310	6169901	1.000 LS	MISC. LUMP SUM TEMPORARY TRAFFIC CONTROL

2 REVISED

2320	6173000	6387.000 LF	CONCRETE TRAFFIC BARRIER, TYPE C
2330	6173600D	12784.000 LF	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED
2340	6181000	1.000 LS	MOBILIZATION
2350	6200021	14.000 EA	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW
2360	6200054	6.000 EA	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LANE REDUCTION ARROW
2370	6205902B	35459.000 LF	6 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)
2380	6205903B	28184.000 LF	6 IN. YELLOW CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)
2390	6205906B	3883.000 LF	12 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)
2400	6209901	1.000 LS	MISC. TEMPORARY PAVEMENT MARKING PAINT
2410	6209902	1148.000 EA	MISC. INLAID PAVEMENT MARKER INSTALLATION
2420	6221001	106347.000 SQYD	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)
2430	6261000A	145.400 STA	BITUMINOUS SHOULDER RUMBLE STRIP
2440	6274000	1.000 LS	CONTRACTOR FURNISHED SURVEYING AND STAKING
Section 0018 Total			

## Section 0019

## ROADWAY ITESM - JSL0021

2450	2013000	5.000 ACRE	CLEARING AND GRUBBING
2460	2022010	1.000 LS	REMOVAL OF IMPROVEMENTS
2470	2035000	23715.000 CUYD	UNCLASSIFIED EXCAVATION
2480	2035500	3715.000 CUYD	EMBANKMENT IN PLACE
2490	2036000	19290.000 CUYD	COMPACTING EMBANKMENT
2500	2037075	204.500 STA	COMPACTING IN CUT
2510	2063000	683.000 CUYD	CLASS 3 EXCAVATION
2520	2153000	10.000 100F	SHAPING SLOPES, CLASS III
2530	3030600	29343.000 SQYD	FURNISHING ROCK BASE MATERIAL
2540	3030610A	29343.000 SQYD	PLACING ROCK BASE

2550	3040504	2694.000	SQYD	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)
2560	3040506	4614.000	SQYD	TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)
2570	4011209	107.000	TONS	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)
2580	4019905	2182.000	SQYD	MISC. TEMPORARY ASPHALT PAVEMENT TRANSITION PATCH
2590	4030109	786.000	TONS	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125CLP MIX)
2600	4030132	430.800	TONS	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BSM MIX)
2610	4071005	1530.000	GAL	TACK COAT
2620	5041000	817.000	SQYD	CONCRETE APPROACH PAVEMENT
2630	6042020	5.000	EA	ADJUSTING BASIN OR INLET
2640	6049902	9.000	EA	MISC. ADJUSTING VALVES
2650	6049902	1.000	EA	MISC. CONCRETE MANHOLE APRON
2660	6071050	212.000	LF	CHAIN-LINK FENCE (RETAINING WALLS)
2670	6071102	446.000	LF	MODIFIED CONCRETE GUTTER TYPE B
2680	6081012	162.000	SQFT	TRUNCATED DOMES
2690	6083006	46.600	SQYD	6 IN. CONCRETE MEDIAN STRIP
2700	6086004	445.300	SQYD	CONCRETE SIDEWALK, 4 IN.
2710	6086007	67.000	SQYD	CONCRETE SIDEWALK, 7 IN.
2720	6089902	7.000	EA	MISC. CONCRETE CURB RAMP
2730	6091060	479.200	SQYD	PAVED DITCH
2740	6094010	3.000	EA	DRAIN BASIN
2750	6096020	172.000	CUYD	FURNISHING TYPE 2 ROCK DITCH LINER
2760	6096042	172.000	CUYD	PLACING TYPE 2 ROCK DITCH LINER
2770	6097000	2.000	CUYD	ROCK LINING
2780	6113010	2623.000	CUYD	FURNISHING TYPE 1 ROCK BLANKET
2790	6113030	2623.000	CUYD	PLACING TYPE 1 ROCK BLANKET
2800	6116010A	1179.000	SQYD	

## SLOPE PROTECTION

2810	6122009	4.000 EA	IMPACT ATTENUATOR 45 MPH (SAND BARREL ARRAY)
2820	6122014	2.000 EA	IMPACT ATTENUATOR 60 MPH (SAND BARREL ARRAY)
2830	6122020	130.000 EA	REPLACEMENT SAND BARREL
2840	6122040	3.000 EA	WORK ZONE CRASH CUSHION (NARROW)
2850	6131010	160.000 SQYD	FURNISHING AND PLACING CONCRETE MATERIAL FOR FULL DEPTH PAVEMENT REPAIR
1 REVIS			
2860	6131012	160.000 SQYD	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)
1 REVIS			
2870	6131013	160.000 SQYD	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)
1 REVIS			
2880	6131014	408.000 LF	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS)
2890	6131015	160.000 EA	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR
2900	6131017	30.000 EA	DOWEL BAR (FURNISHING AND INSTALLATION WITH BASKETS) FOR FULL DEPTH PAVEMENT REPAIR
2910	6139901	1.000 LS	MISC. WELDING OF GRATES ON DROP INLETS
2920	6141022	3.000 EA	GRATE AND BEARING PLATE (3 FT. X 3 FT. OR 914 MM X 914 MM)
2930	6141120	6.000 EA	CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MM X 600MM)
2940	6141121	16.000 EA	CURVED VANE GRATE AND FRAME (4 FT. X 2 FT. OR 1200MM X 600MM)
2950	6143010	1.000 EA	MANHOLE FRAME AND COVER, TYPE 1-A
2960	6161098A	7.000 EA	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED / RETAINED NTCIP COMPLIANT CHANGEABLE MESSAGE SIGN (CONTRACTOR FURNISHED AND RETAINED)
2970	6162002	14.000 EA	TEMPORARY LONG-TERM RUMBLE STRIPS
2980	6169901	1.000 LS	MISC. TEMPORARY TRAFFIC CONTROL LUMP SUM
2990	6172000	272.000 LF	CONCRETE TRAFFIC BARRIER, TYPE B
3000	6173000	4958.000 LF	CONCRETE TRAFFIC BARRIER, TYPE C
3010	6173100	193.000 LF	CONCRETE TRAFFIC BARRIER, TYPE D
3020	6173101	33.000 LF	CONCRETE TRAFFIC BARRIER, TYPE D (MODIFIED)
3030	6173600D	855.000 LF	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED
3040	6173700B	17031.000 LF	

TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED					
3050	6173706	3613.000	LF		
TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED					
3060	6179903	630.000	LF		
MISC. CONCRETE TRAFFIC BARRIER, TYPE C (MODIFIED)					
3070	6181000	1.000	LS		
MOBILIZATION					
3080	6181020	3.000	EA	\$600.00000	\$1,800.00
ADDITIONAL MOBILIZATION FOR SEEDING					
3090	6200015	209.000	LF		
PERFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE					
3100	6200021	5.000	EA		
PERFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW					
3110	6200042A	12.000	EA		
PERFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. X 36 IN., YIELD LINE TRIANGLE					
3120	6205902B	16849.000	LF		
6 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)					
3130	6205903B	5481.000	LF		
6 IN. YELLOW CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)					
3140	6205906B	1522.000	LF		
12 IN. WHITE CLASS 2 PAVEMENT MARKING PAINT (25-MIL, TYPE L BEADS)					
3150	6206000D	3200.000	LF		
4 IN. WHITE CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS)					
3160	6206001D	1657.000	LF		
4 IN. YELLOW CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS)					
3170	6207001	132190.000	LF		
PAVEMENT MARKING REMOVAL					
3180	6208064A	1313.000	EA		
TEMPORARY RAISED PAVEMENT MARKER					
3190	6208076	51910.000	LF		
4 IN TEMPORARY PAVEMENT MARKING PAINT					
3200	6208076	76770.000	LF		
4 IN TEMPORARY PAVEMENT MARKING PAINT					
3210	6209902	6.000	EA		
MISC. 18 IN. WHITE ISLAND TUBULAR MARKER					
3220	6209902	6.000	EA		
MISC. 18 IN. YELLOW ISLAND TUBULAR MARKER					
3230	6209902	36.000	EA		
MISC. PERFORMED THERMOPLASTIC PAVEMENT MARKING, 2' X 6' CROSSWALK MARKING					
3240	6221001	11771.000	SQYD		
COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)					
3250	6240103A	5783.000	SQYD		
PERMANENT EROSION CONTROL GEOTEXTILE					
3260	6240104A	551.000	SQYD		
SEPARATION GEOTEXTILE					
3270	6274000	1.000	LS		
CONTRACTOR FURNISHED SURVEYING AND STAKING					
3280	7039907	5118.100	CUYD		
MISC. LIGHTWEIGHT CELLULAR CONCRETE					
3290	7139903A	1063.000	LF		
MISC. TRENCH DRAIN					

3300	7201200	1762.000	CUYD	SELECT GRANULAR BACKFILL FOR STRUCTURAL SYSTEMS
3310	7261012	131.000	LF	12 IN. PIPE GROUP A
3320	7261015	420.000	LF	15 IN. PIPE GROUP A
3330	7310072	8.000	FT	PRECAST CONCRETE MANHOLE - 72 IN.
3340	7311022	23.000	FT	PRECAST CONCRETE DROP INLET 2 FT X 2 FT
3350	7311033	12.000	FT	PRECAST CONCRETE DROP INLET 3 FT X 3 FT
3360	7311042	55.000	FT	PRECAST CONCRETE DROP INLET 4 FT X 2 FT
3370	7320615A	2.000	EA	15 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION
3380	8025006	3.900	ACRE	MULCHING
3390	8051000A	4.000	ACRE	SEEDING - COOL SEASON GRASSES
3400	8061003	3.000	CUYD	SEDIMENT TRAP EXCAVATION
3410	8061004	3.000	CUYD	SEDIMENT TRAP ROCK
3420	8061006	540.000	LF	ALTERNATE DITCH CHECK
3430	8061007A	45.000	EA	CURB INLET CHECK
3440	8061016	343.000	CUYD	SEDIMENT REMOVAL
3450	8061017	3.900	ACRE	TEMPORARY SEEDING
3460	8061019	2141.000	LF	SILT FENCE

Section 0019 Total \$1,800.00

Section 0020 EE1  
Alt Pvmt I - Mainline I-270 - Asphalt - JSL0021

3470	4039905	14618.600	SQYD	MISC. 15.5 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125BSM
------	---------	-----------	------	---

Section 0020 Total

Section 0021 EE2  
Alt Pvmt J - Mainline I-270 - Concrete - JSL0021

3480	5021311	14618.600	SQYD	CONCRETE PAVEMENT (11 IN. NON-REINFORCED 15 FT. JOINTS)
------	---------	-----------	------	---

Section 0021 Total



3570	6061060	4963.000 LF
	MGS GUARDRAIL	
3580	6061069	8.000 EA
	MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB)	
3590	6061070	5.000 EA
	MGS VERTICAL CONCRETE BARRIER TRANSITION	
3600	6061080	6.000 EA
	MGS END ANCHOR	
3610	6063014	10.000 EA
	TYPE A CRASHWORTHY END TERMINAL (MASH)	

Section 0028 Total

Section 0029

LIGHTING ITEMS - JSL0021

3620	9013004	19.000 LF
	CONDUIT, 4 IN. RIGID, IN TRENCH	
3630	9014003	705.000 LF
	CONDUIT, 3 IN. RIGID, PUSHED	
3640	9014502	596.000 LF
	CONDUIT, 2 IN. RIGID, EXTERNAL ON STRUCTURE	
3650	9015010	1592.000 LF
	TRENCHING TYPE I	
3660	9016110	15.000 EA
	PULL BOX, PREFORMED CLASS 1	
3670	9016112	1.000 EA
	PULL BOX, PREFORMED CLASS 3	
3680	9016120	1.000 EA
	PULL BOX, CONCRETE, STANDARD	
3690	9017008	1960.000 LF
	CABLE, 8 AWG 1 CONDUCTOR	
3700	9017110	2400.000 LF
	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	
3710	9017407	2660.000 LF
	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG	
3720	9018245	15.000 EA
	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)	
3730	9019902	20.000 EA
	MISC. 170W TOP MOUNTED LED-B LUMINAIRE	
3740	9019902	20.000 EA
	MISC. 45 FT. TOP MOUNT LIGHT POLE	
3750	9019902	1.000 EA
	MISC. RELOCATE EX. LUMINAIRE	
3760	9019902	5.000 EA
	MISC. REPLACE EX. LUMINAIRE	
3770	9019902	10.000 EA
	MISC. UNDERPASS LED LUMINAIRE (WALLPACK)	

Section 0029 Total

## Section 0030

## SIGNAL ITEMS - JSL0021

3780	9020213	4.000	EA	SIGNAL HEAD, TYPE 3S
3790	9020513	16.000	EA	SIGNAL HEAD, TYPE 3B
3800	9020514	3.000	EA	SIGNAL HEAD, TYPE 4B
3810	9020833	79.000	SQFT	SH-FLAT SHEET - SIGNAL SIGN
3820	9020834	14.000	EA	SIGNAL SIGN, MOUNTING HARDWARE
3830	9022708	6.000	EA	POST, SIGNAL 8 FT.
3840	9023230	1.000	EA	POST, TYPE C, 30 FT. ARM OR 9.1 M ARM
3850	9023235	1.000	EA	POST, TYPE C, 35 FT. ARM OR 10.7 M ARM
3860	9023245	3.000	EA	POST, TYPE C, 45 FT. ARM OR 13.7 M ARM
3870	9023250	1.000	EA	POST, TYPE C, 50 FT. ARM OR 15.2 M ARM
3880	9023255	1.000	EA	POST, TYPE C, 55 FT. ARM
3890	9024283	2.000	EA	CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER
3900	9025200	286.000	LF	CONDUIT, 2 IN., TRENCH WITH TRACER WIRE
3910	9025300	194.000	LF	CONDUIT, 3 IN., TRENCH WITH TRACER WIRE
3920	9025400	52.000	LF	CONDUIT, 4 IN., TRENCH WITH TRACER WIRE
3930	9027400	628.000	LF	CONDUIT, 4 IN., PUSHED WITH TRACER WIRE
3940	9028202	560.000	LF	CABLE, 2 AWG 1 CONDUCTOR, POWER
3950	9028308	980.000	LF	CABLE, 16 AWG 2 CONDUCTOR
3960	9028310	990.000	LF	CABLE, 16 AWG 5 CONDUCTOR
3970	9028311	3220.000	LF	CABLE, 16 AWG 7 CONDUCTOR
3980	9028811	4.000	EA	PULL BOX, PREFORMED CLASS 2
3990	9028820	4.000	EA	PULL BOX, CONCRETE, STANDARD
4000	9028821	2.000	EA	PULL BOX, CONCRETE, DOUBLE, TYPE A
4010	9029100	27.700	CUYD	BASE, CONCRETE
4020	9029400	1.000	LS	

## TEMPORARY TRAFFIC SIGNALS

4030	9029901	1.000 LS
		MISC. TRAFFIC SIGNAL MAINTENANCE AND PROGRAMMING
4035	9029901	1.000 LS
		MISC. TEMPORARY TRAFFIC SIGNALS - SPECIAL
4040	9029902	2.000 EA
		MISC. ATC TRAFFIC SIGNAL CONTROLLER
4050	9029902	6.000 EA
		MISC. AUDIBLE PEDESTRIAN PUSHBUTTONS AND SIGNING
4060	9029902	6.000 EA
		MISC. COUNTDOWN PEDESTRIAN SIGNAL HEAD, TYPE 1S
4070	9029902	2.000 EA
		MISC. DISTRICT TRAFFIC SIGNAL DETECTION SYSTEM
4080	9029902	2.000 EA
		MISC. NETWORK CONNECTED SIGNAL MONITOR
4090	9029902	1.000 EA
		MISC. PAD MNT 120V/240V SIGNAL PS & LIGHTING CONTROLLER W/ UPS
4100	9029902	2.000 EA
		MISC. TEMPORARY GENERATOR FOR SIGNAL POWER
4110	9029903	250.000 LF
		MISC. CAT-5E/CAT-6 ETHERNET CABLE

Section 0030 Total

## Section 0031

## SIGNING ITEMS - JSL0021

4120	9031010	5.700 CUYD
		CONCRETE FOOTINGS, EMBEDDED
4130	9031020	10.200 CUYD
		CONCRETE FOOTINGS, BOLT DOWN
4140	9031220	3350.000 LB
		PIPE POSTS
4150	9035004A	402.000 SQFT
		SH-FLAT SHEET
4160	9035011A	227.000 SQFT
		ST-STRUCTURAL
4170	9035069A	44.000 SQFT
		SHF-FLAT SHEET FLUORESCENT
4180	9039902	1.000 EA
		MISC. CANTILEVER SIGN TRUSS NO. 30
4190	9039902	1.000 EA
		MISC. CANTILEVER SIGN TRUSS NO. 5
4200	9039902	11.000 EA
		MISC. COVER EXISTING OVERHEAD SIGNS

Section 0031 Total

## Section 0032

## ITS ITEMS - JSL0021

4210	9105200	430.000 LF
		CONDUIT, 2 IN., RIGID, IN TRENCH

4220	9108206	570.000 LF	CABLE, 6 AWG, 1 CONDUCTOR, POWER
4230	9108811	5.000 EA	PULL BOX, PREFORMED CLASS 2
4240	9109902	1.000 EA	MISC. CONDUIT SYSTEM ADJUSTMENT OR REPAIR
4250	9109902	770.000 EA	MISC. CONDUIT, 2 IN., RIGID, PUSHED
4260	9109902	1.000 EA	MISC. DRILLED SHAFT (3 FT. 0 IN. DIAMETER)
4270	9109902	40.000 EA	MISC. FUSION SPLICE
4280	9109902	3.000 EA	MISC. INSTALL OR RELOCATE EXISTING COMMUNICATION EQUIPMENT
4290	9109902	1.000 EA	MISC. INSTALLING A COMMISSION FURNISHED AND PRGRAMMED IP ADDRESSABLE POWER STRIP
4300	9109902	5.000 EA	MISC. ITS PULLBOX WITH CONCRETE PAD, PREFORMED CLASS 5
4310	9109902	11.000 EA	MISC. MODOT BURIED CABLE DRIVEABLE POST
4320	9109902	1.000 EA	MISC. RACK-MOUNTED FIBER INTERCONNECT CENTER
4330	9109902	1.000 EA	MISC. RELOCATE EXISTING CCTV CAMERA ASSEMBLY
4340	9109902	14.000 EA	MISC. SM FIBER OPTIC JUMPER
4350	9109902	14.000 EA	MISC. SM FIBER OPTIC PIGTAIL
4360	9109902	1.000 EA	MISC. TYPE 7 CABINET
4370	9109902	2.000 EA	MISC. WALL-MOUNTED FIBER INTERCONNECT CENTER
4380	9109903	820.000 LF	MISC. 24F SINGLE MODE FIBER OPTIC CABLE

Section 0032 Total

Section 0033

Bridge A9489 Items - JSL0021

4390	2065500	1.000 LS	TEMPORARY SHORING
4400	2160500	1.000 LS	REMOVAL OF BRIDGES
4410	5031010A	241.000 SQYD	BRIDGE APPROACH SLAB (MAJOR)
4420	7011105	154.000 LF	DRILLED SHAFTS (3 FT. 6 IN. DIA.)
4430	7011204	54.000 LF	ROCK SOCKETS (3 FT 0 IN. DIA.)
4440	7011300	3.000 EA	

## VIDEO CAMERA INSPECTION

4450	7011400	84.000	LF
			FOUNDATION INSPECTION HOLES
4460	7011600	3.000	EA
			SONIC LOGGING TESTING
4470	7021212	1001.000	LF
			GALVANIZED STRUCTURAL STEEL PILES (12 IN)
4480	7027000	14.000	EA
			PILE POINT REINFORCEMENT
4490	7032003	102.200	CUYD
			CLASS B CONCRETE (SUBSTRUCTURE)
4500	7034219A	323.000	LF
			TYPE D BARRIER
4510	7034221	911.000	SQYD
			SLAB ON CONCRETE NU-GIRDER
4520	7039903	40.000	LF
			MISC. MODIFIED TYPE D BARRIER
4530	7056021	876.000	LF
			NU 35, PRESTRESSED CONCRETE NU-GIRDER
4540	7071000	1.000	LS
			CONDUIT SYSTEM ON STRUCTURE
4550	7109911	27770.000	LB
			MISC. REINFORCING STEEL (GALVANIZED)
4560	7110200	1.000	LS
			PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)
4570	7151001	2.000	EA
			VERTICAL DRAIN AT END BENTS
4580	7161002	12.000	EA
			LAMINATED NEOPRENE BEARING PAD
4590	7161003	12.000	EA
			LAMINATED NEOPRENE BEARING PAD (TAPERED)
4600	7201300	14.000	EA
			PIPE PILE SPACERS

Section 0033 Total

## Section 0034

Bridge A9490 Items - JSL0021

4610	5031010A	268.000	SQYD
			BRIDGE APPROACH SLAB (MAJOR)
4620	7011105	236.000	LF
			DRILLED SHAFTS (3 FT. 6 IN. DIA.)
4630	7011204	92.000	LF
			ROCK SOCKETS (3 FT 0 IN. DIA.)
4640	7011300	4.000	EA
			VIDEO CAMERA INSPECTION
4650	7011400	132.000	LF
			FOUNDATION INSPECTION HOLES
4660	7011600	4.000	EA
			SONIC LOGGING TESTING
4670	7021212	1248.000	LF

## GALVANIZED STRUCTURAL STEEL PILES (12 IN)

4680	7027000	16.000 EA	PILE POINT REINFORCEMENT
4690	7032003	117.300 CUYD	CLASS B CONCRETE (SUBSTRUCTURE)
4700	7034219A	323.000 LF	TYPE D BARRIER
4710	7034221	1010.000 SQYD	SLAB ON CONCRETE NU-GIRDER
4720	7039903	40.000 LF	MISC. MODIFIED TYPE D BARRIER
4730	7056021	1022.000 LF	NU 35, PRESTRESSED CONCRETE NU-GIRDER
4740	7071000	1.000 LS	CONDUIT SYSTEM ON STRUCTURE
4750	7109911	40190.000 LB	MISC. REINFORCING STEEL (GALVANIZED)
4760	7110200	1.000 LS	PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)
4770	7123610	1.000 EA	SLAB DRAIN
4780	7123620	1.000 LS	DRAINAGE SYSTEM (ON STRUCTURE)
4790	7151001	2.000 EA	VERTICAL DRAIN AT END BENTS
4800	7161002	14.000 EA	LAMINATED NEOPRENE BEARING PAD
4810	7161003	14.000 EA	LAMINATED NEOPRENE BEARING PAD (TAPERED)
4820	7201300	16.000 EA	PIPE PILE SPACERS

Section 0034 Total

## Section 0035

Bridge A9493 Items - JSL0021

4830	2061000	85.000 CUYD	CLASS 1 EXCAVATION
4840	2065500	1.000 LS	TEMPORARY SHORING
4850	2160500	1.000 LS	REMOVAL OF BRIDGES
4860	5031010A	239.000 SQYD	BRIDGE APPROACH SLAB (MAJOR)
4870	7011107	318.000 LF	DRILLED SHAFTS (4 FT. 6 IN. DIA.)
4880	7011206	147.000 LF	ROCK SOCKETS (4 FT 0 IN. DIA.)
4890	7011300	6.000 EA	VIDEO CAMERA INSPECTION
4900	7011400	207.000 LF	

## FOUNDATION INSPECTION HOLES

4910	7011600	6.000 EA
	SONIC LOGGING TESTING	
4920	7021212	938.000 LF
	GALVANIZED STRUCTURAL STEEL PILES (12 IN)	
4930	7027000	14.000 EA
	PILE POINT REINFORCEMENT	
4940	7032003	194.400 CUYD
	CLASS B CONCRETE (SUBSTRUCTURE)	
4950	7034219A	405.000 LF
	TYPE D BARRIER	
4960	7034221	1155.000 SQYD
	SLAB ON CONCRETE NU-GIRDER	
4970	7039903	41.000 LF
	MISC. MODIFIED TYPE D BARRIER	
4980	7056022	1122.000 LF
	NU 43, PRESTRESSED CONCRETE NU-GIRDER	
4990	7071000	1.000 LS
	CONDUIT SYSTEM ON STRUCTURE	
5000	7109911	87850.000 LB
	MISC. REINFORCING STEEL (GALVANIZED)	
5010	7110200	1.000 LS
	PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)	
5020	7121060	1.000 LS
	FABRICATED SIGN SUPPORT BRACKETS	
5030	7123610	9.000 EA
	SLAB DRAIN	
5040	7123620	1.000 LS
	DRAINAGE SYSTEM (ON STRUCTURE)	
5050	7151001	2.000 EA
	VERTICAL DRAIN AT END BENTS	
5060	7161000	12.000 EA
	PLAIN NEOPRENE BEARING PAD	
5070	7161002	24.000 EA
	LAMINATED NEOPRENE BEARING PAD	

Section 0035 Total

## Section 0036

Bridge A9494 Items - JSL0021

5080	2061000	85.000 CUYD
	CLASS 1 EXCAVATION	
5090	5031010A	239.000 SQYD
	BRIDGE APPROACH SLAB (MAJOR)	
5100	7011107	334.500 LF
	DRILLED SHAFTS (4 FT. 6 IN. DIA.)	
5110	7011206	147.000 LF
	ROCK SOCKETS (4 FT 0 IN. DIA.)	
5120	7011300	6.000 EA
	VIDEO CAMERA INSPECTION	
5130	7011400	207.000 LF

## FOUNDATION INSPECTION HOLES

5140	7011600	6.000 EA	SONIC LOGGING TESTING
5150	7021212	966.000 LF	GALVANIZED STRUCTURAL STEEL PILES (12 IN)
5160	7027000	14.000 EA	PILE POINT REINFORCEMENT
5170	7032003	193.700 CUYD	CLASS B CONCRETE (SUBSTRUCTURE)
5180	7034219A	405.000 LF	TYPE D BARRIER
5190	7034221	1155.000 SQYD	SLAB ON CONCRETE NU-GIRDER
5200	7039903	41.000 LF	MISC. MODIFIED TYPE D BARRIER
5210	7056022	1122.000 LF	NU 43, PRESTRESSED CONCRETE NU-GIRDER
5220	7071000	1.000 LS	CONDUIT SYSTEM ON STRUCTURE
5230	7109911	89590.000 LB	MISC. REINFORCING STEEL (GALVANIZED)
5240	7110200	1.000 LS	PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)
5250	7121060	1.000 LS	FABRICATED SIGN SUPPORT BRACKETS
5260	7123610	9.000 EA	SLAB DRAIN
5270	7123620	1.000 LS	DRAINAGE SYSTEM (ON STRUCTURE)
5280	7151001	2.000 EA	VERTICAL DRAIN AT END BENTS
5290	7161000	12.000 EA	PLAIN NEOPRENE BEARING PAD
5300	7161002	24.000 EA	LAMINATED NEOPRENE BEARING PAD

Section 0036 Total

## Section 0037

MSE Wall A9491 Items - JSL0021

5310	7033009	1.000 LS	AESTHETIC CONCRETE STAIN
5320	7201001	1.000 LS	TEMPORARY MSE WALL SYSTEM
5330	7209904	4517.000 SQFT	MISC. MECHANICALLY STABILIZED EARTH WALL SYSTEMS WITH LIGHTWEIGHT FILL

Section 0037 Total

## Section 0038

MSE Wall A9492 Items - JSL0021

---

5340	7033009	1.000 LS
	AESTHETIC CONCRETE STAIN	
-----		
5350	7201001	1.000 LS
	TEMPORARY MSE WALL SYSTEM	
-----		
5360	7209904	3393.000 SQFT
	MISC. MECHANICALLY STABILIZED EARTH WALL SYSTEMS WITH LIGHTWEIGHT FILL	
-----		

Section 0038 Total

---

Item Total	\$3,000.00
------------	------------

---

**DBE CERTIFICATION**

(6) Trainees: (Applies to Federal Projects only) The number of trainee hours provided under this contract will be 2 slots at 1000 hours per slot or 2000 hours.

(7) Bidder's Certification for DBE Program and Contract Goal

(Applies to Federal Projects only.)

(A) DBE Contract Goal: By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in the General Provisions. The contract goal for the amount of work to be awarded is 0 % of the total federal project price. The bidder shall also complete the DBE Identification Submittal form in accordance with the General Provisions. This form is available on MoDOT's Website, [www.modot.org](http://www.modot.org) on the Bid Opening Info page of the Contractor Resources site.

(B) DBE Participation: The bidder certifies that it will utilize DBE's as follows:

% OF TOTAL FEDERAL CONTRACT

NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.

The DBE Identification Submittal form will be submitted via

(C) Certification of Good Faith Efforts to Obtain DBE Participation: By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal:

**Bidder's List Quote Summary Attachment**

Attach the form as required by Sec. 102.7.9.

Attachment:  Verify

**CONTRACT PROVISIONS**

(8a) ACCEPTANCE OF PROVISION FOR PRICE ADJUSTMENT FOR FUEL: Bidders have the option to accept the provision for Price Adjustment for Fuel in accordance with Sec. 109.14. The bidder must select "Yes" for those items of work in which they choose to accept the provision. No price adjustments will be made, due to fuel price changes, for bidders who do not accept this provision. This provision does not apply to Seal Coat.

EXCAVATION PRODUCTION

ASPHALT PAVING PRODUCTION AND HAULING

CONCRETE PAVING PRODUCTION AND HAULING

AGGREGATE BASE HAULING

(8b) ACCEPTANCE FOR PROVISION FOR ASPHALT CEMENT PRICE INDEX, SEAL COAT PRICE INDEX, ASPHALT UNDERSEAL PRICE INDEX, OR POLYMER MODIFIED EMULSION MEMBRANE PRICE INDEX: Bidders have the option to accept the provision for Asphalt Cement Price Index, Seal Coat Price Index, Asphalt Underseal Price Index, and/or Polymer Modified Emulsion Membrane Price Index (when used in conjunction with an Ultrathin Bonded Asphalt Wearing Surface treatment) in accordance with Sec 109.15. The bidder must mark each box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders who do not accept this provision.

ASPHALT CEMENT

SEAL COAT

ASPHALT UNDERSEAL

POLYMER MODIFIED EMULSION MEMBRANE (UBAWS)

(9) MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING: Bidders have the option to specify the maximum monetary value of awards that they will accept for the total of all bids they have submitted in the bid opening, Sec 102.7.2. If the bidder is submitting only one bid, or if the bidder does not want to specify a maximum monetary value for submitted bids, this section should not be completed. If a submitted bid upon correction exceeds the indicated maximum monetary amount, the bid may be declared non-responsive. If a bidder's submitted bids show different values for the maximum monetary value, the lowest value will govern.

MAXIMUM MONETARY VALUE OF AWARDS ACCEPTED THIS BID OPENING

§

(Note: This amount should be entered in only one of the bids for this bid opening, but should cover all bids submitted).

(10) COMBINATION BIDS: (Applies only if combination bids are specified. See cover and/or notice to contractor(s).) Combination bids will be in accordance with Sec 102.12. By selecting "All or None" the bidder desires to combine all projects in accordance with Sec 102.12.2.1.

(11a) CERTIFICATIONS FOR FEDERAL JOBS: (Applies to Federal Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty and material misrepresentation or omission of fact within the bid submission.

(11b) CERTIFICATIONS FOR STATE JOBS: (Applies to State Projects only.) By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.2 (regarding diseligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.5 (regarding Missouri Domestic Products Procurement Act).

Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the Commission may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

Does the bidder make certification for the above items listed in 11(a) or 11 (b)? **Yes**  **No**

By selecting "No" the bidder REFUSES to make one or more certifications for the above items 11a or 11b. The bidder shall provide a statement of explanation for the refusal in the space below or by fax to the Design Division @ Fax no. 573-522-2281.

(12) ANTIDISCRIMINATION: The Commission hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national

origin in consideration for an award.

(13) PREFERENCE TO MISSOURI FIRMS IN AWARDING OF CONTRACTS: (Applies to State Projects only.) The bidder's attention is directed to Sections 34.073 and 34.076 RSMo, et seq, which requires that preference be given in awarding contracts to firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when the quality of performance promised is equal, or better, and the price quoted is the same, or less.

The law also requires that a contractor or bidder domiciled outside the State of Missouri shall be required, in order to be the successful bidder, to submit a bid which is the same percent less than the lowest bid submitted by a responsible contractor or bidder domiciled in Missouri as would be required for the Missouri domiciled contractor or bidder to succeed over the bidding contractor or bidder domiciled outside Missouri in a like contract or bid being let in his domiciliary state. A contractor or bidder domiciled outside Missouri shall also be required to submit an audited financial statement as would be required of a Missouri domiciled contractor or bidder on a like contract or bid being let in the domiciliary state of that contractor or bidder.

For firms, corporations or individuals domiciled outside the State of Missouri, it is requested they submit the following information:

List the state of domicile

List address of all Missouri offices or places of business

I acknowledge that I have read, understand and completed the above Contract Provisions.

**SUBCONTRACTOR DISCLOSURE**

(14) SUBCONTRACTOR DISCLOSURE The bidder shall submit with this bid any subcontracts that meet the requirements of Sec 102. List below the name of each subcontractor that will be furnishing labor, labor and materials, the category of work that the subcontractor will be performing (e.g. asphalt, concrete, earthwork, bridges...), and the dollar value of the subcontract. Select "NONE" if there are no subcontractors that need to be disclosed.

If the information is not available at the time of bid, the bidder shall submit the "Subcontractor Disclosure Form", located on MoDOT's website, on or before 4:00 p.m. of the third business day after the bid opening date, directly to the Design Division, Missouri Department of Transportation, 105 W. Capitol Avenue, P.O. Box 270, Jefferson City, Missouri 65102-0270. Telefax transmittal to MoDOT will be permitted at fax no. 573-522-2281 or emailed to subcontractor.disclosure@modot.mo.gov. The complete signed original documents do not need to be mailed to MoDOT, but the bidder shall have it available if requested by the Design Division or the engineer.

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

SUBCONTRACTOR NAME:

DOLLAR VALUE: \$

CATEGORY OF WORK:

Submitted:

**SIGNATURE AND IDENTITY OF BIDDER**

## (15) SIGNATURE AND IDENTITY OF BIDDER

BY SUBMITTING THIS BID ELECTRONICALLY, I HEREBY ACKNOWLEDGE THAT ALL REQUIREMENTS INCLUDED IN THE HARD COPY REQUEST FOR BID, AND AMENDMENTS ARE A PART OF THIS BID AND CONTRACT.

\*\*\* AN ELECTRONIC PROPOSAL SUBMITTED AND SIGNED WITH A DIGITAL ID, UNDER THE PROVISION OF THE MISSOURI DEPARTMENT OF TRANSPORTATION, WILL BE CONSIDERED VALID AND BINDING. \*\*\*

THE BIDDER CERTIFIES THAT THE BIDDER AND ITS OFFICIALS, AGENTS, AND EMPLOYEES HAVE NEITHER DIRECTLY NOR INDIRECTLY ENTERED INTO ANY AGREEMENT, PARTICIPATED IN ANY COLLUSION, OR OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF FREE COMPETITIVE BIDDING IN CONNECTION WITH THIS BID, AND THAT THE BIDDER INTENDS TO PERFORM THE WORK WITH ITS OWN BONAFIDE EMPLOYEES AND SUBCONTRACTORS, AND DID NOT BID FOR THE BENEFIT OF ANOTHER CONTRACTOR.

THE BIDDER CERTIFIES THAT THE BIDDER'S COMPANY KNOWINGLY EMPLOYS ONLY INDIVIDUALS WHO ARE AUTHORIZED TO WORK IN THE UNITED STATES IN ACCORDANCE WITH APPLICABLE FEDERAL AND STATE LAWS AND ALL PROVISIONS OF MISSOURI EXECUTIVE ORDER NO. 07-13 FOR CONTRACTS WITH THE MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION, ACTING THROUGH THE MISSOURI DEPARTMENT OF TRANSPORTATION.

THE BIDDER ACKNOWLEDGES THAT THIS IS AN UNSWORN DECLARATION, EXECUTED UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE UNITED STATES AND/OR FALSE DECLARATION UNDER THE LAWS OF MISSOURI, AND ANY OTHER APPLICABLE STATE OR FEDERAL LAWS. THE FAILURE TO PROVIDE THIS CERTIFICATION IN THIS BID MAY MAKE THIS BID NON-RESPONSIVE, AND CAUSE IT TO BE REJECTED.

**Yes**       **No**

Select "No" ONLY if the bidder REFUSES to make this certification. The bidder may provide an explanation for the refusal with this submittal in the space below or by fax to the Design Division @ fax no. 573-522-2281.

USE OF ANOTHER PERSON'S DIGITAL ID IN THIS BIDDING PROCESS VIOLATES THE LAWS OF MISSOURI.

I acknowledge that I have read, understood and completed the above Electronic Bid Submission Certification.

**BID BOND**

(16) BID GUARANTY: The bidder shall submit a Bid Guaranty meeting the requirements of Section 102 of the Missouri Standard Specifications for Highway Construction. MoDOT's bid bond forms are available on MoDOT's website.

Annual bid bonds shall be submitted to MoDOT by June 15th of each year. If utilizing a paper annual or project specific bid bond as a Bid Guaranty

for this project the bidder shall mark the box below.

\*\*Pay by:  Paper Annual or Project Specific Bid Bond.

If submitting a cashier's/certified check, the Bid Bond folder will not turn green.

**ELECTRONIC BID BOND**

The bidder shall complete the following bond verification process if utilizing an electronic project bid bond or electronic annual bid bond as a Bid Guaranty for this project.

\*\*Bond ID:

\*\*Surety Registry Agency:

\*\*Bond Pct:

Surety State:

FIELDS WITH THE \*\* INDICATOR ARE REQUIRED FIELDS IF SUBMITTING YOUR BID VIA BID EXPRESS